


5.47-5.725GHz_802.11ax HEW40_Nss1_(MCS0)_4TX

CSE Bandedge [PK]

5510MHz

13/06/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.39G	5.805G	1M	PK	5.45889G	-32.99	-21.20	-11.79	6.87	0.00	-39.86	-46.49	-46.66	-43.64	-47.93
5.39G	5.805G	1M	PK	5.46802G	-29.82	-27.00	-2.82	6.87	0.00	-36.69	-43.65	-45.22	-39.70	-44.71
5.39G	5.805G	1M	PK	5.75991G	-38.50	-27.00	-11.50	6.87	0.00	-45.37	-50.47	-52.78	-51.72	-50.95

5.47-5.725GHz_802.11ax HEW40_Nss1_(MCS0)_4TX


CSE Bandedge [AV]



5510MHz

13/06/2023



F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.39G	5.805G	1M	AV	5.45993G	-43.58	-41.20	-2.38	6.87	0.00	-50.45	-57.22	-56.72	-54.84	-57.67







5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5710MHz Straddle 5.47-5.725GHz

13/06/2023





F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.39G	5.93G	1M	PK	5.45561G	-37.45	-21.20	-16.25	6.87	0.00	-44.32	-52.00	-47.80	-50.77	-52.42
5.39G	5.93G	1M	PK	5.46452G	-37.82	-27.00	-10.82	6.87	0.00	-44.69	-50.13	-51.61	-50.79	-50.44
5.39G	5.93G	1M	PK	5.85602G	-39.14	-27.00	-12.14	6.87	0.00	-46.01	-52.17	-52.89	-51.20	-52.04

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


CSE Bandedge [AV]

5710MHz Straddle 5.47-5.725GHz

13/06/2023



F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.39G	5.93G	1M	AV	5.45507G	-48.33	-41.20	-7.13	6.87	0.00	-55.20	-61.57	-60.49	-61.07	-61.89




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5210MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.09062G	-31.34	-21.20	-10.14	6.58	0.00	-37.92	-38.52	-52.22	-51.91	-50.72
4.99G	5.51G	1M	PK	5.37594G	-35.92	-21.20	-14.72	6.58	0.00	-42.50	-46.90	-49.09	-50.19	-48.57
4.99G	5.51G	1M	PK	5.47932G	-38.03	-27.00	-11.03	6.58	0.00	-44.61	-46.16	-51.05	-53.31	-51.70

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5210MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.1499G	-42.59	-41.20	-1.39	6.58	0.00	-49.17	-53.97	-56.93	-54.26	-56.32
4.99G	5.51G	1M	AV	5.37594G	-44.67	-41.20	-3.47	6.58	0.00	-51.25	-54.67	-59.25	-59.64	-57.42

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5290MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.14574G	-38.82	-21.20	-17.62	6.15	0.00	-44.97	-48.69	-51.75	-52.74	-51.97
4.99G	5.51G	1M	PK	5.35244G	-31.14	-21.20	-9.94	6.15	0.00	-37.29	-45.95	-48.28	-39.31	-46.90
4.99G	5.51G	1M	PK	5.47046G	-37.29	-27.00	-10.29	6.15	0.00	-43.44	-50.34	-50.70	-46.97	-51.28

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5290MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.14574G	-48.06	-41.20	-6.86	6.15	0.00	-54.21	-57.58	-60.98	-62.35	-61.74
4.99G	5.51G	1M	AV	5.35296G	-42.23	-41.20	-1.03	6.15	0.00	-48.38	-55.62	-55.00	-51.54	-57.97

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5530MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.33933G	-37.33	-27.00	-10.33	6.87	0.00	-44.20	-50.20	-49.38	-50.30	-51.19
5.31G	5.885G	1M	PK	5.41034G	-30.68	-21.20	-9.48	6.87	0.00	-37.55	-38.50	-48.44	-49.08	-51.12
5.31G	5.885G	1M	PK	5.46698G	-30.02	-27.00	-3.02	6.87	0.00	-36.89	-45.30	-43.39	-41.69	-42.11
5.31G	5.885G	1M	PK	5.72975G	-37.19	-27.00	-10.19	6.87	0.00	-44.06	-49.88	-50.00	-49.04	-51.86

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5530MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.4595G	-41.61	-41.20	-0.41	6.87	0.00	-48.48	-56.14	-56.14	-53.06	-53.59

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5610MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.34048G	-38.73	-27.00	-11.73	6.87	0.00	-45.60	-51.83	-52.72	-50.28	-52.02
5.31G	5.885G	1M	PK	5.45203G	-35.65	-21.20	-14.45	6.87	0.00	-42.52	-48.04	-49.27	-48.80	-48.15
5.31G	5.885G	1M	PK	5.46295G	-35.49	-27.00	-8.49	6.87	0.00	-42.36	-49.67	-49.10	-46.58	-48.86
5.31G	5.885G	1M	PK	5.72946G	-31.60	-27.00	-4.60	6.87	0.00	-38.47	-39.75	-49.21	-49.33	-48.97

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5610MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.37584G	-44.85	-41.20	-3.65	6.87	0.00	-51.72	-56.01	-61.48	-60.21	-55.91

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.31805G	-38.57	-27.00	-11.57	6.87	0.00	-45.44	-51.96	-51.99	-49.73	-52.79
5.31G	6.01G	1M	PK	5.4451G	-37.23	-21.20	-16.03	6.87	0.00	-44.10	-50.38	-50.15	-50.49	-49.53
5.31G	6.01G	1M	PK	5.46925G	-36.74	-27.00	-9.74	6.87	0.00	-43.61	-50.04	-49.17	-48.90	-50.64
5.31G	6.01G	1M	PK	5.85635G	-38.39	-27.00	-11.39	6.87	0.00	-45.26	-50.46	-51.85	-51.27	-51.69

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

13/06/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.3758G	-44.62	-41.20	-3.42	6.87	0.00	-51.49	-55.31	-60.73	-60.82	-56.06





Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.11G	5.39G	AV	5.1499G	3.21	-45.83	-45.83	-42.62	-41.2	-1.42
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.11G	5.39G	AV	5.1499G	3.21	-46.02	-46.02	-42.81	-41.2	-1.61
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.07G	5.43G	AV	5.14974G	3.21	-44.95	-44.95	-41.74	-41.2	-0.54
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	4.99G	5.51G	AV	5.14964G	3.21	-46.55	-46.55	-43.34	-41.2	-2.14
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	4.83G	5.67G	AV	5.13534G	3.21	-48.31	-48.31	-45.10	-41.2	-3.90
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.11G	5.39G	AV	5.3501G	2.86	-44.4	-44.4	-41.54	-41.2	-0.34
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.11G	5.39G	AV	5.3501G	2.86	-44.84	-44.84	-41.98	-41.2	-0.78
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.07G	5.43G	AV	5.35026G	2.86	-45.37	-45.37	-42.51	-41.2	-1.31
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	4.99G	5.51G	AV	5.3501G	2.86	-44.77	-44.77	-41.91	-41.2	-0.71
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	4.83G	5.67G	AV	5.13744G	2.86	-44.56	-44.56	-41.70	-41.2	-0.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.43G	5.765G	PK	5.46987G	3.11	-31.01	-31.01	-27.90	-27	-0.90
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.43G	5.765G	PK	5.46953G	3.11	-30.16	-30.16	-27.05	-27	-0.05
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.39G	5.805G	PK	5.72885G	3.11	-30.59	-30.59	-27.48	-27	-0.48
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	5.31G	5.885G	PK	5.7263G	3.11	-30.27	-30.27	-27.16	-27	-0.16
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	5.15G	6.045G	PK	5.46504G	3.11	-30.89	-30.89	-27.78	-27	-0.78
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.685G	5.89G	PK	5.71842G	3.78	-23.89	-23.89	-20.11	15.16	-35.27
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.685G	5.89G	PK	5.71647G	3.78	-21.81	-21.81	-18.03	14.61	-32.64
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.645G	5.93G	PK	5.64685G	3.78	-39.55	-39.55	-35.77	-27	-8.77
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	5.565G	6.01G	PK	5.65044G	3.78	-30.86	-30.86	-27.08	-26.67	-0.41

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge (wo Filter)_Radio 3

Appendix E.7

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.11G	5.39G	AV	5.1499G	3.21	-45.83	-45.83	-42.62	-41.2	-1.42
5180MHz	Pass	5.11G	5.39G	AV	5.3515G	3.21	-58.44	-58.44	-55.23	-41.2	-14.03
5180MHz	Pass	5.11G	5.39G	PK	5.1499G	3.21	-33.35	-33.35	-30.14	-21.2	-8.94
5180MHz	Pass	5.11G	5.39G	PK	5.36032G	3.21	-46.97	-46.97	-43.76	-21.2	-22.56
5200MHz	Pass	5.11G	5.39G	AV	5.14948G	3.21	-56.87	-56.87	-53.66	-41.2	-12.46
5200MHz	Pass	5.11G	5.39G	AV	5.35108G	3.21	-56.56	-56.56	-53.35	-41.2	-12.15
5200MHz	Pass	5.11G	5.39G	PK	5.14934G	3.21	-43.87	-43.87	-40.66	-21.2	-19.46
5200MHz	Pass	5.11G	5.39G	PK	5.35472G	3.21	-44.35	-44.35	-41.14	-21.2	-19.94
5240MHz	Pass	5.11G	5.39G	AV	5.11728G	3.21	-50.1	-50.1	-46.89	-41.2	-5.69
5240MHz	Pass	5.11G	5.39G	AV	5.37992G	3.21	-49.35	-49.35	-46.14	-41.2	-4.94
5240MHz	Pass	5.11G	5.39G	PK	5.1107G	3.21	-44.1	-44.1	-40.89	-21.2	-19.69
5240MHz	Pass	5.11G	5.39G	PK	5.38174G	3.21	-41.95	-41.95	-38.74	-21.2	-17.54
5260MHz	Pass	5.11G	5.39G	AV	5.11882G	2.86	-57.84	-57.84	-54.98	-41.2	-13.78
5260MHz	Pass	5.11G	5.39G	AV	5.38706G	2.86	-56.55	-56.55	-53.69	-41.2	-12.49
5260MHz	Pass	5.11G	5.39G	PK	5.11462G	2.86	-46.59	-46.59	-43.73	-21.2	-22.53
5260MHz	Pass	5.11G	5.39G	PK	5.37754G	2.86	-44.92	-44.92	-42.06	-21.2	-20.86
5300MHz	Pass	5.11G	5.39G	AV	5.14696G	2.86	-50.29	-50.29	-47.43	-41.2	-6.23
5300MHz	Pass	5.11G	5.39G	AV	5.38104G	2.86	-50.1	-50.1	-47.24	-41.2	-6.04
5300MHz	Pass	5.11G	5.39G	PK	5.14332G	2.86	-43.79	-43.79	-40.93	-21.2	-19.73
5300MHz	Pass	5.11G	5.39G	PK	5.3522G	2.86	-43.16	-43.16	-40.30	-21.2	-19.10
5320MHz	Pass	5.11G	5.39G	AV	5.1499G	2.86	-60.62	-60.62	-57.76	-41.2	-16.56
5320MHz	Pass	5.11G	5.39G	AV	5.3501G	2.86	-44.4	-44.4	-41.54	-41.2	-0.34
5320MHz	Pass	5.11G	5.39G	PK	5.1359G	2.86	-49.33	-49.33	-46.47	-21.2	-25.27
5320MHz	Pass	5.11G	5.39G	PK	5.35066G	2.86	-31.76	-31.76	-28.90	-21.2	-7.70
5500MHz	Pass	5.43G	5.765G	AV	5.45998G	3.11	-52.64	-52.64	-49.53	-41.2	-8.33
5500MHz	Pass	5.43G	5.765G	PK	5.45982G	3.11	-37.03	-37.03	-33.92	-21.2	-12.72
5500MHz	Pass	5.43G	5.765G	PK	5.46987G	3.11	-31.01	-31.01	-27.90	-27	-0.90
5500MHz	Pass	5.43G	5.765G	PK	5.75663G	3.11	-50.49	-50.49	-47.38	-27	-20.38
5580MHz	Pass	5.43G	5.765G	AV	5.44139G	3.11	-49.69	-49.69	-46.58	-41.2	-5.38
5580MHz	Pass	5.43G	5.765G	PK	5.45295G	3.11	-45.2	-45.2	-42.09	-21.2	-20.89
5580MHz	Pass	5.43G	5.765G	PK	5.46953G	3.11	-45.08	-45.08	-41.97	-27	-14.97
5580MHz	Pass	5.43G	5.765G	PK	5.73753G	3.11	-44.73	-44.73	-41.62	-27	-14.62
5700MHz	Pass	5.43G	5.765G	AV	5.45111G	3.11	-63.7	-63.7	-60.59	-41.2	-19.39
5700MHz	Pass	5.43G	5.765G	PK	5.45412G	3.11	-52.39	-52.39	-49.28	-21.2	-28.08
5700MHz	Pass	5.43G	5.765G	PK	5.46769G	3.11	-52.7	-52.7	-49.59	-27	-22.59
5700MHz	Pass	5.43G	5.765G	PK	5.72631G	3.11	-32.65	-32.65	-29.54	-27	-2.54
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.45162G	3.11	-49.89	-49.89	-46.78	-41.2	-5.58
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.43391G	3.11	-46.85	-46.85	-43.74	-21.2	-22.54
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46013G	3.11	-46.79	-46.79	-43.68	-27	-16.68
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.86447G	3.11	-44.78	-44.78	-41.67	-27	-14.67
5745MHz	Pass	5.685G	5.89G	PK	5.71842G	3.78	-23.89	-23.89	-20.11	15.16	-35.27
5745MHz	Pass	5.685G	5.89G	PK	5.8898G	3.78	-45.3	-45.3	-41.52	-0.95	-40.57
5785MHz	Pass	5.685G	5.89G	PK	5.68541G	3.78	-45.67	-45.67	-41.89	-0.8	-41.09
5785MHz	Pass	5.685G	5.89G	PK	5.8898G	3.78	-46.79	-46.79	-43.01	-0.95	-42.06
5825MHz	Pass	5.685G	5.89G	PK	5.685G	3.78	-44.53	-44.53	-40.75	-1.1	-39.65
5825MHz	Pass	5.685G	5.89G	PK	5.85413G	3.78	-24.61	-24.61	-20.83	17.6	-38.43
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.11G	5.39G	AV	5.1499G	3.21	-46.02	-46.02	-42.81	-41.2	-1.61
5180MHz	Pass	5.11G	5.39G	AV	5.3501G	3.21	-58.25	-58.25	-55.04	-41.2	-13.84
5180MHz	Pass	5.11G	5.39G	PK	5.14976G	3.21	-32.15	-32.15	-28.94	-21.2	-7.74
5180MHz	Pass	5.11G	5.39G	PK	5.35262G	3.21	-46.83	-46.83	-43.62	-21.2	-22.42
5200MHz	Pass	5.11G	5.39G	AV	5.1499G	3.21	-49.53	-49.53	-46.32	-41.2	-5.12
5200MHz	Pass	5.11G	5.39G	AV	5.35024G	3.21	-49.76	-49.76	-46.55	-41.2	-5.35
5200MHz	Pass	5.11G	5.39G	PK	5.14962G	3.21	-41.44	-41.44	-38.23	-21.2	-17.03
5200MHz	Pass	5.11G	5.39G	PK	5.36858G	3.21	-43.59	-43.59	-40.38	-21.2	-19.18
5240MHz	Pass	5.11G	5.39G	AV	5.12008G	3.21	-50.09	-50.09	-46.88	-41.2	-5.68
5240MHz	Pass	5.11G	5.39G	AV	5.38776G	3.21	-49.56	-49.56	-46.35	-41.2	-5.15
5240MHz	Pass	5.11G	5.39G	PK	5.11854G	3.21	-43.85	-43.85	-40.64	-21.2	-19.44
5240MHz	Pass	5.11G	5.39G	PK	5.37208G	3.21	-42.26	-42.26	-39.05	-21.2	-17.85
5260MHz	Pass	5.11G	5.39G	AV	5.11672G	2.86	-57.9	-57.9	-55.04	-41.2	-13.84
5260MHz	Pass	5.11G	5.39G	AV	5.38958G	2.86	-56.82	-56.82	-53.96	-41.2	-12.76
5260MHz	Pass	5.11G	5.39G	PK	5.12708G	2.86	-45.4	-45.4	-42.54	-21.2	-21.34
5260MHz	Pass	5.11G	5.39G	PK	5.38636G	2.86	-44.95	-44.95	-42.09	-21.2	-20.89
5300MHz	Pass	5.11G	5.39G	AV	5.14962G	2.86	-58.82	-58.82	-55.96	-41.2	-14.76
5300MHz	Pass	5.11G	5.39G	AV	5.35024G	2.86	-55.49	-55.49	-52.63	-41.2	-11.43
5300MHz	Pass	5.11G	5.39G	PK	5.14528G	2.86	-46.51	-46.51	-43.65	-21.2	-22.45
5300MHz	Pass	5.11G	5.39G	PK	5.3536G	2.86	-43.71	-43.71	-40.85	-21.2	-19.65
5320MHz	Pass	5.11G	5.39G	AV	5.14906G	2.86	-60.62	-60.62	-57.76	-41.2	-16.56



CSE Bandedge (wo Filter)_Radio 3

Appendix E.7

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5320MHz	Pass	5.11G	5.39G	AV	5.3501G	2.86	-44.84	-44.84	-41.98	-41.2	-0.78
5320MHz	Pass	5.11G	5.39G	PK	5.14584G	2.86	-49.16	-49.16	-46.30	-21.2	-25.10
5320MHz	Pass	5.11G	5.39G	PK	5.35038G	2.86	-31.57	-31.57	-28.71	-21.2	-7.51
5500MHz	Pass	5.43G	5.765G	AV	5.45948G	3.11	-48.16	-48.16	-45.05	-41.2	-3.85
5500MHz	Pass	5.43G	5.765G	PK	5.45965G	3.11	-39.1	-39.1	-35.99	-21.2	-14.79
5500MHz	Pass	5.43G	5.765G	PK	5.46953G	3.11	-30.16	-30.16	-27.05	-27	-0.05
5500MHz	Pass	5.43G	5.765G	PK	5.75328G	3.11	-45.9	-45.9	-42.79	-27	-15.79
5580MHz	Pass	5.43G	5.765G	AV	5.4491G	3.11	-49.63	-49.63	-46.52	-41.2	-5.32
5580MHz	Pass	5.43G	5.765G	PK	5.44742G	3.11	-44.36	-44.36	-41.25	-21.2	-20.05
5580MHz	Pass	5.43G	5.765G	PK	5.46099G	3.11	-44.89	-44.89	-41.78	-27	-14.78
5580MHz	Pass	5.43G	5.765G	PK	5.73401G	3.11	-44.51	-44.51	-41.40	-27	-14.40
5700MHz	Pass	5.43G	5.765G	AV	5.44173G	3.11	-49.95	-49.95	-46.84	-41.2	-5.64
5700MHz	Pass	5.43G	5.765G	PK	5.45479G	3.11	-47.55	-47.55	-44.44	-21.2	-23.24
5700MHz	Pass	5.43G	5.765G	PK	5.46149G	3.11	-47.03	-47.03	-43.92	-27	-16.92
5700MHz	Pass	5.43G	5.765G	PK	5.72631G	3.11	-30.66	-30.66	-27.55	-27	-0.55
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.44219G	3.11	-49.95	-49.95	-46.84	-41.2	-5.64
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.4576G	3.11	-47.03	-47.03	-43.92	-21.2	-22.72
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46197G	3.11	-47.34	-47.34	-44.23	-27	-17.23
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.86493G	3.11	-44.35	-44.35	-41.24	-27	-14.24
5745MHz	Pass	5.685G	5.89G	PK	5.71647G	3.78	-21.81	-21.81	-18.03	14.61	-32.64
5745MHz	Pass	5.685G	5.89G	PK	5.88959G	3.78	-45.24	-45.24	-41.46	-0.8	-40.66
5785MHz	Pass	5.685G	5.89G	PK	5.68562G	3.78	-45.89	-45.89	-42.11	-0.64	-41.47
5785MHz	Pass	5.685G	5.89G	PK	5.8898G	3.78	-46.33	-46.33	-42.55	-0.95	-41.60
5825MHz	Pass	5.685G	5.89G	PK	5.68531G	3.78	-44.43	-44.43	-40.65	-0.87	-39.78
5825MHz	Pass	5.685G	5.89G	PK	5.85413G	3.78	-20.93	-20.93	-17.15	17.6	-34.75
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	5.07G	5.43G	AV	5.14974G	3.21	-44.95	-44.95	-41.74	-41.2	-0.54
5190MHz	Pass	5.07G	5.43G	AV	5.36124G	3.21	-49.95	-49.95	-46.74	-41.2	-5.54
5190MHz	Pass	5.07G	5.43G	PK	5.14902G	3.21	-34.22	-34.22	-31.01	-21.2	-9.81
5190MHz	Pass	5.07G	5.43G	PK	5.35224G	3.21	-44.06	-44.06	-40.85	-21.2	-19.65
5230MHz	Pass	5.07G	5.43G	AV	5.14992G	3.21	-51.93	-51.93	-48.72	-41.2	-7.52
5230MHz	Pass	5.07G	5.43G	AV	5.37384G	3.21	-53.79	-53.79	-50.58	-41.2	-9.38
5230MHz	Pass	5.07G	5.43G	PK	5.14704G	3.21	-39.15	-39.15	-35.94	-21.2	-14.74
5230MHz	Pass	5.07G	5.43G	PK	5.38032G	3.21	-41.74	-41.74	-38.53	-21.2	-17.33
5270MHz	Pass	5.07G	5.43G	AV	5.14362G	2.86	-49.79	-49.79	-46.93	-41.2	-5.73
5270MHz	Pass	5.07G	5.43G	AV	5.35026G	2.86	-48.39	-48.39	-45.53	-41.2	-4.33
5270MHz	Pass	5.07G	5.43G	PK	5.13156G	2.86	-42.07	-42.07	-39.21	-21.2	-18.01
5270MHz	Pass	5.07G	5.43G	PK	5.3589G	2.86	-37.82	-37.82	-34.96	-21.2	-13.76
5310MHz	Pass	5.07G	5.43G	AV	5.14488G	2.86	-50.3	-50.3	-47.44	-41.2	-6.24
5310MHz	Pass	5.07G	5.43G	AV	5.35026G	2.86	-45.37	-45.37	-42.51	-41.2	-1.31
5310MHz	Pass	5.07G	5.43G	PK	5.12832G	2.86	-45.71	-45.71	-42.85	-21.2	-21.65
5310MHz	Pass	5.07G	5.43G	PK	5.35026G	2.86	-31.94	-31.94	-29.08	-21.2	-7.88
5510MHz	Pass	5.39G	5.805G	AV	5.45993G	3.11	-52.91	-52.91	-49.80	-41.2	-8.60
5510MHz	Pass	5.39G	5.805G	PK	5.45806G	3.11	-35.12	-35.12	-32.01	-21.2	-10.81
5510MHz	Pass	5.39G	5.805G	PK	5.46512G	3.11	-32.4	-32.4	-29.29	-27	-2.29
5510MHz	Pass	5.39G	5.805G	PK	5.73445G	3.11	-50.03	-50.03	-46.92	-27	-19.92
5550MHz	Pass	5.39G	5.805G	AV	5.45848G	3.11	-49.1	-49.1	-45.99	-41.2	-4.79
5550MHz	Pass	5.39G	5.805G	PK	5.45993G	3.11	-42.57	-42.57	-39.46	-21.2	-18.26
5550MHz	Pass	5.39G	5.805G	PK	5.46906G	3.11	-38.26	-38.26	-35.15	-27	-8.15
5550MHz	Pass	5.39G	5.805G	PK	5.72532G	3.11	-44.97	-44.97	-41.86	-27	-14.86
5670MHz	Pass	5.39G	5.805G	AV	5.45972G	3.11	-61.26	-61.26	-58.15	-41.2	-16.95
5670MHz	Pass	5.39G	5.805G	PK	5.45785G	3.11	-49.49	-49.49	-46.38	-21.2	-25.18
5670MHz	Pass	5.39G	5.805G	PK	5.46885G	3.11	-50.32	-50.32	-47.21	-27	-20.21
5670MHz	Pass	5.39G	5.805G	PK	5.72885G	3.11	-30.59	-30.59	-27.48	-27	-0.48
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	AV	5.44373G	3.11	-62.17	-62.17	-59.06	-41.2	-17.86
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.42861G	3.11	-50.14	-50.14	-47.03	-21.2	-25.83
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.4629G	3.11	-50.67	-50.67	-47.56	-27	-20.56
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.8571G	3.11	-46.42	-46.42	-43.31	-27	-16.31
5755MHz	Pass	5.645G	5.93G	PK	5.64685G	3.78	-39.55	-39.55	-35.77	-27	-8.77
5755MHz	Pass	5.645G	5.93G	PK	5.92858G	3.78	-44.87	-44.87	-41.09	-27	-14.09
5795MHz	Pass	5.645G	5.93G	PK	5.64928G	3.78	-43.39	-43.39	-39.61	-27	-12.61
5795MHz	Pass	5.645G	5.93G	PK	5.9253G	3.78	-43.62	-43.62	-39.84	-27	-12.84
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.14964G	3.21	-46.55	-46.55	-43.34	-41.2	-2.14
5210MHz	Pass	4.99G	5.51G	AV	5.35244G	3.21	-54.22	-54.22	-51.01	-41.2	-9.81
5210MHz	Pass	4.99G	5.51G	PK	5.14054G	3.21	-30.45	-30.45	-27.24	-21.2	-6.04
5210MHz	Pass	4.99G	5.51G	PK	5.3514G	3.21	-41.8	-41.8	-38.59	-21.2	-17.39
5210MHz	Pass	4.99G	5.51G	PK	5.47854G	3.21	-50.33	-50.33	-47.12	-27	-20.12
5290MHz	Pass	4.99G	5.51G	AV	5.14964G	2.86	-59.11	-59.11	-56.25	-41.2	-15.05
5290MHz	Pass	4.99G	5.51G	AV	5.3501G	2.86	-44.77	-44.77	-41.91	-41.2	-0.71



CSE Bandedge (wo Filter)_Radio 3

Appendix E.7

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5290MHz	Pass	4.99G	5.51G	PK	5.14522G	2.86	-46.7	-46.7	-43.84	-21.2	-22.64
5290MHz	Pass	4.99G	5.51G	PK	5.35478G	2.86	-31.28	-31.28	-28.42	-21.2	-7.22
5290MHz	Pass	4.99G	5.51G	PK	5.46164G	2.86	-47	-47	-44.14	-27	-17.14
5530MHz	Pass	5.31G	5.885G	AV	5.45979G	3.11	-45.01	-45.01	-41.90	-41.2	-0.70
5530MHz	Pass	5.31G	5.885G	PK	5.34364G	3.11	-46.43	-46.43	-43.32	-27	-16.32
5530MHz	Pass	5.31G	5.885G	PK	5.45749G	3.11	-31.48	-31.48	-28.37	-21.2	-7.17
5530MHz	Pass	5.31G	5.885G	PK	5.46899G	3.11	-30.88	-30.88	-27.77	-27	-0.77
5530MHz	Pass	5.31G	5.885G	PK	5.72745G	3.11	-45.8	-45.8	-42.69	-27	-15.69
5610MHz	Pass	5.31G	5.885G	AV	5.45979G	3.11	-52.42	-52.42	-49.31	-41.2	-8.11
5610MHz	Pass	5.31G	5.885G	PK	5.32639G	3.11	-51.91	-51.91	-48.80	-27	-21.80
5610MHz	Pass	5.31G	5.885G	PK	5.45921G	3.11	-38.45	-38.45	-35.34	-21.2	-14.14
5610MHz	Pass	5.31G	5.885G	PK	5.46381G	3.11	-36.8	-36.8	-33.69	-27	-6.69
5610MHz	Pass	5.31G	5.885G	PK	5.7263G	3.11	-30.27	-30.27	-27.16	-27	-0.16
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.45945G	3.11	-60.4	-60.4	-57.29	-41.2	-16.09
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.34115G	3.11	-52.18	-52.18	-49.07	-27	-22.07
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4192G	3.11	-49.08	-49.08	-45.97	-21.2	-24.77
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4619G	3.11	-48.55	-48.55	-45.44	-27	-18.44
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.85495G	3.11	-40.95	-40.95	-37.84	-27	-10.84
5775MHz	Pass	5.565G	6.01G	PK	5.65044G	3.78	-30.86	-30.86	-27.08	-26.67	-0.41
5775MHz	Pass	5.565G	6.01G	PK	5.92901G	3.78	-37.08	-37.08	-33.30	-27	-6.30
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.13744G	2.86	-44.56	-44.56	-41.70	-41.2	-0.50
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.13912G	2.86	-44.56	-44.56	-41.70	-41.2	-0.50
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.39616G	2.86	-44.83	-44.83	-41.97	-41.2	-0.77
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.1429G	2.86	-29.98	-29.98	-27.12	-21.2	-5.92
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.41422G	2.86	-32.78	-32.78	-29.92	-21.2	-8.72
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.46756G	2.86	-39.66	-39.66	-36.80	-27	-9.80
5570MHz	Pass	5.15G	6.045G	AV	5.15G	3.11	-65.66	-65.66	-62.55	-41.2	-21.35
5570MHz	Pass	5.15G	6.045G	AV	5.44401G	3.11	-47.16	-47.16	-44.05	-41.2	-2.85
5570MHz	Pass	5.15G	6.045G	PK	5.34869G	3.11	-44.55	-44.55	-41.44	-27	-14.44
5570MHz	Pass	5.15G	6.045G	PK	5.45654G	3.11	-33.56	-33.56	-30.45	-21.2	-9.25
5570MHz	Pass	5.15G	6.045G	PK	5.46504G	3.11	-30.89	-30.89	-27.78	-27	-0.78
5570MHz	Pass	5.15G	6.045G	PK	5.72728G	3.11	-34.46	-34.46	-31.35	-27	-4.35


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5180MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.1499G	-30.14	-21.20	-8.94	3.21	0.00	-33.35	-33.35
5.11G	5.39G	1M	PK	5.36032G	-43.76	-21.20	-22.56	3.21	0.00	-46.97	-46.97

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


CSE Bandedge [AV]



5180MHz


22/03/2023







F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.1499G	-42.62	-41.20	-1.42	3.21	0.00	-45.83	-45.83
5.11G	5.39G	1M	AV	5.3515G	-55.23	-41.20	-14.03	3.21	0.00	-58.44	-58.44





















5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5720MHz Straddle 5.47-5.725GHz

22/03/2023



Legend for CSE Bandedge [PK]:

- Limit.PK (Red line)
- EIRP.PK (Blue line)
- Port 1 (Blue line)


F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.89G	1M	PK	5.43391G	-43.74	-21.20	-22.54	3.11	0.00	-46.85	-46.85
5.43G	5.89G	1M	PK	5.46013G	-43.68	-27.00	-16.68	3.11	0.00	-46.79	-46.79
5.43G	5.89G	1M	PK	5.86447G	-41.67	-27.00	-14.67	3.11	0.00	-44.78	-44.78

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz


22/03/2023



Legend for CSE Bandedge [AV]:

- Limit.AV (Red line)
- EIRP.AV (Blue line)
- Port 1 (Blue line)

F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.89G	1M	AV	5.45162G	-46.78	-41.20	-5.58	3.11	0.00	-49.89	-49.89




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5825MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M	PK	5.685G	-40.75	-1.10	-39.65	3.78	0.00	-44.53	-44.53
5.685G	5.89G	1M	PK	5.85413G	-20.83	17.60	-38.43	3.78	0.00	-24.61	-24.61

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5180MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.14976G	-28.94	-21.20	-7.74	3.21	0.00	-32.15	-32.15
5.11G	5.39G	1M	PK	5.35262G	-43.62	-21.20	-22.42	3.21	0.00	-46.83	-46.83

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5180MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.1499G	-42.81	-41.20	-1.61	3.21	0.00	-46.02	-46.02
5.11G	5.39G	1M	AV	5.3501G	-55.04	-41.20	-13.84	3.21	0.00	-58.25	-58.25

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


CSE Bandedge [PK]

5200MHz

22/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.14962G	-38.23	-21.20	-17.03	3.21	0.00	-41.44	-41.44
5.11G	5.39G	1M	PK	5.36858G	-40.38	-21.20	-19.18	3.21	0.00	-43.59	-43.59




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5240MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.12008G	-46.88	-41.20	-5.68	3.21	0.00	-50.09	-50.09
5.11G	5.39G	1M	AV	5.38776G	-46.35	-41.20	-5.15	3.21	0.00	-49.56	-49.56

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5260MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.12708G	-42.54	-21.20	-21.34	2.86	0.00	-45.40	-45.40
5.11G	5.39G	1M	PK	5.38636G	-42.09	-21.20	-20.89	2.86	0.00	-44.95	-44.95

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5260MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.11672G	-55.04	-41.20	-13.84	2.86	0.00	-57.90	-57.90
5.11G	5.39G	1M	AV	5.38958G	-53.96	-41.20	-12.76	2.86	0.00	-56.82	-56.82

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5300MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.14528G	-43.65	-21.20	-22.45	2.86	0.00	-46.51	-46.51
5.11G	5.39G	1M	PK	5.3536G	-40.85	-21.20	-19.65	2.86	0.00	-43.71	-43.71

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5300MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14962G	-55.96	-41.20	-14.76	2.86	0.00	-58.82	-58.82
5.11G	5.39G	1M	AV	5.35024G	-52.63	-41.20	-11.43	2.86	0.00	-55.49	-55.49

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5320MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.14584G	-46.30	-21.20	-25.10	2.86	0.00	-49.16	-49.16
5.11G	5.39G	1M	PK	5.35038G	-28.71	-21.20	-7.51	2.86	0.00	-31.57	-31.57

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5320MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14906G	-57.76	-41.20	-16.56	2.86	0.00	-60.62	-60.62
5.11G	5.39G	1M	AV	5.3501G	-41.98	-41.20	-0.78	2.86	0.00	-44.84	-44.84

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5500MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.45965G	-35.99	-21.20	-14.79	3.11	0.00	-39.10	-39.10
5.43G	5.765G	1M	PK	5.46953G	-27.05	-27.00	-0.05	3.11	0.00	-30.16	-30.16
5.43G	5.765G	1M	PK	5.75326G	-42.79	-27.00	-15.79	3.11	0.00	-45.90	-45.90

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5500MHz

22/03/2023



Legend for AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Port 1 (Blue line)


F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.45948G	-45.05	-41.20	-3.85	3.11	0.00	-48.16	-48.16

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5580MHz

22/03/2023



Legend for PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Port 1 (Blue line)


F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.44742G	-41.25	-21.20	-20.05	3.11	0.00	-44.36	-44.36
5.43G	5.765G	1M	PK	5.46099G	-41.78	-27.00	-14.78	3.11	0.00	-44.89	-44.89
5.43G	5.765G	1M	PK	5.73401G	-41.40	-27.00	-14.40	3.11	0.00	-44.51	-44.51

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5580MHz

22/03/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.4491G	-46.52	-41.20	-5.32	3.11	0.00	-49.63	-49.63

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5700MHz

22/03/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.45479G	-44.44	-21.20	-23.24	3.11	0.00	-47.55	-47.55
5.43G	5.765G	1M	PK	5.46149G	-43.92	-27.00	-16.92	3.11	0.00	-47.03	-47.03
5.43G	5.765G	1M	PK	5.72631G	-27.55	-27.00	-0.55	3.11	0.00	-30.66	-30.66

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5700MHz

22/03/2023



Legend for AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Port 1 (Blue line)


F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.44173G	-46.84	-41.20	-5.64	3.11	0.00	-49.95	-49.95

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5720MHz Straddle 5.47-5.725GHz

22/03/2023



Legend for PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Port 1 (Blue line)


F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.89G	1M	PK	5.4576G	-43.92	-21.20	-22.72	3.11	0.00	-47.03	-47.03
5.43G	5.89G	1M	PK	5.46191G	-44.23	-27.00	-17.23	3.11	0.00	-47.34	-47.34
5.43G	5.89G	1M	PK	5.86455G	-41.24	-27.00	-14.24	3.11	0.00	-44.35	-44.35

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz

22/03/2023



Legend for plot:

- Limit_AV (Red line)
- EIRP_AV (Green line)
- Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.89G	1M	AV	5.44219G	-46.84	-41.20	-5.64	3.11	0.00	-49.95	-49.95

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5745MHz


22/03/2023





Legend for plot:


- Limit_PK (Red line)
- EIRP_PK (Green line)
- Port 1 (Blue line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M	PK	5.71647G	-18.03	14.61	-32.64	3.78	0.00	-21.81	-21.81
5.685G	5.89G	1M	PK	5.88959G	-41.46	-0.80	-40.66	3.78	0.00	-45.24	-45.24










5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5310MHz

22/03/2023



Legend for CSE Bandedge [PK]:

- Limit:PK (Red line)
- ERP:PK (Green line)
- Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	PK	5.12832G	-42.85	-21.20	-21.65	2.86	0.00	-45.71	-45.71
5.07G	5.43G	1M	PK	5.35026G	-29.08	-21.20	-7.88	2.86	0.00	-31.94	-31.94

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5310MHz


22/03/2023




Legend for CSE Bandedge [AV]:

- Limit:AV (Red line)
- ERP:AV (Green line)
- Port 1 (Blue line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	AV	5.14488G	-47.44	-41.20	-6.24	2.86	0.00	-50.30	-50.30
5.07G	5.43G	1M	AV	5.35026G	-42.51	-41.20	-1.31	2.86	0.00	-45.37	-45.37






5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5670MHz

22/03/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	PK	5.45785G	-46.38	-21.20	-25.18	3.11	0.00	-49.49	-49.49
5.39G	5.805G	1M	PK	5.46885G	-47.21	-27.00	-20.21	3.11	0.00	-50.32	-50.32
5.39G	5.805G	1M	PK	5.72885G	-27.48	-27.00	-0.48	3.11	0.00	-30.59	-30.59

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5670MHz

22/03/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	AV	5.45972G	-58.15	-41.20	-16.95	3.11	0.00	-61.26	-61.26

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5710MHz Straddle 5.47-5.725GHz

22/03/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.93G	1M	PK	5.42861G	-47.03	-21.20	-25.83	3.11	0.00	-50.14	-50.14
5.39G	5.93G	1M	PK	5.4629G	-47.56	-27.00	-20.56	3.11	0.00	-50.67	-50.67
5.39G	5.93G	1M	PK	5.8571G	-43.31	-27.00	-16.31	3.11	0.00	-46.42	-46.42

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


CSE Bandedge [AV]


5710MHz Straddle 5.47-5.725GHz

22/03/2023



F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.93G	1M	AV	5.44373G	-59.06	-41.20	-17.86	3.11	0.00	-62.17	-62.17






5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5290MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	PK	5.14522G	-43.84	-21.20	-22.64	2.86	0.00	-46.70	-46.70
4.99G	5.51G	1M	PK	5.35478G	-28.42	-21.20	-7.22	2.86	0.00	-31.28	-31.28
4.99G	5.51G	1M	PK	5.46164G	-44.14	-27.00	-17.14	2.86	0.00	-47.00	-47.00

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5290MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	AV	5.14964G	-56.25	-41.20	-15.05	2.86	0.00	-59.11	-59.11
4.99G	5.51G	1M	AV	5.3501G	-41.91	-41.20	-0.71	2.86	0.00	-44.77	-44.77

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5530MHz

22/03/2023



Limit:PK
EIRP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	PK	5.34364G	-43.32	-27.00	-16.32	3.11	0.00	-46.43	-46.43
5.31G	5.885G	1M	PK	5.45749G	-28.37	-21.20	-7.17	3.11	0.00	-31.48	-31.48
5.31G	5.885G	1M	PK	5.46899G	-27.77	-27.00	-0.77	3.11	0.00	-30.88	-30.88
5.31G	5.885G	1M	PK	5.72745G	-42.69	-27.00	-15.69	3.11	0.00	-45.80	-45.80

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5530MHz

22/03/2023



Limit:AV
EIRP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	AV	5.45979G	-41.90	-41.20	-0.70	3.11	0.00	-45.01	-45.01

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5610MHz

22/03/2023



Legend for CSE Bandedge [PK]:

- Limit:PK (Red line)
- EIRP:PK (Green line)
- Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	PK	5.32639G	-48.80	-27.00	-21.80	3.11	0.00	-51.91	-51.91
5.31G	5.885G	1M	PK	5.45921G	-35.34	-21.20	-14.14	3.11	0.00	-38.45	-38.45
5.31G	5.885G	1M	PK	5.46381G	-33.69	-27.00	-6.69	3.11	0.00	-36.80	-36.80
5.31G	5.885G	1M	PK	5.7263G	-27.16	-27.00	-0.16	3.11	0.00	-30.27	-30.27

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5610MHz

22/03/2023



Legend for CSE Bandedge [AV]:

- Limit:AV (Red line)
- EIRP:AV (Green line)
- Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	AV	5.45979G	-49.31	-41.20	-8.11	3.11	0.00	-52.42	-52.42

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.31G	6.01G	1M	PK	5.34115G	-49.07	-27.00	-22.07	3.11	0.00	-52.18	-52.18
5.31G	6.01G	1M	PK	5.4192G	-45.97	-21.20	-24.77	3.11	0.00	-49.08	-49.08
5.31G	6.01G	1M	PK	5.4619G	-45.44	-27.00	-18.44	3.11	0.00	-48.55	-48.55
5.31G	6.01G	1M	PK	5.85495G	-37.84	-27.00	-10.84	3.11	0.00	-40.95	-40.95

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.31G	6.01G	1M	AV	5.45945G	-57.29	-41.20	-16.09	3.11	0.00	-60.40	-60.40

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5775MHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.565G	6.01G	1M	PK	5.65044G	-27.08	-26.67	-0.41	3.78	0.00	-30.86	-30.86
5.565G	6.01G	1M	PK	5.92901G	-33.30	-27.00	-6.30	3.78	0.00	-37.08	-37.08

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.14626G	-28.16	-21.20	-6.96	3.21	0.00	-31.37	-31.37
4.83G	5.67G	1M	PK	5.36634G	-29.87	-21.20	-8.67	3.21	0.00	-33.08	-33.08
4.83G	5.67G	1M	PK	5.46042G	-37.77	-27.00	-10.77	3.21	0.00	-40.98	-40.98

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.13534G	-45.10	-41.20	-3.90	3.21	0.00	-48.31	-48.31
4.83G	5.67G	1M	AV	5.41926G	-45.10	-41.20	-3.90	3.21	0.00	-48.31	-48.31

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.1429G	-27.12	-21.20	-5.92	2.86	0.00	-29.98	-29.98
4.83G	5.67G	1M	PK	5.41422G	-29.92	-21.20	-8.72	2.86	0.00	-32.78	-32.78
4.83G	5.67G	1M	PK	5.46756G	-36.80	-27.00	-9.80	2.86	0.00	-39.66	-39.66

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

22/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.13744G	-41.70	-41.20	-0.50	2.86	0.00	-44.56	-44.56
4.83G	5.67G	1M	AV	5.13912G	-41.70	-41.20	-0.50	2.86	0.00	-44.56	-44.56
4.83G	5.67G	1M	AV	5.39616G	-41.97	-41.20	-0.77	2.86	0.00	-44.83	-44.83

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


CSE Bandedge [PK]

5570MHz

22/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.15G	6.045G	1M	PK	5.34869G	-41.44	-27.00	-14.44	3.11	0.00	-44.55	-44.55
5.15G	6.045G	1M	PK	5.45654G	-30.45	-21.20	-9.25	3.11	0.00	-33.56	-33.56
5.15G	6.045G	1M	PK	5.46504G	-27.78	-27.00	-0.78	3.11	0.00	-30.89	-30.89
5.15G	6.045G	1M	PK	5.72728G	-31.35	-27.00	-4.35	3.11	0.00	-34.46	-34.46






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	15.59586G	48.63	54.00	-5.37	3	Horizontal	130	2.74	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	15.70458G	48.46	54.00	-5.54	3	Horizontal	220	1.89	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	17.22834G	65.19	68.20	-3.01	3	Vertical	108	1.04	-

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT Y_1TX
 Setting 24
 01-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45478G	56.95	68.20	-11.25	41.36	3	Vertical	55	2.15	-	38.80	8.48	31.69
PK	15.705G	60.40	74.00	-13.60	42.18	3	Vertical	0	2.51	-	38.31	10.58	30.67
AV	15.70116G	48.22	54.00	-5.78	30.01	3	Vertical	0	2.51	-	38.30	10.58	30.67

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT Y_1TX
 Setting 24
 01-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45976G	57.37	68.20	-10.83	41.77	3	Horizontal	164	1.52	-	38.80	8.48	31.68
PK	15.68706G	60.83	74.00	-13.17	42.62	3	Horizontal	220	1.89	-	38.31	10.57	30.67
AV	15.70458G	48.46	54.00	-5.54	30.24	3	Horizontal	220	1.89	-	38.31	10.58	30.67

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
 Setting 24
 01-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40738G	56.82	68.20	-11.38	41.30	3	Vertical	360	1.80	-	38.80	8.46	31.74
PK	15.60126G	60.71	74.00	-13.29	42.47	3	Vertical	144	1.80	-	38.40	10.54	30.70
AV	15.58674G	48.30	54.00	-5.70	30.04	3	Vertical	144	1.80	-	38.43	10.53	30.70

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
 Setting 24
 01-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38836G	57.34	68.20	-10.86	41.86	3	Horizontal	270	1.80	-	38.78	8.46	31.76
PK	15.58584G	60.43	74.00	-13.57	42.17	3	Horizontal	130	2.74	-	38.43	10.53	30.70
AV	15.59586G	48.63	54.00	-5.37	30.38	3	Horizontal	130	2.74	-	38.41	10.54	30.70

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
 Setting 24
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49828G	57.70	74.00	-16.30	41.74	3	Vertical	101	1.94	-	38.80	8.90	31.74
AV	11.49882G	45.03	54.00	-8.97	29.07	3	Vertical	101	1.94	-	38.80	8.90	31.74
PK	17.22834G	65.19	68.20	-3.01	42.16	3	Vertical	108	1.04	-	42.01	11.19	30.17

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX



EUT Y_4TX
 Setting 24
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4849G	57.02	74.00	-16.98	41.08	3	Horizontal	358	1.07	-	38.80	8.89	31.75
AV	11.49996G	44.89	54.00	-9.11	28.93	3	Horizontal	358	1.07	-	38.80	8.90	31.74
PK	17.23758G	64.29	68.20	-3.91	41.22	3	Horizontal	143	1.95	-	42.05	11.20	30.18




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	15.67974G	48.27	54.00	-5.73	3	Vertical	182	1.80	-

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
 Setting 24
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4525G	56.93	68.20	-11.27	41.34	3	Vertical	341	1.14	-	38.80	8.48	31.69
PK	15.69252G	60.50	74.00	-13.50	42.28	3	Vertical	182	1.80	-	38.31	10.58	30.67
AV	15.67974G	48.27	54.00	-5.73	30.06	3	Vertical	182	1.80	-	38.32	10.57	30.68

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX



EUT Y_1TX
 Setting 24
 01-I-J-8


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4639G	57.29	68.20	-10.91	41.68	3	Horizontal	189	2.12	-	38.80	8.49	31.68
PK	15.6834G	61.05	74.00	-12.95	42.83	3	Horizontal	222	1.80	-	38.32	10.57	30.67
AV	15.68676G	48.17	54.00	-5.83	29.96	3	Horizontal	222	1.80	-	38.31	10.57	30.67



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.71335G	42.08	54.00	-11.92	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.71335G	47.27	74.00	-26.73	-7.79	3	Vertical	326	1.56	-	55.06	24.91	3.71	36.41
AV	1.71335G	42.08	54.00	-11.92	-7.79	3	Vertical	326	1.56	"Worst"	49.87	24.91	3.71	36.41

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.71227G	53.69	74.00	-20.31	-7.80	3	Horizontal	310	1.63	-	61.49	24.90	3.71	36.41
AV	1.71227G	39.61	54.00	-14.39	-7.80	3	Horizontal	310	1.63	"Worst"	47.41	24.90	3.71	36.41