


11a20_Nss1,(6Mbps)_2TX

PSD

5785MHz

25/08/2021

CF
5.785GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.62	5.62	3.70	1.65


11a20_Nss1,(6Mbps)_2TX

PSD

5825MHz

25/08/2021

CF
5.825GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.49	5.49	3.53	1.65


11a40_Nss1,(6Mbps)_2TX

PSD

5190MHz

25/08/2021

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.31	0.31	-2.05	-3.20


11a40_Nss1,(6Mbps)_2TX

PSD

5230MHz

25/08/2021

CF
5.23GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.32	4.32	1.85	0.97




11a40_Nss1,(6Mbps)_2TX

PSD

5270MHz

25/08/2021

CF
5.27GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.46	4.46	2.19	1.20


11a40_Nss1,(6Mbps)_2TX

PSD

5310MHz

25/08/2021

CF
5.31GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.60	-1.60	-3.69	-4.90

11a40_Nss1,(6Mbps)_2TX

PSD

5510MHz

25/08/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.04	0.04	-2.10	-3.65

11a40_Nss1,(6Mbps)_2TX

PSD

5550MHz

25/08/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.93	3.93	1.55	0.22

11a40_Nss1,(6Mbps)_2TX

PSD

5670MHz

25/08/2021

CF
5.67GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.07	2.07	0.03	-1.60

11a40_Nss1,(6Mbps)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

25/08/2021

CF
5.69GHz


Span
140MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.72	3.72	1.73	0.13

11a40_Nss1,(6Mbps)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

25/08/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.84	0.84	-1.23	-3.00

11a40_Nss1,(6Mbps)_2TX

PSD

5755MHz

25/08/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.25	2.25	0.17	-1.71




11a40_Nss1,(6Mbps)_2TX

PSD

5795MHz

25/08/2021

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.41	2.41	0.45	-1.57


11a80_Nss1,(6Mbps)_2TX

PSD

5210MHz

25/08/2021

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.29	-1.29	-3.81	-4.74




11a80_Nss1,(6Mbps)_2TX

PSD

5290MHz

25/08/2021

CF
5.29GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.45	-4.45	-6.57	-7.78


11a80_Nss1,(6Mbps)_2TX

PSD

5530MHz

25/08/2021

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.89	-1.89	-4.34	-5.45


11a80_Nss1,(6Mbps)_2TX

PSD

5610MHz

25/08/2021

CF
5.61GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.31	1.31	-1.00	-2.38


11a80_Nss1,(6Mbps)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

25/08/2021

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.40	1.40	-0.64	-2.45

11a80_Nss1,(6Mbps)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

25/08/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.84	-2.84	-4.91	-6.93

11a80_Nss1,(6Mbps)_2TX

PSD

5775MHz

25/08/2021

CF
5.775GHz


Span
120MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.20	-1.20	-3.17	-5.08


802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5180MHz

25/08/2021

CF
5.18GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.01	5.01	2.71	1.50


802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5200MHz

25/08/2021

CF
5.2GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.24	7.24	4.95	3.80




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5240MHz

25/08/2021

CF
5.24GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.20	7.20	4.92	3.61


802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5260MHz

25/08/2021

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.25	7.25	5.07	3.82




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5300MHz

25/08/2021

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.16	7.16	5.03	4.03


802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5320MHz

25/08/2021

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.02	5.02	2.87	2.04




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5500MHz

25/08/2021

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.66	5.66	3.09	2.25


802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5580MHz

25/08/2021

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.92	6.92	4.67	3.08

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5700MHz

25/08/2021

CF
5.7GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.67	1.67	-0.29	-2.14

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

25/08/2021

CF
5.71GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.61	6.61	4.72	2.57

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

25/08/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.12	4.12	2.12	0.65

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5745MHz

25/08/2021

CF
5.745GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.74	4.74	2.65	0.99


802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5785MHz

25/08/2021

CF
5.785GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.07	5.07	3.17	0.96


802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5825MHz

25/08/2021

CF
5.825GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.01	5.01	3.10	0.98




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5190MHz

25/08/2021

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.20	1.20	-1.07	-2.43


802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5230MHz

25/08/2021

CF
5.23GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.20	4.20	1.82	1.01




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5270MHz

25/08/2021

CF
5.27GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.42	4.42	2.27	1.10


802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5310MHz

25/08/2021

CF
5.31GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.73	-1.73	-3.74	-5.21




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5510MHz

25/08/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5550MHz

25/08/2021



802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5670MHz

25/08/2021

CF
5.67GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.02	3.02	1.04	-0.74

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

25/08/2021

CF
5.69GHz


Span
140MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.92	3.92	2.03	-0.11




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

25/08/2021

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.51	0.51	-1.40	-2.93


802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5755MHz

25/08/2021

CF
5.755GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.30	2.30	0.40	-1.86




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5795MHz

25/08/2021

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.40	2.40	0.43	-1.65


802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5210MHz

25/08/2021

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.84	-2.84	-5.42	-6.23




802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5290MHz

25/08/2021

CF
5.29GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.90	-5.90	-7.96	-9.35


802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5530MHz

25/08/2021

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.20	-2.20	-4.56	-5.89


802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5610MHz

25/08/2021

CF
5.61GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.18	1.18	-1.04	-2.71


802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

25/08/2021

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.04	1.04	-0.82	-3.01




802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

25/08/2021

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.35	-3.35	-5.12	-7.14


802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5775MHz

25/08/2021

CF
5.775GHz
Span
120MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.58	-1.58	-3.55	-5.67



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
11a20_Nss1,(6Mbps)_4TX	10.44	21.46
11a40_Nss1,(6Mbps)_4TX	5.19	16.21
11a80_Nss1,(6Mbps)_4TX	-2.52	8.50
802.11ax HEW20_Nss1,(MCS0)_4TX	10.87	21.89
802.11ax HEW40_Nss1,(MCS0)_4TX	6.71	17.73
802.11ax HEW80_Nss1,(MCS0)_4TX	-2.36	8.66
5.25-5.35GHz	-	-
11a20_Nss1,(6Mbps)_4TX	4.80	15.82
11a40_Nss1,(6Mbps)_4TX	4.55	15.57
11a80_Nss1,(6Mbps)_4TX	-2.26	8.76
802.11ax HEW20_Nss1,(MCS0)_4TX	4.32	15.34
802.11ax HEW40_Nss1,(MCS0)_4TX	4.67	15.69
802.11ax HEW80_Nss1,(MCS0)_4TX	-4.34	6.68
5.47-5.725GHz	-	-
11a20_Nss1,(6Mbps)_4TX	4.42	15.44
11a40_Nss1,(6Mbps)_4TX	4.94	15.96
11a80_Nss1,(6Mbps)_4TX	4.82	15.84
802.11ax HEW20_Nss1,(MCS0)_4TX	4.91	15.93
802.11ax HEW40_Nss1,(MCS0)_4TX	4.95	15.97
802.11ax HEW80_Nss1,(MCS0)_4TX	4.32	15.34
5.725-5.85GHz	-	-
11a20_Nss1,(6Mbps)_4TX	9.77	20.79
11a40_Nss1,(6Mbps)_4TX	6.92	17.94
11a80_Nss1,(6Mbps)_4TX	1.07	12.09
802.11ax HEW20_Nss1,(MCS0)_4TX	9.02	20.04
802.11ax HEW40_Nss1,(MCS0)_4TX	6.10	17.12
802.11ax HEW80_Nss1,(MCS0)_4TX	-0.66	10.36

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
11a20_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	11.02	3.12	4.32	4.22	3.12	8.41	11.98	19.43	23.00
5200MHz	Pass	11.02	4.74	4.41	4.97	4.45	10.15	11.98	21.17	23.00
5240MHz	Pass	11.02	5.99	5.61	5.41	5.44	10.44	11.98	21.46	23.00
5260MHz	Pass	11.02	-0.18	-0.52	0.07	-0.58	4.72	5.98	15.74	17.00
5300MHz	Pass	11.02	-0.16	-0.95	-1.36	-0.11	4.80	5.98	15.82	17.00
5320MHz	Pass	11.02	-1.18	-1.29	-1.55	-1.08	4.22	5.98	15.24	17.00
5500MHz	Pass	11.02	-2.06	-1.72	-1.27	-0.95	3.99	5.98	15.01	17.00
5580MHz	Pass	11.02	-1.14	-1.67	-0.34	-0.85	4.35	5.98	15.37	17.00
5700MHz	Pass	11.02	-1.02	-0.70	-0.55	-0.22	4.37	5.98	15.39	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	11.02	-0.49	-1.64	-1.53	-0.49	4.42	5.98	15.44	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	11.02	-1.81	-3.18	-2.44	-3.70	2.65	24.98	13.67	36.00
5745MHz	Pass	11.02	3.94	4.75	3.33	4.31	8.69	24.98	19.71	36.00
5785MHz	Pass	11.02	4.13	4.76	3.42	3.80	9.77	24.98	20.79	36.00
5825MHz	Pass	11.02	3.25	4.40	4.03	3.32	8.85	24.98	19.87	36.00
11a40_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	11.02	-3.21	-2.34	-3.22	-4.07	1.59	11.98	12.61	23.00
5230MHz	Pass	11.02	0.81	1.11	0.77	1.04	5.19	11.98	16.21	23.00
5270MHz	Pass	11.02	0.64	0.66	-0.05	0.23	4.55	5.98	15.57	17.00
5310MHz	Pass	11.02	-4.29	-4.50	-5.56	-5.48	-1.05	5.98	9.97	17.00
5510MHz	Pass	11.02	-4.81	-3.48	-3.79	-4.32	1.42	5.98	12.44	17.00
5550MHz	Pass	11.02	-0.99	0.02	-0.30	-1.28	4.59	5.98	15.61	17.00
5670MHz	Pass	11.02	-1.37	-0.71	-0.35	-1.22	4.94	5.98	15.96	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	11.02	-1.70	-1.01	-1.27	-1.36	4.07	5.98	15.09	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	11.02	-4.53	-6.90	-4.24	-4.44	0.61	24.98	11.63	36.00
5755MHz	Pass	11.02	0.49	1.56	0.45	0.50	6.29	24.98	17.31	36.00
5795MHz	Pass	11.02	0.77	1.83	0.89	0.46	6.92	24.98	17.94	36.00
11a80_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	11.02	-6.98	-6.18	-6.98	-7.83	-2.52	11.98	8.50	23.00
5290MHz	Pass	11.02	-7.19	-7.90	-8.58	-7.92	-2.26	5.98	8.76	17.00
5530MHz	Pass	11.02	-5.20	-3.65	-4.33	-4.98	0.95	5.98	11.97	17.00
5610MHz	Pass	11.02	-3.49	-1.88	-2.34	-3.29	1.77	5.98	12.79	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	11.02	-1.28	-1.30	-0.46	-0.84	4.82	5.98	15.84	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	11.02	-5.59	-7.91	-5.26	-5.53	-0.31	24.98	10.71	36.00
5775MHz	Pass	11.02	-4.78	-3.78	-4.98	-4.91	1.07	24.98	12.09	36.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	11.02	2.17	2.36	2.62	1.61	7.09	11.98	18.11	23.00
5200MHz	Pass	11.02	4.83	5.54	5.35	4.92	10.87	11.98	21.89	23.00
5240MHz	Pass	11.02	4.73	5.66	4.60	5.27	10.04	11.98	21.06	23.00
5260MHz	Pass	11.02	-1.28	-1.01	-0.70	-0.82	4.32	5.98	15.34	17.00
5300MHz	Pass	11.02	-0.47	-0.67	-1.19	-0.88	4.19	5.98	15.21	17.00
5320MHz	Pass	11.02	-1.56	-2.52	-1.62	-1.55	4.00	5.98	15.02	17.00
5500MHz	Pass	11.02	-2.42	-1.24	-1.23	-1.58	3.93	5.98	14.95	17.00
5580MHz	Pass	11.02	-1.25	-0.48	-0.77	-1.16	4.24	5.98	15.26	17.00
5700MHz	Pass	11.02	-2.14	-2.41	-0.97	-2.76	2.76	5.98	13.78	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	11.02	0.20	-0.24	-0.50	0.18	4.91	5.98	15.93	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	11.02	-2.95	-5.54	-2.53	-3.08	2.39	24.98	13.41	36.00
5745MHz	Pass	11.02	3.54	3.39	3.03	3.22	8.13	24.98	19.15	36.00
5785MHz	Pass	11.02	3.91	3.83	3.15	2.60	9.02	24.98	20.04	36.00
5825MHz	Pass	11.02	3.28	3.52	3.53	2.80	8.09	24.98	19.11	36.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	11.02	-2.36	-2.51	-3.52	-3.59	2.06	11.98	13.08	23.00
5230MHz	Pass	11.02	1.92	1.21	2.16	2.13	6.71	11.98	17.73	23.00
5270MHz	Pass	11.02	0.35	0.88	-0.55	-0.57	4.67	5.98	15.69	17.00
5310MHz	Pass	11.02	-4.40	-4.93	-5.99	-6.00	-0.46	5.98	10.56	17.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	11.02	-3.75	-4.35	-3.51	-3.35	2.13	5.98	13.15	17.00
5550MHz	Pass	11.02	0.06	-0.43	0.30	-0.36	4.76	5.98	15.78	17.00
5670MHz	Pass	11.02	-1.02	-0.19	-0.87	-1.25	4.95	5.98	15.97	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	11.02	-0.89	-1.00	-0.72	-1.44	4.27	5.98	15.29	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	11.02	-4.57	-4.92	-6.77	-4.69	0.49	24.98	11.51	36.00
5755MHz	Pass	11.02	1.09	0.96	1.41	0.58	5.93	24.98	16.95	36.00
5795MHz	Pass	11.02	1.07	0.20	1.47	0.46	6.10	24.98	17.12	36.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	11.02	-7.10	-7.06	-7.29	-8.23	-2.36	11.98	8.66	23.00
5290MHz	Pass	11.02	-8.72	-8.74	-10.21	-9.83	-4.34	5.98	6.68	17.00
5530MHz	Pass	11.02	-6.73	-6.77	-6.16	-6.03	-0.54	5.98	10.48	17.00
5610MHz	Pass	11.02	-3.89	-2.21	-2.85	-3.46	2.80	5.98	13.82	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	11.02	-0.92	-0.83	-0.72	-1.68	4.32	5.98	15.34	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	11.02	-5.67	-6.13	-8.08	-6.24	-0.82	24.98	10.20	36.00
5775MHz	Pass	11.02	-5.72	-6.29	-5.10	-6.32	-0.66	24.98	10.36	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

11a20_Nss1,(6Mbps)_4TX

PSD

5180MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.41	8.41	3.12	4.32	4.22	3.12

11a20_Nss1,(6Mbps)_4TX

PSD

5200MHz

24/08/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.15	10.15	4.74	4.41	4.97	4.45




11a20_Nss1,(6Mbps)_4TX

PSD

5240MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.44	10.44	5.99	5.61	5.41	5.44

11a20_Nss1,(6Mbps)_4TX

PSD

5260MHz

24/08/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.72	4.72	-0.18	-0.52	0.07	-0.58




11a20_Nss1,(6Mbps)_4TX

PSD

5300MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.80	4.80	-0.16	-0.95	-1.36	-0.11

11a20_Nss1,(6Mbps)_4TX

PSD

5320MHz

24/08/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.22	4.22	-1.18	-1.29	-1.55	-1.08




11a20_Nss1,(6Mbps)_4TX

PSD

5500MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.99	3.99	-2.06	-1.72	-1.27	-0.95

11a20_Nss1,(6Mbps)_4TX

PSD

5580MHz

24/08/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.35	4.35	-1.14	-1.67	-0.34	-0.85




11a20_Nss1,(6Mbps)_4TX

PSD

5700MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.37	4.37	-1.02	-0.70	-0.55	-0.22

11a20_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.42	4.42	-0.49	-1.64	-1.53	-0.49

11a20_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.65	2.65	-1.81	-3.18	-2.44	-3.70

11a20_Nss1,(6Mbps)_4TX

PSD

5745MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.69	8.69	3.94	4.75	3.33	4.31

11a20_Nss1,(6Mbps)_4TX

PSD

5785MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.77	9.77	4.13	4.76	3.42	3.80

11a20_Nss1,(6Mbps)_4TX

PSD

5825MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.85	8.85	3.25	4.40	4.03	3.32

11a40_Nss1,(6Mbps)_4TX

PSD

5190MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.59	1.59	-3.21	-2.34	-3.22	-4.07

11a40_Nss1,(6Mbps)_4TX

PSD

5230MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.19	5.19	0.81	1.11	0.77	1.04

11a40_Nss1,(6Mbps)_4TX

PSD

5270MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.55	4.55	0.64	0.66	-0.05	0.23

11a40_Nss1,(6Mbps)_4TX

PSD

5310MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.05	-1.05	-4.29	-4.50	-5.56	-5.48

11a40_Nss1,(6Mbps)_4TX

PSD

5510MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.42	1.42	-4.81	-3.48	-3.79	-4.32

11a40_Nss1,(6Mbps)_4TX

PSD

5550MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.59	4.59	-0.99	0.02	-0.30	-1.28

11a40_Nss1,(6Mbps)_4TX

PSD

5670MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.94	4.94	-1.37	-0.71	-0.35	-1.22

11a40_Nss1,(6Mbps)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.07	4.07	-1.70	-1.01	-1.27	-1.36

11a40_Nss1,(6Mbps)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.61	0.61	-4.53	-6.90	-4.24	-4.44

11a40_Nss1,(6Mbps)_4TX

PSD

5755MHz

24/08/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.29	6.29	0.49	1.56	0.45	0.50




11a40_Nss1,(6Mbps)_4TX

PSD

5795MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.92	6.92	0.77	1.83	0.89	0.46

11a80_Nss1,(6Mbps)_4TX

PSD

5210MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.52	-2.52	-6.98	-6.18	-6.98	-7.83

11a80_Nss1,(6Mbps)_4TX

PSD

5290MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.26	-2.26	-7.19	-7.90	-8.58	-7.92

11a80_Nss1,(6Mbps)_4TX

PSD

5530MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.95	0.95	-5.20	-3.65	-4.33	-4.98

11a80_Nss1,(6Mbps)_4TX

PSD

5610MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.77	1.77	-3.49	-1.88	-2.34	-3.29

11a80_Nss1,(6Mbps)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.82	4.82	-1.28	-1.30	-0.46	-0.84

11a80_Nss1,(6Mbps)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.31	-0.31	-5.59	-7.91	-5.26	-5.53

11a80_Nss1,(6Mbps)_4TX

PSD

5775MHz

24/08/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.07	1.07	-4.78	-3.78	-4.98	-4.91




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5180MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.09	7.09	2.17	2.36	2.62	1.61

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5200MHz

24/08/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.87	10.87	4.83	5.54	5.35	4.92




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5240MHz

24/08/2021

CF
5.24GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.04	10.04	4.73	5.66	4.60	5.27


802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

24/08/2021

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.32	4.32	-1.28	-1.01	-0.70	-0.82

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.19	4.19	-0.47	-0.67	-1.19	-0.88

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.00	4.00	-1.56	-2.52	-1.62	-1.55

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.93	3.93	-2.42	-1.24	-1.23	-1.58

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.24	4.24	-1.25	-0.48	-0.77	-1.16

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.76	2.76	-2.14	-2.41	-0.97	-2.76

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.91	4.91	0.20	-0.24	-0.50	0.18

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.725-5.85GHz

PSD

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.39	2.39	-2.95	-5.54	-2.53	-3.08

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz

PSD

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.13	8.13	3.54	3.39	3.03	3.22

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5785MHz

24/08/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5825MHz

24/08/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5190MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.06	2.06	-2.36	-2.51	-3.52	-3.59

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5230MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.71	6.71	1.92	1.21	2.16	2.13

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5270MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.67	4.67	0.35	0.88	-0.55	-0.57

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.46	-0.46	-4.40	-4.93	-5.99	-6.00

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.13	2.13	-3.75	-4.35	-3.51	-3.35

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.76	4.76	0.06	-0.43	0.30	-0.36

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.95	4.95	-1.02	-0.19	-0.87	-1.25

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.27	4.27	-0.89	-1.00	-0.72	-1.44

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.49	0.49	-4.57	-4.92	-6.77	-4.69

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5755MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.93	5.93	1.09	0.96	1.41	0.58

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5795MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.10	6.10	1.07	0.20	1.47	0.46

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5210MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.36	-2.36	-7.10	-7.06	-7.29	-8.23

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.34	-4.34	-8.72	-8.74	-10.21	-9.83

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.54	-0.54	-6.73	-6.77	-6.16	-6.03

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.80	2.80	-3.89	-2.21	-2.85	-3.46

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.32	4.32	-0.92	-0.83	-0.72	-1.68

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

24/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.82	-0.82	-5.67	-6.13	-8.08	-6.24

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5775MHz

24/08/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.66	-0.66	-5.72	-6.29	-5.10	-6.32



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
11a20_Nss1,(6Mbps)_1TX	4.07	9.07
11a40_Nss1,(6Mbps)_1TX	0.74	5.74
11a80_Nss1,(6Mbps)_1TX	-3.71	1.29
802.11ax HEW20_Nss1,(MCS0)_1TX	3.64	8.64
802.11ax HEW40_Nss1,(MCS0)_1TX	0.71	5.71
802.11ax HEW80_Nss1,(MCS0)_1TX	-4.28	0.72
5.25-5.35GHz	-	-
11a20_Nss1,(6Mbps)_1TX	4.28	9.28
11a40_Nss1,(6Mbps)_1TX	0.96	5.96
11a80_Nss1,(6Mbps)_1TX	-5.70	-0.70
802.11ax HEW20_Nss1,(MCS0)_1TX	3.79	8.79
802.11ax HEW40_Nss1,(MCS0)_1TX	1.07	6.07
802.11ax HEW80_Nss1,(MCS0)_1TX	-7.04	-2.04
5.47-5.725GHz	-	-
11a20_Nss1,(6Mbps)_1TX	3.73	8.73
11a40_Nss1,(6Mbps)_1TX	0.53	5.53
11a80_Nss1,(6Mbps)_1TX	-1.82	3.18
802.11ax HEW20_Nss1,(MCS0)_1TX	3.27	8.27
802.11ax HEW40_Nss1,(MCS0)_1TX	0.54	5.54
802.11ax HEW80_Nss1,(MCS0)_1TX	-2.38	2.62
5.725-5.85GHz	-	-
11a20_Nss1,(6Mbps)_1TX	1.87	6.87
11a40_Nss1,(6Mbps)_1TX	-1.26	3.74
11a80_Nss1,(6Mbps)_1TX	-3.63	1.37
802.11ax HEW20_Nss1,(MCS0)_1TX	1.55	6.55
802.11ax HEW40_Nss1,(MCS0)_1TX	-1.32	3.68
802.11ax HEW80_Nss1,(MCS0)_1TX	-4.32	0.68

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
11a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	5.00	3.81	3.81	17.00	8.81	23.00
5200MHz	Pass	5.00	3.94	3.94	17.00	8.94	23.00
5240MHz	Pass	5.00	4.07	4.07	17.00	9.07	23.00
5260MHz	Pass	5.00	4.28	4.28	11.00	9.28	17.00
5300MHz	Pass	5.00	4.10	4.10	11.00	9.10	17.00
5320MHz	Pass	5.00	4.25	4.25	11.00	9.25	17.00
5500MHz	Pass	5.00	3.55	3.55	11.00	8.55	17.00
5580MHz	Pass	5.00	3.73	3.73	11.00	8.73	17.00
5700MHz	Pass	5.00	3.51	3.51	11.00	8.51	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.00	3.44	3.44	11.00	8.44	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.00	1.37	1.37	30.00	6.37	36.00
5745MHz	Pass	5.00	1.87	1.87	30.00	6.87	36.00
5785MHz	Pass	5.00	1.87	1.87	30.00	6.87	36.00
5825MHz	Pass	5.00	1.61	1.61	30.00	6.61	36.00
11a40_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	5.00	-2.30	-2.30	17.00	2.70	23.00
5230MHz	Pass	5.00	0.74	0.74	17.00	5.74	23.00
5270MHz	Pass	5.00	0.96	0.96	11.00	5.96	17.00
5310MHz	Pass	5.00	-3.99	-3.99	11.00	1.01	17.00
5510MHz	Pass	5.00	-2.56	-2.56	11.00	2.44	17.00
5550MHz	Pass	5.00	0.31	0.31	11.00	5.31	17.00
5670MHz	Pass	5.00	0.53	0.53	11.00	5.53	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.00	0.18	0.18	11.00	5.18	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.00	-2.51	-2.51	30.00	2.49	36.00
5755MHz	Pass	5.00	-1.36	-1.36	30.00	3.64	36.00
5795MHz	Pass	5.00	-1.26	-1.26	30.00	3.74	36.00
11a80_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	5.00	-3.71	-3.71	17.00	1.29	23.00
5290MHz	Pass	5.00	-5.70	-5.70	11.00	-0.70	17.00
5530MHz	Pass	5.00	-3.13	-3.13	11.00	1.87	17.00
5610MHz	Pass	5.00	-1.83	-1.83	11.00	3.17	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.00	-1.82	-1.82	11.00	3.18	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.00	-6.27	-6.27	30.00	-1.27	36.00
5775MHz	Pass	5.00	-3.63	-3.63	30.00	1.37	36.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	5.00	3.40	3.40	17.00	8.40	23.00
5200MHz	Pass	5.00	3.54	3.54	17.00	8.54	23.00
5240MHz	Pass	5.00	3.64	3.64	17.00	8.64	23.00
5260MHz	Pass	5.00	3.74	3.74	11.00	8.74	17.00
5300MHz	Pass	5.00	3.75	3.75	11.00	8.75	17.00
5320MHz	Pass	5.00	3.79	3.79	11.00	8.79	17.00
5500MHz	Pass	5.00	3.06	3.06	11.00	8.06	17.00
5580MHz	Pass	5.00	3.27	3.27	11.00	8.27	17.00
5700MHz	Pass	5.00	0.16	0.16	11.00	5.16	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.00	3.05	3.05	11.00	8.05	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.00	0.98	0.98	30.00	5.98	36.00
5745MHz	Pass	5.00	1.44	1.44	30.00	6.44	36.00
5785MHz	Pass	5.00	1.55	1.55	30.00	6.55	36.00
5825MHz	Pass	5.00	1.02	1.02	30.00	6.02	36.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	5.00	-1.37	-1.37	17.00	3.63	23.00
5230MHz	Pass	5.00	0.71	0.71	17.00	5.71	23.00
5270MHz	Pass	5.00	1.07	1.07	11.00	6.07	17.00
5310MHz	Pass	5.00	-2.99	-2.99	11.00	2.01	17.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	5.00	-1.74	-1.74	11.00	3.26	17.00
5550MHz	Pass	5.00	0.19	0.19	11.00	5.19	17.00
5670MHz	Pass	5.00	0.54	0.54	11.00	5.54	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.00	0.17	0.17	11.00	5.17	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.00	-2.85	-2.85	30.00	2.15	36.00
5755MHz	Pass	5.00	-1.40	-1.40	30.00	3.60	36.00
5795MHz	Pass	5.00	-1.32	-1.32	30.00	3.68	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	5.00	-4.28	-4.28	17.00	0.72	23.00
5290MHz	Pass	5.00	-7.04	-7.04	11.00	-2.04	17.00
5530MHz	Pass	5.00	-4.71	-4.71	11.00	0.29	17.00
5610MHz	Pass	5.00	-2.43	-2.43	11.00	2.57	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.00	-2.38	-2.38	11.00	2.62	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.00	-6.79	-6.79	30.00	-1.79	36.00
5775MHz	Pass	5.00	-4.32	-4.32	30.00	0.68	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

11a20_Nss1,(6Mbps)_1TX

PSD

5180MHz

23/08/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.81	3.81	3.81

11a20_Nss1,(6Mbps)_1TX

PSD

5200MHz

23/08/2021



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.94	3.94	3.94

11a20_Nss1,(6Mbps)_1TX

PSD

5240MHz

23/08/2021

CF
5.24GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.07	4.07	4.07

11a20_Nss1,(6Mbps)_1TX

PSD

5260MHz

23/08/2021

CF
5.26GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.28	4.28	4.28




11a20_Nss1,(6Mbps)_1TX

PSD

5300MHz

23/08/2021

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.10	4.10	4.10


11a20_Nss1,(6Mbps)_1TX

PSD

5320MHz

23/08/2021

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.25	4.25	4.25

11a20_Nss1,(6Mbps)_1TX

PSD

5500MHz

23/08/2021

CF
5.5GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.55	3.55	3.55

11a20_Nss1,(6Mbps)_1TX

PSD

5580MHz

23/08/2021

CF
5.58GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.73	3.73	3.73

11a20_Nss1,(6Mbps)_1TX

PSD

5700MHz

23/08/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.51	3.51	3.51

11a20_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

23/08/2021



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.44	3.44	3.44

11a20_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

23/08/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.37	1.37	1.37

11a20_Nss1,(6Mbps)_1TX

PSD

5745MHz

23/08/2021

CF
5.745GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.87	1.87	1.87

11a20_Nss1,(6Mbps)_1TX

PSD

5785MHz

23/08/2021

CF
5.785GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.87	1.87	1.87

11a20_Nss1,(6Mbps)_1TX

PSD

5825MHz

23/08/2021

CF
5.825GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.61	1.61	1.61




11a40_Nss1,(6Mbps)_1TX

PSD

5190MHz

23/08/2021

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.30	-2.30	-2.30


11a40_Nss1,(6Mbps)_1TX

PSD

5230MHz

23/08/2021

CF
5.23GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.74	0.74	0.74




11a40_Nss1,(6Mbps)_1TX

PSD

5270MHz

23/08/2021

CF
5.27GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.96	0.96	0.96


11a40_Nss1,(6Mbps)_1TX

PSD

5310MHz

23/08/2021

CF
5.31GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.99	-3.99	-3.99




11a40_Nss1,(6Mbps)_1TX

PSD

5510MHz

23/08/2021

CF
5.51GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.56	-2.56	-2.56


11a40_Nss1,(6Mbps)_1TX

PSD

5550MHz

23/08/2021

CF
5.55GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.31	0.31	0.31




11a40_Nss1,(6Mbps)_1TX

PSD

5670MHz

23/08/2021

CF
5.67GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.53	0.53	0.53


11a40_Nss1,(6Mbps)_1TX

PSD

5710MHz Straddle 5.47-5.725GHz

23/08/2021

CF
5.69GHz
Span
140MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.18	0.18	0.18

11a40_Nss1,(6Mbps)_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

23/08/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.51	-2.51	-2.51

11a40_Nss1,(6Mbps)_1TX

PSD

5755MHz

23/08/2021

CF
5.755GHz


Span
60MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.36	-1.36	-1.36




11a40_Nss1,(6Mbps)_1TX

PSD

5795MHz

23/08/2021

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.26	-1.26	-1.26


11a80_Nss1,(6Mbps)_1TX

PSD



5210MHz

23/08/2021

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.71	-3.71	-3.71






11a80_Nss1,(6Mbps)_1TX

PSD

5610MHz

23/08/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.83	-1.83	-1.83

11a80_Nss1,(6Mbps)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/08/2021



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.82	-1.82	-1.82

11a80_Nss1,(6Mbps)_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

23/08/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.27	-6.27	-6.27

11a80_Nss1,(6Mbps)_1TX

PSD

5775MHz

23/08/2021

CF
5.775GHz


Span
120MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.63	-3.63	-3.63


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5180MHz

23/08/2021

CF
5.18GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.40	3.40	3.40


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5200MHz

23/08/2021

CF
5.2GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.54	3.54	3.54




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5240MHz

23/08/2021

CF
5.24GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.64	3.64	3.64


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5260MHz

23/08/2021

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.74	3.74	3.74




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5300MHz

23/08/2021

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.75	3.75	3.75


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5320MHz

23/08/2021

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.79	3.79	3.79

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5500MHz

23/08/2021

CF
5.5GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.06	3.06	3.06

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5580MHz

23/08/2021

CF
5.58GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.27	3.27	3.27

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5700MHz

23/08/2021

CF
5.7GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.16	0.16	0.16

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

23/08/2021

CF
5.71GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.05	3.05	3.05

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

23/08/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.98	0.98	0.98

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5745MHz

23/08/2021



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.44	1.44	1.44


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5785MHz

23/08/2021

CF
5.785GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.55	1.55	1.55


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5825MHz

23/08/2021

CF
5.825GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.02	1.02	1.02




802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5190MHz

23/08/2021

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.37	-1.37	-1.37


802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5230MHz

23/08/2021

CF
5.23GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.71	0.71	0.71




802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5270MHz

23/08/2021

CF
5.27GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.07	1.07	1.07


802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5310MHz

23/08/2021

CF
5.31GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.99	-2.99	-2.99

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5510MHz

23/08/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.74	-1.74	-1.74

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5550MHz

23/08/2021



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.19	0.19	0.19




802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5670MHz

23/08/2021

CF
5.67GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.54	0.54	0.54


802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.47-5.725GHz

23/08/2021

CF
5.69GHz
Span
140MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.17	0.17	0.17

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.725-5.85GHz

PSD

23/08/2021

CF
 5.735GHz
 Span
 40MHz
 RBW
 500kHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.85	-2.85	-2.85

802.11ax HEW40_Nss1,(MCS0)_1TX
5755MHz

PSD

23/08/2021

CF
 5.755GHz
 Span
 60MHz
 RBW
 500kHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.40	-1.40	-1.40




802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5795MHz

23/08/2021

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.32	-1.32	-1.32


802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5210MHz

23/08/2021

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.28	-4.28	-4.28


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

5290MHz

23/08/2021

CF
5.29GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.04	-7.04	-7.04


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

5530MHz

23/08/2021

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.71	-4.71	-4.71




802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5610MHz

23/08/2021




802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/08/2021




802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

23/08/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.79	-6.79	-6.79

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5775MHz

23/08/2021



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.32	-4.32	-4.32



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
11a20_Nss1,(6Mbps)_2TX(Port1&Port5)	6.93	11.93
11a40_Nss1,(6Mbps)_2TX(Port1&Port5)	3.60	8.60
11a80_Nss1,(6Mbps)_2TX(Port1&Port5)	-3.02	1.98
802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)	6.61	11.61
802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)	3.59	8.59
802.11ax HEW80_Nss1,(MCS0)_2TX(Port1&Port5)	-3.55	1.45
5.25-5.35GHz	-	-
11a20_Nss1,(6Mbps)_2TX(Port1&Port5)	7.16	12.16
11a40_Nss1,(6Mbps)_2TX(Port1&Port5)	3.84	8.84
11a80_Nss1,(6Mbps)_2TX(Port1&Port5)	-3.60	1.40
802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)	6.90	11.90
802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)	3.93	8.93
802.11ax HEW80_Nss1,(MCS0)_2TX(Port1&Port5)	-5.38	-0.38
5.47-5.725GHz	-	-
11a20_Nss1,(6Mbps)_2TX(Port1&Port5)	6.69	11.69
11a40_Nss1,(6Mbps)_2TX(Port1&Port5)	3.43	8.43
11a80_Nss1,(6Mbps)_2TX(Port1&Port5)	1.18	6.18
802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)	6.24	11.24
802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)	3.42	8.42
802.11ax HEW80_Nss1,(MCS0)_2TX(Port1&Port5)	0.72	5.72
5.725-5.85GHz	-	-
11a20_Nss1,(6Mbps)_2TX(Port1&Port5)	5.01	10.01
11a40_Nss1,(6Mbps)_2TX(Port1&Port5)	1.98	6.98
11a80_Nss1,(6Mbps)_2TX(Port1&Port5)	-0.48	4.52
802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)	4.60	9.60
802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)	1.89	6.89
802.11ax HEW80_Nss1,(MCS0)_2TX(Port1&Port5)	-1.13	3.87

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 5 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
11a20_Nss1,(6Mbps)_2TX(Port1&Port5)	-	-	-	-	-	-	-	-
5180MHz	Pass	5.00	3.82	3.48	6.59	17.00	11.59	23.00
5200MHz	Pass	5.00	3.92	3.62	6.66	17.00	11.66	23.00
5240MHz	Pass	5.00	4.10	3.81	6.93	17.00	11.93	23.00
5260MHz	Pass	5.00	4.18	3.97	7.05	11.00	12.05	17.00
5300MHz	Pass	5.00	4.13	3.99	6.96	11.00	11.96	17.00
5320MHz	Pass	5.00	4.21	4.28	7.16	11.00	12.16	17.00
5500MHz	Pass	5.00	3.42	3.33	6.31	11.00	11.31	17.00
5580MHz	Pass	5.00	3.61	3.69	6.49	11.00	11.49	17.00
5700MHz	Pass	5.00	2.80	2.98	5.78	11.00	10.78	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.00	3.53	3.85	6.69	11.00	11.69	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.00	1.72	1.80	4.74	30.00	9.74	36.00
5745MHz	Pass	5.00	1.97	2.18	4.99	30.00	9.99	36.00
5785MHz	Pass	5.00	1.91	2.24	5.01	30.00	10.01	36.00
5825MHz	Pass	5.00	1.56	2.20	4.79	30.00	9.79	36.00
11a40_Nss1,(6Mbps)_2TX(Port1&Port5)	-	-	-	-	-	-	-	-
5190MHz	Pass	5.00	-3.35	-3.53	-0.51	17.00	4.49	23.00
5230MHz	Pass	5.00	0.71	0.55	3.60	17.00	8.60	23.00
5270MHz	Pass	5.00	0.95	0.84	3.84	11.00	8.84	17.00
5310MHz	Pass	5.00	-4.86	-5.11	-2.03	11.00	2.97	17.00
5510MHz	Pass	5.00	-2.73	-2.78	0.19	11.00	5.19	17.00
5550MHz	Pass	5.00	0.29	0.31	3.26	11.00	8.26	17.00
5670MHz	Pass	5.00	-0.23	-0.03	2.82	11.00	7.82	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.00	0.36	0.55	3.43	11.00	8.43	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.00	-2.50	-2.02	0.74	30.00	5.74	36.00
5755MHz	Pass	5.00	-1.24	-0.98	1.83	30.00	6.83	36.00
5795MHz	Pass	5.00	-1.13	-0.70	1.98	30.00	6.98	36.00
11a80_Nss1,(6Mbps)_2TX(Port1&Port5)	-	-	-	-	-	-	-	-
5210MHz	Pass	5.00	-5.85	-6.04	-3.02	17.00	1.98	23.00
5290MHz	Pass	5.00	-6.45	-6.67	-3.60	11.00	1.40	17.00
5530MHz	Pass	5.00	-4.03	-4.19	-1.12	11.00	3.88	17.00
5610MHz	Pass	5.00	-1.87	-1.93	0.99	11.00	5.99	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.00	-1.76	-1.64	1.18	11.00	6.18	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.00	-6.02	-5.53	-2.85	30.00	2.15	36.00
5775MHz	Pass	5.00	-3.42	-3.35	-0.48	30.00	4.52	36.00
802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)	-	-	-	-	-	-	-	-
5180MHz	Pass	5.00	2.39	2.02	5.18	17.00	10.18	23.00
5200MHz	Pass	5.00	3.53	3.18	6.31	17.00	11.31	23.00
5240MHz	Pass	5.00	3.69	3.59	6.61	17.00	11.61	23.00
5260MHz	Pass	5.00	3.87	3.64	6.66	11.00	11.66	17.00
5300MHz	Pass	5.00	3.80	3.69	6.70	11.00	11.70	17.00
5320MHz	Pass	5.00	3.91	3.95	6.90	11.00	11.90	17.00
5500MHz	Pass	5.00	3.01	2.98	5.93	11.00	10.93	17.00
5580MHz	Pass	5.00	3.14	3.12	6.08	11.00	11.08	17.00
5700MHz	Pass	5.00	-0.77	-0.40	2.41	11.00	7.41	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.00	3.22	3.43	6.24	11.00	11.24	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.00	1.17	1.40	4.27	30.00	9.27	36.00
5745MHz	Pass	5.00	1.47	1.74	4.54	30.00	9.54	36.00
5785MHz	Pass	5.00	1.52	1.77	4.60	30.00	9.60	36.00
5825MHz	Pass	5.00	1.04	1.73	4.34	30.00	9.34	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)	-	-	-	-	-	-	-	-
5190MHz	Pass	5.00	-3.52	-3.74	-0.71	17.00	4.29	23.00
5230MHz	Pass	5.00	0.76	0.50	3.59	17.00	8.59	23.00
5270MHz	Pass	5.00	0.99	0.86	3.93	11.00	8.93	17.00
5310MHz	Pass	5.00	-4.02	-4.34	-1.24	11.00	3.76	17.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 5 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	5.00	-2.81	-2.88	0.05	11.00	5.05	17.00
5550MHz	Pass	5.00	0.16	0.26	3.15	11.00	8.15	17.00
5670MHz	Pass	5.00	-0.37	-0.20	2.68	11.00	7.68	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.00	0.29	0.62	3.42	11.00	8.42	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.00	-2.61	-2.15	0.57	30.00	5.57	36.00
5755MHz	Pass	5.00	-1.33	-1.00	1.79	30.00	6.79	36.00
5795MHz	Pass	5.00	-1.32	-0.81	1.89	30.00	6.89	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX(Port1&Port5)	-	-	-	-	-	-	-	-
5210MHz	Pass	5.00	-6.42	-6.66	-3.55	17.00	1.45	23.00
5290MHz	Pass	5.00	-8.15	-8.37	-5.38	11.00	-0.38	17.00
5530MHz	Pass	5.00	-6.75	-6.71	-3.75	11.00	1.25	17.00
5610MHz	Pass	5.00	-2.51	-2.49	0.40	11.00	5.40	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.00	-2.46	-2.05	0.72	11.00	5.72	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.00	-6.62	-6.01	-3.31	30.00	1.69	36.00
5775MHz	Pass	5.00	-4.21	-3.91	-1.13	30.00	3.87	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5180MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.59	6.59	3.82	-	-	-	3.48

11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5200MHz

17/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.66	6.66	3.92	-	-	-	3.62


11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5240MHz

17/09/2021

CF
5.24GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.93	6.93	4.10	-	-	-	3.81


11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5260MHz

17/09/2021

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.05	7.05	4.18	-	-	-	3.97

11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5300MHz

17/09/2021




11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5320MHz

17/09/2021






11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5500MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.31	6.31	3.42	-	-	-	3.33

11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5580MHz

17/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.49	6.49	3.61	-	-	-	3.69




11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5700MHz

17/09/2021

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.78	5.78	2.80	-	-	-	2.98


11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5720MHz Straddle 5.47-5.725GHz

17/09/2021

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.69	6.69	3.53	-	-	-	3.85



11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5720MHz Straddle 5.725-5.85GHz

17/09/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.74	4.74	1.72	-	-	-	1.80

11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5745MHz

17/09/2021

CF
5.745GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.99	4.99	1.97	-	-	-	2.18


11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5785MHz

17/09/2021

CF
5.785GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.01	5.01	1.91	-	-	-	2.24


11a20_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5825MHz

17/09/2021

CF
5.825GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.79	4.79	1.56	-	-	-	2.20

11a40_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5190MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.51	-0.51	-3.35	-	-	-	-3.53

11a40_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5230MHz

17/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.60	3.60	0.71	-	-	-	0.55




11a40_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5270MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.84	3.84	0.95	-	-	-	0.84

11a40_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5310MHz

17/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.03	-2.03	-4.86	-	-	-	-5.11




11a40_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5510MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.19	0.19	-2.73	-	-	-	-2.78

11a40_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5550MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.26	3.26	0.29	-	-	-	0.31

11a40_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5670MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.82	2.82	-0.23	-	-	-	-0.03

11a40_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5710MHz Straddle 5.47-5.725GHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.43	3.43	0.36	-	-	-	0.55

11a40_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5710MHz Straddle 5.725-5.85GHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.74	0.74	-2.50	-	-	-	-2.02

11a40_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5755MHz

17/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.83	1.83	-1.24	-	-	-	-0.98




11a40_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5795MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.98	1.98	-1.13	-	-	-	-0.70

11a80_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5210MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.02	-3.02	-5.85	-	-	-	-6.04

11a80_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5290MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.60	-3.60	-6.45	-	-	-	-6.67

11a80_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5530MHz

17/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.12	-1.12	-4.03	-	-	-	-4.19




11a80_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5610MHz

17/09/2021

CF
5.61GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.99	0.99	-1.87	-	-	-	-1.93


11a80_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5690MHz Straddle 5.47-5.725GHz

17/09/2021

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.18	1.18	-1.76	-	-	-	-1.64


11a80_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5690MHz Straddle 5.725-5.85GHz

17/09/2021

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.85	-2.85	-6.02	-	-	-	-5.53


11a80_Nss1,(6Mbps)_2TX(Port1&Port5)

PSD

5775MHz

17/09/2021

CF
5.775GHz
Span
120MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.48	-0.48	-3.42	-	-	-	-3.35


802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5180MHz

17/09/2021

CF
5.18GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.18	5.18	2.39	-	-	-	2.02


802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5200MHz

17/09/2021

CF
5.2GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.31	6.31	3.53	-	-	-	3.18

802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5240MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.61	6.61	3.69	-	-	-	3.59

802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5260MHz

17/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.66	6.66	3.87	-	-	-	3.64


802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5300MHz

17/09/2021

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.70	6.70	3.80	-	-	-	3.69


802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5320MHz

17/09/2021

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.90	6.90	3.91	-	-	-	3.95


802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5500MHz

17/09/2021

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.93	5.93	3.01	-	-	-	2.98


802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5580MHz

17/09/2021

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.08	6.08	3.14	-	-	-	3.12


802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5700MHz

17/09/2021

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.41	2.41	-0.77	-	-	-	-0.40


802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5720MHz Straddle 5.47-5.725GHz

17/09/2021

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.24	6.24	3.22	-	-	-	3.43

802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5720MHz Straddle 5.725-5.85GHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.27	4.27	1.17	-	-	-	1.40

802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5745MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.54	4.54	1.47	-	-	-	1.74

802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5785MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.60	4.60	1.52	-	-	-	1.77

802.11ax HEW20_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5825MHz

17/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.34	4.34	1.04	-	-	-	1.73




802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5190MHz

17/09/2021

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.71	-0.71	-3.52	-	-	-	-3.74


802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5230MHz

17/09/2021

CF
5.23GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.59	3.59	0.76	-	-	-	0.50




802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5270MHz

17/09/2021

CF
5.27GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.93	3.93	0.99	-	-	-	0.86


802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5310MHz

17/09/2021

CF
5.31GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.24	-1.24	-4.02	-	-	-	-4.34

802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5510MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.05	0.05	-2.81	-	-	-	-2.88

802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5550MHz

17/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.15	3.15	0.16	-	-	-	0.26




802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5670MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.68	2.68	-0.37	-	-	-	-0.20

802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5710MHz Straddle 5.47-5.725GHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.42	3.42	0.29	-	-	-	0.62

802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5710MHz Straddle 5.725-5.85GHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.57	0.57	-2.61	-	-	-	-2.15

802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5755MHz

17/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.79	1.79	-1.33	-	-	-	-1.00




802.11ax HEW40_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5795MHz

17/09/2021

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.89	1.89	-1.32	-	-	-	-0.81


802.11ax HEW80_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5210MHz

17/09/2021

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.55	-3.55	-6.42	-	-	-	-6.66




802.11ax HEW80_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5290MHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.38	-5.38	-8.15	-	-	-	-8.37

802.11ax HEW80_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5530MHz

17/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.75	-3.75	-6.75	-	-	-	-6.71




802.11ax HEW80_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5610MHz

17/09/2021

CF
5.61GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.40	0.40	-2.51	-	-	-	-2.49


802.11ax HEW80_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5690MHz Straddle 5.47-5.725GHz

17/09/2021

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 5


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.72	0.72	-2.46	-	-	-	-2.05

802.11ax HEW80_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5690MHz Straddle 5.725-5.85GHz

17/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.31	-3.31	-6.62	-	-	-	-6.01

802.11ax HEW80_Nss1,(MCS0)_2TX(Port1&Port5)

PSD

5775MHz

17/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.13	-1.13	-4.21	-	-	-	-3.91



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	11.22	19.23
11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	6.38	14.39
11a80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	1.09	9.10
11a80+80_Nss1,(6Mbps)_2TX(Port1&Port2)	-5.02	2.99
802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	10.42	18.43
802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	7.36	15.37
802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	0.43	8.44
802.11ax HEW80+80_Nss2,(MCS0)_2TX(Port1&Port2)	-5.71	2.30
5.25-5.35GHz	-	-
11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	8.84	16.85
11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	5.78	13.79
11a80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	-2.24	5.77
11a80+80_Nss1,(6Mbps)_2TX(Port5&Port6)	-4.71	3.30
802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	8.55	16.56
802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	6.60	14.61
802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	-3.77	4.24
802.11ax HEW80+80_Nss2,(MCS0)_2TX(Port5&Port6)	-5.59	2.42
5.47-5.725GHz	-	-
11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	8.18	16.19
11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	7.13	15.14
11a80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	4.83	12.84
11a80+80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	1.47	9.48
802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	8.91	16.92
802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	7.06	15.07
802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	4.14	12.15
802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port1&Port2&Port5&Port6)	1.70	9.71
5.725-5.85GHz	-	-
11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	8.56	16.57
11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	5.52	13.53
11a80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	1.19	9.20
11a80+80_Nss1,(6Mbps)_2TX(Port5&Port6)	-2.69	5.32
802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	8.25	16.26
802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	5.42	13.43
802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	0.50	8.51
802.11ax HEW80+80_Nss2,(MCS0)_2TX(Port5&Port6)	-2.54	5.47

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG	Port 1	Port 2	Port 5	Port 6	PD	PD Limit	EIRP PD	EIRP PD Limit
		(dB)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	8.01	3.67	3.95	3.56	4.81	8.93	14.99	16.94	23.00
5200MHz	Pass	8.01	5.24	6.32	5.48	7.31	11.04	14.99	19.05	23.00
5240MHz	Pass	8.01	5.83	6.95	5.83	6.19	11.22	14.99	19.23	23.00
5260MHz	Pass	8.01	2.60	2.97	2.30	3.11	8.65	8.99	16.66	17.00
5300MHz	Pass	8.01	2.75	3.09	2.39	3.18	8.75	8.99	16.76	17.00
5320MHz	Pass	8.01	2.61	3.33	2.64	3.01	8.84	8.99	16.85	17.00
5500MHz	Pass	8.01	1.83	2.76	1.81	2.37	8.18	8.99	16.19	17.00
5580MHz	Pass	8.01	1.97	2.92	2.01	1.96	8.16	8.99	16.17	17.00
5700MHz	Pass	8.01	2.27	2.72	2.54	1.66	8.18	8.99	16.19	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	8.01	2.05	2.51	2.37	1.61	8.07	8.99	16.08	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.01	0.34	0.55	0.24	-0.27	6.11	27.99	14.12	36.00
5745MHz	Pass	8.01	2.41	2.91	2.60	2.02	8.39	27.99	16.40	36.00
5785MHz	Pass	8.01	2.45	2.71	2.87	2.78	8.56	27.99	16.57	36.00
5825MHz	Pass	8.01	1.90	2.50	2.66	2.58	8.37	27.99	16.38	36.00
11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	8.01	-3.87	-3.43	-4.14	-3.15	2.27	14.99	10.28	23.00
5230MHz	Pass	8.01	0.17	0.84	-0.01	0.85	6.38	14.99	14.39	23.00
5270MHz	Pass	8.01	-0.34	0.12	-0.47	0.25	5.78	8.99	13.79	17.00
5310MHz	Pass	8.01	-5.16	-5.30	-5.67	-5.28	0.54	8.99	8.55	17.00
5510MHz	Pass	8.01	-4.08	-3.35	-4.47	-4.12	1.98	8.99	9.99	17.00
5550MHz	Pass	8.01	0.75	1.83	0.70	0.85	6.94	8.99	14.95	17.00
5670MHz	Pass	8.01	-0.42	0.13	-0.20	-0.92	5.58	8.99	13.59	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	8.01	1.02	1.55	1.39	0.69	7.13	8.99	15.14	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	8.01	-1.33	-1.00	-1.59	-1.93	4.45	27.99	12.46	36.00
5755MHz	Pass	8.01	-0.50	-0.10	-0.15	-0.80	5.52	27.99	13.53	36.00
5795MHz	Pass	8.01	-0.56	-0.22	0.01	-0.83	5.52	27.99	13.53	36.00
11a80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	8.01	-5.19	-4.55	-5.35	-4.40	1.09	14.99	9.10	23.00
5290MHz	Pass	8.01	-8.36	-7.80	-8.45	-7.95	-2.24	8.99	5.77	17.00
5530MHz	Pass	8.01	-5.51	-4.49	-5.62	-5.60	0.61	8.99	8.62	17.00
5610MHz	Pass	8.01	-3.03	-2.41	-3.24	-3.60	2.85	8.99	10.86	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	8.01	-1.15	-0.75	-0.80	-1.60	4.83	8.99	12.84	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	8.01	-4.95	-4.80	-5.35	-5.90	0.71	27.99	8.72	36.00
5775MHz	Pass	8.01	-4.95	-4.39	-4.36	-5.46	1.19	27.99	9.20	36.00
11a80+80_Nss1,(6Mbps)_2TX(Port1&Port2)	-	-	-	-	-	-	-	-	-	-
#5210MHz,#5290MHz	Pass	8.01	-8.25	-7.73	-	-	-5.02	14.99	2.99	23.00
11a80+80_Nss1,(6Mbps)_2TX(Port5&Port6)	-	-	-	-	-	-	-	-	-	-
5210MHz,#5290MHz	Pass	8.01	-	-	-7.71	-7.50	-4.71	8.99	3.30	17.00
11a80+80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	8.01	-5.38	-4.38	-4.82	-5.07	-1.85	8.99	6.16	17.00
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	8.01	-1.79	-1.19	-1.62	-2.10	1.47	8.99	9.48	17.00
11a80+80_Nss1,(6Mbps)_2TX(Port5&Port6)	-	-	-	-	-	-	-	-	-	-
5610MHz,#5690MHz Straddle 5.725-5.85GHz	Pass	8.01	-	-	-5.02	-6.37	-2.69	27.99	5.32	36.00
802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	8.01	1.18	1.58	0.71	1.57	7.18	14.99	15.19	23.00
5200MHz	Pass	8.01	4.24	4.72	3.98	4.92	10.42	14.99	18.43	23.00
5240MHz	Pass	8.01	4.37	4.67	4.03	4.84	10.42	14.99	18.43	23.00
5260MHz	Pass	8.01	2.46	2.80	2.28	2.80	8.53	8.99	16.54	17.00
5300MHz	Pass	8.01	2.40	2.98	2.30	2.95	8.55	8.99	16.56	17.00
5320MHz	Pass	8.01	1.47	1.97	1.41	1.73	7.57	8.99	15.58	17.00
5500MHz	Pass	8.01	1.81	2.08	1.34	1.70	7.62	8.99	15.63	17.00
5580MHz	Pass	8.01	1.75	2.65	1.91	2.21	8.06	8.99	16.07	17.00
5700MHz	Pass	8.01	-2.13	-1.90	-1.86	-2.76	3.81	8.99	11.82	17.00



Mode	Result	DG	Port 1	Port 2	Port 5	Port 6	PD	PD Limit	EIRP PD	EIRP PD Limit
		(dBi)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5720MHz Straddle 5.47-5.725GHz	Pass	8.01	2.95	2.74	3.25	3.08	8.91	8.99	16.92	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.01	0.91	0.89	1.39	1.09	7.05	27.99	15.06	36.00
5745MHz	Pass	8.01	2.28	2.15	2.37	1.96	8.11	27.99	16.12	36.00
5785MHz	Pass	8.01	2.23	2.45	2.50	2.32	8.25	27.99	16.26	36.00
5825MHz	Pass	8.01	1.86	1.80	2.53	2.39	8.07	27.99	16.08	36.00
802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	8.01	-2.93	-2.45	-3.08	-2.22	3.26	14.99	11.27	23.00
5230MHz	Pass	8.01	1.22	1.79	0.99	1.73	7.36	14.99	15.37	23.00
5270MHz	Pass	8.01	0.57	0.80	0.33	1.01	6.60	8.99	14.61	17.00
5310MHz	Pass	8.01	-5.43	-5.52	-5.84	-5.46	0.37	8.99	8.38	17.00
5510MHz	Pass	8.01	-3.31	-2.45	-3.36	-3.38	2.80	8.99	10.81	17.00
5550MHz	Pass	8.01	0.77	1.95	0.87	0.84	7.06	8.99	15.07	17.00
5670MHz	Pass	8.01	-0.66	-0.16	-0.58	-1.18	5.26	8.99	13.27	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	8.01	1.01	1.45	1.36	0.66	7.00	8.99	15.01	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	8.01	-1.68	-1.23	-1.76	-2.34	4.19	27.99	12.20	36.00
5755MHz	Pass	8.01	-0.66	-0.14	-0.31	-0.94	5.42	27.99	13.43	36.00
5795MHz	Pass	8.01	-0.72	-0.38	-0.29	-0.94	5.35	27.99	13.36	36.00
802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	8.01	-5.79	-5.03	-6.23	-4.93	0.43	14.99	8.44	23.00
5290MHz	Pass	8.01	-9.74	-9.61	-10.09	-9.42	-3.77	8.99	4.24	17.00
5530MHz	Pass	8.01	-6.14	-5.14	-6.27	-6.18	-0.02	8.99	7.99	17.00
5610MHz	Pass	8.01	-2.80	-1.85	-2.92	-3.13	3.23	8.99	11.24	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	8.01	-1.89	-1.43	-1.52	-2.24	4.14	8.99	12.15	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	8.01	-5.44	-5.35	-6.09	-6.48	0.15	27.99	8.16	36.00
5775MHz	Pass	8.01	-5.41	-5.12	-5.28	-6.02	0.50	27.99	8.51	36.00
802.11ax HEW80+80_Nss2,(MCS0)_2TX(Port1&Port2)	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	8.01	-9.01	-8.38			-5.71	14.99	2.30	23.00
802.11ax HEW80+80_Nss2,(MCS0)_2TX(Port5&Port6)	-	-	-	-	-	-	-	-	-	-
5210MHz,#5290MHz	Pass	8.01	-	-	-8.73	-8.20	-5.59	8.99	2.42	17.00
802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port1&Port2&Port5&Port6)	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	8.01	-6.09	-5.12	-5.66	-5.70	-2.65	8.99	5.36	17.00
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	8.01	-1.59	-0.96	-1.32	-1.65	1.70	8.99	9.71	17.00
802.11ax HEW80+80_Nss2,(MCS0)_2TX(Port5&Port6)	-	-	-	-	-	-	-	-	-	-
5610MHz,#5690MHz Straddle 5.725-5.85GHz	Pass	8.01	-	-	-4.98	-6.05	-2.54	27.99	5.47	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = Trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5180MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.93	8.93	3.67	3.95	-	-	3.56	4.81

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5200MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.04	11.04	5.24	6.32	-	-	5.48	7.31

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5240MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.22	11.22	5.83	6.95	-	-	5.83	6.19

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5260MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.65	8.65	2.60	2.97	-	-	2.30	3.11

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5300MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.75	8.75	2.75	3.09	-	-	2.39	3.18

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5320MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.84	8.84	2.61	3.33	-	-	2.64	3.01

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5500MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.18	8.18	1.83	2.76	-	-	1.81	2.37

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5580MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.16	8.16	1.97	2.92	-	-	2.01	1.96

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5700MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.18	8.18	2.27	2.72	-	-	2.54	1.66

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5720MHz Straddle 5.47-5.725GHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.07	8.07	2.05	2.51	-	-	2.37	1.61

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5720MHz Straddle 5.725-5.85GHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.11	6.11	0.34	0.55	-	-	0.24	-0.27

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5745MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.39	8.39	2.41	2.91	-	-	2.60	2.02

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5785MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.56	8.56	2.45	2.71	-	-	2.87	2.78

11a20_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5825MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.37	8.37	1.90	2.50	-	-	2.66	2.58

11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5190MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.27	2.27	-3.87	-3.43	-	-	-4.14	-3.15

11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5230MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.38	6.38	0.17	0.84	-	-	-0.01	0.85

11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5270MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.78	5.78	-0.34	0.12	-	-	-0.47	0.25

11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5310MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.54	0.54	-5.16	-5.30	-	-	-5.67	-5.28

11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5510MHz

16/09/2021




11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5550MHz

16/09/2021




11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5670MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.58	5.58	-0.42	0.13	-	-	-0.20	-0.92

11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5710MHz Straddle 5.47-5.725GHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.13	7.13	1.02	1.55	-	-	1.39	0.69

11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5710MHz Straddle 5.725-5.85GHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.45	4.45	-1.33	-1.00	-	-	-1.59	-1.93

11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5755MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.52	5.52	-0.50	-0.10	-	-	-0.15	-0.80

11a40_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5795MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.52	5.52	-0.56	-0.22	-	-	0.01	-0.83

11a80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5210MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.09	1.09	-5.19	-4.55	-	-	-5.35	-4.40

11a80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5290MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.24	-2.24	-8.36	-7.80	-	-	-8.45	-7.95

11a80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5530MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.61	0.61	-5.51	-4.49	-	-	-5.62	-5.60

11a80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5610MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.85	2.85	-3.03	-2.41	-	-	-3.24	-3.60

11a80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5690MHz Straddle 5.47-5.725GHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.83	4.83	-1.15	-0.75	-	-	-0.80	-1.60

11a80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5690MHz Straddle 5.725-5.85GHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.71	0.71	-4.95	-4.80	-	-	-5.35	-5.90

11a80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

5775MHz

16/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.19	1.19	-4.95	-4.39	-	-	-4.36	-5.46




11a80+80_Nss1,(6Mbps)_2TX(Port1&Port2)

PSD

#5210MHz,5290MHz

16/09/2021

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.02	-5.02	-8.25	-7.73


11a80+80_Nss1,(6Mbps)_2TX(Port5&Port6)

PSD

5210MHz,#5290MHz

16/09/2021

CF
5.29GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 5
Port 6


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.71	-4.71	-	-	-	-	-7.71	-7.50

11a80+80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

#5530MHz,#5610MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.85	-1.85	-5.38	-4.38	-	-	-4.82	-5.07

11a80+80_Nss1,(6Mbps)_4TX(Port1&Port2&Port5&Port6)

PSD

#5610MHz,#5690MHz Straddle 5.47-5.725GHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.47	1.47	-1.79	-1.19	-	-	-1.62	-2.10

11a80+80_Nss1,(6Mbps)_2TX(Port5&Port6)

PSD

5610MHz,#5690MHz Straddle 5.725-5.85GHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.69	-2.69	-	-	-	-	-5.02	-6.37

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5180MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.18	7.18	1.18	1.58	-	-	0.71	1.57

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5200MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.42	10.42	4.24	4.72	-	-	3.98	4.92

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5240MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.42	10.42	4.37	4.67	-	-	4.03	4.84

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5260MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.53	8.53	2.46	2.80	-	-	2.28	2.80

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5300MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.55	8.55	2.40	2.98	-	-	2.30	2.95

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5320MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.57	7.57	1.47	1.97	-	-	1.41	1.73

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5500MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.62	7.62	1.81	2.08	-	-	1.34	1.70

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5580MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.06	8.06	1.75	2.65	-	-	1.91	2.21

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5700MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.81	3.81	-2.13	-1.90	-	-	-1.86	-2.76

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5720MHz Straddle 5.47-5.725GHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.91	8.91	2.95	2.74	-	-	3.25	3.08

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5720MHz Straddle 5.725-5.85GHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.05	7.05	0.91	0.89	-	-	1.39	1.09

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5745MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.11	8.11	2.28	2.15	-	-	2.37	1.96

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5785MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.25	8.25	2.23	2.45	-	-	2.50	2.32

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5825MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.07	8.07	1.86	1.80	-	-	2.53	2.39

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5190MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.26	3.26	-2.93	-2.45	-	-	-3.08	-2.22

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5230MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.36	7.36	1.22	1.79	-	-	0.99	1.73

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5270MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.60	6.60	0.57	0.80	-	-	0.33	1.01

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5310MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.37	0.37	-5.43	-5.52	-	-	-5.84	-5.46

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5510MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.80	2.80	-3.31	-2.45	-	-	-3.36	-3.38

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5550MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.06	7.06	0.77	1.95	-	-	0.87	0.84

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5670MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.26	5.26	-0.66	-0.16	-	-	-0.58	-1.18

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5710MHz Straddle 5.47-5.725GHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.00	7.00	1.01	1.45	-	-	1.36	0.66

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5710MHz Straddle 5.725-5.85GHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.19	4.19	-1.68	-1.23	-	-	-1.76	-2.34

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5755MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.42	5.42	-0.66	-0.14	-	-	-0.31	-0.94

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5795MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.35	5.35	-0.72	-0.38	-	-	-0.29	-0.94

802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5210MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.43	0.43	-5.79	-5.03	-	-	-6.23	-4.93

802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5290MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.77	-3.77	-9.74	-9.61	-	-	-10.09	-9.42

802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5530MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.02	-0.02	-6.14	-5.14	-	-	-6.27	-6.18

802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5610MHz

16/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.23	3.23	-2.80	-1.85	-	-	-2.92	-3.13




802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5690MHz Straddle 5.47-5.725GHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.14	4.14	-1.89	-1.43	-	-	-1.52	-2.24

802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5690MHz Straddle 5.725-5.85GHz

16/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.15	0.15	-5.44	-5.35	-	-	-6.09	-6.48




802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

5775MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.50	0.50	-5.41	-5.12	-	-	-5.28	-6.02

802.11ax HEW80+80_Nss2,(MCS0)_2TX(Port1&Port2)

PSD

#5210MHz,5290MHz

16/09/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.71	-5.71	-9.01	-8.38

802.11ax HEW80+80_Nss2,(MCS0)_2TX(Port5&Port6)

PSD

5210MHz,#5290MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.59	-5.59	-	-	-	-	-8.73	-8.20

802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port1&Port2&Port5&Port6)

PSD

#5530MHz,#5610MHz

16/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.65	-2.65	-6.09	-5.12	-	-	-5.66	-5.70



802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port1&Port2&Port5&Port6)
#5610MHz,#5690MHz Straddle 5.47-5.725GHz


16/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.70	1.70	-1.59	-0.96	-	-	-1.32	-1.65

802.11ax HEW80+80_Nss2,(MCS0)_2TX(Port5&Port6)
5610MHz,#5690MHz Straddle 5.725-5.85GHz

16/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.54	-2.54	-	-	-	-	-4.98	-6.05



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
11a20_Nss1,(6Mbps)_8TX	11.73	22.75
11a40_Nss1,(6Mbps)_8TX	9.26	20.28
11a80_Nss1,(6Mbps)_8TX	0.84	11.86
11a80+80_Nss1,(6Mbps)_4TX(Port1&Port2&Port3&Port4)	-6.59	4.43
802.11ax HEW20_Nss1,(MCS0)_8TX	11.33	22.35
802.11ax HEW40_Nss1,(MCS0)_8TX	7.89	18.91
802.11ax HEW80_Nss1,(MCS0)_8TX	-0.14	10.88
802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port1&Port2&Port3&Port4)	-7.25	3.77
5.25-5.35GHz	-	-
11a20_Nss1,(6Mbps)_8TX	5.73	16.75
11a40_Nss1,(6Mbps)_8TX	5.44	16.46
11a80_Nss1,(6Mbps)_8TX	-1.75	9.27
11a80+80_Nss1,(6Mbps)_4TX(Port5&Port6&Port7&Port8)	-6.00	5.02
802.11ax HEW20_Nss1,(MCS0)_8TX	5.83	16.85
802.11ax HEW40_Nss1,(MCS0)_8TX	5.73	16.75
802.11ax HEW80_Nss1,(MCS0)_8TX	0.26	11.28
802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port5&Port6&Port7&Port8)	-6.94	4.08
5.47-5.725GHz	-	-
11a20_Nss1,(6Mbps)_8TX	5.97	16.99
11a40_Nss1,(6Mbps)_8TX	5.90	16.92
11a80_Nss1,(6Mbps)_8TX	5.90	16.92
11a80+80_Nss1,(6Mbps)_8TX	3.86	14.88
802.11ax HEW20_Nss1,(MCS0)_8TX	5.58	16.60
802.11ax HEW40_Nss1,(MCS0)_8TX	5.81	16.83
802.11ax HEW80_Nss1,(MCS0)_8TX	5.03	16.05
802.11ax HEW80+80_Nss2,(MCS0)_8TX	2.89	13.91
5.725-5.85GHz	-	-
11a20_Nss1,(6Mbps)_8TX	11.81	22.83
11a40_Nss1,(6Mbps)_8TX	9.23	20.25
11a80_Nss1,(6Mbps)_8TX	3.98	15.00
11a80+80_Nss1,(6Mbps)_4TX(Port5&Port6&Port7&Port8)	-1.40	9.62
802.11ax HEW20_Nss1,(MCS0)_8TX	11.49	22.51
802.11ax HEW40_Nss1,(MCS0)_8TX	9.28	20.30
802.11ax HEW80_Nss1,(MCS0)_8TX	2.21	13.23
802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port5&Port6&Port7&Port8)	-2.25	8.77

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
11a20_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	11.02	0.42	0.06	0.41	0.82	0.66	1.73	0.26	0.66	8.44	11.98	19.46	23.00
5200MHz	Pass	11.02	3.55	3.67	4.34	3.83	3.36	5.16	4.03	3.57	11.20	11.98	22.22	23.00
5240MHz	Pass	11.02	3.50	4.14	3.62	4.13	4.10	4.33	3.66	4.04	11.73	11.98	22.75	23.00
5260MHz	Pass	11.02	-2.32	-1.78	-2.61	-2.04	-2.23	-1.98	-2.54	-2.39	5.52	5.98	16.54	17.00
5300MHz	Pass	11.02	-2.53	-1.52	-2.71	-2.34	-2.26	-2.01	-2.56	-2.69	5.38	5.98	16.40	17.00
5320MHz	Pass	11.02	-3.62	-1.88	-2.56	-1.56	-2.59	-2.13	-2.33	-2.40	5.73	5.98	16.75	17.00
5500MHz	Pass	11.02	-3.09	-3.07	-3.29	-2.80	-2.93	-2.11	-2.66	-2.74	5.04	5.98	16.06	17.00
5580MHz	Pass	11.02	-1.25	-1.13	-2.36	-1.46	-2.54	-0.83	-1.56	-1.76	5.97	5.98	16.99	17.00
5700MHz	Pass	11.02	-1.95	-3.58	-4.29	-3.05	-2.82	-1.40	-1.97	-2.04	5.66	5.98	16.68	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	11.02	-3.12	-3.42	-4.40	-3.03	-2.50	-1.02	-2.45	-2.01	5.29	5.98	16.31	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	11.02	-4.35	-7.31	-8.37	-6.10	-5.45	-6.29	-5.00	-4.93	2.34	24.98	13.36	36.00
5745MHz	Pass	11.02	4.83	2.92	2.92	3.41	3.94	3.44	4.15	4.02	11.81	24.98	22.83	36.00
5785MHz	Pass	11.02	4.89	3.48	3.49	3.27	4.06	3.91	4.33	4.04	11.60	24.98	22.62	36.00
5825MHz	Pass	11.02	3.88	3.50	3.66	2.78	4.07	4.26	3.82	3.70	11.74	24.98	22.76	36.00
11a40_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	11.02	-3.58	-3.83	-2.73	-3.05	-3.36	-2.26	-3.14	-2.95	4.27	11.98	15.29	23.00
5230MHz	Pass	11.02	1.46	2.44	1.59	1.46	1.16	2.33	1.34	1.54	9.26	11.98	20.28	23.00
5270MHz	Pass	11.02	-1.83	-1.72	-2.35	-1.56	-1.77	-0.55	-1.73	-1.41	5.44	5.98	16.46	17.00
5310MHz	Pass	11.02	-4.43	-3.05	-4.00	-4.55	-5.04	-4.91	-5.36	-4.61	3.69	5.98	14.71	17.00
5510MHz	Pass	11.02	-3.18	-3.18	-3.73	-3.82	-4.39	-2.43	-3.45	-3.30	4.14	5.98	15.16	17.00
5550MHz	Pass	11.02	-1.30	-0.77	-2.12	-1.78	-2.12	-0.29	-1.46	-1.33	5.90	5.98	16.92	17.00
5670MHz	Pass	11.02	-1.22	-1.16	-3.39	-2.21	-2.12	-1.55	-1.22	-1.90	5.64	5.98	16.66	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	11.02	-1.78	-1.37	-3.50	-2.78	-1.94	-1.31	-1.71	-2.08	5.45	5.98	16.47	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	11.02	-5.08	-9.46	-5.64	-5.30	-4.67	-10.68	-4.44	-4.57	2.82	24.98	13.84	36.00
5755MHz	Pass	11.02	1.03	1.08	-0.67	-0.22	0.69	0.84	-0.06	0.19	8.31	24.98	19.33	36.00
5795MHz	Pass	11.02	1.46	1.59	0.29	0.56	1.57	1.63	0.61	0.89	9.23	24.98	20.25	36.00
11a80_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	11.02	-6.79	-6.22	-6.73	-6.63	-7.10	-6.12	-6.71	-6.60	0.84	11.98	11.86	23.00
5290MHz	Pass	11.02	-11.01	-8.09	-8.85	-9.29	-9.97	-9.24	-10.07	-9.96	-1.75	5.98	9.27	17.00
5530MHz	Pass	11.02	-5.61	-5.41	-6.45	-6.54	-6.64	-4.96	-5.89	-5.78	1.80	5.98	12.82	17.00
5610MHz	Pass	11.02	-2.13	-1.83	-3.02	-2.61	-3.17	-1.25	-1.58	-2.70	5.10	5.98	16.12	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	11.02	-1.02	-1.14	-2.81	-2.16	-1.62	-0.07	-0.58	-1.41	5.90	5.98	16.92	17.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW W)	Port 2 (dBm/RBW W)	Port 3 (dBm/RBW W)	Port 4 (dBm/RBW W)	Port 5 (dBm/RBW W)	Port 6 (dBm/RBW W)	Port 7 (dBm/RBW W)	Port 8 (dBm/RBW W)	PD (dBm/RBW W)	PD Limit (dBm/RBW W)	EIRP PD (dBm/RBW W)	EIRP PD Limit (dBm/RBW W)
5690MHz Straddle 5.725-5.85GHz	Pass	11.0 2	-5.71	-7.90	-12.23	-9.16	-8.23	-9.07	-5.75	-7.32	0.29	24.98	11.31	36.00
5775MHz	Pass	11.0 2	-3.41	-3.43	-4.67	-4.50	-3.45	-2.78	-3.97	-4.38	3.98	24.98	15.00	36.00
11a80+80_Nss1,(6Mbps)_4TX(Port1&Port2&Port3 &Port4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	11.0 2	-12.30	-11.11	-11.70	-11.62					-6.59	11.98	4.43	23.00
11a80+80_Nss1,(6Mbps)_4TX(Port5&Port6&Port7 &Port8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz,#5290MHz	Pass	11.0 2	-	-	-	-	-11.15	-11.80	-11.47	-11.22	-6.00	5.98	5.02	17.00
11a80+80_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	11.0 2	-9.50	-9.41	-10.20	-9.82	-10.17	-7.85	-9.37	-9.45	-3.71	5.98	7.31	17.00
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	11.0 2	-2.18	-1.54	-2.23	-2.38	-2.34	-1.78	-1.61	-1.95	3.86	5.98	14.88	17.00
11a80+80_Nss1,(6Mbps)_4TX(Port5&Port6&Port7 &Port8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5610MHz,#5690MHz Straddle 5.725-5.85GHz	Pass	11.0 2	-	-	-	-	-6.71	-8.83	-6.23	-6.52	-1.40	24.98	9.62	36.00
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	11.0 2	1.03	0.45	1.98	1.66	1.44	2.15	0.59	0.80	8.95	11.98	19.97	23.00
5200MHz	Pass	11.0 2	3.15	3.62	3.82	3.76	3.54	4.65	3.54	3.84	11.27	11.98	22.29	23.00
5240MHz	Pass	11.0 2	3.13	3.87	3.89	3.86	3.50	4.84	4.42	3.93	11.33	11.98	22.35	23.00
5260MHz	Pass	11.0 2	-2.48	-2.24	-2.41	-2.40	-2.49	-1.57	-1.82	-2.24	5.46	5.98	16.48	17.00
5300MHz	Pass	11.0 2	-3.35	-2.39	-1.60	-2.69	-2.39	-1.89	-2.94	-1.86	5.22	5.98	16.24	17.00
5320MHz	Pass	11.0 2	-1.93	-1.18	-2.49	-1.77	-2.57	-2.36	-3.09	-2.36	5.83	5.98	16.85	17.00
5500MHz	Pass	11.0 2	-2.46	-1.82	-1.19	-2.36	-2.52	-1.33	-1.60	-2.16	5.40	5.98	16.42	17.00
5580MHz	Pass	11.0 2	-2.85	-1.68	-2.24	-2.23	-2.67	-0.49	-0.87	-1.77	5.28	5.98	16.30	17.00
5700MHz	Pass	11.0 2	-1.97	-1.80	-2.39	-3.33	-2.93	-1.27	-2.48	-2.88	5.58	5.98	16.60	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	11.0 2	-2.05	-3.66	-4.16	-3.42	-2.61	-1.24	-2.52	-2.77	5.10	5.98	16.12	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	11.0 2	-6.70	-7.01	-5.44	-5.82	-5.50	-7.19	-6.14	-5.59	2.55	24.98	13.57	36.00
5745MHz	Pass	11.0 2	3.39	4.35	3.35	3.31	3.67	3.83	4.43	3.62	11.49	24.98	22.51	36.00
5785MHz	Pass	11.0 2	3.81	4.10	3.04	3.22	3.91	3.84	3.82	3.46	11.49	24.98	22.51	36.00
5825MHz	Pass	11.0 2	3.73	3.90	3.38	2.05	3.52	3.60	3.32	2.96	11.37	24.98	22.39	36.00
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	11.0 2	-5.21	-4.29	-4.07	-4.55	-4.64	-4.23	-5.43	-5.44	2.86	11.98	13.88	23.00
5230MHz	Pass	11.0 2	-0.04	0.38	0.82	0.91	0.90	1.00	0.94	0.17	7.89	11.98	18.91	23.00
5270MHz	Pass	11.0 2	-2.67	-1.36	-1.23	-1.71	-1.72	-1.49	-1.82	-2.06	5.73	5.98	16.75	17.00
5310MHz	Pass	11.0 2	-6.69	-4.98	-5.50	-5.95	-6.38	-4.84	-6.20	-5.85	1.67	5.98	12.69	17.00
5510MHz	Pass	11.0 2	-2.18	-1.94	-1.54	-2.62	-2.60	-2.14	-2.91	-3.45	5.00	5.98	16.02	17.00
5550MHz	Pass	11.0 2	-2.55	-1.52	-2.21	-2.56	-2.37	-1.92	-2.53	-2.63	5.21	5.98	16.23	17.00
5670MHz	Pass	11.0	-1.80	-2.45	-3.18	-2.61	-1.31	-0.99	-1.28	-1.12	5.81	5.98	16.83	17.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
		2												
5710MHz Straddle 5.47-5.725GHz	Pass	11.0 2	-2.59	-2.76	-3.04	-2.97	-1.85	-1.05	-2.11	-0.74	5.62	5.98	16.64	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	11.0 2	-5.18	-5.40	-6.10	-6.90	-7.20	-4.71	-5.23	-6.29	2.34	24.98	13.36	36.00
5755MHz	Pass	11.0 2	1.28	1.72	0.20	0.21	1.13	1.68	0.82	1.51	8.88	24.98	19.90	36.00
5795MHz	Pass	11.0 2	2.17	2.45	0.55	0.12	1.10	1.50	0.74	0.69	9.28	24.98	20.30	36.00
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	11.0 2	-8.06	-8.09	-7.70	-7.31	-7.40	-7.11	-8.09	-8.13	-0.14	11.98	10.88	23.00
5290MHz	Pass	11.0 2	-8.17	-7.04	-6.81	-7.21	-7.04	-6.89	-7.31	-7.74	0.26	5.98	11.28	17.00
5530MHz	Pass	11.0 2	-6.36	-5.72	-5.90	-6.50	-6.57	-6.09	-6.71	-6.72	1.23	5.98	12.25	17.00
5610MHz	Pass	11.0 2	-2.62	-2.27	-3.81	-3.13	-3.04	-1.94	-1.81	-2.55	4.58	5.98	15.60	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	11.0 2	-2.55	-3.56	-3.89	-3.39	-2.36	-1.72	-2.42	-1.54	5.03	5.98	16.05	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	11.0 2	-7.13	-7.41	-7.86	-9.02	-9.15	-6.67	-6.97	-7.86	0.45	24.98	11.47	36.00
5775MHz	Pass	11.0 2	-5.01	-4.97	-6.36	-6.41	-5.58	-5.28	-5.77	-5.56	2.21	24.98	13.23	36.00
802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port1&Port2&Port3&Port4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,#5290MHz	Pass	11.0 2	-12.34	-12.75	-11.21	-12.06					-7.25	11.98	3.77	23.00
802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port5&Port6&Port7&Port8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz,#5290MHz	Pass	11.0 2	-	-	-	-	-11.48	-12.23	-13.48	-12.23	-6.94	5.98	4.08	17.00
802.11ax HEW80+80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	11.0 2	-10.21	-9.35	-10.73	-10.57	-9.96	-7.98	-8.79	-9.55	-3.52	5.98	7.50	17.00
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	11.0 2	-3.42	-1.67	-3.83	-2.70	-3.48	-2.71	-1.51	-3.07	2.89	5.98	13.91	17.00
802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port5&Port6&Port7&Port8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5610MHz,#5690MHz Straddle 5.725-5.85GHz	Pass	11.0 2	-	-	-	-	-8.05	-9.42	-6.05	-7.87	-2.25	24.98	8.77	36.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;



11a20_Nss1,(6Mbps)_8TX

PSD

5180MHz

14/09/2021

CF
5.18GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.44	8.44	0.42	0.06	0.41	0.82	0.66	1.73	0.26	0.66

11a20_Nss1,(6Mbps)_8TX

PSD

5200MHz

14/09/2021

CF
5.2GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.20	11.20	3.55	3.67	4.34	3.83	3.36	5.16	4.03	3.57

11a20_Nss1,(6Mbps)_8TX

PSD

5240MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.73	11.73	3.50	4.14	3.62	4.13	4.10	4.33	3.66	4.04

11a20_Nss1,(6Mbps)_8TX

PSD

5260MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.52	5.52	-2.32	-1.78	-2.61	-2.04	-2.23	-1.98	-2.54	-2.39

11a20_Nss1,(6Mbps)_8TX

PSD

5300MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.38	5.38	-2.53	-1.52	-2.71	-2.34	-2.26	-2.01	-2.56	-2.69

11a20_Nss1,(6Mbps)_8TX

PSD

5320MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.73	5.73	-3.62	-1.88	-2.56	-1.56	-2.59	-2.13	-2.33	-2.40

11a20_Nss1,(6Mbps)_8TX

PSD

5500MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.04	5.04	-3.09	-3.07	-3.29	-2.80	-2.93	-2.11	-2.66	-2.74

11a20_Nss1,(6Mbps)_8TX

PSD

5580MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.97	5.97	-1.25	-1.13	-2.36	-1.46	-2.54	-0.83	-1.56	-1.76

11a20_Nss1,(6Mbps)_8TX

PSD

5700MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.66	5.66	-1.95	-3.58	-4.29	-3.05	-2.82	-1.40	-1.97	-2.04

11a20_Nss1,(6Mbps)_8TX

PSD

5720MHz Straddle 5.47-5.725GHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.29	5.29	-3.12	-3.42	-4.40	-3.03	-2.50	-1.02	-2.45	-2.01

11a20_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.725-5.85GHz

15/09/2021

PSD




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.34	2.34	-4.35	-7.31	-8.37	-6.10	-5.45	-6.29	-5.00	-4.93

11a20_Nss1,(6Mbps)_8TX

5745MHz

14/09/2021

PSD



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.81	11.81	4.83	2.92	2.92	3.41	3.94	3.44	4.15	4.02

11a20_Nss1,(6Mbps)_8TX

PSD

5785MHz

14/09/2021

CF
5.785GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.60	11.60	4.89	3.48	3.49	3.27	4.06	3.91	4.33	4.04

11a20_Nss1,(6Mbps)_8TX

PSD

5825MHz

14/09/2021

CF
5.825GHz


Span
30MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.74	11.74	3.88	3.50	3.66	2.78	4.07	4.26	3.82	3.70

11a40_Nss1,(6Mbps)_8TX

PSD

5190MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.27	4.27	-3.58	-3.83	-2.73	-3.05	-3.36	-2.26	-3.14	-2.95

11a40_Nss1,(6Mbps)_8TX

PSD

5230MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.26	9.26	1.46	2.44	1.59	1.46	1.16	2.33	1.34	1.54

11a40_Nss1,(6Mbps)_8TX

PSD

5270MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.44	5.44	-1.83	-1.72	-2.35	-1.56	-1.77	-0.55	-1.73	-1.41

11a40_Nss1,(6Mbps)_8TX

PSD

5310MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.69	3.69	-4.43	-3.05	-4.00	-4.55	-5.04	-4.91	-5.36	-4.61

11a40_Nss1,(6Mbps)_8TX

PSD

5510MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.14	4.14	-3.18	-3.18	-3.73	-3.82	-4.39	-2.43	-3.45	-3.30

11a40_Nss1,(6Mbps)_8TX

PSD

5550MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.90	5.90	-1.30	-0.77	-2.12	-1.78	-2.12	-0.29	-1.46	-1.33

11a40_Nss1,(6Mbps)_8TX

PSD

5670MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
5.64	5.64	-1.22	-1.16	-3.39	-2.21	-2.12	-1.55	-1.22	-1.90

11a40_Nss1,(6Mbps)_8TX

PSD

5710MHz Straddle 5.47-5.725GHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
5.45	5.45	-1.78	-1.37	-3.50	-2.78	-1.94	-1.31	-1.71	-2.08

11a40_Nss1,(6Mbps)_8TX

5710MHz Straddle 5.725-5.85GHz

15/09/2021

PSD




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.82	2.82	-5.08	-9.46	-5.64	-5.30	-4.67	-10.68	-4.44	-4.57

11a40_Nss1,(6Mbps)_8TX

5755MHz

14/09/2021

PSD



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.31	8.31	1.03	1.08	-0.67	-0.22	0.69	0.84	-0.06	0.19




11a40_Nss1,(6Mbps)_8TX

PSD

5795MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.23	9.23	1.46	1.59	0.29	0.56	1.57	1.63	0.61	0.89

11a80_Nss1,(6Mbps)_8TX

PSD

5210MHz

14/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.84	0.84	-6.79	-6.22	-6.73	-6.63	-7.10	-6.12	-6.71	-6.60




11a80_Nss1,(6Mbps)_8TX

PSD

5290MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.75	-1.75	-11.01	-8.09	-8.85	-9.29	-9.97	-9.24	-10.07	-9.96

11a80_Nss1,(6Mbps)_8TX

PSD

5530MHz

15/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.80	1.80	-5.61	-5.41	-6.45	-6.54	-6.64	-4.96	-5.89	-5.78


11a80_Nss1,(6Mbps)_8TX

PSD

5610MHz

15/09/2021

CF
5.61GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.10	5.10	-2.13	-1.83	-3.02	-2.61	-3.17	-1.25	-1.58	-2.70


11a80_Nss1,(6Mbps)_8TX

PSD

5690MHz Straddle 5.47-5.725GHz

15/09/2021

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.90	5.90	-1.02	-1.14	-2.81	-2.16	-1.62	-0.07	-0.58	-1.41

11a80_Nss1,(6Mbps)_8TX

5690MHz Straddle 5.725-5.85GHz

15/09/2021

PSD




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.29	0.29	-5.71	-7.90	-12.23	-9.16	-8.23	-9.07	-5.75	-7.32

11a80_Nss1,(6Mbps)_8TX

5775MHz

14/09/2021

PSD



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.98	3.98	-3.41	-3.43	-4.67	-4.50	-3.45	-2.78	-3.97	-4.38




11a80+80_Nss1,(6Mbps)_4TX(Port1&Port2&Port3&Port4)

PSD

#5210MHz,5290MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.59	-6.59	-12.30	-11.11	-11.70	-11.62

11a80+80_Nss1,(6Mbps)_4TX(Port5&Port6&Port7&Port8)

PSD

5210MHz,#5290MHz

15/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.00	-6.00	-	-	-	-	-11.15	-11.80	-11.47	-11.22




11a80+80_Nss1,(6Mbps)_8TX

#5530MHz,#5610MHz

PSD

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.71	-3.71	-9.50	-9.41	-10.20	-9.82	-10.17	-7.85	-9.37	-9.45

11a80+80_Nss1,(6Mbps)_8TX

#5610MHz,#5690MHz Straddle 5.47-5.725GHz

PSD

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.86	3.86	-2.18	-1.54	-2.23	-2.38	-2.34	-1.78	-1.61	-1.95

11a80+80_Nss1,(6Mbps)_4TX(Port5&Port6&Port7&Port8)

PSD

5610MHz,#5690MHz Straddle 5.725-5.85GHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.40	-1.40	-	-	-	-	-6.71	-8.83	-6.23	-6.52

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5180MHz

14/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.95	8.95	1.03	0.45	1.98	1.66	1.44	2.15	0.59	0.80

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5200MHz

14/09/2021

CF
5.2GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.27	11.27	3.15	3.62	3.82	3.76	3.54	4.65	3.54	3.84

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5240MHz

14/09/2021

CF
5.24GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.33	11.33	3.13	3.87	3.89	3.86	3.50	4.84	4.42	3.93

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5260MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.46	5.46	-2.48	-2.24	-2.41	-2.40	-2.49	-1.57	-1.82	-2.24

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5300MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.22	5.22	-3.35	-2.39	-1.60	-2.69	-2.39	-1.89	-2.94	-1.86

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5320MHz

15/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.83	5.83	-1.93	-1.18	-2.49	-1.77	-2.57	-2.36	-3.09	-2.36

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5500MHz

15/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.40	5.40	-2.46	-1.82	-1.19	-2.36	-2.52	-1.33	-1.60	-2.16