



CSE Bandedge
Non-Beamforming Scanning Radio 2T1S

Appendix E.15

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	5.11G	5.39G	AV	5.1499G	9.01	-54.62	-53.79	-51.17	-42.16	-41.20	-0.96
11a40_Nss1,(6Mbps)_2TX	Pass	5.07G	5.43G	AV	5.14992G	9.01	-54.86	-54.51	-51.67	-42.66	-41.20	-1.46
11a80_Nss1,(6Mbps)_2TX	Pass	4.99G	5.51G	AV	5.14756G	9.01	-54.39	-54.25	-51.31	-42.30	-41.20	-1.10
11a160_Nss1,(6Mbps)_2TX	Pass	4.83G	5.67G	AV	5.3613G	9.01	-53.13	-53.51	-50.31	-41.30	-41.20	-0.10
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.11G	5.39G	AV	5.14976G	9.01	-54.91	-57.36	-52.95	-43.94	-41.20	-2.74
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.07G	5.43G	AV	5.14992G	9.01	-54.17	-55.52	-51.78	-42.77	-41.20	-1.57
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	4.99G	5.51G	AV	5.14964G	9.01	-55.75	-57.38	-53.48	-44.47	-41.20	-3.27
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	4.83G	5.67G	AV	5.3508G	9.01	-54.84	-56.16	-52.44	-43.43	-41.20	-2.23
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	5.11G	5.39G	AV	5.3501G	9.01	-53.93	-55.71	-51.72	-42.71	-41.20	-1.51
11a40_Nss1,(6Mbps)_2TX	Pass	5.07G	5.43G	AV	5.3517G	9.01	-54.36	-55.06	-51.69	-42.68	-41.20	-1.48
11a80_Nss1,(6Mbps)_2TX	Pass	4.99G	5.51G	AV	5.36362G	9.01	-55.16	-55.95	-52.53	-43.52	-41.20	-2.32
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.11G	5.39G	AV	5.3501G	9.01	-54.88	-55.18	-52.02	-43.01	-41.20	-1.81
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.07G	5.43G	AV	5.35008G	9.01	-54.21	-54.83	-51.50	-42.49	-41.20	-1.29
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	4.99G	5.51G	AV	5.3501G	9.01	-53.09	-53.68	-50.36	-41.35	-41.20	-0.15
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	5.43G	5.765G	PK	5.7253G	9.01	-40.72	-40.22	-37.45	-28.44	-27.00	-1.44
11a40_Nss1,(6Mbps)_2TX	Pass	5.39G	5.805G	PK	5.4674G	9.01	-38.84	-39.79	-36.28	-27.27	-27.00	-0.27
11a80_Nss1,(6Mbps)_2TX	Pass	5.31G	5.885G	AV	5.45203G	9.01	-53.95	-54.77	-51.33	-42.32	-41.20	-1.12
11a160_Nss1,(6Mbps)_2TX	Pass	5.15G	6.045G	AV	5.45251G	9.01	-56.61	-56.73	-53.66	-44.65	-41.20	-3.45
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.43G	5.765G	PK	5.72514G	9.01	-42.04	-41.36	-38.68	-29.67	-27.00	-2.67
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.39G	5.805G	PK	5.72532G	9.01	-39.98	-40.65	-37.29	-28.28	-27.00	-1.28
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.31G	5.885G	PK	5.46266G	9.01	-38.77	-40.72	-36.63	-27.62	-27.00	-0.62
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	5.15G	6.045G	AV	5.44446G	9.01	-54.79	-57.03	-52.76	-43.75	-41.20	-2.55
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	5.685G	5.89G	PK	5.72303G	9.01	-20.76	-22.55	-18.55	-9.54	22.50	-32.04
11a40_Nss1,(6Mbps)_2TX	Pass	5.645G	5.93G	PK	5.64956G	9.01	-43.50	-42.85	-40.15	-31.14	-27.00	-4.14
11a80_Nss1,(6Mbps)_2TX	Pass	5.565G	6.01G	PK	5.62886G	9.01	-40.45	-41.54	-37.95	-28.94	-27.00	-1.94
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.685G	5.89G	PK	5.71965G	9.01	-23.03	-20.26	-18.42	-9.41	15.50	-24.91
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.645G	5.93G	PK	5.64899G	9.01	-48.06	-49.60	-45.75	-36.74	-27.00	-9.74
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.565G	6.01G	PK	5.64265G	9.01	-39.86	-41.79	-37.71	-28.70	-27.00	-1.70

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge
Non-Beamforming Scanning Radio 2T1S

Appendix E.15

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
11a20_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.11G	5.39G	AV	5.1499G	9.01	-54.62	-53.79	-51.17	-42.16	-41.20	-0.96
5180MHz	Pass	5.11G	5.39G	AV	5.35024G	9.01	-69.08	-69.02	-66.04	-57.03	-41.20	-15.83
5180MHz	Pass	5.11G	5.39G	PK	5.14934G	9.01	-40.04	-38.44	-36.16	-27.15	-21.20	-5.95
5180MHz	Pass	5.11G	5.39G	PK	5.3571G	9.01	-57.30	-56.64	-53.95	-44.94	-21.20	-23.74
5200MHz	Pass	5.11G	5.39G	AV	5.14948G	9.01	-58.59	-59.06	-55.81	-46.80	-41.20	-5.60
5200MHz	Pass	5.11G	5.39G	AV	5.38426G	9.01	-68.37	-68.45	-65.40	-56.39	-41.20	-15.19
5200MHz	Pass	5.11G	5.39G	PK	5.14864G	9.01	-42.57	-43.34	-39.93	-30.92	-21.20	-9.72
5200MHz	Pass	5.11G	5.39G	PK	5.36326G	9.01	-57.44	-56.13	-53.73	-44.72	-21.20	-23.52
5240MHz	Pass	5.11G	5.39G	AV	5.14976G	9.01	-68.95	-69.33	-66.13	-57.12	-41.20	-15.92
5240MHz	Pass	5.11G	5.39G	AV	5.38902G	9.01	-68.92	-68.95	-65.92	-56.91	-41.20	-15.71
5240MHz	Pass	5.11G	5.39G	PK	5.14878G	9.01	-54.52	-54.36	-51.43	-42.42	-21.20	-21.22
5240MHz	Pass	5.11G	5.39G	PK	5.38972G	9.01	-56.91	-56.47	-53.67	-44.66	-21.20	-23.46
5260MHz	Pass	5.11G	5.39G	AV	5.11028G	9.01	-69.80	-70.12	-66.95	-57.94	-41.20	-16.74
5260MHz	Pass	5.11G	5.39G	AV	5.39G	9.01	-69.70	-70.08	-66.88	-57.87	-41.20	-16.67
5260MHz	Pass	5.11G	5.39G	PK	5.13954G	9.01	-52.80	-60.16	-52.07	-43.06	-21.20	-21.86
5260MHz	Pass	5.11G	5.39G	PK	5.36382G	9.01	-55.87	-58.08	-54.17	-45.16	-21.20	-23.96
5300MHz	Pass	5.11G	5.39G	AV	5.11504G	9.01	-63.39	-61.76	-59.49	-50.48	-41.20	-9.28
5300MHz	Pass	5.11G	5.39G	AV	5.3501G	9.01	-61.41	-63.17	-59.19	-50.18	-41.20	-8.98
5300MHz	Pass	5.11G	5.39G	PK	5.11476G	9.01	-53.35	-51.45	-49.29	-40.28	-21.20	-19.08
5300MHz	Pass	5.11G	5.39G	PK	5.35234G	9.01	-46.25	-47.87	-43.97	-34.96	-21.20	-13.76
5320MHz	Pass	5.11G	5.39G	AV	5.1352G	9.01	-63.56	-61.63	-59.48	-50.47	-41.20	-9.27
5320MHz	Pass	5.11G	5.39G	AV	5.3501G	9.01	-53.93	-55.71	-51.72	-42.71	-41.20	-1.51
5320MHz	Pass	5.11G	5.39G	PK	5.13422G	9.01	-54.44	-51.11	-49.45	-40.44	-21.20	-19.24
5320MHz	Pass	5.11G	5.39G	PK	5.35332G	9.01	-39.31	-40.87	-37.01	-28.00	-21.20	-6.80
5500MHz	Pass	5.43G	5.765G	AV	5.45965G	9.01	-62.88	-62.86	-59.86	-50.85	-41.20	-9.65
5500MHz	Pass	5.43G	5.765G	PK	5.45982G	9.01	-48.73	-49.54	-46.11	-37.10	-21.20	-15.90
5500MHz	Pass	5.43G	5.765G	PK	5.46987G	9.01	-41.19	-41.35	-38.26	-29.25	-27.00	-2.25
5500MHz	Pass	5.43G	5.765G	PK	5.75998G	9.01	-59.31	-56.88	-54.92	-45.91	-27.00	-18.91
5580MHz	Pass	5.43G	5.765G	AV	5.45998G	9.01	-66.78	-66.94	-63.85	-54.84	-41.20	-13.64
5580MHz	Pass	5.43G	5.765G	PK	5.45998G	9.01	-54.23	-49.81	-48.47	-39.46	-21.20	-18.26
5580MHz	Pass	5.43G	5.765G	PK	5.46903G	9.01	-50.75	-50.02	-47.36	-38.35	-27.00	-11.35
5580MHz	Pass	5.43G	5.765G	PK	5.73586G	9.01	-54.78	-55.97	-52.32	-43.31	-27.00	-16.31
5700MHz	Pass	5.43G	5.765G	AV	5.45688G	9.01	-71.25	-71.53	-68.38	-59.37	-41.20	-18.17
5700MHz	Pass	5.43G	5.765G	PK	5.43251G	9.01	-59.52	-59.41	-56.45	-47.44	-21.20	-26.24
5700MHz	Pass	5.43G	5.765G	PK	5.46132G	9.01	-58.77	-60.15	-56.40	-47.39	-27.00	-20.39
5700MHz	Pass	5.43G	5.765G	PK	5.7253G	9.01	-40.72	-40.22	-37.45	-28.44	-27.00	-1.44
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43897G	9.01	-69.96	-69.61	-66.77	-57.76	-41.20	-16.56
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.43828G	9.01	-58.65	-59.16	-55.89	-46.88	-21.20	-25.68
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46243G	9.01	-60.27	-60.59	-57.42	-48.41	-27.00	-21.41
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.8509G	9.01	-56.66	-56.50	-53.57	-44.56	-27.00	-17.56
5745MHz	Pass	5.685G	5.89G	PK	5.72303G	9.01	-20.76	-22.55	-18.55	-9.54	22.50	-32.04
5745MHz	Pass	5.685G	5.89G	PK	5.88447G	9.01	-44.93	-45.52	-42.20	-33.19	3.00	-36.19
5785MHz	Pass	5.685G	5.89G	PK	5.68613G	9.01	-56.97	-58.96	-54.84	-45.83	-0.27	-45.56
5785MHz	Pass	5.685G	5.89G	PK	5.88908G	9.01	-58.50	-58.67	-55.57	-46.56	-0.42	-46.14
5825MHz	Pass	5.685G	5.89G	PK	5.685G	9.01	-57.60	-57.93	-54.75	-45.74	-1.10	-44.64
5825MHz	Pass	5.685G	5.89G	PK	5.88823G	9.01	-39.60	-36.05	-34.46	-25.45	14.70	-40.15
11a40_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	5.07G	5.43G	AV	5.14956G	9.01	-56.98	-55.63	-53.24	-44.23	-41.20	-3.03
5190MHz	Pass	5.07G	5.43G	AV	5.35314G	9.01	-70.82	-70.71	-67.75	-58.74	-41.20	-17.54
5190MHz	Pass	5.07G	5.43G	PK	5.14992G	9.01	-36.97	-38.63	-34.71	-25.70	-21.20	-4.50
5190MHz	Pass	5.07G	5.43G	PK	5.36916G	9.01	-59.46	-58.03	-55.68	-46.67	-21.20	-25.47
5230MHz	Pass	5.07G	5.43G	AV	5.14992G	9.01	-54.86	-54.51	-51.67	-42.66	-41.20	-1.46
5230MHz	Pass	5.07G	5.43G	AV	5.35188G	9.01	-65.14	-64.58	-61.84	-52.83	-41.20	-11.63
5230MHz	Pass	5.07G	5.43G	PK	5.13822G	9.01	-41.62	-39.29	-37.29	-28.28	-21.20	-7.08
5230MHz	Pass	5.07G	5.43G	PK	5.35008G	9.01	-52.75	-47.41	-46.30	-37.29	-21.20	-16.09
5270MHz	Pass	5.07G	5.43G	AV	5.07504G	9.01	-65.84	-63.55	-61.54	-52.53	-41.20	-11.33
5270MHz	Pass	5.07G	5.43G	AV	5.3517G	9.01	-54.36	-55.06	-51.69	-42.68	-41.20	-1.48
5270MHz	Pass	5.07G	5.43G	PK	5.14794G	9.01	-49.51	-49.66	-46.57	-37.56	-21.20	-16.36
5270MHz	Pass	5.07G	5.43G	PK	5.35854G	9.01	-40.12	-40.39	-37.24	-28.23	-21.20	-7.03
5310MHz	Pass	5.07G	5.43G	AV	5.12274G	9.01	-69.44	-68.66	-66.02	-57.01	-41.20	-15.81
5310MHz	Pass	5.07G	5.43G	AV	5.35008G	9.01	-58.58	-60.25	-56.32	-47.31	-41.20	-6.11
5310MHz	Pass	5.07G	5.43G	PK	5.12634G	9.01	-57.08	-57.20	-54.13	-45.12	-21.20	-23.92
5310MHz	Pass	5.07G	5.43G	PK	5.35116G	9.01	-41.91	-43.25	-39.52	-30.51	-21.20	-9.31
5510MHz	Pass	5.39G	5.805G	AV	5.45931G	9.01	-66.60	-67.04	-63.80	-54.79	-41.20	-13.59
5510MHz	Pass	5.39G	5.805G	PK	5.45931G	9.01	-54.22	-56.09	-52.04	-43.03	-21.20	-21.83
5510MHz	Pass	5.39G	5.805G	PK	5.46927G	9.01	-50.57	-49.75	-47.13	-38.12	-27.00	-11.12
5510MHz	Pass	5.39G	5.805G	PK	5.76018G	9.01	-59.58	-58.12	-55.78	-46.77	-27.00	-19.77
5550MHz	Pass	5.39G	5.805G	AV	5.45972G	9.01	-56.98	-57.22	-54.09	-45.08	-41.20	-3.88



CSE Bandedge
Non-Beamforming Scanning Radio 2T1S

Appendix E.15

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5550MHz	Pass	5.39G	5.805G	PK	5.4564G	9.01	-41.82	-41.81	-38.80	-29.79	-21.20	-8.59
5550MHz	Pass	5.39G	5.805G	PK	5.4674G	9.01	-38.84	-39.79	-36.28	-27.27	-27.00	-0.27
5550MHz	Pass	5.39G	5.805G	PK	5.7274G	9.01	-56.32	-54.61	-52.37	-43.36	-27.00	-16.36
5670MHz	Pass	5.39G	5.805G	AV	5.45993G	9.01	-68.43	-67.16	-64.74	-55.73	-41.20	-14.53
5670MHz	Pass	5.39G	5.805G	PK	5.45993G	9.01	-58.11	-58.33	-55.21	-46.20	-21.20	-25.00
5670MHz	Pass	5.39G	5.805G	PK	5.46906G	9.01	-57.38	-54.55	-52.73	-43.72	-27.00	-16.72
5670MHz	Pass	5.39G	5.805G	PK	5.72698G	9.01	-40.81	-42.31	-38.49	-29.48	-27.00	-2.48
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	AV	5.41457G	9.01	-70.59	-70.20	-67.38	-58.37	-41.20	-17.17
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.41106G	9.01	-60.25	-57.78	-55.83	-46.82	-21.20	-25.62
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.46803G	9.01	-57.48	-59.16	-55.23	-46.22	-27.00	-19.22
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.91947G	9.01	-50.81	-51.88	-48.30	-39.29	-27.00	-12.29
5755MHz	Pass	5.645G	5.93G	PK	5.64956G	9.01	-43.50	-42.85	-40.15	-31.14	-27.00	-4.14
5755MHz	Pass	5.645G	5.93G	PK	5.92601G	9.01	-52.74	-53.39	-50.04	-41.03	-27.00	-14.03
5795MHz	Pass	5.645G	5.93G	PK	5.64856G	9.01	-49.52	-48.54	-45.99	-36.98	-27.00	-9.98
5795MHz	Pass	5.645G	5.93G	PK	5.92972G	9.01	-51.95	-55.75	-50.44	-41.43	-27.00	-14.43
11a80_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.14756G	9.01	-54.39	-54.25	-51.31	-42.30	-41.20	-1.10
5210MHz	Pass	4.99G	5.51G	AV	5.35556G	9.01	-69.73	-70.00	-66.85	-57.84	-41.20	-16.64
5210MHz	Pass	4.99G	5.51G	PK	5.13664G	9.01	-41.14	-42.65	-38.82	-29.81	-21.20	-8.61
5210MHz	Pass	4.99G	5.51G	PK	5.36024G	9.01	-57.93	-58.43	-55.16	-46.15	-21.20	-24.95
5210MHz	Pass	4.99G	5.51G	PK	5.47256G	9.01	-61.09	-58.24	-56.42	-47.41	-27.00	-20.41
5290MHz	Pass	4.99G	5.51G	AV	5.08516G	9.01	-69.98	-69.46	-66.70	-57.69	-41.20	-16.49
5290MHz	Pass	4.99G	5.51G	AV	5.36362G	9.01	-55.16	-55.95	-52.53	-43.52	-41.20	-2.32
5290MHz	Pass	4.99G	5.51G	PK	5.13274G	9.01	-56.78	-58.80	-54.66	-45.65	-21.20	-24.45
5290MHz	Pass	4.99G	5.51G	PK	5.35478G	9.01	-41.35	-44.61	-39.67	-30.66	-21.20	-9.46
5290MHz	Pass	4.99G	5.51G	PK	5.47724G	9.01	-58.93	-59.20	-56.05	-47.04	-27.00	-20.04
5530MHz	Pass	5.31G	5.885G	AV	5.45203G	9.01	-53.95	-54.77	-51.33	-42.32	-41.20	-1.12
5530MHz	Pass	5.31G	5.885G	PK	5.34364G	9.01	-57.48	-54.89	-52.98	-43.97	-27.00	-16.97
5530MHz	Pass	5.31G	5.885G	PK	5.43334G	9.01	-38.59	-43.03	-37.26	-28.25	-21.20	-7.05
5530MHz	Pass	5.31G	5.885G	PK	5.4641G	9.01	-42.19	-42.31	-39.24	-30.23	-27.00	-3.23
5530MHz	Pass	5.31G	5.885G	PK	5.76023G	9.01	-56.21	-55.71	-52.94	-43.93	-27.00	-16.93
5610MHz	Pass	5.31G	5.885G	AV	5.45576G	9.01	-55.61	-55.41	-52.50	-43.49	-41.20	-2.29
5610MHz	Pass	5.31G	5.885G	PK	5.34795G	9.01	-60.48	-56.87	-55.30	-46.29	-27.00	-19.29
5610MHz	Pass	5.31G	5.885G	PK	5.45519G	9.01	-42.70	-43.46	-40.05	-31.04	-21.20	-9.84
5610MHz	Pass	5.31G	5.885G	PK	5.4641G	9.01	-41.76	-42.62	-39.16	-30.15	-27.00	-3.15
5610MHz	Pass	5.31G	5.885G	PK	5.73866G	9.01	-44.23	-44.36	-41.28	-32.27	-27.00	-5.27
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.4598G	9.01	-60.81	-61.47	-58.12	-49.11	-41.20	-7.91
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.3324G	9.01	-54.36	-56.89	-52.43	-43.42	-27.00	-16.42
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4805G	9.01	-50.11	-45.94	-44.53	-35.52	-21.20	-14.32
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4696G	9.01	-47.09	-46.53	-43.79	-34.78	-27.00	-7.78
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.88495G	9.01	-45.70	-44.03	-41.77	-32.76	-27.00	-5.76
5775MHz	Pass	5.565G	6.01G	PK	5.62886G	9.01	-40.45	-41.54	-37.95	-28.94	-27.00	-1.94
5775MHz	Pass	5.565G	6.01G	PK	5.93101G	9.01	-52.75	-50.49	-48.46	-39.45	-27.00	-12.45
11a160_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	AV	5.14416G	9.01	-57.85	-58.79	-55.28	-46.27	-41.20	-5.07
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	AV	5.3613G	9.01	-53.13	-53.51	-50.31	-41.30	-41.20	-0.10
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.14458G	9.01	-48.01	-48.34	-45.16	-36.15	-21.20	-14.95
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.35374G	9.01	-42.88	-43.20	-40.03	-31.02	-21.20	-9.82
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.4642G	9.01	-58.64	-60.97	-56.64	-47.63	-27.00	-20.63
5250MHz Straddle 5.15-5.35GHz												
5570MHz	Pass	5.15G	6.045G	AV	5.15G	9.01	-71.75	-71.63	-68.68	-59.67	-41.20	-18.47
5570MHz	Pass	5.15G	6.045G	AV	5.45251G	9.01	-56.61	-56.73	-53.66	-44.65	-41.20	-3.45
5570MHz	Pass	5.15G	6.045G	PK	5.32721G	9.01	-53.16	-52.99	-50.06	-41.05	-27.00	-14.05
5570MHz	Pass	5.15G	6.045G	PK	5.3733G	9.01	-44.44	-46.05	-42.16	-33.15	-21.20	-11.95
5570MHz	Pass	5.15G	6.045G	PK	5.46191G	9.01	-47.64	-48.23	-44.91	-35.90	-27.00	-8.90
5570MHz	Pass	5.15G	6.045G	PK	5.72504G	9.01	-45.93	-47.26	-43.53	-34.52	-27.00	-7.52
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.11G	5.39G	AV	5.14976G	9.01	-54.91	-57.36	-52.95	-43.94	-41.20	-2.74
5180MHz	Pass	5.11G	5.39G	AV	5.3501G	9.01	-68.90	-69.36	-66.11	-57.10	-41.20	-15.90
5180MHz	Pass	5.11G	5.39G	PK	5.14934G	9.01	-41.57	-43.78	-39.53	-30.52	-21.20	-9.32
5180MHz	Pass	5.11G	5.39G	PK	5.3529G	9.01	-56.51	-58.50	-54.38	-45.37	-21.20	-24.17
5200MHz	Pass	5.11G	5.39G	AV	5.14948G	9.01	-57.48	-58.77	-55.07	-46.06	-41.20	-4.86
5200MHz	Pass	5.11G	5.39G	AV	5.3522G	9.01	-68.54	-68.38	-65.45	-56.44	-41.20	-15.24
5200MHz	Pass	5.11G	5.39G	PK	5.14696G	9.01	-42.53	-47.05	-41.22	-32.21	-21.20	-11.01
5200MHz	Pass	5.11G	5.39G	PK	5.3851G	9.01	-55.91	-57.80	-53.74	-44.73	-21.20	-23.53
5240MHz	Pass	5.11G	5.39G	AV	5.14962G	9.01	-69.11	-69.49	-66.29	-57.28	-41.20	-16.08
5240MHz	Pass	5.11G	5.39G	AV	5.39G	9.01	-68.75	-68.88	-65.80	-56.79	-41.20	-15.59
5240MHz	Pass	5.11G	5.39G	PK	5.14724G	9.01	-53.25	-59.34	-52.29	-43.28	-21.20	-22.08
5240MHz	Pass	5.11G	5.39G	PK	5.38538G	9.01	-58.49	-56.71	-54.50	-45.49	-21.20	-24.29
5260MHz	Pass	5.11G	5.39G	AV	5.1107G	9.01	-69.94	-69.97	-66.94	-57.93	-41.20	-16.73



CSE Bandedge
Non-Beamforming Scanning Radio 2T1S

Appendix E.15

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5260MHz	Pass	5.11G	5.39G	AV	5.35024G	9.01	-69.35	-69.66	-66.49	-57.48	-41.20	-16.28
5260MHz	Pass	5.11G	5.39G	PK	5.14864G	9.01	-58.48	-54.08	-52.73	-43.72	-21.20	-22.52
5260MHz	Pass	5.11G	5.39G	PK	5.35052G	9.01	-56.79	-59.58	-54.95	-45.94	-21.20	-24.74
5300MHz	Pass	5.11G	5.39G	AV	5.11658G	9.01	-62.22	-63.96	-59.99	-50.98	-41.20	-9.78
5300MHz	Pass	5.11G	5.39G	AV	5.3501G	9.01	-58.71	-59.01	-55.85	-46.84	-41.20	-5.64
5300MHz	Pass	5.11G	5.39G	PK	5.11308G	9.01	-50.24	-55.73	-49.16	-40.15	-21.20	-18.95
5300MHz	Pass	5.11G	5.39G	PK	5.35024G	9.01	-46.09	-45.19	-42.61	-33.60	-21.20	-12.40
5320MHz	Pass	5.11G	5.39G	AV	5.13646G	9.01	-62.58	-64.34	-60.36	-51.35	-41.20	-10.15
5320MHz	Pass	5.11G	5.39G	AV	5.3501G	9.01	-54.88	-55.18	-52.02	-43.01	-41.20	-1.81
5320MHz	Pass	5.11G	5.39G	PK	5.13632G	9.01	-51.82	-53.14	-49.42	-40.41	-21.20	-19.21
5320MHz	Pass	5.11G	5.39G	PK	5.3522G	9.01	-39.98	-43.14	-38.27	-29.26	-21.20	-8.06
5500MHz	Pass	5.43G	5.765G	AV	5.45982G	9.01	-62.60	-63.11	-59.84	-50.83	-41.20	-9.63
5500MHz	Pass	5.43G	5.765G	PK	5.45931G	9.01	-50.37	-50.34	-47.34	-38.33	-21.20	-17.13
5500MHz	Pass	5.43G	5.765G	PK	5.46886G	9.01	-42.24	-45.03	-40.40	-31.39	-27.00	-4.39
5500MHz	Pass	5.43G	5.765G	PK	5.76031G	9.01	-57.47	-58.51	-54.95	-45.94	-27.00	-18.94
5580MHz	Pass	5.43G	5.765G	AV	5.45982G	9.01	-65.91	-66.31	-63.10	-54.09	-41.20	-12.89
5580MHz	Pass	5.43G	5.765G	PK	5.45829G	9.01	-52.16	-54.42	-50.13	-41.12	-21.20	-19.92
5580MHz	Pass	5.43G	5.765G	PK	5.46788G	9.01	-53.03	-47.99	-46.81	-37.80	-27.00	-10.80
5580MHz	Pass	5.43G	5.765G	PK	5.73133G	9.01	-55.10	-56.63	-52.79	-43.78	-27.00	-16.78
5700MHz	Pass	5.43G	5.765G	AV	5.45479G	9.01	-71.52	-71.86	-68.68	-59.67	-41.20	-18.47
5700MHz	Pass	5.43G	5.765G	PK	5.44106G	9.01	-59.66	-61.19	-57.35	-48.34	-21.20	-27.14
5700MHz	Pass	5.43G	5.765G	PK	5.46065G	9.01	-60.56	-60.55	-57.54	-48.53	-27.00	-21.53
5700MHz	Pass	5.43G	5.765G	PK	5.72514G	9.01	-42.04	-41.36	-38.68	-29.67	-27.00	-2.67
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.44012G	9.01	-69.65	-70.34	-66.97	-57.96	-41.20	-16.76
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.43897G	9.01	-57.96	-59.44	-55.63	-46.62	-21.20	-25.42
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46611G	9.01	-60.16	-60.81	-57.46	-48.45	-27.00	-21.45
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.85044G	9.01	-56.11	-55.28	-52.66	-43.65	-27.00	-16.65
5745MHz	Pass	5.685G	5.89G	PK	5.71965G	9.01	-23.03	-20.26	-18.42	-9.41	15.50	-24.91
5745MHz	Pass	5.685G	5.89G	PK	5.88969G	9.01	-49.69	-46.24	-44.62	-35.61	-0.87	-34.74
5785MHz	Pass	5.685G	5.89G	PK	5.68551G	9.01	-58.49	-58.53	-55.50	-46.49	-0.72	-45.77
5785MHz	Pass	5.685G	5.89G	PK	5.88949G	9.01	-55.89	-58.54	-54.01	-45.00	-0.72	-44.28
5825MHz	Pass	5.685G	5.89G	PK	5.68541G	9.01	-57.06	-57.57	-54.30	-45.29	-0.80	-44.49
5825MHz	Pass	5.685G	5.89G	PK	5.85146G	9.01	-12.81	-16.66	-11.31	-2.30	23.67	-25.97
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	5.07G	5.43G	AV	5.14992G	9.01	-54.17	-55.52	-51.78	-42.77	-41.20	-1.57
5190MHz	Pass	5.07G	5.43G	AV	5.38212G	9.01	-68.93	-71.04	-66.85	-57.84	-41.20	-16.64
5190MHz	Pass	5.07G	5.43G	PK	5.14938G	9.01	-40.93	-42.74	-38.73	-29.72	-21.20	-8.52
5190MHz	Pass	5.07G	5.43G	PK	5.36628G	9.01	-58.05	-58.59	-55.30	-46.29	-21.20	-25.09
5230MHz	Pass	5.07G	5.43G	AV	5.14992G	9.01	-54.02	-56.51	-52.08	-43.07	-41.20	-1.87
5230MHz	Pass	5.07G	5.43G	AV	5.35008G	9.01	-66.05	-67.00	-63.49	-54.48	-41.20	-13.28
5230MHz	Pass	5.07G	5.43G	PK	5.14632G	9.01	-40.29	-41.57	-37.87	-28.86	-21.20	-7.66
5230MHz	Pass	5.07G	5.43G	PK	5.35026G	9.01	-52.74	-55.88	-51.02	-42.01	-21.20	-20.81
5270MHz	Pass	5.07G	5.43G	AV	5.07648G	9.01	-62.63	-65.26	-60.74	-51.73	-41.20	-10.53
5270MHz	Pass	5.07G	5.43G	AV	5.35008G	9.01	-54.06	-55.37	-51.66	-42.65	-41.20	-1.45
5270MHz	Pass	5.07G	5.43G	PK	5.0835G	9.01	-50.42	-53.69	-48.74	-39.73	-21.20	-18.53
5270MHz	Pass	5.07G	5.43G	PK	5.35098G	9.01	-39.12	-43.21	-37.69	-28.68	-21.20	-7.48
5310MHz	Pass	5.07G	5.43G	AV	5.1168G	9.01	-67.19	-68.82	-64.92	-55.91	-41.20	-14.71
5310MHz	Pass	5.07G	5.43G	AV	5.35008G	9.01	-54.21	-54.83	-51.50	-42.49	-41.20	-1.29
5310MHz	Pass	5.07G	5.43G	PK	5.11914G	9.01	-55.34	-58.29	-53.56	-44.55	-21.20	-23.35
5310MHz	Pass	5.07G	5.43G	PK	5.35026G	9.01	-42.38	-39.95	-37.99	-28.98	-21.20	-7.78
5510MHz	Pass	5.39G	5.805G	AV	5.45993G	9.01	-61.54	-61.99	-58.75	-49.74	-41.20	-8.54
5510MHz	Pass	5.39G	5.805G	PK	5.45785G	9.01	-47.10	-50.45	-45.45	-36.44	-21.20	-15.24
5510MHz	Pass	5.39G	5.805G	PK	5.46885G	9.01	-40.77	-44.53	-39.24	-30.23	-27.00	-3.23
5510MHz	Pass	5.39G	5.805G	PK	5.75997G	9.01	-57.76	-59.36	-55.48	-46.47	-27.00	-19.47
5550MHz	Pass	5.39G	5.805G	AV	5.45993G	9.01	-58.72	-59.21	-55.95	-46.94	-41.20	-5.74
5550MHz	Pass	5.39G	5.805G	PK	5.45744G	9.01	-45.70	-43.70	-41.58	-32.57	-21.20	-11.37
5550MHz	Pass	5.39G	5.805G	PK	5.46927G	9.01	-40.64	-42.70	-38.54	-29.53	-27.00	-2.53
5550MHz	Pass	5.39G	5.805G	PK	5.72657G	9.01	-55.21	-54.35	-51.75	-42.74	-27.00	-15.74
5670MHz	Pass	5.39G	5.805G	AV	5.45993G	9.01	-64.46	-66.47	-62.34	-53.33	-41.20	-12.13
5670MHz	Pass	5.39G	5.805G	PK	5.45931G	9.01	-52.09	-55.05	-50.31	-41.30	-21.20	-20.10
5670MHz	Pass	5.39G	5.805G	PK	5.46989G	9.01	-51.73	-55.37	-50.17	-41.16	-27.00	-14.16
5670MHz	Pass	5.39G	5.805G	PK	5.72532G	9.01	-39.98	-40.65	-37.29	-28.28	-27.00	-1.28
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	AV	5.40971G	9.01	-69.70	-70.01	-66.84	-57.83	-41.20	-16.63
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.39135G	9.01	-55.44	-57.08	-53.17	-44.16	-21.20	-22.96
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.4629G	9.01	-57.54	-59.05	-55.22	-46.21	-27.00	-19.21
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.90246G	9.01	-51.60	-54.37	-49.76	-40.75	-27.00	-13.75
5755MHz	Pass	5.645G	5.93G	PK	5.64899G	9.01	-48.06	-49.60	-45.75	-36.74	-27.00	-9.74
5755MHz	Pass	5.645G	5.93G	PK	5.92501G	9.01	-52.18	-53.67	-49.85	-40.84	-27.00	-13.84
5795MHz	Pass	5.645G	5.93G	PK	5.64742G	9.01	-49.88	-52.84	-48.10	-39.09	-27.00	-12.09
5795MHz	Pass	5.645G	5.93G	PK	5.92758G	9.01	-55.43	-54.91	-52.15	-43.14	-27.00	-16.14



**CSE Bandedge
Non-Beamforming Scanning Radio 2T1S**

Appendix E.15

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.14964G	9.01	-55.75	-57.38	-53.48	-44.47	-41.20	-3.27
5210MHz	Pass	4.99G	5.51G	AV	5.35088G	9.01	-69.80	-69.98	-66.88	-57.87	-41.20	-16.67
5210MHz	Pass	4.99G	5.51G	PK	5.14626G	9.01	-43.85	-46.19	-41.85	-32.84	-21.20	-11.64
5210MHz	Pass	4.99G	5.51G	PK	5.35478G	9.01	-58.30	-58.33	-55.30	-46.29	-21.20	-25.09
5210MHz	Pass	4.99G	5.51G	PK	5.47178G	9.01	-60.45	-58.24	-56.20	-47.19	-27.00	-20.19
5290MHz	Pass	4.99G	5.51G	AV	5.12884G	9.01	-69.03	-69.47	-66.23	-57.22	-41.20	-16.02
5290MHz	Pass	4.99G	5.51G	AV	5.3501G	9.01	-53.09	-53.68	-50.36	-41.35	-41.20	-0.15
5290MHz	Pass	4.99G	5.51G	PK	5.08178G	9.01	-56.71	-57.66	-54.24	-45.23	-21.20	-24.03
5290MHz	Pass	4.99G	5.51G	PK	5.35088G	9.01	-37.45	-43.50	-36.49	-27.48	-21.20	-6.28
5290MHz	Pass	4.99G	5.51G	PK	5.4619G	9.01	-58.56	-58.68	-55.61	-46.60	-27.00	-19.60
5530MHz	Pass	5.31G	5.885G	AV	5.45979G	9.01	-54.05	-54.78	-51.39	-42.38	-41.20	-1.18
5530MHz	Pass	5.31G	5.885G	PK	5.34508G	9.01	-56.65	-55.02	-52.75	-43.74	-27.00	-16.74
5530MHz	Pass	5.31G	5.885G	PK	5.45634G	9.01	-41.89	-43.35	-39.55	-30.54	-21.20	-9.34
5530MHz	Pass	5.31G	5.885G	PK	5.46266G	9.01	-38.77	-40.72	-36.63	-27.62	-27.00	-0.62
5530MHz	Pass	5.31G	5.885G	PK	5.75994G	9.01	-56.09	-54.58	-52.26	-43.25	-27.00	-16.25
5610MHz	Pass	5.31G	5.885G	AV	5.45979G	9.01	-55.32	-56.45	-52.84	-43.83	-41.20	-2.63
5610MHz	Pass	5.31G	5.885G	PK	5.34968G	9.01	-54.19	-56.90	-52.33	-43.32	-27.00	-16.32
5610MHz	Pass	5.31G	5.885G	PK	5.4595G	9.01	-41.79	-43.65	-39.61	-30.60	-21.20	-9.40
5610MHz	Pass	5.31G	5.885G	PK	5.46956G	9.01	-41.78	-41.40	-38.58	-29.57	-27.00	-2.57
5610MHz	Pass	5.31G	5.885G	PK	5.72716G	9.01	-39.36	-40.67	-36.96	-27.95	-27.00	-0.95
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.4598G	9.01	-60.08	-60.65	-57.35	-48.34	-41.20	-7.14
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.3303G	9.01	-55.19	-57.25	-53.09	-44.08	-27.00	-17.08
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4591G	9.01	-47.16	-48.60	-44.81	-35.80	-21.20	-14.60
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.46785G	9.01	-46.50	-47.40	-43.92	-34.91	-27.00	-7.91
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.8518G	9.01	-45.71	-44.92	-42.29	-33.28	-27.00	-6.28
5775MHz	Pass	5.565G	6.01G	PK	5.64265G	9.01	-39.86	-41.79	-37.71	-28.70	-27.00	-1.70
5775MHz	Pass	5.565G	6.01G	PK	5.92857G	9.01	-50.03	-50.79	-47.38	-38.37	-27.00	-11.37
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	AV	5.14962G	9.01	-59.91	-60.77	-57.31	-48.30	-41.20	-7.10
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	AV	5.3508G	9.01	-54.84	-56.16	-52.44	-43.43	-41.20	-2.23
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.14416G	9.01	-47.10	-48.93	-44.91	-35.90	-21.20	-14.70
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.36088G	9.01	-42.07	-45.70	-40.51	-31.50	-21.20	-10.30
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.46924G	9.01	-57.88	-58.00	-54.93	-45.92	-27.00	-18.92
5250MHz Straddle 5.25-5.35GHz												
5570MHz	Pass	5.15G	6.045G	AV	5.15G	9.01	-70.02	-69.98	-66.99	-57.98	-41.20	-16.78
5570MHz	Pass	5.15G	6.045G	AV	5.44446G	9.01	-54.79	-57.03	-52.76	-43.75	-41.20	-2.55
5570MHz	Pass	5.15G	6.045G	PK	5.34869G	9.01	-47.58	-51.50	-46.10	-37.09	-27.00	-10.09
5570MHz	Pass	5.15G	6.045G	PK	5.45967G	9.01	-39.72	-45.83	-38.77	-29.76	-21.20	-8.56
5570MHz	Pass	5.15G	6.045G	PK	5.4637G	9.01	-41.22	-43.49	-39.20	-30.19	-27.00	-3.19
5570MHz	Pass	5.15G	6.045G	PK	5.72504G	9.01	-44.20	-43.92	-41.05	-32.04	-27.00	-5.04


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5180MHz

26/08/2021




F_Start(Hz)	F_Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.14934G	-27.15	-21.20	-5.95	9.01	0.00	-36.16	-40.04	-38.44
5.11G	5.39G	1M	PK	5.3571G	-44.94	-21.20	-23.74	9.01	0.00	-53.95	-57.30	-56.64

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5180MHz

26/08/2021




F_Start(Hz)	F_Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.1499G	-42.16	-41.20	-0.96	9.01	0.00	-51.17	-54.62	-53.79
5.11G	5.39G	1M	AV	5.35024G	-57.03	-41.20	-15.83	9.01	0.00	-66.04	-69.08	-69.02

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5200MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.14864G	-30.92	-21.20	-9.72	9.01	0.00	-39.93	-42.37	-43.34
5.11G	5.39G	1M	PK	5.36326G	-44.72	-21.20	-23.52	9.01	0.00	-53.73	-57.44	-56.13

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5200MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.14948G	-46.80	-41.20	-5.60	9.01	0.00	-55.81	-58.59	-59.06
5.11G	5.39G	1M	AV	5.38426G	-56.39	-41.20	-15.19	9.01	0.00	-65.40	-68.37	-68.45

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5240MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.14878G	-42.42	-21.20	-21.22	9.01	0.00	-51.43	-54.52	-54.36
5.11G	5.39G	1M	PK	5.38972G	-44.66	-21.20	-23.46	9.01	0.00	-53.67	-56.91	-56.47

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5240MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.14976G	-57.12	-41.20	-15.92	9.01	0.00	-66.13	-68.95	-69.33
5.11G	5.39G	1M	AV	5.38902G	-56.91	-41.20	-15.71	9.01	0.00	-65.92	-68.92	-68.95

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5260MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.13954G	-43.06	-21.20	-21.86	9.01	0.00	-52.07	-52.80	-60.16
5.11G	5.39G	1M	PK	5.36382G	-45.16	-21.20	-23.96	9.01	0.00	-54.17	-55.87	-59.08

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5260MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.11028G	-57.94	-41.20	-16.74	9.01	0.00	-66.95	-69.80	-70.12
5.11G	5.39G	1M	AV	5.39G	-57.87	-41.20	-16.67	9.01	0.00	-66.88	-69.70	-70.08

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5300MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.11476G	-40.28	-21.20	-19.08	9.01	0.00	-49.29	-53.35	-51.45
5.11G	5.39G	1M	PK	5.35234G	-34.96	-21.20	-13.76	9.01	0.00	-43.97	-46.25	-47.87

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5300MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.11504G	-50.48	-41.20	-9.28	9.01	0.00	-59.49	-63.39	-61.76
5.11G	5.39G	1M	AV	5.3501G	-50.18	-41.20	-8.98	9.01	0.00	-59.19	-61.41	-63.17

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5320MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.13422G	-40.44	-21.20	-19.24	9.01	0.00	-49.45	-54.44	-51.11
5.11G	5.39G	1M	PK	5.35332G	-28.00	-21.20	-6.80	9.01	0.00	-37.01	-39.31	-40.87

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5320MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.1352G	-50.47	-41.20	-9.27	9.01	0.00	-59.48	-63.56	-61.63
5.11G	5.39G	1M	AV	5.3501G	-42.71	-41.20	-1.51	9.01	0.00	-51.72	-53.93	-55.71

11a20_Nss1,(6Mbps)_2TX
5500MHz

CSE Bandedge [PK]

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	PK	5.45982G	-37.10	-21.20	-15.90	9.01	0.00	-46.11	-48.73	-49.54
5.43G	5.765G	1M	PK	5.46987G	-29.25	-27.00	-2.25	9.01	0.00	-38.26	-41.19	-41.35
5.43G	5.765G	1M	PK	5.75998G	-45.91	-27.00	-18.91	9.01	0.00	-54.92	-59.31	-56.88

11a20_Nss1,(6Mbps)_2TX
5500MHz

CSE Bandedge [AV]

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	AV	5.45965G	-50.85	-41.20	-9.65	9.01	0.00	-59.86	-62.88	-62.86

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5580MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	PK	5.45990G	-39.46	-21.20	-18.26	9.01	0.00	-48.47	-54.23	-49.81
5.43G	5.765G	1M	PK	5.46903G	-38.35	-27.00	-11.35	9.01	0.00	-47.36	-50.75	-50.02
5.43G	5.765G	1M	PK	5.73386G	-43.31	-27.00	-16.31	9.01	0.00	-52.32	-54.78	-55.97

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5580MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	AV	5.45990G	-54.84	-41.20	-13.64	9.01	0.00	-63.85	-66.78	-66.94

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	PK	5.43251G	-47.44	-21.20	-26.24	9.01	0.00	-56.45	-59.52	-59.41
5.43G	5.765G	1M	PK	5.46132G	-47.39	-27.00	-20.39	9.01	0.00	-56.40	-58.77	-60.15
5.43G	5.765G	1M	PK	5.7239G	-28.44	-27.00	-1.44	9.01	0.00	-37.45	-40.72	-40.22

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	AV	5.4568G	-59.37	-41.20	-18.17	9.01	0.00	-66.38	-71.25	-71.53

11a20_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz

CSE Bandedge [PK]

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.89G	1M	PK	5.43828G	-46.88	-21.20	-25.68	9.01	0.00	-55.89	-58.65	-59.16
5.43G	5.89G	1M	PK	5.46243G	-48.41	-27.00	-21.41	9.01	0.00	-57.42	-60.27	-60.59
5.43G	5.89G	1M	PK	5.8509G	-44.56	-27.00	-17.56	9.01	0.00	-53.57	-56.66	-56.50

11a20_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz

CSE Bandedge [AV]

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.89G	1M	AV	5.43897G	-57.76	-41.20	-16.56	9.01	0.00	-66.77	-69.96	-69.61

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5745MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.89G	1M	PK	5.72303G	-9.54	22.50	-32.04	9.01	0.00	-18.55	-20.76	-22.55
5.685G	5.89G	1M	PK	5.88447G	-33.19	3.00	-36.19	9.01	0.00	-42.20	-44.93	-45.52

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5785MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.89G	1M	PK	5.68613G	-45.83	-0.27	-45.56	9.01	0.00	-54.84	-56.97	-58.96
5.685G	5.89G	1M	PK	5.88908G	-46.56	-0.42	-46.14	9.01	0.00	-55.57	-58.50	-58.67

11a20_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5825MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.89G	1M	PK	5.685G	-45.74	-1.10	-44.64	9.01	0.00	-54.75	-57.60	-57.93
5.685G	5.89G	1M	PK	5.85823G	-25.45	14.70	-40.15	9.01	0.00	-34.46	-39.60	-36.05

11a40_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5190MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.14992G	-25.70	-21.20	-4.50	9.01	0.00	-34.71	-36.97	-38.63
5.07G	5.43G	1M	PK	5.36916G	-46.67	-21.20	-25.47	9.01	0.00	-55.68	-59.46	-58.03

11a40_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5190MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.14956G	-44.23	-41.20	-3.03	9.01	0.00	-53.24	-56.98	-55.63
5.07G	5.43G	1M	AV	5.35314G	-58.74	-41.20	-17.54	9.01	0.00	-67.75	-70.82	-70.71

11a40_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5230MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.13822G	-28.28	-21.20	-7.08	9.01	0.00	-37.29	-41.62	-39.29
5.07G	5.43G	1M	PK	5.35008G	-37.29	-21.20	-16.09	9.01	0.00	-46.30	-52.75	-47.41

11a40_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5230MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.14992G	-42.66	-41.20	-1.46	9.01	0.00	-51.67	-54.86	-54.51
5.07G	5.43G	1M	AV	5.35188G	-52.83	-41.20	-11.63	9.01	0.00	-61.84	-65.14	-64.58

11a40_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5270MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.14794G	-37.56	-21.20	-16.36	9.01	0.00	-46.57	-49.51	-49.66
5.07G	5.43G	1M	PK	5.35854G	-28.23	-21.20	-7.03	9.01	0.00	-37.24	-40.12	-40.39

11a40_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5270MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.07504G	-52.53	-41.20	-11.33	9.01	0.00	-61.54	-65.84	-63.55
5.07G	5.43G	1M	AV	5.3517G	-42.68	-41.20	-1.48	9.01	0.00	-51.69	-54.36	-55.06

11a40_Nss1,(6Mbps)_2TX


CSE Bandedge [PK]


5310MHz

26/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.12634G	-45.12	-21.20	-23.92	9.01	0.00	-54.13	-57.08	-57.20
5.07G	5.43G	1M	PK	5.35116G	-30.51	-21.20	-9.31	9.01	0.00	-39.52	-41.91	-43.25






11a40_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]


5550MHz



11a40_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5670MHz






11a40_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5670MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	AV	5.45993G	-55.73	-41.20	-14.53	9.01	0.00	-64.74	-66.43	-67.16

11a40_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5710MHz Straddle 5.47-5.725GHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.93G	1M	PK	5.4106G	-46.82	-21.20	-25.62	9.01	0.00	-55.83	-60.25	-57.78
5.39G	5.93G	1M	PK	5.46803G	-46.22	-27.00	-19.22	9.01	0.00	-55.23	-57.48	-59.16
5.39G	5.93G	1M	PK	5.91947G	-39.29	-27.00	-12.29	9.01	0.00	-48.30	-50.81	-51.88

11a40_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5710MHz Straddle 5.47-5.725GHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.93G	1M	AV	5.41457G	-58.37	-41.20	-17.17	9.01	0.00	-67.38	-70.59	-70.20

11a40_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5755MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.93G	1M	PK	5.64956G	-31.14	-27.00	-4.14	9.01	0.00	-40.15	-43.50	-42.85
5.645G	5.93G	1M	PK	5.92601G	-41.03	-27.00	-14.03	9.01	0.00	-50.04	-52.74	-53.39

11a40_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5795MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.93G	1M	PK	5.64856G	-36.98	-27.00	-9.98	9.01	0.00	-45.99	-49.52	-48.54
5.645G	5.93G	1M	PK	5.92972G	-41.43	-27.00	-14.43	9.01	0.00	-50.44	-51.95	-55.75

11a80_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5210MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.13644G	-29.81	-21.20	-8.61	9.01	0.00	-38.82	-41.14	-42.65
4.99G	5.51G	1M	PK	5.36024G	-46.15	-21.20	-24.95	9.01	0.00	-55.16	-57.93	-58.43
4.99G	5.51G	1M	PK	5.47256G	-47.41	-27.00	-20.41	9.01	0.00	-56.42	-61.09	-58.24

11a80_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5210MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.14756G	-42.30	-41.20	-1.10	9.01	0.00	-51.31	-54.39	-54.25
4.99G	5.51G	1M	AV	5.35596G	-57.84	-41.20	-16.64	9.01	0.00	-66.85	-69.73	-70.00

11a80_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5290MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.13274G	-45.65	-21.20	-24.45	9.01	0.00	-54.66	-56.78	-58.80
4.99G	5.51G	1M	PK	5.35478G	-30.66	-21.20	-9.46	9.01	0.00	-39.67	-41.35	-44.61
4.99G	5.51G	1M	PK	5.47724G	-47.04	-27.00	-20.04	9.01	0.00	-56.05	-58.93	-59.20

11a80_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5290MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.08516G	-57.69	-41.20	-16.49	9.01	0.00	-66.70	-69.98	-69.46
4.99G	5.51G	1M	AV	5.36362G	-43.52	-41.20	-2.32	9.01	0.00	-52.53	-55.16	-55.95

11a80_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5530MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	PK	5.34364G	-43.97	-27.00	-16.97	9.01	0.00	-52.98	-57.48	-54.89
5.31G	5.885G	1M	PK	5.43334G	-28.25	-21.20	-7.05	9.01	0.00	-37.26	-38.59	-43.03
5.31G	5.885G	1M	PK	5.4641G	-30.23	-27.00	-3.23	9.01	0.00	-39.24	-42.19	-42.31
5.31G	5.885G	1M	PK	5.76023G	-43.93	-27.00	-16.93	9.01	0.00	-52.94	-56.21	-55.71

11a80_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5530MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	AV	5.45203G	-42.32	-41.20	-1.12	9.01	0.00	-51.33	-53.95	-54.77

11a80_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5610MHz

26/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	PK	5.34795G	-46.29	-27.00	-19.29	9.01	0.00	-55.30	-60.48	-56.87
5.31G	5.885G	1M	PK	5.45519G	-31.04	-21.20	-9.84	9.01	0.00	-40.05	-42.70	-43.46
5.31G	5.885G	1M	PK	5.4641G	-30.15	-27.00	-3.15	9.01	0.00	-39.16	-41.76	-42.62
5.31G	5.885G	1M	PK	5.73866G	-32.27	-27.00	-5.27	9.01	0.00	-41.28	-44.23	-44.36




11a80_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5610MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	AV	5.45576G	-43.49	-41.20	-2.29	9.01	0.00	-52.50	-55.61	-55.41

11a80_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	6.01G	1M	PK	5.3324G	-43.42	-27.00	-16.42	9.01	0.00	-52.43	-54.36	-56.89
5.31G	6.01G	1M	PK	5.45805G	-35.52	-21.20	-14.32	9.01	0.00	-44.53	-50.11	-45.94
5.31G	6.01G	1M	PK	5.4696G	-34.78	-27.00	-7.78	9.01	0.00	-43.79	-47.09	-46.53
5.31G	6.01G	1M	PK	5.85495G	-32.76	-27.00	-5.76	9.01	0.00	-41.77	-45.70	-44.03

11a80_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	6.01G	1M	AV	5.4598G	-49.11	-41.20	-7.91	9.01	0.00	-58.12	-60.81	-61.47

11a80_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5775MHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.565G	6.01G	1M	PK	5.62886G	-28.94	-27.00	-1.94	9.01	0.00	-37.95	-40.45	-41.54
5.565G	6.01G	1M	PK	5.93101G	-39.45	-27.00	-12.45	9.01	0.00	-48.46	-52.75	-50.49

11a160_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

26/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	PK	5.14458G	-36.15	-21.20	-14.95	9.01	0.00	-45.16	-48.01	-48.34
4.83G	5.67G	1M	PK	5.35374G	-31.02	-21.20	-9.82	9.01	0.00	-40.03	-42.88	-43.20
4.83G	5.67G	1M	PK	5.4642G	-47.63	-27.00	-20.63	9.01	0.00	-56.64	-58.64	-60.97

11a160_Nss1,(6Mbps)_2TX


CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

26/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	AV	5.14416G	-46.27	-41.20	-5.07	9.01	0.00	-55.28	-57.85	-58.79
4.83G	5.67G	1M	AV	5.3613G	-41.30	-41.20	-0.10	9.01	0.00	-50.31	-53.13	-53.51




802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5180MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.14934G	-30.52	-21.20	-9.32	9.01	0.00	-39.53	-41.57	-43.78
5.11G	5.39G	1M	PK	5.3529G	-45.37	-21.20	-24.17	9.01	0.00	-54.38	-56.51	-58.50

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5180MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.14976G	-43.94	-41.20	-2.74	9.01	0.00	-52.95	-54.91	-57.36
5.11G	5.39G	1M	AV	5.3501G	-57.10	-41.20	-15.90	9.01	0.00	-66.11	-68.90	-69.36

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5200MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.14696G	-32.21	-21.20	-11.01	9.01	0.00	-41.22	-42.53	-47.05
5.11G	5.39G	1M	PK	5.3851G	-44.73	-21.20	-23.53	9.01	0.00	-53.74	-55.91	-57.80

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5200MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.14948G	-46.06	-41.20	-4.86	9.01	0.00	-55.07	-57.48	-58.77
5.11G	5.39G	1M	AV	5.3522G	-56.44	-41.20	-15.24	9.01	0.00	-65.45	-68.54	-68.38

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5240MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.14724G	-43.28	-21.20	-22.08	9.01	0.00	-52.29	-53.25	-59.34
5.11G	5.39G	1M	PK	5.38538G	-45.49	-21.20	-24.29	9.01	0.00	-54.50	-58.49	-56.71

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5240MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.14962G	-57.28	-41.20	-16.08	9.01	0.00	-66.29	-69.11	-69.49
5.11G	5.39G	1M	AV	5.39G	-56.79	-41.20	-15.59	9.01	0.00	-65.80	-68.75	-68.88

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5260MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.14864G	-43.72	-21.20	-22.52	9.01	0.00	-52.73	-58.48	-54.08
5.11G	5.39G	1M	PK	5.35052G	-45.94	-21.20	-24.74	9.01	0.00	-54.95	-56.79	-59.58

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5260MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.1107G	-57.93	-41.20	-16.73	9.01	0.00	-66.94	-69.94	-69.97
5.11G	5.39G	1M	AV	5.35024G	-57.48	-41.20	-16.28	9.01	0.00	-66.49	-69.35	-69.66

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5300MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.11308G	-40.15	-21.20	-18.95	9.01	0.00	-49.16	-50.24	-55.73
5.11G	5.39G	1M	PK	5.35024G	-33.60	-21.20	-12.40	9.01	0.00	-42.61	-46.09	-45.19

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5300MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.11658G	-50.98	-41.20	-9.78	9.01	0.00	-59.99	-62.22	-63.96
5.11G	5.39G	1M	AV	5.3501G	-46.84	-41.20	-5.64	9.01	0.00	-55.85	-58.71	-59.01

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5320MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.13632G	-40.41	-21.20	-19.21	9.01	0.00	-49.42	-51.82	-53.14
5.11G	5.39G	1M	PK	5.3522G	-29.26	-21.20	-8.06	9.01	0.00	-38.27	-39.98	-43.14

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5320MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.13646G	-51.35	-41.20	-10.15	9.01	0.00	-60.36	-62.58	-64.34
5.11G	5.39G	1M	AV	5.3501G	-43.01	-41.20	-1.81	9.01	0.00	-52.02	-54.88	-55.18

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5500MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	PK	5.45931G	-38.33	-21.20	-17.13	9.01	0.00	-47.34	-50.37	-50.34
5.43G	5.765G	1M	PK	5.46886G	-31.39	-27.00	-4.39	9.01	0.00	-40.40	-42.24	-45.03
5.43G	5.765G	1M	PK	5.76031G	-45.94	-27.00	-18.94	9.01	0.00	-54.95	-57.47	-58.51

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5500MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	AV	5.4592G	-50.83	-41.20	-9.63	9.01	0.00	-59.84	-62.60	-63.11

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5580MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	PK	5.45520G	-41.12	-21.20	-19.92	9.01	0.00	-50.13	-52.16	-54.42
5.43G	5.765G	1M	PK	5.46786G	-37.80	-27.00	-10.80	9.01	0.00	-46.81	-53.03	-47.99
5.43G	5.765G	1M	PK	5.73133G	-43.78	-27.00	-16.78	9.01	0.00	-52.79	-55.10	-56.63

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5580MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	AV	5.45982G	-54.09	-41.20	-12.89	9.01	0.00	-63.10	-65.91	-66.31

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	PK	5.44106G	-48.34	-21.20	-27.14	9.01	0.00	-57.35	-59.66	-61.19
5.43G	5.765G	1M	PK	5.46095G	-48.53	-27.00	-21.53	9.01	0.00	-57.54	-60.56	-60.55
5.43G	5.765G	1M	PK	5.72314G	-29.67	-27.00	-2.67	9.01	0.00	-38.68	-42.04	-41.36

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	AV	5.45479G	-59.67	-41.20	-18.47	9.01	0.00	-66.68	-71.52	-71.86

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz

CSE Bandedge [PK]

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.89G	1M	PK	5.43897G	-46.62	-21.20	-25.42	9.01	0.00	-55.63	-57.96	-59.44
5.43G	5.89G	1M	PK	5.46611G	-48.45	-27.00	-21.45	9.01	0.00	-57.46	-60.16	-60.81
5.43G	5.89G	1M	PK	5.85044G	-43.65	-27.00	-16.65	9.01	0.00	-52.66	-56.11	-55.28

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz

CSE Bandedge [AV]

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.89G	1M	AV	5.44012G	-57.96	-41.20	-16.76	9.01	0.00	-66.97	-69.65	-70.34

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5745MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.89G	1M	PK	5.71965G	-9.41	15.50	-24.91	9.01	0.00	-18.42	-23.03	-20.26
5.685G	5.89G	1M	PK	5.88969G	-35.61	-0.87	-34.74	9.01	0.00	-44.62	-49.69	-46.24

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5785MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.89G	1M	PK	5.6851G	-46.49	-0.72	-45.77	9.01	0.00	-55.50	-58.49	-58.53
5.685G	5.89G	1M	PK	5.88949G	-45.00	-0.72	-44.28	9.01	0.00	-54.01	-55.89	-58.54

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5825MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.89G	1M	PK	5.68541G	-45.29	-0.80	-44.49	9.01	0.00	-54.30	-57.06	-57.57
5.685G	5.89G	1M	PK	5.85146G	-2.30	23.67	-25.97	9.01	0.00	-11.31	-12.81	-16.66

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5190MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.14938G	-29.72	-21.20	-8.52	9.01	0.00	-38.73	-40.93	-42.74
5.07G	5.43G	1M	PK	5.36628G	-46.29	-21.20	-25.09	9.01	0.00	-55.30	-58.05	-58.59

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5190MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.14992G	-42.77	-41.20	-1.57	9.01	0.00	-51.78	-54.17	-55.52
5.07G	5.43G	1M	AV	5.38212G	-57.84	-41.20	-16.64	9.01	0.00	-66.85	-68.93	-71.04

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5230MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.14632G	-28.86	-21.20	-7.66	9.01	0.00	-37.87	-40.29	-41.57
5.07G	5.43G	1M	PK	5.35026G	-42.01	-21.20	-20.81	9.01	0.00	-51.02	-52.74	-55.88

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5230MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.14992G	-43.07	-41.20	-1.87	9.01	0.00	-52.08	-54.02	-56.51
5.07G	5.43G	1M	AV	5.35008G	-54.48	-41.20	-13.28	9.01	0.00	-63.49	-66.05	-67.00

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5270MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.0835G	-39.73	-21.20	-18.53	9.01	0.00	-48.74	-50.42	-53.69
5.07G	5.43G	1M	PK	5.35098G	-28.68	-21.20	-7.48	9.01	0.00	-37.69	-39.12	-43.21

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5270MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.07648G	-51.73	-41.20	-10.53	9.01	0.00	-60.74	-62.63	-65.26
5.07G	5.43G	1M	AV	5.35008G	-42.65	-41.20	-1.45	9.01	0.00	-51.66	-54.06	-55.37

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5310MHz

27/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.11914G	-44.55	-21.20	-23.35	9.01	0.00	-53.56	-55.34	-58.29
5.07G	5.43G	1M	PK	5.35026G	-28.98	-21.20	-7.78	9.01	0.00	-37.99	-42.38	-39.95




802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5310MHz

27/08/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5510MHz

27/08/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5510MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	AV	5.45993G	-49.74	-41.20	-8.54	9.01	0.00	-58.75	-61.54	-61.99

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5550MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	PK	5.45744G	-32.57	-21.20	-11.37	9.01	0.00	-41.58	-45.70	-43.70
5.39G	5.805G	1M	PK	5.46927G	-29.53	-27.00	-2.53	9.01	0.00	-38.54	-40.64	-42.70
5.39G	5.805G	1M	PK	5.72657G	-42.74	-27.00	-15.74	9.01	0.00	-51.75	-55.21	-54.35

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5550MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	AV	5.45993G	-46.94	-41.20	-5.74	9.01	0.00	-55.95	-58.72	-59.21

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5670MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	PK	5.45931G	-41.30	-21.20	-20.10	9.01	0.00	-50.31	-52.09	-55.05
5.39G	5.805G	1M	PK	5.46989G	-41.16	-27.00	-14.16	9.01	0.00	-50.17	-51.73	-55.37
5.39G	5.805G	1M	PK	5.72532G	-28.28	-27.00	-1.28	9.01	0.00	-37.29	-39.98	-40.65

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5670MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	AV	5.45993G	-53.33	-41.20	-12.13	9.01	0.00	-62.34	-64.46	-66.47

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5710MHz Straddle 5.47-5.725GHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.93G	1M	PK	5.39135G	-44.16	-21.20	-22.96	9.01	0.00	-53.17	-55.44	-57.08
5.39G	5.93G	1M	PK	5.4629G	-46.21	-27.00	-19.21	9.01	0.00	-55.22	-57.54	-59.05
5.39G	5.93G	1M	PK	5.90246G	-40.75	-27.00	-13.75	9.01	0.00	-49.76	-51.60	-54.37

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz

CSE Bandedge [AV]

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.93G	1M	AV	5.40971G	-57.83	-41.20	-16.63	9.01	0.00	-66.84	-69.70	-70.01

802.11ax HEW40_Nss1,(MCS0)_2TX
5755MHz

CSE Bandedge [PK]

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.93G	1M	PK	5.64899G	-36.74	-27.00	-9.74	9.01	0.00	-45.75	-48.05	-49.60
5.645G	5.93G	1M	PK	5.92501G	-40.84	-27.00	-13.84	9.01	0.00	-49.85	-52.18	-53.67

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5795MHz

27/08/2021




802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5210MHz

27/08/2021




802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5210MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.14964G	-44.47	-41.20	-3.27	9.01	0.00	-53.48	-55.75	-57.38
4.99G	5.51G	1M	AV	5.35088G	-57.87	-41.20	-16.67	9.01	0.00	-66.88	-69.80	-69.98

802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5290MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.08178G	-45.23	-21.20	-24.03	9.01	0.00	-54.24	-56.71	-57.86
4.99G	5.51G	1M	PK	5.35088G	-27.48	-21.20	-6.28	9.01	0.00	-36.49	-37.45	-43.50
4.99G	5.51G	1M	PK	5.4619G	-46.60	-27.00	-19.60	9.01	0.00	-55.61	-58.56	-58.68

802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5290MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.12884G	-57.22	-41.20	-16.02	9.01	0.00	-66.23	-69.03	-69.47
4.99G	5.51G	1M	AV	5.3501G	-41.35	-41.20	-0.15	9.01	0.00	-50.36	-53.09	-53.68

802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5530MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	PK	5.34508G	-43.74	-27.00	-16.74	9.01	0.00	-52.75	-56.65	-55.02
5.31G	5.885G	1M	PK	5.45634G	-30.54	-21.20	-9.34	9.01	0.00	-39.55	-41.89	-43.35
5.31G	5.885G	1M	PK	5.46266G	-27.62	-27.00	-0.62	9.01	0.00	-36.63	-38.77	-40.72
5.31G	5.885G	1M	PK	5.7994G	-43.25	-27.00	-16.25	9.01	0.00	-52.26	-56.09	-54.58



802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5530MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	AV	5.45979G	-42.38	-41.20	-1.18	9.01	0.00	-51.39	-54.05	-54.78

802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5610MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	PK	5.34968G	-43.32	-27.00	-16.32	9.01	0.00	-52.33	-54.19	-56.90
5.31G	5.885G	1M	PK	5.45959G	-30.60	-21.20	-9.40	9.01	0.00	-39.61	-41.79	-43.65
5.31G	5.885G	1M	PK	5.46956G	-29.57	-27.00	-2.57	9.01	0.00	-38.58	-41.78	-41.40
5.31G	5.885G	1M	PK	5.72716G	-27.95	-27.00	-0.95	9.01	0.00	-36.96	-39.36	-40.67



802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5610MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	AV	5.45979G	-43.83	-41.20	-2.63	9.01	0.00	-52.84	-55.32	-56.45

802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	6.01G	1M	PK	5.3303G	-44.08	-27.00	-17.08	9.01	0.00	-53.09	-55.19	-57.25
5.31G	6.01G	1M	PK	5.4591G	-35.80	-21.20	-14.60	9.01	0.00	-44.81	-47.16	-48.60
5.31G	6.01G	1M	PK	5.46785G	-34.91	-27.00	-7.91	9.01	0.00	-43.92	-46.50	-47.40
5.31G	6.01G	1M	PK	5.8518G	-33.28	-27.00	-6.28	9.01	0.00	-42.29	-45.71	-44.92

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz

CSE Bandedge [AV]

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	6.01G	1M	AV	5.4598G	-48.34	-41.20	-7.14	9.01	0.00	-57.35	-60.08	-60.65

802.11ax HEW80_Nss1,(MCS0)_2TX
5775MHz

CSE Bandedge [PK]

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.565G	6.01G	1M	PK	5.64265G	-28.70	-27.00	-1.70	9.01	0.00	-37.71	-39.86	-41.79
5.565G	6.01G	1M	PK	5.92857G	-38.37	-27.00	-11.37	9.01	0.00	-47.38	-50.03	-50.79

802.11ax HEW160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.15-5.25GHz

CSE Bandedge [PK]

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	PK	5.14416G	-35.90	-21.20	-14.70	9.01	0.00	-44.91	-47.10	-48.93
4.83G	5.67G	1M	PK	5.36088G	-31.50	-21.20	-10.30	9.01	0.00	-40.51	-42.07	-45.70
4.83G	5.67G	1M	PK	5.46924G	-45.92	-27.00	-18.92	9.01	0.00	-54.93	-57.88	-58.00

802.11ax HEW160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.15-5.25GHz

CSE Bandedge [AV]

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	AV	5.14962G	-48.30	-41.20	-7.10	9.01	0.00	-57.31	-59.91	-60.77
4.83G	5.67G	1M	AV	5.3508G	-43.43	-41.20	-2.23	9.01	0.00	-52.44	-54.84	-56.16

802.11ax HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5570MHz

27/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.15G	6.045G	1M	PK	5.34869G	-37.09	-27.00	-10.09	9.01	0.00	-46.10	-47.58	-51.50
5.15G	6.045G	1M	PK	5.45967G	-29.76	-21.20	-8.56	9.01	0.00	-38.77	-39.72	-45.83
5.15G	6.045G	1M	PK	5.4637G	-30.19	-27.00	-3.19	9.01	0.00	-39.20	-41.22	-43.49
5.15G	6.045G	1M	PK	5.72504G	-32.04	-27.00	-5.04	9.01	0.00	-41.05	-44.20	-43.92

802.11ax HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5570MHz

27/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.15G	6.045G	1M	AV	5.15G	-57.98	-41.20	-16.78	9.01	0.00	-66.99	-70.02	-69.98
5.15G	6.045G	1M	AV	5.44446G	-43.75	-41.20	-2.55	9.01	0.00	-52.76	-54.79	-57.03