



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	-53.38	-65.40	-68.23	-71.72	-77.84	-72.65	-41.20	-12.18	12.02
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	-53.68	-65.70	-67.70	-73.61	-76.99	-74.44	-41.20	-12.48	12.02
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
11a40_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	-74.95	-86.97	-92.91	-93.01	-93.05	-92.98	-41.20	-33.75	12.02
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	-74.87	-86.89	-92.59	-92.40	-93.45	-93.30	-41.20	-33.67	12.02
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
11a80_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	-72.42	-84.44	-92.19	-85.61	-99.18	-98.90	-41.20	-31.22	12.02
11a160_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	-72.80	-84.82	-87.97	-97.57	-93.65	-89.62	-41.20	-31.60	12.02
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	-73.38	-85.40	-94.57	-86.37	-99.23	-99.74	-41.20	-32.18	12.02
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	-72.93	-84.95	-88.21	-98.13	-93.73	-89.54	-41.20	-31.73	12.02


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX




Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
11a20_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.91025G	12.02	-74.70	-79.28	-79.28	-83.83	-72.56	-60.54	-41.20	-19.34
5955MHz	Pass	1G	40G	AV	17.86628G	12.02	-72.65	-68.23	-68.23	-77.84	-65.40	-53.38	-41.20	-12.18
5955MHz	Pass	1G	40G	PK	11.91025G	12.02	-70.43	-77.44	-77.44	-88.18	-69.30	-57.28	-21.20	-36.08
5955MHz	Pass	1G	40G	PK	17.85531G	12.02	-75.64	-61.52	-61.52	-77.04	-60.75	-48.73	-21.20	-27.53
11a40_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6445MHz	Pass	1G	40G	AV	12.89013G	12.02	-78.97	-89.96	-89.96	-98.89	-77.88	-65.86	-27.00	-38.86
6445MHz	Pass	1G	40G	AV	39.89519G	12.02	-92.98	-92.91	-92.91	-93.05	-86.97	-74.95	-41.20	-33.75
6445MHz	Pass	1G	40G	PK	12.89256G	12.02	-72.44	-93.32	-93.32	-95.48	-72.00	-59.98	-7.00	-52.98
6445MHz	Pass	1G	40G	PK	39.04816G	12.02	-86.10	-88.86	-88.86	-84.80	-80.70	-68.68	-21.20	-47.48
11a80_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6625MHz	Pass	1G	40G	AV	13.27159G	12.02	-97.25	-99.60	-99.60	-95.18	-91.85	-79.83	-41.20	-36.63
6625MHz	Pass	1G	40G	AV	19.91256G	12.02	-98.90	-92.19	-92.19	-99.18	-84.44	-72.42	-41.20	-31.22
6625MHz	Pass	1G	40G	PK	13.27159G	12.02	-92.78	-92.69	-92.69	-90.39	-86.75	-74.73	-21.20	-53.53
6625MHz	Pass	1G	40G	PK	19.90891G	12.02	-93.84	-86.61	-86.61	-100.18	-79.95	-67.93	-21.20	-46.73
11a80_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	1G	40G	AV	9.04619G	12.02	-89.62	-87.97	-87.97	-93.65	-84.82	-72.80	-41.20	-31.60
6825MHz	Pass	1G	40G	AV	13.60797G	12.02	-100.47	-97.07	-97.07	-93.69	-91.19	-79.17	-27.00	-52.17
6825MHz	Pass	1G	40G	PK	13.60797G	12.02	-97.65	-89.87	-89.87	-91.00	-86.83	-74.81	-7.00	-67.81
6825MHz	Pass	1G	40G	PK	39.53078G	12.02	-88.76	-84.25	-84.25	-89.72	-80.68	-68.66	-21.20	-47.46
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.91025G	12.02	-74.16	-79.59	-79.59	-86.17	-72.35	-60.33	-41.20	-19.13
5955MHz	Pass	1G	40G	AV	17.86506G	12.02	-74.44	-67.70	-67.70	-76.99	-65.70	-53.68	-41.20	-12.48
5955MHz	Pass	1G	40G	PK	11.91025G	12.02	-69.36	-79.46	-79.46	-91.40	-68.16	-56.14	-21.20	-34.94
5955MHz	Pass	1G	40G	PK	17.86628G	12.02	-70.99	-62.01	-62.01	-75.06	-60.84	-48.82	-21.20	-27.62
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6445MHz	Pass	1G	40G	AV	12.88769G	12.02	-80.12	-97.45	-97.45	-102.23	-79.55	-67.53	-27.00	-40.53
6445MHz	Pass	1G	40G	AV	39.9025G	12.02	-93.30	-92.59	-92.59	-93.45	-86.89	-74.87	-41.20	-33.67
6445MHz	Pass	1G	40G	PK	12.88891G	12.02	-74.65	-92.79	-92.79	-98.57	-74.40	-62.38	-7.00	-55.38
6445MHz	Pass	1G	40G	PK	39.99513G	12.02	-87.76	-89.76	-89.76	-84.92	-81.11	-69.09	-21.20	-47.89
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6625MHz	Pass	1G	40G	AV	13.25088G	12.02	-94.38	-100.64	-100.64	-98.49	-91.70	-79.68	-41.20	-38.48
6625MHz	Pass	1G	40G	AV	19.90891G	12.02	-99.74	-94.57	-94.57	-99.23	-85.40	-73.38	-41.20	-32.18
6625MHz	Pass	1G	40G	PK	13.25697G	12.02	-96.50	-94.61	-94.61	-90.40	-87.88	-75.86	-21.20	-54.66
6625MHz	Pass	1G	40G	PK	19.85041G	12.02	-93.26	-80.71	-80.71	-95.80	-80.26	-68.24	-21.20	-47.04
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	1G	40G	AV	9.04619G	12.02	-89.54	-88.21	-88.21	-93.73	-84.95	-72.93	-41.20	-31.73
6825MHz	Pass	1G	40G	AV	13.62138G	12.02	-102.66	-98.24	-98.24	-95.41	-92.59	-80.57	-27.00	-53.57
6825MHz	Pass	1G	40G	PK	13.60188G	12.02	-97.40	-95.53	-95.53	-89.12	-87.45	-75.43	-7.00	-68.43
6825MHz	Pass	1G	40G	PK	39.89153G	12.02	-91.28	-86.32	-86.32	-86.87	-80.88	-68.86	-21.20	-47.66

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX






11a80_Nss1,(6Mbps)_4TX

CSE [PK]

6625MHz

31/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.27159G	-74.73	-21.20	-53.53	12.02	0.00	-86.75	-92.78	-92.69	-98.75	-90.39
1G	40G	1M	PK	19.90891G	-67.93	-21.20	-46.73	12.02	0.00	-79.95	-93.84	-86.61	-81.29	-100.18

11a80_Nss1,(6Mbps)_4TX

CSE [AV]

6625MHz

31/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	13.27159G	-79.83	-41.20	-38.63	12.02	0.00	-91.85	-97.25	-99.60	-102.83	-95.18
1G	40G	1M	AV	19.91256G	-72.42	-41.20	-31.22	12.02	0.00	-84.44	-98.90	-92.19	-85.61	-99.18

11a160_Nss1,(6Mbps)_4TX

CSE [PK]

6825MHz

31/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.60797G	-74.81	-7.00	-67.81	12.02	0.00	-86.83	-97.65	-89.87	-100.98	-91.00
1G	40G	1M	PK	39.53078G	-68.66	-21.20	-47.46	12.02	0.00	-80.68	-88.76	-84.25	-86.19	-89.72

11a160_Nss1,(6Mbps)_4TX

CSE [AV]

6825MHz

31/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	9.04619G	-72.80	-41.20	-31.60	12.02	0.00	-84.82	-89.62	-87.97	-97.57	-93.65
1G	40G	1M	AV	13.60797G	-79.17	-27.00	-52.17	12.02	0.00	-91.19	-100.47	-97.07	-103.38	-93.69

802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [PK]

5955MHz

31/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	11.91025G	-56.14	-21.20	-34.94	12.02	0.00	-68.16	-69.36	-79.46	-76.07	-91.40
1G	40G	1M	PK	17.86628G	-48.82	-21.20	-27.62	12.02	0.00	-60.84	-70.99	-62.01	-70.78	-75.06

802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [AV]

5955MHz

31/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	11.91025G	-60.33	-41.20	-19.13	12.02	0.00	-72.35	-74.16	-79.59	-81.92	-86.17
1G	40G	1M	AV	17.86506G	-53.68	-41.20	-12.48	12.02	0.00	-65.70	-74.44	-67.70	-73.61	-76.99

802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [PK]

6445MHz

31/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	12.88891G	-62.38	-7.00	-55.38	12.02	0.00	-74.40	-74.65	-92.79	-88.56	-98.57
1G	40G	1M	PK	39.99513G	-69.09	-21.20	-47.89	12.02	0.00	-81.11	-87.76	-89.76	-87.45	-84.92

802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [AV]

6445MHz

31/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	12.88769G	-67.53	-27.00	-40.53	12.02	0.00	-79.55	-80.12	-97.45	-89.46	-102.23
1G	40G	1M	AV	39.9025G	-74.87	-41.20	-33.67	12.02	0.00	-86.89	-93.30	-92.59	-92.40	-93.45

802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [PK]

6625MHz

31/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.25697G	-75.86	-21.20	-54.66	12.02	0.00	-87.88	-96.50	-94.61	-98.31	-90.40
1G	40G	1M	PK	19.85041G	-68.24	-21.20	-47.04	12.02	0.00	-80.26	-93.26	-80.71	-97.10	-95.80

802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [AV]

6625MHz

31/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	13.25088G	-79.68	-41.20	-38.48	12.02	0.00	-91.70	-94.38	-100.64	-100.80	-98.49
1G	40G	1M	AV	19.90891G	-73.38	-41.20	-32.18	12.02	0.00	-85.40	-99.74	-94.57	-86.37	-99.23

802.11ax HEW160_Nss1,(MCS0)_4TX

CSE [PK]

6825MHz

31/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.60189G	-75.43	-7.00	-68.43	12.02	0.00	-87.45	-97.40	-95.53	-99.46	-89.12
1G	40G	1M	PK	39.89153G	-68.86	-21.20	-47.66	12.02	0.00	-80.88	-91.28	-86.32	-85.17	-86.87

802.11ax HEW160_Nss1,(MCS0)_4TX

CSE [AV]

6825MHz

31/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	9.04619G	-72.93	-41.20	-31.73	12.02	0.00	-84.95	-89.54	-88.21	-98.13	-93.73
1G	40G	1M	AV	13.62138G	-80.57	-27.00	-53.57	12.02	0.00	-92.59	-102.66	-98.24	-102.34	-95.41



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
11a40_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-56.37	-65.38	-70.81	-66.84	-41.20	-15.17	9.01
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-61.74	-70.75	-74.73	-72.97	-41.20	-20.54	9.01
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-61.10	-70.11	-70.72	-78.92	-41.20	-19.90	9.01
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
11a80_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-62.37	-71.38	-77.94	-72.46	-41.20	-21.17	9.01
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-66.37	-75.38	-81.75	-76.52	-41.20	-25.17	9.01
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
11a160_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-64.60	-73.61	-76.72	-76.53	-41.20	-23.40	9.01
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-54.15	-63.16	-65.96	-66.39	-41.20	-12.95	9.01
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-57.23	-66.24	-68.64	-69.97	-41.20	-16.03	9.01


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX





Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
11a20_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
7095MHz	Pass	1G	40G	AV	14.19053G	9.01	-70.91	-75.94	-69.72	-60.71	-27.00	-33.71	-75.94
7095MHz	Pass	1G	40G	AV	21.28975G	9.01	-66.39	-65.96	-63.16	-54.15	-41.20	-12.95	-65.96
7095MHz	Pass	1G	40G	PK	14.19419G	9.01	-64.02	-77.51	-63.83	-54.82	-7.00	-47.82	-77.51
7095MHz	Pass	1G	40G	PK	21.28731G	9.01	-60.96	-63.51	-59.04	-50.03	-21.20	-28.83	-63.51
11a40_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
6405MHz	Pass	1G	40G	AV	12.80969G	9.01	-68.73	-69.71	-66.18	-57.17	-27.00	-30.17	-69.71
6405MHz	Pass	1G	40G	AV	19.20934G	9.01	-66.84	-70.81	-65.38	-56.37	-41.20	-15.17	-70.81
6405MHz	Pass	1G	40G	PK	12.80603G	9.01	-65.71	-64.48	-62.04	-53.03	-7.00	-46.03	-64.48
6405MHz	Pass	1G	40G	PK	19.20569G	9.01	-61.16	-65.06	-59.68	-50.67	-21.20	-29.47	-65.06
11a80_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
6465MHz	Pass	1G	40G	AV	12.95106G	9.01	-70.02	-68.86	-66.39	-57.38	-27.00	-30.38	-68.86
6465MHz	Pass	1G	40G	AV	19.4275G	9.01	-72.46	-77.94	-71.38	-62.37	-41.20	-21.17	-77.94
6465MHz	Pass	1G	40G	PK	12.94984G	9.01	-64.83	-62.70	-60.63	-51.62	-7.00	-44.62	-62.70
6465MHz	Pass	1G	40G	PK	19.43116G	9.01	-66.56	-71.86	-65.44	-56.43	-21.20	-35.23	-71.86
11a160_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	1G	40G	AV	20.50244G	9.01	-76.53	-76.72	-73.61	-64.60	-41.20	-23.40	-76.72
6825MHz	Pass	1G	40G	PK	13.61163G	9.01	-71.65	-80.57	-71.13	-62.12	-7.00	-55.12	-80.57
6825MHz	Pass	1G	40G	PK	20.50853G	9.01	-71.70	-97.69	-71.69	-62.68	-21.20	-41.48	-97.69
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
6415MHz	Pass	1G	40G	AV	12.82919G	9.01	-68.98	-71.99	-67.22	-58.21	-27.00	-31.21	-71.99
6415MHz	Pass	1G	40G	AV	19.2325G	9.01	-72.97	-74.73	-70.75	-61.74	-41.20	-20.54	-74.73
6415MHz	Pass	1G	40G	PK	12.83041G	9.01	-63.85	-66.62	-62.01	-53.00	-7.00	-46.00	-66.62
6415MHz	Pass	1G	40G	PK	19.23006G	9.01	-68.10	-66.30	-64.10	-55.09	-21.20	-33.89	-66.30
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
7005MHz	Pass	1G	40G	AV	14.01503G	9.01	-73.64	-77.91	-72.26	-63.25	-27.00	-36.25	-77.91
7005MHz	Pass	1G	40G	AV	21.01553G	9.01	-69.97	-68.64	-66.24	-57.23	-41.20	-16.03	-68.64
7005MHz	Pass	1G	40G	PK	14.00894G	9.01	-68.34	-72.57	-66.95	-57.94	-7.00	-50.94	-72.57
7005MHz	Pass	1G	40G	PK	21.01188G	9.01	-62.69	-66.85	-61.28	-52.27	-21.20	-31.07	-66.85
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
6545MHz	Pass	1G	40G	AV	13.09122G	9.01	-75.71	-74.46	-72.03	-63.02	-27.00	-36.02	-74.46
6545MHz	Pass	1G	40G	AV	19.68831G	9.01	-76.52	-81.75	-75.38	-66.37	-41.20	-25.17	-81.75
6545MHz	Pass	1G	40G	PK	13.09G	9.01	-71.84	-71.27	-68.54	-59.53	-7.00	-52.53	-71.27
6545MHz	Pass	1G	40G	PK	19.64566G	9.01	-71.33	-74.63	-69.66	-60.65	-21.20	-39.45	-74.63
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.04919G	9.01	-78.92	-70.72	-70.11	-61.10	-41.20	-19.90	-70.72
6025MHz	Pass	1G	40G	PK	12.04919G	9.01	-73.51	-70.86	-68.98	-59.97	-21.20	-38.77	-70.86
6025MHz	Pass	1G	40G	PK	23.98684G	9.01	-77.28	-68.91	-68.32	-59.31	-21.20	-38.11	-68.91

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX








11a160_Nss1,(6Mbps)_2TX

CSE [PK]

6825MHz

30/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.61163G	-62.12	-7.00	-55.12	9.01	0.00	-71.13	-71.65	-80.57
1G	40G	1M	PK	20.50853G	-62.68	-21.20	-41.48	9.01	0.00	-71.69	-71.70	-97.69


PX=Port X
Psum=P1+...PX

11a160_Nss1,(6Mbps)_2TX

CSE [AV]

6825MHz

30/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.61041G	-67.32	-27.00	-40.32	9.01	0.00	-76.33	-77.67	-82.09
1G	40G	1M	AV	20.50244G	-64.60	-41.20	-23.40	9.01	0.00	-73.61	-76.53	-76.72


PX=Port X
Psum=P1+...PX

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6415MHz

30/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	12.83041G	-53.00	-7.00	-46.00	9.01	0.00	-62.01	-63.85	-66.62
1G	40G	1M	PK	19.23006G	-55.09	-21.20	-33.89	9.01	0.00	-64.10	-68.10	-66.30


PX=Port X
Psum=P1+...PX

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [AV]

6415MHz

30/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	12.82919G	-58.21	-27.00	-31.21	9.01	0.00	-67.22	-68.98	-71.99
1G	40G	1M	AV	19.2325G	-61.74	-41.20	-20.54	9.01	0.00	-70.75	-72.97	-74.73


PX=Port X
Psum=P1+...PX

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [PK]

7005MHz

30/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	14.00894G	-57.94	-7.00	-50.94	9.01	0.00	-66.95	-68.34	-72.57
1G	40G	1M	PK	21.01188G	-52.27	-21.20	-31.07	9.01	0.00	-61.28	-62.69	-66.85

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [AV]

7005MHz

30/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	14.01503G	-63.25	-27.00	-36.25	9.01	0.00	-72.26	-73.64	-77.91
1G	40G	1M	AV	21.01553G	-57.23	-41.20	-16.03	9.01	0.00	-66.24	-69.97	-68.64

802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6545MHz

30/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.09G	-59.53	-7.00	-52.53	9.01	0.00	-66.54	-71.84	-71.27
1G	40G	1M	PK	19.64566G	-60.65	-21.20	-39.45	9.01	0.00	-69.66	-71.33	-74.63

802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6545MHz

30/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.09122G	-63.02	-27.00	-36.02	9.01	0.00	-72.03	-75.71	-74.46
1G	40G	1M	AV	19.68831G	-66.37	-41.20	-25.17	9.01	0.00	-75.38	-76.52	-81.75

802.11ax HEW160_Nss1,(MCS0)_2TX

CSE [PK]

6025MHz

30/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	12.04919G	-59.97	-21.20	-38.77	9.01	0.00	-66.98	-73.51	-70.86
1G	40G	1M	PK	23.98684G	-59.31	-21.20	-38.11	9.01	0.00	-68.32	-77.28	-68.91

802.11ax HEW160_Nss1,(MCS0)_2TX

CSE [AV]

6025MHz

30/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	12.04919G	-61.10	-41.20	-19.90	9.01	0.00	-70.11	-78.92	-70.72



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_1TX	Pass	6.40911G	-8.93	6.4038G	-44.22	-29.00	-15.22	1
11a40_Nss1,(6Mbps)_1TX	Pass	5.9678G	-7.97	6.0232G	-55.60	-47.30	-8.30	1
11a80_Nss1,(6Mbps)_1TX	Pass	5.9802G	-1.88	6.081G	-38.03	-32.36	-5.67	1
11a160_Nss1,(6Mbps)_1TX	Pass	6.19059G	-15.28	6.1002G	-46.22	-35.35	-10.87	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.40681G	-10.11	6.427G	-45.32	-29.31	-16.01	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	6.4076G	-13.70	6.341G	-67.35	-53.70	-13.65	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	5.983G	-1.05	6.1086G	-45.93	-40.98	-4.95	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.16502G	-14.87	6.5818G	-66.33	-54.87	-11.46	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_1TX	Pass	6.42851G	-9.61	6.4238G	-44.69	-29.65	-15.04	1
11a40_Nss1,(6Mbps)_1TX	Pass	6.4412G	-8.82	6.505G	-61.33	-48.82	-12.51	1
11a80_Nss1,(6Mbps)_1TX	Pass	6.4606G	-1.16	6.3474G	-46.61	-39.40	-7.21	1
11a160_Nss1,(6Mbps)_1TX	Pass	6.53857G	-15.67	6.4202G	-45.25	-35.72	-9.53	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.46581G	-11.08	6.4629G	-46.26	-31.26	-15.00	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	6.47821G	-14.90	6.5626G	-67.26	-54.90	-12.36	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	6.4686G	-1.76	6.5886G	-51.65	-41.64	-10.01	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.52978G	-14.89	6.7778G	-66.21	-54.89	-11.32	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_1TX	Pass	6.86249G	-9.23	6.8439G	-44.30	-29.03	-15.27	1
11a40_Nss1,(6Mbps)_1TX	Pass	6.83841G	-9.22	6.7858G	-61.61	-49.10	-12.51	1
11a80_Nss1,(6Mbps)_1TX	Pass	6.7818G	-0.96	6.669G	-46.97	-38.73	-8.24	1
11a160_Nss1,(6Mbps)_1TX	Pass	6.78184G	-14.45	6.5698G	-63.21	-54.45	-8.76	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.86631G	-10.29	6.8408G	-65.65	-50.29	-15.36	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	6.8868G	-14.41	6.9458G	-66.49	-54.41	-12.08	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	6.8682G	-1.23	6.7422G	-50.98	-40.98	-10.00	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.80182G	-14.33	6.5682G	-65.29	-54.33	-10.96	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_1TX	Pass	6.88751G	-18.35	6.8838G	-54.00	-38.43	-15.57	1
11a40_Nss1,(6Mbps)_1TX	Pass	7.01G	-17.87	6.9462G	-68.93	-57.35	-11.58	1
11a80_Nss1,(6Mbps)_1TX	Pass	7.0206G	-2.11	6.907G	-49.54	-40.46	-9.08	1
11a160_Nss1,(6Mbps)_1TX	Pass	6.99939G	-24.89	6.7314G	-75.38	-64.89	-10.49	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.8997G	-19.84	6.862G	-74.57	-59.84	-14.73	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	7.0822G	-25.92	6.9946G	-77.14	-65.92	-11.22	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	7.021G	-1.90	6.9038G	-49.56	-40.98	-8.58	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.96342G	-24.57	6.7186G	-75.80	-64.57	-11.23	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
11a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96249G	-8.54	5.9663G	-45.33	-28.56	-16.77	1
6175MHz	Pass	6.16841G	-9.39	6.1639G	-44.97	-29.19	-15.78	1
6415MHz	Pass	6.40911G	-8.93	6.4038G	-44.22	-29.00	-15.22	1
6435MHz	Pass	6.42851G	-9.61	6.4238G	-44.69	-29.65	-15.04	1
6475MHz	Pass	6.46721G	-9.48	6.4638G	-44.65	-28.58	-16.07	1
6515MHz	Pass	6.52129G	-9.60	6.526G	-43.24	-28.00	-15.24	1
6535MHz	Pass	6.54219G	-9.10	6.5461G	-43.97	-28.60	-15.37	1
6695MHz	Pass	6.70159G	-9.19	6.6838G	-44.35	-28.59	-15.76	1
6855MHz	Pass	6.86249G	-9.23	6.8439G	-44.30	-29.03	-15.27	1
6875MHz	Pass	6.86721G	-8.95	6.8862G	-44.84	-29.06	-15.78	1
6895MHz	Pass	6.88751G	-18.35	6.8838G	-54.00	-38.43	-15.57	1
6995MHz	Pass	7G	-18.61	6.9831G	-54.88	-39.08	-15.80	1
7095MHz	Pass	7.08751G	-20.59	7.0837G	-56.36	-40.62	-15.74	1
11a40_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9678G	-7.97	6.0232G	-55.60	-47.30	-8.30	1
6165MHz	Pass	6.17G	-9.24	6.2316G	-64.09	-49.24	-14.85	1
6405MHz	Pass	6.401G	-8.52	6.4638G	-60.35	-48.05	-12.30	1
6445MHz	Pass	6.4412G	-8.82	6.505G	-61.33	-48.82	-12.51	1
6485MHz	Pass	6.47781G	-9.54	6.422G	-63.49	-49.54	-13.95	1
6525MHz	Pass	6.5294G	-9.68	6.4628G	-62.93	-49.68	-13.25	1
6565MHz	Pass	6.5678G	-9.23	6.5062G	-61.77	-48.76	-13.01	1
6685MHz	Pass	6.69099G	-9.17	6.7472G	-61.96	-49.17	-12.79	1
6845MHz	Pass	6.83841G	-9.22	6.7858G	-61.61	-49.10	-12.51	1
6885MHz	Pass	6.8888G	-9.16	6.943G	-60.76	-48.21	-12.55	1
6925MHz	Pass	6.9222G	-18.09	6.9876G	-69.78	-58.09	-11.69	1
7005MHz	Pass	7.01G	-17.87	6.9462G	-68.93	-57.35	-11.58	1
7085MHz	Pass	7.0878G	-20.24	7.023G	-73.00	-60.24	-12.76	1
11a80_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9802G	-1.88	6.081G	-38.03	-32.36	-5.67	1
6145MHz	Pass	6.1414G	-0.92	6.0286G	-47.86	-38.56	-9.30	1
6385MHz	Pass	6.3822G	-1.12	6.267G	-46.14	-39.27	-6.87	1
6465MHz	Pass	6.4606G	-1.16	6.3474G	-46.61	-39.40	-7.21	1
6545MHz	Pass	6.53701G	-1.04	6.427G	-48.44	-39.39	-9.05	1
6625MHz	Pass	6.61861G	-1.86	6.5082G	-51.58	-39.86	-11.72	1
6705MHz	Pass	6.7086G	-1.82	6.587G	-51.16	-40.02	-11.14	1
6785MHz	Pass	6.7818G	-0.96	6.669G	-46.97	-38.73	-8.24	1
6865MHz	Pass	6.8602G	-1.67	6.7474G	-50.37	-39.91	-10.46	1
6945MHz	Pass	6.9422G	-1.65	6.829G	-50.09	-39.47	-10.62	1
7025MHz	Pass	7.0206G	-2.11	6.907G	-49.54	-40.46	-9.08	1
11a160_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05937G	-14.82	6.3138G	-62.81	-51.31	-11.50	1
6185MHz	Pass	6.19059G	-15.28	6.1002G	-46.22	-35.35	-10.87	1
6345MHz	Pass	6.30104G	-14.44	6.6362G	-65.33	-54.44	-10.89	1
6505MHz	Pass	6.53857G	-15.67	6.4202G	-45.25	-35.72	-9.53	1
6665MHz	Pass	6.63463G	-15.44	6.413G	-64.66	-55.44	-9.22	1
6825MHz	Pass	6.78184G	-14.45	6.5698G	-63.21	-54.45	-8.76	1
6985MHz	Pass	6.99939G	-24.89	6.7314G	-75.38	-64.89	-10.49	1
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96329G	-9.76	5.9882G	-66.04	-49.76	-16.28	1
6175MHz	Pass	6.18349G	-10.04	6.163G	-46.56	-30.09	-16.47	1
6415MHz	Pass	6.40681G	-10.11	6.427G	-45.32	-29.31	-16.01	1
6435MHz	Pass	6.42591G	-10.25	6.4471G	-46.67	-30.33	-16.34	1
6475MHz	Pass	6.46581G	-11.08	6.4629G	-46.26	-31.26	-15.00	1
6515MHz	Pass	6.52349G	-10.77	6.5269G	-46.25	-30.83	-15.42	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6535MHz	Pass	6.54399G	-10.55	6.5682G	-66.34	-50.55	-15.79	1
6695MHz	Pass	6.70249G	-10.30	6.7318G	-66.17	-50.30	-15.87	1
6855MHz	Pass	6.84711G	-9.50	6.8885G	-65.50	-49.50	-16.00	1
6875MHz	Pass	6.86631G	-10.29	6.8408G	-65.65	-50.29	-15.36	1
6895MHz	Pass	6.8997G	-19.84	6.862G	-74.57	-59.84	-14.73	1
6995MHz	Pass	7.00239G	-18.80	6.9615G	-74.32	-58.80	-15.52	1
7095MHz	Pass	7.08571G	-21.82	7.1071G	-57.32	-41.93	-15.39	1
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9668G	-13.50	6.055G	-67.34	-53.50	-13.84	1
6165MHz	Pass	6.1624G	-14.21	6.2514G	-67.96	-54.21	-13.75	1
6405MHz	Pass	6.4076G	-13.70	6.341G	-67.35	-53.70	-13.65	1
6445MHz	Pass	6.4436G	-14.56	6.528G	-67.36	-54.56	-12.80	1
6485MHz	Pass	6.47821G	-14.90	6.5626G	-67.26	-54.90	-12.36	1
6525MHz	Pass	6.5288G	-14.73	6.5938G	-67.41	-54.73	-12.68	1
6565MHz	Pass	6.5664G	-14.49	6.5046G	-67.80	-54.49	-13.31	1
6685MHz	Pass	6.6878G	-14.79	6.7456G	-67.27	-54.79	-12.48	1
6845MHz	Pass	6.8492G	-14.13	6.784G	-67.26	-54.13	-13.13	1
6885MHz	Pass	6.8868G	-14.41	6.9458G	-66.49	-54.41	-12.08	1
6925MHz	Pass	6.91601G	-23.86	6.9872G	-76.35	-63.86	-12.49	1
7005MHz	Pass	7.0056G	-23.46	6.9428G	-76.73	-63.46	-13.27	1
7085MHz	Pass	7.0822G	-25.92	6.9946G	-77.14	-65.92	-11.22	1
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.983G	-1.05	6.1086G	-45.93	-40.98	-4.95	1
6145MHz	Pass	6.13581G	-1.57	6.271G	-51.12	-41.57	-9.55	1
6385MHz	Pass	6.3862G	-1.37	6.5078G	-49.69	-41.12	-8.57	1
6465MHz	Pass	6.4686G	-1.76	6.5886G	-51.65	-41.64	-10.01	1
6545MHz	Pass	6.53981G	-1.52	6.6694G	-53.14	-41.52	-11.62	1
6625MHz	Pass	6.61581G	-1.33	6.7498G	-52.63	-41.33	-11.30	1
6705MHz	Pass	6.71139G	-1.40	6.583G	-51.81	-41.02	-10.79	1
6785MHz	Pass	6.79659G	-1.79	6.6606G	-52.89	-41.79	-11.10	1
6865MHz	Pass	6.8682G	-1.23	6.7422G	-50.98	-40.98	-10.00	1
6945MHz	Pass	6.93221G	-1.15	6.8242G	-49.89	-40.22	-9.67	1
7025MHz	Pass	7.021G	-1.90	6.9038G	-49.56	-40.98	-8.58	1
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04658G	-14.23	6.3482G	-66.06	-54.23	-11.83	1
6185MHz	Pass	6.16502G	-14.87	6.5818G	-66.33	-54.87	-11.46	1
6345MHz	Pass	6.32342G	-14.39	6.5938G	-66.41	-54.39	-12.02	1
6505MHz	Pass	6.52978G	-14.89	6.7778G	-66.21	-54.89	-11.32	1
6665MHz	Pass	6.69617G	-14.34	6.9514G	-66.15	-54.34	-11.81	1
6825MHz	Pass	6.80182G	-14.33	6.5682G	-65.29	-54.33	-10.96	1
6985MHz	Pass	6.96342G	-24.57	6.7186G	-75.80	-64.57	-11.23	1

11a20_Nss1,(6Mbps)_1TX

MASK

5955MHz_TnomVnom

17/01/2022

CF Freq
5.955GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96249G	-8.54	5.9663G	-45.33	-28.56	-16.77	1

11a20_Nss1,(6Mbps)_1TX

MASK

6175MHz_TnomVnom

17/01/2022

CF Freq
6.175GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16841G	-9.39	6.1639G	-44.97	-29.19	-15.78	1

11a20_Nss1,(6Mbps)_1TX

MASK

6415MHz_TnomVnom

17/01/2022




11a20_Nss1,(6Mbps)_1TX

MASK

6435MHz_TnomVnom

17/01/2022



11a20_Nss1,(6Mbps)_1TX
6475MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.475GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46721G	-9.48	6.4638G	-44.65	-28.58	-16.07	1

11a20_Nss1,(6Mbps)_1TX
6515MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.515GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52129G	-9.60	6.526G	-43.24	-28.00	-15.24	1

11a20_Nss1,(6Mbps)_1TX

MASK

6535MHz_TnomVnom

17/01/2022




11a20_Nss1,(6Mbps)_1TX

MASK

6695MHz_TnomVnom

17/01/2022



11a20_Nss1,(6Mbps)_1TX

MASK

6855MHz_TnomVnom

17/01/2022

CF Freq
6.855GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86249G	-9.23	6.8439G	-44.30	-29.03	-15.27	1

11a20_Nss1,(6Mbps)_1TX

MASK

6875MHz_TnomVnom

17/01/2022

CF Freq
6.875GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86721G	-8.95	6.8862G	-44.84	-29.06	-15.78	1

11a20_Nss1,(6Mbps)_1TX
6895MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.895GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88751G	-18.35	6.8838G	-54.00	-38.43	-15.57	1

11a20_Nss1,(6Mbps)_1TX
6995MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.995GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7G	-18.61	6.9831G	-54.88	-39.08	-15.80	1

11a20_Nss1,(6Mbps)_1TX

MASK

7095MHz_TnomVnom

17/01/2022




11a40_Nss1,(6Mbps)_1TX

MASK

5965MHz_TnomVnom

17/01/2022



11a40_Nss1,(6Mbps)_1TX
6165MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.165GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17G	-9.24	6.2316G	-64.09	-49.24	-14.85	1

11a40_Nss1,(6Mbps)_1TX
6405MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.405GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.401G	-8.52	6.4638G	-60.35	-48.05	-12.30	1

11a40_Nss1,(6Mbps)_1TX

MASK

6445MHz_TnomVnom

17/01/2022

CF Freq
6.445GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4412G	-8.82	6.505G	-61.33	-48.82	-12.51	1

11a40_Nss1,(6Mbps)_1TX

MASK

6485MHz_TnomVnom

17/01/2022

CF Freq
6.485GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47781G	-9.54	6.422G	-63.49	-49.54	-13.95	1

11a40_Nss1,(6Mbps)_1TX
6525MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.525GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5294G	-9.68	6.4628G	-62.93	-49.68	-13.25	1

11a40_Nss1,(6Mbps)_1TX
6565MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.565GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5678G	-9.23	6.5062G	-61.77	-48.76	-13.01	1

11a40_Nss1,(6Mbps)_1TX

MASK

6685MHz_TnomVnom

17/01/2022




11a40_Nss1,(6Mbps)_1TX

MASK

6845MHz_TnomVnom

17/01/2022



11a40_Nss1,(6Mbps)_1TX
6885MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.885GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8888G	-9.16	6.943G	-60.76	-48.21	-12.55	1

11a40_Nss1,(6Mbps)_1TX
6925MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.925GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9222G	-18.09	6.9876G	-69.78	-58.09	-11.69	1

11a40_Nss1,(6Mbps)_1TX

MASK

7005MHz_TnomVnom

17/01/2022




11a40_Nss1,(6Mbps)_1TX

MASK

7085MHz_TnomVnom

17/01/2022




11a80_Nss1,(6Mbps)_1TX

MASK

5985MHz_TnomVnom

01/09/2021




11a80_Nss1,(6Mbps)_1TX

MASK

6145MHz_TnomVnom

01/09/2021




11a80_Nss1,(6Mbps)_1TX

MASK

6385MHz_TnomVnom

01/09/2021




11a80_Nss1,(6Mbps)_1TX

MASK

6465MHz_TnomVnom

01/09/2021




11a80_Nss1,(6Mbps)_1TX

MASK

6545MHz_TnomVnom

01/09/2021




11a80_Nss1,(6Mbps)_1TX

MASK

6625MHz_TnomVnom

01/09/2021



11a80_Nss1,(6Mbps)_1TX
6705MHz_TnomVnom

MASK

01/09/2021

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7086G	-1.82	6.587G	-51.16	-40.02	-11.14	1

11a80_Nss1,(6Mbps)_1TX
6785MHz_TnomVnom

MASK

01/09/2021

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7818G	-0.96	6.669G	-46.97	-38.73	-8.24	1

11a80_Nss1,(6Mbps)_1TX

MASK

6865MHz_TnomVnom

01/09/2021

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8602G	-1.67	6.7474G	-50.37	-39.91	-10.46	1

11a80_Nss1,(6Mbps)_1TX

MASK

6945MHz_TnomVnom

01/09/2021

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9422G	-1.65	6.829G	-50.09	-39.47	-10.62	1

11a80_Nss1,(6Mbps)_1TX

MASK

7025MHz_TnomVnom

01/09/2021

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0206G	-2.11	6.907G	-49.54	-40.46	-9.08	1

11a160_Nss1,(6Mbps)_1TX

MASK

6025MHz_TnomVnom

17/01/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05937G	-14.82	6.3138G	-62.81	-51.31	-11.50	1

11a160_Nss1,(6Mbps)_1TX

MASK

6185MHz_TnomVnom

17/01/2022

CF Freq
6.185GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19059G	-15.28	6.1002G	-46.22	-35.35	-10.87	1

11a160_Nss1,(6Mbps)_1TX

MASK

6345MHz_TnomVnom

17/01/2022

CF Freq
6.345GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.30104G	-14.44	6.6362G	-65.33	-54.44	-10.89	1

11a160_Nss1,(6Mbps)_1TX

MASK

6505MHz_TnomVnom

17/01/2022




11a160_Nss1,(6Mbps)_1TX

MASK

6665MHz_TnomVnom

17/01/2022




11a160_Nss1,(6Mbps)_1TX

MASK

6825MHz_TnomVnom

17/01/2022




11a160_Nss1,(6Mbps)_1TX

MASK

6985MHz_TnomVnom

17/01/2022



802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TnomVnom

17/01/2022

CF Freq
5.955GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96329G	-9.76	5.9882G	-66.04	-49.76	-16.28	1

802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6175MHz_TnomVnom

17/01/2022

CF Freq
6.175GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18349G	-10.04	6.163G	-46.56	-30.09	-16.47	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6415MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6435MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6475MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6515MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6535MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6695MHz_TnomVnom

MASK

17/01/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6855MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.855GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84711G	-9.50	6.8885G	-65.50	-49.50	-16.00	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.875GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86631G	-10.29	6.8408G	-65.65	-50.29	-15.36	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6895MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.895GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8997G	-19.84	6.862G	-74.57	-59.84	-14.73	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6995MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.995GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00239G	-18.80	6.9615G	-74.32	-58.80	-15.52	1

802.11ax HEW20_Nss1,(MCS0)_1TX
7095MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
5965MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6165MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6405MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6445MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6485MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6565MHz_TnomVnom

MASK

17/01/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6685MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.685GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6878G	-14.79	6.7456G	-67.27	-54.79	-12.48	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6845MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.845GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8492G	-14.13	6.784G	-67.26	-54.13	-13.13	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6925MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
7005MHz_TnomVnom

MASK


17/01/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
7085MHz_TnomVnom

MASK

17/01/2022



802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TnomVnom

01/09/2021

CF Freq
5.985GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.983G	-1.05	6.1086G	-45.93	-40.98	-4.95	1

802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6145MHz_TnomVnom

01/09/2021

CF Freq
6.145GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13581G	-1.57	6.271G	-51.12	-41.57	-9.55	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6385MHz_TnomVnom

MASK

01/09/2021

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3862G	-1.37	6.5078G	-49.69	-41.12	-8.57	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6465MHz_TnomVnom

MASK

01/09/2021

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4686G	-1.76	6.5886G	-51.65	-41.64	-10.01	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6545MHz_TnomVnom

MASK

01/09/2021

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53981G	-1.52	6.6694G	-53.14	-41.52	-11.62	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6625MHz_TnomVnom

MASK

01/09/2021

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61581G	-1.33	6.7498G	-52.63	-41.33	-11.30	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6705MHz_TnomVnom

MASK

01/09/2021

CF Freq
6.705GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71139G	-1.40	6.583G	-51.81	-41.02	-10.79	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6785MHz_TnomVnom

MASK

01/09/2021

CF Freq
6.785GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79659G	-1.79	6.6606G	-52.89	-41.79	-11.10	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6865MHz_TnomVnom

MASK

01/09/2021

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8682G	-1.23	6.7422G	-50.98	-40.98	-10.00	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6945MHz_TnomVnom

MASK

01/09/2021

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93221G	-1.15	6.8242G	-49.89	-40.22	-9.67	1

802.11ax HEW80_Nss1,(MCS0)_1TX
7025MHz_TnomVnom

MASK

01/09/2021

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.021G	-1.90	6.9038G	-49.56	-40.98	-8.58	1

802.11ax HEW160_Nss1,(MCS0)_1TX
6025MHz_TnomVnom

MASK

17/01/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04658G	-14.23	6.3482G	-66.06	-54.23	-11.83	1

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TnomVnom

17/01/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TnomVnom

17/01/2022



802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6505MHz_TnomVnom

17/01/2022

CF Freq
6.505GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52978G	-14.89	6.7778G	-66.21	-54.89	-11.32	1

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TnomVnom

17/01/2022

CF Freq
6.665GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69617G	-14.34	6.9514G	-66.15	-54.34	-11.81	1

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6825MHz_TnomVnom

17/01/2022

CF Freq
6.825GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80182G	-14.33	6.5682G	-65.29	-54.33	-10.96	1

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6985MHz_TnomVnom

17/01/2022

CF Freq
6.985GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96342G	-24.57	6.7186G	-75.80	-64.57	-11.23	1



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	5.96209G	-11.16	5.966G	-44.05	-31.16	-12.89	2
11a40_Nss1,(6Mbps)_2TX	Pass	6.1692G	-16.96	6.242G	-71.43	-56.96	-14.47	2
11a80_Nss1,(6Mbps)_2TX	Pass	6.37941G	-7.93	6.583G	-59.35	-47.93	-11.42	1
11a160_Nss1,(6Mbps)_2TX	Pass	6.05857G	-4.94	6.1066G	-32.00	-25.00	-7.00	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.18389G	-9.67	6.164G	-39.80	-29.67	-10.13	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.4018G	-8.52	6.384G	-45.93	-28.52	-17.41	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.39179G	-7.36	6.5482G	-59.22	-47.36	-11.86	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.36498G	-1.78	6.4258G	-20.14	-17.78	-2.36	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	6.42811G	-10.63	6.424G	-43.48	-30.63	-12.85	1
11a40_Nss1,(6Mbps)_2TX	Pass	6.4412G	-8.13	6.528G	-65.32	-48.13	-17.19	1
11a80_Nss1,(6Mbps)_2TX	Pass	6.5402G	-7.12	6.3938G	-59.19	-47.12	-12.07	1
11a160_Nss1,(6Mbps)_2TX	Pass	6.52898G	-2.06	6.5866G	-29.67	-22.12	-7.55	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.52399G	-9.81	6.526G	-39.67	-29.81	-9.86	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.443G	-8.52	6.528G	-65.40	-48.52	-16.88	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.47419G	-7.07	6.5894G	-58.47	-47.07	-11.40	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.54096G	-2.14	6.5858G	-20.61	-18.14	-2.47	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	6.86741G	-9.77	6.886G	-42.41	-29.77	-12.64	1
11a40_Nss1,(6Mbps)_2TX	Pass	6.87761G	-7.88	6.9428G	-60.82	-46.56	-14.26	1
11a80_Nss1,(6Mbps)_2TX	Pass	6.7878G	-8.21	6.9822G	-58.92	-48.21	-10.71	1
11a160_Nss1,(6Mbps)_2TX	Pass	6.77225G	-2.53	6.7426G	-29.57	-22.67	-6.90	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.86751G	-10.68	6.8861G	-40.12	-30.77	-9.35	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.8816G	-8.26	6.864G	-45.26	-28.26	-17.00	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.8674G	-7.77	6.9878G	-58.61	-47.77	-10.84	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.64982G	-2.11	6.7458G	-20.92	-18.11	-2.81	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	6.88751G	-10.58	6.884G	-42.59	-30.58	-12.01	2
11a40_Nss1,(6Mbps)_2TX	Pass	7.0084G	-7.11	6.947G	-59.00	-45.91	-13.09	1
11a80_Nss1,(6Mbps)_2TX	Pass	6.9406G	-6.84	6.8006G	-58.94	-46.84	-12.10	2
11a160_Nss1,(6Mbps)_2TX	Pass	6.99619G	-2.14	6.7322G	-48.51	-42.14	-6.37	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	7.08601G	-10.56	7.084G	-40.57	-30.56	-10.01	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	7.0086G	-6.73	6.9436G	-60.15	-46.73	-13.42	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	7.00582G	-8.15	6.9018G	-59.18	-48.15	-11.03	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.99539G	-1.74	6.9042G	-20.74	-17.74	-3.00	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
11a20_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96249G	-10.92	5.966G	-44.47	-30.92	-13.55	1
5955MHz	Pass	5.96209G	-11.16	5.966G	-44.05	-31.16	-12.89	2
6175MHz	Pass	6.16751G	-10.47	6.1638G	-44.09	-30.65	-13.44	1
6175MHz	Pass	6.18209G	-10.53	6.1861G	-44.12	-30.62	-13.50	2
6415MHz	Pass	6.40831G	-10.51	6.404G	-43.40	-30.51	-12.89	1
6415MHz	Pass	6.40751G	-10.54	6.4038G	-44.22	-30.72	-13.50	2
6435MHz	Pass	6.42811G	-10.63	6.424G	-43.48	-30.63	-12.85	1
6435MHz	Pass	6.42821G	-10.57	6.4237G	-44.28	-30.84	-13.44	2
6475MHz	Pass	6.46721G	-10.82	6.486G	-44.01	-30.82	-13.19	1
6475MHz	Pass	6.46811G	-10.63	6.4638G	-44.84	-30.81	-14.03	2
6515MHz	Pass	6.50761G	-10.98	6.5261G	-44.20	-31.07	-13.13	1
6515MHz	Pass	6.50751G	-10.71	6.5261G	-44.04	-30.80	-13.24	2
6535MHz	Pass	6.54249G	-10.87	6.546G	-44.02	-30.87	-13.15	1
6535MHz	Pass	6.52871G	-10.46	6.546G	-43.57	-30.46	-13.11	2
6695MHz	Pass	6.70249G	-10.46	6.7061G	-43.94	-30.55	-13.39	1
6695MHz	Pass	6.68821G	-10.58	6.706G	-43.75	-30.58	-13.17	2
6855MHz	Pass	6.84881G	-10.71	6.866G	-43.99	-30.71	-13.28	1
6855MHz	Pass	6.84721G	-11.30	6.844G	-44.05	-31.30	-12.75	2
6875MHz	Pass	6.86741G	-9.77	6.886G	-42.41	-29.77	-12.64	1
6875MHz	Pass	6.88169G	-10.44	6.864G	-43.16	-30.44	-12.72	2
6895MHz	Pass	6.90279G	-9.97	6.9061G	-43.45	-30.06	-13.39	1
6895MHz	Pass	6.88751G	-10.58	6.884G	-42.59	-30.58	-12.01	2
6995MHz	Pass	7.00279G	-9.44	7.006G	-42.18	-29.44	-12.74	1
6995MHz	Pass	7.00009G	-10.26	6.9638G	-62.51	-50.26	-12.25	2
7095MHz	Pass	7.08811G	-10.80	7.106G	-43.94	-30.80	-13.14	1
7095MHz	Pass	7.08811G	-10.64	7.084G	-42.85	-30.64	-12.21	2
11a40_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97099G	-16.49	6.0346G	-72.31	-56.49	-15.82	1
5965MHz	Pass	5.9676G	-16.44	6.0486G	-72.08	-56.44	-15.64	2
6165MHz	Pass	6.15921G	-17.06	6.2296G	-71.57	-57.06	-14.51	1
6165MHz	Pass	6.1692G	-16.96	6.242G	-71.43	-56.96	-14.47	2
6405MHz	Pass	6.409G	-7.90	6.347G	-67.08	-46.70	-20.38	1
6405MHz	Pass	6.4008G	-7.48	6.426G	-46.60	-27.48	-19.12	2
6445MHz	Pass	6.4412G	-8.13	6.528G	-65.32	-48.13	-17.19	1
6445MHz	Pass	6.441G	-7.60	6.466G	-47.00	-27.60	-19.40	2
6485MHz	Pass	6.488G	-8.42	6.464G	-48.08	-28.42	-19.66	1
6485MHz	Pass	6.4804G	-7.65	6.5412G	-64.55	-45.37	-19.18	2
6525MHz	Pass	6.5212G	-8.38	6.583G	-65.75	-47.18	-18.57	1
6525MHz	Pass	6.5222G	-7.93	6.5828G	-64.85	-46.61	-18.24	2
6565MHz	Pass	6.5686G	-8.11	6.6228G	-65.10	-46.79	-18.31	1
6565MHz	Pass	6.5624G	-7.86	6.6228G	-63.83	-46.54	-17.29	2
6685MHz	Pass	6.67941G	-8.07	6.7424G	-64.58	-46.51	-18.07	1
6685MHz	Pass	6.67681G	-7.62	6.743G	-63.49	-46.42	-17.07	2
6845MHz	Pass	6.8422G	-7.74	6.9028G	-62.89	-46.42	-16.47	1
6845MHz	Pass	6.8406G	-7.69	6.787G	-61.51	-46.49	-15.02	2
6885MHz	Pass	6.87761G	-7.88	6.9428G	-60.82	-46.56	-14.26	1
6885MHz	Pass	6.8886G	-7.64	6.827G	-62.35	-46.44	-15.91	2
6925MHz	Pass	6.9212G	-7.66	6.983G	-62.17	-46.46	-15.71	1
6925MHz	Pass	6.9282G	-7.32	6.8672G	-62.42	-46.00	-16.42	2
7005MHz	Pass	7.0084G	-7.11	6.947G	-59.00	-45.91	-13.09	1
7005MHz	Pass	7.0024G	-7.18	6.9428G	-60.32	-47.18	-13.14	2
7085MHz	Pass	7.0886G	-8.65	7.0268G	-65.21	-47.57	-17.64	1
7085MHz	Pass	7.0886G	-7.08	7.0272G	-62.07	-45.76	-16.31	2
11a80_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	5.97701G	-7.55	6.1726G	-59.93	-47.55	-12.38	1
5985MHz	Pass	5.9814G	-7.78	6.1846G	-59.81	-47.78	-12.03	2
6145MHz	Pass	6.1418G	-7.09	6.3446G	-60.06	-47.09	-12.97	1
6145MHz	Pass	6.15259G	-6.95	6.3402G	-59.93	-46.95	-12.98	2
6385MHz	Pass	6.37941G	-7.93	6.583G	-59.35	-47.93	-11.42	1
6385MHz	Pass	6.389G	-7.69	6.5462G	-59.28	-47.69	-11.59	2
6465MHz	Pass	6.45381G	-7.22	6.5978G	-59.60	-47.22	-12.38	1
6465MHz	Pass	6.45981G	-6.92	6.5902G	-59.39	-46.92	-12.47	2
6545MHz	Pass	6.5402G	-7.12	6.3938G	-59.19	-47.12	-12.07	1
6545MHz	Pass	6.53861G	-6.96	6.3974G	-59.26	-46.96	-12.30	2
6625MHz	Pass	6.6202G	-7.76	6.7566G	-59.36	-47.76	-11.60	1
6625MHz	Pass	6.61861G	-7.65	6.7478G	-59.46	-47.65	-11.81	2
6705MHz	Pass	6.7018G	-7.84	6.5626G	-59.26	-47.84	-11.42	1
6705MHz	Pass	6.7018G	-7.73	6.5562G	-59.19	-47.73	-11.46	2
6785MHz	Pass	6.7878G	-8.21	6.9822G	-58.92	-48.21	-10.71	1
6785MHz	Pass	6.77741G	-7.72	6.9606G	-58.80	-47.72	-11.08	2
6865MHz	Pass	6.84782G	-7.85	6.989G	-59.04	-47.85	-11.19	1
6865MHz	Pass	6.8622G	-7.94	6.9902G	-58.85	-47.94	-10.91	2
6945MHz	Pass	6.93741G	-6.48	6.7906G	-59.21	-46.48	-12.73	1
6945MHz	Pass	6.9406G	-6.84	6.8006G	-58.94	-46.84	-12.10	2
7025MHz	Pass	7.01781G	-7.05	6.8954G	-59.55	-47.05	-12.50	1
7025MHz	Pass	7.01061G	-7.36	6.9026G	-59.56	-47.36	-12.20	2
11a160_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05217G	-5.08	6.1066G	-32.39	-25.14	-7.25	1
6025MHz	Pass	6.05857G	-4.94	6.1066G	-32.00	-25.00	-7.00	2
6185MHz	Pass	6.21697G	-1.96	6.1026G	-30.00	-22.10	-7.90	1
6185MHz	Pass	6.21137G	-1.72	6.2666G	-29.24	-21.78	-7.46	2
6345MHz	Pass	6.37297G	-0.82	6.2626G	-28.00	-20.96	-7.04	1
6345MHz	Pass	6.36978G	-0.60	6.4266G	-28.85	-20.66	-8.19	2
6505MHz	Pass	6.52898G	-2.06	6.5866G	-29.67	-22.12	-7.55	1
6505MHz	Pass	6.45865G	-1.69	6.5866G	-29.49	-21.75	-7.74	2
6665MHz	Pass	6.62024G	-1.28	6.5834G	-29.09	-21.34	-7.75	1
6665MHz	Pass	6.69297G	-1.44	6.5826G	-29.08	-21.58	-7.50	2
6825MHz	Pass	6.78104G	-1.80	6.7434G	-29.36	-21.86	-7.50	1
6825MHz	Pass	6.77225G	-2.53	6.7426G	-29.57	-22.67	-6.90	2
6985MHz	Pass	6.989G	-2.26	6.9018G	-29.93	-22.48	-7.45	1
6985MHz	Pass	6.99619G	-2.14	6.7322G	-48.51	-42.14	-6.37	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96269G	-10.31	5.9661G	-41.16	-30.40	-10.76	1
5955MHz	Pass	5.96399G	-10.00	5.944G	-40.51	-30.00	-10.51	2
6175MHz	Pass	6.18409G	-9.74	6.186G	-40.44	-29.74	-10.70	1
6175MHz	Pass	6.18389G	-9.67	6.164G	-39.80	-29.67	-10.13	2
6415MHz	Pass	6.42129G	-10.61	6.4261G	-41.12	-30.70	-10.42	1
6415MHz	Pass	6.40621G	-10.67	6.426G	-40.80	-30.67	-10.13	2
6435MHz	Pass	6.44379G	-10.72	6.446G	-40.63	-30.72	-9.91	1
6435MHz	Pass	6.42641G	-10.61	6.446G	-41.05	-30.61	-10.44	2
6475MHz	Pass	6.46631G	-10.26	6.486G	-40.37	-30.26	-10.11	1
6475MHz	Pass	6.46611G	-9.60	6.486G	-39.84	-29.60	-10.24	2
6515MHz	Pass	6.52409G	-9.72	6.504G	-40.67	-29.72	-10.95	1
6515MHz	Pass	6.52399G	-9.81	6.526G	-39.67	-29.81	-9.86	2
6535MHz	Pass	6.54409G	-10.94	6.524G	-41.93	-30.94	-10.99	1
6535MHz	Pass	6.54299G	-10.50	6.5239G	-40.81	-30.59	-10.22	2
6695MHz	Pass	6.70389G	-9.91	6.706G	-39.67	-29.91	-9.76	1
6695MHz	Pass	6.68591G	-9.88	6.706G	-39.75	-29.88	-9.87	2
6855MHz	Pass	6.84881G	-10.05	6.844G	-39.44	-30.05	-9.39	1
6855MHz	Pass	6.84631G	-9.94	6.844G	-40.28	-29.94	-10.34	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6875MHz	Pass	6.86721G	-9.84	6.864G	-40.18	-29.84	-10.34	1
6875MHz	Pass	6.86751G	-10.68	6.8861G	-40.12	-30.77	-9.35	2
6895MHz	Pass	6.88601G	-10.17	6.884G	-40.27	-30.17	-10.10	1
6895MHz	Pass	6.90329G	-10.41	6.884G	-40.91	-30.41	-10.50	2
6995MHz	Pass	7.00369G	-9.31	7.006G	-40.54	-29.31	-11.23	1
6995MHz	Pass	7.00379G	-10.01	7.0061G	-40.26	-30.10	-10.16	2
7095MHz	Pass	7.08581G	-10.82	7.106G	-41.08	-30.82	-10.26	1
7095MHz	Pass	7.08601G	-10.56	7.084G	-40.57	-30.56	-10.01	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9666G	-7.91	5.986G	-46.26	-27.91	-18.35	1
5965MHz	Pass	5.97159G	-8.04	6.0258G	-66.63	-48.04	-18.59	2
6165MHz	Pass	6.167G	-7.84	6.144G	-45.74	-27.84	-17.90	1
6165MHz	Pass	6.1658G	-7.35	6.144G	-44.86	-27.35	-17.51	2
6405MHz	Pass	6.4018G	-8.52	6.384G	-45.93	-28.52	-17.41	1
6405MHz	Pass	6.4064G	-8.14	6.384G	-46.25	-28.14	-18.11	2
6445MHz	Pass	6.443G	-8.52	6.528G	-65.40	-48.52	-16.88	1
6445MHz	Pass	6.4418G	-8.47	6.424G	-46.40	-28.47	-17.93	2
6485MHz	Pass	6.486G	-9.29	6.464G	-46.36	-29.29	-17.07	1
6485MHz	Pass	6.49239G	-8.38	6.4638G	-46.25	-28.46	-17.79	2
6525MHz	Pass	6.5284G	-7.73	6.546G	-46.21	-27.73	-18.48	1
6525MHz	Pass	6.5214G	-7.66	6.546G	-44.97	-27.66	-17.31	2
6565MHz	Pass	6.568G	-8.58	6.586G	-46.38	-28.58	-17.80	1
6565MHz	Pass	6.5624G	-8.53	6.544G	-46.65	-28.53	-18.12	2
6685MHz	Pass	6.6882G	-8.56	6.664G	-46.25	-28.56	-17.69	1
6685MHz	Pass	6.6888G	-8.10	6.706G	-45.43	-28.10	-17.33	2
6845MHz	Pass	6.8418G	-8.33	6.785G	-66.72	-48.33	-18.39	1
6845MHz	Pass	6.8458G	-8.19	6.824G	-45.93	-28.19	-17.74	2
6885MHz	Pass	6.8816G	-8.26	6.864G	-45.26	-28.26	-17.00	1
6885MHz	Pass	6.8806G	-8.31	6.864G	-46.25	-28.31	-17.94	2
6925MHz	Pass	6.922G	-6.97	6.9858G	-64.63	-46.97	-17.66	1
6925MHz	Pass	6.926G	-6.66	6.904G	-44.63	-26.66	-17.97	2
7005MHz	Pass	7.0086G	-6.73	6.9436G	-60.15	-46.73	-13.42	1
7005MHz	Pass	7.0002G	-6.66	6.9426G	-60.10	-46.66	-13.44	2
7085MHz	Pass	7.083G	-8.97	7.064G	-46.84	-28.97	-17.87	1
7085MHz	Pass	7.0858G	-7.66	7.064G	-44.21	-27.66	-16.55	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9874G	-7.04	6.1198G	-59.82	-47.04	-12.78	1
5985MHz	Pass	5.9866G	-7.12	6.1126G	-59.57	-47.12	-12.45	2
6145MHz	Pass	6.15099G	-7.51	6.3442G	-59.92	-47.51	-12.41	1
6145MHz	Pass	6.1422G	-7.21	6.3334G	-59.89	-47.21	-12.68	2
6385MHz	Pass	6.39179G	-7.36	6.5482G	-59.22	-47.36	-11.86	1
6385MHz	Pass	6.39379G	-7.12	6.571G	-59.05	-47.12	-11.93	2
6465MHz	Pass	6.45421G	-6.86	6.5894G	-59.37	-46.86	-12.51	1
6465MHz	Pass	6.47419G	-7.07	6.5894G	-58.47	-47.07	-11.40	2
6545MHz	Pass	6.5434G	-7.41	6.3966G	-59.37	-47.41	-11.96	1
6545MHz	Pass	6.55139G	-7.25	6.6698G	-59.33	-47.25	-12.08	2
6625MHz	Pass	6.6278G	-7.50	6.7582G	-59.41	-47.50	-11.91	1
6625MHz	Pass	6.64018G	-7.74	6.7518G	-59.34	-47.74	-11.60	2
6705MHz	Pass	6.701G	-7.38	6.5762G	-58.98	-47.38	-11.60	1
6705MHz	Pass	6.7094G	-7.28	6.5814G	-58.96	-47.28	-11.68	2
6785MHz	Pass	6.7806G	-7.86	6.979G	-59.08	-47.86	-11.22	1
6785MHz	Pass	6.77381G	-7.71	6.9786G	-59.01	-47.71	-11.30	2
6865MHz	Pass	6.85821G	-7.38	6.9882G	-58.25	-47.38	-10.87	1
6865MHz	Pass	6.8674G	-7.77	6.9878G	-58.61	-47.77	-10.84	2
6945MHz	Pass	6.95139G	-7.13	6.8114G	-58.86	-47.13	-11.73	1
6945MHz	Pass	6.93741G	-7.31	6.8178G	-58.85	-47.31	-11.54	2




Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7025MHz	Pass	7.01101G	-7.52	6.8982G	-59.20	-47.52	-11.68	1
7025MHz	Pass	7.00582G	-8.15	6.9018G	-59.18	-48.15	-11.03	2
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04018G	-3.89	6.1058G	-22.42	-19.89	-2.53	1
6025MHz	Pass	6.06176G	-4.06	6.1058G	-22.50	-20.06	-2.44	2
6185MHz	Pass	6.181G	-2.66	6.2658G	-21.33	-18.66	-2.67	1
6185MHz	Pass	6.21457G	-2.75	6.2658G	-21.30	-18.75	-2.55	2
6345MHz	Pass	6.35139G	-1.91	6.4258G	-20.70	-17.91	-2.79	1
6345MHz	Pass	6.36498G	-1.78	6.4258G	-20.14	-17.78	-2.36	2
6505MHz	Pass	6.48502G	-2.83	6.5858G	-21.48	-18.83	-2.65	1
6505MHz	Pass	6.54096G	-2.14	6.5858G	-20.61	-18.14	-2.47	2
6665MHz	Pass	6.64982G	-2.11	6.7458G	-20.92	-18.11	-2.81	1
6665MHz	Pass	6.6602G	-2.47	6.7458G	-21.81	-18.47	-3.34	2
6825MHz	Pass	6.8202G	-1.63	6.7442G	-20.93	-17.63	-3.30	1
6825MHz	Pass	6.78824G	-1.93	6.7442G	-21.04	-17.93	-3.11	2
6985MHz	Pass	6.95143G	-1.93	7.0658G	-22.01	-17.93	-4.08	1
6985MHz	Pass	6.99539G	-1.74	6.9042G	-20.74	-17.74	-3.00	2

11a20_Nss1,(6Mbps)_2TX
5955MHz_TnomVnom

MASK


17/01/2022



11a20_Nss1,(6Mbps)_2TX
6175MHz_TnomVnom

MASK

17/01/2022



11a20_Nss1,(6Mbps)_2TX

MASK

6415MHz_TnomVnom

17/01/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40831G	-10.51	6.404G	-43.40	-30.51	-12.89	1
6.40751G	-10.54	6.4038G	-44.22	-30.72	-13.50	2

11a20_Nss1,(6Mbps)_2TX

MASK

6435MHz_TnomVnom

17/01/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42811G	-10.63	6.424G	-43.48	-30.63	-12.85	1
6.42821G	-10.57	6.4237G	-44.28	-30.84	-13.44	2

11a20_Nss1,(6Mbps)_2TX

MASK

6475MHz_TnomVnom

17/01/2022




11a20_Nss1,(6Mbps)_2TX

MASK

6515MHz_TnomVnom

17/01/2022



11a20_Nss1,(6Mbps)_2TX

MASK

6535MHz_TnomVnom

17/01/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54249G	-10.87	6.546G	-44.02	-30.87	-13.15	1
6.52871G	-10.46	6.546G	-43.57	-30.46	-13.11	2

11a20_Nss1,(6Mbps)_2TX

MASK

6695MHz_TnomVnom

17/01/2022

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70249G	-10.46	6.7061G	-43.94	-30.55	-13.39	1
6.68821G	-10.58	6.706G	-43.75	-30.58	-13.17	2

11a20_Nss1,(6Mbps)_2TX

MASK

6855MHz_TnomVnom

17/01/2022

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84881G	-10.71	6.866G	-43.99	-30.71	-13.28	1
6.84721G	-11.30	6.844G	-44.05	-31.30	-12.75	2

11a20_Nss1,(6Mbps)_2TX

MASK

6875MHz_TnomVnom

17/01/2022

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86741G	-9.77	6.886G	-42.41	-29.77	-12.64	1
6.88169G	-10.44	6.864G	-43.16	-30.44	-12.72	2

11a20_Nss1,(6Mbps)_2TX

MASK

6895MHz_TnomVnom

17/01/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90279G	-9.97	6.9061G	-43.45	-30.06	-13.39	1
6.88751G	-10.58	6.884G	-42.59	-30.58	-12.01	2

11a20_Nss1,(6Mbps)_2TX

MASK

6995MHz_TnomVnom

17/01/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00279G	-9.44	7.006G	-42.18	-29.44	-12.74	1
7.00009G	-10.26	6.9638G	-62.51	-50.26	-12.25	2

11a20_Nss1,(6Mbps)_2TX

MASK

7095MHz_TnomVnom

17/01/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08811G	-10.80	7.106G	-43.94	-30.80	-13.14	1
7.08811G	-10.64	7.084G	-42.85	-30.64	-12.21	2

11a40_Nss1,(6Mbps)_2TX

MASK

5965MHz_TnomVnom

17/01/2022

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97099G	-16.49	6.0346G	-72.31	-56.49	-15.82	1
5.9676G	-16.44	6.0486G	-72.08	-56.44	-15.64	2

11a40_Nss1,(6Mbps)_2TX

MASK

6165MHz_TnomVnom

17/01/2022

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15921G	-17.06	6.2296G	-71.57	-57.06	-14.51	1
6.1692G	-16.96	6.242G	-71.43	-56.96	-14.47	2

11a40_Nss1,(6Mbps)_2TX

MASK

6405MHz_TnomVnom

17/01/2022

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409G	-7.90	6.347G	-67.08	-46.70	-20.38	1
6.4008G	-7.48	6.426G	-46.60	-27.48	-19.12	2

11a40_Nss1,(6Mbps)_2TX

MASK

6445MHz_TnomVnom

17/01/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4412G	-8.13	6.528G	-65.32	-48.13	-17.19	1
6.441G	-7.60	6.466G	-47.00	-27.60	-19.40	2

11a40_Nss1,(6Mbps)_2TX

MASK

6485MHz_TnomVnom

17/01/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.488G	-8.42	6.464G	-48.08	-28.42	-19.66	1
6.4804G	-7.65	6.5412G	-64.55	-45.37	-19.18	2

11a40_Nss1,(6Mbps)_2TX

MASK

6525MHz_TnomVnom

17/01/2022

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5212G	-8.38	6.583G	-65.75	-47.18	-18.57	1
6.5222G	-7.93	6.5828G	-64.85	-46.61	-18.24	2

11a40_Nss1,(6Mbps)_2TX

MASK

6565MHz_TnomVnom

17/01/2022

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5686G	-8.11	6.6228G	-65.10	-46.79	-18.31	1
6.5624G	-7.86	6.6228G	-63.83	-46.54	-17.29	2

11a40_Nss1,(6Mbps)_2TX

MASK

6685MHz_TnomVnom

17/01/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67941G	-8.07	6.7424G	-64.58	-46.51	-18.07	1
6.67681G	-7.62	6.743G	-63.49	-46.42	-17.07	2

11a40_Nss1,(6Mbps)_2TX

MASK

6845MHz_TnomVnom

17/01/2022

CF Freq
6.845GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8422G	-7.74	6.9028G	-62.89	-46.42	-16.47	1
6.8406G	-7.69	6.787G	-61.51	-46.49	-15.02	2

11a40_Nss1,(6Mbps)_2TX

MASK

6885MHz_TnomVnom

17/01/2022

CF Freq
6.885GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87761G	-7.88	6.9428G	-60.82	-46.56	-14.26	1
6.8886G	-7.64	6.827G	-62.35	-46.44	-15.91	2

11a40_Nss1,(6Mbps)_2TX

MASK

6925MHz_TnomVnom

17/01/2022

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9212G	-7.66	6.983G	-62.17	-46.46	-15.71	1
6.9282G	-7.32	6.8672G	-62.42	-46.00	-16.42	2

11a40_Nss1,(6Mbps)_2TX

MASK

7005MHz_TnomVnom

17/01/2022

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0084G	-7.11	6.947G	-59.00	-45.91	-13.09	1
7.0024G	-7.18	6.9428G	-60.32	-47.18	-13.14	2

11a40_Nss1,(6Mbps)_2TX

MASK

7085MHz_TnomVnom

17/01/2022

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0886G	-8.65	7.0268G	-65.21	-47.57	-17.64	1
7.0886G	-7.08	7.0272G	-62.07	-45.76	-16.31	2

11a80_Nss1,(6Mbps)_2TX

MASK

5985MHz_TnomVnom

01/09/2021

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97701G	-7.55	6.1726G	-59.93	-47.55	-12.38	1
5.9814G	-7.78	6.1846G	-59.81	-47.78	-12.03	2

11a80_Nss1,(6Mbps)_2TX

MASK

6145MHz_TnomVnom

01/09/2021

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1418G	-7.09	6.3446G	-60.06	-47.09	-12.97	1
6.15259G	-6.95	6.3402G	-59.93	-46.95	-12.98	2

11a80_Nss1,(6Mbps)_2TX

MASK

6385MHz_TnomVnom

01/09/2021

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37941G	-7.93	6.583G	-59.35	-47.93	-11.42	1
6.389G	-7.69	6.5462G	-59.28	-47.69	-11.59	2

11a80_Nss1,(6Mbps)_2TX

MASK

6465MHz_TnomVnom

01/09/2021

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45381G	-7.22	6.5978G	-59.60	-47.22	-12.38	1
6.45981G	-6.92	6.5902G	-59.39	-46.92	-12.47	2

11a80_Nss1,(6Mbps)_2TX

MASK

6545MHz_TnomVnom

01/09/2021

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5402G	-7.12	6.3938G	-59.19	-47.12	-12.07	1
6.53861G	-6.96	6.3974G	-59.26	-46.96	-12.30	2

11a80_Nss1,(6Mbps)_2TX

MASK

6625MHz_TnomVnom

01/09/2021

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6202G	-7.76	6.7566G	-59.36	-47.76	-11.60	1
6.61861G	-7.65	6.7478G	-59.46	-47.65	-11.81	2

11a80_Nss1,(6Mbps)_2TX

MASK

6705MHz_TnomVnom

01/09/2021




11a80_Nss1,(6Mbps)_2TX

MASK

6785MHz_TnomVnom

01/09/2021



11a80_Nss1,(6Mbps)_2TX

MASK

6865MHz_TnomVnom

01/09/2021

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84782G	-7.85	6.989G	-59.04	-47.85	-11.19	1
6.8622G	-7.94	6.9902G	-58.85	-47.94	-10.91	2

11a80_Nss1,(6Mbps)_2TX

MASK

6945MHz_TnomVnom

01/09/2021

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93741G	-6.48	6.7906G	-59.21	-46.48	-12.73	1
6.9406G	-6.84	6.8006G	-58.94	-46.84	-12.10	2

11a80_Nss1,(6Mbps)_2TX

MASK

7025MHz_TnomVnom

01/09/2021

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01781G	-7.05	6.8954G	-59.55	-47.05	-12.50	1
7.01061G	-7.36	6.9026G	-59.56	-47.36	-12.20	2

11a160_Nss1,(6Mbps)_2TX

MASK

6025MHz_TnomVnom

17/01/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05217G	-5.08	6.1066G	-32.39	-25.14	-7.25	1
6.05857G	-4.94	6.1066G	-32.00	-25.00	-7.00	2

11a160_Nss1,(6Mbps)_2TX

MASK

6185MHz_TnomVnom

17/01/2022

CF Freq
6.185GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21697G	-1.96	6.1026G	-30.00	-22.10	-7.90	1
6.21137G	-1.72	6.2666G	-29.24	-21.78	-7.46	2

11a160_Nss1,(6Mbps)_2TX

MASK

6345MHz_TnomVnom

17/01/2022

CF Freq
6.345GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37297G	-0.82	6.2626G	-28.00	-20.96	-7.04	1
6.36978G	-0.60	6.4266G	-28.85	-20.66	-8.19	2

11a160_Nss1,(6Mbps)_2TX

MASK

6505MHz_TnomVnom

17/01/2022

CF Freq
6.505GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52898G	-2.06	6.5866G	-29.67	-22.12	-7.55	1
6.45865G	-1.69	6.5866G	-29.49	-21.75	-7.74	2

11a160_Nss1,(6Mbps)_2TX

MASK

6665MHz_TnomVnom

17/01/2022

CF Freq
6.665GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.62024G	-1.28	6.5834G	-29.09	-21.34	-7.75	1
6.69297G	-1.44	6.5826G	-29.08	-21.58	-7.50	2

11a160_Nss1,(6Mbps)_2TX

MASK

6825MHz_TnomVnom

17/01/2022

CF Freq
6.825GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.78104G	-1.80	6.7434G	-29.36	-21.86	-7.50	1
6.77225G	-2.53	6.7426G	-29.57	-22.67	-6.90	2

11a160_Nss1,(6Mbps)_2TX

MASK

6985MHz_TnomVnom

17/01/2022

CF Freq
6.985GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.989G	-2.26	6.9018G	-29.93	-22.48	-7.45	1
6.99619G	-2.14	6.7322G	-48.51	-42.14	-6.37	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TnomVnom

17/01/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96269G	-10.31	5.9661G	-41.16	-30.40	-10.76	1
5.96399G	-10.00	5.944G	-40.51	-30.00	-10.51	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6175MHz_TnomVnom

17/01/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18409G	-9.74	6.186G	-40.44	-29.74	-10.70	1
6.18389G	-9.67	6.164G	-39.80	-29.67	-10.13	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TnomVnom

17/01/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42129G	-10.61	6.4261G	-41.12	-30.70	-10.42	1
6.40621G	-10.67	6.426G	-40.80	-30.67	-10.13	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6435MHz_TnomVnom

17/01/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44379G	-10.72	6.446G	-40.63	-30.72	-9.91	1
6.42641G	-10.61	6.446G	-41.05	-30.61	-10.44	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6475MHz_TnomVnom

17/01/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46631G	-10.26	6.486G	-40.37	-30.26	-10.11	1
6.46611G	-9.60	6.486G	-39.84	-29.60	-10.24	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6515MHz_TnomVnom

17/01/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52409G	-9.72	6.504G	-40.67	-29.72	-10.95	1
6.52399G	-9.81	6.526G	-39.67	-29.81	-9.86	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TnomVnom

17/01/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54409G	-10.94	6.524G	-41.93	-30.94	-10.99	1
6.54299G	-10.50	6.5239G	-40.81	-30.59	-10.22	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TnomVnom

17/01/2022

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70389G	-9.91	6.706G	-39.67	-29.91	-9.76	1
6.68591G	-9.88	6.706G	-39.75	-29.88	-9.87	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TnomVnom

17/01/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6875MHz_TnomVnom

17/01/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6895MHz_TnomVnom

17/01/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88601G	-10.17	6.884G	-40.27	-30.17	-10.10	1
6.90329G	-10.41	6.884G	-40.91	-30.41	-10.50	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6995MHz_TnomVnom

17/01/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00369G	-9.31	7.006G	-40.54	-29.31	-11.23	1
7.00379G	-10.01	7.0061G	-40.26	-30.10	-10.16	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7095MHz_TnomVnom

17/01/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08581G	-10.82	7.106G	-41.08	-30.82	-10.26	1
7.08601G	-10.56	7.084G	-40.57	-30.56	-10.01	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TnomVnom

17/01/2022

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9666G	-7.91	5.986G	-46.26	-27.91	-18.35	1
5.97159G	-8.04	6.0258G	-66.63	-48.04	-18.59	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6165MHz_TnomVnom

17/01/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TnomVnom

17/01/2022



802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6445MHz_TnomVnom

17/01/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.443G	-8.52	6.528G	-65.40	-48.52	-16.88	1
6.4418G	-8.47	6.424G	-46.40	-28.47	-17.93	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6485MHz_TnomVnom

17/01/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.486G	-9.29	6.464G	-46.36	-29.29	-17.07	1
6.49239G	-8.38	6.4638G	-46.25	-28.46	-17.79	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6525MHz_TnomVnom

17/01/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TnomVnom

17/01/2022



802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TnomVnom

17/01/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6882G	-8.56	6.664G	-46.25	-28.56	-17.69	1
6.6888G	-8.10	6.706G	-45.43	-28.10	-17.33	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TnomVnom

17/01/2022

CF Freq
6.845GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8418G	-8.33	6.785G	-66.72	-48.33	-18.39	1
6.8458G	-8.19	6.824G	-45.93	-28.19	-17.74	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6885MHz_TnomVnom

17/01/2022

CF Freq
6.885GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8816G	-8.26	6.864G	-45.26	-28.26	-17.00	1
6.8806G	-8.31	6.864G	-46.25	-28.31	-17.94	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6925MHz_TnomVnom

17/01/2022

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.922G	-6.97	6.9858G	-64.63	-46.97	-17.66	1
6.926G	-6.66	6.904G	-44.63	-26.66	-17.97	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7005MHz_TnomVnom

17/01/2022

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0086G	-6.73	6.9436G	-60.15	-46.73	-13.42	1
7.0002G	-6.66	6.9426G	-60.10	-46.66	-13.44	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7085MHz_TnomVnom

17/01/2022

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.083G	-8.97	7.064G	-46.84	-28.97	-17.87	1
7.0858G	-7.66	7.064G	-44.21	-27.66	-16.55	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TnomVnom

01/09/2021

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9874G	-7.04	6.1198G	-59.82	-47.04	-12.78	1
5.9866G	-7.12	6.1126G	-59.57	-47.12	-12.45	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TnomVnom

01/09/2021

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15099G	-7.51	6.3442G	-59.92	-47.51	-12.41	1
6.1422G	-7.21	6.3334G	-59.89	-47.21	-12.68	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TnomVnom

01/09/2021

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39179G	-7.36	6.5482G	-59.22	-47.36	-11.86	1
6.39379G	-7.12	6.571G	-59.05	-47.12	-11.93	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6465MHz_TnomVnom

01/09/2021

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45421G	-6.86	6.5894G	-59.37	-46.86	-12.51	1
6.47419G	-7.07	6.5894G	-58.47	-47.07	-11.40	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6545MHz_TnomVnom

01/09/2021

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5434G	-7.41	6.3966G	-59.37	-47.41	-11.96	1
6.55139G	-7.25	6.6698G	-59.33	-47.25	-12.08	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TnomVnom

01/09/2021

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6278G	-7.50	6.7582G	-59.41	-47.50	-11.91	1
6.64018G	-7.74	6.7518G	-59.34	-47.74	-11.60	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TnomVnom

01/09/2021




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TnomVnom

01/09/2021



802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6865MHz_TnomVnom

01/09/2021

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85821G	-7.38	6.9882G	-58.25	-47.38	-10.87	1
6.8674G	-7.77	6.9878G	-58.61	-47.77	-10.84	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6945MHz_TnomVnom

01/09/2021

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95139G	-7.13	6.8114G	-58.86	-47.13	-11.73	1
6.93741G	-7.31	6.8178G	-58.85	-47.31	-11.54	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

7025MHz_TnomVnom

01/09/2021

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01101G	-7.52	6.8982G	-59.20	-47.52	-11.68	1
7.00582G	-8.15	6.9018G	-59.18	-48.15	-11.03	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TnomVnom

17/01/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04018G	-3.89	6.1058G	-22.42	-19.89	-2.53	1
6.06176G	-4.06	6.1058G	-22.50	-20.06	-2.44	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TnomVnom

17/01/2022

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.181G	-2.66	6.2658G	-21.33	-18.66	-2.67	1
6.21457G	-2.75	6.2658G	-21.30	-18.75	-2.55	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TnomVnom

17/01/2022

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35139G	-1.91	6.4258G	-20.70	-17.91	-2.79	1
6.36498G	-1.78	6.4258G	-20.14	-17.78	-2.36	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6505MHz_TnomVnom

17/01/2022




802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TnomVnom

17/01/2022



802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6825MHz_TnomVnom

17/01/2022

CF Freq
6.825GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8202G	-1.63	6.7442G	-20.93	-17.63	-3.30	1
6.78824G	-1.93	6.7442G	-21.04	-17.93	-3.11	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6985MHz_TnomVnom

17/01/2022

CF Freq
6.985GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95143G	-1.93	7.0658G	-22.01	-17.93	-4.08	1
6.99539G	-1.74	6.9042G	-20.74	-17.74	-3.00	2