


6.525-6.875GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

CSE [PK]

6705MHz

22/09/2023



Legend for CSE [PK]:
 Limit:PK [Red line]
 EIRP:PK [Green line]
 Port 1 [Blue line]


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.39225G	-72.52	-21.20	-51.32	6.00	0.00	-78.52	-78.52
1G	40G	1M	PK	39.02378G	-63.00	-21.20	-41.80	6.00	0.00	-69.00	-69.00

6.525-6.875GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

CSE [AV]



6705MHz


22/09/2023





Legend for CSE [AV]:
 Limit:AV [Red line]
 EIRP:AV [Green line]
 Port 1 [Blue line]

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.34838G	-79.76	-41.20	-38.56	6.00	0.00	-85.76	-85.76
1G	40G	1M	AV	39.49909G	-70.87	-41.20	-29.67	6.00	0.00	-76.87	-76.87










6.525-6.875GHz_11a160_160MHz_Nss1,(6Mbps)_1TX

CSE [PK]

6665MHz

22/09/2023



Legend for CSE [PK]:
 Limit:PK [Red line]
 EIRP:PK [Green line]
 Port 1 [Blue line]


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.32156G	-71.13	-21.20	-49.93	6.00	0.00	-77.13	-77.13
1G	40G	1M	PK	39.93906G	-61.69	-21.20	-40.49	6.00	0.00	-67.69	-67.69

6.525-6.875GHz_11a160_160MHz_Nss1,(6Mbps)_1TX

CSE [AV]



6665MHz



22/09/2023



Legend for CSE [AV]:
 Limit:AV [Red line]
 EIRP:AV [Green line]
 Port 1 [Blue line]

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.26063G	-79.34	-41.20	-38.14	6.00	0.00	-85.34	-85.34
1G	40G	1M	AV	39.90372G	-69.65	-41.20	-28.45	6.00	0.00	-75.65	-75.65








5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6415MHz

09/09/2023



Limit:PK

ERP:PK

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	12.81822G	-70.58	-7.00	-63.58	6.00	0.00	-76.58	-76.58
1G	40G	1M	PK	39.51006G	-62.51	-21.20	-41.31	6.00	0.00	-68.51	-68.51

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6415MHz

09/09/2023



Limit:AV

ERP:AV

Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	12.82797G	-77.07	-27.00	-50.07	6.00	0.00	-83.07	-83.07
1G	40G	1M	AV	39.25778G	-70.74	-41.20	-29.54	6.00	0.00	-76.74	-76.74




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6535MHz

09/09/2023



Limit:PK

EIRP:PK

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.06928G	-72.18	-7.00	-65.18	6.00	0.00	-78.18	-78.18
1G	40G	1M	PK	39.86959G	-61.73	-21.20	-40.53	6.00	0.00	-67.73	-67.73

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6535MHz

09/09/2023



Limit:AV

EIRP:AV

Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.06928G	-76.04	-27.00	-49.04	6.00	0.00	-82.04	-82.04
1G	40G	1M	AV	39.86984G	-70.57	-41.20	-29.37	6.00	0.00	-76.57	-76.57




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6695MHz

09/09/2023



Legend for CSE [PK]:
 Limit.PK (Red line)
 ERP.PK (Green line)
 Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.38981G	-72.95	-21.20	-51.75	6.00	0.00	-78.95	-78.95
1G	40G	1M	PK	38.64353G	-62.95	-21.20	-41.75	6.00	0.00	-68.95	-68.95

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]



6695MHz



09/09/2023





Legend for CSE [AV]:
 Limit.AV (Red line)
 ERP.AV (Green line)
 Port 1 (Blue line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.38981G	-78.76	-41.20	-37.56	6.00	0.00	-84.76	-84.76
1G	40G	1M	AV	39.87691G	-70.50	-41.20	-29.30	6.00	0.00	-76.50	-76.50










5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE [PK]

6405MHz

09/09/2023



Legend for CSE [PK]:
 Limit:PK (Red line)
 ERP-PK (Green line)
 Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	12.80116G	-71.44	-7.00	-64.44	6.00	0.00	-77.44	-77.44
1G	40G	1M	PK	39.76113G	-62.65	-21.20	-41.45	6.00	0.00	-68.65	-68.65

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE [AV]

6405MHz

09/09/2023



Legend for CSE [AV]:
 Limit:AV (Red line)
 ERP-AV (Green line)
 Port 1 (Blue line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	12.80969G	-78.52	-27.00	-51.52	6.00	0.00	-84.52	-84.52
1G	40G	1M	AV	38.91653G	-71.04	-41.20	-29.84	6.00	0.00	-77.04	-77.04




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [PK]

6565MHz

09/09/2023



Limit.PK

ERP.PK

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.13022G	-73.16	-7.00	-66.16	6.00	0.00	-79.16	-79.16
1G	40G	1M	PK	38.635G	-62.72	-21.20	-41.52	6.00	0.00	-68.72	-68.72

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [AV]

6565MHz

09/09/2023



Limit.AV

ERP.AV

Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.13022G	-75.95	-27.00	-48.95	6.00	0.00	-81.95	-81.95
1G	40G	1M	AV	39.66959G	-71.08	-41.20	-29.88	6.00	0.00	-77.08	-77.08




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE [PK]

6685MHz

09/09/2023



Limit:PK
 ERP:PK
 Port:1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.35934G	-71.89	-21.20	-50.69	6.00	0.00	-77.89	-77.89
1G	40G	1M	PK	40G	-63.55	-21.20	-42.35	6.00	0.00	-69.55	-69.55

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE [AV]

6685MHz

09/09/2023



Limit:AV
 ERP:AV
 Port:1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.34594G	-80.11	-41.20	-38.91	6.00	0.00	-86.11	-86.11
1G	40G	1M	AV	39.90738G	-70.87	-41.20	-29.67	6.00	0.00	-76.87	-76.87




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [PK]

6845MHz

09/09/2023



Limit.PK

ERP.PK

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.72497G	-72.89	-7.00	-65.89	6.00	0.00	-78.89	-78.89
1G	40G	1M	PK	39.259G	-63.02	-21.20	-41.82	6.00	0.00	-69.02	-69.02

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [AV]

6845MHz

09/09/2023





Limit.AV

ERP.AV

Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.72131G	-79.90	-27.00	-52.90	6.00	0.00	-85.90	-85.90
1G	40G	1M	AV	39.91347G	-70.86	-41.20	-29.66	6.00	0.00	-76.86	-76.86






5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE [PK]

6225MHz

09/09/2023



Legend for CSE [PK]:
 Limit:PK (Red line)
 ERP-PK (Green line)
 Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	12.4075G	-72.49	-21.20	-51.29	6.00	0.00	-78.49	-78.49
1G	40G	1M	PK	39.90006G	-62.39	-21.20	-41.19	6.00	0.00	-68.39	-68.39

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE [AV]



6225MHz

09/09/2023



Legend for CSE [AV]:
 Limit:AV (Red line)
 ERP-AV (Green line)
 Port 1 (Blue line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	12.43797G	-79.69	-41.20	-38.49	6.00	0.00	-85.69	-85.69
1G	40G	1M	AV	38.64841G	-71.02	-41.20	-29.82	6.00	0.00	-77.02	-77.02






6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE [PK]

6625MHz

09/09/2023



Legend for CSE [PK]:
 Limit:PK (Red line)
 ERP-PK (Green line)
 Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.27647G	-72.93	-21.20	-51.73	6.00	0.00	-78.93	-78.93
1G	40G	1M	PK	39.47838G	-62.91	-21.20	-41.71	6.00	0.00	-68.91	-68.91

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE [AV]

6625MHz

09/09/2023



Legend for CSE [AV]:
 Limit:AV (Red line)
 ERP-AV (Green line)
 Port 1 (Blue line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.26428G	-79.84	-41.20	-38.64	6.00	0.00	-85.84	-85.84
1G	40G	1M	AV	39.90006G	-70.91	-41.20	-29.71	6.00	0.00	-76.91	-76.91




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE [PK]

6705MHz

09/09/2023



Limit:PK
 ERP:PK
 Port:1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.34838G	-73.15	-21.20	-51.95	6.00	0.00	-79.15	-79.15
1G	40G	1M	PK	39.89153G	-62.23	-21.20	-41.03	6.00	0.00	-68.23	-68.23

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE [AV]

6705MHz

09/09/2023



Limit:AV
 ERP:AV
 Port:1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.36056G	-79.96	-41.20	-38.76	6.00	0.00	-85.96	-85.96
1G	40G	1M	AV	39.24559G	-71.06	-41.20	-29.86	6.00	0.00	-77.06	-77.06




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE [PK]

6785MHz

09/09/2023



Limit.PK

ERP.PK

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.56653G	-70.98	-7.00	-63.98	6.00	0.00	-76.98	-76.98
1G	40G	1M	PK	39.48447G	-62.06	-21.20	-40.86	6.00	0.00	-68.06	-68.06

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE [AV]

6785MHz

09/09/2023





Limit.AV

ERP.AV

Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.57019G	-78.00	-27.00	-51.00	6.00	0.00	-84.00	-84.00
1G	40G	1M	AV	39.80494G	-70.95	-41.20	-29.75	6.00	0.00	-76.95	-76.95






5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

CSE [PK]

6185MHz

09/09/2023



Legend for CSE [PK]:
 Limit:PK (Red line)
 ERP-PK (Green line)
 Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	12.44406G	-71.53	-21.20	-50.33	6.00	0.00	-77.53	-77.53
1G	40G	1M	PK	39.93419G	-63.38	-21.20	-42.18	6.00	0.00	-69.38	-69.38

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

CSE [AV]

6185MHz

09/09/2023



Legend for CSE [AV]:
 Limit:AV (Red line)
 ERP-AV (Green line)
 Port 1 (Blue line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	12.43431G	-79.74	-41.20	-38.54	6.00	0.00	-85.74	-85.74
1G	40G	1M	AV	39.89884G	-71.04	-41.20	-29.84	6.00	0.00	-77.04	-77.04




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

CSE [PK]

6345MHz

09/09/2023



Limit:PK
 ERP:PK
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	12.54888G	-72.64	-21.20	-51.44	6.00	0.00	-78.64	-78.64
1G	40G	1M	PK	38.63988G	-62.19	-21.20	-40.99	6.00	0.00	-68.19	-68.19

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

CSE [AV]

6345MHz

09/09/2023



Limit:AV
 ERP:AV
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	12.69025G	-79.12	-41.20	-37.92	6.00	0.00	-85.12	-85.12
1G	40G	1M	AV	39.89031G	-70.95	-41.20	-29.75	6.00	0.00	-76.95	-76.95

6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

CSE [PK]

6665MHz

09/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.32278G	-72.61	-21.20	-51.41	6.00	0.00	-78.61	-78.61
1G	40G	1M	PK	39.92668G	-63.03	-21.20	-41.83	6.00	0.00	-69.03	-69.03

6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

CSE [AV]

6665MHz

09/09/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.33009G	-79.49	-41.20	-38.29	6.00	0.00	-85.49	-85.49
1G	40G	1M	AV	39.90006G	-71.06	-41.20	-29.86	6.00	0.00	-77.06	-77.06



**CSE (High Pass Filter)
_Non-Beamforming_Serving Radio_2T1S**

Appendix D.11

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-48.32	-57.33	-58.41	-63.88	-41.20	-7.12	9.01
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-45.66	-54.67	-54.73	-73.17	-41.20	-4.46	9.01
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-47.48	-56.49	-57.18	-64.79	-41.20	-6.28	9.01
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-49.67	-58.68	-58.76	-76.25	-41.20	-8.47	9.01
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-59.41	-68.42	-69.60	-74.67	-41.20	-18.21	9.01
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-63.05	-72.06	-72.84	-79.89	-41.20	-21.85	9.01
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-64.36	-73.37	-74.24	-80.80	-41.20	-23.16	9.01
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-66.37	-75.38	-78.01	-78.80	-41.20	-25.17	9.01
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-46.31	-55.32	-57.48	-59.39	-41.20	-5.11	9.01
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-51.75	-60.76	-64.47	-63.17	-41.20	-10.55	9.01
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-65.04	-74.05	-77.25	-76.88	-41.20	-23.84	9.01
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-65.00	-74.01	-76.64	-77.43	-41.20	-23.80	9.01
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-60.02	-69.03	-70.21	-75.25	-41.20	-18.82	9.01
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-66.10	-75.11	-78.18	-78.06	-41.20	-24.90	9.01
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-66.34	-75.35	-77.57	-79.32	-41.20	-25.14	9.01
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-64.94	-73.95	-77.32	-76.62	-41.20	-23.74	9.01

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE (High Pass Filter)
Non-Beamforming_Serving Radio_2T1S

Appendix D.11

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
11a20_20MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.91025G	9.01	-68.80	-73.39	-67.50	-58.49	-41.20	-17.29	-73.39
5955MHz	Pass	1G	40G	AV	17.86384G	9.01	-63.88	-58.41	-57.33	-48.32	-41.20	-7.12	-58.41
5955MHz	Pass	1G	40G	PK	11.91025G	9.01	-66.80	-69.38	-64.89	-55.88	-21.20	-34.68	-69.38
5955MHz	Pass	1G	40G	PK	17.86384G	9.01	-61.29	-51.61	-51.17	-42.16	-21.20	-20.96	-51.61
6195MHz	Pass	1G	40G	AV	12.38922G	9.01	-81.07	-67.40	-67.22	-58.21	-41.20	-17.01	-67.40
6195MHz	Pass	1G	40G	AV	18.57925G	9.01	-82.87	-60.16	-60.14	-51.13	-41.20	-9.93	-60.16
6195MHz	Pass	1G	40G	PK	12.39044G	9.01	-77.21	-67.52	-67.08	-58.07	-21.20	-36.87	-67.52
6195MHz	Pass	1G	40G	PK	18.57438G	9.01	-77.04	-50.97	-50.96	-41.95	-21.20	-20.75	-50.97
6415MHz	Pass	1G	40G	AV	12.83041G	9.01	-74.30	-74.77	-71.52	-62.51	-27.00	-35.51	-74.77
6415MHz	Pass	1G	40G	AV	39.90494G	9.01	-77.50	-76.68	-74.06	-65.05	-41.20	-23.85	-76.68
6415MHz	Pass	1G	40G	PK	12.83041G	9.01	-68.47	-70.69	-66.43	-57.42	-7.00	-50.42	-70.69
6415MHz	Pass	1G	40G	PK	17.77975G	9.01	-66.11	-79.66	-65.92	-56.91	-21.20	-35.71	-79.66
6535MHz	Pass	1G	40G	AV	13.06928G	9.01	-83.48	-82.72	-80.07	-71.06	-27.00	-44.06	-82.72
6535MHz	Pass	1G	40G	AV	39.88056G	9.01	-76.63	-77.20	-73.90	-64.89	-41.20	-23.69	-77.20
6535MHz	Pass	1G	40G	PK	13.06197G	9.01	-76.87	-80.97	-75.44	-66.43	-7.00	-59.43	-80.97
6535MHz	Pass	1G	40G	PK	17.81266G	9.01	-64.73	-79.96	-64.60	-55.59	-21.20	-34.39	-79.96
6695MHz	Pass	1G	40G	AV	13.39103G	9.01	-83.77	-85.90	-81.70	-72.69	-41.20	-31.49	-85.90
6695MHz	Pass	1G	40G	AV	39.91713G	9.01	-76.12	-77.14	-73.59	-64.58	-41.20	-23.38	-77.14
6695MHz	Pass	1G	40G	PK	13.37763G	9.01	-80.26	-78.84	-76.48	-67.47	-21.20	-46.27	-78.84
6695MHz	Pass	1G	40G	PK	17.81509G	9.01	-65.47	-81.70	-65.37	-56.36	-21.20	-35.16	-81.70
6855MHz	Pass	1G	40G	AV	13.714G	9.01	-83.20	-80.67	-78.74	-69.73	-27.00	-42.73	-80.67
6855MHz	Pass	1G	40G	AV	20.57069G	9.01	-59.39	-57.48	-55.32	-46.31	-41.20	-5.11	-57.48
6855MHz	Pass	1G	40G	PK	13.71522G	9.01	-77.10	-75.78	-73.38	-64.37	-7.00	-57.37	-75.78
6855MHz	Pass	1G	40G	PK	20.56703G	9.01	-57.79	-50.20	-49.50	-40.49	-21.20	-19.29	-50.20
11a40_40MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	40G	AV	11.92975G	9.01	-68.26	-72.02	-66.73	-57.72	-41.20	-16.52	-72.02
5965MHz	Pass	1G	40G	AV	17.90528G	9.01	-63.53	-69.03	-67.71	-48.70	-41.20	-7.50	-69.03
5965MHz	Pass	1G	40G	PK	11.92975G	9.01	-67.31	-70.20	-65.51	-56.50	-21.20	-35.30	-70.20
5965MHz	Pass	1G	40G	PK	17.91016G	9.01	-55.09	-60.87	-49.48	-40.47	-21.20	-19.27	-60.87
6205MHz	Pass	1G	40G	AV	12.40994G	9.01	-79.72	-67.53	-67.28	-58.27	-41.20	-17.07	-67.53
6205MHz	Pass	1G	40G	AV	18.58169G	9.01	-79.95	-54.81	-54.80	-45.79	-41.20	-4.59	-54.81
6205MHz	Pass	1G	40G	PK	12.40994G	9.01	-76.75	-68.14	-67.58	-58.57	-21.20	-37.37	-68.14
6205MHz	Pass	1G	40G	PK	18.61094G	9.01	-61.10	-44.90	-44.80	-35.79	-21.20	-14.59	-44.90
6405MHz	Pass	1G	40G	AV	12.84016G	9.01	-85.56	-85.98	-82.75	-73.74	-27.00	-46.74	-85.98
6405MHz	Pass	1G	40G	AV	18.59144G	9.01	-73.17	-54.73	-54.67	-45.66	-41.20	-4.46	-54.73
6405MHz	Pass	1G	40G	PK	12.83772G	9.01	-78.47	-81.02	-76.55	-67.54	-7.00	-60.54	-81.02
6405MHz	Pass	1G	40G	PK	18.57925G	9.01	-76.02	-46.13	-46.13	-37.12	-21.20	-15.92	-46.13
6565MHz	Pass	1G	40G	AV	13.129G	9.01	-85.03	-81.30	-79.77	-70.76	-27.00	-43.76	-81.30
6565MHz	Pass	1G	40G	AV	39.88666G	9.01	-76.67	-77.98	-74.27	-65.26	-41.20	-24.06	-77.98
6565MHz	Pass	1G	40G	PK	13.13022G	9.01	-82.27	-76.83	-75.74	-66.73	-7.00	-59.73	-76.83
6565MHz	Pass	1G	40G	PK	17.92478G	9.01	-67.02	-80.81	-66.84	-57.83	-21.20	-36.63	-80.81
6685MHz	Pass	1G	40G	AV	13.37519G	9.01	-84.26	-86.39	-82.19	-73.18	-41.20	-31.98	-86.39
6685MHz	Pass	1G	40G	AV	39.90006G	9.01	-76.91	-77.09	-73.99	-64.98	-41.20	-23.78	-77.09
6685MHz	Pass	1G	40G	PK	13.37031G	9.01	-79.06	-74.58	-73.26	-64.25	-21.20	-43.05	-74.58
6685MHz	Pass	1G	40G	PK	38.70813G	9.01	-71.96	-67.09	-65.87	-56.86	-21.20	-35.66	-67.09
6845MHz	Pass	1G	40G	AV	13.68963G	9.01	-84.41	-80.84	-79.26	-70.25	-27.00	-43.25	-80.84
6845MHz	Pass	1G	40G	AV	20.54875G	9.01	-63.17	-64.47	-60.76	-51.75	-41.20	-10.55	-64.47
6845MHz	Pass	1G	40G	PK	13.69572G	9.01	-78.06	-74.97	-73.24	-64.23	-7.00	-57.23	-74.97
6845MHz	Pass	1G	40G	PK	20.539G	9.01	-56.78	-60.16	-55.14	-46.13	-21.20	-24.93	-60.16
11a80_80MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.96997G	9.01	-69.71	-74.09	-68.36	-59.35	-41.20	-18.15	-74.09
5985MHz	Pass	1G	40G	AV	17.98694G	9.01	-64.79	-57.18	-56.49	-47.48	-41.20	-6.28	-57.18
5985MHz	Pass	1G	40G	PK	11.96997G	9.01	-69.33	-73.33	-67.87	-58.86	-21.20	-37.66	-73.33
5985MHz	Pass	1G	40G	PK	18.00156G	9.01	-61.52	-49.05	-48.81	-39.80	-21.20	-18.60	-49.05
6225MHz	Pass	1G	40G	AV	12.45016G	9.01	-81.65	-67.80	-67.62	-58.61	-41.20	-17.41	-67.80
6225MHz	Pass	1G	40G	AV	18.65481G	9.01	-76.72	-65.38	-65.07	-56.06	-41.20	-14.86	-65.38
6225MHz	Pass	1G	40G	PK	12.45016G	9.01	-80.71	-68.24	-68.00	-58.99	-21.20	-37.79	-68.24
6225MHz	Pass	1G	40G	PK	18.58656G	9.01	-79.40	-55.85	-55.83	-46.82	-21.20	-25.62	-55.85
6385MHz	Pass	1G	40G	AV	12.69756G	9.01	-86.08	-86.43	-83.24	-74.23	-41.20	-33.03	-86.43
6385MHz	Pass	1G	40G	AV	39.88666G	9.01	-77.70	-76.56	-74.08	-65.07	-41.20	-23.87	-76.56
6385MHz	Pass	1G	40G	PK	12.69878G	9.01	-80.19	-79.59	-76.87	-67.86	-21.20	-46.66	-79.59
6385MHz	Pass	1G	40G	PK	39.89275G	9.01	-72.62	-68.14	-66.82	-57.81	-21.20	-36.61	-68.14
6625MHz	Pass	1G	40G	AV	13.27403G	9.01	-85.76	-86.29	-83.01	-74.00	-41.20	-32.80	-86.29
6625MHz	Pass	1G	40G	AV	39.89884G	9.01	-76.88	-77.25	-74.05	-65.04	-41.20	-23.84	-77.25
6625MHz	Pass	1G	40G	PK	13.2156G	9.01	-78.48	-79.45	-75.93	-66.92	-21.20	-45.72	-79.45
6625MHz	Pass	1G	40G	PK	39.71603G	9.01	-67.72	-73.42	-66.68	-57.67	-21.20	-36.47	-73.42
6705MHz	Pass	1G	40G	AV	13.39591G	9.01	-85.82	-86.75	-83.25	-74.24	-41.20	-33.04	-86.75
6705MHz	Pass	1G	40G	AV	39.88178G	9.01	-76.62	-77.64	-74.09	-65.08	-41.20	-23.88	-77.64



CSE (High Pass Filter)
Non-Beamforming_Serving Radio_2T1S

Appendix D.11

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
6705MHz	Pass	1G	40G	PK	13.36544G	9.01	-81.27	-78.90	-76.91	-67.90	-21.20	-46.70	-78.90
6705MHz	Pass	1G	40G	PK	39.28216G	9.01	-69.62	-69.81	-66.70	-57.69	-21.20	-36.49	-69.81
6785MHz	Pass	1G	40G	AV	13.57019G	9.01	-85.33	-77.62	-76.94	-67.93	-27.00	-40.93	-77.62
6785MHz	Pass	1G	40G	AV	39.89641G	9.01	-77.55	-76.73	-74.11	-65.10	-41.20	-23.90	-76.73
6785MHz	Pass	1G	40G	PK	13.62259G	9.01	-81.58	-76.90	-75.63	-66.62	-7.00	-59.62	-76.90
6785MHz	Pass	1G	40G	PK	39.91713G	9.01	-69.65	-69.06	-66.33	-57.32	-21.20	-36.12	-69.06
11a160_160MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.04919G	9.01	-72.21	-76.12	-70.73	-61.72	-41.20	-20.52	-76.12
6025MHz	Pass	1G	40G	AV	18.06859G	9.01	-64.17	-62.32	-60.14	-51.13	-41.20	-9.93	-62.32
6025MHz	Pass	1G	40G	PK	12.05041G	9.01	-70.83	-73.41	-68.92	-59.91	-21.20	-38.71	-73.41
6025MHz	Pass	1G	40G	PK	18.07713G	9.01	-61.49	-56.64	-55.41	-46.40	-21.20	-25.20	-56.64
6185MHz	Pass	1G	40G	AV	12.36972G	9.01	-84.24	-67.48	-67.39	-58.38	-41.20	-17.18	-67.48
6185MHz	Pass	1G	40G	AV	18.54513G	9.01	-76.25	-58.76	-58.68	-49.67	-41.20	-8.47	-58.76
6185MHz	Pass	1G	40G	PK	12.36972G	9.01	-80.58	-67.56	-67.35	-58.34	-21.20	-37.14	-67.56
6185MHz	Pass	1G	40G	PK	18.54269G	9.01	-69.64	-52.30	-52.22	-43.21	-21.20	-22.01	-52.30
6345MHz	Pass	1G	40G	AV	12.69025G	9.01	-83.40	-73.81	-73.36	-64.35	-41.20	-23.15	-73.81
6345MHz	Pass	1G	40G	AV	19.05213G	9.01	-83.94	-73.03	-72.69	-63.68	-41.20	-22.48	-73.03
6345MHz	Pass	1G	40G	PK	12.69025G	9.01	-78.95	-72.16	-71.33	-62.32	-21.20	-41.12	-72.16
6345MHz	Pass	1G	40G	PK	39.89519G	9.01	-74.94	-66.34	-65.78	-56.77	-21.20	-35.57	-66.34
6665MHz	Pass	1G	40G	AV	13.33009G	9.01	-85.61	-86.25	-82.91	-73.90	-41.20	-32.70	-86.25
6665MHz	Pass	1G	40G	AV	39.87934G	9.01	-77.43	-76.64	-74.01	-65.00	-41.20	-23.80	-76.64
6665MHz	Pass	1G	40G	PK	13.29475G	9.01	-79.00	-79.94	-76.43	-67.42	-21.20	-46.22	-79.94
6665MHz	Pass	1G	40G	PK	39.91956G	9.01	-66.81	-71.60	-65.57	-56.56	-21.20	-35.36	-71.60
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.91025G	9.01	-83.97	-84.60	-81.26	-72.25	-41.20	-31.05	-84.60
5955MHz	Pass	1G	40G	AV	17.86506G	9.01	-74.67	-69.60	-68.42	-59.41	-41.20	-18.21	-69.60
5955MHz	Pass	1G	40G	PK	11.91025G	9.01	-78.15	-79.75	-75.87	-66.86	-21.20	-45.66	-79.75
5955MHz	Pass	1G	40G	PK	23.79916G	9.01	-74.33	-62.31	-62.05	-53.04	-21.20	-31.84	-62.31
6195MHz	Pass	1G	40G	AV	12.38922G	9.01	-86.36	-82.35	-80.90	-71.89	-41.20	-30.69	-82.35
6195MHz	Pass	1G	40G	AV	18.57438G	9.01	-85.23	-69.11	-69.01	-60.00	-41.20	-18.80	-69.11
6195MHz	Pass	1G	40G	PK	12.38922G	9.01	-77.82	-76.83	-74.29	-65.28	-21.20	-44.08	-76.83
6195MHz	Pass	1G	40G	PK	18.58169G	9.01	-78.80	-61.73	-61.65	-52.64	-21.20	-31.44	-61.73
6415MHz	Pass	1G	40G	AV	12.83528G	9.01	-83.12	-85.83	-81.26	-72.25	-27.00	-45.25	-85.83
6415MHz	Pass	1G	40G	AV	39.89275G	9.01	-77.38	-77.26	-74.31	-65.30	-41.20	-24.10	-77.26
6415MHz	Pass	1G	40G	PK	12.83528G	9.01	-74.84	-79.88	-73.66	-64.65	-7.00	-57.65	-79.88
6415MHz	Pass	1G	40G	PK	39.90128G	9.01	-67.83	-70.59	-65.98	-56.97	-21.20	-35.77	-70.59
6535MHz	Pass	1G	40G	AV	13.06928G	9.01	-82.58	-86.38	-81.07	-72.06	-27.00	-45.06	-86.38
6535MHz	Pass	1G	40G	AV	39.89763G	9.01	-76.98	-77.76	-74.34	-65.33	-41.20	-24.13	-77.76
6535MHz	Pass	1G	40G	PK	13.07172G	9.01	-81.06	-79.53	-77.22	-68.21	-7.00	-61.21	-79.53
6535MHz	Pass	1G	40G	PK	39.27484G	9.01	-68.63	-71.75	-66.91	-57.90	-21.20	-36.70	-71.75
6695MHz	Pass	1G	40G	AV	13.38981G	9.01	-85.02	-86.00	-82.47	-73.46	-41.20	-32.26	-86.00
6695MHz	Pass	1G	40G	AV	39.92078G	9.01	-77.31	-78.04	-74.65	-65.64	-41.20	-24.44	-78.04
6695MHz	Pass	1G	40G	PK	13.39103G	9.01	-80.21	-77.11	-75.38	-66.37	-21.20	-45.17	-77.11
6695MHz	Pass	1G	40G	PK	39.09325G	9.01	-69.91	-70.64	-67.25	-58.24	-21.20	-37.04	-70.64
6855MHz	Pass	1G	40G	AV	13.71034G	9.01	-86.41	-87.10	-83.73	-74.72	-27.00	-47.72	-87.10
6855MHz	Pass	1G	40G	AV	20.57069G	9.01	-75.25	-70.21	-69.03	-60.02	-41.20	-18.82	-70.21
6855MHz	Pass	1G	40G	PK	13.71156G	9.01	-78.93	-81.22	-76.92	-67.91	-7.00	-60.91	-81.22
6855MHz	Pass	1G	40G	PK	20.56947G	9.01	-65.81	-58.72	-57.94	-48.93	-21.20	-27.73	-58.72
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	40G	AV	11.92975G	9.01	-85.49	-86.58	-82.99	-73.98	-41.20	-32.78	-86.58
5965MHz	Pass	1G	40G	AV	17.90041G	9.01	-79.89	-72.84	-72.06	-63.05	-41.20	-21.85	-72.84
5965MHz	Pass	1G	40G	PK	11.92244G	9.01	-77.39	-82.82	-76.30	-67.29	-21.20	-46.09	-82.82
5965MHz	Pass	1G	40G	PK	17.89919G	9.01	-71.11	-62.62	-62.04	-53.03	-21.20	-31.83	-62.62
6205MHz	Pass	1G	40G	AV	12.40994G	9.01	-85.95	-82.29	-80.74	-71.73	-41.20	-30.53	-82.29
6205MHz	Pass	1G	40G	AV	39.89031G	9.01	-77.68	-78.21	-74.93	-65.92	-41.20	-24.72	-78.21
6205MHz	Pass	1G	40G	PK	12.40019G	9.01	-79.33	-78.48	-75.87	-66.86	-21.20	-45.66	-78.48
6205MHz	Pass	1G	40G	PK	39.93663G	9.01	-69.92	-69.73	-66.81	-57.80	-21.20	-36.60	-69.73
6405MHz	Pass	1G	40G	AV	12.81456G	9.01	-85.55	-86.64	-83.05	-74.04	-27.00	-47.04	-86.64
6405MHz	Pass	1G	40G	AV	39.99878G	9.01	-77.77	-77.77	-74.76	-65.75	-41.20	-24.55	-77.77
6405MHz	Pass	1G	40G	PK	12.82675G	9.01	-79.26	-77.76	-75.44	-66.43	-7.00	-59.43	-77.76
6405MHz	Pass	1G	40G	PK	39.87813G	9.01	-70.05	-69.89	-66.96	-57.95	-21.20	-36.75	-69.89
6565MHz	Pass	1G	40G	AV	13.13022G	9.01	-82.60	-86.64	-81.16	-72.15	-27.00	-45.15	-86.64
6565MHz	Pass	1G	40G	AV	39.91469G	9.01	-77.63	-78.70	-75.12	-66.11	-41.20	-24.91	-78.70
6565MHz	Pass	1G	40G	PK	13.13388G	9.01	-77.59	-80.80	-75.89	-66.88	-7.00	-59.88	-80.80
6565MHz	Pass	1G	40G	PK	39.91103G	9.01	-71.46	-67.88	-66.30	-57.29	-21.20	-36.09	-67.88
6685MHz	Pass	1G	40G	AV	13.37031G	9.01	-86.11	-86.86	-83.46	-74.45	-41.20	-33.25	-86.86
6685MHz	Pass	1G	40G	AV	39.88909G	9.01	-78.06	-78.18	-75.11	-66.10	-41.20	-24.90	-78.18
6685MHz	Pass	1G	40G	PK	13.35447G	9.01	-80.63	-79.93	-77.26	-68.25	-21.20	-47.05	-79.93
6685MHz	Pass	1G	40G	PK	39.89275G	9.01	-68.52	-72.07	-66.93	-57.92	-21.20	-36.72	-72.07
6845MHz	Pass	1G	40G	AV	13.66891G	9.01	-87.63	-87.71	-84.66	-75.65	-27.00	-48.65	-87.71





**CSE (High Pass Filter)
_Non-Beamforming_Serving Radio_2T1S**



Appendix D.11


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
6845MHz	Pass	1G	40G	AV	39.91469G	9.01	-78.09	-78.52	-75.29	-66.28	-41.20	-25.08	-78.52
6845MHz	Pass	1G	40G	PK	13.70791G	9.01	-78.75	-80.52	-76.54	-67.53	-7.00	-60.53	-80.52
6845MHz	Pass	1G	40G	PK	20.54509G	9.01	-68.67	-68.92	-65.78	-56.77	-21.20	-35.57	-68.92
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.97972G	9.01	-86.49	-86.64	-83.55	-74.54	-41.20	-33.34	-86.64
5985MHz	Pass	1G	40G	AV	17.95159G	9.01	-80.80	-74.24	-73.37	-64.36	-41.20	-23.16	-74.24
5985MHz	Pass	1G	40G	PK	11.99313G	9.01	-81.49	-77.94	-76.35	-67.34	-21.20	-46.14	-77.94
5985MHz	Pass	1G	40G	PK	17.95647G	9.01	-70.42	-63.77	-62.92	-53.91	-21.20	-32.71	-63.77
6225MHz	Pass	1G	40G	AV	12.45016G	9.01	-87.75	-84.14	-82.57	-73.56	-41.20	-32.36	-84.14
6225MHz	Pass	1G	40G	AV	39.91347G	9.01	-78.09	-78.52	-75.29	-66.28	-41.20	-25.08	-78.52
6225MHz	Pass	1G	40G	PK	12.44163G	9.01	-80.52	-77.84	-75.97	-66.96	-21.20	-45.76	-77.84
6225MHz	Pass	1G	40G	PK	39.88422G	9.01	-69.82	-70.37	-67.08	-58.07	-21.20	-36.87	-70.37
6385MHz	Pass	1G	40G	AV	12.69878G	9.01	-88.06	-87.31	-84.66	-75.65	-41.20	-34.45	-87.31
6385MHz	Pass	1G	40G	AV	39.90372G	9.01	-78.23	-78.80	-75.50	-66.49	-41.20	-25.29	-78.80
6385MHz	Pass	1G	40G	PK	12.69756G	9.01	-82.25	-80.64	-78.36	-69.35	-21.20	-48.15	-80.64
6385MHz	Pass	1G	40G	PK	39.07253G	9.01	-72.34	-68.93	-67.30	-58.29	-21.20	-37.09	-68.93
6625MHz	Pass	1G	40G	AV	13.2719G	9.01	-86.44	-87.16	-83.77	-74.76	-41.20	-33.56	-87.16
6625MHz	Pass	1G	40G	AV	39.89031G	9.01	-78.38	-78.82	-75.58	-66.57	-41.20	-25.37	-78.82
6625MHz	Pass	1G	40G	PK	13.26184G	9.01	-79.43	-79.22	-76.31	-67.30	-21.20	-46.10	-79.22
6625MHz	Pass	1G	40G	PK	39.52347G	9.01	-71.37	-69.90	-67.56	-58.55	-21.20	-37.35	-69.90
6705MHz	Pass	1G	40G	AV	13.37275G	9.01	-86.71	-87.36	-84.01	-75.00	-41.20	-33.80	-87.36
6705MHz	Pass	1G	40G	AV	39.90128G	9.01	-79.32	-77.57	-75.35	-66.34	-41.20	-25.14	-77.57
6705MHz	Pass	1G	40G	PK	13.34716G	9.01	-80.10	-79.41	-76.73	-67.72	-21.20	-46.52	-79.41
6705MHz	Pass	1G	40G	PK	39.69288G	9.01	-71.87	-68.92	-67.14	-58.13	-21.20	-36.93	-68.92
6785MHz	Pass	1G	40G	AV	13.57019G	9.01	-85.95	-86.01	-82.97	-73.96	-27.00	-46.96	-86.01
6785MHz	Pass	1G	40G	AV	39.89031G	9.01	-79.05	-78.60	-75.81	-66.80	-41.20	-25.60	-78.60
6785MHz	Pass	1G	40G	PK	13.57019G	9.01	-78.26	-77.04	-74.60	-65.59	-7.00	-58.59	-77.04
6785MHz	Pass	1G	40G	PK	38.66791G	9.01	-70.32	-69.61	-66.94	-57.93	-21.20	-36.73	-69.61
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.04919G	9.01	-85.04	-85.61	-82.31	-73.30	-41.20	-32.10	-85.61
6025MHz	Pass	1G	40G	AV	39.88666G	9.01	-78.55	-78.82	-75.67	-66.66	-41.20	-25.46	-78.82
6025MHz	Pass	1G	40G	PK	12.05284G	9.01	-78.00	-79.93	-75.85	-66.84	-21.20	-45.64	-79.93
6025MHz	Pass	1G	40G	PK	18.10028G	9.01	-72.17	-67.12	-65.94	-56.93	-21.20	-35.73	-67.12
6185MHz	Pass	1G	40G	AV	12.36972G	9.01	-87.78	-82.32	-81.23	-72.22	-41.20	-31.02	-82.32
6185MHz	Pass	1G	40G	AV	39.90372G	9.01	-78.80	-78.01	-75.38	-66.37	-41.20	-25.17	-78.01
6185MHz	Pass	1G	40G	PK	12.36972G	9.01	-80.96	-76.49	-75.16	-66.15	-21.20	-44.95	-76.49
6185MHz	Pass	1G	40G	PK	18.53294G	9.01	-75.69	-65.91	-65.48	-56.47	-21.20	-35.27	-65.91
6345MHz	Pass	1G	40G	AV	12.69025G	9.01	-87.65	-86.41	-83.98	-74.97	-41.20	-33.77	-86.41
6345MHz	Pass	1G	40G	AV	39.94394G	9.01	-78.53	-78.53	-75.52	-66.51	-41.20	-25.31	-78.53
6345MHz	Pass	1G	40G	PK	12.64638G	9.01	-79.96	-77.71	-75.68	-66.67	-21.20	-45.47	-77.71
6345MHz	Pass	1G	40G	PK	39.44425G	9.01	-71.21	-68.76	-66.80	-57.79	-21.20	-36.59	-68.76
6665MHz	Pass	1G	40G	AV	13.33009G	9.01	-84.87	-86.49	-82.59	-73.58	-41.20	-32.38	-86.49
6665MHz	Pass	1G	40G	AV	39.91103G	9.01	-76.62	-77.32	-73.95	-64.94	-41.20	-23.74	-77.32
6665MHz	Pass	1G	40G	PK	13.37153G	9.01	-78.41	-77.81	-75.09	-66.08	-21.20	-44.88	-77.81
6665MHz	Pass	1G	40G	PK	39.88056G	9.01	-69.03	-70.26	-66.59	-57.58	-21.20	-36.38	-70.26

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX












6.525-6.875GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE [PK]

6695MHz

22/09/2023



Legend for CSE [PK]:

- Limit.PK (Red line)
- ERP.PK (Green line)
- Sum.PK (Blue line)
- Port 1 (Black line)
- Port 2 (Purple line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.37763G	-67.47	-21.20	-46.27	9.01	0.00	-76.48	-80.26	-78.84
1G	40G	1M	PK	17.81509G	-56.36	-21.20	-35.16	9.01	0.00	-65.37	-65.47	-61.70

6.525-6.875GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE [AV]

6695MHz



22/09/2023






Legend for CSE [AV]:



- Limit.AV (Red line)
- ERP.AV (Green line)
- Sum.AV (Blue line)
- Port 1 (Black line)
- Port 2 (Purple line)



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.39103G	-72.69	-41.20	-31.49	9.01	0.00	-81.70	-83.77	-85.90
1G	40G	1M	AV	39.91713G	-64.58	-41.20	-23.38	9.01	0.00	-73.59	-76.12	-77.14













6.525-6.875GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE [PK]

6685MHz

22/09/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.37031G	-64.25	-21.20	-43.05	9.01	0.00	-73.26	-79.06	-74.58
1G	40G	1M	PK	38.70813G	-56.86	-21.20	-35.66	9.01	0.00	-65.87	-71.96	-67.09

6.525-6.875GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE [AV]

6685MHz

22/09/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.37519G	-73.18	-41.20	-31.98	9.01	0.00	-82.19	-84.26	-86.39
1G	40G	1M	AV	39.90006G	-64.98	-41.20	-23.78	9.01	0.00	-73.99	-76.91	-77.09

6.525-6.875GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE [PK]

6845MHz

22/09/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.69572G	-64.23	-7.00	-57.23	9.01	0.00	-73.24	-78.06	-74.97
1G	40G	1M	PK	20.539G	-46.13	-21.20	-24.93	9.01	0.00	-55.14	-56.78	-60.16

6.525-6.875GHz_11a40_40MHz_Nss1,(6Mbps)_2TX



CSE [AV]

6845MHz

22/09/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.68963G	-70.25	-27.00	-43.25	9.01	0.00	-79.26	-84.41	-80.84
1G	40G	1M	AV	20.54875G	-51.75	-41.20	-10.55	9.01	0.00	-60.76	-63.17	-64.47







5.925-6.425GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE [PK]

6385MHz

22/09/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	12.69878G	-67.86	-21.20	-46.66	9.01	0.00	-76.87	-80.19	-79.59
1G	40G	1M	PK	39.89275G	-57.81	-21.20	-36.61	9.01	0.00	-66.82	-72.62	-68.14

5.925-6.425GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE [AV]

6385MHz

22/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	12.69756G	-74.23	-41.20	-33.03	9.01	0.00	-83.24	-86.08	-86.43
1G	40G	1M	AV	39.88666G	-65.07	-41.20	-23.87	9.01	0.00	-74.08	-77.70	-76.56

6.525-6.875GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE [PK]

6625MHz

22/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.32156G	-66.92	-21.20	-45.72	9.01	0.00	-75.93	-78.48	-79.45
1G	40G	1M	PK	39.71603G	-57.67	-21.20	-36.47	9.01	0.00	-66.68	-67.72	-73.42

6.525-6.875GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE [AV]

6625MHz

22/09/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.27403G	-74.00	-41.20	-32.80	9.01	0.00	-83.01	-85.76	-86.29
1G	40G	1M	AV	39.89884G	-65.04	-41.20	-23.84	9.01	0.00	-74.05	-76.88	-77.25




6.525-6.875GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE [PK]

6705MHz

22/09/2023



Legend for CSE [PK]:

- Limit.PK (Red line)
- ERP.PK (Green line)
- Sum.PK (Blue line)
- Port 1 (Black line)
- Port 2 (Black line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.36544G	-67.90	-21.20	-46.70	9.01	0.00	-76.91	-81.27	-78.90
1G	40G	1M	PK	39.28216G	-57.69	-21.20	-36.49	9.01	0.00	-66.70	-69.62	-69.81

6.525-6.875GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE [AV]

6705MHz

22/09/2023



Legend for CSE [AV]:

- Limit.AV (Red line)
- ERP.AV (Green line)
- Sum.AV (Blue line)
- Port 1 (Black line)
- Port 2 (Black line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.39591G	-74.24	-41.20	-33.04	9.01	0.00	-83.25	-85.82	-86.75
1G	40G	1M	AV	39.88178G	-65.08	-41.20	-23.88	9.01	0.00	-74.09	-76.62	-77.64

6.525-6.875GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE [PK]

6785MHz

22/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.622259G	-66.62	-7.00	-59.62	9.01	0.00	-75.63	-81.58	-76.90
1G	40G	1M	PK	39.91713G	-57.32	-21.20	-36.12	9.01	0.00	-66.33	-69.65	-69.06

6.525-6.875GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE [AV]



6785MHz



22/09/2023






- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.57019G	-67.93	-27.00	-40.93	9.01	0.00	-76.94	-85.33	-77.62
1G	40G	1M	AV	39.89641G	-65.10	-41.20	-23.90	9.01	0.00	-74.11	-77.55	-76.73






















6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6535MHz

09/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.07172G	-68.21	-7.00	-61.21	9.01	0.00	-77.22	-81.06	-79.53
1G	40G	1M	PK	39.27484G	-57.90	-21.20	-36.70	9.01	0.00	-66.91	-68.63	-71.75

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [AV]

6535MHz

09/09/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.06928G	-72.06	-27.00	-45.06	9.01	0.00	-81.07	-82.58	-86.38
1G	40G	1M	AV	39.89763G	-65.33	-41.20	-24.13	9.01	0.00	-74.34	-76.98	-77.76




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6695MHz

09/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.39103G	-66.37	-21.20	-45.17	9.01	0.00	-75.38	-80.21	-77.11
1G	40G	1M	PK	39.09325G	-58.24	-21.20	-37.04	9.01	0.00	-67.25	-69.91	-70.64

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [AV]

6695MHz

09/09/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.38981G	-73.46	-41.20	-32.26	9.01	0.00	-82.47	-85.02	-86.00
1G	40G	1M	AV	39.92078G	-65.64	-41.20	-24.44	9.01	0.00	-74.65	-77.31	-78.04




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6855MHz

09/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.71156G	-67.91	-7.00	-60.91	9.01	0.00	-76.92	-78.93	-81.22
1G	40G	1M	PK	20.56947G	-48.93	-21.20	-27.73	9.01	0.00	-57.94	-65.81	-58.72

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [AV]



6855MHz



09/09/2023




- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.71034G	-74.72	-27.00	-47.72	9.01	0.00	-83.73	-86.41	-87.10
1G	40G	1M	AV	20.57069G	-60.02	-41.20	-18.82	9.01	0.00	-69.03	-75.25	-70.21








6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6565MHz

09/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.13388G	-66.88	-7.00	-59.88	9.01	0.00	-75.89	-77.59	-80.80
1G	40G	1M	PK	39.91103G	-57.29	-21.20	-36.09	9.01	0.00	-66.30	-71.46	-67.88

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

6565MHz

09/09/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.13022G	-72.15	-27.00	-45.15	9.01	0.00	-81.16	-82.60	-86.64
1G	40G	1M	AV	39.91469G	-66.11	-41.20	-24.91	9.01	0.00	-75.12	-77.63	-78.70




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6685MHz

09/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.35447G	-68.25	-21.20	-47.05	9.01	0.00	-77.26	-80.63	-79.93
1G	40G	1M	PK	39.89275G	-57.92	-21.20	-36.72	9.01	0.00	-66.93	-68.52	-72.07

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

6685MHz

09/09/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.37031G	-74.45	-41.20	-33.25	9.01	0.00	-83.46	-86.11	-86.86
1G	40G	1M	AV	39.88909G	-66.10	-41.20	-24.90	9.01	0.00	-75.11	-78.06	-78.18

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6845MHz

09/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.70791G	-67.53	-7.00	-60.53	9.01	0.00	-76.54	-78.75	-80.52
1G	40G	1M	PK	20.54509G	-56.77	-21.20	-35.57	9.01	0.00	-65.78	-68.67	-68.92

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]



6845MHz



09/09/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.66891G	-75.65	-27.00	-48.65	9.01	0.00	-84.66	-87.63	-87.71
1G	40G	1M	AV	39.91469G	-66.28	-41.20	-25.08	9.01	0.00	-75.29	-78.09	-78.52








5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6385MHz

09/09/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	12.69756G	-69.35	-21.20	-48.15	9.01	0.00	-78.36	-82.25	-80.64
1G	40G	1M	PK	39.07253G	-58.29	-21.20	-37.09	9.01	0.00	-67.30	-72.34	-68.93

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6385MHz

09/09/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	12.69878G	-75.65	-41.20	-34.45	9.01	0.00	-84.66	-88.06	-87.31
1G	40G	1M	AV	39.90372G	-66.49	-41.20	-25.29	9.01	0.00	-75.50	-78.23	-78.80




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6625MHz

09/09/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.26184G	-67.30	-21.20	-46.10	9.01	0.00	-76.31	-79.43	-79.22
1G	40G	1M	PK	39.52347G	-58.55	-21.20	-37.35	9.01	0.00	-67.56	-71.37	-69.90

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6625MHz

09/09/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.29719G	-74.76	-41.20	-33.56	9.01	0.00	-83.77	-86.44	-87.16
1G	40G	1M	AV	39.89031G	-66.57	-41.20	-25.37	9.01	0.00	-75.58	-78.38	-78.82




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6705MHz

09/09/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.34716G	-67.72	-21.20	-46.52	9.01	0.00	-76.73	-80.10	-79.41
1G	40G	1M	PK	39.69288G	-58.13	-21.20	-36.93	9.01	0.00	-67.14	-71.87	-68.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6705MHz

09/09/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.37275G	-75.00	-41.20	-33.80	9.01	0.00	-84.01	-86.71	-87.36
1G	40G	1M	AV	39.90128G	-66.34	-41.20	-25.14	9.01	0.00	-75.35	-79.32	-77.57




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6785MHz

09/09/2023



Legend for CSE [PK]:

- Limit:PK (Red line)
- ERP:PK (Green line)
- Sum:PK (Blue line)
- Port 1 (Black line)
- Port 2 (Black line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.57019G	-65.59	-7.00	-58.59	9.01	0.00	-74.60	-78.26	-77.04
1G	40G	1M	PK	38.66791G	-57.93	-21.20	-36.73	9.01	0.00	-66.94	-70.32	-69.61

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6785MHz



09/09/2023



Legend for CSE [AV]:

- Limit:AV (Red line)
- ERP:AV (Green line)
- Sum:AV (Blue line)
- Port 1 (Black line)
- Port 2 (Black line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.57019G	-73.96	-27.00	-46.96	9.01	0.00	-82.97	-85.95	-86.01
1G	40G	1M	AV	39.89031G	-66.80	-41.20	-25.60	9.01	0.00	-75.81	-79.05	-78.60






5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE [PK]

6185MHz

09/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	12.36972G	-66.15	-21.20	-44.95	9.01	0.00	-75.16	-80.96	-76.49
1G	40G	1M	PK	18.53294G	-56.47	-21.20	-35.27	9.01	0.00	-65.48	-75.69	-65.91

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE [AV]



6185MHz

09/09/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	12.36972G	-72.22	-41.20	-31.02	9.01	0.00	-81.23	-87.78	-82.32
1G	40G	1M	AV	18.53294G	-66.37	-41.20	-25.17	9.01	0.00	-75.38	-78.80	-78.01




6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE [PK]

6665MHz

09/09/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.37153G	-66.08	-21.20	-44.88	9.01	0.00	-75.09	-78.41	-77.81
1G	40G	1M	PK	39.88056G	-57.58	-21.20	-36.38	9.01	0.00	-66.59	-69.03	-70.26

6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE [AV]

6665MHz

09/09/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.33009G	-73.58	-41.20	-32.38	9.01	0.00	-82.59	-84.87	-86.49
1G	40G	1M	AV	39.91103G	-64.94	-41.20	-23.74	9.01	0.00	-73.95	-76.62	-77.32



CSE (High Pass Filter)
Non-Beamforming_Serving Radio_4T1S

Appendix D.12

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	-55.01	-67.03	-72.05	-73.91	-71.51	-76.07	-41.20	-13.81	12.02
11a40_40MHz_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	-57.45	-69.47	-72.68	-79.52	-73.53	-84.43	-41.20	-16.25	12.02
11a80_80MHz_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	-58.39	-70.41	-77.08	-75.95	-76.23	-76.55	-41.20	-17.19	12.02
11a160_160MHz_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	-58.91	-70.93	-77.61	-76.85	-76.55	-76.85	-41.20	-17.71	12.02
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	-51.67	-63.69	-68.38	-72.05	-67.92	-72.32	-41.20	-10.47	12.02
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	-54.61	-66.63	-72.26	-76.48	-69.43	-76.75	-41.20	-13.41	12.02
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	-56.43	-68.45	-73.06	-79.33	-71.48	-79.70	-41.20	-15.23	12.02
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	-55.78	-67.80	-68.81	-80.29	-76.61	-85.00	-41.20	-14.58	12.02
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	-58.20	-70.22	-75.71	-72.51	-84.24	-80.79	-41.20	-17.00	12.02
11a40_40MHz_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	-58.32	-70.34	-76.06	-76.62	-77.11	-75.79	-41.20	-17.12	12.02
11a80_80MHz_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	-58.68	-70.70	-76.33	-76.15	-77.48	-77.04	-41.20	-17.48	12.02
11a160_160MHz_Nss1,(6Mbps)_4TX	Pass	1G	40G	AV	-59.05	-71.07	-77.69	-76.89	-77.36	-76.51	-41.20	-17.85	12.02
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	-53.81	-65.83	-70.76	-68.95	-85.19	-73.27	-41.20	-12.61	12.02
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	-59.46	-71.48	-77.18	-77.37	-77.73	-77.73	-41.20	-18.26	12.02
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	-59.10	-71.12	-77.39	-77.01	-77.05	-77.13	-41.20	-17.90	12.02
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	1G	40G	AV	-59.30	-71.32	-76.88	-77.53	-78.10	-76.95	-41.20	-18.10	12.02

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



**CSE (High Pass Filter)
_Non-Beamforming_Serving Radio_4T1S**

Appendix D.12

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
11a20_20MHz_Nss1_(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.91025G	12.02	-78.37	-84.98	-84.98	-80.78	-74.80	-62.78	-41.20	-21.58
5955MHz	Pass	1G	40G	AV	17.86384G	12.02	-76.07	-72.05	-72.05	-71.51	-67.03	-55.01	-41.20	-13.81
5955MHz	Pass	1G	40G	PK	11.91025G	12.02	-76.92	-81.10	-81.10	-76.92	-72.16	-60.14	-21.20	-38.94
5955MHz	Pass	1G	40G	PK	17.8675G	12.02	-71.22	-69.37	-69.37	-66.36	-62.29	-50.27	-21.20	-29.07
6195MHz	Pass	1G	40G	AV	12.38922G	12.02	-85.80	-82.37	-82.37	-80.54	-76.84	-64.82	-41.20	-23.62
6195MHz	Pass	1G	40G	AV	18.58291G	12.02	-85.26	-72.62	-72.62	-77.75	-70.90	-58.88	-41.20	-17.68
6195MHz	Pass	1G	40G	PK	12.38922G	12.02	-79.92	-76.15	-76.15	-78.82	-72.80	-60.78	-21.20	-39.58
6195MHz	Pass	1G	40G	PK	39.93297G	12.02	-69.89	-73.76	-73.76	-69.64	-65.40	-53.38	-21.20	-32.18
6415MHz	Pass	1G	40G	AV	12.82919G	12.02	-83.27	-85.02	-85.02	-82.29	-77.05	-65.03	-27.00	-38.03
6415MHz	Pass	1G	40G	AV	39.90128G	12.02	-77.66	-77.33	-77.33	-77.02	-71.26	-59.24	-41.20	-18.04
6415MHz	Pass	1G	40G	PK	12.82979G	12.02	-79.45	-80.53	-80.53	-74.35	-71.96	-59.94	-7.00	-52.94
6415MHz	Pass	1G	40G	PK	39.06156G	12.02	-71.54	-72.91	-72.91	-72.10	-65.55	-53.53	-21.20	-32.33
6535MHz	Pass	1G	40G	AV	13.06197G	12.02	-86.18	-86.61	-86.61	-85.83	-80.22	-68.20	-27.00	-41.20
6535MHz	Pass	1G	40G	AV	39.9006G	12.02	-77.54	-77.14	-77.14	-76.64	-71.04	-59.02	-41.20	-17.82
6535MHz	Pass	1G	40G	PK	13.06441G	12.02	-82.27	-81.62	-81.62	-79.42	-75.26	-63.24	-7.00	-56.24
6535MHz	Pass	1G	40G	PK	39.90128G	12.02	-69.33	-71.05	-71.05	-74.52	-65.33	-53.31	-21.20	-32.11
6695MHz	Pass	1G	40G	AV	13.38372G	12.02	-85.85	-86.33	-86.33	-86.26	-80.33	-68.31	-41.20	-27.11
6695MHz	Pass	1G	40G	AV	39.91469G	12.02	-77.65	-77.20	-77.20	-77.48	-71.23	-59.21	-41.20	-18.01
6695MHz	Pass	1G	40G	PK	13.39834G	12.02	-84.91	-81.92	-81.92	-79.07	-75.46	-63.44	-21.20	-42.24
6695MHz	Pass	1G	40G	PK	39.87203G	12.02	-73.85	-74.38	-74.38	-70.66	-65.45	-53.43	-21.20	-32.23
6855MHz	Pass	1G	40G	AV	13.72375G	12.02	-86.22	-86.69	-86.69	-85.78	-80.18	-68.16	-27.00	-41.16
6855MHz	Pass	1G	40G	AV	20.56703G	12.02	-80.79	-75.71	-75.71	-84.24	-70.22	-58.20	-41.20	-17.00
6855MHz	Pass	1G	40G	PK	13.69328G	12.02	-81.74	-81.40	-81.40	-83.54	-75.06	-63.04	-7.00	-56.04
6855MHz	Pass	1G	40G	PK	20.57434G	12.02	-80.09	-74.89	-74.89	-81.69	-64.42	-52.40	-21.20	-31.20
11a40_40MHz_Nss1_(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	40G	AV	11.92975G	12.02	-79.21	-86.08	-86.08	-82.44	-75.75	-63.73	-41.20	-22.53
5965MHz	Pass	1G	40G	AV	39.90372G	12.02	-77.41	-77.13	-77.13	-77.25	-70.92	-58.90	-41.20	-17.70
5965MHz	Pass	1G	40G	PK	11.92975G	12.02	-77.12	-81.71	-81.71	-80.77	-73.64	-61.62	-21.20	-40.42
5965MHz	Pass	1G	40G	PK	39.70019G	12.02	-71.07	-69.97	-69.97	-71.43	-65.28	-53.26	-21.20	-32.06
6205MHz	Pass	1G	40G	AV	12.40994G	12.02	-86.33	-81.66	-81.66	-80.46	-76.65	-64.63	-41.20	-23.43
6205MHz	Pass	1G	40G	AV	18.59997G	12.02	-84.43	-72.68	-72.68	-73.53	-69.47	-57.45	-41.20	-16.25
6205MHz	Pass	1G	40G	PK	12.42091G	12.02	-81.13	-81.83	-81.83	-78.39	-75.02	-63.00	-21.20	-41.60
6205MHz	Pass	1G	40G	PK	18.58169G	12.02	-77.45	-62.73	-62.73	-75.90	-62.00	-49.98	-21.20	-28.78
6405MHz	Pass	1G	40G	AV	12.80969G	12.02	-83.55	-84.13	-84.13	-81.60	-76.81	-64.79	-27.00	-37.79
6405MHz	Pass	1G	40G	AV	39.90494G	12.02	-76.31	-76.63	-76.63	-76.34	-70.39	-58.37	-41.20	-17.17
6405MHz	Pass	1G	40G	PK	12.80969G	12.02	-79.16	-84.85	-84.85	-79.27	-74.09	-62.07	-7.00	-55.07
6405MHz	Pass	1G	40G	PK	39.93297G	12.02	-70.10	-72.45	-72.45	-70.84	-64.71	-52.69	-21.20	-31.49
6565MHz	Pass	1G	40G	AV	13.16313G	12.02	-85.37	-86.53	-86.53	-85.93	-79.92	-67.90	-27.00	-40.90
6565MHz	Pass	1G	40G	AV	39.88544G	12.02	-75.79	-76.06	-76.06	-77.11	-70.34	-58.32	-41.20	-17.12
6565MHz	Pass	1G	40G	PK	13.11925G	12.02	-86.96	-78.15	-78.15	-82.21	-75.36	-63.34	-7.00	-56.34
6565MHz	Pass	1G	40G	PK	39.66363G	12.02	-68.36	-74.02	-74.02	-71.88	-64.25	-52.23	-21.20	-31.03
6685MHz	Pass	1G	40G	AV	13.35081G	12.02	-86.54	-86.54	-86.54	-86.26	-80.20	-68.18	-41.20	-26.98
6685MHz	Pass	1G	40G	AV	39.90859G	12.02	-76.34	-76.27	-76.27	-76.63	-70.52	-58.50	-41.20	-17.30
6685MHz	Pass	1G	40G	PK	13.38372G	12.02	-79.23	-80.92	-80.92	-78.38	-73.90	-61.88	-21.20	-40.68
6685MHz	Pass	1G	40G	PK	39.91469G	12.02	-70.71	-71.83	-71.83	-69.86	-65.15	-53.13	-21.20	-31.93
6845MHz	Pass	1G	40G	AV	13.68231G	12.02	-85.69	-86.12	-86.12	-86.49	-80.06	-68.04	-27.00	-41.04
6845MHz	Pass	1G	40G	AV	39.90981G	12.02	-76.52	-76.59	-76.59	-76.74	-70.68	-58.66	-41.20	-17.46
6845MHz	Pass	1G	40G	PK	13.69206G	12.02	-81.92	-78.89	-78.89	-82.48	-74.17	-62.15	-7.00	-55.15
6845MHz	Pass	1G	40G	PK	39.92078G	12.02	-70.23	-71.13	-71.13	-70.76	-64.72	-52.70	-21.20	-31.50
11a80_80MHz_Nss1_(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.96997G	12.02	-79.74	-85.73	-85.73	-82.91	-76.12	-64.10	-41.20	-22.90
5985MHz	Pass	1G	40G	AV	39.90372G	12.02	-76.60	-75.79	-75.79	-76.98	-70.50	-58.48	-41.20	-17.28
5985MHz	Pass	1G	40G	PK	11.96997G	12.02	-78.43	-82.33	-82.33	-79.61	-73.77	-61.75	-21.20	-40.55
5985MHz	Pass	1G	40G	PK	39.05059G	12.02	-70.73	-71.45	-71.45	-69.31	-64.84	-52.82	-21.20	-31.62
6225MHz	Pass	1G	40G	AV	12.45016G	12.02	-86.53	-81.66	-81.66	-79.03	-75.94	-63.92	-41.20	-22.72
6225MHz	Pass	1G	40G	AV	39.91347G	12.02	-76.55	-77.08	-77.08	-76.23	-70.41	-58.39	-41.20	-17.19
6225MHz	Pass	1G	40G	PK	12.48063G	12.02	-82.31	-81.62	-81.62	-80.27	-74.30	-62.28	-21.20	-41.08
6225MHz	Pass	1G	40G	PK	39.71116G	12.02	-68.00	-72.92	-72.92	-72.84	-64.80	-52.78	-21.20	-31.58
6385MHz	Pass	1G	40G	AV	12.69878G	12.02	-86.79	-86.56	-86.56	-85.76	-80.32	-68.30	-41.20	-27.10
6385MHz	Pass	1G	40G	AV	39.91469G	12.02	-75.35	-76.96	-76.96	-77.00	-70.54	-58.52	-41.20	-17.32
6385MHz	Pass	1G	40G	PK	12.69756G	12.02	-86.83	-83.66	-83.66	-81.17	-77.10	-65.08	-21.20	-43.88
6385MHz	Pass	1G	40G	PK	39.90128G	12.02	-69.22	-70.88	-70.88	-72.72	-64.84	-52.82	-21.20	-31.62
6625MHz	Pass	1G	40G	AV	13.28013G	12.02	-86.65	-84.91	-84.91	-86.14	-79.72	-67.70	-41.20	-26.50
6625MHz	Pass	1G	40G	AV	39.91713G	12.02	-77.04	-76.33	-76.33	-77.48	-70.70	-58.68	-41.20	-17.48
6625MHz	Pass	1G	40G	PK	13.31791G	12.02	-83.15	-76.96	-76.96	-81.32	-74.27	-62.25	-21.20	-41.05
6625MHz	Pass	1G	40G	PK	39.96953G	12.02	-73.00	-70.70	-70.70	-68.52	-64.73	-52.71	-21.20	-31.51
6705MHz	Pass	1G	40G	AV	13.35447G	12.02	-86.26	-86.12	-86.12	-86.19	-80.29	-68.27	-41.20	-27.07
6705MHz	Pass	1G	40G	AV	39.91713G	12.02	-77.48	-76.88	-76.88	-76.08	-70.86	-58.84	-41.20	-17.64



CSE (High Pass Filter)
Non-Beamforming_Serving Radio_4T1S

Appendix D.12

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6705MHz	Pass	1G	40G	PK	13.33984G	12.02	-83.72	-79.40	-79.40	-80.25	-75.24	-63.22	-21.20	-42.02
6705MHz	Pass	1G	40G	PK	39.05303G	12.02	-70.06	-70.52	-70.52	-71.17	-65.10	-53.08	-21.20	-31.88
6785MHz	Pass	1G	40G	AV	13.51778G	12.02	-85.93	-86.22	-86.22	-84.31	-79.41	-67.39	-27.00	-40.39
6785MHz	Pass	1G	40G	AV	39.90616G	12.02	-76.78	-77.01	-77.01	-76.97	-70.80	-58.78	-41.20	-17.58
6785MHz	Pass	1G	40G	PK	13.60309G	12.02	-81.36	-78.58	-78.58	-80.77	-74.00	-61.98	-7.00	-54.98
6785MHz	Pass	1G	40G	PK	39.89275G	12.02	-69.38	-74.29	-74.29	-71.29	-65.23	-53.21	-21.20	-32.01
11a160_160MHz_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.04919G	12.02	-81.25	-85.87	-85.87	-82.73	-76.75	-64.73	-41.20	-23.53
6025MHz	Pass	1G	40G	AV	39.90494G	12.02	-77.21	-77.25	-77.25	-76.78	-71.00	-58.98	-41.20	-17.78
6025MHz	Pass	1G	40G	PK	11.96509G	12.02	-78.54	-82.95	-82.95	-82.20	-74.27	-62.25	-21.20	-41.05
6025MHz	Pass	1G	40G	PK	39.93053G	12.02	-70.62	-74.69	-74.69	-70.42	-64.82	-52.80	-21.20	-31.60
6185MHz	Pass	1G	40G	AV	12.36972G	12.02	-86.11	-82.06	-82.06	-81.24	-77.10	-65.08	-41.20	-23.88
6185MHz	Pass	1G	40G	AV	39.49788G	12.02	-76.79	-76.59	-76.59	-77.77	-71.02	-59.00	-41.20	-17.80
6185MHz	Pass	1G	40G	PK	12.36972G	12.02	-82.46	-77.49	-77.49	-78.09	-73.24	-61.22	-21.20	-40.02
6185MHz	Pass	1G	40G	PK	39.89153G	12.02	-69.89	-72.91	-72.91	-71.29	-65.39	-53.37	-21.20	-32.17
6345MHz	Pass	1G	40G	AV	12.69025G	12.02	-85.30	-85.17	-85.17	-84.98	-78.90	-66.88	-41.20	-25.68
6345MHz	Pass	1G	40G	AV	39.91103G	12.02	-76.85	-77.61	-77.61	-76.55	-70.93	-58.91	-41.20	-17.71
6345MHz	Pass	1G	40G	PK	12.64394G	12.02	-80.01	-81.56	-81.56	-81.77	-74.09	-62.07	-21.20	-40.87
6345MHz	Pass	1G	40G	PK	39.93784G	12.02	-68.47	-72.51	-72.51	-73.39	-64.54	-52.52	-21.20	-31.32
6665MHz	Pass	1G	40G	AV	13.29963G	12.02	-86.31	-86.74	-86.74	-85.37	-79.96	-67.94	-41.20	-26.74
6665MHz	Pass	1G	40G	AV	39.91469G	12.02	-76.51	-77.69	-77.69	-77.36	-71.07	-59.05	-41.20	-17.85
6665MHz	Pass	1G	40G	PK	13.30816G	12.02	-79.39	-81.21	-81.21	-78.07	-74.09	-62.07	-21.20	-40.87
6665MHz	Pass	1G	40G	PK	39.06888G	12.02	-73.67	-67.44	-67.44	-73.25	-65.08	-53.06	-21.20	-31.86
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.91025G	12.02	-83.92	-84.25	-84.25	-81.26	-76.20	-64.18	-41.20	-22.98
5955MHz	Pass	1G	40G	AV	17.86628G	12.02	-72.32	-68.38	-68.38	-67.92	-63.69	-51.67	-41.20	-10.47
5955MHz	Pass	1G	40G	PK	11.91025G	12.02	-80.98	-78.58	-78.58	-77.99	-72.74	-60.72	-21.20	-39.52
5955MHz	Pass	1G	40G	PK	23.81744G	12.02	-70.94	-64.52	-64.52	-57.29	-56.10	-44.08	-21.20	-22.88
6195MHz	Pass	1G	40G	AV	12.38922G	12.02	-86.01	-82.31	-82.31	-86.22	-78.51	-66.49	-41.20	-25.29
6195MHz	Pass	1G	40G	AV	18.57803G	12.02	-83.95	-67.97	-67.97	-69.51	-65.32	-53.30	-41.20	-12.10
6195MHz	Pass	1G	40G	PK	12.38922G	12.02	-81.91	-78.23	-78.23	-82.76	-73.70	-61.68	-21.20	-40.48
6195MHz	Pass	1G	40G	PK	18.57194G	12.02	-78.71	-62.70	-62.70	-62.49	-59.36	-47.34	-21.20	-26.14
6415MHz	Pass	1G	40G	AV	12.83041G	12.02	-84.48	-84.85	-84.85	-81.00	-76.60	-64.58	-27.00	-37.58
6415MHz	Pass	1G	40G	AV	39.92078G	12.02	-78.12	-77.63	-77.63	-77.20	-71.55	-59.53	-41.20	-18.33
6415MHz	Pass	1G	40G	PK	12.82797G	12.02	-77.43	-78.06	-78.06	-75.18	-71.70	-59.68	-7.00	-52.68
6415MHz	Pass	1G	40G	PK	39.93419G	12.02	-72.34	-69.66	-69.66	-71.25	-65.39	-53.37	-21.20	-32.17
6535MHz	Pass	1G	40G	AV	13.06928G	12.02	-83.38	-85.97	-85.97	-86.45	-79.29	-67.27	-27.00	-40.27
6535MHz	Pass	1G	40G	AV	39.91347G	12.02	-77.76	-78.21	-78.21	-77.40	-71.49	-59.47	-41.20	-18.27
6535MHz	Pass	1G	40G	PK	13.07903G	12.02	-81.13	-83.41	-83.41	-79.97	-74.89	-62.87	-7.00	-56.87
6535MHz	Pass	1G	40G	PK	39.87934G	12.02	-70.99	-69.03	-69.03	-71.84	-64.38	-52.36	-21.20	-31.16
6695MHz	Pass	1G	40G	AV	13.38981G	12.02	-86.00	-86.95	-86.95	-86.67	-80.43	-68.41	-41.20	-27.21
6695MHz	Pass	1G	40G	AV	39.89031G	12.02	-76.56	-77.72	-77.72	-77.29	-71.34	-59.32	-41.20	-18.12
6695MHz	Pass	1G	40G	PK	13.38006G	12.02	-81.21	-78.85	-78.85	-81.95	-74.85	-62.83	-21.20	-41.63
6695MHz	Pass	1G	40G	PK	39.89519G	12.02	-72.83	-73.97	-73.97	-70.75	-65.10	-53.08	-21.20	-31.88
6855MHz	Pass	1G	40G	AV	13.71034G	12.02	-86.79	-83.99	-83.99	-86.79	-79.79	-67.77	-27.00	-40.77
6855MHz	Pass	1G	40G	AV	20.57191G	12.02	-73.27	-70.76	-70.76	-85.19	-65.83	-53.81	-41.20	-12.61
6855MHz	Pass	1G	40G	PK	13.69572G	12.02	-80.86	-80.20	-80.20	-83.25	-74.70	-62.68	-7.00	-56.68
6855MHz	Pass	1G	40G	PK	20.57069G	12.02	-69.85	-64.50	-64.50	-78.62	-68.60	-46.58	-21.20	-25.38
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	40G	AV	11.92975G	12.02	-84.57	-85.88	-85.88	-82.70	-77.71	-65.69	-41.20	-24.49
5965MHz	Pass	1G	40G	AV	17.89675G	12.02	-76.75	-72.26	-72.26	-69.43	-66.63	-54.61	-41.20	-13.41
5965MHz	Pass	1G	40G	PK	11.91513G	12.02	-79.75	-80.23	-80.23	-76.31	-73.28	-61.26	-21.20	-40.06
5965MHz	Pass	1G	40G	PK	23.86863G	12.02	-77.18	-69.25	-69.25	-59.10	-58.54	-46.52	-21.20	-25.32
6205MHz	Pass	1G	40G	AV	12.40994G	12.02	-84.24	-80.40	-80.40	-85.09	-76.66	-64.64	-41.20	-23.44
6205MHz	Pass	1G	40G	AV	18.59509G	12.02	-85.37	-73.81	-73.81	-74.64	-70.78	-58.76	-41.20	-17.56
6205MHz	Pass	1G	40G	PK	12.40141G	12.02	-83.52	-82.40	-82.40	-79.19	-74.55	-62.53	-21.20	-41.33
6205MHz	Pass	1G	40G	PK	18.57803G	12.02	-81.76	-64.50	-64.50	-72.98	-63.69	-51.67	-21.20	-30.47
6405MHz	Pass	1G	40G	AV	12.80969G	12.02	-85.64	-84.85	-84.85	-83.91	-77.17	-65.15	-27.00	-38.15
6405MHz	Pass	1G	40G	AV	39.89763G	12.02	-77.25	-77.84	-77.84	-77.17	-71.41	-59.39	-41.20	-18.19
6405MHz	Pass	1G	40G	PK	12.84259G	12.02	-81.07	-78.16	-78.16	-78.30	-72.92	-60.90	-7.00	-53.90
6405MHz	Pass	1G	40G	PK	39.09934G	12.02	-69.08	-76.75	-76.75	-68.12	-64.63	-52.61	-21.20	-31.41
6565MHz	Pass	1G	40G	AV	13.13022G	12.02	-83.56	-86.72	-86.72	-87.27	-79.83	-67.81	-27.00	-40.81
6565MHz	Pass	1G	40G	AV	39.90372G	12.02	-77.73	-77.18	-77.18	-77.73	-71.48	-59.46	-41.20	-18.26
6565MHz	Pass	1G	40G	PK	13.10463G	12.02	-79.76	-75.50	-75.50	-80.92	-72.97	-60.95	-7.00	-53.95
6565MHz	Pass	1G	40G	PK	39.91834G	12.02	-69.51	-73.84	-73.84	-69.25	-65.13	-53.11	-21.20	-31.91
6685MHz	Pass	1G	40G	AV	13.37031G	12.02	-85.24	-86.86	-86.86	-85.91	-80.14	-68.12	-41.20	-26.92
6685MHz	Pass	1G	40G	AV	39.90981G	12.02	-77.92	-77.02	-77.02	-77.32	-71.55	-59.53	-41.20	-18.33
6685MHz	Pass	1G	40G	PK	13.34228G	12.02	-82.37	-78.79	-78.79	-83.35	-74.91	-62.89	-21.20	-41.69
6685MHz	Pass	1G	40G	PK	39.28581G	12.02	-74.14	-69.10	-69.10	-72.60	-65.54	-53.52	-21.20	-32.32
6845MHz	Pass	1G	40G	AV	13.66891G	12.02	-86.70	-87.47	-87.47	-85.79	-80.66	-68.64	-27.00	-41.64






CSE (High Pass Filter)
Non-Beamforming_Serving Radio_4T1S


Appendix D.12


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6845MHz	Pass	1G	40G	AV	39.90006G	12.02	-77.77	-78.14	-78.14	-77.22	-71.51	-59.49	-41.20	-18.29
6845MHz	Pass	1G	40G	PK	13.66281G	12.02	-81.68	-80.94	-80.94	-80.01	-74.88	-62.86	-7.00	-55.86
6845MHz	Pass	1G	40G	PK	39.2395G	12.02	-70.95	-73.75	-73.75	-73.28	-65.00	-52.98	-21.20	-31.78
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.96997G	12.02	-85.24	-85.95	-85.95	-83.67	-78.13	-66.11	-41.20	-24.91
5985MHz	Pass	1G	40G	AV	17.96134G	12.02	-79.70	-73.06	-73.06	-71.48	-68.45	-56.43	-41.20	-16.23
5985MHz	Pass	1G	40G	PK	12.01994G	12.02	-83.09	-82.00	-82.00	-77.67	-73.47	-61.45	-21.20	-40.25
5985MHz	Pass	1G	40G	PK	18.01131G	12.02	-76.13	-62.03	-62.03	-66.45	-60.52	-48.50	-21.20	-27.30
6225MHz	Pass	1G	40G	AV	12.45016G	12.02	-86.40	-81.38	-81.38	-84.45	-77.53	-65.51	-41.20	-24.31
6225MHz	Pass	1G	40G	AV	39.90859G	12.02	-77.10	-77.21	-77.21	-77.25	-71.39	-59.37	-41.20	-18.17
6225MHz	Pass	1G	40G	PK	12.46844G	12.02	-79.67	-77.68	-77.68	-80.91	-73.82	-61.80	-21.20	-40.60
6225MHz	Pass	1G	40G	PK	39.87934G	12.02	-71.10	-70.55	-70.55	-76.02	-64.89	-52.87	-21.20	-31.67
6385MHz	Pass	1G	40G	AV	12.69756G	12.02	-87.07	-87.00	-87.00	-86.62	-80.99	-68.97	-41.20	-27.77
6385MHz	Pass	1G	40G	AV	39.91591G	12.02	-77.24	-78.04	-78.04	-77.51	-71.42	-59.40	-41.20	-18.20
6385MHz	Pass	1G	40G	PK	12.69756G	12.02	-82.47	-81.90	-81.90	-81.69	-76.27	-64.25	-21.20	-43.05
6385MHz	Pass	1G	40G	PK	39.67825G	12.02	-71.41	-69.84	-69.84	-70.62	-65.43	-53.41	-21.20	-32.21
6625MHz	Pass	1G	40G	AV	13.25088G	12.02	-86.22	-86.79	-86.79	-87.32	-80.55	-68.53	-41.20	-27.33
6625MHz	Pass	1G	40G	AV	39.89884G	12.02	-77.50	-77.31	-77.31	-77.43	-71.53	-59.51	-41.20	-18.31
6625MHz	Pass	1G	40G	PK	13.29231G	12.02	-79.84	-79.22	-79.22	-79.90	-74.03	-62.01	-21.20	-40.81
6625MHz	Pass	1G	40G	PK	39.85741G	12.02	-72.92	-68.73	-68.73	-72.88	-65.22	-53.20	-21.20	-32.00
6705MHz	Pass	1G	40G	AV	13.38372G	12.02	-87.04	-86.90	-86.90	-86.14	-80.27	-68.25	-41.20	-27.05
6705MHz	Pass	1G	40G	AV	39.91713G	12.02	-77.13	-77.39	-77.39	-77.05	-71.12	-59.10	-41.20	-17.90
6705MHz	Pass	1G	40G	PK	13.38494G	12.02	-79.49	-81.82	-81.82	-79.86	-74.43	-62.41	-21.20	-41.21
6705MHz	Pass	1G	40G	PK	39.7075G	12.02	-68.23	-73.04	-73.04	-73.33	-64.83	-52.81	-21.20	-31.61
6785MHz	Pass	1G	40G	AV	13.57019G	12.02	-85.11	-84.87	-84.87	-85.88	-79.55	-67.53	-27.00	-40.53
6785MHz	Pass	1G	40G	AV	39.99391G	12.02	-77.73	-77.64	-77.64	-77.07	-71.32	-59.30	-41.20	-18.10
6785MHz	Pass	1G	40G	PK	13.61163G	12.02	-81.99	-80.22	-80.22	-78.55	-73.88	-61.86	-7.00	-54.86
6785MHz	Pass	1G	40G	PK	39.87325G	12.02	-72.40	-74.59	-74.59	-67.61	-64.94	-52.92	-21.20	-31.72
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	11.96997G	12.02	-86.22	-85.69	-85.69	-82.21	-77.67	-65.65	-41.20	-24.45
6025MHz	Pass	1G	40G	AV	17.93088G	12.02	-80.75	-72.18	-72.18	-74.19	-69.34	-57.32	-41.20	-16.12
6025MHz	Pass	1G	40G	PK	11.96997G	12.02	-82.97	-82.24	-82.24	-79.23	-74.10	-62.08	-21.20	-40.88
6025MHz	Pass	1G	40G	PK	17.97719G	12.02	-77.31	-64.75	-64.75	-66.78	-62.32	-50.30	-21.20	-29.10
6185MHz	Pass	1G	40G	AV	12.36972G	12.02	-84.43	-80.70	-80.70	-85.71	-77.15	-65.13	-41.20	-23.93
6185MHz	Pass	1G	40G	AV	18.56828G	12.02	-85.00	-68.81	-68.81	-76.61	-67.80	-55.78	-41.20	-14.58
6185MHz	Pass	1G	40G	PK	12.39288G	12.02	-79.19	-82.37	-82.37	-79.38	-74.26	-62.24	-21.20	-41.04
6185MHz	Pass	1G	40G	PK	18.50978G	12.02	-78.75	-71.53	-71.53	-61.25	-60.45	-48.43	-21.20	-27.23
6345MHz	Pass	1G	40G	AV	12.69025G	12.02	-86.49	-82.96	-82.96	-85.99	-77.98	-65.96	-41.20	-24.76
6345MHz	Pass	1G	40G	AV	39.89397G	12.02	-77.84	-77.56	-77.56	-77.56	-71.41	-59.39	-41.20	-18.19
6345MHz	Pass	1G	40G	PK	12.61103G	12.02	-78.33	-80.31	-80.31	-80.79	-74.13	-62.11	-21.20	-40.91
6345MHz	Pass	1G	40G	PK	39.89519G	12.02	-70.34	-74.07	-74.07	-68.88	-65.41	-53.39	-21.20	-32.19
6665MHz	Pass	1G	40G	AV	13.33009G	12.02	-85.46	-86.42	-86.42	-86.42	-80.06	-68.04	-41.20	-26.84
6665MHz	Pass	1G	40G	AV	39.90372G	12.02	-76.95	-76.88	-76.88	-78.10	-71.32	-59.30	-41.20	-18.10
6665MHz	Pass	1G	40G	PK	13.27038G	12.02	-79.26	-81.35	-81.35	-81.67	-74.48	-62.46	-21.20	-41.26
6665MHz	Pass	1G	40G	PK	39.91834G	12.02	-69.67	-73.27	-73.27	-68.98	-65.11	-53.09	-21.20	-31.89

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX











6.525-6.875GHz_11a20_20MHz_Nss1,(6Mbps)_4TX

CSE [PK]

6695MHz

25/09/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.39834G	-63.44	-21.20	-42.24	12.02	0.00	-75.46	-84.91	-81.92	-81.92	-79.07
1G	40G	1M	PK	39.87203G	-53.43	-21.20	-32.23	12.02	0.00	-65.45	-73.85	-74.38	-69.15	-70.66

6.525-6.875GHz_11a20_20MHz_Nss1,(6Mbps)_4TX



CSE [AV]



6695MHz


25/09/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	13.38372G	-68.31	-41.20	-27.11	12.02	0.00	-80.33	-85.85	-86.33	-87.06	-86.26
1G	40G	1M	AV	39.91469G	-59.21	-41.20	-18.01	12.02	0.00	-71.23	-77.65	-77.20	-76.74	-77.48










6.525-6.875GHz_11a40_40MHz_Nss1,(6Mbps)_4TX

CSE [PK]

6565MHz

25/09/2023



- Limit_LPK
- ERP-PK
- Sum-PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.11925G	-63.34	-7.00	-56.34	12.02	0.00	-75.36	-86.96	-78.15	-82.40	-82.21
1G	40G	1M	PK	39.66363G	-52.23	-21.20	-31.03	12.02	0.00	-64.25	-68.36	-74.02	-69.02	-71.88

6.525-6.875GHz_11a40_40MHz_Nss1,(6Mbps)_4TX

CSE [AV]



6565MHz

25/09/2023



- Limit_AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2
- Port 3
- Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	13.16313G	-67.90	-27.00	-40.90	12.02	0.00	-79.92	-85.37	-86.53	-86.00	-85.93
1G	40G	1M	AV	39.88544G	-58.32	-41.20	-17.12	12.02	0.00	-70.34	-75.79	-76.06	-76.62	-77.11





6.525-6.875GHz_11a40_40MHz_Nss1,(6Mbps)_4TX

CSE [PK]

6845MHz

25/09/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.69206G	-62.15	-7.00	-55.15	12.02	0.00	-74.17	-81.92	-78.89	-78.77	-82.48
1G	40G	1M	PK	39.92078G	-52.70	-21.20	-31.50	12.02	0.00	-64.72	-70.23	-71.13	-70.91	-70.76

6.525-6.875GHz_11a40_40MHz_Nss1,(6Mbps)_4TX



CSE [AV]



6845MHz



25/09/2023







F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	13.68231G	-68.04	-27.00	-41.04	12.02	0.00	-80.06	-85.69	-86.12	-86.05	-86.49
1G	40G	1M	AV	39.90981G	-58.66	-41.20	-17.46	12.02	0.00	-70.68	-76.52	-76.59	-76.97	-76.74




















5.925-6.425GHz_11a160_160MHz_Nss1,(6Mbps)_4TX

CSE [PK]

6185MHz

25/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	12.36972G	-61.22	-21.20	-40.02	12.02	0.00	-73.24	-52.46	-77.49	-80.76	-78.09
1G	40G	1M	PK	39.89153G	-53.37	-21.20	-32.17	12.02	0.00	-65.39	-69.89	-72.91	-72.14	-71.29

5.925-6.425GHz_11a160_160MHz_Nss1,(6Mbps)_4TX

CSE [AV]



6185MHz

25/09/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2
- Port 3
- Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	12.36972G	-65.08	-41.20	-23.88	12.02	0.00	-77.10	-86.11	-82.06	-84.78	-81.24
1G	40G	1M	AV	39.49788G	-59.00	-41.20	-17.80	12.02	0.00	-71.02	-76.79	-76.59	-77.09	-77.77




6.525-6.875GHz_11a160_160MHz_Nss1,(6Mbps)_4TX

CSE [PK]

6665MHz

25/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	13.30816G	-62.07	-21.20	-40.87	12.02	0.00	-74.09	-79.39	-81.21	-83.61	-78.07
1G	40G	1M	PK	39.06886G	-53.06	-21.20	-31.86	12.02	0.00	-65.08	-73.67	-67.44	-73.99	-73.25

6.525-6.875GHz_11a160_160MHz_Nss1,(6Mbps)_4TX

CSE [AV]

6665MHz

25/09/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2
- Port 3
- Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	AV	13.29963G	-67.94	-41.20	-26.74	12.02	0.00	-79.96	-86.31	-86.74	-85.63	-85.37
1G	40G	1M	AV	39.91469G	-59.05	-41.20	-17.85	12.02	0.00	-71.07	-76.51	-77.69	-76.89	-77.36

