


802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5300MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.11G	5.39G	1M	PK	5.11574G	-40.32	-21.20	-19.12	8.01	0.00	-48.33	-54.31	-57.32	-	-	-53.72	-53.12
5.11G	5.39G	1M	PK	5.35038G	-37.91	-21.20	-16.71	8.01	0.00	-45.92	-53.83	-52.75	-	-	-52.86	-49.61

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

5300MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.11G	5.39G	1M	AV	5.11G	-51.16	-41.20	-9.96	8.01	0.00	-59.17	-65.27	-67.01	-	-	-64.50	-64.43
5.11G	5.39G	1M	AV	5.376G	-49.39	-41.20	-8.19	8.01	0.00	-57.40	-60.78	-66.03	-	-	-63.61	-65.26

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5320MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.11G	5.39G	1M	PK	5.13226G	-40.80	-21.20	-19.60	8.01	0.00	-48.81	-55.55	-55.47	-	-	-54.12	-54.37
5.11G	5.39G	1M	PK	5.35024G	-30.33	-21.20	-9.13	8.01	0.00	-38.34	-46.23	-44.77	-	-	-47.36	-41.49

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

5320MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.11G	5.39G	1M	AV	5.13548G	-51.99	-41.20	-10.79	8.01	0.00	-60.00	-65.69	-67.25	-	-	-65.98	-65.39
5.11G	5.39G	1M	AV	5.35038G	-43.65	-41.20	-2.45	8.01	0.00	-51.66	-58.97	-56.34	-	-	-58.86	-57.13

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)
5500MHz

CSE Bandedge [PK]

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.43G	5.765G	1M	PK	5.43921G	-36.72	-21.20	-15.52	8.01	0.00	-44.73	-54.49	-51.66	-	-	-53.74	-47.21
5.43G	5.765G	1M	PK	5.46987G	-28.52	-27.00	-1.52	8.01	0.00	-36.53	-46.01	-39.80	-	-	-46.47	-41.54
5.43G	5.765G	1M	PK	5.76031G	-42.36	-27.00	-15.36	8.01	0.00	-50.37	-55.54	-59.65	-	-	-54.51	-57.52

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)
5500MHz

CSE Bandedge [AV]

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.43G	5.765G	1M	AV	5.45990G	-48.99	-41.20	-7.79	8.01	0.00	-57.00	-63.62	-63.07	-	-	-62.98	-62.49

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5580MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.43G	5.765G	1M	PK	5.45948G	-38.58	-21.20	-17.38	8.01	0.00	-46.59	-56.35	-53.52	-	-	-48.73	-57.57
5.43G	5.765G	1M	PK	5.46166G	-38.81	-27.00	-11.81	8.01	0.00	-46.82	-55.48	-53.78	-	-	-49.26	-57.18
5.43G	5.765G	1M	PK	5.76433G	-42.82	-27.00	-15.82	8.01	0.00	-50.83	-59.13	-54.93	-	-	-57.29	-57.10

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

5580MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.43G	5.765G	1M	AV	5.44022G	-52.30	-41.20	-11.10	8.01	0.00	-60.31	-67.20	-63.98	-	-	-68.25	-67.17

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5700MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.43G	5.765G	1M	PK	5.45312G	-44.25	-21.20	-23.05	8.01	0.00	-52.26	-57.92	-57.59	-	-	-59.25	-58.55
5.43G	5.765G	1M	PK	5.46936G	-44.25	-27.00	-17.25	8.01	0.00	-52.26	-57.60	-58.81	-	-	-57.32	-59.85
5.43G	5.765G	1M	PK	5.72347G	-27.81	-27.00	-0.81	8.01	0.00	-35.82	-40.38	-42.81	-	-	-42.39	-42.22

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

5700MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.43G	5.765G	1M	AV	5.43017G	-55.00	-41.20	-14.60	8.01	0.00	-63.81	-69.80	-68.85	-	-	-71.20	-69.80

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)
5720MHz Straddle 5.47-5.725GHz

CSE Bandedge [PK]

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.43G	5.89G	1M	PK	5.45998G	-39.13	-21.20	-17.93	8.01	0.00	-47.14	-56.12	-50.82	-	-	-55.64	-52.33
5.43G	5.89G	1M	PK	5.46312G	-39.54	-27.00	-12.54	8.01	0.00	-47.55	-55.32	-51.61	-	-	-55.90	-52.88
5.43G	5.89G	1M	PK	5.85205G	-44.21	-27.00	-17.21	8.01	0.00	-52.22	-60.61	-57.72	-	-	-56.51	-59.20

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)
5720MHz Straddle 5.47-5.725GHz

CSE Bandedge [AV]

16/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.43G	5.89G	1M	AV	5.43161G	-50.41	-41.20	-9.21	8.01	0.00	-58.42	-65.82	-63.02	-	-	-65.67	-63.90




802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5745MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.685G	5.89G	1M	PK	5.72016G	-12.12	15.96	-28.08	8.01	0.00	-20.13	-27.92	-26.52	-	-	-26.27	-24.56
5.685G	5.89G	1M	PK	5.88734G	-34.98	0.87	-35.85	8.01	0.00	-42.99	-51.63	-50.34	-	-	-47.22	-48.21

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5785MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.685G	5.89G	1M	PK	5.68521G	-37.04	-0.95	-36.09	8.01	0.00	-45.05	-49.03	-54.00	-	-	-51.08	-51.54
5.685G	5.89G	1M	PK	5.88898G	-43.96	-0.34	-43.62	8.01	0.00	-51.97	-55.76	-60.53	-	-	-56.80	-61.43

802.11ax HEW20_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5825MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.685G	5.89G	1M	PK	5.68521G	-39.30	-0.95	-38.35	8.01	0.00	-47.31	-51.55	-54.17	-	-	-53.94	-54.30
5.685G	5.89G	1M	PK	5.85003G	-4.40	26.94	-31.34	8.01	0.00	-12.41	-17.30	-18.47	-	-	-19.51	-18.74

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5190MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.07G	5.43G	1M	PK	5.14974G	-28.76	-21.20	-7.56	8.01	0.00	-36.77	-45.66	-42.38	-	-	-42.83	-41.34
5.07G	5.43G	1M	PK	5.376G	-41.06	-21.20	-19.86	8.01	0.00	-49.07	-52.39	-55.39	-	-	-57.13	-57.47

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

5190MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.07G	5.43G	1M	AV	5.14974G	-42.87	-41.20	-1.67	8.01	0.00	-50.88	-58.61	-55.87	-	-	-59.35	-55.17
5.07G	5.43G	1M	AV	5.376G	-50.00	-41.20	-8.80	8.01	0.00	-58.01	-60.40	-65.69	-	-	-66.18	-68.03

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5230MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.07G	5.43G	1M	PK	5.10978G	-27.01	-21.20	-5.81	8.01	0.00	-35.02	-53.00	-53.95	-	-	-35.20	-54.25
5.07G	5.43G	1M	PK	5.35026G	-27.83	-21.20	-6.63	8.01	0.00	-35.84	-42.14	-53.33	-	-	-37.21	-53.21

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

5230MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.07G	5.43G	1M	AV	5.14974G	-42.32	-41.20	-1.12	8.01	0.00	-50.33	-57.99	-55.51	-	-	-57.18	-55.30
5.07G	5.43G	1M	AV	5.376G	-47.73	-41.20	-6.53	8.01	0.00	-55.74	-58.73	-64.05	-	-	-61.84	-65.55

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5270MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.07G	5.43G	1M	PK	5.14902G	-27.50	-21.20	-6.30	8.01	0.00	-35.51	-42.35	-52.26	-	-	-36.78	-51.55
5.07G	5.43G	1M	PK	5.35026G	-30.41	-21.20	-9.21	8.01	0.00	-38.42	-45.81	-43.92	-	-	-46.52	-42.62

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

5270MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.07G	5.43G	1M	AV	5.14974G	-48.56	-41.20	-7.36	8.01	0.00	-56.57	-62.67	-63.21	-	-	-61.92	-62.67
5.07G	5.43G	1M	AV	5.35008G	-42.81	-41.20	-1.61	8.01	0.00	-50.82	-57.18	-56.77	-	-	-58.20	-55.62

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5310MHz

16/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.07G	5.43G	1M	PK	5.1483G	-43.62	-21.20	-22.42	8.01	0.00	-51.63	-58.95	-59.82	-	-	-57.45	-55.59
5.07G	5.43G	1M	PK	5.35062G	-28.50	-21.20	-7.30	8.01	0.00	-36.51	-42.57	-40.73	-	-	-46.19	-42.25




802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

5310MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.07G	5.43G	1M	AV	5.14992G	-54.95	-41.20	-13.75	8.01	0.00	-62.96	-69.74	-70.25	-	-	-67.97	-68.35
5.07G	5.43G	1M	AV	5.35008G	-41.75	-41.20	-0.55	8.01	0.00	-49.76	-55.39	-55.64	-	-	-56.83	-55.41

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5510MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.39G	5.805G	1M	PK	5.39G	-32.82	-21.20	-11.62	8.01	0.00	-40.83	-56.11	-54.63	-	-	-41.35	-54.77
5.39G	5.805G	1M	PK	5.46947G	-31.74	-27.00	-4.74	8.01	0.00	-39.75	-48.29	-42.92	-	-	-49.97	-45.23
5.39G	5.805G	1M	PK	5.76039G	-44.09	-27.00	-17.09	8.01	0.00	-52.10	-56.55	-60.30	-	-	-57.17	-59.57

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

5510MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.39G	5.805G	1M	AV	5.45972G	-48.47	-41.20	-7.27	8.01	0.00	-56.48	-63.17	-61.04	-	-	-64.11	-62.26

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5550MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.39G	5.805G	1M	PK	5.43026G	-29.47	-21.20	-8.27	8.01	0.00	-37.48	-51.48	-50.94	-	-	-38.22	-48.94
5.39G	5.805G	1M	PK	5.46895G	-33.46	-27.00	-6.46	8.01	0.00	-41.47	-48.20	-44.75	-	-	-49.78	-49.14
5.39G	5.805G	1M	PK	5.75997G	-39.59	-27.00	-12.59	8.01	0.00	-47.60	-50.62	-56.40	-	-	-54.01	-56.10

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

5550MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.39G	5.805G	1M	AV	5.45993G	-46.56	-41.20	-5.36	8.01	0.00	-54.57	-60.10	-59.38	-	-	-61.93	-61.45

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5670MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.39G	5.805G	1M	PK	5.42403G	-38.41	-21.20	-17.21	8.01	0.00	-46.42	-49.66	-51.45	-	-	-57.13	-55.38
5.39G	5.805G	1M	PK	5.46864G	-37.67	-27.00	-10.67	8.01	0.00	-45.68	-47.98	-52.79	-	-	-56.79	-54.21
5.39G	5.805G	1M	PK	5.72511G	-28.57	-27.00	-1.57	8.01	0.00	-36.58	-42.20	-41.25	-	-	-43.26	-44.27



802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]


5670MHz



802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]


5710MHz Straddle 5.47-5.725GHz



802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)
5710MHz Straddle 5.47-5.725GHz

CSE Bandedge [AV]

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.39G	5.93G	1M	AV	5.41025G	-49.06	-41.20	-7.86	8.01	0.00	-57.07	-61.60	-62.83	-	-	-65.01	-63.62

802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)
5755MHz

CSE Bandedge [PK]

16/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.645G	5.93G	1M	PK	5.65013G	-34.78	-26.90	-7.88	8.01	0.00	-42.79	-47.08	-47.79	-	-	-50.56	-51.17
5.645G	5.93G	1M	PK	5.9253G	-44.45	-27.00	-17.45	8.01	0.00	-52.46	-56.38	-57.69	-	-	-60.12	-61.54




802.11ax HEW40_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5795MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.645G	5.93G	1M	PK	5.64671G	-36.82	-27.00	-9.82	8.01	0.00	-44.83	-48.61	-50.77	-	-	-53.31	-52.15
5.645G	5.93G	1M	PK	5.92987G	-50.38	-27.00	-23.38	8.01	0.00	-58.39	-66.07	-63.98	-	-	-62.23	-66.91

802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5210MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
4.99G	5.51G	1M	PK	5.14098G	-28.29	-21.20	-7.09	8.01	0.00	-36.30	-46.55	-41.95	-	-	-46.06	-39.07
4.99G	5.51G	1M	PK	5.35092G	-40.04	-21.20	-18.84	8.01	0.00	-48.05	-55.76	-52.66	-	-	-55.07	-53.50
4.99G	5.51G	1M	PK	5.48868G	-43.50	-27.00	-16.50	8.01	0.00	-51.51	-54.45	-59.45	-	-	-60.01	-58.71

802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

5210MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
4.99G	5.51G	1M	AV	5.1499G	-41.26	-41.20	-0.06	8.01	0.00	-49.27	-56.68	-55.36	-	-	-56.23	-53.58
4.99G	5.51G	1M	AV	5.3761G	-49.64	-41.20	-8.44	8.01	0.00	-57.65	-60.46	-64.95	-	-	-65.53	-66.59

802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5290MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
4.99G	5.51G	1M	PK	5.14098G	-42.81	-21.20	-21.61	8.01	0.00	-50.82	-56.07	-59.04	-	-	-56.65	-56.19
4.99G	5.51G	1M	PK	5.35098G	-31.37	-21.20	-10.17	8.01	0.00	-39.38	-45.19	-44.41	-	-	-46.32	-45.95
4.99G	5.51G	1M	PK	5.4609G	-45.08	-27.00	-18.08	8.01	0.00	-53.09	-56.88	-59.77	-	-	-60.24	-60.69

802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

5290MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
4.99G	5.51G	1M	AV	5.14574G	-53.84	-41.20	-12.64	8.01	0.00	-61.85	-67.98	-69.11	-	-	-67.09	-67.54
4.99G	5.51G	1M	AV	5.35036G	-43.11	-41.20	-1.91	8.01	0.00	-51.12	-57.24	-57.07	-	-	-57.43	-56.85

802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5530MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.31G	5.885G	1M	PK	5.32869G	-39.57	-27.00	-12.57	8.01	0.00	-47.58	-54.45	-51.02	-	-	-55.80	-54.75
5.31G	5.885G	1M	PK	5.41063G	-30.65	-21.20	-9.45	8.01	0.00	-38.66	-52.45	-50.85	-	-	-39.30	-53.17
5.31G	5.885G	1M	PK	5.46813G	-29.80	-27.00	-2.80	8.01	0.00	-37.81	-47.84	-40.26	-	-	-47.96	-44.08
5.31G	5.885G	1M	PK	5.76023G	-42.79	-27.00	-15.79	8.01	0.00	-50.80	-55.09	-58.29	-	-	-55.92	-59.30

802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]


5530MHz



802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5610MHz






802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

5610MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.31G	5.885G	1M	AV	5.45979G	-44.07	-41.20	-2.87	8.01	0.00	-52.08	-56.96	-56.30	-	-	-61.11	-59.73

802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.31G	6.01G	1M	PK	5.3352G	-37.71	-27.00	-10.71	8.01	0.00	-45.72	-49.59	-52.92	-	-	-53.61	-51.98
5.31G	6.01G	1M	PK	5.4591G	-36.05	-21.20	-14.85	8.01	0.00	-44.06	-49.40	-48.80	-	-	-51.81	-50.96
5.31G	6.01G	1M	PK	5.46575G	-34.83	-27.00	-7.83	8.01	0.00	-42.84	-48.23	-46.04	-	-	-51.92	-52.44
5.31G	6.01G	1M	PK	5.85145G	-31.49	-27.00	-4.49	8.01	0.00	-39.50	-41.56	-48.18	-	-	-47.63	-50.05



802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)
5690MHz Straddle 5.47-5.725GHz

CSE Bandedge [AV]

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.31G	6.01G	1M	AV	5.3759G	-47.02	-41.20	-5.82	8.01	0.00	-55.03	-57.95	-62.24	-	-	-63.27	-63.27

802.11ax HEW80_Nss1,(MCS0)_4TX(Port1&Port2&Port5&Port6)
5775MHz

CSE Bandedge [PK]

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.565G	6.01G	1M	PK	5.64933G	-28.73	-27.00	-1.73	8.01	0.00	-36.74	-42.11	-41.26	-	-	-43.60	-44.95
5.565G	6.01G	1M	PK	5.92523G	-42.26	-27.00	-15.26	8.01	0.00	-50.27	-54.86	-55.60	-	-	-56.35	-59.74

802.11ax HEW80+80_Nss2,(MCS0)_2TX(Port1&Port2)

CSE Bandedge [PK]

#5210MHz,5290MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.14834G	-33.07	-21.20	-11.87	8.01	0.00	-41.08	-41.58	-50.76
4.99G	5.51G	1M	PK	5.3761G	-45.19	-21.20	-23.99	8.01	0.00	-53.20	-55.59	-56.94
4.99G	5.51G	1M	PK	5.48088G	-48.78	-27.00	-21.78	8.01	0.00	-56.79	-58.29	-62.15

802.11ax HEW80+80_Nss2,(MCS0)_2TX(Port1&Port2)

CSE Bandedge [AV]

#5210MHz,5290MHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.1499G	-50.70	-41.20	-9.50	8.01	0.00	-58.71	-63.58	-60.42
4.99G	5.51G	1M	AV	5.3761G	-52.93	-41.20	-11.73	8.01	0.00	-60.94	-62.13	-67.15

802.11ax HEW80+80_Nss2,(MCS0)_2TX(Port5&Port6)
5210MHz,#5290MHz

CSE Bandedge [PK]

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
4.99G	5.51G	1M	PK	5.14418G	-44.79	-21.20	-23.59	8.01	0.00	-52.80	-	-	-	-	-55.42	-56.25
4.99G	5.51G	1M	PK	5.35322G	-31.92	-21.20	-10.72	8.01	0.00	-39.93	-	-	-	-	-43.83	-42.21
4.99G	5.51G	1M	PK	5.46944G	-47.98	-27.00	-20.98	8.01	0.00	-55.99	-	-	-	-	-58.84	-59.16

802.11ax HEW80+80_Nss2,(MCS0)_2TX(Port5&Port6)
5210MHz,#5290MHz

CSE Bandedge [AV]

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
4.99G	5.51G	1M	AV	5.146G	-56.09	-41.20	-14.89	8.01	0.00	-64.10	-	-	-	-	-67.04	-67.19
4.99G	5.51G	1M	AV	5.35036G	-43.84	-41.20	-2.64	8.01	0.00	-51.85	-	-	-	-	-56.65	-53.60

802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port1&Port2&Port5&Port6)
#5530MHz,#5610MHz

CSE Bandedge [PK]

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.15G	6.045G	1M	PK	5.33303G	-40.73	-27.00	-13.73	8.01	0.00	-48.74	-55.87	-52.52	-	-	-55.38	-56.42
5.15G	6.045G	1M	PK	5.45162G	-33.27	-21.20	-12.07	8.01	0.00	-41.28	-48.16	-42.86	-	-	-54.86	-53.79
5.15G	6.045G	1M	PK	5.46549G	-31.30	-27.00	-4.30	8.01	0.00	-39.31	-46.69	-40.59	-	-	-54.08	-53.49
5.15G	6.045G	1M	PK	5.72996G	-32.88	-27.00	-5.88	8.01	0.00	-40.89	-58.90	-59.02	-	-	-41.20	-55.18

802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port1&Port2&Port5&Port6)
#5530MHz,#5610MHz

CSE Bandedge [AV]

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.15G	6.045G	1M	AV	5.15G	-53.17	-41.20	-11.97	8.01	0.00	-61.18	-69.10	-67.34	-	-	-67.03	-65.92
5.15G	6.045G	1M	AV	5.45922G	-45.84	-41.20	-4.64	8.01	0.00	-53.85	-58.75	-56.63	-	-	-65.82	-64.55

802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [PK]

#5610MHz,#5690MHz Straddle 5.47-5.725GHz

16/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.15G	6.17G	1M	PK	5.33819G	-38.16	-27.00	-11.16	8.01	0.00	-46.17	-52.49	-53.45	-	-	-52.02	-51.14
5.15G	6.17G	1M	PK	5.45957G	-30.13	-21.20	-8.93	8.01	0.00	-38.14	-42.16	-41.01	-	-	-52.00	-51.43
5.15G	6.17G	1M	PK	5.46569G	-29.02	-27.00	-2.02	8.01	0.00	-37.03	-40.64	-40.06	-	-	-52.02	-51.47
5.15G	6.17G	1M	PK	5.85074G	-34.11	-27.00	-7.11	8.01	0.00	-42.12	-56.29	-56.26	-	-	-44.95	-46.07

802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port1&Port2&Port5&Port6)

CSE Bandedge [AV]

#5610MHz,#5690MHz Straddle 5.47-5.725GHz

16/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)
5.15G	6.17G	1M	AV	5.15G	-50.10	-41.20	-8.90	8.01	0.00	-58.11	-64.53	-64.88	-	-	-64.37	-62.98
5.15G	6.17G	1M	AV	5.45957G	-42.38	-41.20	-1.18	8.01	0.00	-50.39	-54.46	-53.60	-	-	-62.71	-61.80



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P5 (dBm)	P6 (dBm)	P7 (dBm)	P8 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_8TX	Pass	5.11G	5.39G	AV	5.1499G	11.02	-65.79	-64.13	-64.60	-67.23	-63.41	-54.57	-65.46	-65.40	-52.44	-41.42	-41.20	-0.22
11a40_Nss1,(6Mbps)_8TX	Pass	5.07G	5.43G	AV	5.14992G	11.02	-61.36	-61.64	-61.16	-64.53	-65.42	-58.02	-63.74	-64.28	-52.84	-41.82	-41.20	-0.62
11a80_Nss1,(6Mbps)_8TX	Pass	4.99G	5.51G	AV	5.1499G	11.02	-62.33	-62.93	-61.63	-62.41	-62.56	-61.41	-64.30	-61.32	-53.24	-42.22	-41.20	-1.02
11a80+80_Nss1,(6Mbps)_4TX(Port1&Port2&Port3&Port4)	Pass	4.99G	5.51G	AV	5.3761G	11.02	-65.33	-71.15	-65.24	-63.82					-59.65	-48.63	-41.20	-7.43
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	5.11G	5.39G	AV	5.1499G	11.02	-64.15	-62.84	-64.68	-63.31	-63.70	-60.87	-63.70	-64.68	-54.29	-43.27	-41.20	-2.07
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	5.07G	5.43G	AV	5.14992G	11.02	-63.88	-60.65	-62.42	-62.32	-63.38	-59.98	-62.95	-62.89	-53.09	-42.07	-41.20	-0.87
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	4.99G	5.51G	AV	5.14236G	11.02	-62.92	-59.67	-61.13	-61.68	-62.26	-63.25	-64.47	-62.23	-52.96	-41.94	-41.20	-0.74
802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port1&Port2&Port3&Port4)	Pass	4.99G	5.51G	AV	5.3761G	11.02	-64.93	-71.93	-65.08	-63.48					-59.41	-48.39	-41.20	-7.19
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_8TX	Pass	5.11G	5.39G	AV	5.376G	11.02	-63.99	-68.44	-64.38	-65.17	-69.61	-69.25	-71.19	-64.88	-57.35	-46.33	-41.20	-5.13
11a40_Nss1,(6Mbps)_8TX	Pass	5.07G	5.43G	AV	5.35026G	11.02	-61.86	-63.74	-65.32	-61.47	-59.00	-60.46	-62.49	-61.11	-52.54	-41.52	-41.20	-0.32
11a80_Nss1,(6Mbps)_8TX	Pass	4.99G	5.51G	AV	5.354G	11.02	-62.38	-60.72	-63.16	-64.04	-62.24	-60.27	-64.06	-63.89	-53.33	-42.31	-41.20	-1.11
11a80+80_Nss1,(6Mbps)_4TX(Port5&Port6&Port7&Port8)	Pass	4.99G	5.51G	AV	5.12988G	11.02	-	-	-	-	-72.30	-69.56	-62.05	-55.56	-54.47	-43.45	-41.20	-2.25
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	5.11G	5.39G	AV	5.376G	11.02	-63.59	-67.94	-64.45	-64.63	-69.43	-68.60	-68.63	-64.18	-56.83	-45.81	-41.20	-4.61
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	5.07G	5.43G	AV	5.35008G	11.02	-60.68	-58.89	-62.77	-62.27	-63.56	-60.30	-61.63	-64.11	-52.43	-41.41	-41.20	-0.21
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	4.99G	5.51G	AV	5.3601G	11.02	-62.54	-59.62	-62.38	-62.96	-64.05	-59.31	-62.19	-62.69	-52.64	-41.62	-41.20	-0.42
802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port5&Port6&Port7&Port8)	Pass	4.99G	5.51G	AV	5.12988G	11.02	-	-	-	-	-72.17	-65.55	-63.18	-55.24	-54.19	-43.17	-41.20	-1.97
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_8TX	Pass	5.43G	5.765G	AV	5.44792G	11.02	-69.72	-70.78	-69.50	-69.43	-69.57	-70.62	-68.99	-68.99	-60.63	-49.61	-41.20	-8.41
11a40_Nss1,(6Mbps)_8TX	Pass	5.39G	5.805G	PK	5.72657G	11.02	-50.52	-52.20	-46.58	-50.65	-46.93	-50.09	-47.54	-42.45	-38.24	-27.22	-27.00	-0.22
11a80_Nss1,(6Mbps)_8TX	Pass	5.31G	5.885G	AV	5.45864G	11.02	-65.22	-56.54	-64.97	-64.18	-64.73	-65.27	-62.47	-62.90	-53.07	-42.05	-41.20	-0.85
11a80+80_Nss1,(6Mbps)_8TX	Pass	5.15G	6.17G	AV	5.45702G	11.02	-60.43	-61.41	-62.51	-62.05	-67.47	-66.02	-66.02	-66.41	-54.29	-43.27	-41.20	-2.07
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	5.43G	5.765G	PK	5.72547G	11.02	-48.08	-53.40	-45.34	-53.21	-51.18	-51.62	-50.45	-42.10	-38.56	-27.54	-27.00	-0.54
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	5.39G	5.805G	PK	5.46989G	11.02	-48.20	-47.58	-48.80	-49.93	-47.95	-45.84	-50.37	-49.31	-39.25	-28.23	-27.00	-1.23
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	5.31G	5.885G	PK	5.46813G	11.02	-55.21	-53.22	-54.63	-52.99	-39.53	-50.83	-53.58	-51.52	-38.32	-27.30	-27.00	-0.30
802.11ax HEW80+80_Nss2,(MCS0)_8TX	Pass	5.15G	6.045G	AV	5.44983G	11.02	-70.69	-67.86	-70.53	-69.35	-69.70	-66.80	-60.02	-56.05	-53.72	-42.70	-41.20	-1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_8TX	Pass	5.685G	5.89G	PK	5.72477G	11.02	-24.29	-19.92	-25.76	-22.27	-18.68	-18.18	-21.31	-17.13	-11.08	-0.06	26.48	-26.54
11a40_Nss1,(6Mbps)_8TX	Pass	5.645G	5.93G	PK	5.64985G	11.02	-48.93	-52.00	-48.53	-48.30	-50.50	-48.39	-48.98	-47.69	-39.96	-28.94	-27.00	-1.94
11a80_Nss1,(6Mbps)_8TX	Pass	5.565G	6.01G	PK	5.64955G	11.02	-47.40	-44.69	-48.65	-49.83	-46.14	-48.04	-49.88	-46.75	-38.31	-27.29	-27.00	-0.29
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	5.685G	5.89G	PK	5.72016G	11.02	-34.23	-33.02	-35.78	-26.66	-28.75	-32.19	-28.76	-19.72	-17.64	-6.62	15.96	-22.58
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	5.645G	5.93G	PK	5.65013G	11.02	-48.21	-48.69	-47.96	-46.21	-48.23	-48.52	-50.35	-47.72	-39.07	-28.05	-26.90	-1.15
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	5.565G	6.01G	PK	5.65422G	11.02	-50.41	-50.64	-52.44	-52.27	-39.18	-50.12	-49.86	-47.46	-37.26	-26.24	-23.88	-2.36

DG = Directional Gain ; PX=Port X, Psum=P1+P2+...PX



CSE Bandedge
Non-Beamforming Serving Radio Dual 8T1S

Appendix E.13

Table with columns: Mode, Result, F-Start (Hz), F-Stop (Hz), Type, Freq (Hz), DG (dBi), P1 (dBm), P2 (dBm), P3 (dBm), P4 (dBm), P5 (dBm), P6 (dBm), P7 (dBm), P8 (dBm), Psum (dBm), EIRP (dBm), Limit (dBm), Margin (dB). Rows include various frequency bands like #5610MHz, #5690MHz, #5725GHz and #5180MHz through #510MHz.



**CSE Bandedge
Non-Beamforming_Serving Radio Dual_8T1S**

Appendix E.13

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P5 (dBm)	P6 (dBm)	P7 (dBm)	P8 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
#5610MHz.#5690MHz Straddle 5.47-5.725GHz	Pass	5.15G	6.17G	PK	5.45549G	11.02	-53.25	-47.98	-56.80	-53.92	-56.39	-54.72	-54.05	-55.57	-44.07	-33.05	-21.20	-11.85
#5610MHz.#5690MHz Straddle 5.47-5.725GHz	Pass	5.15G	6.17G	PK	5.46722G	11.02	-53.37	-47.85	-57.90	-51.98	-55.12	-55.17	-52.54	-54.67	-43.56	-32.54	-27.00	-5.54
#5610MHz.#5690MHz Straddle 5.47-5.725GHz	Pass	5.15G	6.17G	PK	5.85023G	11.02	-64.39	-60.86	-63.61	-61.41	-56.10	-56.06	-52.08	-54.22	-47.63	-36.61	-27.00	-9.61
802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port5&Port6&Port7&Port8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5610MHz.#5690MHz Straddle 5.725-5.85GHz																		


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5180MHz

14/09/2021




F_Start(Hz)	F_Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DC(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	PK	5.14962G	-23.36	-21.20	-2.16	11.02	0.00	-34.38	-51.50	-51.71	-45.67	-52.33	-47.32	-35.73	-47.14	-49.05
5.11G	5.39G	1M	PK	5.37386G	-37.12	-21.20	-15.92	11.02	0.00	-48.14	-56.61	-54.86	-56.51	-57.13	-60.55	-57.27	-59.19	-57.37

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5180MHz

14/09/2021




F_Start(Hz)	F_Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DC(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	AV	5.1499G	-41.42	-41.20	-0.22	11.02	0.00	-52.44	-65.79	-64.13	-64.60	-67.23	-63.41	-54.57	-65.46	-65.40
5.11G	5.39G	1M	AV	5.376G	-46.13	-41.20	-4.93	11.02	0.00	-57.15	-63.63	-67.76	-64.65	-64.80	-69.76	-68.94	-70.07	-64.93

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5200MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	PK	5.14836G	-30.65	-21.20	-9.45	11.02	0.00	-41.67	-52.54	-50.22	-54.31	-51.38	-50.99	-47.16	-49.28	-55.28
5.11G	5.39G	1M	PK	5.38986G	-35.00	-21.20	-13.80	11.02	0.00	-46.02	-55.44	-54.24	-55.80	-54.08	-57.34	-54.57	-53.48	-56.94

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5200MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	AV	5.1492G	-44.21	-41.20	-3.01	11.02	0.00	-55.23	-65.86	-65.57	-64.63	-62.98	-65.13	-62.97	-62.95	-65.33
5.11G	5.39G	1M	AV	5.376G	-45.04	-41.20	-3.84	11.02	0.00	-56.06	-61.84	-67.21	-64.69	-65.26	-66.96	-66.80	-66.69	-64.30

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5240MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	PK	5.14948G	-33.22	-21.20	-12.02	11.02	0.00	-44.24	-55.50	-56.25	-53.06	-53.26	-53.21	-50.23	-52.86	-54.75
5.11G	5.39G	1M	PK	5.35962G	-33.51	-21.20	-12.31	11.02	0.00	-44.53	-51.58	-56.30	-57.33	-56.85	-48.30	-58.53	-56.08	-54.70

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5240MHz

15/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	AV	5.14682G	-44.20	-41.20	-3.00	11.02	0.00	-55.22	-66.30	-65.45	-64.25	-64.75	-63.66	-64.01	-62.82	-63.73
5.11G	5.39G	1M	AV	5.376G	-45.12	-41.20	-3.92	11.02	0.00	-56.14	-61.84	-66.93	-64.30	-65.58	-66.64	-68.09	-67.82	-64.07




11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5260MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	PK	5.14038G	-37.07	-21.20	-15.87	11.02	0.00	-48.09	-54.68	-61.64	-58.60	-57.18	-52.61	-60.47	-62.42	-59.27
5.11G	5.39G	1M	PK	5.37614G	-38.05	-21.20	-16.85	11.02	0.00	-49.07	-55.34	-59.92	-57.26	-57.21	-58.94	-60.63	-61.38	-57.43

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5260MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	AV	5.14962G	-50.37	-41.20	-9.17	11.02	0.00	-61.39	-70.70	-72.72	-69.92	-69.74	-70.21	-69.92	-71.61	-69.47
5.11G	5.39G	1M	AV	5.376G	-46.70	-41.20	-5.50	11.02	0.00	-57.72	-64.24	-70.71	-64.88	-65.42	-68.90	-70.71	-71.88	-64.71

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5300MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	PK	5.14948G	-39.38	-21.20	-18.18	11.02	0.00	-50.40	-59.75	-62.83	-58.76	-58.63	-58.96	-58.79	-61.96	-57.96
5.11G	5.39G	1M	PK	5.376G	-37.60	-21.20	-16.40	11.02	0.00	-48.62	-55.41	-58.67	-56.99	-57.44	-58.16	-59.42	-61.55	-56.30

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5300MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	AV	5.1196G	-50.18	-41.20	-8.98	11.02	0.00	-61.20	-69.55	-72.35	-69.49	-69.93	-70.90	-69.93	-70.07	-70.29
5.11G	5.39G	1M	AV	5.376G	-46.46	-41.20	-5.26	11.02	0.00	-57.48	-64.22	-70.19	-64.67	-65.12	-68.28	-69.72	-71.69	-64.67

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5320MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	PK	5.12904G	-39.11	-21.20	-17.91	11.02	0.00	-50.13	-57.63	-60.04	-58.26	-61.23	-59.30	-59.63	-59.23	-58.89
5.11G	5.39G	1M	PK	5.37586G	-37.70	-21.20	-16.50	11.02	0.00	-48.72	-56.60	-58.62	-55.92	-57.67	-60.38	-58.62	-61.21	-55.92

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5320MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	AV	5.13562G	-50.16	-41.20	-8.96	11.02	0.00	-61.18	-69.64	-70.44	-69.44	-70.90	-71.74	-69.24	-71.65	-69.44
5.11G	5.39G	1M	AV	5.376G	-46.33	-41.20	-5.13	11.02	0.00	-57.35	-63.99	-68.44	-64.38	-65.17	-69.61	-69.25	-71.19	-64.88

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5500MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.765G	1M	PK	5.45932G	-38.59	-21.20	-17.39	11.02	0.00	-49.61	-58.38	-60.26	-57.48	-59.58	-58.57	-60.51	-57.06	-58.49
5.43G	5.765G	1M	PK	5.46095G	-38.64	-27.00	-11.64	11.02	0.00	-49.66	-58.73	-61.59	-58.53	-59.10	-59.19	-60.88	-57.57	-56.26
5.43G	5.765G	1M	PK	5.76014G	-40.59	-27.00	-13.59	11.02	0.00	-51.61	-60.99	-63.51	-62.43	-56.94	-61.41	-64.11	-61.22	-59.21

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5500MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.765G	1M	AV	5.44792G	-49.61	-41.20	-8.41	11.02	0.00	-60.63	-69.72	-70.78	-69.50	-69.43	-69.57	-70.62	-66.99	-66.99

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5580MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.765G	1M	PK	5.45982G	-37.36	-21.20	-16.16	11.02	0.00	-48.38	-57.45	-60.45	-62.23	-58.29	-52.03	-60.26	-58.65	-59.36
5.43G	5.765G	1M	PK	5.46032G	-37.59	-27.00	-10.59	11.02	0.00	-48.61	-56.89	-58.95	-62.79	-60.33	-52.25	-59.98	-60.19	-59.68
5.43G	5.765G	1M	PK	5.76014G	-40.15	-27.00	-13.15	11.02	0.00	-51.17	-59.14	-60.69	-65.02	-56.72	-61.70	-61.04	-61.80	-59.98

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5580MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.765G	1M	AV	5.43854G	-50.19	-41.20	-8.99	11.02	0.00	-61.21	-70.75	-69.52	-73.18	-70.20	-70.59	-69.76	-69.41	-69.59

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5700MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.765G	1M	PK	5.43117G	-39.51	-21.20	-18.31	11.02	0.00	-50.53	-59.21	-61.44	-63.00	-62.00	-60.21	-56.61	-58.13	-59.50
5.43G	5.765G	1M	PK	5.46166G	-39.75	-27.00	-12.75	11.02	0.00	-50.77	-58.20	-61.39	-61.37	-60.62	-60.97	-58.39	-58.06	-60.06
5.43G	5.765G	1M	PK	5.76031G	-38.95	-27.00	-11.95	11.02	0.00	-49.97	-58.57	-60.88	-62.03	-56.59	-59.80	-59.40	-58.73	-58.22

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5700MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.765G	1M	AV	5.44792G	-50.52	-41.20	-9.32	11.02	0.00	-61.54	-69.90	-71.73	-73.15	-72.38	-70.27	-69.36	-69.26	-70.12

11a20_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz

CSE Bandedge [PK]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.89G	1M	PK	5.43099G	-39.12	-21.20	-17.92	11.02	0.00	-50.14	-57.56	-60.60	-61.85	-58.76	-57.91	-60.73	-59.77	-58.08
5.43G	5.89G	1M	PK	5.46841G	-39.48	-27.00	-12.48	11.02	0.00	-50.50	-58.63	-62.36	-60.68	-57.02	-61.06	-61.88	-58.41	-59.04
5.43G	5.89G	1M	PK	5.85619G	-43.90	-27.00	-16.90	11.02	0.00	-54.92	-64.43	-64.86	-65.18	-63.17	-62.23	-64.67	-64.41	-63.50

11a20_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz

CSE Bandedge [AV]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.89G	1M	AV	5.44794G	-50.05	-41.20	-8.85	11.02	0.00	-61.07	-69.03	-71.64	-72.48	-69.43	-70.27	-71.03	-69.06	-69.16

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5745MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.685G	5.89G	1M	PK	5.72477G	-0.06	26.48	-26.54	11.02	0.00	-11.08	-24.29	-19.92	-25.76	-22.27	-18.68	-18.18	-21.31	-17.13
5.685G	5.89G	1M	PK	5.89G	-33.55	-1.10	-32.45	11.02	0.00	-44.57	-52.00	-53.78	-57.43	-55.90	-54.03	-53.65	-51.96	-52.67

11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5785MHz

14/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.685G	5.89G	1M	PK	5.68531G	-30.66	-0.87	-29.79	11.02	0.00	-41.68	-50.84	-52.49	-50.80	-50.56	-49.20	-52.33	-50.92	-49.57
5.685G	5.89G	1M	PK	5.88836G	-38.34	0.11	-38.45	11.02	0.00	-49.36	-60.59	-61.42	-59.64	-60.09	-56.27	-59.78	-56.29	-56.65




11a20_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5825MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.685G	5.89G	1M	PK	5.685G	-33.10	-1.10	-32.00	11.02	0.00	-44.12	-52.51	-51.73	-53.04	-53.63	-53.21	-54.24	-54.29	-53.18
5.685G	5.89G	1M	PK	5.85997G	-15.45	15.33	-30.78	11.02	0.00	-26.47	-34.45	-36.19	-36.37	-35.69	-37.90	-38.81	-35.93	-32.19

11a40_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5190MHz

14/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	PK	5.14992G	-23.98	-21.20	-2.78	11.02	0.00	-35.00	-46.78	-44.28	-43.51	-45.80	-48.39	-38.19	-48.67	-51.26
5.07G	5.43G	1M	PK	5.376G	-37.69	-21.20	-16.49	11.02	0.00	-48.71	-55.65	-58.97	-58.10	-56.16	-60.06	-59.17	-60.02	-56.37




11a40_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5190MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	AV	5.14992G	-41.82	-41.20	-0.62	11.02	0.00	-52.84	-61.36	-61.64	-61.16	-64.53	-65.42	-58.02	-63.74	-64.28
5.07G	5.43G	1M	AV	5.376G	-46.38	-41.20	-5.18	11.02	0.00	-57.40	-63.57	-69.07	-65.06	-64.93	-69.22	-70.55	-70.80	-64.78

11a40_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5230MHz

14/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	PK	5.11014G	-26.44	-21.20	-5.24	11.02	0.00	-37.46	-45.60	-57.28	-56.20	-54.76	-38.83	-55.89	-56.13	-50.76
5.07G	5.43G	1M	PK	5.35008G	-27.80	-21.20	-6.60	11.02	0.00	-38.82	-46.09	-54.52	-55.30	-55.63	-40.79	-56.97	-55.68	-50.27




11a40_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5230MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	AV	5.1474G	-42.01	-41.20	-0.81	11.02	0.00	-53.03	-62.55	-62.64	-61.82	-62.03	-62.29	-60.26	-62.53	-62.97
5.07G	5.43G	1M	AV	5.376G	-44.57	-41.20	-3.37	11.02	0.00	-55.59	-61.33	-67.32	-64.18	-65.06	-64.45	-67.38	-67.61	-63.68

11a40_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5270MHz

15/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	PK	5.1492G	-30.60	-21.20	-9.40	11.02	0.00	-41.62	-50.46	-57.29	-58.85	-56.21	-43.59	-55.50	-56.25	-52.76
5.07G	5.43G	1M	PK	5.38914G	-32.99	-21.20	-11.79	11.02	0.00	-44.01	-50.31	-59.20	-59.38	-57.31	-47.29	-57.56	-58.44	-53.62




11a40_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5270MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	AV	5.14704G	-47.83	-41.20	-6.63	11.02	0.00	-58.85	-69.24	-69.78	-68.57	-67.98	-67.90	-65.45	-67.45	-68.12
5.07G	5.43G	1M	AV	5.37618G	-45.51	-41.20	-4.31	11.02	0.00	-56.53	-63.70	-67.76	-64.36	-64.45	-67.64	-66.85	-68.15	-64.32

11a40_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5310MHz

15/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	PK	5.14992G	-38.58	-21.20	-17.38	11.02	0.00	-49.60	-60.03	-59.19	-59.24	-60.26	-60.72	-56.99	-56.97	-57.52
5.07G	5.43G	1M	PK	5.3508G	-26.19	-21.20	-4.99	11.02	0.00	-37.21	-49.06	-53.73	-52.24	-43.03	-41.02	-49.46	-48.16	-49.14




11a40_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5310MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	AV	5.14974G	-49.52	-41.20	-8.32	11.02	0.00	-60.54	-70.06	-70.47	-69.47	-71.40	-71.02	-67.94	-68.41	-69.04
5.07G	5.43G	1M	AV	5.35026G	-41.52	-41.20	-0.32	11.02	0.00	-52.54	-61.86	-63.74	-65.32	-61.47	-59.00	-60.46	-62.49	-61.11

11a40_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5510MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.805G	1M	PK	5.39042G	-32.40	-21.20	-11.20	11.02	0.00	-43.42	-50.41	-58.41	-59.47	-57.22	-45.57	-57.90	-59.98	-58.03
5.39G	5.805G	1M	PK	5.46989G	-29.79	-27.00	-2.79	11.02	0.00	-40.81	-49.61	-48.52	-51.70	-51.12	-49.94	-47.81	-49.28	-53.02
5.39G	5.805G	1M	PK	5.76018G	-40.15	-27.00	-13.15	11.02	0.00	-51.17	-59.25	-61.18	-60.77	-56.99	-61.64	-62.86	-61.26	-60.46



11a40_Nss1,(6Mbps)_8TX
5510MHz

CSE Bandedge [AV]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.805G	1M	AV	5.41013G	-46.00	-41.20	-5.60	11.02	0.00	-57.82	-68.56	-67.38	-66.10	-66.59	-67.36	-66.18	-66.75	-66.40

11a40_Nss1,(6Mbps)_8TX
5550MHz

CSE Bandedge [PK]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.805G	1M	PK	5.43046G	-27.96	-21.20	-6.76	11.02	0.00	-39.00	-46.38	-54.90	-55.00	-51.53	-41.57	-53.93	-55.30	-48.96
5.39G	5.805G	1M	PK	5.46719G	-33.60	-27.00	-6.60	11.02	0.00	-44.62	-53.08	-53.17	-54.71	-53.37	-54.78	-54.50	-52.44	-53.77
5.39G	5.805G	1M	PK	5.75997G	-36.63	-27.00	-9.63	11.02	0.00	-47.65	-56.96	-57.65	-57.68	-54.05	-57.12	-57.28	-57.74	-56.37



11a40_Nss1,(6Mbps)_8TX
5550MHz

CSE Bandedge [AV]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.805G	1M	AV	5.45018G	-44.33	-41.20	-3.13	11.02	0.00	-55.35	-65.49	-65.02	-64.55	-64.51	-65.00	-63.19	-64.22	-63.56

11a40_Nss1,(6Mbps)_8TX
5670MHz

CSE Bandedge [PK]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.805G	1M	PK	5.40121G	-37.67	-21.20	-16.47	11.02	0.00	-48.69	-58.96	-56.16	-59.49	-57.28	-59.14	-56.50	-55.29	-59.03
5.39G	5.805G	1M	PK	5.46312G	-37.18	-27.00	-10.18	11.02	0.00	-48.20	-58.50	-57.70	-57.03	-58.24	-58.97	-56.56	-54.97	-57.24
5.39G	5.805G	1M	PK	5.72657G	-27.22	-27.00	-0.22	11.02	0.00	-38.24	-50.52	-52.20	-46.58	-50.65	-46.93	-50.09	-47.54	-42.45

11a40_Nss1,(6Mbps)_8TX
5670MHz

CSE Bandedge [AV]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.805G	1M	AV	5.42403G	-48.75	-41.20	-7.55	11.02	0.00	-59.77	-69.45	-67.95	-69.98	-69.27	-70.32	-68.46	-66.53	-69.83

11a40_Nss1,(6Mbps)_8TX
5710MHz Straddle 5.47-5.725GHz

CSE Bandedge [PK]

15/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.93G	1M	PK	5.42429G	-37.22	-21.20	-16.02	11.02	0.00	-48.24	-57.63	-56.95	-58.07	-57.97	-55.93	-57.09	-57.15	-57.80
5.39G	5.93G	1M	PK	5.46398G	-38.00	-27.00	-11.00	11.02	0.00	-49.02	-58.96	-57.99	-59.39	-58.02	-56.78	-57.10	-58.83	-58.03
5.39G	5.93G	1M	PK	5.85008G	-41.54	-27.00	-14.54	11.02	0.00	-52.56	-64.08	-61.75	-63.27	-63.34	-59.31	-60.30	-61.92	-60.97




11a40_Nss1,(6Mbps)_8TX

5710MHz Straddle 5.47-5.725GHz

CSE Bandedge [AV]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.93G	1M	AV	5.39999G	-48.39	-41.20	-7.19	11.02	0.00	-59.41	-66.91	-67.83	-69.49	-68.78	-66.79	-66.40	-69.18	-66.78

11a40_Nss1,(6Mbps)_8TX

5755MHz

CSE Bandedge [PK]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.645G	5.93G	1M	PK	5.64985G	-28.94	-27.00	-1.94	11.02	0.00	-39.96	-48.93	-52.00	-48.53	-48.30	-50.50	-48.39	-48.98	-47.69
5.645G	5.93G	1M	PK	5.92473G	-43.63	-26.80	-16.83	11.02	0.00	-54.65	-66.24	-67.89	-62.92	-61.83	-63.05	-65.15	-62.73	-62.77



11a40_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5795MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.645G	5.93G	1M	PK	5.64928G	-30.56	-27.00	-3.56	11.02	0.00	-41.58	-50.30	-53.96	-52.04	-49.53	-51.45	-50.38	-49.02	-50.06
5.645G	5.93G	1M	PK	5.92558G	-38.10	-27.00	-11.10	11.02	0.00	-49.12	-62.95	-67.07	-65.79	-61.12	-57.46	-59.06	-52.37	-57.76

11a80_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5210MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.99G	5.51G	1M	PK	5.14314G	-31.33	-21.20	-10.13	11.02	0.00	-42.35	-50.92	-49.23	-49.22	-50.75	-54.81	-52.79	-52.81	-53.92
4.99G	5.51G	1M	PK	5.37584G	-37.88	-21.20	-16.68	11.02	0.00	-48.90	-55.94	-58.72	-57.83	-56.85	-61.04	-59.48	-58.90	-56.80
4.99G	5.51G	1M	PK	5.46112G	-41.29	-27.00	-14.29	11.02	0.00	-52.31	-60.27	-59.42	-61.89	-60.26	-63.00	-63.53	-62.77	-61.37

11a80_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5210MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.99G	5.51G	1M	AV	5.1499G	-42.22	-41.20	-1.02	11.02	0.00	-53.24	-62.33	-62.93	-61.63	-62.41	-62.56	-61.41	-64.30	-61.32
4.99G	5.51G	1M	AV	5.3761G	-46.34	-41.20	-5.14	11.02	0.00	-57.36	-63.74	-69.08	-64.69	-65.04	-69.29	-69.95	-69.91	-65.02

11a80_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5290MHz

14/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.99G	5.51G	1M	PK	5.14886G	-40.55	-21.20	-19.35	11.02	0.00	-51.57	-62.39	-61.30	-61.32	-59.12	-61.51	-60.87	-59.76	-59.56
4.99G	5.51G	1M	PK	5.35452G	-30.57	-21.20	-9.37	11.02	0.00	-41.59	-52.39	-50.60	-52.34	-51.39	-49.65	-48.45	-50.74	-50.04
4.99G	5.51G	1M	PK	5.4723G	-42.45	-27.00	-15.45	11.02	0.00	-53.47	-62.88	-61.83	-63.50	-63.64	-63.28	-62.60	-61.95	-61.00




11a80_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5290MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.99G	5.51G	1M	AV	5.146G	-51.02	-41.20	-9.82	11.02	0.00	-62.04	-71.07	-72.16	-72.02	-71.98	-69.44	-70.91	-71.28	-70.41
4.99G	5.51G	1M	AV	5.354G	-42.31	-41.20	-1.11	11.02	0.00	-53.33	-62.38	-60.72	-63.16	-64.04	-62.24	-60.27	-64.06	-63.89

11a80_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5530MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.31G	5.885G	1M	PK	5.34881G	-38.07	-27.00	-11.07	11.02	0.00	-49.09	-58.70	-55.63	-59.28	-58.81	-57.91	-58.78	-59.88	-57.49
5.31G	5.885G	1M	PK	5.40948G	-29.95	-21.20	-8.75	11.02	0.00	-40.97	-47.90	-55.23	-55.57	-57.47	-43.38	-55.61	-57.40	-52.37
5.31G	5.885G	1M	PK	5.46813G	-29.07	-27.00	-2.07	11.02	0.00	-40.09	-51.18	-49.22	-51.28	-49.88	-53.84	-43.49	-52.20	-52.52
5.31G	5.885G	1M	PK	5.76023G	-39.82	-27.00	-12.82	11.02	0.00	-50.84	-59.61	-59.98	-60.93	-56.83	-59.94	-62.02	-61.77	-60.25



11a80_Nss1,(6Mbps)_8TX
5530MHz

CSE Bandedge [AV]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.31G	5.885G	1M	AV	5.45864G	-42.05	-41.20	-0.85	11.02	0.00	-53.07	-65.22	-56.54	-64.97	-64.18	-64.73	-65.27	-62.47	-62.90

11a80_Nss1,(6Mbps)_8TX
5610MHz

CSE Bandedge [PK]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.31G	5.885G	1M	PK	5.34105G	-35.77	-27.00	-8.77	11.02	0.00	-46.79	-56.09	-55.51	-56.12	-54.56	-56.22	-55.74	-56.80	-55.92
5.31G	5.885G	1M	PK	5.45948G	-31.81	-21.20	-10.61	11.02	0.00	-42.83	-54.33	-52.93	-53.03	-52.76	-53.53	-49.85	-48.56	-53.63
5.31G	5.885G	1M	PK	5.46755G	-31.91	-27.00	-4.91	11.02	0.00	-42.93	-52.70	-49.97	-53.58	-52.19	-52.87	-51.77	-50.50	-53.61
5.31G	5.885G	1M	PK	5.73033G	-28.19	-27.00	-1.19	11.02	0.00	-39.21	-46.76	-51.85	-56.65	-55.03	-41.27	-53.78	-53.85	-53.92



11a80_Nss1,(6Mbps)_8TX
5610MHz

CSE Bandedge [AV]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.31G	5.885G	1M	AV	5.45231G	-43.91	-41.20	-2.71	11.02	0.00	-54.93	-63.85	-63.82	-64.99	-63.34	-65.52	-63.25	-63.19	-64.30

11a80_Nss1,(6Mbps)_8TX

5690MHz Straddle 5.47-5.725GHz

CSE Bandedge [PK]

15/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.31G	6.01G	1M	PK	5.32505G	-33.61	-27.00	-6.61	11.02	0.00	-44.63	-56.09	-52.03	-54.27	-54.05	-53.49	-54.94	-52.54	-53.19
5.31G	6.01G	1M	PK	5.3758G	-33.05	-21.20	-11.85	11.02	0.00	-44.07	-53.60	-53.19	-53.58	-54.48	-52.54	-55.48	-53.07	-50.57
5.31G	6.01G	1M	PK	5.46995G	-32.94	-27.00	-5.94	11.02	0.00	-43.96	-54.93	-54.04	-54.67	-53.41	-52.26	-52.74	-52.28	-51.02
5.31G	6.01G	1M	PK	5.8511G	-32.43	-27.00	-5.43	11.02	0.00	-43.45	-54.58	-54.05	-54.84	-54.60	-48.96	-53.11	-50.65	-53.21




11a80_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.31G	6.01G	1M	AV	5.3759G	-43.27	-41.20	-2.07	11.02	0.00	-54.29	-62.23	-64.14	-63.70	-63.61	-62.43	-65.06	-63.78	-62.39

11a80_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

5775MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.565G	6.01G	1M	PK	5.64955G	-27.29	-27.00	-0.29	11.02	0.00	-38.31	-47.40	-44.69	-48.65	-48.83	-46.14	-48.04	-49.88	-46.75
5.565G	6.01G	1M	PK	5.93012G	-41.44	-27.00	-14.44	11.02	0.00	-52.46	-63.47	-63.19	-64.52	-63.44	-61.48	-61.71	-58.54	-59.40

11a80+80_Nss1,(6Mbps)_4TX(Port1&Port2&Port3&Port4)

CSE Bandedge [PK]

#5210MHz,5290MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.14756G	-38.47	-21.20	-17.27	11.02	0.00	-49.49	-59.35	-53.25	-54.74	-57.00
4.99G	5.51G	1M	PK	5.37584G	-41.75	-21.20	-20.55	11.02	0.00	-52.77	-58.76	-61.58	-58.87	-57.07
4.99G	5.51G	1M	PK	5.49518G	-46.29	-27.00	-19.29	11.02	0.00	-57.31	-61.76	-63.59	-63.64	-64.91

11a80+80_Nss1,(6Mbps)_4TX(Port1&Port2&Port3&Port4)

CSE Bandedge [AV]

#5210MHz,5290MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.1479G	-50.20	-41.20	-9.00	11.02	0.00	-61.22	-71.03	-65.13	-66.46	-68.45
4.99G	5.51G	1M	AV	5.3761G	-48.63	-41.20	-7.43	11.02	0.00	-59.65	-65.33	-71.15	-65.24	-63.82

11a80+80_Nss1,(6Mbps)_4TX(Port5&Port6&Port7&Port8)
5210MHz,#5290MHz

CSE Bandedge [PK]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.99G	5.51G	1M	PK	5.12988G	-39.26	-21.20	-18.06	11.02	0.00	-50.28	-	-	-	-	-62.15	-59.45	-56.75	-52.58
4.99G	5.51G	1M	PK	5.35816G	-33.62	-21.20	-12.42	11.02	0.00	-44.64	-	-	-	-	-54.39	-53.32	-50.03	-47.92
4.99G	5.51G	1M	PK	5.46372G	-45.21	-27.00	-18.21	11.02	0.00	-56.23	-	-	-	-	-64.28	-63.00	-62.29	-60.37

11a80+80_Nss1,(6Mbps)_4TX(Port5&Port6&Port7&Port8)
5210MHz,#5290MHz

CSE Bandedge [AV]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.99G	5.51G	1M	AV	5.12988G	-43.45	-41.20	-2.25	11.02	0.00	-54.47	-	-	-	-	-72.30	-69.56	-62.05	-55.56
4.99G	5.51G	1M	AV	5.35816G	-47.01	-41.20	-5.81	11.02	0.00	-58.03	-	-	-	-	-64.64	-65.97	-64.03	-62.34

11a80+80_Nss1,(6Mbps)_8TX
#5530MHz,#5610MHz

CSE Bandedge [PK]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.15G	6.045G	1M	PK	5.18356G	-38.12	-27.00	-11.12	11.02	0.00	-49.14	-59.09	-60.44	-58.94	-55.49	-60.44	-58.98	-58.86	-56.05
5.15G	6.045G	1M	PK	5.45878G	-34.21	-21.20	-13.01	11.02	0.00	-45.23	-52.71	-54.04	-49.43	-54.60	-60.22	-59.88	-58.81	-56.01
5.15G	6.045G	1M	PK	5.46191G	-33.86	-27.00	-6.86	11.02	0.00	-44.88	-55.97	-47.03	-54.91	-58.80	-60.16	-59.54	-58.51	-56.76
5.15G	6.045G	1M	PK	5.72996G	-35.91	-27.00	-8.91	11.02	0.00	-46.93	-66.06	-64.29	-65.13	-64.43	-49.14	-54.44	-57.37	-58.69

11a80+80_Nss1,(6Mbps)_8TX
#5530MHz,#5610MHz

CSE Bandedge [AV]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.15G	6.045G	1M	AV	5.15G	-53.06	-41.20	-11.86	11.02	0.00	-64.08	-75.22	-73.77	-73.39	-72.87	-73.07	-71.74	-73.07	-72.57
5.15G	6.045G	1M	AV	5.44983G	-43.43	-41.20	-2.23	11.02	0.00	-54.45	-69.96	-70.57	-70.53	-70.18	-72.18	-68.10	-62.23	-56.19

11a80+80_Nss1,(6Mbps)_8TX

CSE Bandedge [PK]

#5610MHz,#5690MHz Straddle 5.47-5.725GHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.15G	6.17G	1M	PK	5.18366G	-33.64	-27.00	-6.64	11.02	0.00	-44.66	-55.59	-56.29	-54.31	-51.95	-53.56	-53.40	-54.36	-51.97
5.15G	6.17G	1M	PK	5.45804G	-30.34	-21.20	-9.14	11.02	0.00	-41.36	-46.46	-50.26	-50.15	-46.67	-57.52	-55.06	-56.84	-55.38
5.15G	6.17G	1M	PK	5.46212G	-29.89	-27.00	-2.89	11.02	0.00	-40.91	-45.24	-47.70	-48.54	-50.50	-56.55	-54.55	-54.92	-56.48
5.15G	6.17G	1M	PK	5.85023G	-34.54	-27.00	-7.54	11.02	0.00	-45.56	-61.40	-61.48	-61.34	-62.36	-52.40	-54.47	-52.82	-49.80

11a80+80_Nss1,(6Mbps)_8TX

CSE Bandedge [AV]

#5610MHz,#5690MHz Straddle 5.47-5.725GHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.15G	6.17G	1M	AV	5.15G	-46.79	-41.20	-5.59	11.02	0.00	-57.81	-69.23	-67.29	-66.90	-66.92	-66.75	-65.50	-66.55	-66.46
5.15G	6.17G	1M	AV	5.45702G	-43.27	-41.20	-2.07	11.02	0.00	-54.29	-60.43	-61.41	-62.51	-62.05	-67.47	-66.02	-66.02	-66.41

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5180MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	PK	5.1499G	-30.44	-21.20	-9.24	11.02	0.00	-41.46	-52.10	-50.77	-54.12	-50.39	-50.11	-46.24	-52.81	-52.96
5.11G	5.39G	1M	PK	5.376G	-35.79	-21.20	-14.59	11.02	0.00	-46.81	-53.36	-57.12	-55.59	-55.10	-57.99	-57.81	-57.53	-54.63

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5180MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	AV	5.1499G	-43.27	-41.20	-2.07	11.02	0.00	-54.29	-64.15	-62.84	-64.68	-63.31	-63.70	-60.87	-63.70	-64.68
5.11G	5.39G	1M	AV	5.376G	-44.78	-41.20	-3.58	11.02	0.00	-55.80	-61.06	-66.85	-64.24	-64.61	-67.07	-67.85	-67.61	-64.16

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5200MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	PK	5.13996G	-28.73	-21.20	-7.53	11.02	0.00	-39.75	-52.54	-45.03	-49.40	-49.88	-53.68	-45.18	-53.71	-50.82
5.11G	5.39G	1M	PK	5.38762G	-34.89	-21.20	-13.69	11.02	0.00	-45.91	-57.34	-56.33	-54.77	-54.43	-56.13	-51.55	-57.51	-54.82

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5200MHz

15/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	AV	5.14934G	-43.55	-41.20	-2.35	11.02	0.00	-54.57	-65.05	-65.04	-64.23	-62.62	-64.21	-61.92	-64.96	-62.20
5.11G	5.39G	1M	AV	5.376G	-44.78	-41.20	-3.58	11.02	0.00	-55.80	-61.62	-66.82	-64.47	-64.78	-66.66	-66.88	-68.37	-63.23




802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5240MHz

15/09/2021




802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5240MHz

15/09/2021




802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5260MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	PK	5.14066G	-36.81	-21.20	-15.61	11.02	0.00	-47.83	-57.12	-59.41	-59.51	-58.23	-51.68	-59.86	-57.83	-58.91
5.11G	5.39G	1M	PK	5.35024G	-37.80	-21.20	-16.60	11.02	0.00	-48.82	-56.21	-57.20	-57.80	-57.00	-60.03	-60.46	-58.12	-57.63

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5260MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	AV	5.1492G	-49.57	-41.20	-8.37	11.02	0.00	-60.59	-70.28	-70.59	-69.60	-69.53	-69.88	-69.47	-68.66	-69.27
5.11G	5.39G	1M	AV	5.376G	-46.08	-41.20	-4.88	11.02	0.00	-57.10	-63.78	-69.01	-64.36	-64.78	-69.07	-70.15	-69.65	-64.22

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5300MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	PK	5.1499G	-38.90	-21.20	-17.70	11.02	0.00	-49.92	-59.60	-59.90	-58.18	-59.15	-59.23	-58.85	-58.09	-58.92
5.11G	5.39G	1M	PK	5.376G	-37.59	-21.20	-16.39	11.02	0.00	-48.61	-56.43	-57.11	-57.14	-57.42	-59.06	-59.36	-58.49	-57.02

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5300MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	AV	5.14906G	-49.59	-41.20	-8.39	11.02	0.00	-60.61	-70.44	-70.78	-69.92	-69.81	-69.23	-68.85	-69.00	-69.43
5.11G	5.39G	1M	AV	5.376G	-46.02	-41.20	-4.82	11.02	0.00	-57.04	-63.93	-68.60	-64.61	-64.88	-68.03	-69.11	-69.21	-64.40

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5320MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	PK	5.12512G	-38.26	-21.20	-17.06	11.02	0.00	-49.28	-59.10	-60.49	-58.30	-56.77	-61.89	-58.11	-56.52	-57.78
5.11G	5.39G	1M	PK	5.37614G	-37.10	-21.20	-15.90	11.02	0.00	-48.12	-56.27	-59.02	-56.38	-57.04	-59.80	-57.50	-56.61	-55.99

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5320MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.11G	5.39G	1M	AV	5.12372G	-49.40	-41.20	-8.20	11.02	0.00	-60.42	-69.69	-70.87	-69.80	-68.53	-71.70	-69.13	-68.04	-68.94
5.11G	5.39G	1M	AV	5.376G	-45.81	-41.20	-4.61	11.02	0.00	-56.83	-63.59	-67.94	-64.45	-64.63	-69.43	-68.60	-68.63	-64.18

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5500MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.765G	1M	PK	5.45998G	-37.93	-21.20	-16.73	11.02	0.00	-48.95	-58.11	-56.02	-59.16	-57.59	-59.16	-58.07	-58.51	-58.12
5.43G	5.765G	1M	PK	5.46451G	-37.52	-27.00	-10.52	11.02	0.00	-48.54	-58.67	-56.47	-56.81	-57.50	-59.18	-56.77	-58.65	-57.33
5.43G	5.765G	1M	PK	5.76014G	-40.28	-27.00	-13.28	11.02	0.00	-51.30	-60.53	-60.66	-62.76	-57.25	-61.06	-61.48	-61.01	-60.16

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5500MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.765G	1M	AV	5.44792G	-48.75	-41.20	-7.55	11.02	0.00	-59.77	-69.19	-68.08	-69.68	-68.96	-69.23	-68.00	-66.80	-66.77

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5580MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.765G	1M	PK	5.45948G	-37.95	-21.20	-16.75	11.02	0.00	-48.97	-57.16	-59.34	-59.93	-59.86	-53.63	-58.85	-59.98	-60.46
5.43G	5.765G	1M	PK	5.46015G	-37.83	-27.00	-10.83	11.02	0.00	-48.85	-58.49	-59.02	-61.31	-60.37	-52.68	-58.98	-60.18	-59.68
5.43G	5.765G	1M	PK	5.75998G	-40.08	-27.00	-13.08	11.02	0.00	-51.10	-60.43	-60.42	-62.05	-55.87	-62.27	-61.88	-62.36	-60.43

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5580MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.765G	1M	AV	5.43017G	-49.89	-41.20	-8.69	11.02	0.00	-60.91	-70.47	-69.69	-71.16	-69.59	-70.59	-68.82	-69.84	-69.76

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5700MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.765G	1M	PK	5.44692G	-39.02	-21.20	-17.82	11.02	0.00	-50.04	-59.20	-60.79	-58.69	-58.60	-59.94	-58.56	-57.53	-60.10
5.43G	5.765G	1M	PK	5.46417G	-39.22	-27.00	-12.22	11.02	0.00	-50.24	-58.40	-62.05	-59.82	-59.14	-60.62	-57.64	-58.36	-59.67
5.43G	5.765G	1M	PK	5.72347G	-27.54	-27.00	-0.54	11.02	0.00	-38.56	-48.08	-53.40	-45.34	-53.21	-51.18	-51.62	-50.45	-42.10

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5700MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.765G	1M	AV	5.44792G	-49.67	-41.20	-8.47	11.02	0.00	-60.69	-69.61	-70.74	-69.86	-69.75	-70.16	-69.09	-69.03	-69.79



802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz

CSE Bandedge [PK]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.89G	1M	PK	5.4415G	-38.46	-21.20	-17.26	11.02	0.00	-49.48	-57.75	-59.03	-59.12	-59.77	-58.47	-57.87	-58.24	-58.25
5.43G	5.89G	1M	PK	5.46979G	-39.07	-27.00	-12.07	11.02	0.00	-50.09	-57.29	-61.76	-58.57	-58.81	-60.49	-58.95	-59.87	-58.70
5.43G	5.89G	1M	PK	5.85895G	-43.19	-27.00	-16.19	11.02	0.00	-54.21	-62.09	-63.79	-64.73	-62.39	-62.73	-62.96	-63.32	-64.75

802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz

CSE Bandedge [AV]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.43G	5.89G	1M	AV	5.44794G	-49.37	-41.20	-8.17	11.02	0.00	-60.39	-68.86	-70.95	-69.82	-69.43	-70.16	-68.54	-68.93	-69.16

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5745MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.685G	5.89G	1M	PK	5.72016G	-6.62	15.96	-22.58	11.02	0.00	-17.64	-34.23	-33.02	-35.78	-26.66	-28.75	-32.19	-28.76	-19.72
5.685G	5.89G	1M	PK	5.88775G	-30.92	0.57	-31.49	11.02	0.00	-41.94	-53.88	-51.36	-53.79	-49.29	-51.11	-50.09	-49.84	-50.62

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5785MHz

14/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.685G	5.89G	1M	PK	5.685G	-31.16	-1.10	-30.06	11.02	0.00	-42.18	-52.53	-52.46	-49.21	-51.10	-52.47	-52.14	-50.31	-50.77
5.685G	5.89G	1M	PK	5.88969G	-38.14	-0.87	-37.27	11.02	0.00	-49.16	-61.99	-57.55	-57.53	-58.46	-59.61	-59.02	-56.72	-56.81




802.11ax HEW20_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5825MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.685G	5.89G	1M	PK	5.68541G	-33.26	-0.80	-32.46	11.02	0.00	-44.28	-51.92	-55.10	-52.48	-52.76	-55.01	-53.97	-52.89	-53.40
5.685G	5.89G	1M	PK	5.85177G	-0.35	22.97	-23.32	11.02	0.00	-11.37	-27.69	-13.29	-23.37	-25.75	-26.67	-20.62	-25.92	-24.32

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5190MHz

14/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	PK	5.14992G	-31.16	-21.20	-9.96	11.02	0.00	-42.18	-49.19	-47.60	-52.57	-53.53	-54.67	-52.25	-50.90	-54.33
5.07G	5.43G	1M	PK	5.37618G	-38.26	-21.20	-17.06	11.02	0.00	-49.28	-56.33	-60.02	-56.78	-57.56	-60.26	-60.46	-59.16	-58.01




802.11ax HEW40_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5190MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	AV	5.14992G	-43.06	-41.20	-1.86	11.02	0.00	-54.08	-60.88	-60.48	-63.03	-65.40	-65.92	-62.48	-65.63	-64.98
5.07G	5.43G	1M	AV	5.376G	-46.29	-41.20	-5.09	11.02	0.00	-57.31	-63.67	-69.80	-64.65	-64.80	-69.25	-70.26	-70.38	-64.63

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5230MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	PK	5.10834G	-29.71	-21.20	-8.51	11.02	0.00	-40.73	-48.40	-54.99	-55.23	-55.22	-42.96	-54.36	-54.47	-55.20
5.07G	5.43G	1M	PK	5.35008G	-31.33	-21.20	-10.13	11.02	0.00	-42.35	-55.99	-54.54	-56.76	-55.58	-44.18	-53.52	-55.88	-56.94

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5230MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	AV	5.14992G	-42.07	-41.20	-0.87	11.02	0.00	-53.09	-63.88	-60.65	-62.42	-62.32	-63.38	-59.98	-62.95	-62.89
5.07G	5.43G	1M	AV	5.376G	-44.26	-41.20	-3.06	11.02	0.00	-55.28	-61.28	-64.97	-63.97	-64.95	-66.30	-65.08	-66.88	-63.68

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5270MHz

15/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	PK	5.14956G	-31.11	-21.20	-9.91	11.02	0.00	-42.13	-58.23	-55.48	-58.34	-52.64	-43.56	-55.38	-58.02	-58.47
5.07G	5.43G	1M	PK	5.38968G	-33.76	-21.20	-12.56	11.02	0.00	-44.78	-59.40	-56.04	-61.18	-57.16	-46.47	-57.33	-59.05	-58.92




802.11ax HEW40_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5270MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	AV	5.14956G	-46.93	-41.20	-5.73	11.02	0.00	-57.95	-69.20	-66.43	-68.32	-65.06	-67.92	-65.10	-67.69	-68.12
5.07G	5.43G	1M	AV	5.376G	-44.96	-41.20	-3.76	11.02	0.00	-55.98	-63.61	-65.62	-64.07	-63.80	-67.35	-66.46	-67.38	-63.87

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5310MHz

15/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	PK	5.14866G	-39.87	-21.20	-18.67	11.02	0.00	-50.89	-62.75	-59.75	-61.20	-62.02	-59.35	-57.11	-59.59	-60.16
5.07G	5.43G	1M	PK	5.35008G	-29.26	-21.20	-8.06	11.02	0.00	-40.28	-47.13	-46.78	-49.57	-50.09	-51.82	-49.92	-50.22	-52.06




802.11ax HEW40_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5310MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.07G	5.43G	1M	AV	5.14992G	-50.85	-41.20	-9.65	11.02	0.00	-61.87	-72.72	-72.43	-71.52	-71.44	-70.59	-68.06	-71.44	-70.90
5.07G	5.43G	1M	AV	5.35008G	-41.41	-41.20	-0.21	11.02	0.00	-52.43	-60.68	-58.89	-62.77	-62.27	-63.56	-60.30	-61.63	-64.11

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5510MHz

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.805G	1M	PK	5.39033G	-29.21	-21.20	-8.01	11.02	0.00	-40.23	-47.22	-57.74	-57.64	-57.67	-41.80	-57.58	-58.84	-57.68
5.39G	5.805G	1M	PK	5.46989G	-28.23	-27.00	-1.23	11.02	0.00	-39.25	-48.20	-47.58	-48.80	-49.93	-47.95	-45.84	-50.37	-49.31
5.39G	5.805G	1M	PK	5.75997G	-39.43	-27.00	-12.43	11.02	0.00	-50.45	-57.63	-61.94	-60.56	-56.90	-58.44	-62.74	-61.80	-59.53



802.11ax HEW40_Nss1,(MCS0)_8TX
5510MHz

CSE Bandedge [AV]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.805G	1M	AV	5.45993G	-45.56	-41.20	-4.36	11.02	0.00	-56.58	-65.08	-64.81	-66.69	-66.97	-65.29	-63.19	-67.85	-66.92

802.11ax HEW40_Nss1,(MCS0)_8TX
5550MHz

CSE Bandedge [PK]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.805G	1M	PK	5.42901G	-29.82	-21.20	-8.62	11.02	0.00	-40.84	-50.09	-57.75	-58.18	-59.66	-42.09	-53.59	-59.14	-59.10
5.39G	5.805G	1M	PK	5.46988G	-35.64	-27.00	-8.64	11.02	0.00	-46.66	-58.59	-56.45	-58.05	-56.09	-55.23	-52.70	-55.59	-55.57
5.39G	5.805G	1M	PK	5.76018G	-38.53	-27.00	-11.53	11.02	0.00	-49.55	-60.30	-59.29	-60.64	-56.90	-56.80	-58.59	-58.81	-58.90



802.11ax HEW40_Nss1,(MCS0)_8TX
5550MHz

CSE Bandedge [AV]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.805G	1M	AV	5.44312G	-46.25	-41.20	-5.05	11.02	0.00	-57.27	-66.71	-65.84	-68.15	-67.03	-65.09	-64.21	-67.22	-66.04

802.11ax HEW40_Nss1,(MCS0)_8TX
5670MHz

CSE Bandedge [PK]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.805G	1M	PK	5.49511G	-36.67	-21.20	-15.47	11.02	0.00	-47.69	-57.91	-58.33	-58.24	-58.22	-57.58	-57.35	-54.45	-54.27
5.39G	5.805G	1M	PK	5.46844G	-36.05	-27.00	-9.05	11.02	0.00	-47.07	-57.97	-56.71	-59.55	-58.80	-55.55	-55.19	-54.51	-53.85
5.39G	5.805G	1M	PK	5.79006G	-29.96	-27.00	-2.96	11.02	0.00	-40.98	-60.31	-60.09	-61.13	-61.24	-41.57	-61.24	-58.63	-53.47



802.11ax HEW40_Nss1,(MCS0)_8TX
5670MHz

CSE Bandedge [AV]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.805G	1M	AV	5.45993G	-47.38	-41.20	-6.18	11.02	0.00	-58.40	-68.32	-68.05	-69.78	-68.92	-67.26	-68.32	-65.42	-65.42

802.11ax HEW40_Nss1,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz

CSE Bandedge [PK]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.93G	1M	PK	5.40674G	-36.72	-21.20	-15.52	11.02	0.00	-47.74	-57.73	-57.22	-57.25	-58.05	-56.87	-56.14	-58.94	-53.07
5.39G	5.93G	1M	PK	5.46425G	-36.96	-27.00	-9.96	11.02	0.00	-47.98	-58.34	-57.99	-59.83	-59.41	-56.22	-58.21	-57.80	-52.90
5.39G	5.93G	1M	PK	5.85575G	-41.03	-27.00	-14.03	11.02	0.00	-52.05	-62.47	-62.27	-61.55	-63.12	-57.31	-63.06	-62.41	-60.16



802.11ax HEW40_Nss1,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz

CSE Bandedge [AV]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.39G	5.93G	1M	AV	5.39972G	-47.64	-41.20	-6.44	11.02	0.00	-58.66	-66.65	-67.60	-69.18	-68.85	-66.44	-68.22	-66.53	-65.50

802.11ax HEW40_Nss1,(MCS0)_8TX
5755MHz

CSE Bandedge [PK]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.645G	5.93G	1M	PK	5.65013G	-28.05	-26.90	-1.15	11.02	0.00	-39.07	-48.21	-48.69	-47.96	-46.21	-48.23	-48.52	-50.35	-47.72
5.645G	5.93G	1M	PK	5.92359G	-39.33	-25.95	-13.38	11.02	0.00	-50.35	-59.98	-60.47	-61.18	-62.05	-58.74	-59.43	-56.82	-58.60

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5795MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.645G	5.93G	1M	PK	5.64942G	-30.96	-27.00	-3.96	11.02	0.00	-41.98	-49.18	-50.81	-53.21	-52.33	-50.36	-52.32	-51.20	-50.09
5.645G	5.93G	1M	PK	5.92399G	-41.76	-25.95	-15.81	11.02	0.00	-52.78	-62.44	-63.12	-61.94	-64.22	-57.16	-63.95	-64.60	-62.80

802.11ax HEW80_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5210MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.99G	5.51G	1M	PK	5.14574G	-30.69	-21.20	-9.49	11.02	0.00	-41.71	-50.68	-47.14	-48.55	-53.22	-52.67	-52.92	-53.38	-52.36
4.99G	5.51G	1M	PK	5.3761G	-37.85	-21.20	-16.65	11.02	0.00	-48.87	-56.49	-58.90	-56.92	-57.34	-59.25	-59.56	-59.02	-56.98
4.99G	5.51G	1M	PK	5.48114G	-41.24	-27.00	-14.24	11.02	0.00	-52.26	-60.16	-60.98	-60.60	-62.12	-63.38	-62.79	-60.48	-60.87

802.11ax HEW80_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5210MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.99G	5.51G	1M	AV	5.14236G	-41.94	-41.20	-0.74	11.02	0.00	-52.96	-62.92	-59.67	-61.13	-61.68	-62.26	-63.25	-64.47	-62.23
4.99G	5.51G	1M	AV	5.3761G	-45.90	-41.20	-4.70	11.02	0.00	-56.92	-63.14	-69.04	-64.45	-64.43	-69.11	-69.47	-69.80	-64.43

802.11ax HEW80_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5290MHz

14/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.99G	5.51G	1M	PK	5.14626G	-40.15	-21.20	-18.95	11.02	0.00	-51.17	-61.14	-61.68	-59.80	-60.71	-59.18	-59.81	-60.48	-59.39
4.99G	5.51G	1M	PK	5.35192G	-29.67	-21.20	-8.47	11.02	0.00	-40.69	-51.55	-49.79	-50.09	-51.94	-54.39	-45.00	-50.28	-51.50
4.99G	5.51G	1M	PK	5.47282G	-42.53	-27.00	-15.53	11.02	0.00	-53.55	-60.86	-61.79	-63.71	-63.88	-63.02	-64.06	-63.24	-61.34




802.11ax HEW80_Nss1,(MCS0)_8TX

CSE Bandedge [AV]

5290MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.99G	5.51G	1M	AV	5.146G	-50.75	-41.20	-9.55	11.02	0.00	-61.77	-70.79	-72.07	-71.58	-71.58	-69.34	-70.60	-70.91	-70.18
4.99G	5.51G	1M	AV	5.3501G	-41.62	-41.20	-0.42	11.02	0.00	-52.64	-62.54	-59.62	-62.38	-62.96	-64.05	-59.31	-62.19	-62.69

802.11ax HEW80_Nss1,(MCS0)_8TX

CSE Bandedge [PK]

5530MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.31G	5.885G	1M	PK	5.34623G	-37.49	-27.00	-10.49	11.02	0.00	-48.51	-59.21	-57.35	-58.17	-57.98	-56.88	-56.60	-58.82	-56.23
5.31G	5.885G	1M	PK	5.49595G	-29.01	-21.20	-7.81	11.02	0.00	-40.03	-53.60	-47.20	-55.17	-53.62	-43.15	-50.08	-51.62	-54.57
5.31G	5.885G	1M	PK	5.46813G	-27.30	-27.00	-0.30	11.02	0.00	-38.32	-55.21	-53.22	-54.63	-52.99	-39.53	-50.83	-53.58	-51.52
5.31G	5.885G	1M	PK	5.75994G	-39.23	-27.00	-12.23	11.02	0.00	-50.25	-59.74	-60.81	-61.18	-56.91	-57.07	-60.97	-60.82	-59.33



802.11ax HEW80_Nss1,(MCS0)_8TX
5530MHz

CSE Bandedge [AV]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.31G	5.885G	1M	AV	5.45346G	-43.92	-41.20	-2.72	11.02	0.00	-54.94	-65.16	-63.97	-61.69	-64.20	-63.73	-64.06	-64.58	-65.51

802.11ax HEW80_Nss1,(MCS0)_8TX
5610MHz

CSE Bandedge [PK]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.31G	5.885G	1M	PK	5.33271G	-35.21	-27.00	-8.21	11.02	0.00	-46.23	-56.85	-53.69	-55.16	-55.08	-55.90	-55.26	-54.05	-57.32
5.31G	5.885G	1M	PK	5.45893G	-32.20	-21.20	-11.00	11.02	0.00	-43.22	-51.22	-52.08	-53.97	-53.33	-52.04	-51.95	-51.01	-53.31
5.31G	5.885G	1M	PK	5.4641G	-30.82	-27.00	-3.82	11.02	0.00	-41.84	-53.64	-51.56	-54.55	-53.09	-51.77	-51.96	-46.20	-50.61
5.31G	5.885G	1M	PK	5.73119G	-28.09	-27.00	-1.09	11.02	0.00	-39.11	-53.53	-47.25	-55.72	-53.05	-41.82	-52.14	-49.75	-50.32



802.11ax HEW80_Nss1,(MCS0)_8TX
5610MHz

CSE Bandedge [AV]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.31G	5.885G	1M	AV	5.44973G	-43.74	-41.20	-2.54	11.02	0.00	-54.76	-64.47	-64.14	-65.31	-64.77	-65.25	-61.67	-62.06	-64.29

802.11ax HEW80_Nss1,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz

CSE Bandedge [PK]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.31G	6.01G	1M	PK	5.3443G	-34.63	-27.00	-7.63	11.02	0.00	-45.65	-56.20	-53.86	-54.89	-54.20	-55.76	-52.93	-55.38	-55.19
5.31G	6.01G	1M	PK	5.3758G	-34.03	-21.20	-12.83	11.02	0.00	-45.05	-53.69	-52.04	-54.08	-52.76	-56.27	-55.10	-54.83	-55.52
5.31G	6.01G	1M	PK	5.4689G	-34.03	-27.00	-7.03	11.02	0.00	-45.05	-55.06	-52.21	-53.67	-55.52	-55.81	-53.87	-53.76	-53.89
5.31G	6.01G	1M	PK	5.85005G	-33.53	-27.00	-6.53	11.02	0.00	-44.55	-58.34	-54.37	-58.19	-56.26	-49.39	-51.34	-54.42	-54.40



802.11ax HEW80_Nss1,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz

CSE Bandedge [AV]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.31G	6.01G	1M	AV	5.3759G	-43.78	-41.20	-2.58	11.02	0.00	-54.80	-61.90	-63.78	-63.21	-63.35	-64.86	-65.15	-65.42	-64.14

802.11ax HEW80_Nss1,(MCS0)_8TX
5775MHz

CSE Bandedge [PK]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.565G	6.01G	1M	PK	5.65422G	-26.24	-23.88	-2.36	11.02	0.00	-37.26	-50.41	-50.64	-52.44	-52.27	-39.18	-50.12	-49.86	-47.46
5.565G	6.01G	1M	PK	5.92434G	-44.50	-26.51	-17.99	11.02	0.00	-55.52	-64.96	-66.75	-69.71	-68.13	-62.28	-62.47	-64.34	-63.09

802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port1&Port2&Port3&Port4)
#5210MHz,5290MHz

CSE Bandedge [PK]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.14704G	-36.58	-21.20	-15.38	11.02	0.00	-47.60	-58.59	-49.14	-56.79	-57.67
4.99G	5.51G	1M	PK	5.3761G	-41.27	-21.20	-20.07	11.02	0.00	-52.29	-58.15	-62.26	-58.75	-56.13
4.99G	5.51G	1M	PK	5.47126G	-46.84	-27.00	-19.84	11.02	0.00	-57.86	-61.67	-65.87	-64.89	-64.28

802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port1&Port2&Port3&Port4)
#5210MHz,5290MHz

CSE Bandedge [AV]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.1499G	-49.86	-41.20	-8.66	11.02	0.00	-60.88	-69.04	-64.70	-68.03	-67.10
4.99G	5.51G	1M	AV	5.3761G	-48.39	-41.20	-7.19	11.02	0.00	-59.41	-64.93	-71.93	-65.08	-63.48

802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port5&Port6&Port7&Port8)
5210MHz,#5290MHz

CSE Bandedge [PK]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.99G	5.51G	1M	PK	5.12988G	-38.77	-21.20	-17.57	11.02	0.00	-49.79	-	-	-	-	-61.98	-58.61	-58.21	-51.56
4.99G	5.51G	1M	PK	5.35764G	-37.23	-21.20	-16.03	11.02	0.00	-48.25	-	-	-	-	-54.77	-55.35	-57.25	-51.66
4.99G	5.51G	1M	PK	5.4645G	-45.99	-27.00	-18.99	11.02	0.00	-57.01	-	-	-	-	-63.70	-63.22	-64.10	-61.57

802.11ax HEW80+80_Nss2,(MCS0)_4TX(Port5&Port6&Port7&Port8)
5210MHz,#5290MHz

CSE Bandedge [AV]

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.99G	5.51G	1M	AV	5.12988G	-43.17	-41.20	-1.97	11.02	0.00	-54.19	-	-	-	-	-72.17	-65.55	-63.18	-55.24
4.99G	5.51G	1M	AV	5.3579G	-49.74	-41.20	-8.54	11.02	0.00	-60.76	-	-	-	-	-66.39	-66.57	-68.49	-66.04

802.11ax HEW80+80_Nss2,(MCS0)_8TX

CSE Bandedge [PK]

#5530MHz,#5610MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.15G	6.045G	1M	PK	5.18401G	-37.62	-27.00	-10.62	11.02	0.00	-48.64	-58.89	-60.50	-59.54	-55.35	-59.05	-60.07	-56.56	-55.17
5.15G	6.045G	1M	PK	5.45878G	-34.53	-21.20	-13.33	11.02	0.00	-45.55	-54.69	-48.47	-57.40	-56.23	-59.63	-60.30	-57.85	-56.19
5.15G	6.045G	1M	PK	5.4637G	-34.99	-27.00	-7.99	11.02	0.00	-46.01	-54.66	-49.68	-53.51	-57.41	-60.39	-61.26	-58.94	-57.82
5.15G	6.045G	1M	PK	5.72907G	-34.41	-27.00	-7.41	11.02	0.00	-45.43	-64.80	-65.13	-64.19	-64.19	-46.11	-61.45	-59.67	-60.29

802.11ax HEW80+80_Nss2,(MCS0)_8TX

CSE Bandedge [AV]

#5530MHz,#5610MHz

14/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.15G	6.045G	1M	AV	5.15G	-52.10	-41.20	-10.90	11.02	0.00	-63.12	-75.22	-73.55	-73.28	-72.72	-70.40	-71.65	-70.25	-72.29
5.15G	6.045G	1M	AV	5.44983G	-42.70	-41.20	-1.50	11.02	0.00	-53.72	-70.69	-67.86	-70.53	-69.35	-69.70	-66.80	-60.02	-56.05

802.11ax HEW80+80_Nss2,(MCS0)_8TX
#5610MHz,#5690MHz Straddle 5.47-5.725GHz

CSE Bandedge [PK]

15/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.15G	6.17G	1M	PK	5.18366G	-33.21	-27.00	-6.21	11.02	0.00	-44.23	-57.07	-56.11	-56.51	-51.04	-54.20	-54.41	-52.15	-50.11
5.15G	6.17G	1M	PK	5.45549G	-33.05	-21.20	-11.85	11.02	0.00	-44.07	-53.25	-47.98	-56.80	-53.92	-56.39	-54.72	-54.05	-55.57
5.15G	6.17G	1M	PK	5.46722G	-32.54	-27.00	-5.54	11.02	0.00	-43.56	-53.37	-47.85	-57.90	-51.98	-55.12	-55.17	-52.54	-54.67
5.15G	6.17G	1M	PK	5.85023G	-36.61	-27.00	-9.61	11.02	0.00	-47.63	-64.39	-60.86	-63.61	-61.41	-56.10	-56.06	-52.08	-54.22

802.11ax HEW80+80_Nss2,(MCS0)_8TX
#5610MHz,#5690MHz Straddle 5.47-5.725GHz

CSE Bandedge [AV]

15/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
5.15G	6.17G	1M	AV	5.15G	-46.36	-41.20	-5.16	11.02	0.00	-57.38	-71.57	-67.08	-69.33	-66.55	-66.24	-64.88	-63.99	-65.79
5.15G	6.17G	1M	AV	5.37593G	-43.43	-41.20	-2.23	11.02	0.00	-54.45	-64.97	-64.84	-64.17	-60.54	-63.45	-64.57	-63.52	-63.69



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_1TX	Pass	5.11G	5.39G	AV	5.14906G	6.00	-52.74	-52.74	-46.74	-41.20	-5.54
11a40_40MHz_Nss1,(6Mbps)_1TX	Pass	5.07G	5.43G	AV	5.1456G	6.00	-51.97	-51.97	-45.97	-41.20	-4.77
11a80_80MHz_Nss1,(6Mbps)_1TX	Pass	4.99G	5.51G	AV	5.13586G	6.00	-52.56	-52.56	-46.56	-41.20	-5.36
11a160_160MHz_Nss1,(6Mbps)_1TX	Pass	4.83G	5.67G	AV	5.35374G	6.00	-50.97	-50.97	-44.97	-41.20	-3.77
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.11G	5.39G	AV	5.1499G	6.00	-50.17	-50.17	-44.17	-41.20	-2.97
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.07G	5.43G	AV	5.39634G	6.00	-52.84	-52.84	-46.84	-41.20	-5.64
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	4.99G	5.51G	AV	5.14808G	6.00	-52.63	-52.63	-46.63	-41.20	-5.43
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	4.83G	5.67G	AV	5.35038G	6.00	-51.88	-51.88	-45.88	-41.20	-4.68
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_1TX	Pass	5.11G	5.39G	AV	5.35024G	6.00	-51.86	-51.86	-45.86	-41.20	-4.66
11a40_40MHz_Nss1,(6Mbps)_1TX	Pass	5.07G	5.43G	AV	5.35242G	6.00	-50.85	-50.85	-44.85	-41.20	-3.65
11a80_80MHz_Nss1,(6Mbps)_1TX	Pass	4.99G	5.51G	AV	5.35712G	6.00	-52.43	-52.43	-46.43	-41.20	-5.23
11a160_160MHz_Nss1,(6Mbps)_1TX	Pass	4.83G	5.67G	AV	5.36298G	6.00	-51.06	-51.06	-45.06	-41.20	-3.86
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.11G	5.39G	AV	5.3501G	6.00	-48.86	-48.86	-42.86	-41.20	-1.66
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.07G	5.43G	AV	5.35494G	6.00	-52.49	-52.49	-46.49	-41.20	-5.29
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	4.99G	5.51G	AV	5.35452G	6.00	-52.19	-52.19	-46.19	-41.20	-4.99
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	4.83G	5.67G	AV	5.35122G	6.00	-51.99	-51.99	-45.99	-41.20	-4.79
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_1TX	Pass	5.43G	5.765G	AV	5.4501G	6.00	-53.18	-53.18	-47.18	-41.20	-5.98
11a40_40MHz_Nss1,(6Mbps)_1TX	Pass	5.39G	5.805G	PK	5.72677G	6.00	-35.60	-35.60	-29.60	-27.00	-2.60
11a80_80MHz_Nss1,(6Mbps)_1TX	Pass	5.31G	5.885G	AV	5.45231G	6.00	-52.66	-52.66	-46.66	-41.20	-5.46
11a160_160MHz_Nss1,(6Mbps)_1TX	Pass	5.15G	6.045G	AV	5.45922G	6.00	-51.17	-51.17	-45.17	-41.20	-3.97
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.43G	5.765G	PK	5.46936G	6.00	-37.30	-37.30	-31.30	-27.00	-4.30
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.39G	5.805G	PK	5.72719G	6.00	-36.77	-36.77	-30.77	-27.00	-3.77
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	5.31G	5.885G	AV	5.4595G	6.00	-52.90	-52.90	-46.90	-41.20	-5.70
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	5.15G	6.045G	AV	5.45206G	6.00	-52.37	-52.37	-46.37	-41.20	-5.17
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_1TX	Pass	5.685G	5.89G	PK	5.88918G	6.00	-40.11	-40.11	-34.11	-0.49	-33.62
11a40_40MHz_Nss1,(6Mbps)_1TX	Pass	5.645G	5.93G	PK	5.92644G	6.00	-42.05	-42.05	-36.05	-27.00	-9.05
11a80_80MHz_Nss1,(6Mbps)_1TX	Pass	5.565G	6.01G	PK	5.94036G	6.00	-39.80	-39.80	-33.80	-27.00	-6.80
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.685G	5.89G	PK	5.8899G	6.00	-43.15	-43.15	-37.15	-1.02	-36.13
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.645G	5.93G	PK	5.92387G	6.00	-40.36	-40.36	-34.36	-26.17	-8.19
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	5.565G	6.01G	PK	5.9546G	6.00	-40.01	-40.01	-34.01	-27.00	-7.01

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX