




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6535MHz

10/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.06928G	-58.01	-7.00	-51.01	6.00	0.00	-64.01	-64.01
1G	40G	1M	PK	19.61763G	-58.09	-21.20	-36.89	6.00	0.00	-64.09	-64.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


CSE [AV]


6535MHz


10/09/2023







F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.07172G	-62.40	-27.00	-35.40	6.00	0.00	-68.40	-68.40
1G	40G	1M	AV	19.60788G	-62.57	-41.20	-21.37	6.00	0.00	-68.57	-68.57














6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [PK]

6565MHz

11/09/2023



Limit:PK
 ERP:PK
 Port:1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.13022G	-62.81	-7.00	-55.81	6.00	0.00	-68.81	-68.81
1G	40G	1M	PK	39.922G	-62.42	-21.20	-41.22	6.00	0.00	-68.42	-68.42

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [AV]

6565MHz

11/09/2023



Limit:AV
 ERP:AV
 Port:1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.13022G	-64.05	-27.00	-37.05	6.00	0.00	-70.05	-70.05
1G	40G	1M	AV	39.48934G	-70.59	-41.20	-29.39	6.00	0.00	-76.59	-76.59

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE [PK]

6685MHz

10/09/2023



Limit:PK 
 ERP-PK 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.37275G	-65.37	-21.20	-44.17	6.00	0.00	-71.37	-71.37
1G	40G	1M	PK	39.8635G	-62.92	-21.20	-41.72	6.00	0.00	-68.92	-68.92

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE [AV]

6685MHz

10/09/2023



Limit:AV 
 ERP-AV 
 Port 1 

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.36422G	-72.13	-41.20	-30.93	6.00	0.00	-78.13	-78.13
1G	40G	1M	AV	39.91713G	-70.42	-41.20	-29.22	6.00	0.00	-76.42	-76.42




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE [PK]

6845MHz

10/09/2023



Limit:PK

ERP:PK

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.71034G	-66.43	-7.00	-59.43	6.00	0.00	-72.43	-72.43
1G	40G	1M	PK	20.54753G	-47.16	-21.20	-25.96	6.00	0.00	-53.16	-53.16

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE [AV]

6845MHz

10/09/2023




Limit:AV


ERP:AV

Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.68963G	-72.86	-27.00	-45.86	6.00	0.00	-78.86	-78.86
1G	40G	1M	AV	20.54509G	-53.12	-41.20	-11.92	6.00	0.00	-59.12	-59.12










6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE [PK]

6625MHz

10/09/2023



Limit:PK

ERP-PK

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.25209G	-66.32	-21.20	-45.12	6.00	0.00	-72.32	-72.32
1G	40G	1M	PK	17.81997G	-60.22	-21.20	-39.02	6.00	0.00	-66.22	-66.22

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE [AV]

6625MHz

10/09/2023



Limit:AV

ERP-AV

Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.25088G	-72.08	-41.20	-30.88	6.00	0.00	-78.08	-78.08
1G	40G	1M	AV	39.51372G	-70.19	-41.20	-28.99	6.00	0.00	-76.19	-76.19




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE [PK]

6705MHz

10/09/2023



Limit:PK
 ERP:PK
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.39225G	-69.12	-21.20	-47.92	6.00	0.00	-75.12	-75.12
1G	40G	1M	PK	39.94272G	-62.86	-21.20	-41.66	6.00	0.00	-68.86	-68.86

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE [AV]

6705MHz

10/09/2023



Limit:AV
 ERP:AV
 Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.39834G	-74.62	-41.20	-33.42	6.00	0.00	-80.62	-80.62
1G	40G	1M	AV	39.90738G	-70.43	-41.20	-29.23	6.00	0.00	-76.43	-76.43




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE [PK]

6785MHz

10/09/2023



Limit:PK
 ERP:PK
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.55556G	-69.10	-7.00	-62.10	6.00	0.00	-75.10	-75.10
1G	40G	1M	PK	20.36228G	-54.82	-21.20	-33.62	6.00	0.00	-60.82	-60.82

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE [AV]



6785MHz



10/09/2023





Limit:AV
 ERP:AV
 Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.56531G	-75.13	-27.00	-48.13	6.00	0.00	-81.13	-81.13
1G	40G	1M	AV	20.35131G	-60.94	-41.20	-19.74	6.00	0.00	-66.94	-66.94










6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

CSE [PK]

6665MHz

10/09/2023



Limit:PK
 ERP:PK
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	13.31547G	-69.09	-21.20	-47.89	6.00	0.00	-75.09	-75.09
1G	40G	1M	PK	39.96344G	-63.09	-21.20	-41.89	6.00	0.00	-69.09	-69.09

6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

CSE [AV]

6665MHz

10/09/2023



Limit:AV
 ERP:AV
 Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	AV	13.30938G	-75.42	-41.20	-34.22	6.00	0.00	-81.42	-81.42
1G	40G	1M	AV	39.91225G	-70.39	-41.20	-29.19	6.00	0.00	-76.39	-76.39



**CSE (High Pass Filter)
Non-Beamforming Scanning Radio_2T1S**

Appendix D.14

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-54.54	-63.55	-68.73	-65.12	-41.20	-13.34	9.01
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-55.48	-64.49	-70.66	-65.69	-41.20	-14.28	9.01
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-54.96	-63.97	-70.59	-65.04	-41.20	-13.76	9.01
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-56.59	-65.60	-69.58	-67.82	-41.20	-15.39	9.01
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-51.52	-60.53	-61.83	-66.41	-41.20	-10.32	9.01
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-53.33	-62.34	-63.63	-68.23	-41.20	-12.13	9.01
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-55.07	-64.08	-70.15	-65.31	-41.20	-13.87	9.01
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-56.85	-65.86	-72.19	-67.01	-41.20	-15.65	9.01
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-49.68	-58.69	-62.78	-60.83	-41.20	-8.48	9.01
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-51.60	-60.61	-65.68	-62.23	-41.20	-10.40	9.01
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-60.01	-69.02	-74.71	-70.38	-41.20	-18.81	9.01
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	1G	40G	AV	-64.62	-73.63	-76.88	-76.42	-41.20	-23.42	9.01
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-46.26	-55.27	-59.75	-57.18	-41.20	-5.06	9.01
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-48.90	-57.91	-60.79	-61.06	-41.20	-7.70	9.01
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-56.22	-65.23	-70.83	-66.63	-41.20	-15.02	9.01
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	1G	40G	AV	-64.78	-73.79	-76.22	-77.48	-41.20	-23.58	9.01

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE (High Pass Filter) _Non-Beamforming_ Scanning Radio_ 2T1S

Appendix D.14

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
11a20_20MHz_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.90903G	9.01	-68.68	-71.96	-67.01	-58.00	-41.20	-16.80	-71.96
5955MHz	Pass	1G	40G	AV	23.82231G	9.01	-70.85	-68.86	-66.73	-57.72	-41.20	-16.52	-68.86
5955MHz	Pass	1G	40G	PK	11.90781G	9.01	-61.50	-72.54	-61.17	-52.16	-21.20	-30.96	-72.54
5955MHz	Pass	1G	40G	PK	23.81988G	9.01	-68.83	-60.48	-59.89	-50.88	-21.20	-29.68	-60.48
6195MHz	Pass	1G	40G	AV	12.38922G	9.01	-65.12	-68.73	-63.55	-54.54	-41.20	-13.34	-68.73
6195MHz	Pass	1G	40G	PK	12.388G	9.01	-59.31	-67.29	-58.67	-49.66	-21.20	-28.46	-67.29
6415MHz	Pass	1G	40G	AV	12.82797G	9.01	-65.90	-67.47	-63.60	-54.59	-27.00	-27.59	-67.47
6415MHz	Pass	1G	40G	AV	19.24347G	9.01	-66.77	-68.81	-64.66	-55.65	-41.20	-14.45	-68.81
6415MHz	Pass	1G	40G	PK	12.83163G	9.01	-61.75	-63.90	-59.68	-50.67	-7.00	-43.67	-63.90
6415MHz	Pass	1G	40G	PK	19.2325G	9.01	-79.58	-61.40	-61.33	-52.32	-21.20	-31.12	-61.40
6535MHz	Pass	1G	40G	AV	13.06928G	9.01	-70.78	-73.63	-68.96	-59.95	-27.00	-32.95	-73.63
6535MHz	Pass	1G	40G	AV	19.60666G	9.01	-72.69	-70.28	-68.31	-59.30	-41.20	-18.10	-70.28
6535MHz	Pass	1G	40G	PK	13.06928G	9.01	-85.95	-69.08	-68.99	-59.98	-7.00	-52.98	-69.08
6535MHz	Pass	1G	40G	PK	19.603G	9.01	-67.70	-62.65	-61.47	-52.46	-21.20	-31.26	-62.65
6695MHz	Pass	1G	40G	AV	13.9225G	9.01	-78.29	-80.33	-76.18	-67.17	-41.20	-25.97	-80.33
6695MHz	Pass	1G	40G	AV	20.08806G	9.01	-83.39	-73.96	-73.49	-64.48	-41.20	-23.28	-73.96
6695MHz	Pass	1G	40G	PK	13.9225G	9.01	-72.91	-80.04	-72.14	-63.13	-21.20	-41.93	-80.04
6695MHz	Pass	1G	40G	PK	39.91103G	9.01	-70.08	-71.04	-67.52	-58.51	-21.20	-37.31	-71.04
6855MHz	Pass	1G	40G	AV	13.71156G	9.01	-80.08	-79.96	-77.01	-68.00	-27.00	-41.00	-79.96
6855MHz	Pass	1G	40G	AV	20.56825G	9.01	-60.83	-62.78	-58.69	-49.68	-41.20	-8.48	-62.78
6855MHz	Pass	1G	40G	PK	13.70059G	9.01	-77.73	-75.48	-73.45	-64.44	-7.00	-57.44	-75.48
6855MHz	Pass	1G	40G	PK	20.56459G	9.01	-55.17	-56.71	-52.86	-43.85	-21.20	-22.65	-56.71
11a40_40MHz_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	40G	AV	11.92975G	9.01	-70.69	-73.94	-69.01	-60.00	-41.20	-18.80	-73.94
5965MHz	Pass	1G	40G	AV	23.854G	9.01	-68.27	-66.96	-64.56	-55.55	-41.20	-14.35	-66.96
5965MHz	Pass	1G	40G	PK	11.92975G	9.01	-70.65	-69.93	-67.26	-58.25	-21.20	-37.05	-69.93
5965MHz	Pass	1G	40G	PK	23.8663G	9.01	-65.52	-59.81	-58.78	-49.77	-21.20	-28.57	-59.81
6205MHz	Pass	1G	40G	AV	12.40994G	9.01	-65.69	-70.66	-64.49	-55.48	-41.20	-14.28	-70.66
6205MHz	Pass	1G	40G	PK	12.40994G	9.01	-60.82	-70.88	-60.41	-51.40	-21.20	-30.20	-70.88
6405MHz	Pass	1G	40G	AV	12.80969G	9.01	-66.06	-68.57	-64.13	-55.12	-27.00	-28.12	-68.57
6405MHz	Pass	1G	40G	AV	19.22031G	9.01	-68.94	-69.44	-66.17	-57.16	-41.20	-15.96	-69.44
6405MHz	Pass	1G	40G	PK	12.81213G	9.01	-59.95	-65.60	-58.90	-49.89	-7.00	-42.89	-65.60
6405MHz	Pass	1G	40G	PK	19.23128G	9.01	-62.45	-68.67	-61.52	-52.51	-21.20	-31.31	-68.67
6565MHz	Pass	1G	40G	AV	13.13022G	9.01	-72.91	-75.51	-71.01	-62.00	-27.00	-35.00	-75.51
6565MHz	Pass	1G	40G	AV	19.69928G	9.01	-78.78	-73.38	-72.28	-63.27	-41.20	-22.07	-73.38
6565MHz	Pass	1G	40G	PK	13.12534G	9.01	-70.90	-71.98	-68.40	-59.39	-7.00	-52.39	-71.98
6565MHz	Pass	1G	40G	PK	39.07984G	9.01	-72.66	-68.10	-66.80	-57.79	-21.20	-36.59	-68.10
6685MHz	Pass	1G	40G	AV	13.37031G	9.01	-79.38	-80.79	-77.02	-68.01	-41.20	-26.81	-80.79
6685MHz	Pass	1G	40G	AV	39.93297G	9.01	-77.47	-76.62	-74.01	-65.00	-41.20	-23.80	-76.62
6685MHz	Pass	1G	40G	PK	13.37153G	9.01	-74.15	-78.87	-72.89	-63.88	-21.20	-42.68	-78.87
6685MHz	Pass	1G	40G	PK	39.96466G	9.01	-71.24	-69.50	-67.27	-58.26	-21.20	-37.06	-69.50
6845MHz	Pass	1G	40G	AV	13.69206G	9.01	-80.28	-81.00	-77.61	-68.60	-27.00	-41.60	-81.00
6845MHz	Pass	1G	40G	AV	20.54388G	9.01	-62.23	-65.68	-60.61	-51.60	-41.20	-10.40	-65.68
6845MHz	Pass	1G	40G	PK	13.68719G	9.01	-77.45	-75.77	-73.52	-64.51	-7.00	-57.51	-75.77
6845MHz	Pass	1G	40G	PK	20.539G	9.01	-56.53	-61.79	-55.40	-46.39	-21.20	-25.19	-61.79
11a80_80MHz_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.99191G	9.01	-73.51	-76.16	-71.63	-62.62	-41.20	-21.42	-76.16
5985MHz	Pass	1G	40G	AV	23.94053G	9.01	-73.23	-70.19	-68.44	-59.43	-41.20	-18.23	-70.19
5985MHz	Pass	1G	40G	PK	11.98703G	9.01	-67.89	-70.12	-65.85	-56.84	-21.20	-35.64	-70.12
5985MHz	Pass	1G	40G	PK	23.98563G	9.01	-71.47	-63.98	-63.27	-54.26	-21.20	-33.06	-63.98
6225MHz	Pass	1G	40G	AV	12.46966G	9.01	-65.04	-70.59	-63.97	-54.96	-41.20	-13.76	-70.59
6225MHz	Pass	1G	40G	PK	12.46478G	9.01	-62.46	-65.78	-60.80	-51.79	-21.20	-30.59	-65.78
6385MHz	Pass	1G	40G	AV	12.7G	9.01	-79.32	-81.90	-77.41	-68.40	-41.20	-27.20	-81.90
6385MHz	Pass	1G	40G	AV	19.18741G	9.01	-71.44	-73.68	-69.41	-60.40	-41.20	-19.20	-73.68
6385MHz	Pass	1G	40G	PK	12.69878G	9.01	-76.97	-74.51	-72.56	-63.55	-21.20	-42.35	-74.51
6385MHz	Pass	1G	40G	PK	19.19716G	9.01	-62.77	-79.31	-62.67	-53.66	-21.20	-32.46	-79.31
6625MHz	Pass	1G	40G	AV	13.27038G	9.01	-79.21	-79.41	-76.30	-67.29	-41.20	-26.09	-79.41
6625MHz	Pass	1G	40G	AV	39.89031G	9.01	-77.54	-76.58	-74.02	-65.01	-41.20	-23.81	-76.58
6625MHz	Pass	1G	40G	PK	13.26184G	9.01	-71.96	-76.96	-70.77	-61.76	-21.20	-40.56	-76.96
6625MHz	Pass	1G	40G	PK	39.064G	9.01	-69.62	-70.48	-67.02	-58.01	-21.20	-36.81	-70.48
6705MHz	Pass	1G	40G	AV	13.37031G	9.01	-82.75	-84.16	-80.39	-71.38	-41.20	-30.18	-84.16
6705MHz	Pass	1G	40G	AV	39.89519G	9.01	-77.03	-76.60	-73.80	-64.79	-41.20	-23.59	-76.60
6705MHz	Pass	1G	40G	PK	13.35325G	9.01	-77.43	-81.50	-75.99	-66.98	-21.20	-45.78	-81.50
6705MHz	Pass	1G	40G	PK	39.64778G	9.01	-72.56	-68.68	-67.19	-58.18	-21.20	-36.98	-68.68
6785MHz	Pass	1G	40G	AV	13.58969G	9.01	-82.35	-82.99	-79.65	-70.64	-27.00	-43.64	-82.99
6785MHz	Pass	1G	40G	AV	20.39884G	9.01	-70.38	-74.71	-69.02	-60.01	-41.20	-18.81	-74.71
6785MHz	Pass	1G	40G	PK	13.59944G	9.01	-76.43	-77.98	-74.13	-65.12	-7.00	-58.12	-77.98
6785MHz	Pass	1G	40G	PK	20.39153G	9.01	-64.38	-70.49	-63.43	-54.42	-21.20	-33.22	-70.49



**CSE (High Pass Filter)
Non-Beamforming Scanning Radio 2T1S**

Appendix D.14

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
11a160_160MHz_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.08941G	9.01	-74.00	-77.59	-72.42	-63.41	-41.20	-22.21	-77.59
6025MHz	Pass	1G	40G	PK	12.08941G	9.01	-70.09	-74.88	-68.85	-59.84	-21.20	-38.64	-74.88
6025MHz	Pass	1G	40G	PK	39.68556G	9.01	-73.05	-68.33	-67.07	-58.06	-21.20	-36.86	-68.33
6185MHz	Pass	1G	40G	AV	12.40994G	9.01	-69.17	-74.00	-67.94	-58.93	-41.20	-17.73	-74.00
6185MHz	Pass	1G	40G	PK	12.32706G	9.01	-64.20	-73.00	-63.66	-54.65	-21.20	-33.45	-73.00
6345MHz	Pass	1G	40G	AV	12.65003G	9.01	-67.82	-69.58	-65.60	-56.59	-41.20	-15.39	-69.58
6345MHz	Pass	1G	40G	PK	12.65003G	9.01	-62.21	-64.36	-60.14	-51.13	-21.20	-29.93	-64.36
6665MHz	Pass	1G	40G	AV	13.28988G	9.01	-79.51	-80.14	-76.80	-67.79	-41.20	-26.59	-80.14
6665MHz	Pass	1G	40G	AV	39.89397G	9.01	-76.42	-76.88	-73.63	-64.62	-41.20	-23.42	-76.88
6665MHz	Pass	1G	40G	PK	13.36422G	9.01	-74.63	-76.25	-72.35	-63.34	-21.20	-42.14	-76.25
6665MHz	Pass	1G	40G	PK	39.03231G	9.01	-68.21	-72.06	-66.71	-57.70	-21.20	-36.50	-72.06
802.11ax HEW20_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	40G	AV	11.90903G	9.01	-66.93	-68.50	-64.63	-55.62	-41.20	-14.42	-68.50
5955MHz	Pass	1G	40G	AV	23.815G	9.01	-66.41	-61.83	-60.53	-51.52	-41.20	-10.32	-61.83
5955MHz	Pass	1G	40G	PK	11.91025G	9.01	-62.52	-66.92	-61.17	-52.16	-21.20	-30.96	-66.92
5955MHz	Pass	1G	40G	PK	23.81988G	9.01	-82.06	-55.16	-55.15	-46.14	-21.20	-24.94	-55.16
6195MHz	Pass	1G	40G	AV	12.38678G	9.01	-63.28	-65.68	-61.31	-52.30	-41.20	-11.10	-65.68
6195MHz	Pass	1G	40G	PK	12.38922G	9.01	-55.59	-63.55	-54.95	-45.94	-21.20	-24.74	-63.55
6415MHz	Pass	1G	40G	AV	12.82797G	9.01	-60.75	-62.99	-58.72	-49.71	-27.00	-22.71	-62.99
6415MHz	Pass	1G	40G	AV	19.24834G	9.01	-64.90	-65.30	-62.09	-53.08	-41.20	-11.88	-65.30
6415MHz	Pass	1G	40G	PK	12.82431G	9.01	-57.19	-60.71	-55.59	-46.58	-7.00	-39.58	-60.71
6415MHz	Pass	1G	40G	PK	19.24347G	9.01	-58.35	-61.08	-56.49	-47.48	-21.20	-26.28	-61.08
6535MHz	Pass	1G	40G	AV	13.06928G	9.01	-68.27	-68.12	-65.18	-56.17	-27.00	-29.17	-68.12
6535MHz	Pass	1G	40G	AV	19.60788G	9.01	-70.78	-67.05	-65.52	-56.51	-41.20	-15.31	-67.05
6535MHz	Pass	1G	40G	PK	13.06806G	9.01	-61.75	-65.91	-60.34	-51.33	-7.00	-44.33	-65.91
6535MHz	Pass	1G	40G	PK	19.60178G	9.01	-63.45	-62.13	-59.73	-50.72	-21.20	-29.52	-62.13
6695MHz	Pass	1G	40G	AV	13.38981G	9.01	-76.31	-76.88	-73.58	-64.57	-41.20	-23.37	-76.88
6695MHz	Pass	1G	40G	AV	20.08684G	9.01	-81.60	-72.72	-72.19	-63.18	-41.20	-21.98	-72.72
6695MHz	Pass	1G	40G	PK	13.39103G	9.01	-66.94	-75.08	-66.32	-57.31	-21.20	-36.11	-75.08
6855MHz	Pass	1G	40G	AV	13.71278G	9.01	-75.60	-78.36	-73.75	-64.74	-27.00	-37.74	-78.36
6855MHz	Pass	1G	40G	AV	20.56459G	9.01	-57.18	-59.75	-55.27	-46.26	-41.20	-5.06	-59.75
6855MHz	Pass	1G	40G	PK	13.72131G	9.01	-69.40	-76.49	-68.62	-59.61	-7.00	-52.61	-76.49
6855MHz	Pass	1G	40G	PK	20.56459G	9.01	-49.88	-54.94	-48.70	-39.69	-21.20	-18.49	-54.94
802.11ax HEW40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	40G	AV	11.93341G	9.01	-70.79	-70.01	-67.37	-58.36	-41.20	-17.16	-70.01
5965MHz	Pass	1G	40G	AV	23.85766G	9.01	-68.23	-63.63	-62.34	-53.33	-41.20	-12.13	-63.63
5965MHz	Pass	1G	40G	PK	11.92122G	9.01	-66.20	-65.15	-62.63	-53.62	-21.20	-32.42	-65.15
5965MHz	Pass	1G	40G	PK	23.86863G	9.01	-55.00	-61.33	-54.09	-45.08	-21.20	-23.88	-61.33
6205MHz	Pass	1G	40G	AV	12.41116G	9.01	-64.31	-67.53	-62.62	-53.61	-41.20	-12.41	-67.53
6205MHz	Pass	1G	40G	PK	12.41116G	9.01	-61.33	-62.98	-59.07	-50.06	-21.20	-28.86	-62.98
6405MHz	Pass	1G	40G	AV	12.80725G	9.01	-63.90	-65.80	-61.74	-52.73	-27.00	-25.73	-65.80
6405MHz	Pass	1G	40G	AV	19.21178G	9.01	-66.73	-67.61	-64.14	-55.13	-41.20	-13.93	-67.61
6405MHz	Pass	1G	40G	PK	12.81213G	9.01	-56.87	-64.79	-56.22	-47.21	-7.00	-40.21	-64.79
6405MHz	Pass	1G	40G	PK	19.21056G	9.01	-60.21	-62.79	-58.30	-49.29	-21.20	-28.09	-62.79
6565MHz	Pass	1G	40G	AV	13.12534G	9.01	-70.11	-72.42	-68.10	-59.09	-27.00	-32.09	-72.42
6565MHz	Pass	1G	40G	AV	19.69684G	9.01	-76.28	-70.61	-69.57	-60.56	-41.20	-19.36	-70.61
6565MHz	Pass	1G	40G	PK	13.12656G	9.01	-67.78	-66.04	-63.81	-54.80	-7.00	-47.80	-66.04
6565MHz	Pass	1G	40G	PK	19.68709G	9.01	-70.62	-65.35	-64.22	-55.21	-21.20	-34.01	-65.35
6685MHz	Pass	1G	40G	AV	13.36666G	9.01	-77.91	-79.72	-75.71	-66.70	-41.20	-25.50	-79.72
6685MHz	Pass	1G	40G	AV	39.90738G	9.01	-77.03	-76.66	-73.83	-64.82	-41.20	-23.62	-76.66
6685MHz	Pass	1G	40G	PK	13.36909G	9.01	-73.95	-73.04	-70.46	-61.45	-21.20	-40.25	-73.04
6685MHz	Pass	1G	40G	PK	39.96953G	9.01	-67.64	-73.63	-66.66	-57.65	-21.20	-36.45	-73.63
6845MHz	Pass	1G	40G	AV	13.68475G	9.01	-78.38	-79.83	-76.03	-67.02	-27.00	-40.02	-79.83
6845MHz	Pass	1G	40G	AV	20.539G	9.01	-61.06	-60.79	-57.91	-48.90	-41.20	-7.70	-60.79
6845MHz	Pass	1G	40G	PK	13.69206G	9.01	-70.41	-74.96	-69.10	-60.09	-7.00	-53.09	-74.96
6845MHz	Pass	1G	40G	PK	20.539G	9.01	-55.87	-54.18	-51.93	-42.92	-21.20	-21.72	-54.18
802.11ax HEW80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	40G	AV	11.96875G	9.01	-71.14	-74.15	-69.38	-60.37	-41.20	-19.17	-74.15
5985MHz	Pass	1G	40G	AV	23.94297G	9.01	-72.03	-67.21	-65.97	-56.96	-41.20	-15.76	-67.21
5985MHz	Pass	1G	40G	PK	11.98703G	9.01	-63.58	-72.73	-63.08	-54.07	-21.20	-32.87	-72.73
5985MHz	Pass	1G	40G	PK	23.92834G	9.01	-66.30	-60.16	-59.21	-50.20	-21.20	-29.00	-60.16
6225MHz	Pass	1G	40G	AV	12.45503G	9.01	-65.31	-70.15	-64.08	-55.07	-41.20	-13.87	-70.15
6225MHz	Pass	1G	40G	PK	12.47697G	9.01	-59.86	-81.95	-59.83	-50.82	-21.20	-29.62	-81.95
6385MHz	Pass	1G	40G	AV	12.69878G	9.01	-75.39	-78.87	-73.78	-64.77	-41.20	-23.57	-78.87
6385MHz	Pass	1G	40G	AV	19.14841G	9.01	-68.85	-70.09	-66.42	-57.41	-41.20	-16.21	-70.09
6385MHz	Pass	1G	40G	PK	12.7G	9.01	-70.89	-73.72	-69.07	-60.06	-21.20	-38.86	-73.72
6385MHz	Pass	1G	40G	PK	19.15816G	9.01	-62.63	-64.99	-60.64	-51.63	-21.20	-30.43	-64.99
6625MHz	Pass	1G	40G	AV	13.25088G	9.01	-78.80	-79.29	-76.03	-67.02	-41.20	-25.82	-79.29
6625MHz	Pass	1G	40G	AV	39.91591G	9.01	-76.25	-77.25	-73.71	-64.70	-41.20	-23.50	-77.25






CSE (High Pass Filter)
Non-Beamforming Scanning Radio 2T1S



Appendix D.14


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
6625MHz	Pass	1G	40G	PK	13.26063G	9.01	-78.56	-71.19	-70.46	-61.45	-21.20	-40.25	-71.19
6625MHz	Pass	1G	40G	PK	39.65997G	9.01	-70.91	-68.32	-66.41	-57.40	-21.20	-36.20	-68.32
6705MHz	Pass	1G	40G	AV	13.38494G	9.01	-80.03	-82.43	-78.06	-69.05	-41.20	-27.85	-82.43
6705MHz	Pass	1G	40G	AV	39.89884G	9.01	-76.75	-76.79	-73.76	-64.75	-41.20	-23.55	-76.79
6705MHz	Pass	1G	40G	PK	13.39347G	9.01	-74.90	-79.57	-73.63	-64.62	-21.20	-43.42	-79.57
6705MHz	Pass	1G	40G	PK	39.96831G	9.01	-72.96	-68.36	-67.07	-58.06	-21.20	-36.86	-68.36
6785MHz	Pass	1G	40G	AV	13.56409G	9.01	-81.49	-81.75	-78.61	-69.60	-27.00	-42.60	-81.75
6785MHz	Pass	1G	40G	AV	20.38178G	9.01	-66.63	-70.83	-65.23	-56.22	-41.20	-15.02	-70.83
6785MHz	Pass	1G	40G	PK	13.58359G	9.01	-76.36	-75.40	-72.84	-63.83	-7.00	-56.83	-75.40
6785MHz	Pass	1G	40G	PK	20.37325G	9.01	-60.34	-63.98	-58.78	-49.77	-21.20	-28.57	-63.98
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1G	40G	AV	12.0175G	9.01	-69.94	-76.83	-69.13	-60.12	-41.20	-18.92	-76.83
6025MHz	Pass	1G	40G	PK	12.02238G	9.01	-65.50	-75.73	-65.11	-56.10	-21.20	-34.90	-75.73
6185MHz	Pass	1G	40G	AV	12.4075G	9.01	-70.97	-71.67	-68.30	-59.29	-41.20	-18.09	-71.67
6185MHz	Pass	1G	40G	PK	12.39653G	9.01	-63.74	-84.55	-63.70	-54.69	-21.20	-33.49	-84.55
6345MHz	Pass	1G	40G	AV	12.65613G	9.01	-67.01	-72.19	-65.86	-56.85	-41.20	-15.65	-72.19
6345MHz	Pass	1G	40G	PK	12.65125G	9.01	-63.27	-68.81	-62.20	-53.19	-21.20	-31.99	-68.81
6665MHz	Pass	1G	40G	AV	13.32888G	9.01	-84.08	-76.49	-75.79	-66.78	-41.20	-25.58	-76.49
6665MHz	Pass	1G	40G	AV	39.89519G	9.01	-77.48	-76.22	-73.79	-64.78	-41.20	-23.58	-76.22
6665MHz	Pass	1G	40G	PK	13.36178G	9.01	-76.12	-78.03	-73.96	-64.95	-21.20	-43.75	-78.03
6665MHz	Pass	1G	40G	PK	39.50031G	9.01	-69.75	-71.20	-67.40	-58.39	-21.20	-37.19	-71.20



DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX


























































































6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6695MHz

10/09/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.39103G	-57.31	-21.20	-36.11	9.01	0.00	-66.32	-66.94	-75.08

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [AV]

6695MHz

10/09/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.38981G	-64.57	-41.20	-23.37	9.01	0.00	-73.58	-76.31	-76.88
1G	40G	1M	AV	20.08684G	-63.18	-41.20	-21.98	9.01	0.00	-72.19	-81.60	-72.72




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6855MHz

10/09/2023



Legend for CSE [PK]:

- Limit:PK (Red line)
- ERP:PK (Green line)
- Sum:PK (Black line)
- Port 1 (Blue line)
- Port 2 (Light blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.72131G	-59.61	-7.00	-52.61	9.01	0.00	-68.62	-69.40	-76.49
1G	40G	1M	PK	20.56459G	-39.69	-21.20	-18.49	9.01	0.00	-48.70	-49.88	-54.94

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [AV]

6855MHz



10/09/2023







Legend for CSE [AV]:

- Limit:AV (Red line)
- ERP:AV (Green line)
- Sum:AV (Black line)
- Port 1 (Blue line)
- Port 2 (Light blue line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.71278G	-64.74	-27.00	-37.74	9.01	0.00	-73.75	-75.60	-78.36
1G	40G	1M	AV	20.56459G	-46.26	-41.20	-5.06	9.01	0.00	-55.27	-57.18	-59.75










6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6565MHz

10/09/2023



Legend for CSE [PK]:

- Limit:PK (Red line)
- ERP:PK (Green line)
- Sum:PK (Black line)
- Port 1 (Blue line)
- Port 2 (Light Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.12656G	-54.80	-7.00	-47.80	9.01	0.00	-63.81	-67.78	-66.04
1G	40G	1M	PK	19.68709G	-55.21	-21.20	-34.01	9.01	0.00	-64.22	-70.62	-65.35

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [AV]

6565MHz

10/09/2023



Legend for CSE [AV]:

- Limit:AV (Red line)
- ERP:AV (Green line)
- Sum:AV (Black line)
- Port 1 (Blue line)
- Port 2 (Light Blue line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.12534G	-59.09	-27.00	-32.09	9.01	0.00	-68.10	-70.11	-72.42
1G	40G	1M	AV	19.69684G	-60.56	-41.20	-19.36	9.01	0.00	-69.57	-76.28	-70.61




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6685MHz

10/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.36909G	-61.45	-21.20	-40.25	9.01	0.00	-70.46	-73.95	-73.04
1G	40G	1M	PK	39.96953G	-57.65	-21.20	-36.45	9.01	0.00	-66.66	-67.64	-73.63

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [AV]



6685MHz



10/09/2023







- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.36666G	-66.70	-41.20	-25.50	9.01	0.00	-75.71	-77.91	-79.72
1G	40G	1M	AV	39.90738G	-64.82	-41.20	-23.62	9.01	0.00	-73.83	-77.03	-76.66












6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6625MHz

10/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.26063G	-61.45	-21.20	-40.25	9.01	0.00	-70.46	-78.56	-71.19
1G	40G	1M	PK	39.65997G	-57.40	-21.20	-36.20	9.01	0.00	-66.41	-70.91	-68.32

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6625MHz

10/09/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.25088G	-67.02	-41.20	-25.82	9.01	0.00	-76.03	-78.80	-79.29
1G	40G	1M	AV	39.91591G	-64.70	-41.20	-23.50	9.01	0.00	-73.71	-76.25	-77.25




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6705MHz

10/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.39347G	-64.62	-21.20	-43.42	9.01	0.00	-73.63	-74.90	-79.57
1G	40G	1M	PK	39.96831G	-58.06	-21.20	-36.86	9.01	0.00	-67.07	-72.96	-68.36

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6705MHz

10/09/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.38494G	-69.05	-41.20	-27.85	9.01	0.00	-78.06	-80.03	-82.43
1G	40G	1M	AV	39.89884G	-64.75	-41.20	-23.55	9.01	0.00	-73.76	-76.75	-76.79




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6785MHz

10/09/2023



Legend for CSE [PK]:

- Limit:PK (Red line)
- ERP:PK (Green line)
- Sum:PK (Black line)
- Port 1 (Blue line)
- Port 2 (Light Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.58359G	-63.83	-7.00	-56.83	9.01	0.00	-72.84	-76.36	-75.40
1G	40G	1M	PK	20.37325G	-49.77	-21.20	-28.57	9.01	0.00	-58.78	-60.34	-63.98

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6785MHz

10/09/2023






Legend for CSE [AV]:

- Limit:AV (Red line)
- ERP:AV (Green line)
- Sum:AV (Black line)
- Port 1 (Blue line)
- Port 2 (Light Blue line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.56409G	-69.60	-27.00	-42.60	9.01	0.00	-78.61	-81.49	-81.75
1G	40G	1M	AV	20.38178G	-56.22	-41.20	-15.02	9.01	0.00	-65.23	-66.63	-70.83










6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE [PK]

6665MHz

10/09/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.36178G	-64.95	-21.20	-43.75	9.01	0.00	-73.96	-76.12	-78.03
1G	40G	1M	PK	39.50031G	-58.39	-21.20	-37.19	9.01	0.00	-67.40	-69.75	-71.20

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE [AV]

6665MHz

10/09/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	13.32888G	-66.78	-41.20	-25.58	9.01	0.00	-75.79	-84.08	-76.49
1G	40G	1M	AV	39.89519G	-64.78	-41.20	-23.58	9.01	0.00	-73.79	-77.48	-76.22




Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_1TX	Pass	5.962748G	-1.77	5.9656G	-32.77	-21.82	-10.95	1
11a40_40MHz_Nss1,(6Mbps)_1TX	Pass	5.961751G	-2.86	6.02205G	-45.53	-42.73	-2.80	1
11a80_80MHz_Nss1,(6Mbps)_1TX	Pass	6.3726G	-0.99	6.5612G	-46.60	-40.99	-5.61	1
11a160_160MHz_Nss1,(6Mbps)_1TX	Pass	6.37239G	-1.30	6.588G	-44.27	-41.30	-2.97	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.963773G	-1.10	5.98535G	-51.33	-40.42	-10.91	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.968549G	0.23	6.02515G	-48.52	-39.63	-8.89	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	6.381G	-0.57	6.5576G	-46.30	-40.57	-5.73	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.36919G	-0.51	6.5978G	-44.04	-40.51	-3.53	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_1TX	Pass	6.701273G	-1.02	6.705525G	-31.33	-20.62	-10.71	1
11a40_40MHz_Nss1,(6Mbps)_1TX	Pass	6.693048G	-2.54	6.6288G	-44.97	-41.88	-3.09	1
11a80_80MHz_Nss1,(6Mbps)_1TX	Pass	6.771G	-0.70	6.9764G	-46.01	-40.70	-5.31	1
11a160_160MHz_Nss1,(6Mbps)_1TX	Pass	6.61961G	-0.60	6.9756G	-43.39	-40.60	-2.79	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.541823G	-1.15	6.5461G	-32.41	-21.16	-11.25	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	6.839101G	-2.02	6.90525G	-51.06	-42.02	-9.04	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	6.7696G	-0.20	6.9657G	-45.88	-40.20	-5.68	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.63921G	0.52	6.9616G	-43.29	-39.48	-3.81	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
11a20_20MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.962748G	-1.77	5.9656G	-32.77	-21.82	-10.95	1
6195MHz	Pass	6.187527G	-1.13	6.205575G	-33.13	-21.13	-12.00	1
6415MHz	Pass	6.407502G	-1.68	6.404425G	-33.30	-21.68	-11.62	1
6535MHz	Pass	6.528127G	-1.49	6.56665G	-53.23	-41.49	-11.74	1
6695MHz	Pass	6.701273G	-1.02	6.705525G	-31.33	-20.62	-10.71	1
6855MHz	Pass	6.848777G	-2.16	6.885225G	-53.07	-42.16	-10.91	1
11a40_40MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.961751G	-2.86	6.02205G	-45.53	-42.73	-2.80	1
6205MHz	Pass	6.202701G	-2.40	6.26315G	-47.33	-42.40	-4.93	1
6405MHz	Pass	6.398102G	-2.92	6.46185G	-47.86	-42.36	-5.50	1
6565MHz	Pass	6.559951G	-2.42	6.62305G	-47.45	-42.30	-5.15	1
6685MHz	Pass	6.693048G	-2.54	6.6288G	-44.97	-41.88	-3.09	1
6845MHz	Pass	6.842001G	-2.74	6.9031G	-47.49	-42.74	-4.75	1
11a80_80MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9908G	-0.51	6.1068G	-47.18	-40.51	-6.67	1
6225MHz	Pass	6.2322G	-0.27	6.3713G	-46.75	-40.27	-6.48	1
6385MHz	Pass	6.3726G	-0.99	6.5612G	-46.60	-40.99	-5.61	1
6625MHz	Pass	6.6184G	-0.54	6.503G	-46.53	-40.54	-5.99	1
6705MHz	Pass	6.6916G	-0.52	6.5841G	-45.95	-40.52	-5.43	1
6785MHz	Pass	6.771G	-0.70	6.9764G	-46.01	-40.70	-5.31	1
11a160_160MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0326G	-0.89	6.379G	-44.30	-40.89	-3.41	1
6185MHz	Pass	6.21119G	-0.95	6.5538G	-43.98	-40.95	-3.03	1
6345MHz	Pass	6.37239G	-1.30	6.588G	-44.27	-41.30	-2.97	1
6665MHz	Pass	6.61961G	-0.60	6.9756G	-43.39	-40.60	-2.79	1
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963773G	-1.10	5.98535G	-51.33	-40.42	-10.91	1
6195MHz	Pass	6.186752G	-1.36	6.162425G	-53.46	-41.36	-12.10	1
6415MHz	Pass	6.422723G	-1.60	6.3759G	-53.02	-41.60	-11.42	1
6535MHz	Pass	6.541823G	-1.15	6.5461G	-32.41	-21.16	-11.25	1
6695MHz	Pass	6.685652G	-1.16	6.72875G	-53.03	-41.16	-11.87	1
6855MHz	Pass	6.845852G	-1.37	6.8438G	-32.83	-21.41	-11.42	1
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.968549G	0.23	6.02515G	-48.52	-39.63	-8.89	1
6205MHz	Pass	6.199501G	-0.37	6.26625G	-50.24	-40.37	-9.87	1
6405MHz	Pass	6.408099G	-2.60	6.34585G	-51.69	-42.60	-9.09	1
6565MHz	Pass	6.567699G	-1.83	6.50095G	-51.80	-41.83	-9.97	1
6685MHz	Pass	6.676102G	-2.18	6.7445G	-51.35	-42.18	-9.17	1
6845MHz	Pass	6.839101G	-2.02	6.90525G	-51.06	-42.02	-9.04	1
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9792G	-0.13	6.1056G	-46.86	-40.13	-6.73	1
6225MHz	Pass	6.2202G	-0.15	6.3657G	-46.54	-40.15	-6.39	1
6385MHz	Pass	6.381G	-0.57	6.5576G	-46.30	-40.57	-5.73	1
6625MHz	Pass	6.6284G	0.30	6.7515G	-46.55	-39.70	-6.85	1
6705MHz	Pass	6.7099G	-0.04	6.5791G	-45.90	-40.04	-5.86	1
6785MHz	Pass	6.7696G	-0.20	6.9657G	-45.88	-40.20	-5.68	1
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05979G	-0.03	6.3682G	-44.09	-40.03	-4.06	1
6185MHz	Pass	6.1994G	-0.06	6.5522G	-43.83	-40.06	-3.77	1
6345MHz	Pass	6.36919G	-0.51	6.5978G	-44.04	-40.51	-3.53	1
6665MHz	Pass	6.63921G	0.52	6.9616G	-43.29	-39.48	-3.81	1



5.925-6.425GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

MASK

6195MHz_TX 21/09/2023

CF (Hz)
6.195G

Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M


Sweep Time (s)
4.01m



Detector Type
RMS






Port 1 



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.187527G	-1.13	6.205575G	-33.13	-21.13	-12.00	1








































































Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	6.408477G	-1.79	6.425125G	-30.7	-21.09	-9.61	1
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	5.970349G	-2.66	6.02295G	-44.6	-42.66	-1.94	2
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	5.9989G	0.69	6.0811G	-37.1	-31.95	-5.15	2
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	6.36979G	-1.4	6.589G	-43.6	-41.4	-2.2	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.963748G	-1.15	5.986975G	-51.22	-41.15	-10.07	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.96565G	-2.25	6.02445G	-48.51	-42.25	-6.26	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.3944G	-1.85	6.5252G	-46.69	-41.85	-4.84	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.36519G	-2.61	6.7158G	-44.21	-42.61	-1.6	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	6.847452G	-1.93	6.865525G	-31.84	-21.99	-9.85	2
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	6.681901G	-2.35	6.62715G	-46.06	-42.35	-3.71	2
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	6.7712G	-0.72	6.9611G	-46.29	-40.72	-5.57	2
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	6.62101G	-0.62	6.9532G	-43.14	-40.62	-2.52	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.544123G	-0.97	6.545925G	-31.23	-20.87	-10.36	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.837252G	-4.26	6.9389G	-51.47	-44.26	-7.21	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.7876G	-2.23	6.9689G	-46.08	-42.23	-3.85	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.64301G	-1.2	6.9582G	-43.29	-41.2	-2.09	1





Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
11a20_20MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.961898G	-1.78	5.96545G	-32.18	-21.58	-10.6	1
5955MHz	Pass	5.961623G	-0.35	5.965725G	-31.86	-20.37	-11.49	2
6195MHz	Pass	6.188777G	-1.41	6.226225G	-54.29	-41.41	-12.88	1
6195MHz	Pass	6.187552G	-1.69	6.159775G	-53.88	-41.69	-12.19	2
6415MHz	Pass	6.408477G	-1.79	6.425125G	-30.7	-21.09	-9.61	1
6415MHz	Pass	6.407552G	-0.82	6.380375G	-53.42	-40.82	-12.6	2
6535MHz	Pass	6.541298G	-1.63	6.5454G	-31.51	-21.53	-9.98	1
6535MHz	Pass	6.542523G	-0.18	6.5456G	-31.88	-19.18	-12.7	2
6695MHz	Pass	6.702523G	-1.12	6.7055G	-32.88	-21.13	-11.75	1
6695MHz	Pass	6.688752G	-1.41	6.72565G	-53.51	-41.41	-12.1	2
6855MHz	Pass	6.862798G	-1.85	6.865575G	-32.52	-21.91	-10.61	1
6855MHz	Pass	6.847452G	-1.93	6.865525G	-31.84	-21.99	-9.85	2
11a40_40MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.968199G	-3.78	6.0232G	-48.72	-42.57	-6.15	1
5965MHz	Pass	5.970349G	-2.66	6.02295G	-44.6	-42.66	-1.94	2
6205MHz	Pass	6.199151G	-2.65	6.26305G	-47.94	-42.65	-5.29	1
6205MHz	Pass	6.209999G	-2.83	6.263G	-48.98	-42.83	-6.15	2
6405MHz	Pass	6.408799G	-3.11	6.4631G	-48.53	-43.11	-5.42	1
6405MHz	Pass	6.398052G	-2.43	6.4632G	-46.66	-42.43	-4.23	2
6565MHz	Pass	6.562601G	-2.89	6.623G	-48.51	-42.89	-5.62	1
6565MHz	Pass	6.567549G	-1.75	6.6232G	-45.46	-41.42	-4.04	2
6685MHz	Pass	6.687199G	-2.31	6.62725G	-46.88	-42.31	-4.57	1
6685MHz	Pass	6.681901G	-2.35	6.62715G	-46.06	-42.35	-3.71	2
6845MHz	Pass	6.839901G	-2.99	6.788G	-48.66	-42.62	-6.04	1
6845MHz	Pass	6.848199G	-3.07	6.78715G	-48.15	-43.07	-5.08	2
11a80_80MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9777G	-0.56	6.1029G	-47.13	-40.19	-6.94	1
5985MHz	Pass	5.9989G	0.69	6.0811G	-37.1	-31.95	-5.15	2
6225MHz	Pass	6.2285G	-0.19	6.3817G	-46.7	-40.19	-6.51	1
6225MHz	Pass	6.2399G	-0.81	6.3814G	-46.83	-40.81	-6.02	2
6385MHz	Pass	6.3789G	-0.62	6.5652G	-46.47	-40.62	-5.85	1
6385MHz	Pass	6.3786G	-0.65	6.5602G	-46.58	-40.65	-5.93	2
6625MHz	Pass	6.6207G	-0.81	6.5055G	-46.72	-40.81	-5.91	1
6625MHz	Pass	6.6186G	0.1	6.5078G	-45.33	-39.22	-6.11	2
6705MHz	Pass	6.6988G	-0.56	6.5675G	-46.34	-40.56	-5.78	1
6705MHz	Pass	6.7023G	-0.55	6.5694G	-46.18	-40.55	-5.63	2
6785MHz	Pass	6.7782G	-0.66	6.9715G	-46.38	-40.66	-5.72	1
6785MHz	Pass	6.7712G	-0.72	6.9611G	-46.29	-40.72	-5.57	2
11a160_160MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04879G	-0.57	6.392G	-44.02	-40.57	-3.45	1
6025MHz	Pass	6.05199G	-0.01	6.2592G	-42.91	-38.91	-4	2
6185MHz	Pass	6.21059G	-0.82	6.5522G	-44.04	-40.82	-3.22	1
6185MHz	Pass	6.21099G	-0.92	6.548G	-43.92	-40.92	-3	2
6345MHz	Pass	6.37779G	-1	6.5918G	-44.06	-41	-3.06	1
6345MHz	Pass	6.36979G	-1.4	6.589G	-43.6	-41.4	-2.2	2
6665MHz	Pass	6.62101G	-0.62	6.9532G	-43.14	-40.62	-2.52	1
6665MHz	Pass	6.62081G	-0.05	6.9586G	-42.57	-40.05	-2.52	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963273G	-2.66	5.987275G	-53.86	-42.66	-11.2	1
5955MHz	Pass	5.963748G	-1.15	5.986975G	-51.22	-41.15	-10.07	2
6195MHz	Pass	6.203323G	-1.66	6.22745G	-53.52	-41.66	-11.86	1
6195MHz	Pass	6.204398G	-1.87	6.225525G	-53.12	-41.87	-11.25	2
6415MHz	Pass	6.421073G	-2.24	6.373275G	-53.12	-42.24	-10.88	1
6415MHz	Pass	6.423973G	-1.66	6.369875G	-52.59	-41.66	-10.93	2






Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6535MHz	Pass	6.543098G	-1.77	6.565425G	-52.7	-41.77	-10.93	1
6535MHz	Pass	6.544123G	-0.97	6.545925G	-31.23	-20.87	-10.36	2
6695MHz	Pass	6.704373G	-1.34	6.732225G	-52.76	-41.34	-11.42	1
6695MHz	Pass	6.685752G	-1.55	6.72775G	-53.02	-41.55	-11.47	2
6855MHz	Pass	6.863123G	-2.02	6.888175G	-52.79	-42.02	-10.77	1
6855MHz	Pass	6.845752G	-2.08	6.89225G	-53.09	-42.08	-11.01	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.968749G	-2.08	6.0242G	-48.02	-41.47	-6.55	1
5965MHz	Pass	5.96565G	-2.25	6.02445G	-48.51	-42.25	-6.26	2
6205MHz	Pass	6.199301G	-3.66	6.14445G	-52.34	-43.66	-8.68	1
6205MHz	Pass	6.208899G	-3.27	6.1344G	-52.4	-43.27	-9.13	2
6405MHz	Pass	6.4039G	-3.2	6.3447G	-51.99	-43.2	-8.79	1
6405MHz	Pass	6.410649G	-3.31	6.3464G	-51.56	-43.22	-8.34	2
6565MHz	Pass	6.559951G	-3.65	6.4911G	-52.08	-43.65	-8.43	1
6565MHz	Pass	6.571898G	-2.8	6.505G	-51.29	-42.8	-8.49	2
6685MHz	Pass	6.687349G	-3.5	6.7451G	-51.69	-43.5	-8.19	1
6685MHz	Pass	6.682701G	-3.86	6.60455G	-51.77	-43.86	-7.91	2
6845MHz	Pass	6.841801G	-3.91	6.77165G	-51.57	-43.91	-7.66	1
6845MHz	Pass	6.837252G	-4.26	6.9389G	-51.47	-44.26	-7.21	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.988G	-1.63	6.1475G	-47.57	-41.63	-5.94	1
5985MHz	Pass	6.0022G	0.14	6.1065G	-45	-39.86	-5.14	2
6225MHz	Pass	6.2299G	-1.32	6.3605G	-46.64	-41.32	-5.32	1
6225MHz	Pass	6.2263G	-1.32	6.3705G	-46.65	-41.32	-5.33	2
6385MHz	Pass	6.3944G	-1.85	6.5252G	-46.69	-41.85	-4.84	1
6385MHz	Pass	6.3835G	-1.58	6.5473G	-46.42	-41.58	-4.84	2
6625MHz	Pass	6.6293G	-1.66	6.7589G	-46.67	-41.66	-5.01	1
6625MHz	Pass	6.6139G	-1.29	6.7491G	-46.59	-41.29	-5.3	2
6705MHz	Pass	6.6976G	-1.43	6.5815G	-46.35	-41.43	-4.92	1
6705MHz	Pass	6.7194G	-1.43	6.5679G	-46.26	-41.43	-4.83	2
6785MHz	Pass	6.7788G	-2.02	6.9709G	-45.93	-42.02	-3.91	1
6785MHz	Pass	6.7876G	-2.23	6.9689G	-46.08	-42.23	-3.85	2
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0414G	-1.49	6.3726G	-44.09	-41.49	-2.6	1
6025MHz	Pass	6.0442G	-0.24	6.2706G	-43.89	-40.24	-3.65	2
6185MHz	Pass	6.21339G	-1.62	6.5596G	-43.75	-41.62	-2.13	1
6185MHz	Pass	6.21839G	-1.19	6.558G	-43.61	-41.19	-2.42	2
6345MHz	Pass	6.38899G	-1.73	6.5878G	-44.23	-41.72	-2.51	1
6345MHz	Pass	6.36519G	-2.61	6.7158G	-44.21	-42.61	-1.6	2
6665MHz	Pass	6.64301G	-1.2	6.9582G	-43.29	-41.2	-2.09	1
6665MHz	Pass	6.63181G	-0.89	6.9588G	-43.49	-40.89	-2.6	2


































































Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_4TX	Pass	5.960674G	-0.5	5.9835G	-48.32	-39.63	-8.69	4
11a40_40MHz_Nss1,(6Mbps)_4TX	Pass	6.413048G	-2.37	6.4631G	-45.97	-42.37	-3.6	3
11a80_80MHz_Nss1,(6Mbps)_4TX	Pass	6.382G	-0.72	6.5628G	-46.58	-40.72	-5.86	2
11a160_160MHz_Nss1,(6Mbps)_4TX	Pass	6.37179G	-1.54	6.5934G	-43.78	-41.54	-2.24	2
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	5.964048G	-1.15	5.985025G	-49.44	-40.75	-8.69	2
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	5.967149G	-2.18	6.0249G	-47.99	-42.18	-5.81	4
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.3835G	-1.54	6.5632G	-46.18	-41.54	-4.64	1
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.31341G	-2	6.5952G	-43.87	-42	-1.87	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_4TX	Pass	6.541848G	-0.71	6.545475G	-31.52	-20.41	-11.11	2
11a40_40MHz_Nss1,(6Mbps)_4TX	Pass	6.690049G	-2.6	6.62715G	-45.13	-42.6	-2.53	3
11a80_80MHz_Nss1,(6Mbps)_4TX	Pass	6.7762G	-1.02	6.9646G	-46.06	-41.02	-5.04	4
11a160_160MHz_Nss1,(6Mbps)_4TX	Pass	6.69019G	-0.47	6.9534G	-42.83	-40.47	-2.36	1
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.845802G	-2.34	6.824175G	-52.54	-42.34	-10.2	2
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.84345G	-3.78	6.92875G	-50.76	-43.78	-6.98	3
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.7929G	-2.43	6.965G	-45.85	-42.43	-3.42	2
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.62981G	-1.53	6.9794G	-43.26	-41.53	-1.73	4



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
11a20_20MHz_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963123G	-1.54	5.96565G	-32.73	-21.64	-11.09	1
5955MHz	Pass	5.961848G	-0.43	5.9655G	-30.39	-20.6	-9.79	2
5955MHz	Pass	5.962498G	-0.98	5.965725G	-33.03	-21.02	-12.01	3
5955MHz	Pass	5.960674G	-0.5	5.9835G	-48.32	-39.63	-8.69	4
6195MHz	Pass	6.202548G	-1.12	6.230475G	-53.88	-41.12	-12.76	1
6195MHz	Pass	6.201273G	-1.72	6.20545G	-32.61	-21.76	-10.85	2
6195MHz	Pass	6.188152G	-0.93	6.205375G	-31.37	-20.95	-10.42	3
6195MHz	Pass	6.202873G	-1.13	6.22485G	-53.81	-41.13	-12.68	4
6415MHz	Pass	6.407527G	-1.66	6.383225G	-53.32	-41.66	-11.66	1
6415MHz	Pass	6.408427G	-0.95	6.381875G	-53.22	-40.95	-12.27	2
6415MHz	Pass	6.422473G	-0.97	6.425425G	-31.15	-20.99	-10.16	3
6415MHz	Pass	6.421273G	-0.93	6.4256G	-31.76	-21.01	-10.75	4
6535MHz	Pass	6.542223G	-1.41	6.567925G	-52.96	-41.41	-11.55	1
6535MHz	Pass	6.541848G	-0.71	6.545475G	-31.52	-20.41	-11.11	2
6535MHz	Pass	6.541973G	-0.96	6.5649G	-53.02	-40.96	-12.06	3
6535MHz	Pass	6.527852G	-1.67	6.584275G	-53.11	-41.67	-11.44	4
6695MHz	Pass	6.688502G	-1.52	6.7254G	-53.12	-41.52	-11.6	1
6695MHz	Pass	6.702523G	-1.28	6.723975G	-52.93	-41	-11.93	2
6695MHz	Pass	6.701273G	-1.21	6.68435G	-33.08	-21.26	-11.82	3
6695MHz	Pass	6.688152G	-1.88	6.72595G	-53.76	-41.88	-11.88	4
6855MHz	Pass	6.862823G	-1.93	6.8843G	-53.08	-41.93	-11.15	1
6855MHz	Pass	6.847527G	-1.5	6.886125G	-53.46	-41.5	-11.96	2
6855MHz	Pass	6.849401G	-1.61	6.82415G	-53.44	-41.61	-11.83	3
6855MHz	Pass	6.861573G	-1.45	6.8253G	-53.31	-41.45	-11.86	4
11a40_40MHz_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.971298G	-6.01	6.02335G	-52.55	-46.01	-6.54	1
5965MHz	Pass	5.968349G	-4.03	6.02295G	-49.34	-44.03	-5.31	2
5965MHz	Pass	5.970699G	-5.07	6.02285G	-51.39	-45.07	-6.32	3
5965MHz	Pass	5.969249G	-4.17	6.02275G	-49.56	-43.86	-5.7	4
6205MHz	Pass	6.210699G	-2.59	6.2629G	-47.16	-42.58	-4.58	1
6205MHz	Pass	6.209799G	-2.68	6.26125G	-47.56	-41.85	-5.71	2
6205MHz	Pass	6.210549G	-2.37	6.2631G	-47.14	-42.37	-4.77	3
6205MHz	Pass	6.202951G	-2.18	6.26305G	-46.09	-42.18	-3.91	4
6405MHz	Pass	6.399651G	-2.99	6.34725G	-48.48	-42.79	-5.69	1
6405MHz	Pass	6.400401G	-2.3	6.4632G	-46.25	-42.3	-3.95	2
6405MHz	Pass	6.413048G	-2.37	6.4631G	-45.97	-42.37	-3.6	3
6405MHz	Pass	6.402601G	-2.4	6.3472G	-46.43	-42.4	-4.03	4
6565MHz	Pass	6.558402G	-2.64	6.62285G	-47.98	-42.6	-5.38	1
6565MHz	Pass	6.562151G	-1.76	6.62295G	-45.23	-41.38	-3.85	2
6565MHz	Pass	6.570349G	-2.48	6.62295G	-46.41	-42.48	-3.93	3
6565MHz	Pass	6.560051G	-2.62	6.6232G	-46.68	-42.62	-4.06	4
6685MHz	Pass	6.680551G	-2.59	6.6272G	-46.31	-41.82	-4.49	1
6685MHz	Pass	6.678852G	-2.35	6.62725G	-45.46	-42.15	-3.31	2
6685MHz	Pass	6.690049G	-2.6	6.62715G	-45.13	-42.6	-2.53	3
6685MHz	Pass	6.681251G	-2.74	6.6272G	-46.96	-42.36	-4.6	4
6845MHz	Pass	6.840751G	-2.78	6.9028G	-48.12	-42.61	-5.51	1
6845MHz	Pass	6.847399G	-2.81	6.7874G	-47.52	-42.81	-4.71	2
6845MHz	Pass	6.842001G	-2.86	6.78715G	-46.68	-42.86	-3.82	3
6845MHz	Pass	6.839601G	-2.57	6.9031G	-46.91	-42.57	-4.34	4
11a80_80MHz_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.979G	-1.48	6.1663G	-47.82	-41.48	-6.34	1
5985MHz	Pass	5.9884G	-0.07	6.1113G	-47.04	-40.07	-6.97	2
5985MHz	Pass	5.982G	-1.05	6.1828G	-47.54	-41.05	-6.49	3
5985MHz	Pass	5.9819G	-0.71	6.1038G	-46.98	-40.71	-6.27	4



Mask_Non-Beamforming_Serving Radio_4T1S

Appendix D.17

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2374G	-0.29	6.3633G	-46.69	-40.29	-6.4	1
6225MHz	Pass	6.2201G	-0.71	6.3677G	-46.72	-40.71	-6.01	2
6225MHz	Pass	6.2207G	0.18	6.3442G	-46.55	-39.82	-6.73	3
6225MHz	Pass	6.2207G	-0.09	6.3553G	-46.54	-40.09	-6.45	4
6385MHz	Pass	6.3819G	-0.65	6.5511G	-46.59	-40.65	-5.94	1
6385MHz	Pass	6.382G	-0.72	6.5628G	-46.58	-40.72	-5.86	2
6385MHz	Pass	6.3809G	-0.11	6.5684G	-46.48	-40.11	-6.37	3
6385MHz	Pass	6.3764G	-0.16	6.5626G	-46.37	-40.16	-6.21	4
6625MHz	Pass	6.6082G	-0.86	6.7467G	-46.84	-40.86	-5.98	1
6625MHz	Pass	6.6207G	0.08	6.507G	-44.92	-38.81	-6.11	2
6625MHz	Pass	6.6211G	-0.51	6.7473G	-46.68	-40.51	-6.17	3
6625MHz	Pass	6.6174G	-0.41	6.5072G	-45.92	-40.11	-5.81	4
6705MHz	Pass	6.7023G	-0.37	6.5623G	-46.3	-40.37	-5.93	1
6705MHz	Pass	6.7013G	-0.71	6.5807G	-46.06	-40.71	-5.35	2
6705MHz	Pass	6.6964G	-0.44	6.5856G	-46.07	-40.42	-5.65	3
6705MHz	Pass	6.7141G	-0.5	6.5838G	-46.24	-40.5	-5.74	4
6785MHz	Pass	6.7796G	-0.72	6.9667G	-46.01	-40.72	-5.29	1
6785MHz	Pass	6.7732G	-0.38	6.9702G	-46.01	-40.38	-5.63	2
6785MHz	Pass	6.7774G	-0.32	6.9788G	-46.18	-40.32	-5.86	3
6785MHz	Pass	6.7762G	-1.02	6.9646G	-46.06	-41.02	-5.04	4
11a160_160MHz_Nss1_(6Mbps)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0294G	-0.67	6.3894G	-44.31	-40.67	-3.64	1
6025MHz	Pass	6.05059G	0.1	6.2596G	-42.71	-38.77	-3.94	2
6025MHz	Pass	6.0398G	-0.76	6.3786G	-44.21	-40.76	-3.45	3
6025MHz	Pass	6.05199G	0.2	6.2566G	-41.97	-38.04	-3.93	4
6185MHz	Pass	6.21819G	-0.05	6.5618G	-43.16	-40.05	-3.11	1
6185MHz	Pass	6.22119G	-1.01	6.562G	-44.03	-41.01	-3.02	2
6185MHz	Pass	6.21799G	-0.46	6.5542G	-43.7	-40.46	-3.24	3
6185MHz	Pass	6.2G	-0.38	6.5594G	-43.93	-40.38	-3.55	4
6345MHz	Pass	6.30021G	-0.67	6.59G	-43.71	-40.67	-3.04	1
6345MHz	Pass	6.37179G	-1.54	6.5934G	-43.78	-41.54	-2.24	2
6345MHz	Pass	6.30161G	-0.5	6.594G	-43.79	-40.5	-3.29	3
6345MHz	Pass	6.29981G	-1.44	6.588G	-44.2	-41.44	-2.76	4
6665MHz	Pass	6.69019G	-0.47	6.9534G	-42.83	-40.47	-2.36	1
6665MHz	Pass	6.62061G	0.03	6.9714G	-42.66	-39.97	-2.69	2
6665MHz	Pass	6.61841G	-0.88	6.9492G	-43.36	-40.88	-2.48	3
6665MHz	Pass	6.61821G	-0.58	6.9512G	-42.96	-40.58	-2.38	4
802.11ax HEW20_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963548G	-2.71	5.92385G	-53.76	-42.67	-11.09	1
5955MHz	Pass	5.964048G	-1.15	5.985025G	-49.44	-40.75	-8.69	2
5955MHz	Pass	5.963798G	-1.51	5.985925G	-51.97	-41.12	-10.85	3
5955MHz	Pass	5.964298G	-0.92	5.986575G	-49.74	-40.8	-8.94	4
6195MHz	Pass	6.204148G	-1.77	6.20605G	-32.62	-20.97	-11.65	1
6195MHz	Pass	6.203123G	-1.69	6.1594G	-53.65	-41.69	-11.96	2
6195MHz	Pass	6.203448G	-1.5	6.15845G	-53.64	-41.5	-12.14	3
6195MHz	Pass	6.203998G	-0.89	6.1631G	-52.9	-40.89	-12.01	4
6415MHz	Pass	6.405927G	-2.27	6.384075G	-52.95	-42.27	-10.68	1
6415MHz	Pass	6.405977G	-1.02	6.3832G	-52.69	-41.02	-11.67	2
6415MHz	Pass	6.423073G	-1.22	6.383675G	-52.66	-41.22	-11.44	3
6415MHz	Pass	6.422198G	-1.33	6.374725G	-52	-41.33	-10.67	4
6535MHz	Pass	6.544348G	-1.53	6.5684G	-52.5	-41.53	-10.97	1
6535MHz	Pass	6.543823G	-1.23	6.56685G	-52.27	-41.23	-11.04	2
6535MHz	Pass	6.543998G	-1.57	6.568825G	-52.19	-41.57	-10.62	3
6535MHz	Pass	6.543998G	-2.08	6.5695G	-52.63	-42.08	-10.55	4
6695MHz	Pass	6.704248G	-1.99	6.7374G	-52.58	-41.99	-10.59	1
6695MHz	Pass	6.686352G	-2.37	6.736125G	-52.73	-42.37	-10.36	2



Mask_Non-Beamforming_Serving Radio_4T1S

Appendix D.17

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6695MHz	Pass	6.703523G	-2.06	6.73665G	-53.01	-42.06	-10.95	3
6695MHz	Pass	6.686477G	-2.24	6.72915G	-52.54	-42.24	-10.3	4
6855MHz	Pass	6.845802G	-2.37	6.814025G	-52.92	-42.37	-10.55	1
6855MHz	Pass	6.845802G	-2.34	6.824175G	-52.54	-42.34	-10.2	2
6855MHz	Pass	6.846402G	-2.09	6.824G	-52.93	-42.09	-10.84	3
6855MHz	Pass	6.845727G	-1.86	6.899525G	-52.79	-41.86	-10.93	4
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.969099G	-3.81	6.0264G	-52.35	-43.81	-8.54	1
5965MHz	Pass	5.973548G	-1.98	6.0235G	-48.27	-41.98	-6.29	2
5965MHz	Pass	5.968499G	-2.91	6.02365G	-50.71	-42.75	-7.96	3
5965MHz	Pass	5.967149G	-2.18	6.0249G	-47.99	-42.18	-5.81	4
6205MHz	Pass	6.209699G	-3.37	6.26425G	-52.53	-43.37	-9.16	1
6205MHz	Pass	6.202601G	-3.43	6.2655G	-52.39	-43.43	-8.96	2
6205MHz	Pass	6.20675G	-2.89	6.1456G	-52.23	-42.89	-9.34	3
6205MHz	Pass	6.210149G	-2.89	6.26395G	-51.88	-42.89	-8.99	4
6405MHz	Pass	6.412148G	-3.98	6.3454G	-51.6	-43.98	-7.62	1
6405MHz	Pass	6.411798G	-3.27	6.3418G	-51.55	-43.27	-8.28	2
6405MHz	Pass	6.408799G	-3.3	6.49505G	-51.85	-43.3	-8.55	3
6405MHz	Pass	6.398702G	-3.31	6.344G	-51.33	-43.31	-8.02	4
6565MHz	Pass	6.571798G	-3.6	6.49995G	-51.87	-43.6	-8.27	1
6565MHz	Pass	6.557552G	-2.58	6.502G	-50.95	-42.58	-8.37	2
6565MHz	Pass	6.567099G	-2.84	6.50655G	-51.6	-42.76	-8.84	3
6565MHz	Pass	6.558352G	-3.53	6.5058G	-51.53	-43.51	-8.02	4
6685MHz	Pass	6.6855G	-3.54	6.58515G	-51.44	-43.54	-7.9	1
6685MHz	Pass	6.68665G	-3.52	6.75035G	-51.36	-43.52	-7.84	2
6685MHz	Pass	6.687549G	-3.43	6.75855G	-51.64	-43.43	-8.21	3
6685MHz	Pass	6.681551G	-3.96	6.77665G	-51.57	-43.96	-7.61	4
6845MHz	Pass	6.840001G	-3.85	6.94075G	-51.33	-43.85	-7.48	1
6845MHz	Pass	6.8435G	-3.69	6.9429G	-51.34	-43.69	-7.65	2
6845MHz	Pass	6.84345G	-3.78	6.92875G	-50.76	-43.78	-6.98	3
6845MHz	Pass	6.842551G	-3.45	6.93005G	-51.19	-43.45	-7.74	4
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9924G	-2.38	6.1604G	-47.54	-42.38	-5.16	1
5985MHz	Pass	5.9834G	-0.65	6.1081G	-46.61	-40.65	-5.96	2
5985MHz	Pass	5.9903G	-1.93	6.1665G	-47.5	-41.93	-5.57	3
5985MHz	Pass	5.9994G	-1.24	6.1045G	-46.6	-41.05	-5.55	4
6225MHz	Pass	6.2212G	-0.75	6.3826G	-46.29	-40.75	-5.54	1
6225MHz	Pass	6.2348G	-1.26	6.3483G	-46.56	-41.26	-5.3	2
6225MHz	Pass	6.2425G	-0.96	6.3585G	-46.43	-40.96	-5.47	3
6225MHz	Pass	6.2138G	-0.77	6.3632G	-46.22	-40.77	-5.45	4
6385MHz	Pass	6.3835G	-1.54	6.5632G	-46.18	-41.54	-4.64	1
6385MHz	Pass	6.3929G	-1.6	6.5331G	-46.48	-41.6	-4.88	2
6385MHz	Pass	6.3912G	-1.05	6.5485G	-46.33	-41.05	-5.28	3
6385MHz	Pass	6.3741G	-1.2	6.5376G	-46.27	-41.2	-5.07	4
6625MHz	Pass	6.6344G	-1.75	6.7624G	-46.49	-41.75	-4.74	1
6625MHz	Pass	6.6263G	-1.08	6.7499G	-46.11	-41.08	-5.03	2
6625MHz	Pass	6.6271G	-1.82	6.7514G	-46.73	-41.82	-4.91	3
6625MHz	Pass	6.612G	-1.51	6.7486G	-46.63	-41.51	-5.12	4
6705MHz	Pass	6.7033G	-1.48	6.5501G	-46.26	-41.48	-4.78	1
6705MHz	Pass	6.7083G	-1.49	6.5637G	-46.02	-41.49	-4.53	2
6705MHz	Pass	6.7126G	-1.5	6.5706G	-46.23	-41.5	-4.73	3
6705MHz	Pass	6.6899G	-1.74	6.5544G	-46.12	-41.74	-4.38	4
6785MHz	Pass	6.7797G	-1.69	6.9671G	-46.05	-41.69	-4.36	1
6785MHz	Pass	6.7929G	-2.43	6.965G	-45.85	-42.43	-3.42	2
6785MHz	Pass	6.7807G	-1.76	6.9603G	-46.12	-41.76	-4.36	3
6785MHz	Pass	6.7803G	-2.02	6.9624G	-45.87	-42.02	-3.85	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.043G	-1.24	6.3666G	-43.63	-41.24	-2.39	1
6025MHz	Pass	6.0138G	-0.17	6.3604G	-43.4	-40.17	-3.23	2
6025MHz	Pass	6.05179G	-1.13	6.363G	-43.84	-41.13	-2.71	3
6025MHz	Pass	6.043G	-0.31	6.2706G	-43.56	-40.31	-3.25	4
6185MHz	Pass	6.21919G	-1.27	6.5536G	-43.73	-41.27	-2.46	1
6185MHz	Pass	6.21499G	-1.33	6.5654G	-43.77	-41.33	-2.44	2
6185MHz	Pass	6.1888G	-1.15	6.5636G	-43.65	-41.15	-2.5	3
6185MHz	Pass	6.21439G	-0.36	6.5556G	-43.65	-40.36	-3.29	4
6345MHz	Pass	6.36659G	-1.14	6.7012G	-44	-41.14	-2.86	1
6345MHz	Pass	6.31341G	-2	6.5952G	-43.87	-42	-1.87	2
6345MHz	Pass	6.36819G	-1.68	6.5886G	-43.9	-41.68	-2.22	3
6345MHz	Pass	6.3536G	-1.23	6.713G	-43.79	-41.23	-2.56	4
6665MHz	Pass	6.63921G	-1.13	6.9696G	-43.34	-41.13	-2.21	1
6665MHz	Pass	6.64121G	-1.2	6.9678G	-43.19	-41.2	-1.99	2
6665MHz	Pass	6.63801G	-1.03	6.963G	-43.36	-41.03	-2.33	3
6665MHz	Pass	6.62981G	-1.53	6.9794G	-43.26	-41.53	-1.73	4

