



Summary

| Mode                            | Max-N dB<br>(Hz) | Max-OBW<br>(Hz) | ITU-Code | Min-N dB<br>(Hz) | Min-OBW<br>(Hz) |
|---------------------------------|------------------|-----------------|----------|------------------|-----------------|
| 5.925-6.425GHz                  | -                | -               | -        | -                | -               |
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | 20.075M          | 16.668M         | 16M7D1D  | 18.81M           | 16.492M         |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | 21.175M          | 19.09M          | 19M1D1D  | 20.02M           | 18.966M         |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | 39.27M           | 36.282M         | 36M3D1D  | 38.17M           | 35.974M         |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | 39.93M           | 37.731M         | 37M7D1D  | 39.16M           | 37.531M         |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | 81.62M           | 75.818M         | 75M8D1D  | 79.2M            | 75.466M         |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | 80.96M           | 77.261M         | 77M3D1D  | 80.08M           | 76.762M         |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | 181.28M          | 155.154M        | 155MD1D  | 160.6M           | 154.099M        |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | 162.8M           | 155.722M        | 156MD1D  | 161.92M          | 153.723M        |
| 6.525-6.875GHz                  | -                | -               | -        | -                | -               |
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | 20.185M          | 16.602M         | 16M6D1D  | 18.645M          | 16.514M         |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | 21.395M          | 19.09M          | 19M1D1D  | 20.295M          | 18.991M         |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | 38.5M            | 36.194M         | 36M2D1D  | 38.17M           | 35.974M         |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | 39.38M           | 37.731M         | 37M7D1D  | 39.05M           | 37.481M         |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | 82.94M           | 75.818M         | 75M8D1D  | 79.2M            | 75.554M         |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | 81.62M           | 77.261M         | 77M3D1D  | 80.08M           | 76.662M         |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | 167.64M          | 154.979M        | 155MD1D  | 161.92M          | 153.747M        |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | 162.36M          | 155.722M        | 156MD1D  | 161.48M          | 155.122M        |

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;  
 Max-OBW = Maximum 99% occupied bandwidth;  
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;  
 Min-OBW = Minimum 99% occupied bandwidth



Result

| Mode                            | Result | Limit (Hz) | Port 1-N dB (Hz) | Port 1-OBW (Hz) | Port 2-N dB (Hz) | Port 2-OBW (Hz) |
|---------------------------------|--------|------------|------------------|-----------------|------------------|-----------------|
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | -      | -          | -                | -               | -                | -               |
| 5955MHz                         | Pass   | Inf        | 19.415M          | 16.492M         | 19.14M           | 16.558M         |
| 6195MHz                         | Pass   | Inf        | 19.525M          | 16.492M         | 18.81M           | 16.536M         |
| 6415MHz                         | Pass   | Inf        | 19.47M           | 16.668M         | 20.075M          | 16.492M         |
| 6535MHz                         | Pass   | Inf        | 18.975M          | 16.602M         | 18.645M          | 16.536M         |
| 6695MHz                         | Pass   | Inf        | 19.14M           | 16.558M         | 20.185M          | 16.514M         |
| 6855MHz                         | Pass   | Inf        | 19.415M          | 16.558M         | 20.075M          | 16.536M         |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | -      | -          | -                | -               | -                | -               |
| 5965MHz                         | Pass   | Inf        | 38.5M            | 36.15M          | 38.83M           | 36.106M         |
| 6205MHz                         | Pass   | Inf        | 38.28M           | 36.282M         | 38.72M           | 36.106M         |
| 6405MHz                         | Pass   | Inf        | 38.17M           | 36.106M         | 39.27M           | 35.974M         |
| 6565MHz                         | Pass   | Inf        | 38.39M           | 36.106M         | 38.39M           | 35.974M         |
| 6685MHz                         | Pass   | Inf        | 38.17M           | 36.194M         | 38.17M           | 36.018M         |
| 6845MHz                         | Pass   | Inf        | 38.5M            | 36.106M         | 38.5M            | 36.194M         |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | -      | -          | -                | -               | -                | -               |
| 5985MHz                         | Pass   | Inf        | 80.74M           | 75.73M          | 81.18M           | 75.642M         |
| 6225MHz                         | Pass   | Inf        | 81.62M           | 75.73M          | 79.2M            | 75.73M          |
| 6385MHz                         | Pass   | Inf        | 79.64M           | 75.466M         | 79.86M           | 75.818M         |
| 6625MHz                         | Pass   | Inf        | 79.86M           | 75.642M         | 80.52M           | 75.73M          |
| 6705MHz                         | Pass   | Inf        | 82.94M           | 75.642M         | 79.2M            | 75.554M         |
| 6785MHz                         | Pass   | Inf        | 81.18M           | 75.818M         | 80.08M           | 75.642M         |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | -      | -          | -                | -               | -                | -               |
| 6025MHz                         | Pass   | Inf        | 160.6M           | 154.627M        | 168.08M          | 154.099M        |
| 6185MHz                         | Pass   | Inf        | 181.28M          | 154.803M        | 168.96M          | 155.154M        |
| 6345MHz                         | Pass   | Inf        | 165M             | 154.275M        | 168.08M          | 154.803M        |
| 6665MHz                         | Pass   | Inf        | 167.64M          | 154.979M        | 161.92M          | 153.747M        |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | -      | -          | -                | -               | -                | -               |
| 5955MHz                         | Pass   | Inf        | 21.065M          | 18.966M         | 20.625M          | 19.09M          |
| 6195MHz                         | Pass   | Inf        | 20.625M          | 19.015M         | 21.175M          | 19.015M         |
| 6415MHz                         | Pass   | Inf        | 20.185M          | 19.09M          | 20.02M           | 18.991M         |
| 6535MHz                         | Pass   | Inf        | 20.57M           | 18.991M         | 20.295M          | 19.09M          |
| 6695MHz                         | Pass   | Inf        | 21.01M           | 19.09M          | 20.405M          | 18.991M         |
| 6855MHz                         | Pass   | Inf        | 20.295M          | 19.09M          | 21.395M          | 19.065M         |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | -      | -          | -                | -               | -                | -               |
| 5965MHz                         | Pass   | Inf        | 39.16M           | 37.531M         | 39.93M           | 37.681M         |
| 6205MHz                         | Pass   | Inf        | 39.49M           | 37.581M         | 39.16M           | 37.731M         |
| 6405MHz                         | Pass   | Inf        | 39.38M           | 37.531M         | 39.71M           | 37.581M         |
| 6565MHz                         | Pass   | Inf        | 39.05M           | 37.481M         | 39.27M           | 37.731M         |
| 6685MHz                         | Pass   | Inf        | 39.05M           | 37.731M         | 39.16M           | 37.581M         |
| 6845MHz                         | Pass   | Inf        | 39.38M           | 37.631M         | 39.16M           | 37.631M         |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | -      | -          | -                | -               | -                | -               |
| 5985MHz                         | Pass   | Inf        | 80.96M           | 77.161M         | 80.08M           | 76.862M         |
| 6225MHz                         | Pass   | Inf        | 80.08M           | 76.762M         | 80.08M           | 77.261M         |
| 6385MHz                         | Pass   | Inf        | 80.52M           | 76.962M         | 80.52M           | 76.762M         |
| 6625MHz                         | Pass   | Inf        | 80.08M           | 77.061M         | 80.74M           | 76.762M         |
| 6705MHz                         | Pass   | Inf        | 81.62M           | 77.161M         | 80.08M           | 76.662M         |
| 6785MHz                         | Pass   | Inf        | 80.08M           | 77.261M         | 80.52M           | 76.862M         |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | -      | -          | -                | -               | -                | -               |
| 6025MHz                         | Pass   | Inf        | 162.8M           | 154.923M        | 161.92M          | 154.923M        |
| 6185MHz                         | Pass   | Inf        | 161.92M          | 155.722M        | 161.92M          | 154.723M        |
| 6345MHz                         | Pass   | Inf        | 161.92M          | 153.723M        | 162.36M          | 154.923M        |
| 6665MHz                         | Pass   | Inf        | 161.48M          | 155.722M        | 162.36M          | 155.122M        |


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band  
 Port X-OBW = Port X 99% occupied bandwidth

5.925-6.425GHz\_11a20\_20MHz\_Nss1,(6Mbps)\_2TX

EBW

5955MHz

21/09/2023




5.925-6.425GHz\_11a20\_20MHz\_Nss1,(6Mbps)\_2TX

EBW

6195MHz

21/09/2023



5.925-6.425GHz\_11a20\_20MHz\_Nss1,(6Mbps)\_2TX

EBW

6415MHz

21/09/2023

CF (Hz)  
6.415G


Span (Hz)  
110M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
66.4u

Detector Type  
Peak



CF (Hz)  
6.415G


Span (Hz)  
44M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
28.4u

Detector Type  
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.47M   | 6.405155G   | 6.424625G   | 16.668M | 6.406578G  | 6.423246G  | Inf       | 1    |
| 20.075M  | 6.40477G    | 6.424845G   | 16.492M | 6.406688G  | 6.42318G   | Inf       | 2    |

6.525-6.875GHz\_11a20\_20MHz\_Nss1,(6Mbps)\_2TX

EBW

6535MHz

21/09/2023

CF (Hz)  
6.535G


Span (Hz)  
110M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
66.4u

Detector Type  
Peak



CF (Hz)  
6.535G


Span (Hz)  
44M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
28.4u

Detector Type  
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 18.975M  | 6.525995G   | 6.54457G    | 16.602M | 6.526622G  | 6.543224G  | Inf       | 1    |
| 18.645M  | 6.52587G    | 6.544515G   | 16.536M | 6.526688G  | 6.543224G  | Inf       | 2    |

6.525-6.875GHz\_11a20\_20MHz\_Nss1,(6Mbps)\_2TX

EBW

6695MHz

21/09/2023

CF (Hz)  
6.695G


Span (Hz)  
110M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
66.4u

Detector Type  
Peak



CF (Hz)  
6.695G


Span (Hz)  
44M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
28.4u

Detector Type  
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.14M   | 6.68532G    | 6.70446G    | 16.558M | 6.68666G   | 6.703224G  | Inf       | 1    |
| 20.185M  | 6.68455G    | 6.704735G   | 16.514M | 6.68671G   | 6.703224G  | Inf       | 2    |

6.525-6.875GHz\_11a20\_20MHz\_Nss1,(6Mbps)\_2TX

EBW

6855MHz

21/09/2023

CF (Hz)  
6.855G


Span (Hz)  
110M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
66.4u

Detector Type  
Peak



CF (Hz)  
6.855G


Span (Hz)  
44M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
28.4u

Detector Type  
Peak




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.415M  | 6.845045G   | 6.86446G    | 16.558M | 6.84671G   | 6.863268G  | Inf       | 1    |
| 20.075M  | 6.84521G    | 6.865285G   | 16.536M | 6.846688G  | 6.863224G  | Inf       | 2    |

5.925-6.425GHz\_11a40\_40MHz\_Nss1,(6Mbps)\_2TX

EBW

5965MHz

21/09/2023




5.925-6.425GHz\_11a40\_40MHz\_Nss1,(6Mbps)\_2TX

EBW

6205MHz

21/09/2023





5.925-6.425GHz\_11a40\_40MHz\_Nss1,(6Mbps)\_2TX

EBW

6405MHz

21/09/2023





6.525-6.875GHz\_11a40\_40MHz\_Nss1,(6Mbps)\_2TX

EBW

6565MHz

21/09/2023




6.525-6.875GHz\_11a40\_40MHz\_Nss1,(6Mbps)\_2TX

EBW

6685MHz

21/09/2023




6.525-6.875GHz\_11a40\_40MHz\_Nss1,(6Mbps)\_2TX

EBW

6845MHz

21/09/2023






5.925-6.425GHz\_11a80\_80MHz\_Nss1,(6Mbps)\_2TX

EBW

5985MHz

21/09/2023




5.925-6.425GHz\_11a80\_80MHz\_Nss1,(6Mbps)\_2TX

EBW

6225MHz

21/09/2023




5.925-6.425GHz\_11a80\_80MHz\_Nss1,(6Mbps)\_2TX

EBW

6385MHz

21/09/2023





6.525-6.875GHz\_11a80\_80MHz\_Nss1,(6Mbps)\_2TX

EBW

6625MHz

21/09/2023






5.925-6.425GHz\_11a160\_160MHz\_Nss1,(6Mbps)\_2TX

EBW

6025MHz

21/09/2023




5.925-6.425GHz\_11a160\_160MHz\_Nss1,(6Mbps)\_2TX

EBW

6185MHz

21/09/2023



5.925-6.425GHz\_11a160\_160MHz\_Nss1,(6Mbps)\_2TX

EBW

6345MHz

21/09/2023

CF (Hz)  
6.345G


Span (Hz)  
880M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
92.1u

Detector Type  
Peak



CF (Hz)  
6.345G


Span (Hz)  
352M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
37.2u

Detector Type  
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz)  | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|----------|------------|------------|-----------|------|
| 165M     | 6.26008G    | 6.42508G    | 154.275M | 6.267599G  | 6.421874G  | Inf       | 1    |
| 168.08M  | 6.25876G    | 6.42684G    | 154.803M | 6.267423G  | 6.422225G  | Inf       | 2    |

6.525-6.875GHz\_11a160\_160MHz\_Nss1,(6Mbps)\_2TX

EBW

6665MHz

21/09/2023

CF (Hz)  
6.665G


Span (Hz)  
880M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
92.1u

Detector Type  
Peak



CF (Hz)  
6.665G


Span (Hz)  
352M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
37.2u

Detector Type  
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz)  | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|----------|------------|------------|-----------|------|
| 167.64M  | 6.57744G    | 6.74508G    | 154.979M | 6.587247G  | 6.742225G  | Inf       | 1    |
| 161.92M  | 6.58316G    | 6.74508G    | 153.747M | 6.587951G  | 6.741698G  | Inf       | 2    |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

EBW

5955MHz

08/09/2023

CF (Hz)  
5.955G


Span (Hz)  
110M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
66.4u

Detector Type  
Peak



CF (Hz)  
5.955G


Span (Hz)  
50M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
28.5u

Detector Type  
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 21.065M  | 5.94411G    | 5.965175G   | 18.966M | 5.945505G  | 5.96447G   | Inf       | 1    |
| 20.625M  | 5.944935G   | 5.96556G    | 19.09M  | 5.945455G  | 5.964545G  | Inf       | 2    |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

EBW

6195MHz

08/09/2023

CF (Hz)  
6.195G


Span (Hz)  
110M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
66.4u

Detector Type  
Peak



CF (Hz)  
6.195G


Span (Hz)  
50M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
28.5u

Detector Type  
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 20.625M  | 6.184715G   | 6.20534G    | 19.015M | 6.185455G  | 6.20447G   | Inf       | 1    |
| 21.175M  | 6.184715G   | 6.20589G    | 19.015M | 6.18548G   | 6.204495G  | Inf       | 2    |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

EBW

6415MHz

08/09/2023

CF (Hz)  
6.415G


Span (Hz)  
110M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
66.4u

Detector Type  
Peak



CF (Hz)  
6.415G


Span (Hz)  
50M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
28.5u

Detector Type  
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 20.185M  | 6.404825G   | 6.42501G    | 19.09M  | 6.405405G  | 6.424495G  | Inf       | 1    |
| 20.02M   | 6.404935G   | 6.424955G   | 18.991M | 6.405455G  | 6.424445G  | Inf       | 2    |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

EBW

6535MHz

08/09/2023

CF (Hz)  
6.535G


Span (Hz)  
110M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
66.4u

Detector Type  
Peak



CF (Hz)  
6.535G


Span (Hz)  
50M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
28.5u

Detector Type  
Peak




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 20.57M   | 6.524605G   | 6.545175G   | 18.991M | 6.525505G  | 6.544495G  | Inf       | 1    |
| 20.295M  | 6.5251G     | 6.545395G   | 19.09M  | 6.52543G   | 6.54452G   | Inf       | 2    |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

EBW

6695MHz

08/09/2023




6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

EBW

6855MHz

08/09/2023





5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

EBW

5965MHz

08/09/2023

CF (Hz)  
5.965G


Span (Hz)  
220M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
88.4u

Detector Type  
Peak



CF (Hz)  
5.965G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
26.5u

Detector Type  
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.16M   | 5.9452G     | 5.98436G    | 37.531M | 5.946259G  | 5.983791G  | Inf       | 1    |
| 39.93M   | 5.94487G    | 5.9848G     | 37.681M | 5.946109G  | 5.983791G  | Inf       | 2    |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

EBW

6205MHz

08/09/2023

CF (Hz)  
6.205G


Span (Hz)  
220M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
88.4u

Detector Type  
Peak



CF (Hz)  
6.205G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
26.5u

Detector Type  
Peak




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.49M   | 6.18542G    | 6.22491G    | 37.581M | 6.186209G  | 6.223791G  | Inf       | 1    |
| 39.16M   | 6.18553G    | 6.22469G    | 37.731M | 6.186109G  | 6.223841G  | Inf       | 2    |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

EBW

6405MHz

08/09/2023




6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

EBW

6565MHz

08/09/2023




6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

EBW

6685MHz

08/09/2023




6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

EBW

6845MHz

08/09/2023




5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

EBW

5985MHz

08/09/2023




5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

EBW

6225MHz

08/09/2023




5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

EBW

6385MHz

08/09/2023





6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

EBW

6625MHz

08/09/2023






5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

EBW

6025MHz

08/09/2023




5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

EBW

6185MHz

08/09/2023




5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

EBW

6345MHz

08/09/2023




6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

EBW

6665MHz

08/09/2023







Summary

| Mode                            | Total Power (dBm) | Total Power (W) | EIRP (dBm) | EIRP (W) |
|---------------------------------|-------------------|-----------------|------------|----------|
| 5.925-6.425GHz                  | -                 | -               | -          | -        |
| 11a20_20MHz_Nss1,(6Mbps)_1TX    | 16.25             | 0.04217         | 22.25      | 0.16788  |
| 11a40_40MHz_Nss1,(6Mbps)_1TX    | 16.33             | 0.04295         | 22.33      | 0.17100  |
| 11a80_80MHz_Nss1,(6Mbps)_1TX    | 16.34             | 0.04305         | 22.34      | 0.17140  |
| 11a160_160MHz_Nss1,(6Mbps)_1TX  | 15.78             | 0.03784         | 21.78      | 0.15066  |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | 17.05             | 0.05070         | 23.05      | 0.20184  |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | 17.14             | 0.05176         | 23.14      | 0.20606  |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | 16.97             | 0.04977         | 22.97      | 0.19815  |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | 16.95             | 0.04955         | 22.95      | 0.19724  |
| 6.525-6.875GHz                  | -                 | -               | -          | -        |
| 11a20_20MHz_Nss1,(6Mbps)_1TX    | 16.19             | 0.04159         | 22.19      | 0.16558  |
| 11a40_40MHz_Nss1,(6Mbps)_1TX    | 16.31             | 0.04276         | 22.31      | 0.17022  |
| 11a80_80MHz_Nss1,(6Mbps)_1TX    | 16.06             | 0.04036         | 22.06      | 0.16069  |
| 11a160_160MHz_Nss1,(6Mbps)_1TX  | 15.86             | 0.03855         | 21.86      | 0.15346  |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | 17.08             | 0.05105         | 23.08      | 0.20324  |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | 17.04             | 0.05058         | 23.04      | 0.20137  |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | 17.22             | 0.05272         | 23.22      | 0.20989  |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | 17.14             | 0.05176         | 23.14      | 0.20606  |



Result

| Mode                            | Result | DG (dBi) | Port 1 (dBm) | Total Power (dBm) | Power Limit (dBm) | EIRP (dBm) | EIRP Limit (dBm) |
|---------------------------------|--------|----------|--------------|-------------------|-------------------|------------|------------------|
| 11a20_20MHz_Nss1,(6Mbps)_1TX    | -      | -        | -            | -                 | -                 | -          | -                |
| 5955MHz                         | Pass   | 6.00     | 15.58        | 15.58             | Inf               | 21.58      | 36.00            |
| 6195MHz                         | Pass   | 6.00     | 16.25        | 16.25             | Inf               | 22.25      | 36.00            |
| 6415MHz                         | Pass   | 6.00     | 15.66        | 15.66             | Inf               | 21.66      | 36.00            |
| 6535MHz                         | Pass   | 6.00     | 16.05        | 16.05             | Inf               | 22.05      | 36.00            |
| 6695MHz                         | Pass   | 6.00     | 16.19        | 16.19             | Inf               | 22.19      | 36.00            |
| 6855MHz                         | Pass   | 6.00     | 15.55        | 15.55             | Inf               | 21.55      | 36.00            |
| 11a40_40MHz_Nss1,(6Mbps)_1TX    | -      | -        | -            | -                 | -                 | -          | -                |
| 5965MHz                         | Pass   | 6.00     | 15.78        | 15.78             | Inf               | 21.78      | 36.00            |
| 6205MHz                         | Pass   | 6.00     | 16.33        | 16.33             | Inf               | 22.33      | 36.00            |
| 6405MHz                         | Pass   | 6.00     | 15.82        | 15.82             | Inf               | 21.82      | 36.00            |
| 6565MHz                         | Pass   | 6.00     | 15.99        | 15.99             | Inf               | 21.99      | 36.00            |
| 6685MHz                         | Pass   | 6.00     | 16.31        | 16.31             | Inf               | 22.31      | 36.00            |
| 6845MHz                         | Pass   | 6.00     | 15.88        | 15.88             | Inf               | 21.88      | 36.00            |
| 11a80_80MHz_Nss1,(6Mbps)_1TX    | -      | -        | -            | -                 | -                 | -          | -                |
| 5985MHz                         | Pass   | 6.00     | 15.85        | 15.85             | Inf               | 21.85      | 36.00            |
| 6225MHz                         | Pass   | 6.00     | 16.34        | 16.34             | Inf               | 22.34      | 36.00            |
| 6385MHz                         | Pass   | 6.00     | 15.64        | 15.64             | Inf               | 21.64      | 36.00            |
| 6625MHz                         | Pass   | 6.00     | 15.82        | 15.82             | Inf               | 21.82      | 36.00            |
| 6705MHz                         | Pass   | 6.00     | 16.06        | 16.06             | Inf               | 22.06      | 36.00            |
| 6785MHz                         | Pass   | 6.00     | 15.56        | 15.56             | Inf               | 21.56      | 36.00            |
| 11a160_160MHz_Nss1,(6Mbps)_1TX  | -      | -        | -            | -                 | -                 | -          | -                |
| 6025MHz                         | Pass   | 6.00     | 15.59        | 15.59             | Inf               | 21.59      | 36.00            |
| 6185MHz                         | Pass   | 6.00     | 15.78        | 15.78             | Inf               | 21.78      | 36.00            |
| 6345MHz                         | Pass   | 6.00     | 15.69        | 15.69             | Inf               | 21.69      | 36.00            |
| 6665MHz                         | Pass   | 6.00     | 15.86        | 15.86             | Inf               | 21.86      | 36.00            |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | -      | -        | -            | -                 | -                 | -          | -                |
| 5955MHz                         | Pass   | 6.00     | 17.05        | 17.05             | Inf               | 23.05      | 36.00            |
| 6195MHz                         | Pass   | 6.00     | 16.74        | 16.74             | Inf               | 22.74      | 36.00            |
| 6415MHz                         | Pass   | 6.00     | 16.61        | 16.61             | Inf               | 22.61      | 36.00            |
| 6535MHz                         | Pass   | 6.00     | 16.97        | 16.97             | Inf               | 22.97      | 36.00            |
| 6695MHz                         | Pass   | 6.00     | 17.08        | 17.08             | Inf               | 23.08      | 36.00            |
| 6855MHz                         | Pass   | 6.00     | 16.88        | 16.88             | Inf               | 22.88      | 36.00            |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | -      | -        | -            | -                 | -                 | -          | -                |
| 5965MHz                         | Pass   | 6.00     | 17.14        | 17.14             | Inf               | 23.14      | 36.00            |
| 6205MHz                         | Pass   | 6.00     | 16.72        | 16.72             | Inf               | 22.72      | 36.00            |
| 6405MHz                         | Pass   | 6.00     | 16.57        | 16.57             | Inf               | 22.57      | 36.00            |
| 6565MHz                         | Pass   | 6.00     | 17.04        | 17.04             | Inf               | 23.04      | 36.00            |
| 6685MHz                         | Pass   | 6.00     | 17.01        | 17.01             | Inf               | 23.01      | 36.00            |
| 6845MHz                         | Pass   | 6.00     | 16.85        | 16.85             | Inf               | 22.85      | 36.00            |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | -      | -        | -            | -                 | -                 | -          | -                |
| 5985MHz                         | Pass   | 6.00     | 16.97        | 16.97             | Inf               | 22.97      | 36.00            |
| 6225MHz                         | Pass   | 6.00     | 16.92        | 16.92             | Inf               | 22.92      | 36.00            |
| 6385MHz                         | Pass   | 6.00     | 16.57        | 16.57             | Inf               | 22.57      | 36.00            |
| 6625MHz                         | Pass   | 6.00     | 16.98        | 16.98             | Inf               | 22.98      | 36.00            |
| 6705MHz                         | Pass   | 6.00     | 17.22        | 17.22             | Inf               | 23.22      | 36.00            |
| 6785MHz                         | Pass   | 6.00     | 16.93        | 16.93             | Inf               | 22.93      | 36.00            |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | -      | -        | -            | -                 | -                 | -          | -                |
| 6025MHz                         | Pass   | 6.00     | 16.61        | 16.61             | Inf               | 22.61      | 36.00            |
| 6185MHz                         | Pass   | 6.00     | 16.95        | 16.95             | Inf               | 22.95      | 36.00            |
| 6345MHz                         | Pass   | 6.00     | 16.68        | 16.68             | Inf               | 22.68      | 36.00            |
| 6665MHz                         | Pass   | 6.00     | 17.14        | 17.14             | Inf               | 23.14      | 36.00            |

DG = Directional Gain; Port X = Port X output power



Summary

| Mode                            | Total Power (dBm) | Total Power (W) | EIRP (dBm) | EIRP (W) |
|---------------------------------|-------------------|-----------------|------------|----------|
| 5.925-6.425GHz                  | -                 | -               | -          | -        |
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | 19.25             | 0.08414         | 25.25      | 0.33497  |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | 19.33             | 0.08570         | 25.33      | 0.34119  |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | 19.58             | 0.09078         | 25.58      | 0.36141  |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | 18.69             | 0.07396         | 24.69      | 0.29444  |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | 19.76             | 0.09462         | 25.76      | 0.37670  |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | 20.06             | 0.10139         | 26.06      | 0.40365  |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | 20.14             | 0.10328         | 26.14      | 0.41115  |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | 19.78             | 0.09506         | 25.78      | 0.37844  |
| 6.525-6.875GHz                  | -                 | -               | -          | -        |
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | 19.31             | 0.08531         | 25.31      | 0.33963  |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | 19.39             | 0.08690         | 25.39      | 0.34594  |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | 19.16             | 0.08241         | 25.16      | 0.32810  |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | 18.87             | 0.07709         | 24.87      | 0.30690  |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | 20.01             | 0.10023         | 26.01      | 0.39902  |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | 19.94             | 0.09863         | 25.94      | 0.39264  |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | 19.66             | 0.09247         | 25.66      | 0.36813  |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | 19.70             | 0.09333         | 25.70      | 0.37154  |



Result

| Mode                            | Result | DG (dBi) | Port 1 (dBm) | Port 2 (dBm) | Total Power (dBm) | Power Limit (dBm) | EIRP (dBm) | EIRP Limit (dBm) |
|---------------------------------|--------|----------|--------------|--------------|-------------------|-------------------|------------|------------------|
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5955MHz                         | Pass   | 6.00     | 15.58        | 16.81        | 19.25             | Inf               | 25.25      | 36.00            |
| 6195MHz                         | Pass   | 6.00     | 16.24        | 15.86        | 19.06             | Inf               | 25.06      | 36.00            |
| 6415MHz                         | Pass   | 6.00     | 15.66        | 16.41        | 19.06             | Inf               | 25.06      | 36.00            |
| 6535MHz                         | Pass   | 6.00     | 16.05        | 16.53        | 19.31             | Inf               | 25.31      | 36.00            |
| 6695MHz                         | Pass   | 6.00     | 16.31        | 16.05        | 19.19             | Inf               | 25.19      | 36.00            |
| 6855MHz                         | Pass   | 6.00     | 15.75        | 15.89        | 18.83             | Inf               | 24.83      | 36.00            |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5965MHz                         | Pass   | 6.00     | 14.8         | 16.23        | 18.58             | Inf               | 24.58      | 36.00            |
| 6205MHz                         | Pass   | 6.00     | 16.47        | 16.17        | 19.33             | Inf               | 25.33      | 36.00            |
| 6405MHz                         | Pass   | 6.00     | 15.78        | 16.29        | 19.05             | Inf               | 25.05      | 36.00            |
| 6565MHz                         | Pass   | 6.00     | 15.92        | 16.67        | 19.32             | Inf               | 25.32      | 36.00            |
| 6685MHz                         | Pass   | 6.00     | 16.42        | 16.33        | 19.39             | Inf               | 25.39      | 36.00            |
| 6845MHz                         | Pass   | 6.00     | 15.9         | 15.94        | 18.93             | Inf               | 24.93      | 36.00            |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5985MHz                         | Pass   | 6.00     | 15.92        | 17.14        | 19.58             | Inf               | 25.58      | 36.00            |
| 6225MHz                         | Pass   | 6.00     | 16.41        | 15.92        | 19.18             | Inf               | 25.18      | 36.00            |
| 6385MHz                         | Pass   | 6.00     | 15.75        | 15.7         | 18.74             | Inf               | 24.74      | 36.00            |
| 6625MHz                         | Pass   | 6.00     | 15.89        | 16.4         | 19.16             | Inf               | 25.16      | 36.00            |
| 6705MHz                         | Pass   | 6.00     | 16.1         | 16.13        | 19.13             | Inf               | 25.13      | 36.00            |
| 6785MHz                         | Pass   | 6.00     | 15.64        | 15.67        | 18.67             | Inf               | 24.67      | 36.00            |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 6025MHz                         | Pass   | 6.00     | 15.63        | 15.69        | 18.67             | Inf               | 24.67      | 36.00            |
| 6185MHz                         | Pass   | 6.00     | 15.63        | 15.72        | 18.69             | Inf               | 24.69      | 36.00            |
| 6345MHz                         | Pass   | 6.00     | 15.59        | 15.56        | 18.59             | Inf               | 24.59      | 36.00            |
| 6665MHz                         | Pass   | 6.00     | 15.62        | 16.08        | 18.87             | Inf               | 24.87      | 36.00            |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5955MHz                         | Pass   | 6.00     | 15.92        | 17.44        | 19.76             | Inf               | 25.76      | 36.00            |
| 6195MHz                         | Pass   | 6.00     | 16.48        | 16.61        | 19.56             | Inf               | 25.56      | 36.00            |
| 6415MHz                         | Pass   | 6.00     | 16.38        | 16.99        | 19.71             | Inf               | 25.71      | 36.00            |
| 6535MHz                         | Pass   | 6.00     | 16.62        | 17.35        | 20.01             | Inf               | 26.01      | 36.00            |
| 6695MHz                         | Pass   | 6.00     | 16.72        | 16.62        | 19.68             | Inf               | 25.68      | 36.00            |
| 6855MHz                         | Pass   | 6.00     | 16.14        | 16.54        | 19.35             | Inf               | 25.35      | 36.00            |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5965MHz                         | Pass   | 6.00     | 15.96        | 17.92        | 20.06             | Inf               | 26.06      | 36.00            |
| 6205MHz                         | Pass   | 6.00     | 16.46        | 16.7         | 19.59             | Inf               | 25.59      | 36.00            |
| 6405MHz                         | Pass   | 6.00     | 16.24        | 16.69        | 19.48             | Inf               | 25.48      | 36.00            |
| 6565MHz                         | Pass   | 6.00     | 16.38        | 17.41        | 19.94             | Inf               | 25.94      | 36.00            |
| 6685MHz                         | Pass   | 6.00     | 16.66        | 16.53        | 19.61             | Inf               | 25.61      | 36.00            |
| 6845MHz                         | Pass   | 6.00     | 16.28        | 16.16        | 19.23             | Inf               | 25.23      | 36.00            |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5985MHz                         | Pass   | 6.00     | 16.24        | 17.86        | 20.14             | Inf               | 26.14      | 36.00            |
| 6225MHz                         | Pass   | 6.00     | 16.56        | 16.6         | 19.59             | Inf               | 25.59      | 36.00            |
| 6385MHz                         | Pass   | 6.00     | 16.22        | 16.26        | 19.25             | Inf               | 25.25      | 36.00            |
| 6625MHz                         | Pass   | 6.00     | 16.37        | 16.92        | 19.66             | Inf               | 25.66      | 36.00            |
| 6705MHz                         | Pass   | 6.00     | 16.62        | 16.5         | 19.57             | Inf               | 25.57      | 36.00            |
| 6785MHz                         | Pass   | 6.00     | 16.11        | 16.08        | 19.11             | Inf               | 25.11      | 36.00            |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 6025MHz                         | Pass   | 6.00     | 16.27        | 17.21        | 19.78             | Inf               | 25.78      | 36.00            |
| 6185MHz                         | Pass   | 6.00     | 16.44        | 16.58        | 19.52             | Inf               | 25.52      | 36.00            |
| 6345MHz                         | Pass   | 6.00     | 16.27        | 15.51        | 18.92             | Inf               | 24.92      | 36.00            |
| 6665MHz                         | Pass   | 6.00     | 16.73        | 16.65        | 19.70             | Inf               | 25.70      | 36.00            |

DG = Directional Gain; Port X = Port X output power



Summary

| Mode                            | Total Power (dBm) | Total Power (W) | EIRP (dBm) | EIRP (W) |
|---------------------------------|-------------------|-----------------|------------|----------|
| 5.925-6.425GHz                  | -                 | -               | -          | -        |
| 11a20_20MHz_Nss1,(6Mbps)_4TX    | 22.48             | 0.17701         | 28.48      | 0.70469  |
| 11a40_40MHz_Nss1,(6Mbps)_4TX    | 22.45             | 0.17579         | 28.45      | 0.69984  |
| 11a80_80MHz_Nss1,(6Mbps)_4TX    | 22.50             | 0.17783         | 28.50      | 0.70795  |
| 11a160_160MHz_Nss1,(6Mbps)_4TX  | 21.91             | 0.15524         | 27.91      | 0.61802  |
| 802.11ax HEW20_Nss1,(MCS0)_4TX  | 23.24             | 0.21086         | 29.24      | 0.83946  |
| 802.11ax HEW40_Nss1,(MCS0)_4TX  | 23.26             | 0.21184         | 29.26      | 0.84333  |
| 802.11ax HEW80_Nss1,(MCS0)_4TX  | 23.04             | 0.20137         | 29.04      | 0.80168  |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | 22.95             | 0.19724         | 28.95      | 0.78524  |
| 6.525-6.875GHz                  | -                 | -               | -          | -        |
| 11a20_20MHz_Nss1,(6Mbps)_4TX    | 22.29             | 0.16943         | 28.29      | 0.67453  |
| 11a40_40MHz_Nss1,(6Mbps)_4TX    | 22.39             | 0.17338         | 28.39      | 0.69024  |
| 11a80_80MHz_Nss1,(6Mbps)_4TX    | 22.21             | 0.16634         | 28.21      | 0.66222  |
| 11a160_160MHz_Nss1,(6Mbps)_4TX  | 21.82             | 0.15205         | 27.82      | 0.60534  |
| 802.11ax HEW20_Nss1,(MCS0)_4TX  | 22.81             | 0.19099         | 28.81      | 0.76033  |
| 802.11ax HEW40_Nss1,(MCS0)_4TX  | 22.80             | 0.19055         | 28.80      | 0.75858  |
| 802.11ax HEW80_Nss1,(MCS0)_4TX  | 22.61             | 0.18239         | 28.61      | 0.72611  |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | 22.61             | 0.18239         | 28.61      | 0.72611  |



Result

| Mode                            | Result | DG (dBi) | Port 1 (dBm) | Port 2 (dBm) | Port 3 (dBm) | Port 4 (dBm) | Total Power (dBm) | Power Limit (dBm) | EIRP (dBm) | EIRP Limit (dBm) |
|---------------------------------|--------|----------|--------------|--------------|--------------|--------------|-------------------|-------------------|------------|------------------|
| 11a20_20MHz_Nss1,(6Mbps)_4TX    | -      | -        | -            | -            | -            | -            | -                 | -                 | -          | -                |
| 5955MHz                         | Pass   | 6.00     | 15.58        | 16.78        | 16.3         | 17.04        | 22.48             | Inf               | 28.48      | 36.00            |
| 6195MHz                         | Pass   | 6.00     | 16.3         | 15.92        | 16.36        | 16.76        | 22.37             | Inf               | 28.37      | 36.00            |
| 6415MHz                         | Pass   | 6.00     | 15.74        | 16.39        | 16.39        | 16.7         | 22.34             | Inf               | 28.34      | 36.00            |
| 6535MHz                         | Pass   | 6.00     | 16.15        | 16.7         | 16.25        | 15.93        | 22.29             | Inf               | 28.29      | 36.00            |
| 6695MHz                         | Pass   | 6.00     | 16.34        | 16.2         | 16.09        | 15.77        | 22.13             | Inf               | 28.13      | 36.00            |
| 6855MHz                         | Pass   | 6.00     | 15.65        | 15.9         | 16.07        | 16.16        | 21.97             | Inf               | 27.97      | 36.00            |
| 11a40_40MHz_Nss1,(6Mbps)_4TX    | -      | -        | -            | -            | -            | -            | -                 | -                 | -          | -                |
| 5965MHz                         | Pass   | 6.00     | 12.77        | 14.54        | 13.37        | 14.33        | 19.83             | Inf               | 25.83      | 36.00            |
| 6205MHz                         | Pass   | 6.00     | 16.48        | 16.26        | 16.07        | 16.88        | 22.45             | Inf               | 28.45      | 36.00            |
| 6405MHz                         | Pass   | 6.00     | 15.84        | 16.38        | 16.42        | 16.52        | 22.32             | Inf               | 28.32      | 36.00            |
| 6565MHz                         | Pass   | 6.00     | 16.02        | 16.8         | 16.39        | 16.21        | 22.39             | Inf               | 28.39      | 36.00            |
| 6685MHz                         | Pass   | 6.00     | 16.3         | 16.35        | 16.41        | 16.09        | 22.31             | Inf               | 28.31      | 36.00            |
| 6845MHz                         | Pass   | 6.00     | 15.99        | 15.92        | 16.17        | 16.49        | 22.17             | Inf               | 28.17      | 36.00            |
| 11a80_80MHz_Nss1,(6Mbps)_4TX    | -      | -        | -            | -            | -            | -            | -                 | -                 | -          | -                |
| 5985MHz                         | Pass   | 6.00     | 14.97        | 16.28        | 15.5         | 15.98        | 21.73             | Inf               | 27.73      | 36.00            |
| 6225MHz                         | Pass   | 6.00     | 16.49        | 16.04        | 16.63        | 16.74        | 22.50             | Inf               | 28.50      | 36.00            |
| 6385MHz                         | Pass   | 6.00     | 15.84        | 15.72        | 16.31        | 16.37        | 22.09             | Inf               | 28.09      | 36.00            |
| 6625MHz                         | Pass   | 6.00     | 15.91        | 16.53        | 16.13        | 16.16        | 22.21             | Inf               | 28.21      | 36.00            |
| 6705MHz                         | Pass   | 6.00     | 16.18        | 16.05        | 16.29        | 15.76        | 22.10             | Inf               | 28.10      | 36.00            |
| 6785MHz                         | Pass   | 6.00     | 15.73        | 15.76        | 16.07        | 15.97        | 21.91             | Inf               | 27.91      | 36.00            |
| 11a160_160MHz_Nss1,(6Mbps)_4TX  | -      | -        | -            | -            | -            | -            | -                 | -                 | -          | -                |
| 6025MHz                         | Pass   | 6.00     | 15.76        | 15.72        | 15.6         | 15.92        | 21.77             | Inf               | 27.77      | 36.00            |
| 6185MHz                         | Pass   | 6.00     | 15.98        | 15.78        | 15.88        | 15.92        | 21.91             | Inf               | 27.91      | 36.00            |
| 6345MHz                         | Pass   | 6.00     | 15.64        | 15.57        | 15.75        | 15.59        | 21.66             | Inf               | 27.66      | 36.00            |
| 6665MHz                         | Pass   | 6.00     | 15.77        | 16.14        | 15.7         | 15.55        | 21.82             | Inf               | 27.82      | 36.00            |
| 802.11ax HEW20_Nss1,(MCSO)_4TX  | -      | -        | -            | -            | -            | -            | -                 | -                 | -          | -                |
| 5955MHz                         | Pass   | 6.00     | 16.72        | 17.51        | 17.03        | 17.58        | 23.24             | Inf               | 29.24      | 36.00            |
| 6195MHz                         | Pass   | 6.00     | 16.63        | 16.54        | 17.11        | 17.42        | 22.96             | Inf               | 28.96      | 36.00            |
| 6415MHz                         | Pass   | 6.00     | 16.37        | 17           | 17.08        | 17.16        | 22.93             | Inf               | 28.93      | 36.00            |
| 6535MHz                         | Pass   | 6.00     | 16.25        | 17.31        | 16.91        | 16.61        | 22.81             | Inf               | 28.81      | 36.00            |
| 6695MHz                         | Pass   | 6.00     | 16.78        | 16.65        | 16.68        | 16.32        | 22.63             | Inf               | 28.63      | 36.00            |
| 6855MHz                         | Pass   | 6.00     | 16.13        | 16.46        | 16.46        | 16.5         | 22.41             | Inf               | 28.41      | 36.00            |
| 802.11ax HEW40_Nss1,(MCSO)_4TX  | -      | -        | -            | -            | -            | -            | -                 | -                 | -          | -                |
| 5965MHz                         | Pass   | 6.00     | 15.96        | 17.95        | 16.96        | 17.82        | 23.26             | Inf               | 29.26      | 36.00            |
| 6205MHz                         | Pass   | 6.00     | 16.67        | 16.69        | 17.03        | 17.52        | 23.01             | Inf               | 29.01      | 36.00            |
| 6405MHz                         | Pass   | 6.00     | 16.32        | 16.85        | 16.77        | 16.95        | 22.75             | Inf               | 28.75      | 36.00            |
| 6565MHz                         | Pass   | 6.00     | 16.44        | 17.34        | 16.76        | 16.52        | 22.80             | Inf               | 28.80      | 36.00            |
| 6685MHz                         | Pass   | 6.00     | 16.78        | 16.52        | 16.57        | 16.18        | 22.54             | Inf               | 28.54      | 36.00            |
| 6845MHz                         | Pass   | 6.00     | 16.37        | 16.29        | 16.47        | 16.48        | 22.42             | Inf               | 28.42      | 36.00            |
| 802.11ax HEW80_Nss1,(MCSO)_4TX  | -      | -        | -            | -            | -            | -            | -                 | -                 | -          | -                |
| 5985MHz                         | Pass   | 6.00     | 15.26        | 16.99        | 16.05        | 16.64        | 22.30             | Inf               | 28.30      | 36.00            |
| 6225MHz                         | Pass   | 6.00     | 16.94        | 16.66        | 16.97        | 17.46        | 23.04             | Inf               | 29.04      | 36.00            |
| 6385MHz                         | Pass   | 6.00     | 16.38        | 16.32        | 16.88        | 16.84        | 22.63             | Inf               | 28.63      | 36.00            |
| 6625MHz                         | Pass   | 6.00     | 16.43        | 17           | 16.45        | 16.46        | 22.61             | Inf               | 28.61      | 36.00            |
| 6705MHz                         | Pass   | 6.00     | 16.76        | 16.67        | 16.63        | 16.26        | 22.60             | Inf               | 28.60      | 36.00            |
| 6785MHz                         | Pass   | 6.00     | 16.24        | 16.23        | 16.44        | 16.36        | 22.34             | Inf               | 28.34      | 36.00            |
| 802.11ax HEW160_Nss1,(MCSO)_4TX | -      | -        | -            | -            | -            | -            | -                 | -                 | -          | -                |
| 6025MHz                         | Pass   | 6.00     | 16.28        | 17.4         | 16.56        | 17.37        | 22.95             | Inf               | 28.95      | 36.00            |
| 6185MHz                         | Pass   | 6.00     | 16.66        | 16.66        | 16.93        | 17.38        | 22.94             | Inf               | 28.94      | 36.00            |
| 6345MHz                         | Pass   | 6.00     | 16.35        | 15.66        | 16.91        | 16.48        | 22.39             | Inf               | 28.39      | 36.00            |
| 6665MHz                         | Pass   | 6.00     | 16.73        | 16.71        | 16.67        | 16.22        | 22.61             | Inf               | 28.61      | 36.00            |

DG = Directional Gain; Port X = Port X output power



Summary

| Mode                            | Total Power (dBm) | Total Power (W) | EIRP (dBm) | EIRP (W) |
|---------------------------------|-------------------|-----------------|------------|----------|
| 5.925-6.425GHz                  | -                 | -               | -          | -        |
| 11a20_20MHz_Nss1,(6Mbps)_1TX    | 16.94             | 0.04943         | 22.94      | 0.19679  |
| 11a40_40MHz_Nss1,(6Mbps)_1TX    | 16.54             | 0.04508         | 22.54      | 0.17947  |
| 11a80_80MHz_Nss1,(6Mbps)_1TX    | 17.45             | 0.05559         | 23.45      | 0.22131  |
| 11a160_160MHz_Nss1,(6Mbps)_1TX  | 17.77             | 0.05984         | 23.77      | 0.23823  |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | 18.11             | 0.06471         | 24.11      | 0.25763  |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | 18.09             | 0.06442         | 24.09      | 0.25645  |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | 18.08             | 0.06427         | 24.08      | 0.25586  |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | 17.48             | 0.05598         | 23.48      | 0.22284  |
| 6.525-6.875GHz                  | -                 | -               | -          | -        |
| 11a20_20MHz_Nss1,(6Mbps)_1TX    | 16.87             | 0.04864         | 22.87      | 0.19364  |
| 11a40_40MHz_Nss1,(6Mbps)_1TX    | 16.38             | 0.04345         | 22.38      | 0.17298  |
| 11a80_80MHz_Nss1,(6Mbps)_1TX    | 17.55             | 0.05689         | 23.55      | 0.22646  |
| 11a160_160MHz_Nss1,(6Mbps)_1TX  | 17.58             | 0.05728         | 23.58      | 0.22803  |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | 17.74             | 0.05943         | 23.74      | 0.23659  |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | 17.49             | 0.05610         | 23.49      | 0.22336  |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | 18.29             | 0.06745         | 24.29      | 0.26853  |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | 17.43             | 0.05534         | 23.43      | 0.22029  |



Result

| Mode                            | Result | DG (dBi) | Port 1 (dBm) | Total Power (dBm) | Power Limit (dBm) | EIRP (dBm) | EIRP Limit (dBm) |
|---------------------------------|--------|----------|--------------|-------------------|-------------------|------------|------------------|
| 11a20_20MHz_Nss1,(6Mbps)_1TX    | -      | -        | -            | -                 | -                 | -          | -                |
| 5955MHz                         | Pass   | 6.00     | 16.8         | 16.80             | Inf               | 22.80      | 36.00            |
| 6195MHz                         | Pass   | 6.00     | 16.94        | 16.94             | Inf               | 22.94      | 36.00            |
| 6415MHz                         | Pass   | 6.00     | 16.48        | 16.48             | Inf               | 22.48      | 36.00            |
| 6535MHz                         | Pass   | 6.00     | 16.61        | 16.61             | Inf               | 22.61      | 36.00            |
| 6695MHz                         | Pass   | 6.00     | 16.87        | 16.87             | Inf               | 22.87      | 36.00            |
| 6855MHz                         | Pass   | 6.00     | 16.25        | 16.25             | Inf               | 22.25      | 36.00            |
| 11a40_40MHz_Nss1,(6Mbps)_1TX    | -      | -        | -            | -                 | -                 | -          | -                |
| 5965MHz                         | Pass   | 6.00     | 16.51        | 16.51             | Inf               | 22.51      | 36.00            |
| 6205MHz                         | Pass   | 6.00     | 16.54        | 16.54             | Inf               | 22.54      | 36.00            |
| 6405MHz                         | Pass   | 6.00     | 16.18        | 16.18             | Inf               | 22.18      | 36.00            |
| 6565MHz                         | Pass   | 6.00     | 15.81        | 15.81             | Inf               | 21.81      | 36.00            |
| 6685MHz                         | Pass   | 6.00     | 16.38        | 16.38             | Inf               | 22.38      | 36.00            |
| 6845MHz                         | Pass   | 6.00     | 15.73        | 15.73             | Inf               | 21.73      | 36.00            |
| 11a80_80MHz_Nss1,(6Mbps)_1TX    | -      | -        | -            | -                 | -                 | -          | -                |
| 5985MHz                         | Pass   | 6.00     | 17.45        | 17.45             | Inf               | 23.45      | 36.00            |
| 6225MHz                         | Pass   | 6.00     | 17.25        | 17.25             | Inf               | 23.25      | 36.00            |
| 6385MHz                         | Pass   | 6.00     | 16.87        | 16.87             | Inf               | 22.87      | 36.00            |
| 6625MHz                         | Pass   | 6.00     | 16.84        | 16.84             | Inf               | 22.84      | 36.00            |
| 6705MHz                         | Pass   | 6.00     | 17.55        | 17.55             | Inf               | 23.55      | 36.00            |
| 6785MHz                         | Pass   | 6.00     | 17.04        | 17.04             | Inf               | 23.04      | 36.00            |
| 11a160_160MHz_Nss1,(6Mbps)_1TX  | -      | -        | -            | -                 | -                 | -          | -                |
| 6025MHz                         | Pass   | 6.00     | 16.97        | 16.97             | Inf               | 22.97      | 36.00            |
| 6185MHz                         | Pass   | 6.00     | 17.77        | 17.77             | Inf               | 23.77      | 36.00            |
| 6345MHz                         | Pass   | 6.00     | 17.51        | 17.51             | Inf               | 23.51      | 36.00            |
| 6665MHz                         | Pass   | 6.00     | 17.58        | 17.58             | Inf               | 23.58      | 36.00            |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | -      | -        | -            | -                 | -                 | -          | -                |
| 5955MHz                         | Pass   | 6.00     | 18.11        | 18.11             | Inf               | 24.11      | 36.00            |
| 6195MHz                         | Pass   | 6.00     | 17.75        | 17.75             | Inf               | 23.75      | 36.00            |
| 6415MHz                         | Pass   | 6.00     | 17.46        | 17.46             | Inf               | 23.46      | 36.00            |
| 6535MHz                         | Pass   | 6.00     | 17.7         | 17.70             | Inf               | 23.70      | 36.00            |
| 6695MHz                         | Pass   | 6.00     | 17.74        | 17.74             | Inf               | 23.74      | 36.00            |
| 6855MHz                         | Pass   | 6.00     | 17.28        | 17.28             | Inf               | 23.28      | 36.00            |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | -      | -        | -            | -                 | -                 | -          | -                |
| 5965MHz                         | Pass   | 6.00     | 18.09        | 18.09             | Inf               | 24.09      | 36.00            |
| 6205MHz                         | Pass   | 6.00     | 17.68        | 17.68             | Inf               | 23.68      | 36.00            |
| 6405MHz                         | Pass   | 6.00     | 17.34        | 17.34             | Inf               | 23.34      | 36.00            |
| 6565MHz                         | Pass   | 6.00     | 17.03        | 17.03             | Inf               | 23.03      | 36.00            |
| 6685MHz                         | Pass   | 6.00     | 17.49        | 17.49             | Inf               | 23.49      | 36.00            |
| 6845MHz                         | Pass   | 6.00     | 17.3         | 17.30             | Inf               | 23.30      | 36.00            |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | -      | -        | -            | -                 | -                 | -          | -                |
| 5985MHz                         | Pass   | 6.00     | 18.08        | 18.08             | Inf               | 24.08      | 36.00            |
| 6225MHz                         | Pass   | 6.00     | 17.56        | 17.56             | Inf               | 23.56      | 36.00            |
| 6385MHz                         | Pass   | 6.00     | 17.3         | 17.30             | Inf               | 23.30      | 36.00            |
| 6625MHz                         | Pass   | 6.00     | 17.04        | 17.04             | Inf               | 23.04      | 36.00            |
| 6705MHz                         | Pass   | 6.00     | 18.29        | 18.29             | Inf               | 24.29      | 36.00            |
| 6785MHz                         | Pass   | 6.00     | 17.05        | 17.05             | Inf               | 23.05      | 36.00            |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | -      | -        | -            | -                 | -                 | -          | -                |
| 6025MHz                         | Pass   | 6.00     | 17.43        | 17.43             | Inf               | 23.43      | 36.00            |
| 6185MHz                         | Pass   | 6.00     | 17.48        | 17.48             | Inf               | 23.48      | 36.00            |
| 6345MHz                         | Pass   | 6.00     | 17.14        | 17.14             | Inf               | 23.14      | 36.00            |
| 6665MHz                         | Pass   | 6.00     | 17.43        | 17.43             | Inf               | 23.43      | 36.00            |

DG = Directional Gain; Port X = Port X output power





Summary

| Mode                            | Total Power (dBm) | Total Power (W) | EIRP (dBm) | EIRP (W) |
|---------------------------------|-------------------|-----------------|------------|----------|
| 5.925-6.425GHz                  | -                 | -               | -          | -        |
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | 20.34             | 0.10814         | 26.34      | 0.43053  |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | 19.71             | 0.09354         | 25.71      | 0.37239  |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | 20.66             | 0.11641         | 26.66      | 0.46345  |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | 21.07             | 0.12794         | 27.07      | 0.50933  |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | 21.37             | 0.13709         | 27.37      | 0.54576  |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | 21.27             | 0.13397         | 27.27      | 0.53333  |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | 21.27             | 0.13397         | 27.27      | 0.53333  |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | 20.66             | 0.11641         | 26.66      | 0.46345  |
| 6.525-6.875GHz                  | -                 | -               | -          | -        |
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | 19.95             | 0.09886         | 25.95      | 0.39355  |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | 19.35             | 0.08610         | 25.35      | 0.34277  |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | 20.73             | 0.11830         | 26.73      | 0.47098  |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | 20.65             | 0.11614         | 26.65      | 0.46238  |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | 20.90             | 0.12303         | 26.90      | 0.48978  |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | 20.75             | 0.11885         | 26.75      | 0.47315  |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | 21.30             | 0.13490         | 27.30      | 0.53703  |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | 20.55             | 0.11350         | 26.55      | 0.45186  |



Result

| Mode                            | Result | DG (dBi) | Port 1 (dBm) | Port 2 (dBm) | Total Power (dBm) | Power Limit (dBm) | EIRP (dBm) | EIRP Limit (dBm) |
|---------------------------------|--------|----------|--------------|--------------|-------------------|-------------------|------------|------------------|
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5955MHz                         | Pass   | 6.00     | 17.22        | 17.43        | 20.34             | Inf               | 26.34      | 36.00            |
| 6195MHz                         | Pass   | 6.00     | 17.04        | 17.45        | 20.26             | Inf               | 26.26      | 36.00            |
| 6415MHz                         | Pass   | 6.00     | 16.84        | 16.72        | 19.79             | Inf               | 25.79      | 36.00            |
| 6535MHz                         | Pass   | 6.00     | 16.82        | 16.92        | 19.88             | Inf               | 25.88      | 36.00            |
| 6695MHz                         | Pass   | 6.00     | 16.98        | 16.9         | 19.95             | Inf               | 25.95      | 36.00            |
| 6855MHz                         | Pass   | 6.00     | 16.45        | 16.53        | 19.50             | Inf               | 25.50      | 36.00            |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5965MHz                         | Pass   | 6.00     | 15.86        | 16.06        | 18.97             | Inf               | 24.97      | 36.00            |
| 6205MHz                         | Pass   | 6.00     | 16.41        | 16.97        | 19.71             | Inf               | 25.71      | 36.00            |
| 6405MHz                         | Pass   | 6.00     | 16.46        | 16.34        | 19.41             | Inf               | 25.41      | 36.00            |
| 6565MHz                         | Pass   | 6.00     | 15.81        | 16.15        | 18.99             | Inf               | 24.99      | 36.00            |
| 6685MHz                         | Pass   | 6.00     | 16.39        | 16.28        | 19.35             | Inf               | 25.35      | 36.00            |
| 6845MHz                         | Pass   | 6.00     | 15.94        | 16.05        | 19.01             | Inf               | 25.01      | 36.00            |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5985MHz                         | Pass   | 6.00     | 16.78        | 17.06        | 19.93             | Inf               | 25.93      | 36.00            |
| 6225MHz                         | Pass   | 6.00     | 17.47        | 17.83        | 20.66             | Inf               | 26.66      | 36.00            |
| 6385MHz                         | Pass   | 6.00     | 17.13        | 17.18        | 20.17             | Inf               | 26.17      | 36.00            |
| 6625MHz                         | Pass   | 6.00     | 16.68        | 17.21        | 19.96             | Inf               | 25.96      | 36.00            |
| 6705MHz                         | Pass   | 6.00     | 17.78        | 17.66        | 20.73             | Inf               | 26.73      | 36.00            |
| 6785MHz                         | Pass   | 6.00     | 17.21        | 17.17        | 20.20             | Inf               | 26.20      | 36.00            |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 6025MHz                         | Pass   | 6.00     | 16.31        | 16.42        | 19.38             | Inf               | 25.38      | 36.00            |
| 6185MHz                         | Pass   | 6.00     | 17.8         | 18.3         | 21.07             | Inf               | 27.07      | 36.00            |
| 6345MHz                         | Pass   | 6.00     | 17.78        | 17.81        | 20.81             | Inf               | 26.81      | 36.00            |
| 6665MHz                         | Pass   | 6.00     | 17.54        | 17.73        | 20.65             | Inf               | 26.65      | 36.00            |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5955MHz                         | Pass   | 6.00     | 18.26        | 18.45        | 21.37             | Inf               | 27.37      | 36.00            |
| 6195MHz                         | Pass   | 6.00     | 17.86        | 17.97        | 20.93             | Inf               | 26.93      | 36.00            |
| 6415MHz                         | Pass   | 6.00     | 17.55        | 17.44        | 20.51             | Inf               | 26.51      | 36.00            |
| 6535MHz                         | Pass   | 6.00     | 17.86        | 17.7         | 20.79             | Inf               | 26.79      | 36.00            |
| 6695MHz                         | Pass   | 6.00     | 17.81        | 17.97        | 20.90             | Inf               | 26.90      | 36.00            |
| 6855MHz                         | Pass   | 6.00     | 17.46        | 17.48        | 20.48             | Inf               | 26.48      | 36.00            |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5965MHz                         | Pass   | 6.00     | 18.13        | 18.39        | 21.27             | Inf               | 27.27      | 36.00            |
| 6205MHz                         | Pass   | 6.00     | 17.76        | 17.85        | 20.82             | Inf               | 26.82      | 36.00            |
| 6405MHz                         | Pass   | 6.00     | 17.54        | 17.5         | 20.53             | Inf               | 26.53      | 36.00            |
| 6565MHz                         | Pass   | 6.00     | 17.1         | 17.03        | 20.08             | Inf               | 26.08      | 36.00            |
| 6685MHz                         | Pass   | 6.00     | 17.66        | 17.82        | 20.75             | Inf               | 26.75      | 36.00            |
| 6845MHz                         | Pass   | 6.00     | 17.32        | 17.5         | 20.42             | Inf               | 26.42      | 36.00            |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5985MHz                         | Pass   | 6.00     | 18.21        | 18.31        | 21.27             | Inf               | 27.27      | 36.00            |
| 6225MHz                         | Pass   | 6.00     | 17.71        | 17.86        | 20.80             | Inf               | 26.80      | 36.00            |
| 6385MHz                         | Pass   | 6.00     | 17.45        | 17.31        | 20.39             | Inf               | 26.39      | 36.00            |
| 6625MHz                         | Pass   | 6.00     | 17.13        | 17.24        | 20.20             | Inf               | 26.20      | 36.00            |
| 6705MHz                         | Pass   | 6.00     | 18.23        | 18.34        | 21.30             | Inf               | 27.30      | 36.00            |
| 6785MHz                         | Pass   | 6.00     | 17.14        | 16.98        | 20.07             | Inf               | 26.07      | 36.00            |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 6025MHz                         | Pass   | 6.00     | 17.44        | 17.57        | 20.52             | Inf               | 26.52      | 36.00            |
| 6185MHz                         | Pass   | 6.00     | 17.57        | 17.72        | 20.66             | Inf               | 26.66      | 36.00            |
| 6345MHz                         | Pass   | 6.00     | 17.21        | 17.04        | 20.14             | Inf               | 26.14      | 36.00            |
| 6665MHz                         | Pass   | 6.00     | 17.56        | 17.51        | 20.55             | Inf               | 26.55      | 36.00            |

DG = Directional Gain; Port X = Port X output power



Summary

| Mode                               | Total Power (dBm) | Total Power (W) | EIRP (dBm) | EIRP (W) |
|------------------------------------|-------------------|-----------------|------------|----------|
| 5.925-6.425GHz                     | -                 | -               | -          | -        |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX  | 19.64             | 0.09204         | 28.65      | 0.73282  |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX  | 19.95             | 0.09886         | 28.96      | 0.78705  |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX  | 20.01             | 0.10023         | 29.02      | 0.79799  |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | 19.64             | 0.09204         | 28.65      | 0.73282  |
| 6.525-6.875GHz                     | -                 | -               | -          | -        |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX  | 19.89             | 0.09750         | 28.90      | 0.77625  |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX  | 19.81             | 0.09572         | 28.82      | 0.76208  |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX  | 19.52             | 0.08954         | 28.53      | 0.71285  |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | 19.58             | 0.09078         | 28.59      | 0.72277  |



Result

| Mode                               | Result | DG (dBi) | Port 1 (dBm) | Port 2 (dBm) | Total Power (dBm) | Power Limit (dBm) | EIRP (dBm) | EIRP Limit (dBm) |
|------------------------------------|--------|----------|--------------|--------------|-------------------|-------------------|------------|------------------|
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5955MHz                            | Pass   | 9.01     | 15.80        | 17.33        | 19.64             | Inf               | 28.65      | 36.00            |
| 6195MHz                            | Pass   | 9.01     | 16.34        | 16.50        | 19.43             | Inf               | 28.44      | 36.00            |
| 6415MHz                            | Pass   | 9.01     | 16.24        | 16.86        | 19.57             | Inf               | 28.58      | 36.00            |
| 6535MHz                            | Pass   | 9.01     | 16.52        | 17.22        | 19.89             | Inf               | 28.90      | 36.00            |
| 6695MHz                            | Pass   | 9.01     | 16.61        | 16.51        | 19.57             | Inf               | 28.58      | 36.00            |
| 6855MHz                            | Pass   | 9.01     | 16.01        | 16.43        | 19.24             | Inf               | 28.25      | 36.00            |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5965MHz                            | Pass   | 9.01     | 15.85        | 17.81        | 19.95             | Inf               | 28.96      | 36.00            |
| 6205MHz                            | Pass   | 9.01     | 16.32        | 16.55        | 19.45             | Inf               | 28.46      | 36.00            |
| 6405MHz                            | Pass   | 9.01     | 16.09        | 16.59        | 19.36             | Inf               | 28.37      | 36.00            |
| 6565MHz                            | Pass   | 9.01     | 16.28        | 17.26        | 19.81             | Inf               | 28.82      | 36.00            |
| 6685MHz                            | Pass   | 9.01     | 16.52        | 16.39        | 19.47             | Inf               | 28.48      | 36.00            |
| 6845MHz                            | Pass   | 9.01     | 16.15        | 16.01        | 19.09             | Inf               | 28.10      | 36.00            |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5985MHz                            | Pass   | 9.01     | 16.12        | 17.73        | 20.01             | Inf               | 29.02      | 36.00            |
| 6225MHz                            | Pass   | 9.01     | 16.45        | 16.45        | 19.46             | Inf               | 28.47      | 36.00            |
| 6385MHz                            | Pass   | 9.01     | 16.10        | 16.16        | 19.14             | Inf               | 28.15      | 36.00            |
| 6625MHz                            | Pass   | 9.01     | 16.23        | 16.77        | 19.52             | Inf               | 28.53      | 36.00            |
| 6705MHz                            | Pass   | 9.01     | 16.51        | 16.36        | 19.45             | Inf               | 28.46      | 36.00            |
| 6785MHz                            | Pass   | 9.01     | 15.96        | 15.98        | 18.98             | Inf               | 27.99      | 36.00            |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 6025MHz                            | Pass   | 9.01     | 16.13        | 17.08        | 19.64             | Inf               | 28.65      | 36.00            |
| 6185MHz                            | Pass   | 9.01     | 16.29        | 16.45        | 19.38             | Inf               | 28.39      | 36.00            |
| 6345MHz                            | Pass   | 9.01     | 16.14        | 15.41        | 18.80             | Inf               | 27.81      | 36.00            |
| 6665MHz                            | Pass   | 9.01     | 16.61        | 16.53        | 19.58             | Inf               | 28.59      | 36.00            |

DG = Directional Gain; Port X = Port X output power



Summary

| Mode                               | Total Power (dBm) | Total Power (W) | EIRP (dBm) | EIRP (W) |
|------------------------------------|-------------------|-----------------|------------|----------|
| 5.925-6.425GHz                     | -                 | -               | -          | -        |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX  | 23.12             | 0.20512         | 35.14      | 3.26588  |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX  | 23.14             | 0.20606         | 35.16      | 3.28095  |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX  | 22.90             | 0.19498         | 34.92      | 3.10456  |
| 802.11ax HEW160-BF_Nss1,(MCS0)_4TX | 22.82             | 0.19143         | 34.84      | 3.04789  |
| 6.525-6.875GHz                     | -                 | -               | -          | -        |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX  | 22.69             | 0.18578         | 34.71      | 2.95801  |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX  | 22.66             | 0.18450         | 34.68      | 2.93765  |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX  | 22.48             | 0.17701         | 34.50      | 2.81838  |
| 802.11ax HEW160-BF_Nss1,(MCS0)_4TX | 22.49             | 0.17742         | 34.51      | 2.82488  |



Result

| Mode                               | Result | DG (dBi) | Port 1 (dBm) | Port 2 (dBm) | Port 3 (dBm) | Port 4 (dBm) | Total Power (dBm) | Power Limit (dBm) | EIRP (dBm) | EIRP Limit (dBm) |
|------------------------------------|--------|----------|--------------|--------------|--------------|--------------|-------------------|-------------------|------------|------------------|
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX  | -      | -        | -            | -            | -            | -            | -                 | -                 | -          | -                |
| 5955MHz                            | Pass   | 12.02    | 16.62        | 17.38        | 16.91        | 17.43        | 23.12             | Inf               | 35.14      | 36.00            |
| 6195MHz                            | Pass   | 12.02    | 16.52        | 16.41        | 16.99        | 17.31        | 22.84             | Inf               | 34.86      | 36.00            |
| 6415MHz                            | Pass   | 12.02    | 16.24        | 16.87        | 16.96        | 17.05        | 22.81             | Inf               | 34.83      | 36.00            |
| 6535MHz                            | Pass   | 12.02    | 16.15        | 17.21        | 16.79        | 16.47        | 22.69             | Inf               | 34.71      | 36.00            |
| 6695MHz                            | Pass   | 12.02    | 16.67        | 16.55        | 16.58        | 16.21        | 22.53             | Inf               | 34.55      | 36.00            |
| 6855MHz                            | Pass   | 12.02    | 16.03        | 16.33        | 16.34        | 16.39        | 22.30             | Inf               | 34.32      | 36.00            |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX  | -      | -        | -            | -            | -            | -            | -                 | -                 | -          | -                |
| 5965MHz                            | Pass   | 12.02    | 15.86        | 17.82        | 16.86        | 17.67        | 23.14             | Inf               | 35.16      | 36.00            |
| 6205MHz                            | Pass   | 12.02    | 16.56        | 16.58        | 16.91        | 17.37        | 22.89             | Inf               | 34.91      | 36.00            |
| 6405MHz                            | Pass   | 12.02    | 16.19        | 16.74        | 16.63        | 16.84        | 22.63             | Inf               | 34.65      | 36.00            |
| 6565MHz                            | Pass   | 12.02    | 16.31        | 17.19        | 16.64        | 16.37        | 22.66             | Inf               | 34.68      | 36.00            |
| 6685MHz                            | Pass   | 12.02    | 16.64        | 16.42        | 16.46        | 16.05        | 22.42             | Inf               | 34.44      | 36.00            |
| 6845MHz                            | Pass   | 12.02    | 16.24        | 16.18        | 16.36        | 16.36        | 22.31             | Inf               | 34.33      | 36.00            |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX  | -      | -        | -            | -            | -            | -            | -                 | -                 | -          | -                |
| 5985MHz                            | Pass   | 12.02    | 15.12        | 16.87        | 15.94        | 16.51        | 22.18             | Inf               | 34.20      | 36.00            |
| 6225MHz                            | Pass   | 12.02    | 16.81        | 16.51        | 16.82        | 17.33        | 22.90             | Inf               | 34.92      | 36.00            |
| 6385MHz                            | Pass   | 12.02    | 16.25        | 16.20        | 16.74        | 16.74        | 22.51             | Inf               | 34.53      | 36.00            |
| 6625MHz                            | Pass   | 12.02    | 16.29        | 16.86        | 16.31        | 16.36        | 22.48             | Inf               | 34.50      | 36.00            |
| 6705MHz                            | Pass   | 12.02    | 16.63        | 16.56        | 16.48        | 16.11        | 22.47             | Inf               | 34.49      | 36.00            |
| 6785MHz                            | Pass   | 12.02    | 16.11        | 16.11        | 16.34        | 16.26        | 22.23             | Inf               | 34.25      | 36.00            |
| 802.11ax HEW160-BF_Nss1,(MCS0)_4TX | -      | -        | -            | -            | -            | -            | -                 | -                 | -          | -                |
| 6025MHz                            | Pass   | 12.02    | 16.16        | 17.25        | 16.41        | 17.26        | 22.82             | Inf               | 34.84      | 36.00            |
| 6185MHz                            | Pass   | 12.02    | 16.51        | 16.51        | 16.82        | 17.23        | 22.80             | Inf               | 34.82      | 36.00            |
| 6345MHz                            | Pass   | 12.02    | 16.23        | 15.54        | 16.77        | 16.35        | 22.27             | Inf               | 34.29      | 36.00            |
| 6665MHz                            | Pass   | 12.02    | 16.59        | 16.61        | 16.56        | 16.08        | 22.49             | Inf               | 34.51      | 36.00            |

DG = Directional Gain; Port X = Port X output power



Summary

| Mode                               | Total Power (dBm) | Total Power (W) | EIRP (dBm) | EIRP (W) |
|------------------------------------|-------------------|-----------------|------------|----------|
| 5.925-6.425GHz                     | -                 | -               | -          | -        |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX  | 21.26             | 0.13366         | 30.27      | 1.06414  |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX  | 21.14             | 0.13002         | 30.15      | 1.03514  |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX  | 21.15             | 0.13032         | 30.16      | 1.03753  |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | 20.53             | 0.11298         | 29.54      | 0.89950  |
| 6.525-6.875GHz                     | -                 | -               | -          | -        |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX  | 20.78             | 0.11967         | 29.79      | 0.95280  |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX  | 20.61             | 0.11508         | 29.62      | 0.91622  |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX  | 21.18             | 0.13122         | 30.19      | 1.04472  |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | 20.42             | 0.11015         | 29.43      | 0.87700  |



Result

| Mode                               | Result | DG (dBi) | Port 1 (dBm) | Port 2 (dBm) | Total Power (dBm) | Power Limit (dBm) | EIRP (dBm) | EIRP Limit (dBm) |
|------------------------------------|--------|----------|--------------|--------------|-------------------|-------------------|------------|------------------|
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5955MHz                            | Pass   | 9.01     | 18.15        | 18.35        | 21.26             | Inf               | 30.27      | 36.00            |
| 6195MHz                            | Pass   | 9.01     | 17.71        | 17.84        | 20.79             | Inf               | 29.80      | 36.00            |
| 6415MHz                            | Pass   | 9.01     | 17.43        | 17.29        | 20.37             | Inf               | 29.38      | 36.00            |
| 6535MHz                            | Pass   | 9.01     | 17.74        | 17.60        | 20.68             | Inf               | 29.69      | 36.00            |
| 6695MHz                            | Pass   | 9.01     | 17.69        | 17.84        | 20.78             | Inf               | 29.79      | 36.00            |
| 6855MHz                            | Pass   | 9.01     | 17.33        | 17.35        | 20.35             | Inf               | 29.36      | 36.00            |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5965MHz                            | Pass   | 9.01     | 17.98        | 18.27        | 21.14             | Inf               | 30.15      | 36.00            |
| 6205MHz                            | Pass   | 9.01     | 17.64        | 17.75        | 20.71             | Inf               | 29.72      | 36.00            |
| 6405MHz                            | Pass   | 9.01     | 17.41        | 17.40        | 20.42             | Inf               | 29.43      | 36.00            |
| 6565MHz                            | Pass   | 9.01     | 16.96        | 16.90        | 19.94             | Inf               | 28.95      | 36.00            |
| 6685MHz                            | Pass   | 9.01     | 17.51        | 17.68        | 20.61             | Inf               | 29.62      | 36.00            |
| 6845MHz                            | Pass   | 9.01     | 17.22        | 17.37        | 20.31             | Inf               | 29.32      | 36.00            |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX  | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 5985MHz                            | Pass   | 9.01     | 18.11        | 18.16        | 21.15             | Inf               | 30.16      | 36.00            |
| 6225MHz                            | Pass   | 9.01     | 17.57        | 17.71        | 20.65             | Inf               | 29.66      | 36.00            |
| 6385MHz                            | Pass   | 9.01     | 17.34        | 17.16        | 20.26             | Inf               | 29.27      | 36.00            |
| 6625MHz                            | Pass   | 9.01     | 17.00        | 17.12        | 20.07             | Inf               | 29.08      | 36.00            |
| 6705MHz                            | Pass   | 9.01     | 18.09        | 18.24        | 21.18             | Inf               | 30.19      | 36.00            |
| 6785MHz                            | Pass   | 9.01     | 17.02        | 16.86        | 19.95             | Inf               | 28.96      | 36.00            |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | -      | -        | -            | -            | -                 | -                 | -          | -                |
| 6025MHz                            | Pass   | 9.01     | 17.33        | 17.43        | 20.39             | Inf               | 29.40      | 36.00            |
| 6185MHz                            | Pass   | 9.01     | 17.45        | 17.59        | 20.53             | Inf               | 29.54      | 36.00            |
| 6345MHz                            | Pass   | 9.01     | 17.10        | 16.90        | 20.01             | Inf               | 29.02      | 36.00            |
| 6665MHz                            | Pass   | 9.01     | 17.42        | 17.39        | 20.42             | Inf               | 29.43      | 36.00            |

DG = Directional Gain; Port X = Port X output power





Summary

| Mode                            | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) |
|---------------------------------|-----------------|----------------------|
| 5.925-6.425GHz                  | -               | -                    |
| 11a20_20MHz_Nss1,(6Mbps)_1TX    | 3.72            | 9.72                 |
| 11a40_40MHz_Nss1,(6Mbps)_1TX    | 0.78            | 6.78                 |
| 11a80_80MHz_Nss1,(6Mbps)_1TX    | -1.98           | 4.02                 |
| 11a160_160MHz_Nss1,(6Mbps)_1TX  | -5.36           | 0.64                 |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | 4.24            | 10.24                |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | 1.29            | 7.29                 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | -1.74           | 4.26                 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | -4.52           | 1.48                 |
| 6.525-6.875GHz                  | -               | -                    |
| 11a20_20MHz_Nss1,(6Mbps)_1TX    | 3.66            | 9.66                 |
| 11a40_40MHz_Nss1,(6Mbps)_1TX    | 0.81            | 6.81                 |
| 11a80_80MHz_Nss1,(6Mbps)_1TX    | -2.30           | 3.70                 |
| 11a160_160MHz_Nss1,(6Mbps)_1TX  | -5.42           | 0.58                 |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | 4.05            | 10.05                |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | 1.45            | 7.45                 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | -1.66           | 4.34                 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | -4.46           | 1.54                 |



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:






Result



| Mode                            | Result | DG (dBi) | Port 1 (dBm/RBW) | PD (dBm/RBW) | PD Limit (dBm/RBW) | EIRP PD (dBm/RBW) | EIRP PD Limit (dBm/RBW) |
|---------------------------------|--------|----------|------------------|--------------|--------------------|-------------------|-------------------------|
| 11a20_20MHz_Nss1,(6Mbps)_1TX    | -      | -        | -                | -            | -                  | -                 | -                       |
| 5955MHz                         | Pass   | 6.00     | 3.32             | 3.32         | Inf                | 9.32              | 23.00                   |
| 6195MHz                         | Pass   | 6.00     | 3.72             | 3.72         | Inf                | 9.72              | 23.00                   |
| 6415MHz                         | Pass   | 6.00     | 3.21             | 3.21         | Inf                | 9.21              | 23.00                   |
| 6535MHz                         | Pass   | 6.00     | 3.44             | 3.44         | Inf                | 9.44              | 23.00                   |
| 6695MHz                         | Pass   | 6.00     | 3.66             | 3.66         | Inf                | 9.66              | 23.00                   |
| 6855MHz                         | Pass   | 6.00     | 2.89             | 2.89         | Inf                | 8.89              | 23.00                   |
| 11a40_40MHz_Nss1,(6Mbps)_1TX    | -      | -        | -                | -            | -                  | -                 | -                       |
| 5965MHz                         | Pass   | 6.00     | 0.27             | 0.27         | Inf                | 6.27              | 23.00                   |
| 6205MHz                         | Pass   | 6.00     | 0.78             | 0.78         | Inf                | 6.78              | 23.00                   |
| 6405MHz                         | Pass   | 6.00     | 0.29             | 0.29         | Inf                | 6.29              | 23.00                   |
| 6565MHz                         | Pass   | 6.00     | 0.68             | 0.68         | Inf                | 6.68              | 23.00                   |
| 6685MHz                         | Pass   | 6.00     | 0.81             | 0.81         | Inf                | 6.81              | 23.00                   |
| 6845MHz                         | Pass   | 6.00     | 0.35             | 0.35         | Inf                | 6.35              | 23.00                   |
| 11a80_80MHz_Nss1,(6Mbps)_1TX    | -      | -        | -                | -            | -                  | -                 | -                       |
| 5985MHz                         | Pass   | 6.00     | -2.35            | -2.35        | Inf                | 3.65              | 23.00                   |
| 6225MHz                         | Pass   | 6.00     | -1.98            | -1.98        | Inf                | 4.02              | 23.00                   |
| 6385MHz                         | Pass   | 6.00     | -2.62            | -2.62        | Inf                | 3.38              | 23.00                   |
| 6625MHz                         | Pass   | 6.00     | -2.53            | -2.53        | Inf                | 3.47              | 23.00                   |
| 6705MHz                         | Pass   | 6.00     | -2.30            | -2.30        | Inf                | 3.70              | 23.00                   |
| 6785MHz                         | Pass   | 6.00     | -2.87            | -2.87        | Inf                | 3.13              | 23.00                   |
| 11a160_160MHz_Nss1,(6Mbps)_1TX  | -      | -        | -                | -            | -                  | -                 | -                       |
| 6025MHz                         | Pass   | 6.00     | -5.64            | -5.64        | Inf                | 0.36              | 23.00                   |
| 6185MHz                         | Pass   | 6.00     | -5.36            | -5.36        | Inf                | 0.64              | 23.00                   |
| 6345MHz                         | Pass   | 6.00     | -5.91            | -5.91        | Inf                | 0.09              | 23.00                   |
| 6665MHz                         | Pass   | 6.00     | -5.42            | -5.42        | Inf                | 0.58              | 23.00                   |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | -      | -        | -                | -            | -                  | -                 | -                       |
| 5955MHz                         | Pass   | 6.00     | 4.24             | 4.24         | Inf                | 10.24             | 23.00                   |
| 6195MHz                         | Pass   | 6.00     | 3.64             | 3.64         | Inf                | 9.64              | 23.00                   |
| 6415MHz                         | Pass   | 6.00     | 3.58             | 3.58         | Inf                | 9.58              | 23.00                   |
| 6535MHz                         | Pass   | 6.00     | 4.01             | 4.01         | Inf                | 10.01             | 23.00                   |
| 6695MHz                         | Pass   | 6.00     | 4.05             | 4.05         | Inf                | 10.05             | 23.00                   |
| 6855MHz                         | Pass   | 6.00     | 3.80             | 3.80         | Inf                | 9.80              | 23.00                   |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | -      | -        | -                | -            | -                  | -                 | -                       |
| 5965MHz                         | Pass   | 6.00     | 1.29             | 1.29         | Inf                | 7.29              | 23.00                   |
| 6205MHz                         | Pass   | 6.00     | 0.95             | 0.95         | Inf                | 6.95              | 23.00                   |
| 6405MHz                         | Pass   | 6.00     | 0.64             | 0.64         | Inf                | 6.64              | 23.00                   |
| 6565MHz                         | Pass   | 6.00     | 1.45             | 1.45         | Inf                | 7.45              | 23.00                   |
| 6685MHz                         | Pass   | 6.00     | 1.22             | 1.22         | Inf                | 7.22              | 23.00                   |
| 6845MHz                         | Pass   | 6.00     | 1.09             | 1.09         | Inf                | 7.09              | 23.00                   |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | -      | -        | -                | -            | -                  | -                 | -                       |
| 5985MHz                         | Pass   | 6.00     | -1.80            | -1.80        | Inf                | 4.20              | 23.00                   |
| 6225MHz                         | Pass   | 6.00     | -1.74            | -1.74        | Inf                | 4.26              | 23.00                   |
| 6385MHz                         | Pass   | 6.00     | -2.19            | -2.19        | Inf                | 3.81              | 23.00                   |
| 6625MHz                         | Pass   | 6.00     | -1.78            | -1.78        | Inf                | 4.22              | 23.00                   |
| 6705MHz                         | Pass   | 6.00     | -1.66            | -1.66        | Inf                | 4.34              | 23.00                   |
| 6785MHz                         | Pass   | 6.00     | -1.84            | -1.84        | Inf                | 4.16              | 23.00                   |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | -      | -        | -                | -            | -                  | -                 | -                       |
| 6025MHz                         | Pass   | 6.00     | -4.81            | -4.81        | Inf                | 1.19              | 23.00                   |
| 6185MHz                         | Pass   | 6.00     | -4.52            | -4.52        | Inf                | 1.48              | 23.00                   |
| 6345MHz                         | Pass   | 6.00     | -4.95            | -4.95        | Inf                | 1.05              | 23.00                   |
| 6665MHz                         | Pass   | 6.00     | -4.46            | -4.46        | Inf                | 1.54              | 23.00                   |


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;









































































Summary

| Mode                            | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) |
|---------------------------------|-----------------|----------------------|
| 5.925-6.425GHz                  | -               | -                    |
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | 6.69            | 15.70                |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | 3.58            | 12.59                |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | 1.14            | 10.15                |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | -1.82           | 7.19                 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | 6.78            | 15.79                |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | 3.39            | 12.40                |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | 0.46            | 9.47                 |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | -2.49           | 6.52                 |
| 6.525-6.875GHz                  | -               | -                    |
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | 6.69            | 15.70                |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | 3.91            | 12.92                |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | 0.69            | 9.70                 |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | -1.91           | 7.10                 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | 6.78            | 15.79                |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | 3.22            | 12.23                |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | -0.12           | 8.89                 |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | -2.76           | 6.25                 |



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:





Result



| Mode                            | Result | DG (dBi) | Port 1 (dBm/RBW) | Port 2 (dBm/RBW) | PD (dBm/RBW) | PD Limit (dBm/RBW) | EIRP PD (dBm/RBW) | EIRP PD Limit (dBm/RBW) |
|---------------------------------|--------|----------|------------------|------------------|--------------|--------------------|-------------------|-------------------------|
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 5955MHz                         | Pass   | 9.01     | 3.05             | 4.28             | 6.69         | Inf                | 15.70             | 23.00                   |
| 6195MHz                         | Pass   | 9.01     | 3.59             | 3.02             | 6.28         | Inf                | 15.29             | 23.00                   |
| 6415MHz                         | Pass   | 9.01     | 3.02             | 3.7              | 6.38         | Inf                | 15.39             | 23.00                   |
| 6535MHz                         | Pass   | 9.01     | 3.4              | 3.97             | 6.69         | Inf                | 15.70             | 23.00                   |
| 6695MHz                         | Pass   | 9.01     | 3.56             | 3.33             | 6.44         | Inf                | 15.45             | 23.00                   |
| 6855MHz                         | Pass   | 9.01     | 2.97             | 2.99             | 5.97         | Inf                | 14.98             | 23.00                   |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 5965MHz                         | Pass   | 9.01     | -0.59            | 0.66             | 3.03         | Inf                | 12.04             | 23.00                   |
| 6205MHz                         | Pass   | 9.01     | 0.76             | 0.46             | 3.58         | Inf                | 12.59             | 23.00                   |
| 6405MHz                         | Pass   | 9.01     | 0.23             | 0.84             | 3.54         | Inf                | 12.55             | 23.00                   |
| 6565MHz                         | Pass   | 9.01     | 0.39             | 1.35             | 3.91         | Inf                | 12.92             | 23.00                   |
| 6685MHz                         | Pass   | 9.01     | 0.65             | 0.65             | 3.62         | Inf                | 12.63             | 23.00                   |
| 6845MHz                         | Pass   | 9.01     | 0.12             | 0.24             | 3.14         | Inf                | 12.15             | 23.00                   |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 5985MHz                         | Pass   | 9.01     | -2.4             | -1.28            | 1.14         | Inf                | 10.15             | 23.00                   |
| 6225MHz                         | Pass   | 9.01     | -2.1             | -2.58            | 0.60         | Inf                | 9.61              | 23.00                   |
| 6385MHz                         | Pass   | 9.01     | -2.71            | -2.68            | 0.26         | Inf                | 9.27              | 23.00                   |
| 6625MHz                         | Pass   | 9.01     | -2.67            | -1.94            | 0.69         | Inf                | 9.70              | 23.00                   |
| 6705MHz                         | Pass   | 9.01     | -2.44            | -2.5             | 0.51         | Inf                | 9.52              | 23.00                   |
| 6785MHz                         | Pass   | 9.01     | -2.8             | -2.7             | 0.11         | Inf                | 9.12              | 23.00                   |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 6025MHz                         | Pass   | 9.01     | -4.7             | -4.56            | -1.82        | Inf                | 7.19              | 23.00                   |
| 6185MHz                         | Pass   | 9.01     | -4.9             | -4.83            | -1.95        | Inf                | 7.06              | 23.00                   |
| 6345MHz                         | Pass   | 9.01     | -5.21            | -5.17            | -2.34        | Inf                | 6.67              | 23.00                   |
| 6665MHz                         | Pass   | 9.01     | -5.24            | -4.53            | -1.91        | Inf                | 7.10              | 23.00                   |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 5955MHz                         | Pass   | 9.01     | 2.84             | 4.53             | 6.78         | Inf                | 15.79             | 23.00                   |
| 6195MHz                         | Pass   | 9.01     | 3.21             | 3.42             | 6.31         | Inf                | 15.32             | 23.00                   |
| 6415MHz                         | Pass   | 9.01     | 3.13             | 3.82             | 6.50         | Inf                | 15.51             | 23.00                   |
| 6535MHz                         | Pass   | 9.01     | 3.38             | 4.15             | 6.78         | Inf                | 15.79             | 23.00                   |
| 6695MHz                         | Pass   | 9.01     | 3.43             | 3.25             | 6.34         | Inf                | 15.35             | 23.00                   |
| 6855MHz                         | Pass   | 9.01     | 2.68             | 3.24             | 5.96         | Inf                | 14.97             | 23.00                   |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 5965MHz                         | Pass   | 9.01     | -0.62            | 1.31             | 3.39         | Inf                | 12.40             | 23.00                   |
| 6205MHz                         | Pass   | 9.01     | -0.43            | -0.12            | 2.72         | Inf                | 11.73             | 23.00                   |
| 6405MHz                         | Pass   | 9.01     | -0.48            | 0.11             | 2.84         | Inf                | 11.85             | 23.00                   |
| 6565MHz                         | Pass   | 9.01     | -0.31            | 0.69             | 3.22         | Inf                | 12.23             | 23.00                   |
| 6685MHz                         | Pass   | 9.01     | -0.26            | -0.33            | 2.68         | Inf                | 11.69             | 23.00                   |
| 6845MHz                         | Pass   | 9.01     | -0.59            | -0.73            | 2.28         | Inf                | 11.29             | 23.00                   |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 5985MHz                         | Pass   | 9.01     | -3.35            | -1.68            | 0.46         | Inf                | 9.47              | 23.00                   |
| 6225MHz                         | Pass   | 9.01     | -3.08            | -3.19            | -0.19        | Inf                | 8.82              | 23.00                   |
| 6385MHz                         | Pass   | 9.01     | -3.46            | -3.37            | -0.42        | Inf                | 8.59              | 23.00                   |
| 6625MHz                         | Pass   | 9.01     | -3.42            | -2.79            | -0.12        | Inf                | 8.89              | 23.00                   |
| 6705MHz                         | Pass   | 9.01     | -3.33            | -3.38            | -0.38        | Inf                | 8.63              | 23.00                   |
| 6785MHz                         | Pass   | 9.01     | -3.81            | -3.78            | -0.84        | Inf                | 8.17              | 23.00                   |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 6025MHz                         | Pass   | 9.01     | -5.89            | -4.96            | -2.49        | Inf                | 6.52              | 23.00                   |
| 6185MHz                         | Pass   | 9.01     | -5.87            | -5.69            | -2.83        | Inf                | 6.18              | 23.00                   |
| 6345MHz                         | Pass   | 9.01     | -6.21            | -6.9             | -3.54        | Inf                | 5.47              | 23.00                   |
| 6665MHz                         | Pass   | 9.01     | -5.77            | -5.72            | -2.76        | Inf                | 6.25              | 23.00                   |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;








































































Summary

| Mode                            | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) |
|---------------------------------|-----------------|----------------------|
| 5.925-6.425GHz                  | -               | -                    |
| 11a20_20MHz_Nss1,(6Mbps)_4TX    | 10.08           | 22.10                |
| 11a40_40MHz_Nss1,(6Mbps)_4TX    | 6.77            | 18.79                |
| 11a80_80MHz_Nss1,(6Mbps)_4TX    | 3.95            | 15.97                |
| 11a160_160MHz_Nss1,(6Mbps)_4TX  | 1.19            | 13.21                |
| 802.11ax HEW20_Nss1,(MCS0)_4TX  | 9.71            | 21.73                |
| 802.11ax HEW40_Nss1,(MCS0)_4TX  | 6.55            | 18.57                |
| 802.11ax HEW80_Nss1,(MCS0)_4TX  | 3.17            | 15.19                |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | 0.59            | 12.61                |
| 6.525-6.875GHz                  | -               | -                    |
| 11a20_20MHz_Nss1,(6Mbps)_4TX    | 9.6             | 21.62                |
| 11a40_40MHz_Nss1,(6Mbps)_4TX    | 6.79            | 18.81                |
| 11a80_80MHz_Nss1,(6Mbps)_4TX    | 3.67            | 15.69                |
| 11a160_160MHz_Nss1,(6Mbps)_4TX  | 0.97            | 12.99                |
| 802.11ax HEW20_Nss1,(MCS0)_4TX  | 9.56            | 21.58                |
| 802.11ax HEW40_Nss1,(MCS0)_4TX  | 6.14            | 18.16                |
| 802.11ax HEW80_Nss1,(MCS0)_4TX  | 2.82            | 14.84                |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | 0.01            | 12.03                |


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:





Result


| Mode                            | Result | DG (dBi) | Port 1 (dBm/RBW) | Port 2 (dBm/RBW) | Port 3 (dBm/RBW) | Port 4 (dBm/RBW) | PD (dBm/RBW) | PD Limit (dBm/RBW) | EIRP PD (dBm/RBW) | EIRP PD Limit (dBm/RBW) |
|---------------------------------|--------|----------|------------------|------------------|------------------|------------------|--------------|--------------------|-------------------|-------------------------|
| 11a20_20MHz_Nss1,(6Mbps)_4TX    | -      | -        | -                | -                | -                | -                | -            | -                  | -                 | -                       |
| 5955MHz                         | Pass   | 12.02    | 3.15             | 4.51             | 3.89             | 4.7              | 10.08        | Inf                | 22.10             | 23.00                   |
| 6195MHz                         | Pass   | 12.02    | 3.76             | 3.19             | 3.63             | 4.08             | 9.57         | Inf                | 21.59             | 23.00                   |
| 6415MHz                         | Pass   | 12.02    | 3.19             | 3.87             | 3.79             | 4.07             | 9.70         | Inf                | 21.72             | 23.00                   |
| 6535MHz                         | Pass   | 12.02    | 3.45             | 4.06             | 3.81             | 3.22             | 9.60         | Inf                | 21.62             | 23.00                   |
| 6695MHz                         | Pass   | 12.02    | 3.69             | 3.34             | 3.67             | 3.08             | 9.38         | Inf                | 21.40             | 23.00                   |
| 6855MHz                         | Pass   | 12.02    | 2.92             | 3.18             | 3.36             | 3.44             | 9.12         | Inf                | 21.14             | 23.00                   |
| 11a40_40MHz_Nss1,(6Mbps)_4TX    | -      | -        | -                | -                | -                | -                | -            | -                  | -                 | -                       |
| 5965MHz                         | Pass   | 12.02    | -2.58            | -0.97            | -1.78            | -1.19            | 4.33         | Inf                | 16.35             | 23.00                   |
| 6205MHz                         | Pass   | 12.02    | 0.76             | 0.67             | 0.99             | 1.25             | 6.77         | Inf                | 18.79             | 23.00                   |
| 6405MHz                         | Pass   | 12.02    | 0.15             | 0.93             | 0.92             | 0.97             | 6.66         | Inf                | 18.68             | 23.00                   |
| 6565MHz                         | Pass   | 12.02    | 0.55             | 1.46             | 1.01             | 0.63             | 6.79         | Inf                | 18.81             | 23.00                   |
| 6685MHz                         | Pass   | 12.02    | 0.75             | 0.71             | 0.78             | 0.38             | 6.55         | Inf                | 18.57             | 23.00                   |
| 6845MHz                         | Pass   | 12.02    | 0.28             | 0.37             | 0.49             | 0.85             | 6.40         | Inf                | 18.42             | 23.00                   |
| 11a80_80MHz_Nss1,(6Mbps)_4TX    | -      | -        | -                | -                | -                | -                | -            | -                  | -                 | -                       |
| 5985MHz                         | Pass   | 12.02    | -3.42            | -2               | -2.87            | -2.38            | 3.26         | Inf                | 15.28             | 23.00                   |
| 6225MHz                         | Pass   | 12.02    | -1.99            | -2.49            | -1.73            | -1.73            | 3.95         | Inf                | 15.97             | 23.00                   |
| 6385MHz                         | Pass   | 12.02    | -2.54            | -2.53            | -1.94            | -2.11            | 3.65         | Inf                | 15.67             | 23.00                   |
| 6625MHz                         | Pass   | 12.02    | -2.56            | -1.85            | -2.29            | -2.31            | 3.67         | Inf                | 15.69             | 23.00                   |
| 6705MHz                         | Pass   | 12.02    | -2.33            | -2.34            | -2.22            | -2.56            | 3.50         | Inf                | 15.52             | 23.00                   |
| 6785MHz                         | Pass   | 12.02    | -2.81            | -2.62            | -2.39            | -2.89            | 3.18         | Inf                | 15.20             | 23.00                   |
| 11a160_160MHz_Nss1,(6Mbps)_4TX  | -      | -        | -                | -                | -                | -                | -            | -                  | -                 | -                       |
| 6025MHz                         | Pass   | 12.02    | -4.8             | -4.53            | -4.85            | -4.56            | 1.19         | Inf                | 13.21             | 23.00                   |
| 6185MHz                         | Pass   | 12.02    | -4.55            | -5.59            | -4.83            | -4.78            | 0.95         | Inf                | 12.97             | 23.00                   |
| 6345MHz                         | Pass   | 12.02    | -5.14            | -5.28            | -4.99            | -5.26            | 0.67         | Inf                | 12.69             | 23.00                   |
| 6665MHz                         | Pass   | 12.02    | -4.89            | -4.45            | -5.37            | -5.22            | 0.97         | Inf                | 12.99             | 23.00                   |
| 802.11ax HEW20_Nss1,(MCS0)_4TX  | -      | -        | -                | -                | -                | -                | -            | -                  | -                 | -                       |
| 5955MHz                         | Pass   | 12.02    | 2.83             | 4.54             | 3.9              | 4.58             | 9.71         | Inf                | 21.73             | 23.00                   |
| 6195MHz                         | Pass   | 12.02    | 3.36             | 3.52             | 3.67             | 4.07             | 9.61         | Inf                | 21.63             | 23.00                   |
| 6415MHz                         | Pass   | 12.02    | 3.02             | 3.89             | 3.83             | 3.84             | 9.66         | Inf                | 21.68             | 23.00                   |
| 6535MHz                         | Pass   | 12.02    | 3.38             | 4.06             | 3.71             | 3.01             | 9.56         | Inf                | 21.58             | 23.00                   |
| 6695MHz                         | Pass   | 12.02    | 3.29             | 3                | 3.2              | 2.79             | 9.07         | Inf                | 21.09             | 23.00                   |
| 6855MHz                         | Pass   | 12.02    | 2.57             | 2.93             | 2.82             | 3.02             | 8.74         | Inf                | 20.76             | 23.00                   |
| 802.11ax HEW40_Nss1,(MCS0)_4TX  | -      | -        | -                | -                | -                | -                | -            | -                  | -                 | -                       |
| 5965MHz                         | Pass   | 12.02    | -0.73            | 1.3              | 0.43             | 1.15             | 6.55         | Inf                | 18.57             | 23.00                   |
| 6205MHz                         | Pass   | 12.02    | -0.22            | -0.24            | 0.16             | 0.57             | 6.05         | Inf                | 18.07             | 23.00                   |
| 6405MHz                         | Pass   | 12.02    | -0.45            | -0.02            | 0.05             | 0.17             | 5.91         | Inf                | 17.93             | 23.00                   |
| 6565MHz                         | Pass   | 12.02    | -0.22            | 0.81             | 0.13             | -0.06            | 6.14         | Inf                | 18.16             | 23.00                   |
| 6685MHz                         | Pass   | 12.02    | -0.21            | -0.2             | -0.36            | -0.69            | 5.59         | Inf                | 17.61             | 23.00                   |
| 6845MHz                         | Pass   | 12.02    | -0.57            | -0.63            | -0.3             | -0.25            | 5.51         | Inf                | 17.53             | 23.00                   |
| 802.11ax HEW80_Nss1,(MCS0)_4TX  | -      | -        | -                | -                | -                | -                | -            | -                  | -                 | -                       |
| 5985MHz                         | Pass   | 12.02    | -4.38            | -2.57            | -3.48            | -2.96            | 2.61         | Inf                | 14.63             | 23.00                   |
| 6225MHz                         | Pass   | 12.02    | -3.01            | -3               | -2.64            | -2.34            | 3.17         | Inf                | 15.19             | 23.00                   |
| 6385MHz                         | Pass   | 12.02    | -3.38            | -3.42            | -2.81            | -2.84            | 2.85         | Inf                | 14.87             | 23.00                   |
| 6625MHz                         | Pass   | 12.02    | -3.33            | -2.7             | -3.33            | -3.28            | 2.82         | Inf                | 14.84             | 23.00                   |
| 6705MHz                         | Pass   | 12.02    | -3.23            | -3.13            | -3.3             | -3.54            | 2.67         | Inf                | 14.69             | 23.00                   |
| 6785MHz                         | Pass   | 12.02    | -3.76            | -3.8             | -3.54            | -3.67            | 2.24         | Inf                | 14.26             | 23.00                   |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | -      | -        | -                | -                | -                | -                | -            | -                  | -                 | -                       |
| 6025MHz                         | Pass   | 12.02    | -5.94            | -4.89            | -5.68            | -4.88            | 0.59         | Inf                | 12.61             | 23.00                   |
| 6185MHz                         | Pass   | 12.02    | -5.62            | -5.58            | -5.51            | -4.87            | 0.55         | Inf                | 12.57             | 23.00                   |
| 6345MHz                         | Pass   | 12.02    | -6.16            | -6.83            | -5.86            | -6.15            | -0.28        | Inf                | 11.74             | 23.00                   |
| 6665MHz                         | Pass   | 12.02    | -5.83            | -5.72            | -5.86            | -6.22            | 0.01         | Inf                | 12.03             | 23.00                   |


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;








































































Summary

| Mode                            | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) |
|---------------------------------|-----------------|----------------------|
| 5.925-6.425GHz                  | -               | -                    |
| 11a20_20MHz_Nss1,(6Mbps)_1TX    | 4.35            | 10.35                |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | 4.92            | 10.92                |
| 11a40_40MHz_Nss1,(6Mbps)_1TX    | 1.09            | 7.09                 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | 1.96            | 7.96                 |
| 11a80_80MHz_Nss1,(6Mbps)_1TX    | -0.71           | 5.29                 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | -1.14           | 4.86                 |
| 11a160_160MHz_Nss1,(6Mbps)_1TX  | -2.53           | 3.47                 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | -4.54           | 1.46                 |
| 6.525-6.875GHz                  | -               | -                    |
| 11a20_20MHz_Nss1,(6Mbps)_1TX    | 4.29            | 10.29                |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | 4.42            | 10.42                |
| 11a40_40MHz_Nss1,(6Mbps)_1TX    | 0.89            | 6.89                 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | 1.25            | 7.25                 |
| 11a80_80MHz_Nss1,(6Mbps)_1TX    | -0.67           | 5.33                 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | -1.19           | 4.81                 |
| 11a160_160MHz_Nss1,(6Mbps)_1TX  | -2.85           | 3.15                 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | -4.79           | 1.21                 |



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:





Result



| Mode                            | Result | DG (dBi) | Port 1 (dBm/RBW) | PD (dBm/RBW) | PD Limit (dBm/RBW) | EIRP PD (dBm/RBW) | EIRP PD Limit (dBm/RBW) |
|---------------------------------|--------|----------|------------------|--------------|--------------------|-------------------|-------------------------|
| 11a20_20MHz_Nss1,(6Mbps)_1TX    | -      | -        | -                | -            | -                  | -                 | -                       |
| 5955MHz                         | Pass   | 6.00     | 4.32             | 4.32         | Inf                | 10.32             | 23.00                   |
| 6195MHz                         | Pass   | 6.00     | 4.35             | 4.35         | Inf                | 10.35             | 23.00                   |
| 6415MHz                         | Pass   | 6.00     | 4                | 4.00         | Inf                | 10.00             | 23.00                   |
| 6535MHz                         | Pass   | 6.00     | 4.05             | 4.05         | Inf                | 10.05             | 23.00                   |
| 6695MHz                         | Pass   | 6.00     | 4.29             | 4.29         | Inf                | 10.29             | 23.00                   |
| 6855MHz                         | Pass   | 6.00     | 3.62             | 3.62         | Inf                | 9.62              | 23.00                   |
| 11a40_40MHz_Nss1,(6Mbps)_1TX    | -      | -        | -                | -            | -                  | -                 | -                       |
| 5965MHz                         | Pass   | 6.00     | 1.09             | 1.09         | Inf                | 7.09              | 23.00                   |
| 6205MHz                         | Pass   | 6.00     | 0.98             | 0.98         | Inf                | 6.98              | 23.00                   |
| 6405MHz                         | Pass   | 6.00     | 0.73             | 0.73         | Inf                | 6.73              | 23.00                   |
| 6565MHz                         | Pass   | 6.00     | 0.42             | 0.42         | Inf                | 6.42              | 23.00                   |
| 6685MHz                         | Pass   | 6.00     | 0.89             | 0.89         | Inf                | 6.89              | 23.00                   |
| 6845MHz                         | Pass   | 6.00     | 0.21             | 0.21         | Inf                | 6.21              | 23.00                   |
| 11a80_80MHz_Nss1,(6Mbps)_1TX    | -      | -        | -                | -            | -                  | -                 | -                       |
| 5985MHz                         | Pass   | 6.00     | -0.71            | -0.71        | Inf                | 5.29              | 23.00                   |
| 6225MHz                         | Pass   | 6.00     | -0.91            | -0.91        | Inf                | 5.09              | 23.00                   |
| 6385MHz                         | Pass   | 6.00     | -1.29            | -1.29        | Inf                | 4.71              | 23.00                   |
| 6625MHz                         | Pass   | 6.00     | -1.4             | -1.40        | Inf                | 4.60              | 23.00                   |
| 6705MHz                         | Pass   | 6.00     | -0.67            | -0.67        | Inf                | 5.33              | 23.00                   |
| 6785MHz                         | Pass   | 6.00     | -1.33            | -1.33        | Inf                | 4.67              | 23.00                   |
| 11a160_160MHz_Nss1,(6Mbps)_1TX  | -      | -        | -                | -            | -                  | -                 | -                       |
| 6025MHz                         | Pass   | 6.00     | -3.28            | -3.28        | Inf                | 2.72              | 23.00                   |
| 6185MHz                         | Pass   | 6.00     | -2.53            | -2.53        | Inf                | 3.47              | 23.00                   |
| 6345MHz                         | Pass   | 6.00     | -2.86            | -2.86        | Inf                | 3.14              | 23.00                   |
| 6665MHz                         | Pass   | 6.00     | -2.85            | -2.85        | Inf                | 3.15              | 23.00                   |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | -      | -        | -                | -            | -                  | -                 | -                       |
| 5955MHz                         | Pass   | 6.00     | 4.92             | 4.92         | Inf                | 10.92             | 23.00                   |
| 6195MHz                         | Pass   | 6.00     | 4.49             | 4.49         | Inf                | 10.49             | 23.00                   |
| 6415MHz                         | Pass   | 6.00     | 4.13             | 4.13         | Inf                | 10.13             | 23.00                   |
| 6535MHz                         | Pass   | 6.00     | 4.33             | 4.33         | Inf                | 10.33             | 23.00                   |
| 6695MHz                         | Pass   | 6.00     | 4.42             | 4.42         | Inf                | 10.42             | 23.00                   |
| 6855MHz                         | Pass   | 6.00     | 3.85             | 3.85         | Inf                | 9.85              | 23.00                   |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | -      | -        | -                | -            | -                  | -                 | -                       |
| 5965MHz                         | Pass   | 6.00     | 1.96             | 1.96         | Inf                | 7.96              | 23.00                   |
| 6205MHz                         | Pass   | 6.00     | 1.38             | 1.38         | Inf                | 7.38              | 23.00                   |
| 6405MHz                         | Pass   | 6.00     | 1.16             | 1.16         | Inf                | 7.16              | 23.00                   |
| 6565MHz                         | Pass   | 6.00     | 0.79             | 0.79         | Inf                | 6.79              | 23.00                   |
| 6685MHz                         | Pass   | 6.00     | 1.25             | 1.25         | Inf                | 7.25              | 23.00                   |
| 6845MHz                         | Pass   | 6.00     | 1.04             | 1.04         | Inf                | 7.04              | 23.00                   |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | -      | -        | -                | -            | -                  | -                 | -                       |
| 5985MHz                         | Pass   | 6.00     | -1.14            | -1.14        | Inf                | 4.86              | 23.00                   |
| 6225MHz                         | Pass   | 6.00     | -1.78            | -1.78        | Inf                | 4.22              | 23.00                   |
| 6385MHz                         | Pass   | 6.00     | -1.89            | -1.89        | Inf                | 4.11              | 23.00                   |
| 6625MHz                         | Pass   | 6.00     | -2.21            | -2.21        | Inf                | 3.79              | 23.00                   |
| 6705MHz                         | Pass   | 6.00     | -1.19            | -1.19        | Inf                | 4.81              | 23.00                   |
| 6785MHz                         | Pass   | 6.00     | -2.45            | -2.45        | Inf                | 3.55              | 23.00                   |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | -      | -        | -                | -            | -                  | -                 | -                       |
| 6025MHz                         | Pass   | 6.00     | -4.54            | -4.54        | Inf                | 1.46              | 23.00                   |
| 6185MHz                         | Pass   | 6.00     | -4.6             | -4.60        | Inf                | 1.40              | 23.00                   |
| 6345MHz                         | Pass   | 6.00     | -5.07            | -5.07        | Inf                | 0.93              | 23.00                   |
| 6665MHz                         | Pass   | 6.00     | -4.79            | -4.79        | Inf                | 1.21              | 23.00                   |



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;












































































Summary

| Mode                            | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) |
|---------------------------------|-----------------|----------------------|
| 5.925-6.425GHz                  | -               | -                    |
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | 7.92            | 16.93                |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | 8.27            | 17.28                |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | 4.25            | 13.26                |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | 5.17            | 14.18                |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | 2.46            | 11.47                |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | 2.08            | 11.09                |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | 0.67            | 9.68                 |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | -1.37           | 7.64                 |
| 6.525-6.875GHz                  | -               | -                    |
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | 7.43            | 16.44                |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | 7.81            | 16.82                |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | 3.97            | 12.98                |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | 4.48            | 13.49                |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | 2.47            | 11.48                |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | 1.99            | 11.00                |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | 0.17            | 9.18                 |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | -1.52           | 7.49                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:



Result

| Mode                            | Result | DG (dBi) | Port 1 (dBm/RBW) | Port 2 (dBm/RBW) | PD (dBm/RBW) | PD Limit (dBm/RBW) | EIRP PD (dBm/RBW) | EIRP PD Limit (dBm/RBW) |
|---------------------------------|--------|----------|------------------|------------------|--------------|--------------------|-------------------|-------------------------|
| 11a20_20MHz_Nss1,(6Mbps)_2TX    | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 5955MHz                         | Pass   | 9.01     | 4.87             | 5                | 7.92         | Inf                | 16.93             | 23.00                   |
| 6195MHz                         | Pass   | 9.01     | 4.47             | 4.94             | 7.70         | Inf                | 16.71             | 23.00                   |
| 6415MHz                         | Pass   | 9.01     | 4.47             | 4.31             | 7.33         | Inf                | 16.34             | 23.00                   |
| 6535MHz                         | Pass   | 9.01     | 4.36             | 4.4              | 7.35         | Inf                | 16.36             | 23.00                   |
| 6695MHz                         | Pass   | 9.01     | 4.55             | 4.41             | 7.43         | Inf                | 16.44             | 23.00                   |
| 6855MHz                         | Pass   | 9.01     | 3.93             | 3.99             | 6.96         | Inf                | 15.97             | 23.00                   |
| 11a40_40MHz_Nss1,(6Mbps)_2TX    | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 5965MHz                         | Pass   | 9.01     | 0.64             | 0.99             | 3.82         | Inf                | 12.83             | 23.00                   |
| 6205MHz                         | Pass   | 9.01     | 1.03             | 1.59             | 4.25         | Inf                | 13.26             | 23.00                   |
| 6405MHz                         | Pass   | 9.01     | 1.16             | 0.99             | 4.00         | Inf                | 13.01             | 23.00                   |
| 6565MHz                         | Pass   | 9.01     | 0.57             | 0.94             | 3.71         | Inf                | 12.72             | 23.00                   |
| 6685MHz                         | Pass   | 9.01     | 1                | 1.08             | 3.97         | Inf                | 12.98             | 23.00                   |
| 6845MHz                         | Pass   | 9.01     | 0.47             | 0.63             | 3.49         | Inf                | 12.50             | 23.00                   |
| 11a80_80MHz_Nss1,(6Mbps)_2TX    | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 5985MHz                         | Pass   | 9.01     | -1.42            | -1.08            | 1.71         | Inf                | 10.72             | 23.00                   |
| 6225MHz                         | Pass   | 9.01     | -0.74            | -0.37            | 2.46         | Inf                | 11.47             | 23.00                   |
| 6385MHz                         | Pass   | 9.01     | -0.92            | -0.96            | 2.04         | Inf                | 11.05             | 23.00                   |
| 6625MHz                         | Pass   | 9.01     | -1.57            | -0.89            | 1.69         | Inf                | 10.70             | 23.00                   |
| 6705MHz                         | Pass   | 9.01     | -0.46            | -0.53            | 2.47         | Inf                | 11.48             | 23.00                   |
| 6785MHz                         | Pass   | 9.01     | -1.04            | -1.13            | 1.83         | Inf                | 10.84             | 23.00                   |
| 11a160_160MHz_Nss1,(6Mbps)_2TX  | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 6025MHz                         | Pass   | 9.01     | -3.97            | -3.55            | -0.74        | Inf                | 8.27              | 23.00                   |
| 6185MHz                         | Pass   | 9.01     | -2.62            | -2.06            | 0.67         | Inf                | 9.68              | 23.00                   |
| 6345MHz                         | Pass   | 9.01     | -2.61            | -2.71            | 0.34         | Inf                | 9.35              | 23.00                   |
| 6665MHz                         | Pass   | 9.01     | -2.77            | -2.72            | 0.17         | Inf                | 9.18              | 23.00                   |
| 802.11ax HEW20_Nss1,(MCS0)_2TX  | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 5955MHz                         | Pass   | 9.01     | 5.22             | 5.29             | 8.27         | Inf                | 17.28             | 23.00                   |
| 6195MHz                         | Pass   | 9.01     | 4.69             | 4.72             | 7.69         | Inf                | 16.70             | 23.00                   |
| 6415MHz                         | Pass   | 9.01     | 4.38             | 4.47             | 7.41         | Inf                | 16.42             | 23.00                   |
| 6535MHz                         | Pass   | 9.01     | 4.69             | 4.49             | 7.60         | Inf                | 16.61             | 23.00                   |
| 6695MHz                         | Pass   | 9.01     | 4.88             | 4.73             | 7.81         | Inf                | 16.82             | 23.00                   |
| 6855MHz                         | Pass   | 9.01     | 4.34             | 4.33             | 7.34         | Inf                | 16.35             | 23.00                   |
| 802.11ax HEW40_Nss1,(MCS0)_2TX  | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 5965MHz                         | Pass   | 9.01     | 2.1              | 2.22             | 5.17         | Inf                | 14.18             | 23.00                   |
| 6205MHz                         | Pass   | 9.01     | 1.47             | 1.61             | 4.53         | Inf                | 13.54             | 23.00                   |
| 6405MHz                         | Pass   | 9.01     | 1.27             | 1.33             | 4.31         | Inf                | 13.32             | 23.00                   |
| 6565MHz                         | Pass   | 9.01     | 0.96             | 1.02             | 3.98         | Inf                | 12.99             | 23.00                   |
| 6685MHz                         | Pass   | 9.01     | 1.53             | 1.6              | 4.48         | Inf                | 13.49             | 23.00                   |
| 6845MHz                         | Pass   | 9.01     | 1.1              | 1.22             | 4.14         | Inf                | 13.15             | 23.00                   |
| 802.11ax HEW80_Nss1,(MCS0)_2TX  | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 5985MHz                         | Pass   | 9.01     | -0.98            | -0.88            | 2.08         | Inf                | 11.09             | 23.00                   |
| 6225MHz                         | Pass   | 9.01     | -1.65            | -1.4             | 1.45         | Inf                | 10.46             | 23.00                   |
| 6385MHz                         | Pass   | 9.01     | -1.74            | -1.78            | 1.22         | Inf                | 10.23             | 23.00                   |
| 6625MHz                         | Pass   | 9.01     | -2.02            | -1.86            | 1.07         | Inf                | 10.08             | 23.00                   |
| 6705MHz                         | Pass   | 9.01     | -0.94            | -0.84            | 1.99         | Inf                | 11.00             | 23.00                   |
| 6785MHz                         | Pass   | 9.01     | -2.24            | -2.44            | 0.62         | Inf                | 9.63              | 23.00                   |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | -      | -        | -                | -                | -            | -                  | -                 | -                       |
| 6025MHz                         | Pass   | 9.01     | -4.33            | -4.39            | -1.37        | Inf                | 7.64              | 23.00                   |
| 6185MHz                         | Pass   | 9.01     | -4.5             | -4.32            | -1.42        | Inf                | 7.59              | 23.00                   |
| 6345MHz                         | Pass   | 9.01     | -4.89            | -5.05            | -2.01        | Inf                | 7.00              | 23.00                   |
| 6665MHz                         | Pass   | 9.01     | -4.48            | -4.41            | -1.52        | Inf                | 7.49              | 23.00                   |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

