

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	22.1	24.03	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	22.28	24.21	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	22.22	24.15	33	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	21.29	23.22	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	22.02	23.95	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	22.06	23.99	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	22.19	24.12	33	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	21.23	23.16	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	22	23.93	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	22.17	24.1	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	21.95	23.88	33	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	21.1	23.03	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	21.54	23.47	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	21.51	23.44	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	21.55	23.48	33	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	20.34	22.27	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	21.43	23.36	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	21.45	23.38	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	21.48	23.41	33	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	20.35	22.28	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	21.47	23.4	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	21.64	23.57	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	21.3	23.23	33	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	20.15	22.08	33	PASS
Band25	1.4MHz	64QAM	26047	1RB#0	20.52	22.45	33	PASS
Band25	1.4MHz	64QAM	26047	1RB#2	20.45	22.38	33	PASS
Band25	1.4MHz	64QAM	26047	1RB#5	20.47	22.4	33	PASS
Band25	1.4MHz	64QAM	26047	6RB#0	19.32	21.25	33	PASS
Band25	1.4MHz	64QAM	26365	1RB#0	20.31	22.24	33	PASS
Band25	1.4MHz	64QAM	26365	1RB#2	20.48	22.41	33	PASS
Band25	1.4MHz	64QAM	26365	1RB#5	20.38	22.31	33	PASS
Band25	1.4MHz	64QAM	26365	6RB#0	19.28	21.21	33	PASS

Band25	1.4MHz	64QAM	26683	1RB#0	19.74	21.67	33	PASS
Band25	1.4MHz	64QAM	26683	1RB#2	19.68	21.61	33	PASS
Band25	1.4MHz	64QAM	26683	1RB#5	19.66	21.59	33	PASS
Band25	1.4MHz	64QAM	26683	6RB#0	18.54	20.47	33	PASS
Band25	3MHz	QPSK	26055	1RB#0	22.28	24.21	33	PASS
Band25	3MHz	QPSK	26055	1RB#8	22.27	24.2	33	PASS
Band25	3MHz	QPSK	26055	1RB#14	22.32	24.25	33	PASS
Band25	3MHz	QPSK	26055	15RB#0	21.39	23.32	33	PASS
Band25	3MHz	QPSK	26365	1RB#0	22.2	24.13	33	PASS
Band25	3MHz	QPSK	26365	1RB#8	22.2	24.13	33	PASS
Band25	3MHz	QPSK	26365	1RB#14	22.24	24.17	33	PASS
Band25	3MHz	QPSK	26365	15RB#0	21.22	23.15	33	PASS
Band25	3MHz	QPSK	26675	1RB#0	21.98	23.91	33	PASS
Band25	3MHz	QPSK	26675	1RB#8	22.13	24.06	33	PASS
Band25	3MHz	QPSK	26675	1RB#14	22.03	23.96	33	PASS
Band25	3MHz	QPSK	26675	15RB#0	21.16	23.09	33	PASS
Band25	3MHz	16QAM	26055	1RB#0	21.52	23.45	33	PASS
Band25	3MHz	16QAM	26055	1RB#8	21.78	23.71	33	PASS
Band25	3MHz	16QAM	26055	1RB#14	21.58	23.51	33	PASS
Band25	3MHz	16QAM	26055	15RB#0	20.5	22.43	33	PASS
Band25	3MHz	16QAM	26365	1RB#0	21.62	23.55	33	PASS
Band25	3MHz	16QAM	26365	1RB#8	21.51	23.44	33	PASS
Band25	3MHz	16QAM	26365	1RB#14	21.59	23.52	33	PASS
Band25	3MHz	16QAM	26365	15RB#0	20.21	22.14	33	PASS
Band25	3MHz	16QAM	26675	1RB#0	21.25	23.18	33	PASS
Band25	3MHz	16QAM	26675	1RB#8	21.4	23.33	33	PASS
Band25	3MHz	16QAM	26675	1RB#14	21.46	23.39	33	PASS
Band25	3MHz	16QAM	26675	15RB#0	20.19	22.12	33	PASS
Band25	3MHz	64QAM	26055	1RB#0	20.52	22.45	33	PASS
Band25	3MHz	64QAM	26055	1RB#8	20.49	22.42	33	PASS
Band25	3MHz	64QAM	26055	1RB#14	20.54	22.47	33	PASS
Band25	3MHz	64QAM	26055	15RB#0	19.45	21.38	33	PASS
Band25	3MHz	64QAM	26365	1RB#0	20.37	22.3	33	PASS
Band25	3MHz	64QAM	26365	1RB#8	20.42	22.35	33	PASS
Band25	3MHz	64QAM	26365	1RB#14	20.38	22.31	33	PASS
Band25	3MHz	64QAM	26365	15RB#0	19.25	21.18	33	PASS
Band25	3MHz	64QAM	26675	1RB#0	19.95	21.88	33	PASS

Band25	3MHz	64QAM	26675	1RB#8	19.8	21.73	33	PASS
Band25	3MHz	64QAM	26675	1RB#14	19.55	21.48	33	PASS
Band25	3MHz	64QAM	26675	15RB#0	18.7	20.63	33	PASS
Band25	5MHz	QPSK	26065	1RB#0	22.26	24.19	33	PASS
Band25	5MHz	QPSK	26065	1RB#12	22.33	24.26	33	PASS
Band25	5MHz	QPSK	26065	1RB#24	22.31	24.24	33	PASS
Band25	5MHz	QPSK	26065	25RB#0	21.35	23.28	33	PASS
Band25	5MHz	QPSK	26365	1RB#0	22.04	23.97	33	PASS
Band25	5MHz	QPSK	26365	1RB#12	22.18	24.11	33	PASS
Band25	5MHz	QPSK	26365	1RB#24	22.12	24.05	33	PASS
Band25	5MHz	QPSK	26365	25RB#0	21.23	23.16	33	PASS
Band25	5MHz	QPSK	26665	1RB#0	22.04	23.97	33	PASS
Band25	5MHz	QPSK	26665	1RB#12	22.11	24.04	33	PASS
Band25	5MHz	QPSK	26665	1RB#24	22.19	24.12	33	PASS
Band25	5MHz	QPSK	26665	25RB#0	21.06	22.99	33	PASS
Band25	5MHz	16QAM	26065	1RB#0	21.68	23.61	33	PASS
Band25	5MHz	16QAM	26065	1RB#12	21.7	23.63	33	PASS
Band25	5MHz	16QAM	26065	1RB#24	21.61	23.54	33	PASS
Band25	5MHz	16QAM	26065	25RB#0	20.34	22.27	33	PASS
Band25	5MHz	16QAM	26365	1RB#0	21.45	23.38	33	PASS
Band25	5MHz	16QAM	26365	1RB#12	21.53	23.46	33	PASS
Band25	5MHz	16QAM	26365	1RB#24	21.47	23.4	33	PASS
Band25	5MHz	16QAM	26365	25RB#0	20.32	22.25	33	PASS
Band25	5MHz	16QAM	26665	1RB#0	21.55	23.48	33	PASS
Band25	5MHz	16QAM	26665	1RB#12	21.43	23.36	33	PASS
Band25	5MHz	16QAM	26665	1RB#24	21.42	23.35	33	PASS
Band25	5MHz	16QAM	26665	25RB#0	20.07	22	33	PASS
Band25	5MHz	64QAM	26065	1RB#0	20.5	22.43	33	PASS
Band25	5MHz	64QAM	26065	1RB#12	20.58	22.51	33	PASS
Band25	5MHz	64QAM	26065	1RB#24	20.61	22.54	33	PASS
Band25	5MHz	64QAM	26065	25RB#0	19.31	21.24	33	PASS
Band25	5MHz	64QAM	26365	1RB#0	20.43	22.36	33	PASS
Band25	5MHz	64QAM	26365	1RB#12	20.35	22.28	33	PASS
Band25	5MHz	64QAM	26365	1RB#24	20.45	22.38	33	PASS
Band25	5MHz	64QAM	26365	25RB#0	19.32	21.25	33	PASS
Band25	5MHz	64QAM	26665	1RB#0	20.25	22.18	33	PASS
Band25	5MHz	64QAM	26665	1RB#12	19.89	21.82	33	PASS

Band25	5MHz	64QAM	26665	1RB#24	19.63	21.56	33	PASS
Band25	5MHz	64QAM	26665	25RB#0	18.78	20.71	33	PASS
Band25	10MHz	QPSK	26090	1RB#0	22.02	23.95	33	PASS
Band25	10MHz	QPSK	26090	1RB#24	22.2	24.13	33	PASS
Band25	10MHz	QPSK	26090	1RB#49	22.11	24.04	33	PASS
Band25	10MHz	QPSK	26090	50RB#0	21.26	23.19	33	PASS
Band25	10MHz	QPSK	26365	1RB#0	21.87	23.8	33	PASS
Band25	10MHz	QPSK	26365	1RB#24	22.19	24.12	33	PASS
Band25	10MHz	QPSK	26365	1RB#49	22.05	23.98	33	PASS
Band25	10MHz	QPSK	26365	50RB#0	21.21	23.14	33	PASS
Band25	10MHz	QPSK	26640	1RB#0	22.11	24.04	33	PASS
Band25	10MHz	QPSK	26640	1RB#24	22.06	23.99	33	PASS
Band25	10MHz	QPSK	26640	1RB#49	22.21	24.14	33	PASS
Band25	10MHz	QPSK	26640	50RB#0	21.12	23.05	33	PASS
Band25	10MHz	16QAM	26090	1RB#0	21.59	23.52	33	PASS
Band25	10MHz	16QAM	26090	1RB#24	21.75	23.68	33	PASS
Band25	10MHz	16QAM	26090	1RB#49	21.3	23.23	33	PASS
Band25	10MHz	16QAM	26090	50RB#0	20.27	22.2	33	PASS
Band25	10MHz	16QAM	26365	1RB#0	21.34	23.27	33	PASS
Band25	10MHz	16QAM	26365	1RB#24	21.44	23.37	33	PASS
Band25	10MHz	16QAM	26365	1RB#49	21.3	23.23	33	PASS
Band25	10MHz	16QAM	26365	50RB#0	20.24	22.17	33	PASS
Band25	10MHz	16QAM	26640	1RB#0	21.31	23.24	33	PASS
Band25	10MHz	16QAM	26640	1RB#24	21.5	23.43	33	PASS
Band25	10MHz	16QAM	26640	1RB#49	21.36	23.29	33	PASS
Band25	10MHz	16QAM	26640	50RB#0	20.07	22	33	PASS
Band25	10MHz	64QAM	26090	1RB#0	20.31	22.24	33	PASS
Band25	10MHz	64QAM	26090	1RB#24	20.41	22.34	33	PASS
Band25	10MHz	64QAM	26090	1RB#49	20.29	22.22	33	PASS
Band25	10MHz	64QAM	26090	50RB#0	19.35	21.28	33	PASS
Band25	10MHz	64QAM	26365	1RB#0	20.29	22.22	33	PASS
Band25	10MHz	64QAM	26365	1RB#24	20.49	22.42	33	PASS
Band25	10MHz	64QAM	26365	1RB#49	20.19	22.12	33	PASS
Band25	10MHz	64QAM	26365	50RB#0	19.27	21.2	33	PASS
Band25	10MHz	64QAM	26640	1RB#0	20.35	22.28	33	PASS
Band25	10MHz	64QAM	26640	1RB#24	20.3	22.23	33	PASS
Band25	10MHz	64QAM	26640	1RB#49	19.57	21.5	33	PASS

Band25	10MHz	64QAM	26640	50RB#0	18.95	20.88	33	PASS
Band25	15MHz	QPSK	26115	1RB#0	22.01	23.94	33	PASS
Band25	15MHz	QPSK	26115	1RB#38	22.22	24.15	33	PASS
Band25	15MHz	QPSK	26115	1RB#74	22.08	24.01	33	PASS
Band25	15MHz	QPSK	26115	75RB#0	21.25	23.18	33	PASS
Band25	15MHz	QPSK	26365	1RB#0	22.14	24.07	33	PASS
Band25	15MHz	QPSK	26365	1RB#38	22.24	24.17	33	PASS
Band25	15MHz	QPSK	26365	1RB#74	22.27	24.2	33	PASS
Band25	15MHz	QPSK	26365	75RB#0	21.34	23.27	33	PASS
Band25	15MHz	QPSK	26615	1RB#0	22.11	24.04	33	PASS
Band25	15MHz	QPSK	26615	1RB#38	22.32	24.25	33	PASS
Band25	15MHz	QPSK	26615	1RB#74	22.28	24.21	33	PASS
Band25	15MHz	QPSK	26615	75RB#0	21.37	23.3	33	PASS
Band25	15MHz	16QAM	26115	1RB#0	21.47	23.4	33	PASS
Band25	15MHz	16QAM	26115	1RB#38	21.65	23.58	33	PASS
Band25	15MHz	16QAM	26115	1RB#74	21.44	23.37	33	PASS
Band25	15MHz	16QAM	26115	75RB#0	20.3	22.23	33	PASS
Band25	15MHz	16QAM	26365	1RB#0	21.39	23.32	33	PASS
Band25	15MHz	16QAM	26365	1RB#38	21.39	23.32	33	PASS
Band25	15MHz	16QAM	26365	1RB#74	21.49	23.42	33	PASS
Band25	15MHz	16QAM	26365	75RB#0	20.28	22.21	33	PASS
Band25	15MHz	16QAM	26615	1RB#0	21.52	23.45	33	PASS
Band25	15MHz	16QAM	26615	1RB#38	21.74	23.67	33	PASS
Band25	15MHz	16QAM	26615	1RB#74	21.78	23.71	33	PASS
Band25	15MHz	16QAM	26615	75RB#0	20.36	22.29	33	PASS
Band25	15MHz	64QAM	26115	1RB#0	20.31	22.24	33	PASS
Band25	15MHz	64QAM	26115	1RB#38	20.45	22.38	33	PASS
Band25	15MHz	64QAM	26115	1RB#74	20.34	22.27	33	PASS
Band25	15MHz	64QAM	26115	75RB#0	19.26	21.19	33	PASS
Band25	15MHz	64QAM	26365	1RB#0	20.32	22.25	33	PASS
Band25	15MHz	64QAM	26365	1RB#38	20.51	22.44	33	PASS
Band25	15MHz	64QAM	26365	1RB#74	20.38	22.31	33	PASS
Band25	15MHz	64QAM	26365	75RB#0	19.35	21.28	33	PASS
Band25	15MHz	64QAM	26615	1RB#0	20.3	22.23	33	PASS
Band25	15MHz	64QAM	26615	1RB#38	20.58	22.51	33	PASS
Band25	15MHz	64QAM	26615	1RB#74	19.81	21.74	33	PASS
Band25	15MHz	64QAM	26615	75RB#0	19.31	21.24	33	PASS

Band25	20MHz	QPSK	26140	1RB#0	22.48	24.41	33	PASS
Band25	20MHz	QPSK	26140	1RB#49	22.4	24.33	33	PASS
Band25	20MHz	QPSK	26140	1RB#99	22.43	24.36	33	PASS
Band25	20MHz	QPSK	26140	100RB#0	21.5	23.43	33	PASS
Band25	20MHz	QPSK	26365	1RB#0	22.36	24.29	33	PASS
Band25	20MHz	QPSK	26365	1RB#49	22.43	24.36	33	PASS
Band25	20MHz	QPSK	26365	1RB#99	22.44	24.37	33	PASS
Band25	20MHz	QPSK	26365	100RB#0	21.51	23.44	33	PASS
Band25	20MHz	QPSK	26590	1RB#0	22.4	24.33	33	PASS
Band25	20MHz	QPSK	26590	1RB#49	22.33	24.26	33	PASS
Band25	20MHz	QPSK	26590	1RB#99	22.34	24.27	33	PASS
Band25	20MHz	QPSK	26590	100RB#0	21.43	23.36	33	PASS
Band25	20MHz	16QAM	26140	1RB#0	21.89	23.82	33	PASS
Band25	20MHz	16QAM	26140	1RB#49	21.77	23.7	33	PASS
Band25	20MHz	16QAM	26140	1RB#99	21.63	23.56	33	PASS
Band25	20MHz	16QAM	26140	100RB#0	20.46	22.39	33	PASS
Band25	20MHz	16QAM	26365	1RB#0	21.64	23.57	33	PASS
Band25	20MHz	16QAM	26365	1RB#49	21.72	23.65	33	PASS
Band25	20MHz	16QAM	26365	1RB#99	21.72	23.65	33	PASS
Band25	20MHz	16QAM	26365	100RB#0	20.43	22.36	33	PASS
Band25	20MHz	16QAM	26590	1RB#0	21.63	23.56	33	PASS
Band25	20MHz	16QAM	26590	1RB#49	21.71	23.64	33	PASS
Band25	20MHz	16QAM	26590	1RB#99	21.6	23.53	33	PASS
Band25	20MHz	16QAM	26590	100RB#0	20.39	22.32	33	PASS
Band25	20MHz	64QAM	26140	1RB#0	20.72	22.65	33	PASS
Band25	20MHz	64QAM	26140	1RB#49	20.75	22.68	33	PASS
Band25	20MHz	64QAM	26140	1RB#99	20.73	22.66	33	PASS
Band25	20MHz	64QAM	26140	100RB#0	19.49	21.42	33	PASS
Band25	20MHz	64QAM	26365	1RB#0	20.49	22.42	33	PASS
Band25	20MHz	64QAM	26365	1RB#49	20.79	22.72	33	PASS
Band25	20MHz	64QAM	26365	1RB#99	20.77	22.7	33	PASS
Band25	20MHz	64QAM	26365	100RB#0	19.45	21.38	33	PASS
Band25	20MHz	64QAM	26590	1RB#0	20.53	22.46	33	PASS
Band25	20MHz	64QAM	26590	1RB#49	20.45	22.38	33	PASS
Band25	20MHz	64QAM	26590	1RB#99	19.61	21.54	33	PASS
Band25	20MHz	64QAM	26590	100RB#0	19.16	21.09	33	PASS

Test on the worst case:

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.30	1.93	24.23	<=33.00	Pass
			2	22.40	1.93	24.33	<=33.00	Pass
			5	22.33	1.93	24.26	<=33.00	Pass
		3	0	22.38	1.93	24.31	<=33.00	Pass
			2	22.43	1.93	24.36	<=33.00	Pass
			3	22.36	1.93	24.29	<=33.00	Pass
		6	0	21.46	1.93	23.39	<=33.00	Pass
	1882.5	1	0	22.27	1.93	24.20	<=33.00	Pass
			2	22.37	1.93	24.30	<=33.00	Pass
			5	22.31	1.93	24.24	<=33.00	Pass
		3	0	22.36	1.93	24.29	<=33.00	Pass
			2	22.37	1.93	24.30	<=33.00	Pass
			3	22.37	1.93	24.30	<=33.00	Pass
		6	0	21.39	1.93	23.32	<=33.00	Pass
	1914.3	1	0	21.14	1.93	23.07	<=33.00	Pass
			2	21.11	1.93	23.04	<=33.00	Pass
			5	20.80	1.93	22.73	<=33.00	Pass
		3	0	21.05	1.93	22.98	<=33.00	Pass
			2	20.95	1.93	22.88	<=33.00	Pass
			3	20.94	1.93	22.87	<=33.00	Pass
		6	0	20.00	1.93	21.93	<=33.00	Pass
16QAM	1850.7	1	0	21.47	1.93	23.40	<=33.00	Pass
			2	21.52	1.93	23.45	<=33.00	Pass
			5	21.44	1.93	23.37	<=33.00	Pass
		3	0	21.60	1.93	23.53	<=33.00	Pass
			2	21.71	1.93	23.64	<=33.00	Pass
			3	21.68	1.93	23.61	<=33.00	Pass
		6	0	20.48	1.93	22.41	<=33.00	Pass
	1882.5	1	0	21.56	1.93	23.49	<=33.00	Pass
			2	21.67	1.93	23.60	<=33.00	Pass
			5	21.58	1.93	23.51	<=33.00	Pass
		3	0	21.41	1.93	23.34	<=33.00	Pass
			2	21.50	1.93	23.43	<=33.00	Pass
			3	21.41	1.93	23.34	<=33.00	Pass
		6	0	20.41	1.93	22.34	<=33.00	Pass

	1914.3	1	0	20.10	1.93	22.03	<=33.00	Pass
			2	20.09	1.93	22.02	<=33.00	Pass
			5	20.04	1.93	21.97	<=33.00	Pass
		3	0	20.23	1.93	22.16	<=33.00	Pass
			2	20.19	1.93	22.12	<=33.00	Pass
			3	20.09	1.93	22.02	<=33.00	Pass
		6	0	19.10	1.93	21.03	<=33.00	Pass
64QAM	1850.7	1	0	20.81	1.93	22.74	<=33.00	Pass
			2	20.91	1.93	22.84	<=33.00	Pass
			5	20.82	1.93	22.75	<=33.00	Pass
		3	0	20.65	1.93	22.58	<=33.00	Pass
			2	20.71	1.93	22.64	<=33.00	Pass
			3	20.68	1.93	22.61	<=33.00	Pass
		6	0	19.48	1.93	21.41	<=33.00	Pass
	1882.5	1	0	20.50	1.93	22.43	<=33.00	Pass
			2	20.58	1.93	22.51	<=33.00	Pass
			5	20.55	1.93	22.48	<=33.00	Pass
		3	0	20.65	1.93	22.58	<=33.00	Pass
			2	20.72	1.93	22.65	<=33.00	Pass
			3	20.67	1.93	22.60	<=33.00	Pass
		6	0	19.63	1.93	21.56	<=33.00	Pass
	1914.3	1	0	18.20	1.93	20.13	<=33.00	Pass
			2	17.99	1.93	19.92	<=33.00	Pass
			5	17.84	1.93	19.77	<=33.00	Pass
		3	0	18.28	1.93	20.21	<=33.00	Pass
			2	18.27	1.93	20.20	<=33.00	Pass
			3	18.21	1.93	20.14	<=33.00	Pass
		6	0	17.36	1.93	19.29	<=33.00	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	22.42	1.93	24.35	<=33.00	Pass
			7	22.40	1.93	24.33	<=33.00	Pass
			14	22.46	1.93	24.39	<=33.00	Pass
		8	0	21.53	1.93	23.46	<=33.00	Pass
			4	21.51	1.93	23.44	<=33.00	Pass
			7	21.48	1.93	23.41	<=33.00	Pass
		15	0	21.50	1.93	23.43	<=33.00	Pass

	1882.5	1	0	22.39	1.93	24.32	<=33.00	Pass
			7	22.39	1.93	24.32	<=33.00	Pass
			14	22.46	1.93	24.39	<=33.00	Pass
		8	0	21.44	1.93	23.37	<=33.00	Pass
			4	21.48	1.93	23.41	<=33.00	Pass
			7	21.49	1.93	23.42	<=33.00	Pass
		15	0	21.49	1.93	23.42	<=33.00	Pass
	1913.5	1	0	21.68	1.93	23.61	<=33.00	Pass
			7	21.22	1.93	23.15	<=33.00	Pass
			14	20.96	1.93	22.89	<=33.00	Pass
		8	0	20.43	1.93	22.36	<=33.00	Pass
			4	20.26	1.93	22.19	<=33.00	Pass
			7	20.15	1.93	22.08	<=33.00	Pass
		15	0	20.35	1.93	22.28	<=33.00	Pass
16QAM	1851.5	1	0	22.08	1.93	24.01	<=33.00	Pass
			7	22.03	1.93	23.96	<=33.00	Pass
			14	22.08	1.93	24.01	<=33.00	Pass
		8	0	20.64	1.93	22.57	<=33.00	Pass
			4	20.72	1.93	22.65	<=33.00	Pass
			7	20.68	1.93	22.61	<=33.00	Pass
		15	0	20.61	1.93	22.54	<=33.00	Pass
	1882.5	1	0	21.63	1.93	23.56	<=33.00	Pass
			7	21.70	1.93	23.63	<=33.00	Pass
			14	21.68	1.93	23.61	<=33.00	Pass
		8	0	20.48	1.93	22.41	<=33.00	Pass
			4	20.49	1.93	22.42	<=33.00	Pass
			7	20.48	1.93	22.41	<=33.00	Pass
		15	0	20.50	1.93	22.43	<=33.00	Pass
	1913.5	1	0	20.71	1.93	22.64	<=33.00	Pass
			7	20.32	1.93	22.25	<=33.00	Pass
			14	20.07	1.93	22.00	<=33.00	Pass
		8	0	19.61	1.93	21.54	<=33.00	Pass
			4	19.42	1.93	21.35	<=33.00	Pass
			7	19.29	1.93	21.22	<=33.00	Pass
		15	0	19.50	1.93	21.43	<=33.00	Pass
64QAM	1851.5	1	0	20.77	1.93	22.70	<=33.00	Pass
			7	20.77	1.93	22.70	<=33.00	Pass
			14	20.82	1.93	22.75	<=33.00	Pass
		8	0	19.65	1.93	21.58	<=33.00	Pass
			4	19.74	1.93	21.67	<=33.00	Pass
			7	19.72	1.93	21.65	<=33.00	Pass
		15	0	19.60	1.93	21.53	<=33.00	Pass
	1882.5	1	0	20.55	1.93	22.48	<=33.00	Pass

			7	20.54	1.93	22.47	<=33.00	Pass
			14	20.62	1.93	22.55	<=33.00	Pass
		8	0	19.41	1.93	21.34	<=33.00	Pass
			4	19.47	1.93	21.40	<=33.00	Pass
			7	19.42	1.93	21.35	<=33.00	Pass
		15	0	19.68	1.93	21.61	<=33.00	Pass
	1913.5	1	0	18.65	1.93	20.58	<=33.00	Pass
			7	18.28	1.93	20.21	<=33.00	Pass
			14	18.00	1.93	19.93	<=33.00	Pass
		8	0	17.76	1.93	19.69	<=33.00	Pass
			4	17.56	1.93	19.49	<=33.00	Pass
			7	17.42	1.93	19.35	<=33.00	Pass
		15	0	17.62	1.93	19.55	<=33.00	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.41	1.93	24.34	<=33.00	Pass
			13	22.51	1.93	24.44	<=33.00	Pass
			24	22.43	1.93	24.36	<=33.00	Pass
		12	0	21.49	1.93	23.42	<=33.00	Pass
			6	21.56	1.93	23.49	<=33.00	Pass
			13	21.52	1.93	23.45	<=33.00	Pass
		25	0	21.54	1.93	23.47	<=33.00	Pass
	1882.5	1	0	22.35	1.93	24.28	<=33.00	Pass
			13	22.50	1.93	24.43	<=33.00	Pass
			24	22.47	1.93	24.40	<=33.00	Pass
		12	0	21.36	1.93	23.29	<=33.00	Pass
			6	21.54	1.93	23.47	<=33.00	Pass
			13	21.50	1.93	23.43	<=33.00	Pass
		25	0	21.50	1.93	23.43	<=33.00	Pass
	1912.5	1	0	22.13	1.93	24.06	<=33.00	Pass
			13	21.29	1.93	23.22	<=33.00	Pass
			24	20.68	1.93	22.61	<=33.00	Pass
		12	0	20.95	1.93	22.88	<=33.00	Pass
			6	20.60	1.93	22.53	<=33.00	Pass
			13	20.16	1.93	22.09	<=33.00	Pass
		25	0	20.52	1.93	22.45	<=33.00	Pass
16QAM	1852.5	1	0	21.39	1.93	23.32	<=33.00	Pass

			13	21.48	1.93	23.41	<=33.00	Pass	
			24	21.44	1.93	23.37	<=33.00	Pass	
		12	0	20.48	1.93	22.41	<=33.00	Pass	
			6	20.57	1.93	22.50	<=33.00	Pass	
			13	20.54	1.93	22.47	<=33.00	Pass	
		25	0	20.55	1.93	22.48	<=33.00	Pass	
		1882.5	1	0	21.69	1.93	23.62	<=33.00	Pass
				13	21.85	1.93	23.78	<=33.00	Pass
				24	21.77	1.93	23.70	<=33.00	Pass
			12	0	20.45	1.93	22.38	<=33.00	Pass
				6	20.58	1.93	22.51	<=33.00	Pass
				13	20.55	1.93	22.48	<=33.00	Pass
	25		0	20.50	1.93	22.43	<=33.00	Pass	
	1912.5		1	0	21.24	1.93	23.17	<=33.00	Pass
				13	20.43	1.93	22.36	<=33.00	Pass
		24		19.85	1.93	21.78	<=33.00	Pass	
		12	0	20.11	1.93	22.04	<=33.00	Pass	
			6	19.71	1.93	21.64	<=33.00	Pass	
			13	19.32	1.93	21.25	<=33.00	Pass	
		25	0	19.61	1.93	21.54	<=33.00	Pass	

64QAM	1852.5	1	0	20.48	1.93	22.41	<=33.00	Pass	
			13	20.57	1.93	22.50	<=33.00	Pass	
			24	20.54	1.93	22.47	<=33.00	Pass	
		12	0	19.50	1.93	21.43	<=33.00	Pass	
			6	19.54	1.93	21.47	<=33.00	Pass	
			13	19.52	1.93	21.45	<=33.00	Pass	
		25	0	19.55	1.93	21.48	<=33.00	Pass	
		1882.5	1	0	20.54	1.93	22.47	<=33.00	Pass
				13	20.73	1.93	22.66	<=33.00	Pass
				24	20.66	1.93	22.59	<=33.00	Pass
			12	0	19.44	1.93	21.37	<=33.00	Pass
				6	19.56	1.93	21.49	<=33.00	Pass
	13			19.54	1.93	21.47	<=33.00	Pass	
	25		0	19.56	1.93	21.49	<=33.00	Pass	
	1912.5		1	0	19.49	1.93	21.42	<=33.00	Pass
				13	18.63	1.93	20.56	<=33.00	Pass
		24		17.93	1.93	19.86	<=33.00	Pass	
		12	0	18.38	1.93	20.31	<=33.00	Pass	
			6	18.04	1.93	19.97	<=33.00	Pass	
			13	17.63	1.93	19.56	<=33.00	Pass	
		25	0	17.83	1.93	19.76	<=33.00	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.27	1.93	24.20	<=33.00	Pass
			25	22.35	1.93	24.28	<=33.00	Pass
			49	22.16	1.93	24.09	<=33.00	Pass
		25	0	21.44	1.93	23.37	<=33.00	Pass
			13	21.52	1.93	23.45	<=33.00	Pass
			25	21.43	1.93	23.36	<=33.00	Pass
		50	0	21.43	1.93	23.36	<=33.00	Pass
	1882.5	1	0	22.12	1.93	24.05	<=33.00	Pass
			25	22.39	1.93	24.32	<=33.00	Pass
			49	22.11	1.93	24.04	<=33.00	Pass
		25	0	21.32	1.93	23.25	<=33.00	Pass
			13	21.49	1.93	23.42	<=33.00	Pass
			25	21.41	1.93	23.34	<=33.00	Pass
		50	0	21.43	1.93	23.36	<=33.00	Pass
	1910	1	0	22.40	1.93	24.33	<=33.00	Pass
			25	22.29	1.93	24.22	<=33.00	Pass
			49	21.00	1.93	22.93	<=33.00	Pass
		25	0	21.27	1.93	23.20	<=33.00	Pass
			13	21.40	1.93	23.33	<=33.00	Pass
			25	20.61	1.93	22.54	<=33.00	Pass
		50	0	21.33	1.93	23.26	<=33.00	Pass
16QAM	1855	1	0	21.77	1.93	23.70	<=33.00	Pass
			25	21.93	1.93	23.86	<=33.00	Pass
			49	21.64	1.93	23.57	<=33.00	Pass
		25	0	20.47	1.93	22.40	<=33.00	Pass
			13	20.59	1.93	22.52	<=33.00	Pass
			25	20.49	1.93	22.42	<=33.00	Pass
		50	0	20.45	1.93	22.38	<=33.00	Pass
	1882.5	1	0	21.38	1.93	23.31	<=33.00	Pass
			25	21.66	1.93	23.59	<=33.00	Pass
			49	21.39	1.93	23.32	<=33.00	Pass
		25	0	20.39	1.93	22.32	<=33.00	Pass
			13	20.56	1.93	22.49	<=33.00	Pass
			25	20.48	1.93	22.41	<=33.00	Pass
		50	0	20.45	1.93	22.38	<=33.00	Pass
	1910	1	0	21.37	1.93	23.30	<=33.00	Pass
			25	21.28	1.93	23.21	<=33.00	Pass
			49	19.96	1.93	21.89	<=33.00	Pass

		25	0	20.36	1.93	22.29	<=33.00	Pass		
			13	20.50	1.93	22.43	<=33.00	Pass		
			25	19.67	1.93	21.60	<=33.00	Pass		
		50	0	20.24	1.93	22.17	<=33.00	Pass		
64QAM	1855	1	0	20.59	1.93	22.52	<=33.00	Pass		
			25	20.73	1.93	22.66	<=33.00	Pass		
			49	20.51	1.93	22.44	<=33.00	Pass		
		25	0	19.50	1.93	21.43	<=33.00	Pass		
			13	19.58	1.93	21.51	<=33.00	Pass		
			25	19.52	1.93	21.45	<=33.00	Pass		
		50	0	19.50	1.93	21.43	<=33.00	Pass		
		1882.5	1	0	20.19	1.93	22.12	<=33.00	Pass	
				25	20.49	1.93	22.42	<=33.00	Pass	
	49			20.29	1.93	22.22	<=33.00	Pass		
	25		0	19.45	1.93	21.38	<=33.00	Pass		
			13	19.63	1.93	21.56	<=33.00	Pass		
			25	19.56	1.93	21.49	<=33.00	Pass		
	50		0	19.47	1.93	21.40	<=33.00	Pass		
	1910		1	0	20.17	1.93	22.10	<=33.00	Pass	
				25	19.20	1.93	21.13	<=33.00	Pass	
		49		17.80	1.93	19.73	<=33.00	Pass		
		25	0	19.31	1.93	21.24	<=33.00	Pass		
			13	18.77	1.93	20.70	<=33.00	Pass		
			25	17.95	1.93	19.88	<=33.00	Pass		
		50	0	18.52	1.93	20.45	<=33.00	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.29	1.93	24.22	<=33.00	Pass
			38	22.40	1.93	24.33	<=33.00	Pass
			74	22.35	1.93	24.28	<=33.00	Pass
		36	0	21.46	1.93	23.39	<=33.00	Pass
			18	21.49	1.93	23.42	<=33.00	Pass
			39	21.45	1.93	23.38	<=33.00	Pass
		75	0	21.41	1.93	23.34	<=33.00	Pass
	1882.5	1	0	22.47	1.93	24.40	<=33.00	Pass
			38	22.41	1.93	24.34	<=33.00	Pass
			74	22.45	1.93	24.38	<=33.00	Pass

		36	0	21.37	1.93	23.30	<=33.00	Pass
			18	21.53	1.93	23.46	<=33.00	Pass
			39	21.49	1.93	23.42	<=33.00	Pass
		75	0	21.44	1.93	23.37	<=33.00	Pass
	1907.5	1	0	22.36	1.93	24.29	<=33.00	Pass
			38	22.36	1.93	24.29	<=33.00	Pass
			74	21.15	1.93	23.08	<=33.00	Pass
		36	0	21.29	1.93	23.22	<=33.00	Pass
			18	21.48	1.93	23.41	<=33.00	Pass
			39	21.23	1.93	23.16	<=33.00	Pass
75	0	21.42	1.93	23.35	<=33.00	Pass		
16QAM	1857.5	1	0	21.84	1.93	23.77	<=33.00	Pass
			38	22.03	1.93	23.96	<=33.00	Pass
			74	21.87	1.93	23.80	<=33.00	Pass
		36	0	20.48	1.93	22.41	<=33.00	Pass
			18	20.54	1.93	22.47	<=33.00	Pass
			39	20.48	1.93	22.41	<=33.00	Pass
		75	0	20.45	1.93	22.38	<=33.00	Pass
	1882.5	1	0	21.75	1.93	23.68	<=33.00	Pass
			38	21.74	1.93	23.67	<=33.00	Pass
			74	21.69	1.93	23.62	<=33.00	Pass
		36	0	20.34	1.93	22.27	<=33.00	Pass
			18	20.54	1.93	22.47	<=33.00	Pass
			39	20.54	1.93	22.47	<=33.00	Pass
		75	0	20.51	1.93	22.44	<=33.00	Pass
	1907.5	1	0	21.83	1.93	23.76	<=33.00	Pass
			38	21.86	1.93	23.79	<=33.00	Pass
			74	20.55	1.93	22.48	<=33.00	Pass
		36	0	20.29	1.93	22.22	<=33.00	Pass
			18	20.43	1.93	22.36	<=33.00	Pass
			39	20.08	1.93	22.01	<=33.00	Pass
		75	0	20.37	1.93	22.30	<=33.00	Pass
64QAM	1857.5	1	0	20.62	1.93	22.55	<=33.00	Pass
			38	20.77	1.93	22.70	<=33.00	Pass
			74	20.33	1.93	22.26	<=33.00	Pass
		36	0	19.47	1.93	21.40	<=33.00	Pass
			18	19.58	1.93	21.51	<=33.00	Pass
			39	19.52	1.93	21.45	<=33.00	Pass
	75	0	19.48	1.93	21.41	<=33.00	Pass	
	1882.5	1	0	20.52	1.93	22.45	<=33.00	Pass
			38	20.58	1.93	22.51	<=33.00	Pass
			74	20.54	1.93	22.47	<=33.00	Pass
36		0	19.43	1.93	21.36	<=33.00	Pass	

			18	19.58	1.93	21.51	<=33.00	Pass
			39	19.57	1.93	21.50	<=33.00	Pass
		75	0	19.49	1.93	21.42	<=33.00	Pass
	1907.5	1	0	20.76	1.93	22.69	<=33.00	Pass
			38	20.44	1.93	22.37	<=33.00	Pass
			74	18.53	1.93	20.46	<=33.00	Pass
		36	0	19.31	1.93	21.24	<=33.00	Pass
			18	19.40	1.93	21.33	<=33.00	Pass
			39	18.34	1.93	20.27	<=33.00	Pass
		75	0	19.10	1.93	21.03	<=33.00	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.50	1.93	24.43	<=33.00	Pass
			50	22.38	1.93	24.31	<=33.00	Pass
			99	22.35	1.93	24.28	<=33.00	Pass
		50	0	21.49	1.93	23.42	<=33.00	Pass
			25	21.48	1.93	23.41	<=33.00	Pass
			50	21.44	1.93	23.37	<=33.00	Pass
		100	0	21.39	1.93	23.32	<=33.00	Pass
	1882.5	1	0	22.47	1.93	24.40	<=33.00	Pass
			50	22.46	1.93	24.39	<=33.00	Pass
			99	22.45	1.93	24.38	<=33.00	Pass
		50	0	21.43	1.93	23.36	<=33.00	Pass
			25	21.51	1.93	23.44	<=33.00	Pass
			50	21.47	1.93	23.40	<=33.00	Pass
		100	0	21.43	1.93	23.36	<=33.00	Pass
	1905	1	0	22.34	1.93	24.27	<=33.00	Pass
			50	22.28	1.93	24.21	<=33.00	Pass
			99	21.24	1.93	23.17	<=33.00	Pass
		50	0	21.43	1.93	23.36	<=33.00	Pass
			25	21.38	1.93	23.31	<=33.00	Pass
			50	21.45	1.93	23.38	<=33.00	Pass
		100	0	21.37	1.93	23.30	<=33.00	Pass
16QAM	1860	1	0	21.88	1.93	23.81	<=33.00	Pass
			50	21.77	1.93	23.70	<=33.00	Pass
			99	21.79	1.93	23.72	<=33.00	Pass
		50	0	20.53	1.93	22.46	<=33.00	Pass

			25	20.50	1.93	22.43	<=33.00	Pass
			50	20.43	1.93	22.36	<=33.00	Pass
		100	0	20.43	1.93	22.36	<=33.00	Pass
	1882.5	1	0	21.73	1.93	23.66	<=33.00	Pass
			50	21.68	1.93	23.61	<=33.00	Pass
			99	21.71	1.93	23.64	<=33.00	Pass
		50	0	20.45	1.93	22.38	<=33.00	Pass
			25	20.53	1.93	22.46	<=33.00	Pass
			50	20.50	1.93	22.43	<=33.00	Pass
		100	0	20.43	1.93	22.36	<=33.00	Pass
	1905	1	0	22.03	1.93	23.96	<=33.00	Pass
			50	22.06	1.93	23.99	<=33.00	Pass
			99	20.83	1.93	22.76	<=33.00	Pass
		50	0	20.40	1.93	22.33	<=33.00	Pass
			25	20.38	1.93	22.31	<=33.00	Pass
			50	20.44	1.93	22.37	<=33.00	Pass
		100	0	20.35	1.93	22.28	<=33.00	Pass

64QAM	1860	1	0	20.78	1.93	22.71	<=33.00	Pass
			50	20.67	1.93	22.60	<=33.00	Pass
			99	19.99	1.93	21.92	<=33.00	Pass
		50	0	19.61	1.93	21.54	<=33.00	Pass
			25	19.56	1.93	21.49	<=33.00	Pass
			50	19.54	1.93	21.47	<=33.00	Pass
		100	0	19.45	1.93	21.38	<=33.00	Pass
	1882.5	1	0	20.73	1.93	22.66	<=33.00	Pass
			50	20.74	1.93	22.67	<=33.00	Pass
			99	20.77	1.93	22.70	<=33.00	Pass
		50	0	19.45	1.93	21.38	<=33.00	Pass
			25	19.55	1.93	21.48	<=33.00	Pass
			50	19.55	1.93	21.48	<=33.00	Pass
		100	0	19.44	1.93	21.37	<=33.00	Pass
	1905	1	0	20.30	1.93	22.23	<=33.00	Pass
			50	20.34	1.93	22.27	<=33.00	Pass
			99	18.29	1.93	20.22	<=33.00	Pass
		50	0	19.41	1.93	21.34	<=33.00	Pass
			25	19.42	1.93	21.35	<=33.00	Pass
			50	18.84	1.93	20.77	<=33.00	Pass
		100	0	19.14	1.93	21.07	<=33.00	Pass

Note1: EIRP=Conducted Power+Antenna Gain								
--	--	--	--	--	--	--	--	--


Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band25	20MHz	QPSK	26140	100RB#0	5.30	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	5.24	13	PASS
Band25	20MHz	QPSK	26590	100RB#0	5.26	13	PASS
Band25	20MHz	16QAM	26140	100RB#0	6.08	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	6.00	13	PASS
Band25	20MHz	16QAM	26590	100RB#0	6.02	13	PASS
Band25	20MHz	64QAM	26140	100RB#0	6.60	13	PASS
Band25	20MHz	64QAM	26365	100RB#0	6.54	13	PASS
Band25	20MHz	64QAM	26590	100RB#0	6.62	13	PASS

Test Graphs


Band25-20MHz-QPSK-26140-100RB#0




Band25-20MHz-QPSK-26365-100RB#0




Band25-20MHz-QPSK-26590-100RB#0



Band25-20MHz-16QAM-26140-100RB#0




Band25-20MHz-16QAM-26365-100RB#0




Band25-20MHz-16QAM-26590-100RB#0




Band25-20MHz-64QAM-26140-100RB#0



Band25-20MHz-64QAM-26365-100RB#0



Band25-20MHz-64QAM-26590-100RB#0



26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	1.085	1.23	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.085	1.23	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.087	1.22	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1.091	1.24	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.091	1.23	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.092	1.24	PASS
Band25	1.4MHz	64QAM	26047	6RB#0	1.093	1.24	PASS
Band25	1.4MHz	64QAM	26365	6RB#0	1.092	1.23	PASS
Band25	1.4MHz	64QAM	26683	6RB#0	1.093	1.24	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.695	2.98	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.692	2.96	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.695	2.99	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.688	2.99	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.687	3.00	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.688	2.98	PASS
Band25	3MHz	64QAM	26055	15RB#0	2.685	2.97	PASS
Band25	3MHz	64QAM	26365	15RB#0	2.688	2.98	PASS
Band25	3MHz	64QAM	26675	15RB#0	2.687	2.96	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.468	4.87	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.466	4.88	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.466	4.89	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.467	4.90	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.47	4.90	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.466	4.90	PASS
Band25	5MHz	64QAM	26065	25RB#0	4.475	4.91	PASS
Band25	5MHz	64QAM	26365	25RB#0	4.479	4.90	PASS
Band25	5MHz	64QAM	26665	25RB#0	4.479	4.88	PASS
Band25	10MHz	QPSK	26090	50RB#0	8.91	9.66	PASS
Band25	10MHz	QPSK	26365	50RB#0	8.92	9.64	PASS
Band25	10MHz	QPSK	26640	50RB#0	8.925	9.60	PASS
Band25	10MHz	16QAM	26090	50RB#0	8.909	9.62	PASS
Band25	10MHz	16QAM	26365	50RB#0	8.904	9.62	PASS
Band25	10MHz	16QAM	26640	50RB#0	8.907	9.62	PASS
Band25	10MHz	64QAM	26090	50RB#0	8.921	9.64	PASS

Band25	10MHz	64QAM	26365	50RB#0	8.915	9.64	PASS
Band25	10MHz	64QAM	26640	50RB#0	8.917	9.62	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.476	14.70	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.465	14.79	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.462	14.76	PASS
Band25	15MHz	16QAM	26115	75RB#0	13.442	14.73	PASS
Band25	15MHz	16QAM	26365	75RB#0	13.437	14.76	PASS
Band25	15MHz	16QAM	26615	75RB#0	13.443	14.76	PASS
Band25	15MHz	64QAM	26115	75RB#0	13.432	14.85	PASS
Band25	15MHz	64QAM	26365	75RB#0	13.428	14.82	PASS
Band25	15MHz	64QAM	26615	75RB#0	13.426	14.82	PASS
Band25	20MHz	QPSK	26140	100RB#0	17.902	19.56	PASS
Band25	20MHz	QPSK	26365	100RB#0	17.911	19.56	PASS
Band25	20MHz	QPSK	26590	100RB#0	17.898	19.52	PASS
Band25	20MHz	16QAM	26140	100RB#0	17.881	19.48	PASS
Band25	20MHz	16QAM	26365	100RB#0	17.871	19.40	PASS
Band25	20MHz	16QAM	26590	100RB#0	17.862	19.36	PASS
Band25	20MHz	64QAM	26140	100RB#0	17.862	19.44	PASS
Band25	20MHz	64QAM	26365	100RB#0	17.846	19.56	PASS
Band25	20MHz	64QAM	26590	100RB#0	17.889	19.48	PASS


Test Graphs

Band25-1.4MHz-QPSK-26047-6RB#0




15:58:13 07.03.2023

Band25-1.4MHz-QPSK-26365-6RB#0




15:59:02 07.03.2023

Band25-1.4MHz-QPSK-26683-6RB#0




15:59:50 07.03.2023

Band25-1.4MHz-16QAM-26047-6RB#0




15:58:29 07.03.2023


Band25-1.4MHz-16QAM-26365-6RB#0



Band25-1.4MHz-16QAM-26683-6RB#0




Band25-1.4MHz-64QAM-26047-6RB#0




15:58:45 07.03.2023

Band25-1.4MHz-64QAM-26365-6RB#0




15:59:34 07.03.2023

Band25-1.4MHz-64QAM-26683-6RB#0




16:00:23 07.03.2023

Band25-3MHz-QPSK-26055-15RB#0




16:00:56 07.03.2023

Band25-3MHz-QPSK-26365-15RB#0




16:01:44 07.03.2023

Band25-3MHz-QPSK-26675-15RB#0




16:02:33 07.03.2023

Band25-3MHz-16QAM-26055-15RB#0




16:01:12 07.03.2023

Band25-3MHz-16QAM-26365-15RB#0




16:02:01 07.03.2023

Band25-3MHz-16QAM-26675-15RB#0




16:02:49 07.03.2023

Band25-3MHz-64QAM-26055-15RB#0




16:01:28 07.03.2023

Band25-3MHz-64QAM-26365-15RB#0




16:02:17 07.03.2023

Band25-3MHz-64QAM-26675-15RB#0




16:03:06 07.03.2023

Band25-5MHz-QPSK-26065-25RB#0




16:03:44 07.03.2023

Band25-5MHz-QPSK-26365-25RB#0




16:04:54 07.03.2023

Band25-5MHz-QPSK-26665-25RB#0



16:06:03 07.03.2023

Band25-5MHz-16QAM-26065-25RB#0



16:04:07 07.03.2023

Band25-5MHz-16QAM-26365-25RB#0




16:05:17 07.03.2023

Band25-5MHz-16QAM-26665-25RB#0



16:06:27 07.03.2023

Band25-5MHz-64QAM-26065-25RB#0




16:04:30 07.03.2023

Band25-5MHz-64QAM-26365-25RB#0




16:05:40 07.03.2023

Band25-5MHz-64QAM-26665-25RB#0




16:06:50 07.03.2023

Band25-10MHz-QPSK-26090-50RB#0




16:07:21 07.03.2023

Band25-10MHz-QPSK-26365-50RB#0




16:08:10 07.03.2023

Band25-10MHz-QPSK-26640-50RB#0




16:08:58 07.03.2023

Band25-10MHz-16QAM-26090-50RB#0




16:07:37 07.03.2023

Band25-10MHz-16QAM-26365-50RB#0




16:08:26 07.03.2023

Band25-10MHz-16QAM-26640-50RB#0




16:09:14 07.03.2023

Band25-10MHz-64QAM-26090-50RB#0




16:07:53 07.03.2023

Band25-10MHz-64QAM-26365-50RB#0




16:08:42 07.03.2023

Band25-10MHz-64QAM-26640-50RB#0




16:09:31 07.03.2023

Band25-15MHz-QPSK-26115-75RB#0



16:10:04 07.03.2023

Band25-15MHz-QPSK-26365-75RB#0




16:10:52 07.03.2023

Band25-15MHz-QPSK-26615-75RB#0




16:11:41 07.03.2023

Band25-15MHz-16QAM-26115-75RB#0



16:10:20 07.03.2023

Band25-15MHz-16QAM-26365-75RB#0




16:11:08 07.03.2023

Band25-15MHz-16QAM-26615-75RB#0




16:11:57 07.03.2023

Band25-15MHz-64QAM-26115-75RB#0




16:10:36 07.03.2023

Band25-15MHz-64QAM-26365-75RB#0




16:11:24 07.03.2023

Band25-15MHz-64QAM-26615-75RB#0




16:12:13 07.03.2023

Band25-20MHz-QPSK-26140-100RB#0




16:12:44 07.03.2023

Band25-20MHz-QPSK-26365-100RB#0




16:13:33 07.03.2023

Band25-20MHz-QPSK-26590-100RB#0




16:14:21 07.03.2023

Band25-20MHz-16QAM-26140-100RB#0




16:13:00 07.03.2023

Band25-20MHz-16QAM-26365-100RB#0




16:13:49 07.03.2023

Band25-20MHz-16QAM-26590-100RB#0



Band25-20MHz-64QAM-26140-100RB#0




Band25-20MHz-64QAM-26365-100RB#0



16:14:05 07.03.2023

Band25-20MHz-64QAM-26590-100RB#0



16:14:54 07.03.2023


Band Edge

Test Graphs


Band25-1.4MHz-QPSK-26047-1RB#0



Band25-1.4MHz-QPSK-26047-6RB#0



Band25-1.4MHz-QPSK-26683-1RB#5




16:17:11 07.03.2023

Band25-1.4MHz-QPSK-26683-6RB#0




16:17:43 07.03.2023


Band25-3MHz-QPSK-26055-1RB#0




Band25-3MHz-QPSK-26055-15RB#0




Band25-3MHz-QPSK-26675-1RB#14



Band25-3MHz-QPSK-26675-15RB#0




Band25-5MHz-QPSK-26065-1RB#0




Band25-5MHz-QPSK-26065-25RB#0




Band25-5MHz-QPSK-26665-1RB#24



Band25-5MHz-QPSK-26665-25RB#0




Band25-10MHz-QPSK-26090-1RB#0



Band25-10MHz-QPSK-26090-50RB#0




Band25-10MHz-QPSK-26640-1RB#49



Band25-10MHz-QPSK-26640-50RB#0




Band25-15MHz-QPSK-26115-1RB#0




Band25-15MHz-QPSK-26115-75RB#0




Band25-15MHz-QPSK-26615-1RB#74



Band25-15MHz-QPSK-26615-75RB#0




Band25-20MHz-QPSK-26140-1RB#0



Band25-20MHz-QPSK-26140-100RB#0



Band25-20MHz-QPSK-26590-1RB#99




Band25-20MHz-QPSK-26590-100RB#0




Conducted Spurious Emission

Test Graphs


Band25-20MHz-QPSK-26140-1RB#0-Range1:0.009~0.15MHz




Band25-20MHz-QPSK-26140-1RB#0-Range2:0.15~30MHz




Band25-20MHz-QPSK-26140-1RB#0-Range3:30~1000MHz




Band25-20MHz-QPSK-26140-1RB#0-Range4:1000~20000MHz




Band25-20MHz-QPSK-26365-1RB#0-Range1:0.009~0.15MHz




Band25-20MHz-QPSK-26365-1RB#0-Range2:0.15~30MHz




Band25-20MHz-QPSK-26365-1RB#0-Range3:30~1000MHz




Band25-20MHz-QPSK-26365-1RB#0-Range4:1000~20000MHz




Band25-20MHz-QPSK-26590-1RB#0-Range1:0.009~0.15MHz




Band25-20MHz-QPSK-26590-1RB#0-Range2:0.15~30MHz



Band25-20MHz-QPSK-26590-1RB#0-Range3:30~1000MHz



Band25-20MHz-QPSK-26590-1RB#0-Range4:1000~20000MHz



Field Strength of Spurious Radiation

Test Band = LTE Band 25_ TM1

Test Channel = Low Channel

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3702.18	41.94	-45.69	29.89	-69.13	-13.00	56.13	142	359	Horizontal
2	5553.27	41.16	-43.87	32.77	-65.20	-13.00	52.20	296	15	Horizontal
3	7404.36	38.58	-41.96	36.44	-62.20	-13.00	49.20	285	216	Horizontal
4	9255.45	33.52	-38.39	38.57	-61.56	-13.00	48.56	241	66	Horizontal
5	11106.54	32.42	-35.35	39.49	-58.70	-13.00	45.70	142	66	Horizontal
6	12957.63	33.88	-34.89	39.56	-56.72	-13.00	43.72	263	164	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3702.18	43.55	-45.69	29.89	-67.52	-13.00	54.52	296	199	Vertical
2	5553.27	41.81	-43.87	32.77	-64.55	-13.00	51.55	265	149	Vertical
3	7404.36	38.45	-41.96	36.44	-62.33	-13.00	49.33	284	182	Vertical
4	9255.45	33.84	-38.39	38.57	-61.24	-13.00	48.24	142	149	Vertical
5	11106.54	31.79	-35.35	39.49	-59.33	-13.00	46.33	263	47	Vertical
6	12957.63	33.18	-34.89	39.56	-57.42	-13.00	44.42	228	132	Vertical

Test Band = LTE Band 25_ TM1
Test Channel = Mid Channel

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3742.18	41.41	-45.59	29.98	-69.45	-13.00	56.45	285	264	Horizontal
2	5613.27	40.81	-43.84	32.96	-65.33	-13.00	52.33	241	328	Horizontal
3	7484.36	38.77	-41.66	36.49	-61.66	-13.00	48.66	142	360	Horizontal
4	9355.45	34.54	-38.26	38.56	-60.42	-13.00	47.42	263	215	Horizontal
5	11226.54	32.89	-35.07	39.37	-58.06	-13.00	45.06	225	3	Horizontal
6	13097.63	32.35	-34.47	39.66	-57.72	-13.00	44.72	296	95	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3742.18	41.66	-45.59	29.98	-69.20	-13.00	56.20	185	163	Vertical
2	5613.27	40.62	-43.84	32.96	-65.52	-13.00	52.52	241	95	Vertical
3	7484.36	38.78	-41.66	36.49	-61.65	-13.00	48.65	142	163	Vertical
4	9355.45	35.46	-38.26	38.56	-59.50	-13.00	46.50	263	312	Vertical
5	11226.54	32.69	-35.07	39.37	-58.26	-13.00	45.26	225	163	Vertical
6	13097.63	32.25	-34.47	39.66	-57.82	-13.00	44.82	286	3	Vertical

Test Band = LTE Band 25_ TM1

Test Channel = High Channel

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3792.18	41.13	-45.45	30.10	-69.48	-13.00	56.48	296	326	Horizontal
2	5688.27	41.33	-43.75	33.20	-64.48	-13.00	51.48	265	205	Horizontal
3	7584.36	37.72	-41.31	36.67	-62.18	-13.00	49.18	241	152	Horizontal
4	9480.45	34.91	-38.15	38.55	-59.95	-13.00	46.95	142	359	Horizontal
5	11376.54	31.81	-35.48	39.22	-59.71	-13.00	46.71	263	340	Horizontal
6	13272.63	31.67	-35.12	39.76	-58.94	-13.00	45.94	224	205	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3792.18	42.31	-45.45	30.10	-68.30	-13.00	55.30	241	264	Vertical
2	5688.27	41.42	-43.75	33.20	-64.39	-13.00	51.39	152	3	Vertical
3	7584.36	37.76	-41.31	36.67	-62.14	-13.00	49.14	263	230	Vertical
4	9480.45	35.11	-38.15	38.55	-59.75	-13.00	46.75	225	280	Vertical
5	11376.54	32.08	-35.48	39.22	-59.44	-13.00	46.44	241	346	Vertical
6	13272.63	31.93	-35.12	39.76	-58.68	-13.00	45.68	142	280	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

Frequency Stability

Test Result

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band25	20MHz	QPSK	26365	100RB#0	VL	NT	3.70	0.001965	PASS
Band25	20MHz	QPSK	26365	100RB#0	VN	NT	-7.80	-0.004143	PASS
Band25	20MHz	QPSK	26365	100RB#0	VH	NT	5.30	0.002815	PASS

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band25	20MHz	QPSK	26365	100RB#0	NV	-30	-3.40	-0.001806	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	-20	-7.50	-0.003984	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	-10	2.90	0.001541	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	0	-8.00	-0.004250	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	10	0.80	0.000425	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	20	-10.80	-0.005737	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	30	6.40	0.003400	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	40	5.70	0.003028	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	50	-10.60	-0.005631	PASS

---End of Attachment---