


Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5444.93	64.45 PK	74	-9.55	-35.06	4.25	-30.81
2	5459.43	51.3 AV	54	-2.7	-48.21	4.25	-43.96
3	#5468.59	65.37 PK	68.2	-2.83	-34.14	4.25	-29.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11ax (HE40) - Channel 110
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3712.5	48.58 PK	74	-25.42	-52.5	5.825	-46.68
2	3682.81	37.17 AV	54	-16.83	-63.91	5.825	-58.09
3	7403.12	50.67 PK	74	-23.33	-50.41	5.825	-44.59
4	7382.81	38.99 AV	54	-15.01	-62.09	5.825	-56.27
5	11089.06	53.94 PK	74	-20.06	-47.14	5.825	-41.32
6	11107.81	41.73 AV	54	-12.27	-59.35	5.825	-53.53
7	#16669.68	43.67 PK	68.2	-24.53	-57.41	5.825	-51.59

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5375	64.04 PK	74	-9.96	-35.47	4.25	-31.22
2	5430.46	50.76 AV	54	-3.24	-48.75	4.25	-44.50
3	#5464.78	63.44 PK	68.2	-4.76	-36.07	4.25	-31.82

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11ax (HE40) - Channel 134
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3764.06	48.87 PK	74	-25.13	-52.21	5.825	-46.39
2	3784.37	36.79 AV	54	-17.21	-64.29	5.825	-58.47
3	7556.25	50.07 PK	74	-23.93	-51.01	5.825	-45.19
4	7540.62	37.97 AV	54	-16.03	-63.11	5.825	-57.29
5	11342.18	53.91 PK	74	-20.09	-47.17	5.825	-41.35
6	11342.18	42.11 AV	54	-11.89	-58.97	5.825	-53.15
7	#17013.25	41.92 PK	68.2	-26.28	-59.16	5.825	-53.34

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5740.7	64.23 PK	68.2	-3.97	-35.28	4.25	-31.03

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11ax (HE40) - Channel 142
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3807.81	48.52 PK	74	-25.48	-52.56	5.825	-46.74
2	3825	37.52 AV	54	-16.48	-63.56	5.825	-57.74
3	7593.75	50.17 PK	74	-23.83	-50.91	5.825	-45.09
4	7618.75	38.17 AV	54	-15.83	-62.91	5.825	-57.09
5	11434.37	55.04 PK	74	-18.96	-46.04	5.825	-40.22
6	11420.31	41.89 AV	54	-12.11	-59.19	5.825	-53.37
7	#17128.25	42.18 PK	68.2	-26.02	-58.9	5.825	-53.08

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5860.63	63.44 PK	68.2	-4.76	-36.07	4.25	-31.82

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11ax (HE40) - Channel 151
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3856.25	47.96 PK	74	-26.04	-53.12	5.825	-47.30
2	3839.06	27.44 AV	54	-26.56	-73.64	5.825	-67.82
3	7657.81	52.03 PK	74	-21.97	-49.05	5.825	-43.23
4	7673.43	29.67 AV	54	-24.33	-71.41	5.825	-65.59
5	11512.5	54.32 PK	74	-19.68	-46.76	5.825	-40.94
6	11517.18	37.19 AV	54	-16.81	-63.89	5.825	-58.07
7	#17283.5	45.74 PK	68.2	-22.46	-55.34	5.825	-49.52

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Bandedge table









802.11ax (HE40) - Channel 159
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3848.43	47.99 PK	74	-26.01	-53.09	5.825	-47.27
2	3845.31	27.65 AV	54	-26.35	-73.43	5.825	-67.61
3	7709.37	51.16 PK	74	-22.84	-49.92	5.825	-44.10
4	7739.06	28.75 AV	54	-25.25	-72.33	5.825	-66.51
5	11592.18	54.34 PK	74	-19.66	-46.74	5.825	-40.92
6	11590.62	37.48 AV	54	-16.52	-63.6	5.825	-57.78
7	#17397.06	46.01 PK	68.2	-22.19	-55.07	5.825	-49.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Bandedge table









802.11ax (HE80) - Channel 42

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3473.43	49.22 PK	68.2	-18.98	-51.86	5.825	-46.04
2	#6946.87	50.23 PK	68.2	-17.97	-50.85	5.825	-45.03
3	#10410.93	53.08 PK	68.2	-15.12	-48	5.825	-42.18
4	15611.68	42.39 PK	74	-31.61	-58.69	5.825	-52.87
5	15630.37	31.98 AV	54	-22.02	-69.1	5.825	-63.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5117.27	66.54 PK	74	-7.46	-31.87	3.15	-28.72
2	5134.9	52.03 AV	54	-1.97	-46.38	3.15	-43.23

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









802.11ax (HE80) - Channel 58
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3510.93	48.85 PK	74	-25.15	-52.23	5.825	-46.41
2	3535.93	38.61 AV	54	-15.39	-62.47	5.825	-56.65
3	#7050	51.42 PK	68.2	-16.78	-49.66	5.825	-43.84
4	#10576.56	51.53 PK	68.2	-16.67	-49.55	5.825	-43.73
5	10600	41.24 AV	54	-12.76	-59.84	5.825	-54.02
6	15867.56	42.6 PK	74	-31.4	-58.48	5.825	-52.66
7	15861.81	31.82 AV	54	-22.18	-69.26	5.825	-63.44

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5354	64.62 PK	74	-9.38	-33.39	2.75	-30.64
2	5350.5	52.46 AV	54	-1.54	-45.55	2.75	-42.80

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









802.11ax (HE80) - Channel 106
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3704.68	48.97 PK	74	-25.03	-52.11	5.825	-46.29
2	3668.75	38.18 AV	54	-15.82	-62.9	5.825	-57.08
3	7387.5	51.08 PK	74	-22.92	-50	5.825	-44.18
4	7371.87	39.92 AV	54	-14.08	-61.16	5.825	-55.34
5	11051.56	52.83 PK	74	-21.17	-48.25	5.825	-42.43
6	11075	41.23 AV	54	-12.77	-59.85	5.825	-54.03
7	#16576.25	42.67 PK	68.2	-25.53	-58.41	5.825	-52.59

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5434.59	67.13 PK	74	-6.87	-32.38	4.25	-28.13
2	5444.75	53.69 AV	54	-0.31	-45.82	4.25	-41.57
3	#5465.37	65.42 PK	68.2	-2.78	-34.09	4.25	-29.84

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11ax (HE80) - Channel 122
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3751.56	48.46 PK	74	-25.54	-52.62	5.825	-46.80
2	3723.43	37.76 AV	54	-16.24	-63.32	5.825	-57.50
3	7484.37	50.1 PK	74	-23.9	-50.98	5.825	-45.16
4	7471.87	39.18 AV	54	-14.82	-61.9	5.825	-56.08
5	11226.56	52.54 PK	74	-21.46	-48.54	5.825	-42.72
6	11212.5	42.02 AV	54	-11.98	-59.06	5.825	-53.24
7	#16816.31	42.04 PK	68.2	-26.16	-59.04	5.825	-53.22

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5795.07	64.43 PK	68.2	-3.77	-35.08	4.25	-30.83

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11ax (HE80) - Channel 138
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3720.31	48.4 PK	74	-25.6	-52.68	5.825	-46.86
2	3743.75	37.89 AV	54	-16.11	-63.19	5.825	-57.37
3	7460.93	50.05 PK	74	-23.95	-51.03	5.825	-45.21
4	7479.68	39.09 AV	54	-14.91	-61.99	5.825	-56.17
5	11235.93	52.45 PK	74	-21.55	-48.63	5.825	-42.81
6	11232.81	41.88 AV	54	-12.12	-59.2	5.825	-53.38
7	#16842.18	42.39 PK	68.2	-25.81	-58.69	5.825	-52.87

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5898.28	64.28 PK	68.2	-3.92	-35.23	4.25	-30.98

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11ax (HE80) - Channel 155
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3862.5	47.4 PK	74	-26.6	-53.68	5.825	-47.86
2	3850	28.28 AV	54	-25.72	-72.8	5.825	-66.98
3	7706.25	51.52 PK	74	-22.48	-49.56	5.825	-43.74
4	7682.81	30.01 AV	54	-23.99	-71.07	5.825	-65.25
5	11568.75	53.34 PK	74	-20.66	-47.74	5.825	-41.92
6	11567.18	37.03 AV	54	-16.97	-64.05	5.825	-58.23
7	#17339.56	45.68 PK	68.2	-22.52	-55.4	5.825	-49.58

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Bandedge table









20 MHz Preamble 802.11ax (RU26) - Channel 36

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3443.75	58.76 PK	68.2	-9.44	-42.32	5.825	-36.50
2	#6896.87	59.83 PK	68.2	-8.37	-41.25	5.825	-35.43
3	#10343.75	62.64 PK	68.2	-5.56	-38.44	5.825	-32.62
4	15555.62	54.95 PK	74	-19.05	-46.13	5.825	-40.31
5	15544.12	40.45 AV	54	-13.55	-60.63	5.825	-54.81
6	#24900.81	59.44 PK	68.2	-8.76	-41.64	5.825	-35.82

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5138.07	67.02 PK	74	-6.98	-31.39	3.15	-28.24
2	5051.27	48.29 AV	54	-5.71	-50.12	3.15	-46.97

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









20 MHz Preamble 802.11ax (RU26) - Channel 40

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3460.93	58.65 PK	68.2	-9.55	-42.43	5.825	-36.61
2	#6935.93	60.76 PK	68.2	-7.44	-40.32	5.825	-34.50
3	#10403.12	61.86 PK	68.2	-6.34	-39.22	5.825	-33.40
4	15613.12	55.62 PK	74	-18.38	-45.46	5.825	-39.64
5	15598.75	40.94 AV	54	-13.06	-60.14	5.825	-54.32
6	38845	55.41 PK	74	-18.59	-45.67	5.825	-39.85
7	38848.75	31.19 AV	54	-22.81	-69.89	5.825	-64.07

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5125.45	62.88 PK	74	-11.12	-35.53	3.15	-32.38
2	5113.6	48.3 AV	54	-5.7	-50.11	3.15	-46.96

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









20 MHz Preamble 802.11ax (RU26) - Channel 48

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3512.5	59.15 PK	74	-14.85	-41.93	5.825	-36.11
2	3500	36.87 AV	54	-17.13	-64.21	5.825	-58.39
3	#6990.62	60.63 PK	68.2	-7.57	-40.45	5.825	-34.63
4	#10496.87	61.88 PK	68.2	-6.32	-39.2	5.825	-33.38
5	15723.81	56.97 PK	74	-17.03	-44.11	5.825	-38.29
6	15712.31	40.82 AV	54	-13.18	-60.26	5.825	-54.44

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5133.15	62.18 PK	74	-11.82	-36.23	3.15	-33.08
2	5128.07	48.47 AV	54	-5.53	-49.94	3.15	-46.79

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









20 MHz Preamble 802.11ax (RU26) - Channel 52

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3518.75	58.96 PK	74	-15.04	-42.12	5.825	-36.30
2	3526.56	36.85 AV	54	-17.15	-64.23	5.825	-58.41
3	#7026.56	60.54 PK	68.2	-7.66	-40.54	5.825	-34.72
4	#10504.68	62.64 PK	68.2	-5.56	-38.44	5.825	-32.62
5	15787.06	56.87 PK	74	-17.13	-44.21	5.825	-38.39
6	15784.18	40.52 AV	54	-13.48	-60.56	5.825	-54.74

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5405.07	63.05 PK	74	-10.95	-34.96	2.75	-32.21
2	5412.05	49.54 AV	54	-4.46	-48.47	2.75	-45.72

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




20 MHz Preamble 802.11ax (RU26) - Channel 60

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3546.87	59.47 PK	74	-14.53	-41.61	5.825	-35.79
2	3546.87	37.19 AV	54	-16.81	-63.89	5.825	-58.07
3	#7059.37	61.69 PK	68.2	-6.51	-39.39	5.825	-33.57
4	#10598.43	63.65 PK	68.2	-4.55	-37.43	5.825	-31.61
5	15890.56	56.51 PK	74	-17.49	-44.57	5.825	-38.75
6	15886.25	40.69 AV	54	-13.31	-60.39	5.825	-54.57
7	39358.75	55.04 PK	74	-18.96	-46.04	5.825	-40.22
8	39370	31.47 AV	54	-22.53	-69.61	5.825	-63.79

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5377.25	62.98 PK	74	-11.02	-35.03	2.75	-32.28
2	5362.67	49.47 AV	54	-4.53	-48.54	2.75	-45.79

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









20 MHz Preamble 802.11ax (RU26) - Channel 64

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3553.12	59.15 PK	74	-14.85	-41.93	5.825	-36.11
2	3554.68	37.31 AV	54	-16.69	-63.77	5.825	-57.95
3	#7110.93	60.94 PK	68.2	-7.26	-40.14	5.825	-34.32
4	10656.25	63.29 PK	74	-10.71	-37.79	5.825	-31.97
5	10656.25	47.23 AV	54	-6.77	-53.85	5.825	-48.03
6	15962.43	55.54 PK	74	-18.46	-45.54	5.825	-39.72
7	15961	40.85 AV	54	-13.15	-60.23	5.825	-54.41

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5361.22	72.47 PK	74	-1.53	-25.54	2.75	-22.79
2	5408.72	49.4 AV	54	-4.6	-48.61	2.75	-45.86

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









20 MHz Preamble 802.11ax (RU26) - Channel 100

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3651.56	58.91 PK	74	-15.09	-42.17	5.825	-36.35
2	3648.43	37.13 AV	54	-16.87	-63.95	5.825	-58.13
3	7353.12	60.57 PK	74	-13.43	-40.51	5.825	-34.69
4	7332.81	38.79 AV	54	-15.21	-62.29	5.825	-56.47
5	10984.37	62.55 PK	74	-11.45	-38.53	5.825	-32.71
6	10982.81	47.62 AV	54	-6.38	-53.46	5.825	-47.64
7	#16492.87	55.45 PK	68.2	-12.75	-45.63	5.825	-39.81
8	#24897.93	60.32 PK	68.2	-7.88	-40.76	5.825	-34.94

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5459.93	66.01 PK	74	-7.99	-33.5	4.25	-29.25
2	5411.59	51.17 AV	54	-2.83	-48.34	4.25	-44.09
3	#5466.84	63.84 PK	68.2	-4.36	-35.67	4.25	-31.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









20 MHz Preamble 802.11ax (RU26) - Channel 116
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3718.75	59.23 PK	74	-14.77	-41.85	5.825	-36.03
2	3700	36.65 AV	54	-17.35	-64.43	5.825	-58.61
3	7428.12	61.34 PK	74	-12.66	-39.74	5.825	-33.92
4	7425	38.23 AV	54	-15.77	-62.85	5.825	-57.03
5	11143.75	64.01 PK	74	-9.99	-37.07	5.825	-31.25
6	11143.75	47.76 AV	54	-6.24	-53.32	5.825	-47.50
7	#16751.62	56 PK	68.2	-12.2	-45.08	5.825	-39.26
8	19938.56	59.02 PK	74	-14.98	-42.06	5.825	-36.24
9	19947.18	42.13 AV	54	-11.87	-58.95	5.825	-53.13
10	39951.25	55.31 PK	74	-18.69	-45.77	5.825	-39.95
11	39970	31.68 AV	54	-22.32	-69.4	5.825	-63.58

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5418.78	64.55 PK	74	-9.45	-34.96	4.25	-30.71
2	5459.34	50.91 AV	54	-3.09	-48.6	4.25	-44.35
3	#5466.62	64.24 PK	68.2	-3.96	-35.27	4.25	-31.02

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









20 MHz Preamble 802.11ax (RU26) - Channel 140

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3807.81	58.83 PK	74	-15.17	-42.25	5.825	-36.43
2	3810.93	37.08 AV	54	-16.92	-64	5.825	-58.18
3	7582.81	59.64 PK	74	-14.36	-41.44	5.825	-35.62
4	7614.06	37.79 AV	54	-16.21	-63.29	5.825	-57.47
5	11417.18	63.16 PK	74	-10.84	-37.92	5.825	-32.10
6	11417.18	48.1 AV	54	-5.9	-52.98	5.825	-47.16
7	#17108.12	55.25 PK	68.2	-12.95	-45.83	5.825	-40.01

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5725.15	67.28 PK	68.2	-0.92	-32.23	4.25	-27.98

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









20 MHz Preamble 802.11ax (RU26) - Channel 144

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3828.12	57.91 PK	74	-16.09	-43.17	5.825	-37.35
2	3812.5	37.3 AV	54	-16.7	-63.78	5.825	-57.96
3	7643.75	60.33 PK	74	-13.67	-40.75	5.825	-34.93
4	7645.31	37.98 AV	54	-16.02	-63.1	5.825	-57.28
5	11456.25	64.27 PK	74	-9.73	-36.81	5.825	-30.99
6	11457.81	49.65 AV	54	-4.35	-51.43	5.825	-45.61
7	#17161.31	56.28 PK	68.2	-11.92	-44.8	5.825	-38.98

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5854	64.06 PK	68.2	-4.14	-35.45	4.25	-31.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









20 MHz Preamble 802.11ax (RU26) - Channel 149
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3846.87	57.89 PK	74	-16.11	-43.19	5.825	-37.37
2	3812.5	37.16 AV	54	-16.84	-63.92	5.825	-58.10
3	7653.12	60.67 PK	74	-13.33	-40.41	5.825	-34.59
4	7678.12	38.93 AV	54	-15.07	-62.15	5.825	-56.33
5	11475	63.93 PK	74	-10.07	-37.15	5.825	-31.33
6	11473.43	49.48 AV	54	-4.52	-51.6	5.825	-45.78
7	#17234.62	55.13 PK	68.2	-13.07	-45.95	5.825	-40.13
8	12501.56	65.06 PK	74	-8.94	-36.02	5.825	-30.20
9	12484.37	41.78 AV	54	-12.22	-59.3	5.825	-53.48


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





Bandedge table









20 MHz Preamble 802.11ax (RU26) - Channel 157

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3857.81	57.91 PK	74	-16.09	-43.17	5.825	-37.35
2	3840.62	36.93 AV	54	-17.07	-64.15	5.825	-58.33
3	7723.43	61.81 PK	74	-12.19	-39.27	5.825	-33.45
4	7714.06	38.24 AV	54	-15.76	-62.84	5.825	-57.02
5	11568.75	64.73 PK	74	-9.27	-36.35	5.825	-30.53
6	11570.31	50.07 AV	54	-3.93	-51.01	5.825	-45.19
7	#17343.87	55.14 PK	68.2	-13.06	-45.94	5.825	-40.12

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





BUREAU VERITAS

Bandedge table



BUREAU VERITAS







20 MHz Preamble 802.11ax (RU26) - Channel 165

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3868.75	58.88 PK	74	-15.12	-42.2	5.825	-36.38
2	3867.18	36.82 AV	54	-17.18	-64.26	5.825	-58.44
3	#7760.93	62.4 PK	68.2	-5.8	-38.68	5.825	-32.86
4	11667.18	64.86 PK	74	-9.14	-36.22	5.825	-30.40
5	11667.18	50.14 AV	54	-3.86	-50.94	5.825	-45.12
6	#17461.75	55.22 PK	68.2	-12.98	-45.86	5.825	-40.04
7	38869.37	54.47 PK	74	-19.53	-46.61	5.825	-40.79
8	38878.75	31.36 AV	54	-22.64	-69.72	5.825	-63.90
9	1978.12	59.59 PK	74	-14.41	-41.49	5.825	-35.67
10	1960.93	43.42 AV	54	-10.58	-57.66	5.825	-51.84

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





BUREAU
VERITAS

Bandedge table









20 MHz Preamble 802.11ax (RU52) - Channel 36

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3465.62	59.85 PK	68.2	-8.35	-41.23	5.825	-35.41
2	#6893.75	60.09 PK	68.2	-8.11	-40.99	5.825	-35.17
3	#10345.31	62.53 PK	68.2	-5.67	-38.55	5.825	-32.73
4	15539.81	54.9 PK	74	-19.1	-46.18	5.825	-40.36
5	15558.5	40.35 AV	54	-13.65	-60.73	5.825	-54.91

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5141.25	66.21 PK	74	-7.79	-32.2	3.15	-29.05
2	5093.32	48.5 AV	54	-5.5	-49.91	3.15	-46.76

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









802.11ax (HE20) - Channel 40

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3475	58.65 PK	68.2	-9.55	-42.43	5.825	-36.61
2	#6946.87	60.2 PK	68.2	-8	-40.88	5.825	-35.06
3	#10406.25	62.1 PK	68.2	-6.1	-38.98	5.825	-33.16
4	15590.12	55.33 PK	74	-18.67	-45.75	5.825	-39.93
5	15601.62	40.79 AV	54	-13.21	-60.29	5.825	-54.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5077.47	62.12 PK	74	-11.88	-36.29	3.15	-33.14
2	5110.4	48.39 AV	54	-5.61	-50.02	3.15	-46.87

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









20 MHz Preamble 802.11ax (RU52) - Channel 48

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3490.62	58.82 PK	68.2	-9.38	-42.26	5.825	-36.44
2	#6978.12	60.6 PK	68.2	-7.6	-40.48	5.825	-34.66
3	#10495.31	62.9 PK	68.2	-5.3	-38.18	5.825	-32.36
4	15729.56	55.24 PK	74	-18.76	-45.84	5.825	-40.02
5	15720.93	40.82 AV	54	-13.18	-60.26	5.825	-54.44

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5070.42	62.22 PK	74	-11.78	-36.19	3.15	-33.04
2	5126.67	48.33 AV	54	-5.67	-50.08	3.15	-46.93

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









20 MHz Preamble 802.11ax (RU52) - Channel 52

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3523.43	59.03 PK	74	-14.97	-42.05	5.825	-36.23
2	3526.56	37.09 AV	54	-16.91	-63.99	5.825	-58.17
3	#7020.31	60.67 PK	68.2	-7.53	-40.41	5.825	-34.59
4	#10517.18	61.59 PK	68.2	-6.61	-39.49	5.825	-33.67
5	15777	55.73 PK	74	-18.27	-45.35	5.825	-39.53
6	15766.93	40.66 AV	54	-13.34	-60.42	5.825	-54.60
7	12226.56	65.25 PK	74	-8.75	-35.83	5.825	-30.01
8	12237.5	41.68 AV	54	-12.32	-59.4	5.825	-53.58
9	21378.93	58.99 PK	74	-15.01	-42.09	5.825	-36.27
10	21397.62	43.03 AV	54	-10.97	-58.05	5.825	-52.23

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5379.55	63.41 PK	74	-10.59	-34.6	2.75	-31.85
2	5411.7	49.43 AV	54	-4.57	-48.58	2.75	-45.83

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









20 MHz Preamble 802.11ax (RU52) - Channel 60

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3529.68	59.11 PK	74	-14.89	-41.97	5.825	-36.15
2	3543.75	37.26 AV	54	-16.74	-63.82	5.825	-58.00
3	#7057.81	60.15 PK	68.2	-8.05	-40.93	5.825	-35.11
4	10606.25	63.13 PK	74	-10.87	-37.95	5.825	-32.13
5	10606.25	46.43 AV	54	-7.57	-54.65	5.825	-48.83
6	15916.43	55.16 PK	74	-18.84	-45.92	5.825	-40.10
7	15907.81	40.72 AV	54	-13.28	-60.36	5.825	-54.54

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5437.52	63.17 PK	74	-10.83	-34.84	2.75	-32.09
2	5382.32	49.44 AV	54	-4.56	-48.57	2.75	-45.82

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









20 MHz Preamble 802.11ax (RU52) - Channel 64

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3535.93	59.68 PK	74	-14.32	-41.4	5.825	-35.58
2	3537.5	37.32 AV	54	-16.68	-63.76	5.825	-57.94
3	#7106.25	60.45 PK	68.2	-7.75	-40.63	5.825	-34.81
4	10654.68	62.45 PK	74	-11.55	-38.63	5.825	-32.81
5	10654.68	46.31 AV	54	-7.69	-54.77	5.825	-48.95
6	15971.06	54.93 PK	74	-19.07	-46.15	5.825	-40.33
7	15979.68	40.85 AV	54	-13.15	-60.23	5.825	-54.41
8	12212.5	65.02 PK	74	-8.98	-36.06	5.825	-30.24
9	12215.62	41.6 AV	54	-12.4	-59.48	5.825	-53.66

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5357.17	72.77 PK	74	-1.23	-25.24	2.75	-22.49
2	5370.32	49.5 AV	54	-4.5	-48.51	2.75	-45.76

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









20 MHz Preamble 802.11ax (RU52) - Channel 100

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3670.31	59.45 PK	74	-14.55	-41.63	5.825	-35.81
2	3665.62	37.19 AV	54	-16.81	-63.89	5.825	-58.07
3	7339.06	61.28 PK	74	-12.72	-39.8	5.825	-33.98
4	7332.81	38.86 AV	54	-15.14	-62.22	5.825	-56.40
5	10985.93	62.51 PK	74	-11.49	-38.57	5.825	-32.75
6	10985.93	46.56 AV	54	-7.44	-54.52	5.825	-48.70
7	#16497.18	55.96 PK	68.2	-12.24	-45.12	5.825	-39.30

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5421.9	64.77 PK	74	-9.23	-34.74	4.25	-30.49
2	5408.84	50.87 AV	54	-3.13	-48.64	4.25	-44.39
3	#5464.18	64.72 PK	68.2	-3.48	-34.79	4.25	-30.54

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









20 MHz Preamble 802.11ax (RU52) - Channel 116

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3700	58.69 PK	74	-15.31	-42.39	5.825	-36.57
2	3700	36.89 AV	54	-17.11	-64.19	5.825	-58.37
3	7426.56	61.07 PK	74	-12.93	-40.01	5.825	-34.19
4	7428.12	38.37 AV	54	-15.63	-62.71	5.825	-56.89
5	11165.62	63.48 PK	74	-10.52	-37.6	5.825	-31.78
6	11167.18	47.2 AV	54	-6.8	-53.88	5.825	-48.06
7	#16747.31	54.89 PK	68.2	-13.31	-46.19	5.825	-40.37

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5408.34	64.93 PK	74	-9.07	-34.58	4.25	-30.33
2	5444.28	50.91 AV	54	-3.09	-48.6	4.25	-44.35
3	#5465.78	65.4 PK	68.2	-2.8	-34.11	4.25	-29.86

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

