





B4_N41(100M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B4_N41(100M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



B4_N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B4_N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH_CHP_PASS







B4_N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B4_N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH_CHP_PASS



B4_N41(100M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



B4_N41(100M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH





Software Version: 21.02.121001

FR1 N66

LTE Band: 13, LTE BW: 10M, LTE ARFCN: Low

Transmitter Conducted Output Power

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	12@6	23
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	1@1	22.94
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	1@23	23.04
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	12@6	22.97
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@1	22.89
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@23	22.98
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	12@6	21.89
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	1@1	21.88
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	1@23	21.96
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	12@6	20.39
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	1@1	20.35
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	1@23	20.47
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	12@6	18.33
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	1@1	18.35
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	1@23	18.42
66	15	5	422500	1712.5	CP-OFDM QPSK	13@6	21.26
66	15	5	422500	1712.5	CP-OFDM QPSK	1@1	21.35
66	15	5	422500	1712.5	CP-OFDM QPSK	1@23	21.34
66	15	5	429000	1745	DFT-s-OFDM PI/2 BPSK	12@6	23.15
66	15	5	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.14
66	15	5	429000	1745	DFT-s-OFDM PI/2 BPSK	1@23	23.19
66	15	5	429000	1745	DFT-s-OFDM QPSK	12@6	23.18
66	15	5	429000	1745	DFT-s-OFDM QPSK	1@1	23.06
66	15	5	429000	1745	DFT-s-OFDM QPSK	1@23	23.16
66	15	5	429000	1745	DFT-s-OFDM 16 QAM	12@6	22.12
66	15	5	429000	1745	DFT-s-OFDM 16 QAM	1@1	22.08



66	15	5	429000	1745	DFT-s-OFDM 16 QAM	1@23	22.1
66	15	5	429000	1745	DFT-s-OFDM 64 QAM	12@6	20.63
66	15	5	429000	1745	DFT-s-OFDM 64 QAM	1@1	20.66
66	15	5	429000	1745	DFT-s-OFDM 64 QAM	1@23	20.64
66	15	5	429000	1745	DFT-s-OFDM 256 QAM	12@6	18.65
66	15	5	429000	1745	DFT-s-OFDM 256 QAM	1@1	18.68
66	15	5	429000	1745	DFT-s-OFDM 256 QAM	1@23	18.67
66	15	5	429000	1745	CP-OFDM QPSK	13@6	21.62
66	15	5	429000	1745	CP-OFDM QPSK	1@1	21.63
66	15	5	429000	1745	CP-OFDM QPSK	1@23	21.71
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	12@6	23.07
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	1@1	23.03
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	1@23	23.08
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	12@6	23.09
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@1	23
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@23	23.02
66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	12@6	21.98
66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	1@1	21.99
66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	1@23	22.01
66	15	5	435500	1777.5	DFT-s-OFDM 64 QAM	12@6	20.55
66	15	5	435500	1777.5	DFT-s-OFDM 64 QAM	1@1	20.45
66	15	5	435500	1777.5	DFT-s-OFDM 64 QAM	1@23	20.55
66	15	5	435500	1777.5	DFT-s-OFDM 256 QAM	12@6	18.55
66	15	5	435500	1777.5	DFT-s-OFDM 256 QAM	1@1	18.52
66	15	5	435500	1777.5	DFT-s-OFDM 256 QAM	1@23	18.7
66	15	5	435500	1777.5	CP-OFDM QPSK	13@6	21.55
66	15	5	435500	1777.5	CP-OFDM QPSK	1@1	21.48
66	15	5	435500	1777.5	CP-OFDM QPSK	1@23	21.57
66	15	10	423000	1715	DFT-s-OFDM PI/2 BPSK	25@12	23.01
66	15	10	423000	1715	DFT-s-OFDM PI/2 BPSK	1@1	22.96
66	15	10	423000	1715	DFT-s-OFDM PI/2 BPSK	1@50	23.02
66	15	10	423000	1715	DFT-s-OFDM QPSK	25@12	22.82



66	15	10	423000	1715	DFT-s-OFDM QPSK	1@1	22.92
66	15	10	423000	1715	DFT-s-OFDM QPSK	1@50	22.91
66	15	10	423000	1715	DFT-s-OFDM 16 QAM	25@12	21.82
66	15	10	423000	1715	DFT-s-OFDM 16 QAM	1@1	21.91
66	15	10	423000	1715	DFT-s-OFDM 16 QAM	1@50	21.91
66	15	10	423000	1715	DFT-s-OFDM 64 QAM	25@12	20.34
66	15	10	423000	1715	DFT-s-OFDM 64 QAM	1@1	20.45
66	15	10	423000	1715	DFT-s-OFDM 64 QAM	1@50	20.4
66	15	10	423000	1715	DFT-s-OFDM 256 QAM	25@12	18.49
66	15	10	423000	1715	DFT-s-OFDM 256 QAM	1@1	18.52
66	15	10	423000	1715	DFT-s-OFDM 256 QAM	1@50	18.57
66	15	10	423000	1715	CP-OFDM QPSK	26@13	21.46
66	15	10	423000	1715	CP-OFDM QPSK	1@1	21.51
66	15	10	423000	1715	CP-OFDM QPSK	1@50	21.55
66	15	10	429000	1745	DFT-s-OFDM PI/2 BPSK	25@12	23.28
66	15	10	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.16
66	15	10	429000	1745	DFT-s-OFDM PI/2 BPSK	1@50	23.27
66	15	10	429000	1745	DFT-s-OFDM QPSK	25@12	23.27
66	15	10	429000	1745	DFT-s-OFDM QPSK	1@1	23.19
66	15	10	429000	1745	DFT-s-OFDM QPSK	1@50	23.22
66	15	10	429000	1745	DFT-s-OFDM 16 QAM	25@12	22.23
66	15	10	429000	1745	DFT-s-OFDM 16 QAM	1@1	22.16
66	15	10	429000	1745	DFT-s-OFDM 16 QAM	1@50	22.3
66	15	10	429000	1745	DFT-s-OFDM 64 QAM	25@12	20.7
66	15	10	429000	1745	DFT-s-OFDM 64 QAM	1@1	20.69
66	15	10	429000	1745	DFT-s-OFDM 64 QAM	1@50	20.84
66	15	10	429000	1745	DFT-s-OFDM 256 QAM	25@12	18.71
66	15	10	429000	1745	DFT-s-OFDM 256 QAM	1@1	18.54
66	15	10	429000	1745	DFT-s-OFDM 256 QAM	1@50	18.82
66	15	10	429000	1745	CP-OFDM QPSK	26@13	21.7
66	15	10	429000	1745	CP-OFDM QPSK	1@1	21.77
66	15	10	429000	1745	CP-OFDM QPSK	1@50	21.85



66	15	10	435000	1775	DFT-s-OFDM PI/2 BPSK	25@12	23.19
66	15	10	435000	1775	DFT-s-OFDM PI/2 BPSK	1@1	23.13
66	15	10	435000	1775	DFT-s-OFDM PI/2 BPSK	1@50	23.2
66	15	10	435000	1775	DFT-s-OFDM QPSK	25@12	23.16
66	15	10	435000	1775	DFT-s-OFDM QPSK	1@1	23.1
66	15	10	435000	1775	DFT-s-OFDM QPSK	1@50	23.13
66	15	10	435000	1775	DFT-s-OFDM 16 QAM	25@12	22.11
66	15	10	435000	1775	DFT-s-OFDM 16 QAM	1@1	22.1
66	15	10	435000	1775	DFT-s-OFDM 16 QAM	1@50	22.08
66	15	10	435000	1775	DFT-s-OFDM 64 QAM	25@12	20.63
66	15	10	435000	1775	DFT-s-OFDM 64 QAM	1@1	20.55
66	15	10	435000	1775	DFT-s-OFDM 64 QAM	1@50	20.78
66	15	10	435000	1775	DFT-s-OFDM 256 QAM	25@12	18.6
66	15	10	435000	1775	DFT-s-OFDM 256 QAM	1@1	18.59
66	15	10	435000	1775	DFT-s-OFDM 256 QAM	1@50	18.71
66	15	10	435000	1775	CP-OFDM QPSK	26@13	21.61
66	15	10	435000	1775	CP-OFDM QPSK	1@1	21.57
66	15	10	435000	1775	CP-OFDM QPSK	1@50	21.67
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	36@18	23.12
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	1@1	23.18
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	1@77	23.12
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	36@18	23.05
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@1	23.14
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@77	23.04
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	36@18	22.09
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	1@1	22.17
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	1@77	22
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	36@18	20.52
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	1@1	20.63
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	1@77	20.56
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	36@18	18.65
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	1@1	18.75



66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	1@77	18.56
66	15	15	423500	1717.5	CP-OFDM QPSK	39@19	21.48
66	15	15	423500	1717.5	CP-OFDM QPSK	1@1	21.67
66	15	15	423500	1717.5	CP-OFDM QPSK	1@77	21.36
66	15	15	429000	1745	DFT-s-OFDM PI/2 BPSK	36@18	23.29
66	15	15	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.22
66	15	15	429000	1745	DFT-s-OFDM PI/2 BPSK	1@77	23.24
66	15	15	429000	1745	DFT-s-OFDM QPSK	36@18	23.16
66	15	15	429000	1745	DFT-s-OFDM QPSK	1@1	23.32
66	15	15	429000	1745	DFT-s-OFDM QPSK	1@77	23.23
66	15	15	429000	1745	DFT-s-OFDM 16 QAM	36@18	22.12
66	15	15	429000	1745	DFT-s-OFDM 16 QAM	1@1	22.22
66	15	15	429000	1745	DFT-s-OFDM 16 QAM	1@77	22.22
66	15	15	429000	1745	DFT-s-OFDM 64 QAM	36@18	20.72
66	15	15	429000	1745	DFT-s-OFDM 64 QAM	1@1	20.66
66	15	15	429000	1745	DFT-s-OFDM 64 QAM	1@77	20.82
66	15	15	429000	1745	DFT-s-OFDM 256 QAM	36@18	18.72
66	15	15	429000	1745	DFT-s-OFDM 256 QAM	1@1	18.77
66	15	15	429000	1745	DFT-s-OFDM 256 QAM	1@77	18.75
66	15	15	429000	1745	CP-OFDM QPSK	39@19	21.74
66	15	15	429000	1745	CP-OFDM QPSK	1@1	21.64
66	15	15	429000	1745	CP-OFDM QPSK	1@77	21.52
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	36@18	23.17
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	1@1	23.27
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	1@77	23.16
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	36@18	23.17
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@1	23.19
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@77	23.1
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	36@18	22.14
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	1@1	22.17
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	1@77	22.11
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	36@18	20.64



66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	1@1	20.75
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	1@77	20.78
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	36@18	18.63
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	1@1	18.8
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	1@77	18.6
66	15	15	434500	1772.5	CP-OFDM QPSK	39@19	21.63
66	15	15	434500	1772.5	CP-OFDM QPSK	1@1	21.72
66	15	15	434500	1772.5	CP-OFDM QPSK	1@77	21.42
66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	50@25	23.11
66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	1@1	23.16
66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	1@104	23.18
66	15	20	424000	1720	DFT-s-OFDM QPSK	50@25	23.15
66	15	20	424000	1720	DFT-s-OFDM QPSK	1@1	23.13
66	15	20	424000	1720	DFT-s-OFDM QPSK	1@104	23.17
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	50@25	22.1
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	1@1	22.08
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	1@104	22.07
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	50@25	20.52
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	1@1	20.59
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	1@104	20.63
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	50@25	18.52
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	1@1	18.57
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	1@104	18.6
66	15	20	424000	1720	CP-OFDM QPSK	53@26	21.55
66	15	20	424000	1720	CP-OFDM QPSK	1@1	21.51
66	15	20	424000	1720	CP-OFDM QPSK	1@104	21.54
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	50@25	23.28
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.32
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	1@104	23.25
66	15	20	429000	1745	DFT-s-OFDM QPSK	50@25	23.22
66	15	20	429000	1745	DFT-s-OFDM QPSK	1@1	23.21
66	15	20	429000	1745	DFT-s-OFDM QPSK	1@104	23.19



66	15	20	429000	1745	DFT-s-OFDM 16 QAM	50@25	22.24
66	15	20	429000	1745	DFT-s-OFDM 16 QAM	1@1	22.43
66	15	20	429000	1745	DFT-s-OFDM 16 QAM	1@104	22.17
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	50@25	20.36
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	1@1	20.77
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	1@104	20.83
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	50@25	18.78
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	1@1	18.74
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	1@104	18.74
66	15	20	429000	1745	CP-OFDM QPSK	53@26	21.66
66	15	20	429000	1745	CP-OFDM QPSK	1@1	21.75
66	15	20	429000	1745	CP-OFDM QPSK	1@104	21.75
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	50@25	23.24
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	1@1	23.22
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	1@104	23.13
66	15	20	434000	1770	DFT-s-OFDM QPSK	50@25	23.16
66	15	20	434000	1770	DFT-s-OFDM QPSK	1@1	23.23
66	15	20	434000	1770	DFT-s-OFDM QPSK	1@104	23.19
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	50@25	22.15
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	1@1	22.16
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	1@104	22.11
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	50@25	20.68
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	1@1	20.76
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	1@104	20.65
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	50@25	18.66
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	1@1	18.63
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	1@104	18.62
66	15	20	434000	1770	CP-OFDM QPSK	53@26	21.7
66	15	20	434000	1770	CP-OFDM QPSK	1@1	21.77
66	15	20	434000	1770	CP-OFDM QPSK	1@104	21.64
66	15	30	425000	1725	DFT-s-OFDM PI/2 BPSK	80@40	23.69
66	15	30	425000	1725	DFT-s-OFDM PI/2 BPSK	1@1	23.79



66	15	30	425000	1725	DFT-s-OFDM PI/2 BPSK	1@158	23.82
66	15	30	425000	1725	DFT-s-OFDM QPSK	80@40	23.66
66	15	30	425000	1725	DFT-s-OFDM QPSK	1@1	23.67
66	15	30	425000	1725	DFT-s-OFDM QPSK	1@158	23.87
66	15	30	425000	1725	DFT-s-OFDM 16 QAM	80@40	22.59
66	15	30	425000	1725	DFT-s-OFDM 16 QAM	1@1	22.7
66	15	30	425000	1725	DFT-s-OFDM 16 QAM	1@158	22.82
66	15	30	425000	1725	DFT-s-OFDM 64 QAM	80@40	21.12
66	15	30	425000	1725	DFT-s-OFDM 64 QAM	1@1	21.14
66	15	30	425000	1725	DFT-s-OFDM 64 QAM	1@158	21.47
66	15	30	425000	1725	DFT-s-OFDM 256 QAM	80@40	19.1
66	15	30	425000	1725	DFT-s-OFDM 256 QAM	1@1	19.32
66	15	30	425000	1725	DFT-s-OFDM 256 QAM	1@158	19.47
66	15	30	425000	1725	CP-OFDM QPSK	80@40	22.12
66	15	30	425000	1725	CP-OFDM QPSK	1@1	22.25
66	15	30	425000	1725	CP-OFDM QPSK	1@158	22.44
66	15	30	429000	1745	DFT-s-OFDM PI/2 BPSK	80@40	23.72
66	15	30	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.8
66	15	30	429000	1745	DFT-s-OFDM PI/2 BPSK	1@158	23.85
66	15	30	429000	1745	DFT-s-OFDM QPSK	80@40	23.68
66	15	30	429000	1745	DFT-s-OFDM QPSK	1@1	23.72
66	15	30	429000	1745	DFT-s-OFDM QPSK	1@158	23.74
66	15	30	429000	1745	DFT-s-OFDM 16 QAM	80@40	22.65
66	15	30	429000	1745	DFT-s-OFDM 16 QAM	1@1	22.69
66	15	30	429000	1745	DFT-s-OFDM 16 QAM	1@158	22.7
66	15	30	429000	1745	DFT-s-OFDM 64 QAM	80@40	21.13
66	15	30	429000	1745	DFT-s-OFDM 64 QAM	1@1	21.28
66	15	30	429000	1745	DFT-s-OFDM 64 QAM	1@158	21.34
66	15	30	429000	1745	DFT-s-OFDM 256 QAM	80@40	19.16
66	15	30	429000	1745	DFT-s-OFDM 256 QAM	1@1	19.27
66	15	30	429000	1745	DFT-s-OFDM 256 QAM	1@158	19.34
66	15	30	429000	1745	CP-OFDM QPSK	80@40	22.17



66	15	30	429000	1745	CP-OFDM QPSK	1@1	22.18
66	15	30	429000	1745	CP-OFDM QPSK	1@158	22.28
66	15	30	433000	1765	DFT-s-OFDM PI/2 BPSK	80@40	23.65
66	15	30	433000	1765	DFT-s-OFDM PI/2 BPSK	1@1	23.81
66	15	30	433000	1765	DFT-s-OFDM PI/2 BPSK	1@158	23.77
66	15	30	433000	1765	DFT-s-OFDM QPSK	80@40	23.65
66	15	30	433000	1765	DFT-s-OFDM QPSK	1@1	23.73
66	15	30	433000	1765	DFT-s-OFDM QPSK	1@158	23.69
66	15	30	433000	1765	DFT-s-OFDM 16 QAM	80@40	22.57
66	15	30	433000	1765	DFT-s-OFDM 16 QAM	1@1	22.67
66	15	30	433000	1765	DFT-s-OFDM 16 QAM	1@158	22.69
66	15	30	433000	1765	DFT-s-OFDM 64 QAM	80@40	21.07
66	15	30	433000	1765	DFT-s-OFDM 64 QAM	1@1	21.39
66	15	30	433000	1765	DFT-s-OFDM 64 QAM	1@158	21.26
66	15	30	433000	1765	DFT-s-OFDM 256 QAM	80@40	19.08
66	15	30	433000	1765	DFT-s-OFDM 256 QAM	1@1	19.33
66	15	30	433000	1765	DFT-s-OFDM 256 QAM	1@158	19.19
66	15	30	433000	1765	CP-OFDM QPSK	80@40	22.14
66	15	30	433000	1765	CP-OFDM QPSK	1@1	22.32
66	15	30	433000	1765	CP-OFDM QPSK	1@158	22.26
66	15	40	426000	1730	DFT-s-OFDM PI/2 BPSK	108@54	23.75
66	15	40	426000	1730	DFT-s-OFDM PI/2 BPSK	1@1	23.88
66	15	40	426000	1730	DFT-s-OFDM PI/2 BPSK	1@214	23.77
66	15	40	426000	1730	DFT-s-OFDM QPSK	108@54	23.75
66	15	40	426000	1730	DFT-s-OFDM QPSK	1@1	23.51
66	15	40	426000	1730	DFT-s-OFDM QPSK	1@214	23.67
66	15	40	426000	1730	DFT-s-OFDM 16 QAM	108@54	22.67
66	15	40	426000	1730	DFT-s-OFDM 16 QAM	1@1	22.62
66	15	40	426000	1730	DFT-s-OFDM 16 QAM	1@214	22.66
66	15	40	426000	1730	DFT-s-OFDM 64 QAM	108@54	21.18
66	15	40	426000	1730	DFT-s-OFDM 64 QAM	1@1	21.05
66	15	40	426000	1730	DFT-s-OFDM 64 QAM	1@214	21.22



66	15	40	426000	1730	DFT-s-OFDM 256 QAM	108@54	19.19
66	15	40	426000	1730	DFT-s-OFDM 256 QAM	1@1	19.16
66	15	40	426000	1730	DFT-s-OFDM 256 QAM	1@214	19.36
66	15	40	426000	1730	CP-OFDM QPSK	108@54	22.14
66	15	40	426000	1730	CP-OFDM QPSK	1@1	22.03
66	15	40	426000	1730	CP-OFDM QPSK	1@214	22.38
66	15	40	429000	1745	DFT-s-OFDM PI/2 BPSK	108@54	23.75
66	15	40	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.54
66	15	40	429000	1745	DFT-s-OFDM PI/2 BPSK	1@214	23.65
66	15	40	429000	1745	DFT-s-OFDM QPSK	108@54	23.72
66	15	40	429000	1745	DFT-s-OFDM QPSK	1@1	23.5
66	15	40	429000	1745	DFT-s-OFDM QPSK	1@214	23.6
66	15	40	429000	1745	DFT-s-OFDM 16 QAM	108@54	22.67
66	15	40	429000	1745	DFT-s-OFDM 16 QAM	1@1	22.43
66	15	40	429000	1745	DFT-s-OFDM 16 QAM	1@214	22.57
66	15	40	429000	1745	DFT-s-OFDM 64 QAM	108@54	21.17
66	15	40	429000	1745	DFT-s-OFDM 64 QAM	1@1	20.96
66	15	40	429000	1745	DFT-s-OFDM 64 QAM	1@214	21.09
66	15	40	429000	1745	DFT-s-OFDM 256 QAM	108@54	19.17
66	15	40	429000	1745	DFT-s-OFDM 256 QAM	1@1	19.17
66	15	40	429000	1745	DFT-s-OFDM 256 QAM	1@214	19.15
66	15	40	429000	1745	CP-OFDM QPSK	108@54	22.13
66	15	40	429000	1745	CP-OFDM QPSK	1@1	21.98
66	15	40	429000	1745	CP-OFDM QPSK	1@214	22.19
66	15	40	432000	1760	DFT-s-OFDM PI/2 BPSK	108@54	23.71
66	15	40	432000	1760	DFT-s-OFDM PI/2 BPSK	1@1	23.85
66	15	40	432000	1760	DFT-s-OFDM PI/2 BPSK	1@214	23.78
66	15	40	432000	1760	DFT-s-OFDM QPSK	108@54	23.69
66	15	40	432000	1760	DFT-s-OFDM QPSK	1@1	23.82
66	15	40	432000	1760	DFT-s-OFDM QPSK	1@214	23.78
66	15	40	432000	1760	DFT-s-OFDM 16 QAM	108@54	22.6
66	15	40	432000	1760	DFT-s-OFDM 16 QAM	1@1	22.79



66	15	40	432000	1760	DFT-s-OFDM 16 QAM	1@214	22.64
66	15	40	432000	1760	DFT-s-OFDM 64 QAM	108@54	21.13
66	15	40	432000	1760	DFT-s-OFDM 64 QAM	1@1	21.34
66	15	40	432000	1760	DFT-s-OFDM 64 QAM	1@214	21.18
66	15	40	432000	1760	DFT-s-OFDM 256 QAM	108@54	19.13
66	15	40	432000	1760	DFT-s-OFDM 256 QAM	1@1	19.33
66	15	40	432000	1760	DFT-s-OFDM 256 QAM	1@214	19.27
66	15	40	432000	1760	CP-OFDM QPSK	108@54	22.13
66	15	40	432000	1760	CP-OFDM QPSK	1@1	22.47
66	15	40	432000	1760	CP-OFDM QPSK	1@214	22.26



Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.0928	PASS	NV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.0464	PASS	LV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.0286	PASS	HV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.0683	PASS	-30°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.0366	PASS	-20°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.0675	PASS	-10°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.0497	PASS	0°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.0455	PASS	10°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.0202	PASS	20°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.0501	PASS	30°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.0644	PASS	40°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.0442	PASS	50°C




Peak to Average Ratio


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	100@0	4.13	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	1@0	3.78	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	100@0	4.5	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	3.8	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	3.95	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@0	3.66	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	4.54	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	3.56	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	100@0	3.93	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	1@0	3.5	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	100@0	4.57	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	3.54	13	PASS



B13_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



B13_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH



B13_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B13_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH






B13_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B13_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



B13_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



B13_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH






B13_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH




B13_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



B13_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



B13_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH





Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
66	15	5	429000	1745.0	DFT-s-OFDM PI/2 BPSK	25@0	4.4755	4.824
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	25@0	4.4786	4.896
66	15	5	429000	1745.0	CP-OFDM QPSK	25@0	4.4646	5.026
66	15	5	429000	1745.0	CP-OFDM 16 QAM	25@0	4.47	4.919
66	15	5	429000	1745.0	CP-OFDM 64 QAM	25@0	4.4704	5.009
66	15	5	429000	1745.0	CP-OFDM 256 QAM	25@0	4.4728	4.922
66	15	10	429000	1745.0	DFT-s-OFDM PI/2 BPSK	50@0	8.9123	9.467
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	50@0	8.9207	9.505
66	15	10	429000	1745.0	CP-OFDM QPSK	52@0	9.2836	9.96
66	15	10	429000	1745.0	CP-OFDM 16 QAM	52@0	9.2749	9.917
66	15	10	429000	1745.0	CP-OFDM 64 QAM	52@0	9.282	9.901
66	15	10	429000	1745.0	CP-OFDM 256 QAM	52@0	9.2718	9.886
66	15	15	429000	1745.0	DFT-s-OFDM PI/2 BPSK	75@0	13.397	14.17
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	75@0	13.428	14.21
66	15	15	429000	1745.0	CP-OFDM QPSK	79@0	14.107	14.9
66	15	15	429000	1745.0	CP-OFDM 16 QAM	79@0	14.101	14.94
66	15	15	429000	1745.0	CP-OFDM 64 QAM	79@0	14.102	14.91
66	15	15	429000	1745.0	CP-OFDM 256 QAM	79@0	14.105	14.85
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	17.855	18.65
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	17.859	18.71
66	15	20	429000	1745.0	CP-OFDM QPSK	106@0	18.925	19.87
66	15	20	429000	1745.0	CP-OFDM 16 QAM	106@0	18.921	19.84
66	15	20	429000	1745.0	CP-OFDM 64 QAM	106@0	18.93	19.8
66	15	20	429000	1745.0	CP-OFDM 256 QAM	106@0	18.934	19.76
66	15	30	429000	1745.0	DFT-s-OFDM PI/2 BPSK	160@0	28.551	29.6
66	15	30	429000	1745.0	DFT-s-OFDM QPSK	160@0	28.518	29.6
66	15	30	429000	1745.0	CP-OFDM QPSK	160@0	28.539	29.71
66	15	30	429000	1745.0	CP-OFDM 16 QAM	160@0	28.55	29.65
66	15	30	429000	1745.0	CP-OFDM 64 QAM	160@0	28.561	29.62




66	15	30	429000	1745.0	CP-OFDM 256 QAM	160@0	28.563	29.63
66	15	40	429000	1745.0	DFT-s-OFDM PI/2 BPSK	216@0	38.533	39.97
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	216@0	38.507	39.96
66	15	40	429000	1745.0	CP-OFDM QPSK	216@0	38.536	39.89
66	15	40	429000	1745.0	CP-OFDM 16 QAM	216@0	38.527	39.83
66	15	40	429000	1745.0	CP-OFDM 64 QAM	216@0	38.48	40.0
66	15	40	429000	1745.0	CP-OFDM 256 QAM	216@0	38.456	39.87



B13_N66(5M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




B13_N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



B13_N66(5M)_CP-OFDM_QPSK_Outer_Full_Mid_CH



B13_N66(5M)_CP-OFDM_16QAM_Outer_Full_Mid_CH







B13_N66(5M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B13_N66(5M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



B13_N66(10M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B13_N66(10M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH






B13_N66(10M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B13_N66(10M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



B13_N66(10M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




B13_N66(10M)_CP-OFDM_256QAM_Outer_Full_Mid_CH







B13_N66(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B13_N66(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH



B13_N66(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH



B13_N66(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH







B13_N66(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B13_N66(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



B13_N66(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



B13_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH







B13_N66(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B13_N66(20M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



B13_N66(20M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



B13_N66(20M)_CP-OFDM_256QAM_Outer_Full_Mid_CH






B13_N66(30M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



B13_N66(30M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH



B13_N66(30M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH



B13_N66(30M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH






B13_N66(30M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B13_N66(30M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



B13_N66(40M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B13_N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH







B13_N66(40M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B13_N66(40M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



B13_N66(40M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



B13_N66(40M)_CP-OFDM_256QAM_Outer_Full_Mid_CH





Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	429000	1745.0	DFT-s-OFDM	1@0	see graph	PASS




BPSK								
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	PASS




B13_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B13_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B13_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



B13_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH






B13_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B13_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



B13_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B13_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH






B13_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B13_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B13_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B13_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH







B13_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B13_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B13_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B13_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH






B13_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B13_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH






Conducted Band Edge


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	216@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	1@215	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@215	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	216@0	see graph	PASS




B13_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B13_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B13_N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



B13_N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH





B13_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



B13_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B13_N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH







B13_N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B13_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B13_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B13_N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH







B13_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B13_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



B13_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



B13_N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH







B13_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



B13_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B13_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B13_N66(40M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH

