

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 1 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision: 1.04

Doc. Control No.:

Approved by: Management

Level	BOM No.	Item No.	Description	Qty. Uom	Scrap Rate	% BOM	Remarks
1		C8-BS647B	GIFT BOX ARGOS 6.0 BS64700	1.00000 pc	0.00		ECN06930 14JUL07
1		29-8850	CD ROM BELL ARGOS MANUAL W/SLEEVE	1.00000 set	0.00		*ECN06930 14JUL07 Pending sample
1		D2-M1232	LENS PROTECTIVE LABEL PVC W/ PRINTING BBJET	1.00000 pc	0.00		
1		C1-1371	1PLY CARTON BOX 16"X 10-5/8" ARGOS 4/5/6	0.06250 pc	0.00		2/32* ECN07219 25/SEPT/07 SSA
1		C3-1382	3PLY CARTON BOX ID 16-1/2"X11"x11-1/4" ARGOS 4/5/6/	0.03125 pc	0.00		1/32* ECN07219 25/SEPT/07 SSA
1		C8-BS645C	PAPER STAND BBJET ARGOS 4.0/ 5.0/6.0 BS645/BS647	1.00000 pc	0.00		*ECN07219 25/SEPT/07 SSA
1		11-154000	WARRANTY & REPAIR GUIDE BBJET 2.0-6.0 DELPHI 13 LANG.	1.00000 pc	0.00		
1		11-171000	MANUAL BELL NEURO 4/5/6 AROGS	1.00000 pc	0.00		*ECN07219 25/SEPT/07 SSA
1		26-10090CL	PET SHEET 0.3mm THK. CLEAR W/RECYCLE MARK ARGOS 4/5/6	1.00000 pc	0.00		*ECN07219 25SEP07
1		26-10100BK	BACK SHEET PP 0.5 THK BLACK ARGOS 4.0-6.0	1.00000 pc	0.00		*ECN07219 25SEP07
1		C8-SI501F	CHEST STRAP PAPER SLEEVE 30X33X8MM WATCH A	1.00000 pc	0.00		
1		D2-B1611	SHIPPING CARTON BAR CODE LABEL ARGOS 6.0	0.06250 pc	0.00		2/32 *ECN07219 25/SEPT/07 SSA
1		D2-R0739A	FIBRE LABEL GIFT BOX GT70301, PR15201,PR05000,PR08800	2.00000 pc	0.00		
1		29-6490	60CM SOFT ELASTIC BELT SQ.STITCHING LE TREND	1.00000 set	0.00		
1		D1-C854	WING ON SOLDER PASTE 0 LEAD FREE LF-RMAC7H2 (500g/CAN)	0.00017 pc	1.00		FOR CPU

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 2 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	BOM No.	Item No.	Description	Qty. Uom	Scrap Rate	% BOM	Remarks
1		C0-111	AISU SOLDER WIRE LEAD FREE 0.8mm LFW-CU005-90 SPEED	0.00200 pc	0.00		FOR CPU
1		83-SI50003	BOND WIRE 1MIL ALWI0031 EL1-4% ALW-29S BL15-18g 1000'/2"ROLL	0.00105 pc	0.00		FOR CPU
1		D1-A481B	HOT MELT ADHESIVE (STICK FORM) "#C001,CLEAR"	0.00044 lb	0.00		FOR TR
1		D1-C850A	3140 RTV COATING DOW CORNING NET 1LB/Tin	0.00020 pc	0.00		FOR CPU
1		D1-E485	EPOXY EMS A-400-30 Black HD 4.4Kg/4Litre	0.00004 pc	0.00		FOR CPU
1		D1-C266CG	CONFORMAL COATING (DCA05L) 5 LITRE/TIN OR 1GL/TIN	0.00003 pc	0.00		FOR TR
1		D1-C852	XYLENE 20 LITER/TIN	0.00001 pc	0.00		FOR TR
1		D1-A132	PATTEX CONTACT CEMENT PX28N (1TIN =650ml)	0.00020 can	0.00		FOR CPU
<b><u>B9-BS6470000</u></b>							
1		B9-BS6470000	COMPUTER HEAD ARGOS 6.0 BELL SPORT	1.00000 set	0.00		
2		17-33260ABK	BOTTOM CASE BLACK ABS W/SENSOR HOLE BELL ARGOS (17-33100ABK)	1.00000 pc	3.00		
2		26-969ACL	LENS SPACER MYLAR 0.2 CLEAR W/DOUBLE SIDE TAPE BBJET	1.00000 pc	0.00		*ECN07274 12OCT07
2		38-0380BKO	O-RING OD 3.8 X 1.0 BLACK NBR 60-70 CONTACT PIN	2.00000 pc	1.00		
2		48-5430BN	RESET PIN BRASS NI-PLEATED BELL ARGOS	2.00000 pc	0.00		ECN06930 14JUL07
2		27-04190CL	RESET KEY CLEAR SILCONE RUBBER CLEAR CM SERIES	2.00000 pc	1.00		
2		92-21404BT22NE	SCREW BT 1.4X4mm TRIANGULAR HEAD DIA 2.2 S/STEEL FOR ECG	6.00000 pc	0.00		*ECN06930 14JUL07
2		38-2510BKOA	O`RING OD 25.1 X 1.0 BLACK CHEST STRAP	1.00000 pc	0.00		
2		38-0700BKOA	SENSOR O-RING OD 7.0xID 5.0XDIA 1.0 NBR BLACK TREK ACH	1.00000 pc	0.00		
<b><u>A0-2666A307</u></b>							
2		A0-2666A307	TOP CASE WHITE + KEYS + LENS +PADS ASSY BELL ARGOS 6.0	1.00000 set	0.00		

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 3 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	BOM No.	Item No.	Description	Qty. Uom	Scrap Rate	% BOM	Remarks
3		A0-2666A03	TOP CASE SPRAY WHITE & FILL BK ON LOGO ASSY ARGOS 4.0-6.0	1.00000 pc	0.00		17-2666AAGY
3		A6-2670008	LENS W/SILK SCREEN ASSY BK TEXT/8420 SI MASK ARGO 6.0	1.00000 pc	0.00		17-26700YCL
3		17-2712AABK	INSERT PAD LEFT ABS BLACK BBJET POLISH	1.00000 pc	0.00		
3		17-2713AABK	INSERT PAD RIGHT ABS BLACK BBJET POLISH	1.00000 pc	0.00		
3		87-195T	`E'RING OD2.4XID0.8X0.2THK (Y080080190)	4.00000 pc	0.00		
3		44-R060NN	Click Disc L6.0 x W4.8 STROKE 0.5-0.6,S/S,F 360gm +/-50gm	4.00000 pc	0.00		
<b><u>29-2671A10RD1</u></b>							
3		29-2671A10RD1	KEY A RED 7427 INKFILL BK LOGO W/48-5400BN+38-0160BKO BBJET	1.00000 set	0.00		
4		17-2671AARD	BUTTON A ABS RED 7427C W/48-5400BN PIN BBJET POLISH	1.00000 pc	0.00		
4		48-5400BN	TOP BUTTON PIN BRASS NI-P BBJEJECT	1.00000 pc	0.00		
4		38-0160BKO	KEY O-RING OD1.6 x 0.5 NBR70	1.00000 pc	0.00		
<b><u>29-2672A10RD</u></b>							
3		29-2672A10RD	KEY B RED 7427 W/48-5400BN +38-0160BKO BBJET	1.00000 set	0.00		
4		17-2672AARD	BUTTON B ABS RED W/48-5400BN PIN BBJET POLISH	1.00000 pc	0.00		
4		48-5400BN	TOP BUTTON PIN BRASS NI-P BBJEJECT	1.00000 pc	0.00		
4		38-0160BKO	KEY O-RING OD1.6 x 0.5 NBR70	1.00000 pc	0.00		
<b><u>29-2673A10RD</u></b>							
3		29-2673A10RD	KEY C RED 7427 W/48-5400BN +38-0160BKO BBJET	1.00000 set	0.00		
4		17-2673AARD	BUTTON C ABS RED W/48-5400BN PIN BBJET POLISH	1.00000 pc	0.00		
4		48-5400BN	TOP BUTTON PIN BRASS NI-P BBJEJECT	1.00000 pc	0.00		
4		38-0160BKO	KEY O-RING OD1.6 x 0.5 NBR70	1.00000 pc	0.00		
<b><u>29-2674A10RD</u></b>							
3		29-2674A10RD	KEY D RED 7427 W/48-5400BN +38-0160BKO BBJET	1.00000 pc	0.00		

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 4 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	<u>BOM No.</u>	Item No.	Description	Qty. Uom	Scrap Rate	% BOM	Remarks
4		17-2674AARD	BUTTON D ABS RED W/48-5400BN PIN BBJET POLISH	1.00000 pc	0.00		
4		48-5400BN	TOP BUTTON PIN BRASS NI-P BBJET	1.00000 pc	0.00		
4		38-0160BKO	KEY O-RING OD1.6 x 0.5 NBR70	1.00000 pc	0.00		
<b><u>A8-1135A5000</u></b>							
2		A8-1135A5000	21-1135A PCB SMT+DIE+SOLD. PART+21-1238 SENSOR PCB Argos 6.0	1.00000 set	0.00		
3		18-12780S	LCD HOLDER TIN PLATE 0.30 BBJET	1.00000 pc	0.00		
3		17-27110ABK	LCD SPACER ABS BLACK BBJET	1.00000 pc	0.00		
3		40-500TLMA	LCD BB DELPHI 4.0/5.0/6.0 FSTN 4.5V TRANSFLECTIVE TDF	1.00000 pc	0.00		
3		39-1094109Z	ZEBRA 10.9X4.1X0.9X0.1PITCH YP below300ohm	1.00000 pc	0.00		
3		39-2484109Z	ZEBRA 24.8X4.1X0.9X0.1 PITCH YP below 300ohm	1.00000 pc	0.00		
3		40-5160TL	EL PANEL SUPPER BRIGHT BBJET	1.00000 pc	0.00		
3		39-1553110Z	EL ZEBRA BELOW 300ohm BBJET L1.55XH3.1XW1.0	2.00000 pc	0.00		
<b><u>A8-1201A0100</u></b>							
3		A8-1201A0100	21-1201A W/SENSOR ASSY CM 2007	1.00000 set	0.00		
4		21-1201A	PCB VTI Flex + SUPPORT DS GF Pressure sensor CM 2007 Rev.A	1.00000 pc	2.00		*ECN07148 (For SH66400, SH66500 only) 2007-09-07
4		08-700VT	PRESSURE SENSOR SCP1000-D01 VTI RoHS	1.00000 pc	2.00		
4		54-1044ZYT	C CAP 0.1uF 15/16V +80-20% Y5V 0402 T/R LEAD FREE	1.00000 pc	3.00		
<b><u>A8-1135A0301</u></b>							
3		A8-1135A0301	21-1135A CPU W/SMT+DICE+SOLDER Argos 6.0 2.4GHz (MTP/Mask)	1.00000 set	0.00		
4		68-1110505EP	CRYSTAL 32768Hz 2x6mm 12.5pF +/-5ppM EPSON	1.00000 pc	0.00		XT2
4		69-306	Choke Coil 40mH 20% 245ohm 20% 1KHz Dia3.4 H2.4mm	1.00000 pc	0.00		LE

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 5 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	BOM No.	Item No.	Description	Qty. Uom	Scrap Rate	% BOM	Remarks
4		18-11660TN	+VE CONTACT PLATE 0.2 THK NI-P TREK 2005	1.00000 pc	0.00		
4		18-797APN	-VE BATTERY CONTACT 0.15 THK P.BRONZE NI-P	1.00000 pc	0.00		
4		18-14140TN	FORNT CONTACT PALTE S/S NI PLATED BB ARGO	1.00000 pc	0.00		*ECN06930 14JUL07
4		18-1280BTN	TOP CONTACT PLATE S/S NI PLATED BBJET	1.00000 pc	0.00		*ECN06930 14JUL07
4		23-3610PG	ANTENNA P. BRONZE 0.7X 21mm GOLD PLATED Argos TX.	1.00000 pc	0.00		ANT1 Pending *ECN06853 26Jun07
<b><u>A8-1135A0201</u></b>							
4		A8-1135A0201	21-1135A CPU W/SMT+DICE ASSY Argos 6.0 2.4GHz (MTP/Mask)	1.00000 set	0.00		
5		08-693EP	CPU SIC63567D08R000 DICE ARGOS EPSON Mask	1.00000 pc	0.00		DIE
5		08-480SB	EL DRIVER DICE SB6540C SUN BILLION	1.00000 pc	0.00		DIE2
<b><u>A8-1135A0101</u></b>							
5		A8-1135A0101	21-1135A CPU W/SMT ASSY Argos 6.0 2.4GHz (MTP/Mask)	1.00000 set	0.00		
6		21-1135A	PCB CPU FR4 DS GF 1.0mm BB Argos 2.4GHz (MTP/MASK)	1.00000 pc	0.00		
6		68-400002RA	Resonator 4M ZTTCR4.00MG OCEAN SMT T/R	1.00000 pc	0.00		XT1
6		68-160003CTO	Crystal TSX-4025 16MHz TN4-25888 9pF TOYOCOM RoHS DSI1508	1.00000 pc	3.00		X1
6		08-697	IC NRF24AP1-REEL QFN24 NORDIC TRANSCEIVER T/R RoHS	1.00000 pc	0.00		U1
6		61-4762MT	C TAN 47uF 6.3V +-20% A T/R LEAD FREE	2.00000 pc	1.00		TC1,TC2
6		79-6824BC	IND 6.8nH 0402 5% L-07C6N8JV4T/V6T JOHANSON L.F. DSI2142	1.00000 pc	0.00		L1
6		79-1834JC	Inductor 18nH 5% L-07C18NJV6T 0402 JOHANSON T/R (DSI2155)	1.00000 pc	3.00		L2
6		70-4753ZYT	C CAP 4.7uF 10V +80/-20 Y5V 0603 T/R LEAD FREE	1.00000 pc	0.00		CV

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 6 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	BOM No.	Item No.	Description	Qty. Uom	Scrap Rate	% BOM	Remarks
6		54-4P79CNTJ	C CAP 4.7pF 25V +-0.25pF 0402 COG Johanson 500R07S4R7BV4T	1.00000 pc	0.00		RF1
6		79-2724BC	IND 2.7nH 0402 5% L-07C2N7SV6T/4T JOHANSON LEAD FREE DSI2138	1.00000 pc	0.00		RF2
6		54-0P709CNTJ	CAP 0.7pF 50V +-0.1pF 0402 Johanson JHT 500R07S0R7BV4T	1.00000 pc	0.00		C21
6		54-2215KXT	C CAP 220pF 16V +-10% X7R 0402 T/R LEAD FREE	1.00000 pc	0.00		CF
6		54-1207JNT	C CAP 12pF 25V +-5% NPO 0402 T/R LEAD FREE	2.00000 pc	3.00		CX1,CX2
6		54-1507JNT	C CAP 15pF 25V +-5% NPO 0402 T/R LEAD FREE	2.00000 pc	3.00		C17,C18
6		54-1025KXT	C CAP 1000pF 16V +-10% X7R 0402 T/R LEAD FREE	1.00000 pc	3.00		C15
6		54-3335KXT	C CAP 0.033uF 16V +-10% X7R 0402 T/R LEAD FREE	1.00000 pc	3.00		C16
6		54-4P77CNT	C CAP 4.7pF 25V +-0.25pF NPO 0402 T/R LEAD FREE	1.00000 pc	3.00		C19
6		54-2225JXT	C CAP 2200pF 16V +-5% X7R 0402 T/R LEAD FREE	1.00000 pc	3.00		C20
6		54-1044ZYT	C CAP 0.1uF 15/16V +80-20% Y5V 0402 T/R LEAD FREE	11.00000 pc	3.00		C1-C6,C12, C14,CR,CE, CP
6		55-0000JT	C RES 0 OHM 1/16W +-5% 0402 T/R LEAD FREE	3.00000 pc	3.00		R7,REL,J2
6		55-22120FT	C RES 22.1K 1/16W +-1% 0402 T/R LEAD FREE	1.00000 pc	3.00		R6
6		55-1050JT	C RES 1M OHM 1/16W +-5% 0402 T/R LEAD FREE	1.00000 pc	3.00		R9
	<b><u>B7-3307A01</u></b>						
1		B7-3307A01	DIGITAL COMBO TX BLACK 2.4GHz BELL ARGOS DUE TX.	1.00000 set	0.00		*ECN07284 13OCT07
2		17-3307AABK	TOP CASE ABS BLACK DIGITAL Combo TX. BELL SPORTS	1.00000 pc	3.00		SSA *ECN07284 13OCT07

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 7 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	BOM No.	Item No.	Description	Qty. Uom	Scrap Rate	% BOM	Remarks
2		A1-3308A01	BOTTOM CASE ABS BK W/PRINTING DIGITAL DUE TX. BELL SPORTS	1.00000 pc	3.00		17-3308AAB K SSA *ECN07284 13OCT07
2		17-3309AKBK	RUBBER PAD KRATON BLACK DIGITAL DUE TX. BELL SPORTS	1.00000 pc	0.00		SSA *ECN07284 13OCT07
2		10-12605SO	BATTERY 3V CR2032 220MAH SONY	1.00000 pc	0.00		
2		17-33110LBK	BATTERY COVER POM BK (17-1288) (MADE IN CHINA & CE) TRONVIC	1.00000 pc	0.00		
2		24-3260BK	BATTERY FOAM DIA15.5X2.0THK W/ADHESIVE TAPE BLACK EVA	1.00000 pc	0.00		
2		38-0060BKO	`O`RING OD 6.0XID3.6X1.2 NBR60 BLACK BELL ARGOS	1.00000 pc	0.00		*ECN06930 14JUL07 (Fo r BS64700) *ECN07229 28SEP07 (Fo r BS64500, 64 501)
2		29-8830	SENSOR WIRE 110MM BK W/CAP A0-3040002 BELL ARGOS CAD	1.00000 pc	0.00		
2		17-3041AABK	BBJET WIRED TX PCB HOLDER ABS BLACK W/O BLACKBURN LOGO	1.00000 pc	0.00		
2		42-1301013OK	REED SWITCH ORD9216 (1013) 10-13AT MAX DIA 2.2x14MM OKI	1.00000 pc	1.00		
2		21-592	PCB C5 Sensor FR4 DS GF 25x4.5x0.6mm	1.00000 pc	1.00		
2		17-30420KBK	BBJET WIRED TX RUBBER PAD KARTON BLACK	1.00000 pc	0.00		
2	<b>A8-1015B0308</b>	A8-1015B0308	21-1015B ANT COMBO TX W/SMT+ SOLDER PART ASSY 2.4G 20min	1.00000 set	0.00		
3		68-1110505EP	CRYSTAL 32768Hz 2x6mm 12.5pF +/-5ppM EPSON	1.00000 pc	2.00		Y200
3		42-1301013OK	REED SWITCH ORD9216 (1013) 10-13AT MAX DIA 2.2x14MM OKI	1.00000 pc	1.00		SW1
3		18-781BPN	+VE BATTERY PLATE 0.25THK P.BRONZE NI-P	1.00000 pc	1.00		

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 8 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	BOM No.	Item No.	Description	Qty. Uom	Scrap Rate	% BOM	Remarks
3		18-797APN	-VE BATTERY CONTACT 0.15 THK P.BRONZE NI-P	1.00000 pc	1.00		
3		D2-M1259B	BATTERY LABEL W/FCC PRINTING "RoHS" WHITE 2.4GHz Tx	1.00000 pc	1.00		
<b><u>A8-1015B0108</u></b>							
3		A8-1015B0108	21-1015B ANT COMBO TX W/SMT ASSY 2.4G 20min timeout	1.00000 set	0.00		
4		21-1015B	PCB DIGITAL SPD/CAD TX 1.0 FR4 2.4GHz RoHS	1.00000 pc	2.00		1/40
4		08-731TI	IC ANTSTX02 TI TSSOP20 ANT TX COMBO T/R (DSI?????) RoHS (BW)	1.00000 pc	0.00		IC2
4		08-647	IC DSI30005 2.4GHz QFN16 TX Nordic T/R	1.00000 pc	2.00		IC3
4		68-160003CTO	Crystal TSX-4025 16MHz TN4-25888 9pF TOYOCOM RoHS DSI1508	1.00000 pc	3.00		Y100
4		79-1834JC	Inductor 18nH 5% L-07C18NJV6T 0402 JOHANSON T/R (DSI2155)	2.00000 pc	3.00		L100,L101
4		79-3324BC	Inductor 3.3nH L-07C3N3SV6T +-0.3nH 0402 JOHANSON DSI2139	1.00000 pc	3.00		L102
4		79-3924BC	Inductor 3.9nH L-07C3N9SV6T/4T +-0.3nH 0402 JOHANSON DSI2119	1.00000 pc	3.00		X103
4		31-248	C ANTENNA AN3216 RAIN SUN 2.4GHz T/R LEAD FREE (DSI3800)	1.00000 pc	3.00		ANN TENNA
4		57-330	C DIODE LMDL914T1G SOD323 LRC LEAD FREE	1.00000 pc	3.00		D200
4		55-0000JT	C RES 0 OHM 1/16W +-5% 0402 T/R LEAD FREE	3.00000 pc	3.00		RDS01,RDS10, RID21
4		55-1060JT	C RES 10M OHM 1/16W +-5% 0402 T/R LEAD FREE	6.00000 pc	3.00		R200, RID41, RID01, RSL1, RID30, RID11
4		55-2230JT	C RES 22K OHM 1/16W +-5% 0402 T/R LEAD FREE	1.00000 pc	3.00		R100
4		55-1050JT	C RES 1M OHM 1/16W +-5% 0402 T/R LEAD FREE	1.00000 pc	3.00		R102
4		55-1040JT	C RES 100K 1/16W +-5% 0402 T/R LEAD FREE	3.00000 pc	3.00		R205, RS, RC

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 9 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	BOM No.	Item No.	Description	Qty. Uom	Scrap Rate	% BOM	Remarks
4		55-5150JT	C RES 5.1M OHM 1/16W +-5% 0402 T/R LEAD FREE	1.00000 pc	3.00		R207
4		55-4R70JT	C RES 4.7 OHM 1/16W +-5% 0402 T/R LEAD FREE	1.00000 pc	3.00		R206
4		54-1025KXT	C CAP 1000pF 16V +-10% X7R 0402 T/R LEAD FREE	4.00000 pc	3.00		C104, C113, CS,CC
4		54-1044KXT	C CAP 0.1uF 6.3V/10V 10% X5R 0402 T/R LEAD FREE	2.00000 pc	3.00		C200, C203
4		54-4P77CNT	C CAP 4.7pF 25V +-0.25pF NPO 0402 T/R LEAD FREE	1.00000 pc	3.00		C103
4		54-3335KXT	C CAP 0.033uF 16V +-10% X7R 0402 T/R LEAD FREE	1.00000 pc	3.00		C109
4		54-2225JXT	C CAP 2200pF 16V +-5% X7R 0402 T/R LEAD FREE	1.00000 pc	3.00		C110
4		54-1035JXT	C CAP 0.01uF 16V +-5% 0402 X7R T/R LEAD FREE	2.00000 pc	3.00		C107, C114
4		54-1507JNT	C CAP 15pF 25V +-5% NPO 0402 T/R LEAD FREE	2.00000 pc	3.00		C111, C112
4		62-4762MT	C TAN 47uF 4V/6.3V +-10%/20% B SIZE T/R LEAD FREE	2.00000 pc	3.00		TC1, TC2
<b><u>B4-1342I07BS</u></b>							
1		B4-1342I07BS	DIGITAL HR TX ASSY W/BLACKBURN LOGO ARGOS W/21-1006B (>ABS<)	1.00000 set	0.00		
2		92-714035B25NE	SELF TAP. SCREW PH1.4X3.5 HD2.5 +/- S/S NI-P	2.00000 pc	0.00		
<b>Alt. Parts:</b>							
		92-214035B25NE	SELF TAP. SCREW PH1.4X3.5 HD2.5 + S/S NI-P	2.00000 pc			
2		38-2510BKO	`O`RING OD 25.1 X 1.0 BLACK CHEST STRAP	1.00000 pc	0.00		
2		24-1650DR	BATT.FOAM DIA5.5 X 2MM W/ADHESIVE TAPE BLACK	2.00000 pc	1.00		
2		89-L196BG	LUG WASHER M1.5x5.4mm 0.2THK BRASS GOLD (10010-16)	2.00000 pc	0.00		
2		23-2300PG	TX CONTACT SPRING PIANO WIRE SWG#33 GOLD PLATED	1.00000 pc	0.00		
2		17-1343GABK	TX BOTTOM CASE ABS BLACK WATCH A W/O TEXT (>ABS<)	1.00000 pc	0.00		

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 10 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	<u>BOM No.</u>	Item No.	Description	Qty. Uom	Scrap Rate	% BOM	Remarks
2		10-12605SO	BATTERY 3V CR2032 220mAH SONY	1.00000pc	0.00		
2		17-1344DRBK	FRONT CHEST STRAP (R) WATCH A, SI SERIES	1.00000pc	0.00		
2		17-1345DRBK	FRONT CHEST STRAP (L) WATCH A, SI SERIES	1.00000pc	0.00		
<b><u>A0-1342I127</u></b>							
2		A0-1342I127	TX TOP CASE W/PRINTING ASSY RD186, SI 8040C NEURO 2.4G LOGO	1.00000 set	0.00		A0-1342I100
3		17-1484FABK	TX TOP CASE ABS BLACK (>ABS<) D55	1.00000pc	0.00		
3		18-12400PG	TX CONTACT PLATE 0.3 THK P.BRONZE GOLD-P SI TX	2.00000pc	0.00		
<b><u>29-597A</u></b>							
2		29-597A	BATTERY COVER W/2MM FOAM ASSY 17-1551ALBK+24-3260BK	1.00000 set	0.00		
3		24-3260BK	BATTERY FOAM DIA15.5X2.0THK W/ADHESIVE TAPE BLACK EVA	1.00000pc	0.00		
3		17-1551ALBK	BATT. COVER CELCON BLACK 5MM CE W/O MADE IN H.K. (17-1288)	1.00000pc	0.00		
<b><u>A8-1006C0302</u></b>							
2		A8-1006C0302	21-1006C DIGITAL HR TX W/SMT+ SOLDER PART ASSY 2.4G ANT 20mi	1.00000 set	0.00		
3		18-838APG	+VE BATTERY CONTACT PLATE 0.2 THK P.BRONZE GOLD PLATED	1.00000pc	0.00		
3		18-839APN	-VE BATTERY CONTACT PLATE 0.2 THK P.BRONZE NI-P	1.00000pc	0.00		
3		68-1110505EP	CRYSTAL 32768Hz 2x6mm 12.5pF +/-5ppM EPSON	1.00000pc	0.00		
<b><u>A8-1006C0101</u></b>							
3		A8-1006C0101	21-1006C DIGITAL HR TX W/SMT ASSY 2.4G ANT 20min Timeout	1.00000 set	0.00		
4		21-1006C	ANT DIGITAL HR TX PCB 1.0 FR4 2.4GHz REV4	1.00000pc	0.00		1/30
4		08-398EL	NAND GATE IC ELM7S00B ELM LEAD FREE	1.00000pc	0.00		IC1
4		57-300PHTN	C TR BC847CW NPN PHILIPS SOT 323 T/R LEAD FREE	3.00000pc	0.00		Q1,Q2,Q4
<b>Alt. Parts:</b>							
		57-300AUKN	C TR 2SC5343UL/STC4081L NPN AUK (DL) SOT 323 T/R LEAD FREE	9.00000 pc			Q1,Q2,Q4
4		57-301PHTP	C TR BC857CW PNP PHILIPS SOT323 T/R LEAD FREE	1.00000pc	0.00		Q3

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 11 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	BOM No.	Item No.	Description	Qty.	Uom	Scrap Rate	% BOM	Remarks
Alt.	Parts:	57-301AUKP	C TR 2SA1980UL/STA1576L PNP AUK (CL) SOT323 T/R LEAD FREE	1.00000	pc			Q3
4		61-1061MCT	C TAN CAP 10uF 4V +/-20% P size (TAJR106M04) T/R LEAD FREE	1.00000	pc	0.00		C17
4		60-1060JT	C RES 10M 1/16W +-5% 0603 T/R LEAD FREE	3.00000	pc	0.00		R1,R2,R19
4		60-6830JT	C RES 68K 1/16W +-5% 0603 T/R LEAD FREE	2.00000	pc	0.00		R3,R6
4		60-2230JT	C RES 22K 1/16W +-5% 0603 T/R LEAD FREE	1.00000	pc	0.00		R4
4		60-1840JT	C RES 180K 1/16W +-5% 0603 T/R LEAD FREE	1.00000	pc	0.00		R5
4		60-2250JT	C RES 2.2M 1/16W +-5% 0603 T/R LEAD FREE	1.00000	pc	0.00		R7
4		60-3330JT	C RES 33K 1/16W +-5% 0603 T/R LEAD FREE	1.00000	pc	0.00		R8
4		60-6840JT	C RES 680K 1/16W +-5% 0603 T/R LEAD FREE	4.00000	pc	0.00		R9,R13,R16,R17
4		60-5640JT	C RES 560K 1/16W +-5% 0603 T/R LEAD FREE	1.00000	pc	0.00		R10
4		60-1540JT	C RES 150K 1/16W +-5% 0603 T/R LEAD FREE	1.00000	pc	0.00		J11
4		60-1020JT	C RES 1K 1/16W +-5% 0603 T/R LEAD FREE	1.00000	pc	3.00		R12
4		60-2240JT	C RES 220K 1/16W +-5% 0603 T/R LEAD FREE	2.00000	pc	0.00		R14,R15
4		60-3350JT	C RES 3.3M 1/16W +-5% 0603 T/R LEAD FREE	1.00000	pc	0.00		R18
4		60-4740JT	C RES 470K 1/16W +-5% 0603 T/R LEAD FREE	1.00000	pc	0.00		R20
4		70-3343KXT	C CAP 0.33uF 10V +-10% X5R 0603 T/R LEAD FREE	1.00000	pc	0.00		C1
4		70-2243KXT	C CAP 0.22uF 10V +-10% X7R 0603 T/R LEAD FREE	5.00000	pc	0.00		C2,C7-C9,C11
4		70-4735KXT	C CAP 0.047uF 16V +-10% X7R 0603 T/R LEAD FREE	1.00000	pc	0.00		C4

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 12 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	BOM No.	Item No.	Description	Qty.	Uom	Scrap Rate	% BOM	Remarks
4		70-2237KXT	C CAP 0.022uF 25V +-10% X7R 0603 T/R LEAD FREE	1.00000	pc	0.00		C26
4		62-4762MT	C TAN 47uF 4V/6.3V +-10%/20% B SIZE T/R LEAD FREE	3.00000	pc	3.00		TC1,TC2,TC3
4		61-2261MT	C TAN 22uF 4V +-20% SIZE A T/R (T491A226M004AS)	1.00000	pc	1.00		TC4
4		71-1053KXT	C CAP 1uF 10V +-10% X7R 0805 T/R	2.00000	pc	0.00		C5,C10
4		57-330	C DIODE LMDL914T1G SOD323 LRC LEAD FREE	1.00000	pc	3.00		D200
4		68-160003CTO	Crystal TSX-4025 16MHz TN4-25888 9pF TOYOCOM RoHS DSI1508	1.00000	pc	3.00		Y100
4		54-4P77CNT	C CAP 4.7pF 25V +-0.25pF NPO 0402 T/R LEAD FREE	1.00000	pc	3.00		C103
4		54-1025KXT	C CAP 1000pF 16V +-10% X7R 0402 T/R LEAD FREE	2.00000	pc	3.00		C104,C113
4		54-2225JXT	C CAP 2200pF 16V +-5% X7R 0402 T/R LEAD FREE	1.00000	pc	3.00		C110
4		54-1035JXT	C CAP 0.01uF 16V +-5% 0402 X7R T/R LEAD FREE	2.00000	pc	3.00		C107,C114
4		54-1507JNT	C CAP 15pF 25V +-5% NPO 0402 T/R LEAD FREE	2.00000	pc	3.00		C111,C112
4		54-3335KXT	C CAP 0.033uF 16V +-10% X7R 0402 T/R LEAD FREE	1.00000	pc	3.00		C109
4		54-0P59BNTJ	C CAP 0.5pF 50V +-0.1pF COG 500R07S0R5BV4T JOHANSON DSI1803	1.00000	pc	0.00		C108
4		54-1044KXT	C CAP 0.1uF 6.3V/10V 10% X5R 0402 T/R LEAD FREE	2.00000	pc	3.00		C203,C200
4		55-2230JT	C RES 22K OHM 1/16W +-5% 0402 T/R LEAD FREE	1.00000	pc	3.00		R100
4		55-1050JT	C RES 1M OHM 1/16W +-5% 0402 T/R LEAD FREE	1.00000	pc	3.00		R102
4		55-0000JT	C RES 0 OHM 1/16W +-5% 0402 T/R LEAD FREE	2.00000	pc	3.00		RID51,RID21
4		55-1040JT	C RES 100K 1/16W +-5% 0402 T/R LEAD FREE	1.00000	pc	3.00		R205

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 13 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	BOM No.	Item No.	Description	Qty. Uom	Scrap Rate	% BOM	Remarks
4		55-5150JT	C RES 5.1M OHM 1/16W +-5% 0402 T/R LEAD FREE	1.00000 pc	3.00		R207
4		55-1060JT	C RES 10M OHM 1/16W +-5% 0402 T/R LEAD FREE	6.00000 pc	3.00		R200,RID41 ,RID01,RID 30,RID11,R SL1
4		55-4R70JT	C RES 4.7 OHM 1/16W +-5% 0402 T/R LEAD FREE	1.00000 pc	3.00		R206
4		08-649TIB	IC ANTSTX01 TI TSSOP20 ANT TX REV.B T/R (DSI30006) RoHS	1.00000 pc	0.00		IC2
<b>Alt. Parts:</b>		08-649TIBF	IC FLASH ANTSTX01 TI TSSOP20 ANT TX REV.B T/R (DSIXXXXX)	1.00000 pc			IC2
4		08-647	IC DSI30005 2.4GHz QFN16 TX Nordic T/R	1.00000 pc	2.00		IC3
4		79-6824BC	IND 6.8nH 0402 5% L-07C6N8JV4T/V6T JOHANSON L.F. DSI2142	1.00000 pc	0.00		L100
4		79-1834JC	Inductor 18nH 5% L-07C18NJV6T 0402 JOHANSON T/R (DSI2155)	1.00000 pc	3.00		L101
4		79-3924BC	Inductor 3.9nH L-07C3N9SV6T/4T +-0.3nH 0402 JOHANSON DSI2119	1.00000 pc	3.00		L102
4		79-5624BC	IND 5.6nH 0402 5% L-07C5N6SV4T/6T JOHANSON LEAD FREE DSI2141	1.00000 pc	0.00		X103
		<b><u>A5-2767A04</u></b>					
1		A5-2767A04	HANDLE BAR BRACKET W/O HOLE W/M3.0X20 SCREW BBJET DUMMY	1.00000 set	0.00		
2		17-2767ANBK	CALMP NYLON BLACK BB JET WITH 18-6450T NUT ASSY	1.00000 pc	0.00		
2		17-2669AURD	CLAMP RUBBER PAD TPU RED BBJET	1.00000 pc	0.00		
2		18-6450BN	M3 KNURLED NUT BRASS NI-P	1.00000 pc	0.00		VENDOR PROVIDE
2		89-W123BN	M3 WASHER OD6.4xID3.3x0.4THK BRASS NI-P #B104C-3	1.00000 pc	0.00		
2		92-73020M55NE	MACH. SCREW M3.0x20 HD5.5 S.S PM (+ -) PHILIPS HEAD	1.00000 pc	0.00		ECN06182 21SP06
		<b><u>B6-1036035</u></b>					
1		B6-1036035	SPD/CAD MAGNET +5TIE+ 2 +1 RUBBER SHIM ASSY BELL ARGOS	1.00000 set	0.00		

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 14 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	<u>BOM No.</u>	Item No.	Description	Qty. Uom	Scrap Rate	% BOM	Remarks
2		17-10360ABK	CADENCE MAGNET HOUSING ABS BLACK C20/SONIC	1.00000 pc	0.00		
2		31-233	FERRITE MAGNET SSR360H 3x7x14mm GAUSS 10.50 +-10%	1.00000 pc	0.00		
2		C4-1851436BK	CABLE TIE L185XW3.6X1.4THK #WIT-30L #YJ-185 (B)	10.00000 pc	0.00		*ECN06930 14JUL07 (For BS64700) *ECN07229 28SEP07 (For BS64500,BS 64501)
2		17-2846BURD	CLAMP RUBBER PAD TPU RED FOR 22-26MM HANDLE BAR BBJET	1.00000 pc	0.00		
2		C7-064127BR	POLYBAG 2-1/2"x5" W/RECYCLE MARK	1.00000 pc	0.00		
2		17-28780KBK	STEM MOUNT PAD KRATON BLACK BB JET	1.00000 pc	0.00		
2	<u>A0-2946A00BK</u>	A0-2946A00BK	STEM MOUNT NYLON 6 BK W/O HOLE WIRELESS W/METAL RING INSERTE	1.00000 pc	0.00		
3		17-29460NBK	STEM MOUNT NYLON 6 BLACK BB JET W/O HOLE (17-28680NBK)	1.00000 pc	0.00		
3		48-8130T	METAL RING 02 S/S CO_MOULD STEM MOUNT (TRONVIC PROVIDE)	1.00000 pc	0.00		
2	<u>A3-281401</u>	A3-281401	BBJET ALNICO SPOKE MAGNET ASSY W/2X17-28150UBK & C7-040050BR	1.00000 set	0.00		
3		17-28140ABK	PLASTIC KONB CO-MOULD WITH SCREW BBJET MAGNET CLAMP	1.00000 pc	1.00		VENDOR PROVIDE
3		17-28150UBK	RUBBER PAD PU BLACK BBJET MAGNET CLAMP	2.00000 pc	1.00		VENDOR PROVIDE ECN06140 08SEP06
3		31-247	ALNICO MAGNET DIA6.4 x 3.8 GUASS 3.0KG BIKE POD	1.00000 pc	0.00		VENDOR PROVIDE
3		C7-040050BR	POLYBAG W40mmX L55mm X0.06 W/RECYCLE MARK RoHS	1.00000 pc	0.00		ECN06140 08SEP06
1	<u>B6-3311001</u>	B6-3311001	BATT.COVER +3MM FOAM +O-RING+CR2032 BATT.+POLYBAG ASSY	1.00000 set	0.00		

**KENDY ENTERPRISE LTD.**

**INDENTED PARTS LIST**

Date: Oct 24 2007

Page No.: 15 of 15

Model No.: BS64700

Prepared by: JANET  
 Verified by: Mechanical Division  
 Electronic Division  
 Engineering Manager

Description: ARGOS 6.0 BLACKBURN TI CASE W/RD KEYS

Confirmed by: Project Manager  
 Q.C.  
 Procurement  
 Production

Revision:

Doc. Control No.:

Approved by: Management

Level	BOM No.	Item No.	Description	Qty. Uom	Scrap %	BOM Remarks
2		17-33110LBK	BATTERY COVER POM BK (17-1288) (MADE IN CHINA & CE) TRONVIC	1.00000pc	0.00	
2		38-2510BKOA	`O`RING OD 25.1 X 1.0 BLACK CHEST STRAP	1.00000pc	0.00	
2		10-12605SO	BATTERY 3V CR2032 220mAH SONY	1.00000pc	0.00	
2		24-3270BK	BATTERY FOAM DIA15.5X3.0THK W/ADHESIVE TAPE BLACK EVA	1.00000pc	0.00	
2		C7-051076BR	POLYBAG 2"x3" W/RECYCLE MARK	1.00000pc	0.00	

-- End of BOM --