




BUREAU VERITAS


Test Report No.: RF210603W002-2





BUREAU VERITAS

Test Report No.: RF210603W002-2





3.6 RADIATED EMISSION MEASUREMENT

3.6.1 LIMITS OF RADIATED EMISSION MEASUREMENT

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. The emission limit equal to -13dBm .

3.6.2 TEST PROCEDURES

- a. Substitution method is used for E.I.R.P measurement. In the semi-anechoic chamber, EUT placed on the 0.8m height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
- b. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step a. Record the power level of S.G
- c. $\text{EIRP} = \text{Output power level of S.G} - \text{TX cable loss} + \text{Antenna gain of substitution horn}$.


NOTE: The resolution bandwidth and video bandwidth of test receiver/spectrum analyzer is 1MHz/3MHz.

3.6.3 DEVIATION FROM TEST STANDARD


No deviation

3.6.4 TEST SETUP

< Frequency Range 30MHz~1GHz >



<Frequency Range above 1GHz>



Note: Above 1G is a directional antenna

Depends on the EUT height and the antenna 3dB beamwidth both, refer to section 7.3 of CISPR 16-2-3.

For the actual test configuration, please refer to the attached file (Test Setup Photo).



**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

3.6.5 TEST RESULTS

BELOW 1GHz WORST-CASE DATA


30 MHz – 1GHz data:

LTE Band 2

CHANNEL BANDWIDTH: 1.4MHz / QPSK

MODE	TX channel 18607	FREQUENCY RANGE	Below 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Poi/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	59.100	-25.32	-33.01	-13.00	-12.32	7.69	Peak	Horizontal
2	95.960	-28.08	-36.12	-13.00	-15.08	8.04	Peak	Horizontal
3	216.240	-34.50	-46.21	-13.00	-21.50	11.71	Peak	Horizontal
4	314.210	-29.26	-43.67	-13.00	-16.26	14.41	Peak	Horizontal
5	515.000	-35.16	-54.16	-13.00	-22.16	19.00	Peak	Horizontal
6	668.260	-36.99	-59.06	-13.00	-23.99	22.07	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 18607	FREQUENCY RANGE	Below 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Read	Limit	Over				
Freq	Level	Level	Line	Limit	Factor	Remark	Pol/Phase
MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	58.130	-22.97	-31.08	-13.00	-9.97	8.11 Peak	Vertical
2	98.870	-28.27	-36.68	-13.00	-15.27	8.41 Peak	Vertical
3	178.410	-39.66	-50.06	-13.00	-26.66	10.40 Peak	Vertical
4	315.100	-37.78	-53.11	-13.00	-24.78	15.33 Peak	Vertical
5	427.700	-37.49	-55.22	-13.00	-24.49	17.73 Peak	Vertical
6	586.700	-39.57	-60.23	-13.00	-26.57	20.66 Peak	Vertical





BUREAU VERITAS

Test Report No.: RF210603W002-2

ABOVE 1GHz DATA

Note: For higher frequency, the emission is too low to be detected.


WORST-CASE DATA

GPRS 1900:

CH 512

MODE	TX channel 512	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Read	Limit	Over				
Freq	Level	Level	Line	Limit	Factor	Remark	Pol/Phase
MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP 3700.000	-48.82	-57.61	-13.00	-35.82	8.79	Peak	Horizontal
2 5550.000	-49.11	-59.30	-13.00	-36.11	10.19	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 512	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3700.000	-50.60	-59.85	-13.00	-37.60	9.25	Peak	Vertical
2	5550.000	-50.61	-60.51	-13.00	-37.61	9.90	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CH 661

MODE	TX channel 661	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-49.47	-58.32	-13.00	-36.47	8.85	Peak	Horizontal
2 PP	5640.000	-48.99	-59.47	-13.00	-35.99	10.48	Peak	Horizontal






BUREAU VERITAS

Test Report No.: RF210603W002-2

MODE	TX channel 661	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3754.000	-47.05	-56.32	-13.00	-34.05	9.27	Peak	Vertical
2	5640.000	-47.81	-58.06	-13.00	-34.81	10.25	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CH 810

MODE	TX channel 810	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3826.000	-48.23	-57.15	-13.00	-35.23	8.92	Peak	Horizontal
2	PP 5730.000	-46.82	-57.60	-13.00	-33.82	10.78	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 810	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3820.000	-48.76	-58.05	-13.00	-35.76	9.29	Peak	Vertical
2 PP	5734.000	-47.46	-58.07	-13.00	-34.46	10.61	Peak	Vertical






EDGE 1900:

CH 512

MODE	TX channel 512	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3700.000	-49.65	-58.44	-13.00	-36.65	8.79	Peak	Horizontal
2	5554.000	-49.66	-59.86	-13.00	-36.66	10.20	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 512	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3700.000	-50.91	-60.16	-13.00	-37.91	9.25	Peak	Vertical
2	5550.000	-52.93	-62.83	-13.00	-39.93	9.90	Peak	Vertical






BUREAU VERITAS

Test Report No.: RF210603W002-2

CH 661

MODE	TX channel 661	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3754.000	-49.67	-58.51	-13.00	-36.67	8.84	Peak	Horizontal
2	PP 5640.000	-48.43	-58.91	-13.00	-35.43	10.48	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 661	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3755.000	-49.48	-58.75	-13.00	-36.48	9.27	Peak	Vertical
2 PP	5640.000	-49.08	-59.33	-13.00	-36.08	10.25	Peak	Vertical






CH 810

MODE	TX channel 810	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3826.000	-48.62	-57.54	-13.00	-35.62	8.92	Peak	Horizontal
2 PP	5730.000	-47.91	-58.69	-13.00	-34.91	10.78	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 810	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3820.000	-48.10	-57.39	-13.00	-35.10	9.29	Peak	Vertical
2 PP	5734.000	-47.24	-57.85	-13.00	-34.24	10.61	Peak	Vertical






WCDMA Band II

CH 9262

MODE	TX channel 9262	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Rose Ma		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3704.000	-49.35	-58.14	-13.00	-36.35	8.79	Peak	Horizontal
2	5555.000	-50.10	-60.30	-13.00	-37.10	10.20	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 9262	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Rose Ma		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3698.000	-39.21	-48.46	-13.00	-26.21	9.25	Peak	Vertical
2	5557.200	-46.56	-56.49	-13.00	-33.56	9.93	Peak	Vertical






CH 9400

MODE	TX channel 9400	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Rose Ma		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-51.76	-60.61	-13.00	-38.76	8.85	Peak	Horizontal
2 PP	5644.000	-50.82	-61.32	-13.00	-37.82	10.50	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 9400	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Rose Ma		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3760.000	-50.23	-59.50	-13.00	-37.23	9.27	Peak	Vertical
2 PP	5644.000	-50.06	-60.32	-13.00	-37.06	10.26	Peak	Vertical






Test Report No.: RF210603W002-2

CH 9538

MODE	TX channel 9538	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Rose Ma		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3814.000	-51.02	-59.93	-13.00	-38.02	8.91	Peak	Horizontal
2 PP	5716.000	-48.28	-59.01	-13.00	-35.28	10.73	Peak	Horizontal






BUREAU VERITAS

Test Report No.: RF210603W002-2

MODE	TX channel 9538	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Rose Ma		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3808.000	-49.73	-59.01	-13.00	-36.73	9.28	Peak	Vertical
2	PP 5721.000	-49.16	-59.72	-13.00	-36.16	10.56	Peak	Vertical





Test Report No.: RF210603W002-2


LTE Band 2

CHANNEL BANDWIDTH: 1.4MHz / QPSK

CH18607

MODE	TX channel 18607	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3701.400	-30.80	-39.59	-13.00	-17.00	8.79	Peak	Horizontal
2	5552.100	-46.44	-56.63	-13.00	-33.44	10.19	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 18607	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3700.000	-30.82	-40.07	-13.00	-17.82	9.25	Peak	Vertical
2	5552.100	-46.68	-56.59	-13.00	-33.68	9.91	Peak	Vertical






CH19193

MODE	TX channel 19193	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3826.000	-33.04	-41.96	-13.00	-20.04	8.92	Peak	Horizontal
2	5734.000	-44.52	-55.31	-13.00	-31.52	10.79	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 19193	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

		Read	Limit	Over			
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	Pol/Phase
1	PP 3826.000	-33.30	-42.59	-13.00	-20.30	9.29	Peak Vertical
2	5727.900	-41.70	-52.29	-13.00	-28.70	10.59	Peak Vertical






Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 3MHz / QPSK

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

		Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark	Pol/Phase
MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP 3754.000	-32.88	-41.64	-13.00	-19.80	8.84	Peak	Horizontal
2 5640.000	-47.83	-58.31	-13.00	-34.83	10.48	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1 PP 3754.000	-32.73	-42.00	-13.00	-19.73	9.27	Peak Vertical
2 5640.000	-47.44	-57.69	-13.00	-34.44	10.25	Peak Vertical






CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3754.000	-35.37	44.21	-13.00	-22.37	8.84	Peak	Horizontal
2	5640.000	-48.08	58.56	-13.00	-35.08	10.48	Peak	Horizontal






BUREAU VERITAS

Test Report No.: RF210603W002-2

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3754.000	-32.13	-41.48	-13.00	-19.13	9.27	Peak	Vertical
2	5640.000	-47.42	-57.67	-13.00	-34.42	10.25	Peak	Vertical






CHANNEL BANDWIDTH: 10MHz / QPSK

CH18650

MODE	TX channel 18650	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3754.000	-31.20	-40.04	-13.00	-18.20	8.84	Peak	Horizontal
2	5640.000	-45.37	-55.85	-13.00	-32.37	10.48	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 18650	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3754.000	-29.80	-39.07	-13.00	-16.80	9.27	Peak	Vertical
2	5640.000	-42.82	-53.07	-13.00	-29.82	10.25	Peak	Vertical






CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3754.000	-38.47	-47.31	-13.00	-25.47	8.84	Peak	Horizontal
2	5640.000	-48.77	-59.25	-13.00	-35.77	10.48	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3754.000	-37.29	-46.56	-13.00	-24.29	9.27	Peak	Vertical
2	5648.000	-49.02	-59.27	-13.00	-36.02	10.25	Peak	Vertical






BUREAU VERITAS

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3754.000	-48.95	-58.22	-13.00	-27.95	9.27	Peak	Vertical
2	5648.000	-49.08	-59.25	-13.00	-36.00	10.25	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 18900	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

No.	PP	Freq MHz	Level dBm/m	Read	Limit	Over	Remark	Pol/Phase
				Level dBm	Line dBm/m	Limit dB		
1	PP	3754.000	-40.25	-49.09	-13.00	-27.25	8.84 Peak	Horizontal
2		5640.000	-47.26	-57.74	-13.00	-34.26	10.48 Peak	Horizontal






LTE Band 25

CHANNEL BANDWIDTH: 1.4MHz / QPSK

MODE	TX channel 26365	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3772.000	-48.82	-57.68	-13.00	-35.82	8.86	Peak	Horizontal
2 PP	5647.500	-47.36	-57.87	-13.00	-34.36	10.51	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 26365	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Read	Limit	Over				
Freq	Level	Level	Line	Limit	Factor	Remark	Pol/Phase
MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP 3772.000	-48.72	-57.99	-13.00	-35.72	9.27	Peak	Vertical
2 5647.500	-49.50	-59.78	-13.00	-36.50	10.28	Peak	Vertical






BUREAU VERITAS

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 3MHz / QPSK

MODE	TX channel 26365	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3772.000	-48.68	-57.54	-13.00	-35.68	8.86	Peak	Horizontal
2 PP	5647.500	-48.43	-58.94	-13.00	-35.43	10.51	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 26365	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3772.000	-47.77	-57.04	-13.00	-34.77	9.27	Peak	Vertical
2	5647.500	-48.95	-59.23	-13.00	-35.95	10.28	Peak	Vertical






CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 26065	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3700.000	-45.82	-54.61	-13.00	-32.82	8.79	Peak	Horizontal
2	5557.500	-49.66	-59.87	-13.00	-36.66	10.21	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 26065	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3700.000	-48.47	-57.72	-13.00	-35.47	9.25	Peak	Vertical
2	5557.500	-50.23	-60.16	-13.00	-37.23	9.93	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 26365	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3772.000	-43.91	-52.77	-13.00	-30.91	8.86	Peak	Horizontal
2	5647.500	-47.45	-57.96	-13.00	-34.45	10.51	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 26365	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3772.000	-48.90	-58.17	-13.00	-35.90	9.27	Peak	Vertical
2	PP 5647.500	-48.61	-58.89	-13.00	-35.61	10.28	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 26665	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3826.000	-43.56	-52.48	-13.00	-30.56	8.92	Peak	Horizontal
2	5737.500	-47.66	-58.46	-13.00	-34.66	10.80	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 26365	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3826.000	-48.90	-58.19	-13.00	-35.90	9.29	Peak	Vertical
2 PP	5737.500	-46.80	-57.43	-13.00	-33.80	10.63	Peak	Vertical






CHANNEL BANDWIDTH: 10MHz / QPSK

CH 26365

MODE	TX channel 26365	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Rose Ma		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3772.000	-48.88	-57.74	-13.00	-35.88	8.86	Peak	Horizontal
2	5647.500	-47.46	-57.97	-13.00	-34.46	10.51	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 26365	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Rose Ma		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3772.000	-47.23	-56.50	-13.00	-34.23	9.27	Peak	Vertical
2	5647.500	-48.22	-58.50	-13.00	-35.22	10.28	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 26365	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3772.000	-49.39	-58.25	-13.00	-36.39	8.86	Peak	Horizontal
2 PP	5647.500	-47.45	-57.96	-13.00	-34.45	10.51	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 26365	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3772.000	-48.24	-57.51	-13.00	-35.24	9.27	Peak	Vertical
2	5647.500	-49.86	-60.14	-13.00	-36.86	10.28	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 26365	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3772.000	-49.57	-58.43	-13.00	-36.57	8.86	Peak	Horizontal
2 PP	5647.500	-48.22	-58.73	-13.00	-35.22	10.51	Peak	Horizontal






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

MODE	TX channel 26365	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	DC 12V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3772.000	-48.95	-58.22	-13.00	-35.95	9.27	Peak	Vertical
2 PP	5647.500	-46.93	-57.21	-13.00	-33.93	10.28	Peak	Vertical






3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES


1. Set resolution/measurement bandwidth \geq signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



3.7.4 TEST RESULTS

GPRS


CHANNEL	FREQUENCY (MHz)	PEAK TO AVERAGE RATIO (dB)
512	1850.2	2.63





Test Report No.: RF210603W002-2


CHANNEL	FREQUENCY (MHz)	PEAK TO AVERAGE RATIO (dB)
661	1880	2.64





Test Report No.: RF210603W002-2


CHANNEL	FREQUENCY (MHz)	PEAK TO AVERAGE RATIO (dB)
810	1909.8	2.63





EDGE


CHANNEL	FREQUENCY (MHz)	PEAK TO AVERAGE RATIO (dB)
512	1850.2	5.87





Test Report No.: RF210603W002-2


CHANNEL	FREQUENCY (MHz)	PEAK TO AVERAGE RATIO (dB)
661	1880	6.91






Test Report No.: RF210603W002-2

CHANNEL	FREQUENCY (MHz)	PEAK TO AVERAGE RATIO (dB)
810	1909.8	6.91








BUREAU VERITAS

Test Report No.: RF210603W002-2


CHANNEL	FREQUENCY (MHz)	PEAK TO AVERAGE RATIO (dB)
9400	1880.0	2.87





Test Report No.: RF210603W002-2

CHANNEL	FREQUENCY (MHz)	PEAK TO AVERAGE RATIO (dB)
9538	1907.6	2.77






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

LTE BAND 2

CHANNEL BANDWIDTH: 1.4MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
18607	1850.7	5.17	5.87
18900	1880	5.29	6.05
19193	1909.3	4.84	5.71






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 3MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
18615	1851.5	5.24	6.01
18900	1880	5.30	6.14
19185	1908.5	5.06	5.87






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 5MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
18625	1852.5	5.53	6.17
18900	1880	5.46	6.17
19175	1907.5	5.32	5.99






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 10MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
18650	1855	5.41	6.13
18900	1880	5.35	6.10
19150	1905	5.18	5.97






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 15MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
18675	1857.5	5.76	6.24
18900	1880	5.75	6.24
19125	1902.5	5.59	6.15






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 20MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
18700	1860	5.44	6.22
18900	1880	5.48	6.23
19100	1900	5.52	6.16






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

LTE BAND 25

CHANNEL BANDWIDTH: 1.4MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
26047	1850.7	5.11	6.00
26365	1882.5	5.32	6.06
26683	1914.3	4.53	5.37






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 3MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
26055	1851.5	2.67	2.67
26365	1882.5	2.67	2.67
26675	1913.5	2.67	2.68






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 5MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
26065	1852.5	5.63	6.21
26365	1882.5	5.58	6.17
26665	1912.5	5.19	5.82






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 10MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
26090	1855	5.51	6.08
26365	1882.5	5.47	6.11
26640	1910	5.10	5.80






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 15MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
26115	1857.5	5.53	6.18
26365	1882.5	5.52	6.15
26615	1907.5	5.24	5.98






**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

CHANNEL BANDWIDTH: 20MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
26140	1860	5.50	6.24
26365	1882.5	5.54	6.25
26590	1905	5.39	6.13





**BUREAU
VERITAS**

Test Report No.: RF210603W002-2

4 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.dg@cn.bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.

5 APPENDIX A – MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.

---END---