

LTE Band26 (814-824)Test Data

Report No. ENS2406030047W00207R Page 17 and Page 18

Appendix A: Conducted output power

Report No. ENS2406030047W00207R Page 39

Appendix B: Peak-to-Average Ratio

Report No. ENS2406030047W00207R Page 22

Appendix C: 26dB Bandwidth and Occupied Bandwidth

Report No. ENS2406030047W00207R Page 24

Appendix D: Band Edge

Report No. ENS2406030047W00207R Page 26

Appendix E: Conducted Spurious Emission

Report No. ENS2406030047W00207R Page 38

Appendix F: Frequency Stability

Appendix A: Conducted output power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band26	1.4MHz	QPSK	26697	1RB#0	23.27	PASS
Band26	1.4MHz	QPSK	26697	1RB#2	23.32	PASS
Band26	1.4MHz	QPSK	26697	1RB#5	23.25	PASS
Band26	1.4MHz	QPSK	26697	3RB#0	23.33	PASS
Band26	1.4MHz	QPSK	26697	3RB#1	23.30	PASS
Band26	1.4MHz	QPSK	26697	3RB#3	23.33	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	22.29	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	23.35	PASS
Band26	1.4MHz	QPSK	26740	1RB#2	23.42	PASS
Band26	1.4MHz	QPSK	26740	1RB#5	23.37	PASS
Band26	1.4MHz	QPSK	26740	3RB#0	23.41	PASS
Band26	1.4MHz	QPSK	26740	3RB#1	23.40	PASS
Band26	1.4MHz	QPSK	26740	3RB#3	23.36	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	22.33	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	23.32	PASS
Band26	1.4MHz	QPSK	26783	1RB#2	23.40	PASS
Band26	1.4MHz	QPSK	26783	1RB#5	23.32	PASS
Band26	1.4MHz	QPSK	26783	3RB#0	23.34	PASS
Band26	1.4MHz	QPSK	26783	3RB#1	23.36	PASS
Band26	1.4MHz	QPSK	26783	3RB#3	23.33	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	22.30	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	22.43	PASS
Band26	1.4MHz	16QAM	26697	1RB#2	22.55	PASS
Band26	1.4MHz	16QAM	26697	1RB#5	22.43	PASS
Band26	1.4MHz	16QAM	26697	3RB#0	22.26	PASS
Band26	1.4MHz	16QAM	26697	3RB#1	22.28	PASS
Band26	1.4MHz	16QAM	26697	3RB#3	22.25	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	21.16	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	22.29	PASS
Band26	1.4MHz	16QAM	26740	1RB#2	22.37	PASS
Band26	1.4MHz	16QAM	26740	1RB#5	22.24	PASS
Band26	1.4MHz	16QAM	26740	3RB#0	22.24	PASS
Band26	1.4MHz	16QAM	26740	3RB#1	22.23	PASS

Band26	1.4MHz	16QAM	26740	3RB#3	22.21	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	21.35	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	22.51	PASS
Band26	1.4MHz	16QAM	26783	1RB#2	22.58	PASS
Band26	1.4MHz	16QAM	26783	1RB#5	22.49	PASS
Band26	1.4MHz	16QAM	26783	3RB#0	22.22	PASS
Band26	1.4MHz	16QAM	26783	3RB#1	22.22	PASS
Band26	1.4MHz	16QAM	26783	3RB#3	22.21	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	21.38	PASS
Band26	3MHz	QPSK	26705	1RB#0	23.30	PASS
Band26	3MHz	QPSK	26705	1RB#8	23.37	PASS
Band26	3MHz	QPSK	26705	1RB#14	23.31	PASS
Band26	3MHz	QPSK	26705	8RB#0	22.38	PASS
Band26	3MHz	QPSK	26705	8RB#4	22.35	PASS
Band26	3MHz	QPSK	26705	8RB#7	22.39	PASS
Band26	3MHz	QPSK	26705	15RB#0	22.36	PASS
Band26	3MHz	QPSK	26740	1RB#0	23.33	PASS
Band26	3MHz	QPSK	26740	1RB#8	23.38	PASS
Band26	3MHz	QPSK	26740	1RB#14	23.39	PASS
Band26	3MHz	QPSK	26740	8RB#0	22.48	PASS
Band26	3MHz	QPSK	26740	8RB#4	22.46	PASS
Band26	3MHz	QPSK	26740	8RB#7	22.41	PASS
Band26	3MHz	QPSK	26740	15RB#0	22.45	PASS
Band26	3MHz	QPSK	26775	1RB#0	23.45	PASS
Band26	3MHz	QPSK	26775	1RB#8	23.44	PASS
Band26	3MHz	QPSK	26775	1RB#14	23.39	PASS
Band26	3MHz	QPSK	26775	8RB#0	22.46	PASS
Band26	3MHz	QPSK	26775	8RB#4	22.45	PASS
Band26	3MHz	QPSK	26775	8RB#7	22.47	PASS
Band26	3MHz	QPSK	26775	15RB#0	22.40	PASS
Band26	3MHz	16QAM	26705	1RB#0	22.54	PASS
Band26	3MHz	16QAM	26705	1RB#8	22.58	PASS
Band26	3MHz	16QAM	26705	1RB#14	22.48	PASS
Band26	3MHz	16QAM	26705	8RB#0	21.44	PASS
Band26	3MHz	16QAM	26705	8RB#4	21.46	PASS
Band26	3MHz	16QAM	26705	8RB#7	21.38	PASS
Band26	3MHz	16QAM	26705	15RB#0	21.43	PASS

Band26	3MHz	16QAM	26740	1RB#0	22.52	PASS
Band26	3MHz	16QAM	26740	1RB#8	22.65	PASS
Band26	3MHz	16QAM	26740	1RB#14	22.53	PASS
Band26	3MHz	16QAM	26740	8RB#0	21.42	PASS
Band26	3MHz	16QAM	26740	8RB#4	21.46	PASS
Band26	3MHz	16QAM	26740	8RB#7	21.43	PASS
Band26	3MHz	16QAM	26740	15RB#0	21.36	PASS
Band26	3MHz	16QAM	26775	1RB#0	22.32	PASS
Band26	3MHz	16QAM	26775	1RB#8	22.36	PASS
Band26	3MHz	16QAM	26775	1RB#14	22.31	PASS
Band26	3MHz	16QAM	26775	8RB#0	21.47	PASS
Band26	3MHz	16QAM	26775	8RB#4	21.45	PASS
Band26	3MHz	16QAM	26775	8RB#7	21.45	PASS
Band26	3MHz	16QAM	26775	15RB#0	21.38	PASS
Band26	5MHz	QPSK	26715	1RB#0	23.41	PASS
Band26	5MHz	QPSK	26715	1RB#12	23.48	PASS
Band26	5MHz	QPSK	26715	1RB#24	23.49	PASS
Band26	5MHz	QPSK	26715	12RB#0	22.38	PASS
Band26	5MHz	QPSK	26715	12RB#6	22.39	PASS
Band26	5MHz	QPSK	26715	12RB#13	22.40	PASS
Band26	5MHz	QPSK	26715	25RB#0	22.39	PASS
Band26	5MHz	QPSK	26740	1RB#0	23.41	PASS
Band26	5MHz	QPSK	26740	1RB#12	23.55	PASS
Band26	5MHz	QPSK	26740	1RB#24	23.44	PASS
Band26	5MHz	QPSK	26740	12RB#0	22.37	PASS
Band26	5MHz	QPSK	26740	12RB#6	22.38	PASS
Band26	5MHz	QPSK	26740	12RB#13	22.43	PASS
Band26	5MHz	QPSK	26740	25RB#0	22.50	PASS
Band26	5MHz	QPSK	26765	1RB#0	23.56	PASS
Band26	5MHz	QPSK	26765	1RB#12	23.54	PASS
Band26	5MHz	QPSK	26765	1RB#24	23.44	PASS
Band26	5MHz	QPSK	26765	12RB#0	22.43	PASS
Band26	5MHz	QPSK	26765	12RB#6	22.43	PASS
Band26	5MHz	QPSK	26765	12RB#13	22.39	PASS
Band26	5MHz	QPSK	26765	25RB#0	22.43	PASS
Band26	5MHz	16QAM	26715	1RB#0	22.46	PASS
Band26	5MHz	16QAM	26715	1RB#12	22.48	PASS

Band26	5MHz	16QAM	26715	1RB#24	22.47	PASS
Band26	5MHz	16QAM	26715	12RB#0	21.39	PASS
Band26	5MHz	16QAM	26715	12RB#6	21.35	PASS
Band26	5MHz	16QAM	26715	12RB#13	21.35	PASS
Band26	5MHz	16QAM	26715	25RB#0	21.38	PASS
Band26	5MHz	16QAM	26740	1RB#0	22.62	PASS
Band26	5MHz	16QAM	26740	1RB#12	22.75	PASS
Band26	5MHz	16QAM	26740	1RB#24	22.62	PASS
Band26	5MHz	16QAM	26740	12RB#0	21.41	PASS
Band26	5MHz	16QAM	26740	12RB#6	21.38	PASS
Band26	5MHz	16QAM	26740	12RB#13	21.48	PASS
Band26	5MHz	16QAM	26740	25RB#0	21.39	PASS
Band26	5MHz	16QAM	26765	1RB#0	22.52	PASS
Band26	5MHz	16QAM	26765	1RB#12	22.56	PASS
Band26	5MHz	16QAM	26765	1RB#24	22.44	PASS
Band26	5MHz	16QAM	26765	12RB#0	21.48	PASS
Band26	5MHz	16QAM	26765	12RB#6	21.46	PASS
Band26	5MHz	16QAM	26765	12RB#13	21.40	PASS
Band26	5MHz	16QAM	26765	25RB#0	21.44	PASS
Band26	10MHz	QPSK	26740	1RB#0	23.31	PASS
Band26	10MHz	QPSK	26740	1RB#24	23.36	PASS
Band26	10MHz	QPSK	26740	1RB#49	23.29	PASS
Band26	10MHz	QPSK	26740	25RB#0	22.36	PASS
Band26	10MHz	QPSK	26740	25RB#12	22.35	PASS
Band26	10MHz	QPSK	26740	25RB#25	22.43	PASS
Band26	10MHz	QPSK	26740	50RB#0	22.49	PASS
Band26	10MHz	16QAM	26740	1RB#0	22.59	PASS
Band26	10MHz	16QAM	26740	1RB#24	22.63	PASS
Band26	10MHz	16QAM	26740	1RB#49	22.47	PASS
Band26	10MHz	16QAM	26740	25RB#0	21.32	PASS
Band26	10MHz	16QAM	26740	25RB#12	21.38	PASS
Band26	10MHz	16QAM	26740	25RB#25	21.41	PASS
Band26	10MHz	16QAM	26740	50RB#0	21.43	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26	1.4MHz	QPSK	26697	1RB#0	4.31	13	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	5.08	13	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	4.27	13	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	5.03	13	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	4.41	13	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	5.09	13	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	5.18	13	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	5.83	13	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	5.14	13	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	5.89	13	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	5.35	13	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	6.03	13	PASS
Band26	3MHz	QPSK	26705	1RB#0	4.15	13	PASS
Band26	3MHz	QPSK	26705	15RB#0	4.96	13	PASS
Band26	3MHz	QPSK	26740	1RB#0	4.13	13	PASS
Band26	3MHz	QPSK	26740	15RB#0	4.89	13	PASS
Band26	3MHz	QPSK	26775	1RB#0	4.35	13	PASS
Band26	3MHz	QPSK	26775	15RB#0	5.09	13	PASS
Band26	3MHz	16QAM	26705	1RB#0	4.99	13	PASS
Band26	3MHz	16QAM	26705	15RB#0	5.84	13	PASS
Band26	3MHz	16QAM	26740	1RB#0	5.09	13	PASS
Band26	3MHz	16QAM	26740	15RB#0	5.83	13	PASS
Band26	3MHz	16QAM	26775	1RB#0	5.18	13	PASS
Band26	3MHz	16QAM	26775	15RB#0	5.95	13	PASS
Band26	5MHz	QPSK	26715	1RB#0	4.13	13	PASS
Band26	5MHz	QPSK	26715	25RB#0	5.02	13	PASS
Band26	5MHz	QPSK	26740	1RB#0	4.11	13	PASS
Band26	5MHz	QPSK	26740	25RB#0	5.02	13	PASS
Band26	5MHz	QPSK	26765	1RB#0	4.22	13	PASS
Band26	5MHz	QPSK	26765	25RB#0	5.09	13	PASS
Band26	5MHz	16QAM	26715	1RB#0	4.93	13	PASS

Band26	5MHz	16QAM	26715	25RB#0	5.80	13	PASS
Band26	5MHz	16QAM	26740	1RB#0	5.00	13	PASS
Band26	5MHz	16QAM	26740	25RB#0	5.84	13	PASS
Band26	5MHz	16QAM	26765	1RB#0	4.99	13	PASS
Band26	5MHz	16QAM	26765	25RB#0	5.91	13	PASS
Band26	10MHz	QPSK	26740	1RB#0	4.13	13	PASS
Band26	10MHz	QPSK	26740	50RB#0	5.16	13	PASS
Band26	10MHz	16QAM	26740	1RB#0	5.06	13	PASS
Band26	10MHz	16QAM	26740	50RB#0	6.00	13	PASS




Test Graphs

Band26-1.4MHz-QPSK-26697-1RB#0




Band26-1.4MHz-QPSK-26697-6RB#0




Band26-1.4MHz-QPSK-26740-1RB#0




Band26-1.4MHz-QPSK-26740-6RB#0




Band26-1.4MHz-QPSK-26783-1RB#0




Band26-1.4MHz-QPSK-26783-6RB#0




Band26-1.4MHz-16QAM-26697-1RB#0




Band26-1.4MHz-16QAM-26697-6RB#0




Band26-1.4MHz-16QAM-26740-1RB#0




Band26-1.4MHz-16QAM-26740-6RB#0




Band26-1.4MHz-16QAM-26783-1RB#0




Band26-1.4MHz-16QAM-26783-6RB#0




Band26-3MHz-QPSK-26705-1RB#0




Band26-3MHz-QPSK-26705-15RB#0




Band26-3MHz-QPSK-26740-1RB#0




Band26-3MHz-QPSK-26740-15RB#0




Band26-3MHz-QPSK-26775-1RB#0




Band26-3MHz-QPSK-26775-15RB#0




Band26-3MHz-16QAM-26705-1RB#0




Band26-3MHz-16QAM-26705-15RB#0




Band26-3MHz-16QAM-26740-1RB#0




Band26-3MHz-16QAM-26740-15RB#0






Band26-3MHz-16QAM-26775-1RB#0




Band26-3MHz-16QAM-26775-15RB#0




Band26-5MHz-QPSK-26715-1RB#0







Band26-5MHz-QPSK-26765-1RB#0




Band26-5MHz-QPSK-26765-25RB#0




Band26-5MHz-16QAM-26715-1RB#0




Band26-5MHz-16QAM-26715-25RB#0




Band26-5MHz-16QAM-26740-1RB#0




Band26-5MHz-16QAM-26740-25RB#0




Band26-5MHz-16QAM-26765-1RB#0




Band26-5MHz-16QAM-26765-25RB#0




Band26-10MHz-QPSK-26740-1RB#0



Band26-10MHz-QPSK-26740-50RB#0



Band26-10MHz-16QAM-26740-1RB#0



Band26-10MHz-16QAM-26740-50RB#0




Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26	1.4MHz	QPSK	26697	6RB#0	1.0970	1.218	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	1.0889	1.225	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	1.0892	1.216	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	1.0909	1.229	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	1.0889	1.212	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	1.0876	1.219	PASS
Band26	3MHz	QPSK	26705	15RB#0	2.6949	2.906	PASS
Band26	3MHz	QPSK	26740	15RB#0	2.6969	2.922	PASS
Band26	3MHz	QPSK	26775	15RB#0	2.6956	2.922	PASS
Band26	3MHz	16QAM	26705	15RB#0	2.6909	2.913	PASS
Band26	3MHz	16QAM	26740	15RB#0	2.6923	2.926	PASS
Band26	3MHz	16QAM	26775	15RB#0	2.6950	2.906	PASS
Band26	5MHz	QPSK	26715	25RB#0	4.5029	4.869	PASS
Band26	5MHz	QPSK	26740	25RB#0	4.5008	4.855	PASS
Band26	5MHz	QPSK	26765	25RB#0	4.5028	4.841	PASS
Band26	5MHz	16QAM	26715	25RB#0	4.5041	4.859	PASS
Band26	5MHz	16QAM	26740	25RB#0	4.5024	4.881	PASS
Band26	5MHz	16QAM	26765	25RB#0	4.4992	4.836	PASS
Band26	10MHz	QPSK	26740	50RB#0	8.9990	9.552	PASS
Band26	10MHz	16QAM	26740	50RB#0	8.9858	9.548	PASS


Test Graphs



Band26-1.4MHz-16QAM-26697-6RB#0



Band26-1.4MHz-16QAM-26740-6RB#0



Band26-1.4MHz-16QAM-26783-6RB#0



Band26-3MHz-QPSK-26705-15RB#0



Band26-3MHz-QPSK-26740-15RB#0



Band26-3MHz-QPSK-26775-15RB#0



Band26-3MHz-16QAM-26705-15RB#0



Spectrum Analyzer 1

Occupied BW

KEYSIGHT

Input RF

Coupling DC

Align Auto

Input Z 50 Ω

Corrections Off

Freq Ref Int (S)

Atten 30 dB

Trig Free Run

Gate Off

#F Gain Low

Center Freq 819.000000 MHz

AugHold 30/30

Radio Std None

Center Frequency

819.000000 MHz

Span

6.0000 MHz

CF Step

600.000 kHz

Auto

Man

Freq Offset

0 Hz

1 Graph

Ref Lvl Offset 9.15 dB

Ref Value 40.00 dBm

Scale/Div 10.0 dB

Log

30.0

20.0

10.0

0.00

-10.0

-20.0

-30.0

-40.0

-50.0

Center 819.000 MHz

#Video BW 150.00 kHz*

Span 6 MHz

#Sweep 100 ms (601 pts)

2 Metrics

Occupied Bandwidth

2.6923 MHz

Total Power

24.2 dBm

Transmit Freq Error

94 Hz

% of OBW Power

99.00 %

x dB Bandwidth

2.928 MHz

x dB

-26.00 dB

Aug 11, 2024

4:59:06 PM

Band26-3MHz-16QAM-26775-15RB#0

Spectrum Analyzer 1

Occupied BW

KEYSIGHT

Input RF

Coupling DC

Align Auto

Input Z 50 Ω

Corrections Off

Freq Ref Int (S)

Atten 30 dB

Trig Free Run

Gate Off

#F Gain Low

Center Freq 822.500000 MHz

AugHold 30/30

Radio Std None

Center Frequency

822.500000 MHz

Span

6.0000 MHz

CF Step

600.000 kHz

Auto

Man

Freq Offset

0 Hz

1 Graph

Ref Lvl Offset 9.17 dB

Ref Value 40.00 dBm

Scale/Div 10.0 dB

Log

30.0

20.0

10.0

0.00

-10.0

-20.0

-30.0

-40.0

-50.0

Center 822.500 MHz

#Video BW 150.00 kHz*

Span 6 MHz

#Sweep 100 ms (601 pts)

2 Metrics

Occupied Bandwidth

2.6950 MHz

Total Power

24.3 dBm

Transmit Freq Error

-491 Hz

% of OBW Power

99.00 %

x dB Bandwidth

2.906 MHz

x dB

-26.00 dB

Aug 11, 2024

4:59:25 PM

Band26-5MHz-QPSK-26715-25RB#0



Band26-5MHz-QPSK-26740-25RB#0



Band26-5MHz-QPSK-26765-25RB#0



Band26-5MHz-16QAM-26715-25RB#0



Band26-5MHz-16QAM-26740-25RB#0



Band26-5MHz-16QAM-26765-25RB#0



Band26-10MHz-QPSK-26740-50RB#0



Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Config.	Result (dBm)	Verdict
Band26	1.4MHz	QPSK	26697	1RB#0	-25.55,-31.09	PASS
Band26	1.4MHz	QPSK	26697	1RB#5	-53.76,-41.58	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	-31.01,-31.09	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	-52.41,-43.23	PASS
Band26	1.4MHz	QPSK	26783	1RB#5	-25.22,-30.66	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	-32.74,-32.56	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	-28.03,-31.78	PASS
Band26	1.4MHz	16QAM	26697	1RB#5	-54.01,-42.17	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	-31.00,-31.48	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	-53.60,-44.24	PASS
Band26	1.4MHz	16QAM	26783	1RB#5	-28.74,-33.28	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	-33.12,-33.32	PASS
Band26	3MHz	QPSK	26705	1RB#0	-17.51,-22.98	PASS
Band26	3MHz	QPSK	26705	1RB#14	-50.04,-49.27	PASS
Band26	3MHz	QPSK	26705	15RB#0	-23.45,-28.01	PASS
Band26	3MHz	QPSK	26775	1RB#0	-51.63,-48.04	PASS
Band26	3MHz	QPSK	26775	1RB#14	-16.09,-22.24	PASS
Band26	3MHz	QPSK	26775	15RB#0	-23.42,-27.49	PASS
Band26	3MHz	16QAM	26705	1RB#0	-17.27,-23.34	PASS
Band26	3MHz	16QAM	26705	1RB#14	-51.19,-49.68	PASS
Band26	3MHz	16QAM	26705	15RB#0	-24.54,-28.66	PASS
Band26	3MHz	16QAM	26775	1RB#0	-53.72,-48.78	PASS
Band26	3MHz	16QAM	26775	1RB#14	-18.19,-24.97	PASS
Band26	3MHz	16QAM	26775	15RB#0	-25.74,-28.99	PASS
Band26	5MHz	QPSK	26715	1RB#0	-18.38,-25.00	PASS
Band26	5MHz	QPSK	26715	1RB#24	-55.75,-48.04	PASS
Band26	5MHz	QPSK	26715	25RB#0	-25.47,-27.77	PASS
Band26	5MHz	QPSK	26765	1RB#0	-54.37,-46.08	PASS
Band26	5MHz	QPSK	26765	1RB#24	-16.96,-23.02	PASS
Band26	5MHz	QPSK	26765	25RB#0	-25.81,-28.10	PASS
Band26	5MHz	16QAM	26715	1RB#0	-19.18,-25.05	PASS
Band26	5MHz	16QAM	26715	1RB#24	-56.88,-49.00	PASS

Band26	5MHz	16QAM	26715	25RB#0	-26.50,-28.77	PASS
Band26	5MHz	16QAM	26765	1RB#0	-55.62,-46.67	PASS
Band26	5MHz	16QAM	26765	1RB#24	-19.39,-25.78	PASS
Band26	5MHz	16QAM	26765	25RB#0	-26.12,-28.72	PASS
Band26	10MHz	QPSK	26740	1RB#0	-31.39,-26.12,-53.14,-45.52	PASS
Band26	10MHz	QPSK	26740	1RB#49	-50.98,-52.51,-28.52,-32.74	PASS
Band26	10MHz	QPSK	26740	50RB#0	-27.44,-26.38,-27.81,-28.65	PASS
Band26	10MHz	16QAM	26740	1RB#0	-32.57,-27.11,-55.02,-46.14	PASS
Band26	10MHz	16QAM	26740	1RB#49	-51.33,-52.83,-28.65,-30.38	PASS
Band26	10MHz	16QAM	26740	50RB#0	-29.26,-28.12,-28.63,-29.05	PASS



Test Graphs



Band26-1.4MHz-QPSK-26783-1RB#0



Band26-1.4MHz-QPSK-26783-1RB#5



Band26-1.4MHz-QPSK-26783-6RB#0



Band26-1.4MHz-16QAM-26697-1RB#0



Band26-1.4MHz-16QAM-26697-1RB#5



Band26-1.4MHz-16QAM-26697-6RB#0



Band26-1.4MHz-16QAM-26783-1RB#0



Band26-1.4MHz-16QAM-26783-1RB#5



Band26-1.4MHz-16QAM-26783-6RB#0



Band26-3MHz-QPSK-26705-1RB#0



Band26-3MHz-QPSK-26705-1RB#14



Band26-3MHz-QPSK-26705-15RB#0



Band26-3MHz-QPSK-26775-1RB#0



Band26-3MHz-QPSK-26775-1RB#14



Band26-3MHz-QPSK-26775-15RB#0



Band26-3MHz-16QAM-26705-1RB#0



Band26-3MHz-16QAM-26705-1RB#14



Band26-3MHz-16QAM-26705-15RB#0



Band26-3MHz-16QAM-26775-1RB#0




Band26-3MHz-16QAM-26775-1RB#14



Band26-3MHz-16QAM-26775-15RB#0



Band26-5MHz-QPSK-26715-1RB#0



Band26-5MHz-QPSK-26715-1RB#24



Band26-5MHz-QPSK-26715-25RB#0



Band26-5MHz-QPSK-26765-1RB#0



Band26-5MHz-QPSK-26765-1RB#24



Band26-5MHz-QPSK-26765-25RB#0



Band26-5MHz-16QAM-26715-1RB#0



Band26-5MHz-16QAM-26715-1RB#24



Band26-5MHz-16QAM-26715-25RB#0



Band26-5MHz-16QAM-26765-1RB#0



Band26-5MHz-16QAM-26765-1RB#24



Band26-5MHz-16QAM-26765-25RB#0



Band26-10MHz-QPSK-26740-1RB#0





Band26-10MHz-16QAM-26740-1RB#49



Band26-10MHz-16QAM-26740-50RB#0



Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band26	1.4MHz	QPSK	26697	1RB#0	Range1:30~1000MHz	-46.41	PASS
Band26	1.4MHz	QPSK	26697	1RB#0	Range2:1000~10000MHz	-36.21	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-46.12	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-36.52	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	Range1:30~1000MHz	-45.83	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	Range2:1000~10000MHz	-35.37	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	Range1:30~1000MHz	-45.78	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	Range2:1000~10000MHz	-36.53	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-45.99	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-35.64	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	Range1:30~1000MHz	-45.39	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	Range2:1000~10000MHz	-35.83	PASS
Band26	3MHz	QPSK	26705	1RB#0	Range1:30~1000MHz	-45.74	PASS
Band26	3MHz	QPSK	26705	1RB#0	Range2:1000~10000MHz	-36.64	PASS
Band26	3MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-45.46	PASS
Band26	3MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-36.3	PASS
Band26	3MHz	QPSK	26775	1RB#0	Range1:30~1000MHz	-45.12	PASS

					00MHz		
Band26	3MHz	QPSK	26775	1RB#0	Range2:1000~10000MHz	-36.31	PASS
Band26	3MHz	16QAM	26705	1RB#0	Range1:30~1000MHz	-45.41	PASS
Band26	3MHz	16QAM	26705	1RB#0	Range2:1000~10000MHz	-36.19	PASS
Band26	3MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-45.66	PASS
Band26	3MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-36.41	PASS
Band26	3MHz	16QAM	26775	1RB#0	Range1:30~1000MHz	-46.48	PASS
Band26	3MHz	16QAM	26775	1RB#0	Range2:1000~10000MHz	-36.11	PASS
Band26	5MHz	QPSK	26715	1RB#0	Range1:30~1000MHz	-44.95	PASS
Band26	5MHz	QPSK	26715	1RB#0	Range2:1000~10000MHz	-35.87	PASS
Band26	5MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-45.28	PASS
Band26	5MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-36.5	PASS
Band26	5MHz	QPSK	26765	1RB#0	Range1:30~1000MHz	-46.16	PASS
Band26	5MHz	QPSK	26765	1RB#0	Range2:1000~10000MHz	-35.42	PASS
Band26	5MHz	16QAM	26715	1RB#0	Range1:30~1000MHz	-45.85	PASS
Band26	5MHz	16QAM	26715	1RB#0	Range2:1000~10000MHz	-35.69	PASS
Band26	5MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-45.71	PASS
Band26	5MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-34.41	PASS
Band26	5MHz	16QAM	26765	1RB#0	Range1:30~1000MHz	-45.34	PASS

Band26	5MHz	16QAM	26765	1RB#0	Range2:1000~10000MHz	-36.33	PASS
Band26	10MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-46.32	PASS
Band26	10MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-35.91	PASS
Band26	10MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-45.37	PASS
Band26	10MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-37.03	PASS



Test Graphs

Band26-1.4MHz-QPSK-26697-1RB#0-Range1:30~1000MHz



Band26-1.4MHz-QPSK-26697-1RB#0-Range2:1000~10000MHz



Band26-1.4MHz-QPSK-26740-1RB#0-Range1:30~1000MHz



Band26-1.4MHz-QPSK-26740-1RB#0-Range2:1000~10000MHz



Band26-1.4MHz-QPSK-26783-1RB#0-Range1:30~1000MHz



Band26-1.4MHz-QPSK-26783-1RB#0-Range2:1000~10000MHz



Band26-1.4MHz-16QAM-26697-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-16QAM-26697-1RB#0-Range2:1000~10000MHz



Band26-1.4MHz-16QAM-26740-1RB#0-Range1:30~1000MHz



Band26-1.4MHz-16QAM-26740-1RB#0-Range2:1000~10000MHz



Band26-1.4MHz-16QAM-26783-1RB#0-Range1:30~1000MHz



Band26-1.4MHz-16QAM-26783-1RB#0-Range2:1000~10000MHz



Band26-3MHz-QPSK-26705-1RB#0-Range1:30~1000MHz




Band26-3MHz-QPSK-26705-1RB#0-Range2:1000~10000MHz



Band26-3MHz-QPSK-26740-1RB#0-Range1:30~1000MHz



Band26-3MHz-QPSK-26740-1RB#0-Range2:1000~10000MHz



Band26-3MHz-QPSK-26775-1RB#0-Range1:30~1000MHz



Band26-3MHz-QPSK-26775-1RB#0-Range2: 1000~10000MHz



Band26-3MHz-16QAM-26705-1RB#0-Range1:30~1000MHz



Band26-3MHz-16QAM-26705-1RB#0-Range2:1000~10000MHz



Band26-3MHz-16QAM-26740-1RB#0-Range1:30~1000MHz



Band26-3MHz-16QAM-26740-1RB#0-Range2:1000~10000MHz



Band26-3MHz-16QAM-26775-1RB#0-Range1:30~1000MHz



Band26-3MHz-16QAM-26775-1RB#0-Range2:1000~10000MHz



Band26-5MHz-QPSK-26715-1RB#0-Range1:30~1000MHz



Band26-5MHz-QPSK-26715-1RB#0-Range2:1000~10000MHz



Band26-5MHz-QPSK-26740-1RB#0-Range1:30~1000MHz



Band26-5MHz-QPSK-26740-1RB#0-Range2:1000~10000MHz



Band26-5MHz-QPSK-26765-1RB#0-Range1:30~1000MHz



Band26-5MHz-QPSK-26765-1RB#0-Range2: 1000~10000MHz



Band26-5MHz-16QAM-26715-1RB#0-Range1:30~1000MHz



Band26-5MHz-16QAM-26715-1RB#0-Range2:1000~10000MHz



Band26-5MHz-16QAM-26740-1RB#0-Range1:30~1000MHz



Band26-5MHz-16QAM-26740-1RB#0-Range2:1000~10000MHz



Band26-5MHz-16QAM-26765-1RB#0-Range1:30~1000MHz



Band26-5MHz-16QAM-26765-1RB#0-Range2:1000~10000MHz



Band26-10MHz-QPSK-26740-1RB#0-Range1:30~1000MHz




Band26-10MHz-QPSK-26740-1RB#0-Range2:1000~10000MHz



Band26-10MHz-16QAM-26740-1RB#0-Range1:30~1000MHz



Band26-10MHz-16QAM-26740-1RB#0-Range2:1000~10000MHz



Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26	1.4MHz	QPSK	26697	6RB#0	VL	NT	-3.73	-0.004578	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	VN	NT	-5.69	-0.006984	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	VH	NT	-8.13	-0.009979	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	VL	NT	8.73	0.010659	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	VN	NT	21.34	0.026056	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	VH	NT	7.31	0.008926	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	VL	NT	12.02	0.014600	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	VN	NT	13.29	0.016142	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	VH	NT	5.88	0.007142	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	VL	NT	-11.37	-0.013956	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	VN	NT	-12.42	-0.015245	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	VH	NT	-7.61	-0.009341	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	VL	NT	-5.42	-0.006618	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	VN	NT	-7.30	-0.008913	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	VH	NT	-3.56	-0.004347	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	VL	NT	-4.65	-0.005648	±2.5	PASS

Band26	1.4MHz	16QAM	26783	6RB#0	VN	NT	-7.24	-0.0087 94	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	VH	NT	1.72	0.00208 9	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	VL	NT	-5.61	-0.0068 79	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	VN	NT	-2.09	-0.0025 63	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	VH	NT	2.68	0.00328 6	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	VL	NT	5.38	0.00656 9	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	VN	NT	3.65	0.00445 7	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	VH	NT	5.79	0.00707 0	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	VL	NT	2.60	0.00316 1	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	VN	NT	8.50	0.01033 4	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	VH	NT	3.66	0.00445 0	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	VL	NT	-3.71	-0.0045 49	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	VN	NT	-2.50	-0.0030 66	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	VH	NT	2.23	0.00273 5	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	VL	NT	-2.10	-0.0025 64	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	VN	NT	-3.76	-0.0045 91	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	VH	NT	1.86	0.00227 1	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	VL	NT	8.80	0.01069 9	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	VN	NT	4.99	0.00606	±2.5	PASS

								7		
Band26	3MHz	16QAM	26775	15RB#0	VH	NT	2.46	0.00299 1	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	VL	NT	7.12	0.00872 0	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	VN	NT	6.54	0.00801 0	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	VH	NT	4.63	0.00567 1	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	VL	NT	4.71	0.00575 1	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	VN	NT	5.28	0.00644 7	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	VH	NT	5.64	0.00688 6	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	VL	NT	-7.34	-0.0089 35	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	VN	NT	-9.48	-0.01154 0	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	VH	NT	-5.71	-0.0069 51	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	VL	NT	2.46	0.00301 3	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	VN	NT	7.93	0.00971 2	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	VH	NT	5.74	0.00703 0	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	VL	NT	9.10	0.011111	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	VN	NT	7.38	0.00901 1	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	VH	NT	3.76	0.00459 1	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	VL	NT	-4.69	-0.0057 09	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	VN	NT	-6.51	-0.0079 25	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	VH	NT	-2.09	-0.0025	±2.5	PASS

								44		
Band26	10MHz	QPSK	26740	50RB#0	VL	NT	0.00	0.00000 0	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	VN	NT	0.00	0.00000 0	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	VH	NT	0.00	0.00000 0	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	VL	NT	2.96	0.00361 4	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	VN	NT	-5.56	-0.0067 89	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	VH	NT	5.04	0.00615 4	±2.5	PASS

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26	1.4MHz	QPSK	26697	6RB#0	NV	-30	-6.79	-0.0083 34	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	-20	-7.24	-0.0088 87	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	-10	-3.83	-0.0047 01	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	0	-3.93	-0.0048 24	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	10	-7.35	-0.0090 22	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	20	-8.48	-0.0104 09	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	30	-3.63	-0.0044 56	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	40	-6.87	-0.0084 33	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	50	-9.97	-0.0122 38	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	-30	-1.80	-0.0021 98	±2.5	PASS

Band26	1.4MHz	QPSK	26740	6RB#0	NV	-20	3.75	0.004579	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	-10	-4.45	-0.005433	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	0	-8.43	-0.010293	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	10	-11.24	-0.013724	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	20	-5.08	-0.006203	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	30	-9.46	-0.011551	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	40	-11.73	-0.014322	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	50	-4.43	-0.005409	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	-30	-1.69	-0.002053	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	-20	-5.69	-0.006911	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	-10	-6.95	-0.008442	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	0	-7.55	-0.009170	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	10	-8.87	-0.010774	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	20	-1.23	-0.001494	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	30	-2.26	-0.002745	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	40	-4.88	-0.005927	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	50	-6.57	-0.007980	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	-30	-4.21	-0.005168	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	-20	-4.23	-0.0051	±2.5	PASS

								92		
Band26	1.4MHz	16QAM	26697	6RB#0	NV	-10	2.23	0.00273 7	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	0	-6.21	-0.0076 22	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	10	-6.08	-0.0074 63	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	20	-5.01	-0.0061 50	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	30	-3.71	-0.0045 54	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	40	2.96	0.00363 3	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	50	-9.31	-0.01142 8	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	-30	-1.69	-0.0020 63	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	-20	-7.12	-0.0086 94	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	-10	-8.91	-0.0108 79	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	0	-7.74	-0.0094 51	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	10	-5.74	-0.0070 09	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	20	-6.02	-0.0073 50	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	30	-3.72	-0.0045 42	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	40	-2.07	-0.0025 27	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	50	-2.00	-0.0024 42	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	-30	-7.31	-0.0088 79	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	-20	-4.99	-0.0060 61	±2.5	PASS

Band26	1.4MHz	16QAM	26783	6RB#0	NV	-10	2.72	0.003304	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	0	-6.98	-0.008478	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	10	-5.35	-0.006498	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	20	-1.60	-0.001943	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	30	3.02	0.003668	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	40	-5.48	-0.006656	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	50	-4.01	-0.004871	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	-30	-1.76	-0.002158	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	-20	-1.24	-0.001521	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	-10	2.85	0.003495	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	0	-4.22	-0.005175	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	10	2.92	0.003581	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	20	-5.42	-0.006646	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	30	2.03	0.002489	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	40	-4.71	-0.005776	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	50	3.50	0.004292	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	-30	6.15	0.007509	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	-20	-3.33	-0.004066	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	-10	5.11	0.00623	±2.5	PASS

								9		
Band26	3MHz	QPSK	26740	15RB#0	NV	0	-2.07	-0.0025 27	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	10	5.19	0.00633 7	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	20	2.43	0.00296 7	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	30	7.74	0.00945 1	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	40	3.98	0.00486 0	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	50	2.10	0.00256 4	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	-30	8.01	0.00973 9	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	-20	4.88	0.00593 3	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	-10	3.48	0.00423 1	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	0	-2.47	-0.0030 03	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	10	7.27	0.00883 9	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	20	5.24	0.00637 1	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	30	10.84	0.01317 9	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	40	9.11	0.01107 6	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	50	7.57	0.00920 4	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	-30	2.56	0.00313 9	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	-20	3.10	0.00380 1	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	-10	3.65	0.00447 6	±2.5	PASS

Band26	3MHz	16QAM	26705	15RB#0	NV	0	-7.27	-0.0089 15	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	10	-8.18	-0.0100 31	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	20	-5.51	-0.0067 57	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	30	-6.28	-0.0077 01	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	40	-6.75	-0.0082 77	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	50	5.61	0.00687 9	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	-30	4.68	0.00571 4	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	-20	6.19	0.00755 8	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	-10	7.32	0.00893 8	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	0	-3.16	-0.0038 58	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	10	2.06	0.00251 5	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	20	1.42	0.00173 4	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	30	2.92	0.00356 5	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	40	4.78	0.00583 6	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	50	5.72	0.00698 4	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	-30	5.31	0.00645 6	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	-20	6.32	0.00768 4	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	-10	7.81	0.00949 5	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	0	1.40	0.00170	±2.5	PASS

								2		
Band26	3MHz	16QAM	26775	15RB#0	NV	10	2.16	0.00262 6	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	20	3.79	0.00460 8	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	30	5.81	0.00706 4	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	40	6.11	0.00742 9	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	50	7.41	0.00900 9	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	-30	3.55	0.00434 8	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	-20	3.82	0.00467 9	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	-10	10.11	0.01238 2	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	0	12.10	0.01481 9	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	10	11.43	0.01399 9	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	20	10.49	0.01284 8	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	30	2.70	0.00330 7	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	40	8.78	0.01075 3	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	50	8.67	0.01061 8	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	-30	-2.33	-0.0028 45	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	-20	7.00	0.00854 7	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	-10	2.13	0.00260 1	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	0	-3.38	-0.0041 27	±2.5	PASS

Band26	5MHz	QPSK	26740	25RB#0	NV	10	7.21	0.00880 3	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	20	3.89	0.00475 0	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	30	2.73	0.00333 3	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	40	2.59	0.00316 2	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	50	8.05	0.00982 9	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	-30	-1.96	-0.0023 86	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	-20	-6.39	-0.0077 78	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	-10	-8.24	-0.0100 30	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	0	-3.09	-0.0037 61	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	10	-4.01	-0.0048 81	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	20	-7.31	-0.0088 98	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	30	2.45	0.00298 2	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	40	-2.33	-0.0028 36	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	50	-4.81	-0.0058 55	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	-30	-2.57	-0.0031 48	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	-20	2.29	0.00280 5	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	-10	4.32	0.00529 1	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	0	7.87	0.00963 9	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	10	7.21	0.00883	±2.5	PASS

								0		
Band26	5MHz	16QAM	26715	25RB#0	NV	20	3.55	0.00434 8	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	30	5.88	0.00720 1	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	40	7.04	0.00862 2	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	50	11.50	0.01408 5	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	-30	5.91	0.00721 6	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	-20	7.11	0.00868 1	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	-10	-3.18	-0.0038 83	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	0	1.42	0.00173 4	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	10	4.23	0.00516 5	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	20	5.14	0.00627 6	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	30	5.48	0.00669 1	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	40	-4.86	-0.0059 34	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	50	-3.13	-0.0038 22	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	-30	-7.17	-0.0087 28	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	-20	-6.14	-0.0074 74	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	-10	-4.99	-0.0060 74	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	0	-2.33	-0.0028 36	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	10	-9.43	-0.01147 9	±2.5	PASS

Band26	5MHz	16QAM	26765	25RB#0	NV	20	-8.58	-0.0104 44	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	30	-6.07	-0.0073 89	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	40	-3.96	-0.0048 20	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	50	1.62	0.00197 2	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	-30	0.00	0.00000 0	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	-20	6.25	0.00763 1	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	-10	4.94	0.00603 2	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	0	6.79	0.00829 1	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	10	5.54	0.00676 4	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	20	3.63	0.00443 2	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	30	6.29	0.00768 0	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	40	4.75	0.00580 0	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	50	6.98	0.00852 3	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	-30	5.75	0.00702 1	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	-20	-2.29	-0.0027 96	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	-10	5.75	0.00702 1	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	0	1.54	0.00188 0	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	10	-1.56	-0.0019 05	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	20	-2.98	-0.0036	±2.5	PASS

								39		
Band26	10MHz	16QAM	26740	50RB#0	NV	30	-3.71	-0.0045 30	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	40	-3.66	-0.0044 69	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	50	1.76	0.00214 9	±2.5	PASS

--- The End ---

