


Appendix A2: Occupied channel bandwidth Test Result




Test Mode	Antenna	Channel	OCB [MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	17.463	---	---
	Ant2	5180	17.423	---	---
	Ant1	5200	17.383	---	---
	Ant2	5200	17.383	---	---
	Ant1	5240	17.383	---	---
	Ant2	5240	17.383	---	---
	Ant1	5745	17.423	---	---
	Ant2	5745	17.502	---	---
	Ant1	5785	17.383	---	---
	Ant2	5785	17.383	---	---
	Ant1	5825	17.343	---	---
	Ant2	5825	17.383	---	---
11N20MIMO	Ant1	5180	18.262	---	---
	Ant2	5180	17.902	---	---
	Ant1	5200	18.382	---	---
	Ant2	5200	17.902	---	---
	Ant1	5240	18.302	---	---
	Ant2	5240	17.902	---	---
	Ant1	5745	18.382	---	---
	Ant2	5745	17.982	---	---
	Ant1	5785	18.382	---	---
	Ant2	5785	17.982	---	---
	Ant1	5825	18.342	---	---
	Ant2	5825	17.942	---	---
11N40MIMO	Ant1	5190	36.683	---	---
	Ant2	5190	36.683	---	---
	Ant1	5230	36.683	---	---
	Ant2	5230	36.444	---	---
	Ant1	5755	36.923	---	---
	Ant2	5755	36.683	---	---
	Ant1	5795	36.923	---	---
	Ant2	5795	36.683	---	---
11AC20MIMO	Ant1	5180	18.262	---	---
	Ant2	5180	17.862	---	---
	Ant1	5200	18.382	---	---
	Ant2	5200	17.902	---	---
	Ant1	5240	18.302	---	---
	Ant2	5240	17.862	---	---
	Ant1	5745	18.302	---	---
	Ant2	5745	17.942	---	---
	Ant1	5785	18.382	---	---
	Ant2	5785	17.942	---	---
	Ant1	5825	18.342	---	---
	Ant2	5825	17.942	---	---
11AC40MIMO	Ant1	5190	36.843	---	---
	Ant2	5190	36.523	---	---
	Ant1	5230	36.603	---	---
	Ant2	5230	36.364	---	---
	Ant1	5755	36.843	---	---
	Ant2	5755	36.683	---	---




	Ant1	5795	37.003	---	---	
	Ant2	5795	36.683	---	---	
11AC80MIMO	Ant1	5210	75.604	---	---	
	Ant2	5210	75.604	---	---	
	Ant1	5775	76.244	---	---	
	Ant2	5775	76.244	---	---	
11AX20MIMO	Ant1	5180	19.5	---	---	
	Ant2	5180	19.461	---	---	
	Ant1	5200	19.62	---	---	
	Ant2	5200	19.421	---	---	
	Ant1	5240	18.981	---	---	
	Ant2	5240	18.901	---	---	
	Ant1	5745	19.54	---	---	
	Ant2	5745	19.461	---	---	
	Ant1	5785	19.5	---	---	
	Ant2	5785	19.421	---	---	
	Ant1	5825	19.5	---	---	
	Ant2	5825	19.421	---	---	
	11AX40MIMO	Ant1	5190	37.962	---	---
		Ant2	5190	37.802	---	---
Ant1		5230	37.642	---	---	
Ant2		5230	37.802	---	---	
Ant1		5755	37.802	---	---	
Ant2		5755	37.802	---	---	
Ant1		5795	37.882	---	---	
Ant2		5795	37.962	---	---	
11AX80MIMO	Ant1	5210	77.363	---	---	
	Ant2	5210	77.522	---	---	
	Ant1	5775	77.842	---	---	
	Ant2	5775	78.002	---	---	




Note: the device not operating with any part of OBW fall within 5250-5350MHz and 5725-5850MHz range.




Test Graphs

























































































































Appendix A3: Min emission bandwidth Test Result




Test Mode	Antenna	Channel	6db EBW [MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.00	0.5	PASS
	Ant2	5745	16.32	0.5	PASS
	Ant1	5785	16.04	0.5	PASS
	Ant2	5785	15.88	0.5	PASS
	Ant1	5825	15.80	0.5	PASS
	Ant2	5825	15.80	0.5	PASS
11N20MIMO	Ant1	5745	17.08	0.5	PASS
	Ant2	5745	17.52	0.5	PASS
	Ant1	5785	15.32	0.5	PASS
	Ant2	5785	17.52	0.5	PASS
	Ant1	5825	16.52	0.5	PASS
	Ant2	5825	17.16	0.5	PASS
11N40MIMO	Ant1	5755	35.12	0.5	PASS
	Ant2	5755	35.04	0.5	PASS
	Ant1	5795	35.12	0.5	PASS
	Ant2	5795	35.04	0.5	PASS
11AC20MIMO	Ant1	5745	16.92	0.5	PASS
	Ant2	5745	17.52	0.5	PASS
	Ant1	5785	15.76	0.5	PASS
	Ant2	5785	17.56	0.5	PASS
	Ant1	5825	16.80	0.5	PASS
	Ant2	5825	17.52	0.5	PASS
11AC40MIMO	Ant1	5755	35.04	0.5	PASS
	Ant2	5755	35.04	0.5	PASS
	Ant1	5795	35.04	0.5	PASS
	Ant2	5795	35.04	0.5	PASS
11AC80MIMO	Ant1	5775	75.20	0.5	PASS
	Ant2	5775	75.20	0.5	PASS
11AX20MIMO	Ant1	5745	18.84	0.5	PASS
	Ant2	5745	18.60	0.5	PASS
	Ant1	5785	18.36	0.5	PASS
	Ant2	5785	18.80	0.5	PASS
	Ant1	5825	18.56	0.5	PASS
	Ant2	5825	18.60	0.5	PASS
11AX40MIMO	Ant1	5755	35.12	0.5	PASS
	Ant2	5755	35.04	0.5	PASS
	Ant1	5795	35.12	0.5	PASS
	Ant2	5795	35.12	0.5	PASS
11AX80MIMO	Ant1	5775	75.20	0.5	PASS
	Ant2	5775	75.20	0.5	PASS




Test Graphs






















































Appendix B: Maximum conducted output power Test Result

Test Mode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	10.28	≤23.98	PASS
	Ant2	5180	10.64	≤23.98	PASS
	Ant1	5200	10.91	≤23.98	PASS
	Ant2	5200	10.56	≤23.98	PASS
	Ant1	5240	10.96	≤23.98	PASS
	Ant2	5240	10.74	≤23.98	PASS
	Ant1	5745	10.38	≤30.00	PASS
	Ant2	5745	9.90	≤30.00	PASS
	Ant1	5785	10.58	≤30.00	PASS
	Ant2	5785	10.09	≤30.00	PASS
	Ant1	5825	10.63	≤30.00	PASS
	Ant2	5825	10.38	≤30.00	PASS
11N20MIMO	Ant1	5180	7.09	≤23.98	PASS
	Ant2	5180	7.21	≤23.98	PASS
	total	5180	10.16	≤23.98	PASS
	Ant1	5200	7.04	≤23.98	PASS
	Ant2	5200	7.00	≤23.98	PASS
	total	5200	10.03	≤23.98	PASS
	Ant1	5240	6.66	≤23.98	PASS
	Ant2	5240	7.31	≤23.98	PASS
	total	5240	10.01	≤23.98	PASS
	Ant1	5745	7.04	≤30.00	PASS
	Ant2	5745	6.89	≤30.00	PASS
	total	5745	9.98	≤30.00	PASS
	Ant1	5785	7.17	≤30.00	PASS
	Ant2	5785	6.83	≤30.00	PASS
	total	5785	10.01	≤30.00	PASS
	Ant1	5825	7.20	≤30.00	PASS
	Ant2	5825	6.78	≤30.00	PASS
	total	5825	10.01	≤30.00	PASS
11N40MIMO	Ant1	5190	7.40	≤23.98	PASS
	Ant2	5190	6.76	≤23.98	PASS
	total	5190	10.10	≤23.98	PASS
	Ant1	5230	7.09	≤23.98	PASS
	Ant2	5230	7.21	≤23.98	PASS
	total	5230	10.16	≤23.98	PASS
	Ant1	5755	6.77	≤30.00	PASS
	Ant2	5755	6.93	≤30.00	PASS
	total	5755	9.86	≤30.00	PASS
	Ant1	5795	6.90	≤30.00	PASS
	Ant2	5795	7.01	≤30.00	PASS
	total	5795	9.97	≤30.00	PASS
11AC20MIMO	Ant1	5180	7.13	≤23.98	PASS
	Ant2	5180	7.25	≤23.98	PASS
	total	5180	10.20	≤23.98	PASS
	Ant1	5200	7.04	≤23.98	PASS
	Ant2	5200	7.17	≤23.98	PASS
	total	5200	10.12	≤23.98	PASS
	Ant1	5240	6.60	≤23.98	PASS
	Ant2	5240	7.35	≤23.98	PASS

	total	5240	10.00	≤ 23.98	PASS	
	Ant1	5745	7.18	≤ 30.00	PASS	
	Ant2	5745	6.93	≤ 30.00	PASS	
	total	5745	10.07	≤ 30.00	PASS	
	Ant1	5785	7.24	≤ 30.00	PASS	
	Ant2	5785	6.70	≤ 30.00	PASS	
	total	5785	9.99	≤ 30.00	PASS	
	Ant1	5825	7.50	≤ 30.00	PASS	
	Ant2	5825	6.86	≤ 30.00	PASS	
	total	5825	10.20	≤ 30.00	PASS	
	11AC40MIMO	Ant1	5190	7.09	≤ 23.98	PASS
		Ant2	5190	7.65	≤ 23.98	PASS
total		5190	10.39	≤ 23.98	PASS	
Ant1		5230	7.00	≤ 23.98	PASS	
Ant2		5230	7.47	≤ 23.98	PASS	
total		5230	10.25	≤ 23.98	PASS	
Ant1		5755	6.91	≤ 30.00	PASS	
Ant2		5755	6.91	≤ 30.00	PASS	
total		5755	9.92	≤ 30.00	PASS	
Ant1		5795	7.03	≤ 30.00	PASS	
Ant2		5795	7.24	≤ 30.00	PASS	
total		5795	10.15	≤ 30.00	PASS	
11AC80MIMO	Ant1	5210	7.32	≤ 23.98	PASS	
	Ant2	5210	7.41	≤ 23.98	PASS	
	total	5210	10.38	≤ 23.98	PASS	
	Ant1	5775	7.22	≤ 30.00	PASS	
	Ant2	5775	7.03	≤ 30.00	PASS	
	total	5775	10.14	≤ 30.00	PASS	

Note: the duty cycle factor has added into result.

Test Mode	Antenna	Frequency [MHz]	Ru Size	Ru Index	Reading [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict		
11AX20MIMO	Ant1	5180	26Tone	RU0	-2.30	79.41	1.00	-1.30	≤23.98	PASS		
				RU8	-2.07	79.41	1.00	-1.07	≤23.98	PASS		
			52Tone	RU37	-0.14	72.97	1.37	1.23	≤23.98	PASS		
				RU40	0.61	72.97	1.37	1.98	≤23.98	PASS		
			106Tone	RU53	1.80	65.00	1.87	3.67	≤23.98	PASS		
				RU54	1.67	65.00	1.87	3.54	≤23.98	PASS		
			242Tone	RU61	6.00	58.82	2.30	8.30	≤23.98	PASS		
			Ant2	5180	26Tone	RU0	-3.10	78.43	1.06	-2.04	≤23.98	PASS
						RU8	-3.15	79.41	1.00	-2.15	≤23.98	PASS
					52Tone	RU37	-0.60	72.97	1.37	0.77	≤23.98	PASS
	RU40	0.45				72.97	1.37	1.82	≤23.98	PASS		
	106Tone	RU53			1.92	65.00	1.87	3.79	≤23.98	PASS		
		RU54			1.47	65.00	1.87	3.34	≤23.98	PASS		
	242Tone	RU61			5.87	58.82	2.30	8.17	≤23.98	PASS		
	total	5180			26Tone	RU0	---	---	---	1.36	≤23.98	PASS
						RU8	---	---	---	1.43	≤23.98	PASS
					52Tone	RU37	---	---	---	4.02	≤23.98	PASS
			RU40	---		---	---	4.91	≤23.98	PASS		
			106Tone	RU53	---	---	---	6.74	≤23.98	PASS		
				RU54	---	---	---	6.45	≤23.98	PASS		
	242Tone	RU61	---	---	---	11.25	≤23.98	PASS				
	Ant1	5200	26Tone	RU0	-2.24	78.43	1.06	-1.18	≤23.98	PASS		
				RU8	-2.12	79.41	1.00	-1.12	≤23.98	PASS		
			52Tone	RU37	-0.19	72.00	1.43	1.24	≤23.98	PASS		
				RU40	0.55	72.97	1.37	1.92	≤23.98	PASS		
			106Tone	RU53	1.63	65.00	1.87	3.50	≤23.98	PASS		
				RU54	0.62	65.00	1.87	2.49	≤23.98	PASS		
			242Tone	RU61	6.05	58.82	2.30	8.35	≤23.98	PASS		
			Ant2	5200	26Tone	RU0	-2.80	78.43	1.06	-1.74	≤23.98	PASS
						RU8	-2.91	79.41	1.00	-1.91	≤23.98	PASS
					52Tone	RU37	-0.34	72.00	1.43	1.09	≤23.98	PASS
	RU40	0.90				72.00	1.43	2.33	≤23.98	PASS		
	106Tone	RU53			1.87	65.00	1.87	3.74	≤23.98	PASS		
		RU54			0.65	65.00	1.87	2.52	≤23.98	PASS		
	242Tone	RU61	6.15	58.82	2.30	8.45	≤23.98	PASS				
	total	5200	26Tone	RU0	---	---	---	1.56	≤23.98	PASS		
				RU8	---	---	---	1.51	≤23.98	PASS		
			52Tone	RU37	---	---	---	4.18	≤23.98	PASS		
				RU40	---	---	---	5.14	≤23.98	PASS		
			106Tone	RU53	---	---	---	6.63	≤23.98	PASS		
				RU54	---	---	---	5.52	≤23.98	PASS		
	242Tone	RU61	---	---	---	11.41	≤23.98	PASS				
	Ant1	5240	26Tone	RU0	-1.50	79.41	1.00	-0.50	≤23.98	PASS		
				RU8	-1.84	79.41	1.00	-0.84	≤23.98	PASS		
			52Tone	RU37	-0.24	72.97	1.37	1.13	≤23.98	PASS		
				RU40	-0.47	72.00	1.43	0.96	≤23.98	PASS		
			106Tone	RU53	1.52	65.00	1.87	3.39	≤23.98	PASS		
				RU54	1.63	65.00	1.87	3.50	≤23.98	PASS		
			242Tone	RU61	6.03	58.82	2.30	8.33	≤23.98	PASS		
			Ant2	5240	26Tone	RU0	-2.02	78.43	1.06	-0.96	≤23.98	PASS
						RU8	-1.92	79.41	1.00	-0.92	≤23.98	PASS
					52Tone	RU37	-0.14	72.97	1.37	1.23	≤23.98	PASS
	RU40	-0.24				72.97	1.37	1.13	≤23.98	PASS		
	106Tone	RU53			1.54	65.00	1.87	3.41	≤23.98	PASS		

	total	5240	RU54	1.69	65.00	1.87	3.56	≤23.98	PASS	
			242Tone	RU61	6.13	58.82	2.30	8.43	≤23.98	PASS
			26Tone	RU0	---	---	---	2.29	≤23.98	PASS
				RU8	---	---	---	2.13	≤23.98	PASS
			52Tone	RU37	---	---	---	4.19	≤23.98	PASS
				RU40	---	---	---	4.06	≤23.98	PASS
	106Tone	RU53	---	---	---	6.41	≤23.98	PASS		
		RU54	---	---	---	6.54	≤23.98	PASS		
	Ant1	5745	26Tone	RU0	0.34	79.41	1.00	1.34	≤30.00	PASS
				RU8	0.12	79.41	1.00	1.12	≤30.00	PASS
			52Tone	RU37	1.79	72.97	1.37	3.16	≤30.00	PASS
				RU40	4.19	72.97	1.37	5.56	≤30.00	PASS
			106Tone	RU53	3.65	65.00	1.87	5.52	≤30.00	PASS
				RU54	4.17	65.00	1.87	6.04	≤30.00	PASS
	242Tone	RU61	8.50	58.82	2.30	10.80	≤30.00	PASS		
	Ant2	5745	26Tone	RU0	1.13	78.43	1.06	2.19	≤30.00	PASS
				RU8	0.31	79.41	1.00	1.31	≤30.00	PASS
			52Tone	RU37	0.44	72.97	1.37	1.81	≤30.00	PASS
				RU40	2.47	72.97	1.37	3.84	≤30.00	PASS
			106Tone	RU53	3.58	65.00	1.87	5.45	≤30.00	PASS
				RU54	2.83	65.00	1.87	4.70	≤30.00	PASS
	242Tone	RU61	8.20	58.82	2.30	10.50	≤30.00	PASS		
	total	5745	26Tone	RU0	---	---	---	4.80	≤30.00	PASS
				RU8	---	---	---	4.23	≤30.00	PASS
			52Tone	RU37	---	---	---	5.55	≤30.00	PASS
				RU40	---	---	---	7.79	≤30.00	PASS
			106Tone	RU53	---	---	---	8.50	≤30.00	PASS
				RU54	---	---	---	8.43	≤30.00	PASS
242Tone	RU61	---	---	---	13.66	≤30.00	PASS			
Ant1	5785	26Tone	RU0	5.35	79.41	1.00	6.35	≤30.00	PASS	
			RU8	-0.91	79.41	1.00	0.09	≤30.00	PASS	
		52Tone	RU37	3.08	72.97	1.37	4.45	≤30.00	PASS	
			RU40	1.20	72.00	1.43	2.63	≤30.00	PASS	
		106Tone	RU53	3.36	65.00	1.87	5.23	≤30.00	PASS	
			RU54	3.23	65.00	1.87	5.10	≤30.00	PASS	
242Tone	RU61	8.93	57.69	2.39	11.32	≤30.00	PASS			
Ant2	5785	26Tone	RU0	6.78	79.41	1.00	7.78	≤30.00	PASS	
			RU8	-0.75	79.41	1.00	0.25	≤30.00	PASS	
		52Tone	RU37	3.58	72.97	1.37	4.95	≤30.00	PASS	
			RU40	2.52	72.97	1.37	3.89	≤30.00	PASS	
		106Tone	RU53	1.37	65.00	1.87	3.24	≤30.00	PASS	
			RU54	1.85	65.00	1.87	3.72	≤30.00	PASS	
242Tone	RU61	7.67	58.82	2.30	9.97	≤30.00	PASS			
total	5785	26Tone	RU0	---	---	---	10.13	≤30.00	PASS	
			RU8	---	---	---	3.18	≤30.00	PASS	
		52Tone	RU37	---	---	---	7.72	≤30.00	PASS	
			RU40	---	---	---	6.32	≤30.00	PASS	
		106Tone	RU53	---	---	---	7.36	≤30.00	PASS	
			RU54	---	---	---	7.47	≤30.00	PASS	
242Tone	RU61	---	---	---	13.71	≤30.00	PASS			
Ant1	5825	26Tone	RU0	0.67	78.43	1.06	1.73	≤30.00	PASS	
			RU8	-0.11	79.41	1.00	0.89	≤30.00	PASS	
		52Tone	RU37	3.66	72.97	1.37	5.03	≤30.00	PASS	
			RU40	2.07	72.97	1.37	3.44	≤30.00	PASS	
		106Tone	RU53	2.47	65.00	1.87	4.34	≤30.00	PASS	
			RU54	2.42	65.00	1.87	4.29	≤30.00	PASS	
242Tone	RU61	7.98	57.69	2.39	10.37	≤30.00	PASS			

	Ant2	5825	26Tone	RU0	-0.14	79.41	1.00	0.86	≤30.00	PASS	
				RU8	-1.83	79.41	1.00	-0.83	≤30.00	PASS	
			52Tone	RU37	2.04	72.97	1.37	3.41	≤30.00	PASS	
				RU40	1.92	72.97	1.37	3.29	≤30.00	PASS	
			106Tone	RU53	3.90	65.00	1.87	5.77	≤30.00	PASS	
		RU54		2.23	65.00	1.87	4.10	≤30.00	PASS		
		242Tone	RU61	7.82	58.82	2.30	10.12	≤30.00	PASS		
		total	5825	26Tone	RU0	---	---	---	4.33	≤30.00	PASS
					RU8	---	---	---	3.12	≤30.00	PASS
				52Tone	RU37	---	---	---	7.31	≤30.00	PASS
	RU40				---	---	---	6.38	≤30.00	PASS	
	106Tone			RU53	---	---	---	8.12	≤30.00	PASS	
		RU54	---	---	---	7.21	≤30.00	PASS			
	242Tone	RU61	---	---	---	13.26	≤30.00	PASS			
	11AX40MIMO	Ant1	5190	26Tone	RU0	-2.05	79.41	1.00	-1.05	≤23.98	PASS
					RU17	-2.06	79.41	1.00	-1.06	≤23.98	PASS
				52Tone	RU37	1.61	88.33	0.54	2.15	≤23.98	PASS
					RU44	1.56	88.33	0.54	2.10	≤23.98	PASS
				106Tone	RU53	1.67	86.67	0.62	2.29	≤23.98	PASS
			RU56		2.20	86.67	0.62	2.82	≤23.98	PASS	
242Tone			RU61	6.87	81.08	0.91	7.78	≤23.98	PASS		
			RU62	6.85	81.08	0.91	7.76	≤23.98	PASS		
484Tone			RU65	10.55	80.00	0.97	11.52	≤23.98	PASS		
Ant2			5190	26Tone	RU0	-2.52	79.41	1.00	-1.52	≤23.98	PASS
		RU17			-2.75	79.41	1.00	-1.75	≤23.98	PASS	
		52Tone		RU37	1.69	88.33	0.54	2.23	≤23.98	PASS	
				RU44	1.73	88.33	0.54	2.27	≤23.98	PASS	
		106Tone		RU53	2.01	84.78	0.72	2.73	≤23.98	PASS	
				RU56	2.10	84.78	0.72	2.82	≤23.98	PASS	
242Tone		RU61	6.99	81.08	0.91	7.90	≤23.98	PASS			
		RU62	6.98	81.08	0.91	7.89	≤23.98	PASS			
484Tone		RU65	10.66	80.00	0.97	11.63	≤23.98	PASS			
total		5190	26Tone	RU0	---	---	---	1.73	≤23.98	PASS	
				RU17	---	---	---	1.62	≤23.98	PASS	
			52Tone	RU37	---	---	---	5.20	≤23.98	PASS	
				RU44	---	---	---	5.20	≤23.98	PASS	
			106Tone	RU53	---	---	---	5.53	≤23.98	PASS	
				RU56	---	---	---	5.83	≤23.98	PASS	
242Tone		RU61	---	---	---	10.85	≤23.98	PASS			
		RU62	---	---	---	10.84	≤23.98	PASS			
484Tone		RU65	---	---	---	14.59	≤23.98	PASS			
Ant1		5230	26Tone	RU0	-2.36	79.41	1.00	-1.36	≤23.98	PASS	
				RU17	-2.23	79.41	1.00	-1.23	≤23.98	PASS	
			52Tone	RU37	0.84	88.33	0.54	1.38	≤23.98	PASS	
				RU44	0.58	88.33	0.54	1.12	≤23.98	PASS	
			106Tone	RU53	1.65	86.67	0.62	2.27	≤23.98	PASS	
		RU56		2.00	84.78	0.72	2.72	≤23.98	PASS		
		242Tone	RU61	5.72	81.08	0.91	6.63	≤23.98	PASS		
			RU62	5.66	81.08	0.91	6.57	≤23.98	PASS		
		484Tone	RU65	9.71	80.00	0.97	10.68	≤23.98	PASS		
		Ant2	5230	26Tone	RU0	-1.09	79.41	1.00	-0.09	≤23.98	PASS
RU17					-1.08	79.41	1.00	-0.08	≤23.98	PASS	
52Tone				RU37	1.92	88.33	0.54	2.46	≤23.98	PASS	
				RU44	1.67	88.33	0.54	2.21	≤23.98	PASS	
106Tone	RU53			2.72	84.78	0.72	3.44	≤23.98	PASS		
	RU56			3.19	86.67	0.62	3.81	≤23.98	PASS		
242Tone	RU61	6.86	81.08	0.91	7.77	≤23.98	PASS				
	RU62	6.81	81.08	0.91	7.72	≤23.98	PASS				

	total	5230	484Tone	RU65	10.83	80.00	0.97	11.80	≤23.98	PASS
			26Tone	RU0	---	---	---	2.33	≤23.98	PASS
				RU17	---	---	---	2.39	≤23.98	PASS
			52Tone	RU37	---	---	---	4.96	≤23.98	PASS
				RU44	---	---	---	4.71	≤23.98	PASS
			106Tone	RU53	---	---	---	5.90	≤23.98	PASS
				RU56	---	---	---	6.31	≤23.98	PASS
	242Tone	RU61	---	---	---	10.25	≤23.98	PASS		
		RU62	---	---	---	10.19	≤23.98	PASS		
	484Tone	RU65	---	---	---	14.29	≤23.98	PASS		
		26Tone	RU0	0.41	92.05	0.36	0.77	≤30.00	PASS	
	RU17		1.21	93.10	0.31	1.52	≤30.00	PASS		
	52Tone	RU37	3.02	90.00	0.46	3.48	≤30.00	PASS		
		RU44	3.40	88.33	0.54	3.94	≤30.00	PASS		
	106Tone	RU53	3.73	84.78	0.72	4.45	≤30.00	PASS		
		RU56	4.44	84.78	0.72	5.16	≤30.00	PASS		
	242Tone	RU61	8.58	81.08	0.91	9.49	≤30.00	PASS		
		RU62	8.61	81.08	0.91	9.52	≤30.00	PASS		
	484Tone	RU65	12.23	80.00	0.97	13.20	≤30.00	PASS		
		26Tone	RU0	1.47	92.05	0.36	1.83	≤30.00	PASS	
	RU17		0.71	91.95	0.36	1.07	≤30.00	PASS		
	52Tone	RU37	3.11	90.00	0.46	3.57	≤30.00	PASS		
		RU44	3.10	88.33	0.54	3.64	≤30.00	PASS		
	106Tone	RU53	4.46	84.78	0.72	5.18	≤30.00	PASS		
		RU56	4.10	84.78	0.72	4.82	≤30.00	PASS		
	242Tone	RU61	9.42	81.08	0.91	10.33	≤30.00	PASS		
		RU62	9.47	81.08	0.91	10.38	≤30.00	PASS		
	484Tone	RU65	13.26	80.00	0.97	14.23	≤30.00	PASS		
26Tone		RU0	---	---	---	4.34	≤30.00	PASS		
	RU17	---	---	---	4.31	≤30.00	PASS			
52Tone	RU37	---	---	---	6.54	≤30.00	PASS			
	RU44	---	---	---	6.80	≤30.00	PASS			
106Tone	RU53	---	---	---	7.84	≤30.00	PASS			
	RU56	---	---	---	8.00	≤30.00	PASS			
242Tone	RU61	---	---	---	12.94	≤30.00	PASS			
	RU62	---	---	---	12.98	≤30.00	PASS			
484Tone	RU65	---	---	---	16.76	≤30.00	PASS			
	26Tone	RU0	1.01	92.05	0.36	1.37	≤30.00	PASS		
RU17		0.25	93.10	0.31	0.56	≤30.00	PASS			
52Tone	RU37	3.08	90.00	0.46	3.54	≤30.00	PASS			
	RU44	3.56	88.33	0.54	4.10	≤30.00	PASS			
106Tone	RU53	2.88	84.78	0.72	3.60	≤30.00	PASS			
	RU56	3.24	84.78	0.72	3.96	≤30.00	PASS			
242Tone	RU61	8.69	81.08	0.91	9.60	≤30.00	PASS			
	RU62	8.68	81.08	0.91	9.59	≤30.00	PASS			
484Tone	RU65	12.28	80.00	0.97	13.25	≤30.00	PASS			
	26Tone	RU0	2.45	92.05	0.36	2.81	≤30.00	PASS		
RU17		-0.46	91.95	0.36	-0.10	≤30.00	PASS			
52Tone	RU37	3.29	90.00	0.46	3.75	≤30.00	PASS			
	RU44	2.55	88.33	0.54	3.09	≤30.00	PASS			
106Tone	RU53	2.71	84.78	0.72	3.43	≤30.00	PASS			
	RU56	3.28	84.78	0.72	4.00	≤30.00	PASS			
242Tone	RU61	9.74	81.08	0.91	10.65	≤30.00	PASS			
	RU62	9.70	81.08	0.91	10.61	≤30.00	PASS			
484Tone	RU65	13.41	80.00	0.97	14.38	≤30.00	PASS			
	26Tone	RU0	---	---	---	5.16	≤30.00	PASS		
RU17		---	---	---	3.25	≤30.00	PASS			
52Tone	RU37	---	---	---	6.66	≤30.00	PASS			

			106Tone	RU44	---	---	---	6.63	≤30.00	PASS			
				RU53	---	---	---	6.53	≤30.00	PASS			
				RU56	---	---	---	6.99	≤30.00	PASS			
			242Tone	RU61	---	---	---	13.17	≤30.00	PASS			
				RU62	---	---	---	13.14	≤30.00	PASS			
			484Tone	RU65	---	---	---	16.86	≤30.00	PASS			
			11AX80MIMO	Ant1	5210	26Tone	RU0	-0.42	93.18	0.31	-0.11	≤23.98	PASS
							RU36	-1.50	92.05	0.36	-1.14	≤23.98	PASS
						52Tone	RU37	1.09	90.00	0.46	1.55	≤23.98	PASS
							RU52	0.38	90.00	0.46	0.84	≤23.98	PASS
						106Tone	RU53	2.92	86.96	0.61	3.53	≤23.98	PASS
							RU60	3.53	84.78	0.72	4.25	≤23.98	PASS
242Tone	RU61	5.23		83.78	0.77	6.00	≤23.98	PASS					
	RU64	5.11		81.08	0.91	6.02	≤23.98	PASS					
484Tone	RU65	6.84		82.86	0.82	7.66	≤23.98	PASS					
	RU66	7.09		82.86	0.82	7.91	≤23.98	PASS					
996Tone	RU67	12.94		81.25	0.90	13.84	≤23.98	PASS					
Ant2	5210	26Tone		RU0	-0.12	92.05	0.36	0.24	≤23.98	PASS			
			RU36	-0.52	92.05	0.36	-0.16	≤23.98	PASS				
		52Tone	RU37	2.17	90.00	0.46	2.63	≤23.98	PASS				
			RU52	1.33	90.00	0.46	1.79	≤23.98	PASS				
		106Tone	RU53	3.58	86.96	0.61	4.19	≤23.98	PASS				
			RU60	4.68	84.78	0.72	5.40	≤23.98	PASS				
242Tone	RU61	6.15	83.78	0.77	6.92	≤23.98	PASS						
	RU64	5.95	81.08	0.91	6.86	≤23.98	PASS						
484Tone	RU65	7.72	82.86	0.82	8.54	≤23.98	PASS						
	RU66	8.02	80.00	0.97	8.99	≤23.98	PASS						
996Tone	RU67	13.78	81.25	0.90	14.68	≤23.98	PASS						
total	5210	26Tone	RU0	---	---	---	3.08	≤23.98	PASS				
			RU36	---	---	---	2.39	≤23.98	PASS				
		52Tone	RU37	---	---	---	5.13	≤23.98	PASS				
			RU52	---	---	---	4.35	≤23.98	PASS				
		106Tone	RU53	---	---	---	6.88	≤23.98	PASS				
			RU60	---	---	---	7.87	≤23.98	PASS				
242Tone	RU61	---	---	---	9.49	≤23.98	PASS						
	RU64	---	---	---	9.47	≤23.98	PASS						
484Tone	RU65	---	---	---	11.13	≤23.98	PASS						
	RU66	---	---	---	11.49	≤23.98	PASS						
996Tone	RU67	---	---	---	17.29	≤23.98	PASS						
Ant1	5775	26Tone	RU0	1.01	93.18	0.31	1.32	≤30.00	PASS				
			RU36	1.08	92.05	0.36	1.44	≤30.00	PASS				
		52Tone	RU37	2.35	90.00	0.46	2.81	≤30.00	PASS				
			RU52	4.80	90.00	0.46	5.26	≤30.00	PASS				
		106Tone	RU53	4.59	86.96	0.61	5.20	≤30.00	PASS				
			RU60	6.22	86.96	0.61	6.83	≤30.00	PASS				
242Tone	RU61	6.84	81.08	0.91	7.75	≤30.00	PASS						
	RU64	5.61	83.78	0.77	6.38	≤30.00	PASS						
484Tone	RU65	7.98	82.86	0.82	8.80	≤30.00	PASS						
	RU66	8.73	80.00	0.97	9.70	≤30.00	PASS						
996Tone	RU67	13.53	81.25	0.90	14.43	≤30.00	PASS						
Ant2	5775	26Tone	RU0	1.70	93.18	0.31	2.01	≤30.00	PASS				
			RU36	0.30	92.05	0.36	0.66	≤30.00	PASS				
		52Tone	RU37	3.58	90.00	0.46	4.04	≤30.00	PASS				
			RU52	2.68	90.00	0.46	3.14	≤30.00	PASS				
		106Tone	RU53	6.56	86.96	0.61	7.17	≤30.00	PASS				
			RU60	6.19	86.96	0.61	6.80	≤30.00	PASS				
242Tone	RU61	7.61	83.78	0.77	8.38	≤30.00	PASS						
	RU64	6.73	83.78	0.77	7.50	≤30.00	PASS						

			484Tone	RU65	9.04	82.86	0.82	9.86	≤30.00	PASS
				RU66	10.12	82.86	0.82	10.94	≤30.00	PASS
			996Tone	RU67	14.66	81.25	0.90	15.56	≤30.00	PASS
	total	5775	26Tone	RU0	---	---	---	4.69	≤30.00	PASS
				RU36	---	---	---	4.08	≤30.00	PASS
			52Tone	RU37	---	---	---	6.48	≤30.00	PASS
				RU52	---	---	---	7.34	≤30.00	PASS
			106Tone	RU53	---	---	---	9.31	≤30.00	PASS
				RU60	---	---	---	9.83	≤30.00	PASS
			242Tone	RU61	---	---	---	11.09	≤30.00	PASS
				RU64	---	---	---	9.99	≤30.00	PASS
			484Tone	RU65	---	---	---	12.37	≤30.00	PASS
				RU66	---	---	---	13.37	≤30.00	PASS
			996Tone	RU67	---	---	---	18.04	≤30.00	PASS

*Note:**For 802.11 n/ac/ax mode, EUT support CDD**Directional gain = GANT + Array Gain**For Power measurement, Array Gain=0 for Nant<4**Directional gain=3dBi+0dB=3dBi<6dBi*

Appendix C: Maximum power spectral density Test Result

TestMode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	-0.43	≤11.00	PASS
	Ant2	5180	0.05	≤11.00	PASS
	Ant1	5200	0.36	≤11.00	PASS
	Ant2	5200	-0.1	≤11.00	PASS
	Ant1	5240	0.34	≤11.00	PASS
	Ant2	5240	0.02	≤11.00	PASS
	Ant1	5745	-3.19	≤30.00	PASS
	Ant2	5745	-3.6	≤30.00	PASS
	Ant1	5785	-2.79	≤30.00	PASS
	Ant2	5785	-3.46	≤30.00	PASS
	Ant1	5825	-2.98	≤30.00	PASS
	Ant2	5825	-3.08	≤30.00	PASS
11N20MIMO	Ant1	5180	-3.74	≤11.00	PASS
	Ant2	5180	-3.6	≤11.00	PASS
	total	5180	-0.66	≤11.00	PASS
	Ant1	5200	-3.82	≤11.00	PASS
	Ant2	5200	-3.79	≤11.00	PASS
	total	5200	-0.79	≤11.00	PASS
	Ant1	5240	-4.29	≤11.00	PASS
	Ant2	5240	-3.56	≤11.00	PASS
	total	5240	-0.90	≤11.00	PASS
	Ant1	5745	-6.64	≤30.00	PASS
	Ant2	5745	-6.79	≤30.00	PASS
	total	5745	-3.70	≤30.00	PASS
	Ant1	5785	-6.52	≤30.00	PASS
	Ant2	5785	-6.65	≤30.00	PASS
	total	5785	-3.57	≤30.00	PASS
	Ant1	5825	-6.37	≤30.00	PASS
	Ant2	5825	-6.82	≤30.00	PASS
	total	5825	-3.58	≤30.00	PASS
11N40MIMO	Ant1	5190	-5.5	≤11.00	PASS
	Ant2	5190	-6.4	≤11.00	PASS
	total	5190	-2.92	≤11.00	PASS
	Ant1	5230	-5.61	≤11.00	PASS
	Ant2	5230	-5.85	≤11.00	PASS
	total	5230	-2.72	≤11.00	PASS
	Ant1	5755	-9.04	≤30.00	PASS
	Ant2	5755	-8.64	≤30.00	PASS
	total	5755	-5.83	≤30.00	PASS
	Ant1	5795	-9.19	≤30.00	PASS
	Ant2	5795	-8.92	≤30.00	PASS
	total	5795	-6.04	≤30.00	PASS
11AC20MIMO	Ant1	5180	-3.62	≤11.00	PASS
	Ant2	5180	-3.57	≤11.00	PASS
	total	5180	-0.58	≤11.00	PASS
	Ant1	5200	-3.81	≤11.00	PASS
	Ant2	5200	-3.65	≤11.00	PASS
	total	5200	-0.72	≤11.00	PASS
	Ant1	5240	-4.21	≤11.00	PASS
	Ant2	5240	-3.59	≤11.00	PASS
	total	5240	-0.88	≤11.00	PASS
Ant1	5745	-6.54	≤30.00	PASS	

	Ant2	5745	-6.75	≤30.00	PASS
	total	5745	-3.63	≤30.00	PASS
	Ant1	5785	-6.58	≤30.00	PASS
	Ant2	5785	-6.96	≤30.00	PASS
	total	5785	-3.76	≤30.00	PASS
	Ant1	5825	-6.18	≤30.00	PASS
	Ant2	5825	-6.71	≤30.00	PASS
	total	5825	-3.43	≤30.00	PASS
11AC40MIMO	Ant1	5190	-5.98	≤11.00	PASS
	Ant2	5190	-5.39	≤11.00	PASS
	total	5190	-2.66	≤11.00	PASS
	Ant1	5230	-6.09	≤11.00	PASS
	Ant2	5230	-5.53	≤11.00	PASS
	total	5230	-2.79	≤11.00	PASS
	Ant1	5755	-9.09	≤30.00	PASS
	Ant2	5755	-8.85	≤30.00	PASS
	total	5755	-5.96	≤30.00	PASS
	Ant1	5795	-9.03	≤30.00	PASS
	Ant2	5795	-8.83	≤30.00	PASS
total	5795	-5.92	≤30.00	PASS	
11AC80MIMO	Ant1	5210	-8.95	≤11.00	PASS
	Ant2	5210	-8.85	≤11.00	PASS
	total	5210	-5.89	≤11.00	PASS
	Ant1	5775	-11.64	≤30.00	PASS
	Ant2	5775	-12	≤30.00	PASS
	total	5775	-8.81	≤30.00	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5180	26Tone	RU0	-6.45	≤11.00	PASS
				RU8	-6.39	≤11.00	PASS
			52Tone	RU37	-6.9	≤11.00	PASS
				RU40	-7.21	≤11.00	PASS
			106Tone	RU53	-5.79	≤11.00	PASS
				RU54	-5.51	≤11.00	PASS
	242Tone	RU61	-2.96	≤11.00	PASS		
	Ant2	5180	26Tone	RU0	-7.45	≤11.00	PASS
				RU8	-7.67	≤11.00	PASS
			52Tone	RU37	-7.36	≤11.00	PASS
				RU40	-7.51	≤11.00	PASS
			106Tone	RU53	-7.28	≤11.00	PASS
				RU54	-7.27	≤11.00	PASS
	242Tone	RU61	-3.59	≤11.00	PASS		
	total	5180	26Tone	RU0	-3.91	≤11.00	PASS
				RU8	-3.97	≤11.00	PASS
			52Tone	RU37	-4.11	≤11.00	PASS
				RU40	-4.35	≤11.00	PASS
			106Tone	RU53	-3.46	≤11.00	PASS
				RU54	-3.29	≤11.00	PASS
	242Tone	RU61	-0.25	≤11.00	PASS		
	Ant1	5200	26Tone	RU0	-6.08	≤11.00	PASS
				RU8	-5.76	≤11.00	PASS
			52Tone	RU37	-6.96	≤11.00	PASS
RU40				-6.5	≤11.00	PASS	
106Tone			RU53	-5.51	≤11.00	PASS	
			RU54	-5.91	≤11.00	PASS	
242Tone	RU61	-2.98	≤11.00	PASS			
Ant2	5200	26Tone	RU0	-7.34	≤11.00	PASS	
			RU8	-6.64	≤11.00	PASS	

			52Tone	RU37	-7.13	≤11.00	PASS
				RU40	-6.76	≤11.00	PASS
			106Tone	RU53	-7.24	≤11.00	PASS
				RU54	-7.75	≤11.00	PASS
		242Tone	RU61	-3.09	≤11.00	PASS	
	total	5200	26Tone	RU0	-3.65	≤11.00	PASS
				RU8	-3.17	≤11.00	PASS
			52Tone	RU37	-4.03	≤11.00	PASS
				RU40	-3.62	≤11.00	PASS
			106Tone	RU53	-3.28	≤11.00	PASS
				RU54	-3.72	≤11.00	PASS
	Ant1	5240	242Tone	RU61	-0.02	≤11.00	PASS
			26Tone	RU0	-5.82	≤11.00	PASS
				RU8	-5.87	≤11.00	PASS
			52Tone	RU37	-7.06	≤11.00	PASS
				RU40	-6.65	≤11.00	PASS
			106Tone	RU53	-5.74	≤11.00	PASS
	Ant2	5240		RU54	-5.29	≤11.00	PASS
			242Tone	RU61	-3.15	≤11.00	PASS
			26Tone	RU0	-6.83	≤11.00	PASS
				RU8	-7	≤11.00	PASS
			52Tone	RU37	-7.84	≤11.00	PASS
				RU40	-7.35	≤11.00	PASS
	total	5240	106Tone	RU53	-7.44	≤11.00	PASS
			RU54	-7.33	≤11.00	PASS	
242Tone			RU61	-2.6	≤11.00	PASS	
26Tone			RU0	-3.29	≤11.00	PASS	
			RU8	-3.39	≤11.00	PASS	
52Tone			RU37	-4.42	≤11.00	PASS	
Ant1	5745		RU40	-3.98	≤11.00	PASS	
		106Tone	RU53	-3.50	≤11.00	PASS	
			RU54	-3.18	≤11.00	PASS	
		242Tone	RU61	0.14	≤11.00	PASS	
		26Tone	RU0	-6.04	≤30.00	PASS	
			RU8	-6.33	≤30.00	PASS	
Ant2	5745	52Tone	RU37	-5.7	≤30.00	PASS	
			RU40	-5.8	≤30.00	PASS	
		106Tone	RU53	-6.43	≤30.00	PASS	
			RU54	-6.61	≤30.00	PASS	
		242Tone	RU61	-2.94	≤30.00	PASS	
		26Tone	RU0	-7.48	≤30.00	PASS	
total	5745		RU8	-7.62	≤30.00	PASS	
		52Tone	RU37	-7.64	≤30.00	PASS	
			RU40	-7.85	≤30.00	PASS	
		106Tone	RU53	-6.47	≤30.00	PASS	
			RU54	-6.75	≤30.00	PASS	
		242Tone	RU61	-2.91	≤30.00	PASS	
Ant1	5785	26Tone	RU0	-3.69	≤30.00	PASS	
			RU8	-3.92	≤30.00	PASS	
		52Tone	RU37	-3.55	≤30.00	PASS	
			RU40	-3.69	≤30.00	PASS	
		106Tone	RU53	-3.44	≤30.00	PASS	
			RU54	-3.67	≤30.00	PASS	
	242Tone	RU61	0.09	≤30.00	PASS		
	26Tone	RU0	-7.03	≤30.00	PASS		
		RU8	-6.33	≤30.00	PASS		
	52Tone	RU37	-7.01	≤30.00	PASS		
		RU40	-7.24	≤30.00	PASS		
	106Tone	RU53	-6.49	≤30.00	PASS		
		RU54	-6.35	≤30.00	PASS		
	242Tone	RU61	-1.93	≤30.00	PASS		

	Ant2	5785	26Tone	RU0	-8.48	≤30.00	PASS
				RU8	-7.35	≤30.00	PASS
			52Tone	RU37	-8.26	≤30.00	PASS
				RU40	-8.73	≤30.00	PASS
			106Tone	RU53	-8.16	≤30.00	PASS
	RU54	-6.96		≤30.00	PASS		
	242Tone	RU61	-2.94	≤30.00	PASS		
		total	5785	26Tone	RU0	-4.68	≤30.00
	RU8				-3.80	≤30.00	PASS
	52Tone			RU37	-4.58	≤30.00	PASS
				RU40	-4.91	≤30.00	PASS
	106Tone			RU53	-4.23	≤30.00	PASS
		RU54	-3.63	≤30.00	PASS		
	242Tone	RU61	0.60	≤30.00	PASS		
		Ant1	5825	26Tone	RU0	-6.84	≤30.00
	RU8				-6.53	≤30.00	PASS
	52Tone			RU37	-5.89	≤30.00	PASS
				RU40	-5.72	≤30.00	PASS
	106Tone			RU53	-6.28	≤30.00	PASS
		RU54	-6.12	≤30.00	PASS		
	242Tone	RU61	-2.47	≤30.00	PASS		
		Ant2	5825	26Tone	RU0	-8.15	≤30.00
	RU8				-8.18	≤30.00	PASS
	52Tone			RU37	-6.47	≤30.00	PASS
RU40				-6.68	≤30.00	PASS	
106Tone	RU53			-7.92	≤30.00	PASS	
	RU54	-7.56	≤30.00	PASS			
242Tone	RU61	-3.54	≤30.00	PASS			
	total	5825	26Tone	RU0	-4.44	≤30.00	PASS
RU8				-4.27	≤30.00	PASS	
52Tone			RU37	-3.16	≤30.00	PASS	
			RU40	-3.16	≤30.00	PASS	
106Tone			RU53	-4.01	≤30.00	PASS	
	RU54	-3.77	≤30.00	PASS			
242Tone	RU61	0.04	≤30.00	PASS			
	11AX40MIMO	Ant1	26Tone	RU0	-6.9	≤11.00	PASS
RU17				-6.37	≤11.00	PASS	
52Tone			RU37	-6.36	≤11.00	PASS	
			RU44	-8.15	≤11.00	PASS	
106Tone			RU53	-7.9	≤11.00	PASS	
		RU56	-6.81	≤11.00	PASS		
242Tone		RU61	-7.46	≤11.00	PASS		
		RU62	-7.02	≤11.00	PASS		
484Tone		RU65	-2.82	≤11.00	PASS		
		Ant2	5190	26Tone	RU0	-7.76	≤11.00
RU17	-6.59				≤11.00	PASS	
52Tone	RU37			-6.75	≤11.00	PASS	
	RU44			-7.05	≤11.00	PASS	
106Tone	RU53			-8.24	≤11.00	PASS	
	RU56	-7.6	≤11.00	PASS			
242Tone	RU61	-7.64	≤11.00	PASS			
	RU62	-7.24	≤11.00	PASS			
484Tone	RU65	-2.28	≤11.00	PASS			
	total	5190	26Tone	RU0	-4.30	≤11.00	PASS
RU17				-3.47	≤11.00	PASS	
52Tone			RU37	-3.54	≤11.00	PASS	
			RU44	-4.55	≤11.00	PASS	
106Tone			RU53	-5.06	≤11.00	PASS	
	RU56	-4.18	≤11.00	PASS			
242Tone	RU61	-4.54	≤11.00	PASS			
	RU62	-4.12	≤11.00	PASS			