

ATTACHMENT O – SAR TEST PLOTS (3 of 3)

TX-160C (Body)

SAM I Phantom: Flat Section: Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.97$

mho/m $\epsilon_r = 55.6$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.416 mW/g, SAR (10g): 0.292 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.29 dB

Comment:

FCC ID: PP4TX-160C / MODEL: TX-160C

Company: Hyundai Curitel Inc.


Test Position: Body / Antenna: in

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.6°C

Date Tested : June 23, 2004



TX-160C (Body)

SAM I Phantom: Flat Section: Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.97$

mho/m $\epsilon_r = 55.6$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.378 mW/g, SAR (10g): 0.268 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.08 dB

Comment:

FCC ID: PP4TX-160C / MODEL: TX-160C (E-battery)

Company: Hyundai Curitel Inc.


Test Position: Body / Antenna: in

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.6°C

Date Tested : June 23, 2004



TX-160C (Body)

SAM I Phantom: Flat Section: Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.97$

mho/m $\epsilon_r = 55.6$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.402 mW/g, SAR (10g): 0.284 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.07 dB

Comment:

FCC ID: PP4TX-160C / MODEL: TX-160C

Company: Hyundai Curitel Inc.


Test Position: Body / Antenna: out

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.6°C

Date Tested : June 23, 2004



TX-160C (Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.57$

mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.514 mW/g, SAR (10g): 0.318 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.15 dB

Comment:

FCC ID: PP4TX-160C / MODEL: TX-160C

Company: Hyundai Curitel Inc.


Test Position : Body / Antenna: in

Mode: PCS CDMA / Channell: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.7°C

Date Tested : June 24, 2004



TX-160C (Body)

SAM II Phantom: Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.57$

mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.536 mW/g, SAR (10g): 0.316 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.14 dB

Comment:

FCC ID: PP4TX-160C / MODEL: TX-160C

Company: Hyundai Curitel Inc.


Test Position : Body / Antenna: out

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.7°C

Date Tested : June 24, 2004



TX-160C (Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.57$

mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.522 mW/g, SAR (10g): 0.309 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.04 dB

Comment:

FCC ID: PP4TX-160C / MODEL: TX-160C (E-battery)

Company: Hyundai Curitel Inc.


Test Position : Body / Antenna: out

Mode: PCS CDMA / Channell: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.7°C

Date Tested : June 24, 2004



TX-160C

SAM I Phantom: Section: Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.62,6.62,6.62); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$

mho/m $\epsilon_r = 42.6$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-160C / MODEL: TX-160C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: in

Mode: CDMA / Channel: 363 (853.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.6°C


Date Tested : June 23, 2004



TX-160C

SAM II Phantom; Section: Position: ; Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
:
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:
FCC ID: PP4TX-160C / MODEL: TX-160C
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: in
Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : June 24, 2004



TX-160C (Body)

SAM I Phantom: Section: Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.97$

mho/m $\epsilon_r = 55.6$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-160C / MODEL: TX-160C

Company: Hyundai Curitel Inc.


Test Position: Body / Antenna: in

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature : 21.5°C

Date Tested : June 23, 2004



TX-160C (Body)

SAM II Phantom: Section: Position: ; Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.57$

mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-160C / MODEL: TX-160C

Company: Hyundai Curitel Inc.

Test Position : Body / Antenna: out

Mode: PCS CDMA / Channell: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.7°C

Date Tested : June 24, 2004

