


“A.” Occupied’6 UbXk]XH


1. CDMA

1.1. CDMA BC0_L Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
824.7	99.00	26	0.024	Peak	1.48	1.273796	1.4401	Pass



1.2. CDMA BC0_M Occupied Bandwidth(NTNV)




1.3. CDMA BC0_H Occupied Bandwidth(NTNV)




2. EVDO

2.1. EVDO BC0_L Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
824.7	99.00	26	0.024	Peak	1.48	1.270486	1.432802	Pass



2.2. EVDO BC0_M Occupied Bandwidth(NTNV)




2.3. EVDO BC0_H Occupied Bandwidth(NTNV)




3. GSM_GSM850


3.1. GSM Occupied Bandwidth(NTNV)(Channel:128)



3.2. GSM Occupied Bandwidth(NTNV)(Channel:190)




3.3. GSM Occupied Bandwidth(NTNV)(Channel:251)




4. GSM_PCS

4.1. GSM Occupied Bandwidth(NTNV)(Channel:512)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.24	0.3	0.3	Pass



4.2. GSM Occupied Bandwidth(NTNV)(Channel:661)




4.3. GSM Occupied Bandwidth(NTNV)(Channel:810)




5. EGPRS_GSM850


5.1. EGPRS Occupied Bandwidth(NTNV)(Channel:128)



5.2. EGPRS Occupied Bandwidth(NTNV)(Channel:190)




5.3. EGPRS Occupied Bandwidth(NTNV)(Channel:251)




6. EGPRS_PCS


6.1. EGPRS Occupied Bandwidth(NTNV)(Channel:512)



6.2. EGPRS Occupied Bandwidth(NTNV)(Channel:661)




6.3. EGPRS Occupied Bandwidth(NTNV)(Channel:810)




7. WCDMA_Band2


7.1. WCDMA Occupied Bandwidth(NTNV)(Channel:9262)



7.2. WCDMA Occupied Bandwidth(NTNV)(Channel:9400)




7.3. WCDMA Occupied Bandwidth(NTNV)(Channel:9538)




8. WCDMA_Band5


8.1. WCDMA Occupied Bandwidth(NTNV)(Channel:4132)



8.2. WCDMA Occupied Bandwidth(NTNV)(Channel:4182)




8.3. WCDMA Occupied Bandwidth(NTNV)(Channel:4233)




9. LTE_Band2

9.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




9.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.013	Peak	1.08	1.25	1.4	Pass




9.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.013	Peak	1.08	1.25	1.4	Pass




9.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.013	Peak	1.07	1.24	1.4	Pass




9.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.013	Peak	1.08	1.24	1.4	Pass




9.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.013	Peak	1.08	1.25	1.4	Pass




9.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.03	Peak	2.68	2.91	3	Pass




9.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.03	Peak	2.68	2.91	3	Pass




9.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	2.68	2.9	3	Pass




9.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	2.67	2.92	3	Pass




9.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.03	Peak	2.68	2.92	3	Pass




9.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.03	Peak	2.68	2.93	3	Pass




9.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.051	Peak	4.46	4.9	5	Pass




9.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.051	Peak	4.46	4.88	5	Pass




9.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.051	Peak	4.46	4.87	5	Pass




9.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.051	Peak	4.46	4.89	5	Pass




9.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.051	Peak	4.45	4.9	5	Pass




9.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.051	Peak	4.46	4.9	5	Pass




9.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.1	Peak	8.93	9.69	10	Pass




9.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.1	Peak	8.91	9.61	10	Pass




9.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	8.91	9.63	10	Pass




9.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	8.92	9.59	10	Pass




9.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.1	Peak	8.91	9.62	10	Pass




9.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.1	Peak	8.92	9.64	10	Pass




9.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.15	Peak	13.36	14.47	15	Pass




9.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.15	Peak	13.35	14.29	15	Pass




9.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.15	Peak	13.34	14.36	15	Pass




9.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.15	Peak	13.35	14.41	15	Pass




9.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.15	Peak	13.34	14.36	15	Pass




9.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.15	Peak	13.37	14.38	15	Pass




9.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.2	Peak	17.79	19.03	20	Pass




9.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.2	Peak	17.8	19.09	20	Pass




9.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	17.79	19.09	20	Pass




9.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	17.8	19.09	20	Pass




9.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.2	Peak	17.8	19.17	20	Pass




9.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.2	Peak	17.78	19.09	20	Pass




10. LTE_Band4

10.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




10.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.013	Peak	1.07	1.23	1.4	Pass




10.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.013	Peak	1.08	1.22	1.4	Pass




10.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.013	Peak	1.08	1.25	1.4	Pass




10.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.013	Peak	1.07	1.23	1.4	Pass




10.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.013	Peak	1.08	1.26	1.4	Pass




10.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.03	Peak	2.68	2.93	3	Pass




10.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.03	Peak	2.68	2.93	3	Pass




10.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.03	Peak	2.68	2.93	3	Pass



10.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.03	Peak	2.67	2.95	3	Pass



10.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.03	Peak	2.68	2.93	3	Pass

Agilent 02:25:25 Jan 25, 2018

Ch Freq 1.7535 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.27 dBm #Atten 30 dB



Center 1.753 500 GHz Span 6 MHz
#Res BW 30 kHz #VBW 300 kHz #Sweep 1 s (1000 pts)

Freq/Channel

Center Freq
1.75350000 GHz

Start Freq
1.75050000 GHz

Stop Freq
1.75650000 GHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.6802 MHz **x dB** -26.00 dB


Transmit Freq Error -3.288 kHz

x dB Bandwidth 2.932 MHz

Copyright 2000–2012 Agilent Technologies


10.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.03	Peak	2.68	2.94	3	Pass



10.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.051	Peak	4.46	4.88	5	Pass




10.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.051	Peak	4.46	4.88	5	Pass

Agilent 02:26:40 Jan 25, 2018

Ch Freq 1.7125 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 29.2 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.2 dB

Center 1.712 500 GHz Span 10 MHz

#Res BW 51 kHz #VBW 300 kHz #Sweep 1 s (980 pts)

Freq/Channel

Center Freq
1.71250000 GHz

Start Freq
1.70750000 GHz

Stop Freq
1.71750000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.4628 MHz **x dB** -26.00 dB

Transmit Freq Error -1.858 kHz

x dB Bandwidth 4.885 MHz

Copyright 2000–2012 Agilent Technologies

10.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.051	Peak	4.45	4.86	5	Pass


Agilent 02:26:52 Jan 25, 2018

Ch Freq 1.7325 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.21 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.21 dB



Center 1.732 500 GHz Span 10 MHz
#Res BW 51 kHz #VBW 300 kHz #Sweep 1 s (980 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4533 MHz	x dB	-26.00 dB
Transmit Freq Error	3.698 kHz	
x dB Bandwidth	4.861 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
1.73250000 GHz

Start Freq
1.72750000 GHz

Stop Freq
1.73750000 GHz


CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


10.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.051	Peak	4.47	4.93	5	Pass




10.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.051	Peak	4.47	4.9	5	Pass




10.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.051	Peak	4.46	4.87	5	Pass




10.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.1	Peak	8.9	9.61	10	Pass




10.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.1	Peak	8.91	9.57	10	Pass




10.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	8.92	9.67	10	Pass




10.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	8.92	9.6	10	Pass




10.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.1	Peak	8.91	9.63	10	Pass




10.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.1	Peak	8.92	9.58	10	Pass




10.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.15	Peak	13.32	14.39	15	Pass



10.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.15	Peak	13.36	14.32	15	Pass



10.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.15	Peak	13.37	14.47	15	Pass


Agilent 02:33:33 Jan 25, 2018

Ch Freq 1.7325 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.21 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.21 dB



Center 1.732 50 GHz Span 30 MHz

#Res BW 150 kHz #VBW 620 kHz #Sweep 1 s (1000 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.3665 MHz	x dB	-26.00 dB
Transmit Freq Error	556.752 Hz	
x dB Bandwidth	14.475 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
1.73250000 GHz

Start Freq
1.71750000 GHz

Stop Freq
1.74750000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

10.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.15	Peak	13.37	14.28	15	Pass

Agilent 02:33:44 Jan 25, 2018

Ch Freq 1.7325 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.21 dBm #Atten 30 dB



Center 1.732 50 GHz Span 30 MHz

#Res BW 150 kHz #VBW 620 kHz #Sweep 1 s (1000 pts)

Freq/Channel

Center Freq
1.73250000 GHz

Start Freq
1.71750000 GHz

Stop Freq
1.74750000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.3676 MHz **x dB** -26.00 dB


Transmit Freq Error 2.238 kHz

x dB Bandwidth 14.283 MHz

Copyright 2000–2012 Agilent Technologies


10.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.15	Peak	13.33	14.31	15	Pass




10.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.15	Peak	13.33	14.26	15	Pass



10.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.2	Peak	17.83	18.97	20	Pass




10.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.2	Peak	17.79	19.09	20	Pass

Agilent 02:34:33 Jan 25, 2018

Ch Freq 1.72 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 29.2 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.2 dB

Center 1.720 00 GHz Span 40 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (1000 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.7865 MHz	x dB	-26.00 dB
Transmit Freq Error	-23.531 kHz	
x dB Bandwidth	19.092 MHz	

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
1.72000000 GHz

Start Freq
1.70000000 GHz

Stop Freq
1.74000000 GHz


CF Step
4.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


10.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	17.79	19.02	20	Pass




10.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	17.82	19.12	20	Pass



10.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	17.78	19.19	20	Pass



10.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	17.75	18.96	20	Pass


Agilent 02:35:20 Jan 25, 2018

Ch Freq 1.745 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 29.24 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.24 dB



Center 1.745 00 GHz Span 40 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (1000 pts)

Freq/Channel

Center Freq
1.74500000 GHz

Start Freq
1.72500000 GHz

Stop Freq
1.76500000 GHz

CF Step
4.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

17.7483 MHz **x dB** -26.00 dB


Transmit Freq Error 20.183 kHz

x dB Bandwidth 18.964 MHz

Copyright 2000–2012 Agilent Technologies


11. LTE_Band5

11.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




11.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.013	Peak	1.08	1.25	1.4	Pass




11.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.013	Peak	1.07	1.24	1.4	Pass




11.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.013	Peak	1.07	1.2	1.4	Pass




11.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.013	Peak	1.08	1.24	1.4	Pass




11.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.013	Peak	1.07	1.24	1.4	Pass




11.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.03	Peak	2.68	2.93	3	Pass




11.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.03	Peak	2.68	2.91	3	Pass



11.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	2.68	2.91	3	Pass




11.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	2.68	2.93	3	Pass

Agilent 02:46:58 Jan 25, 2018

Ch Freq 836.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 28.1 dBm #Atten 30 dB

#Peak

Center 836.500 MHz Span 6 MHz

#Res BW 30 kHz #VBW 300 kHz #Sweep 1 s (1000 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6772 MHz	x dB	-26.00 dB
Transmit Freq Error	-2.160 kHz	
x dB Bandwidth	2.928 MHz	

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
836.500000 MHz

Start Freq
833.500000 MHz

Stop Freq
839.500000 MHz


CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


11.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.03	Peak	2.68	2.92	3	Pass



11.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.03	Peak	2.68	2.9	3	Pass




11.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.051	Peak	4.46	4.89	5	Pass

Agilent 02:48:33 Jan 25, 2018

Ch Freq 826.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 28.1 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.1 dB

Center 826.500 MHz Span 10 MHz

#Res BW 51 kHz #VBW 300 kHz #Sweep 1 s (980 pts)

Freq/Channel

Center Freq
826.500000 MHz

Start Freq
821.500000 MHz

Stop Freq
831.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.4576 MHz **x dB** -26.00 dB


Transmit Freq Error -132.923 Hz

x dB Bandwidth 4.891 MHz

Copyright 2000–2012 Agilent Technologies


11.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.051	Peak	4.46	4.93	5	Pass




11.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.051	Peak	4.46	4.87	5	Pass



11.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.051	Peak	4.46	4.85	5	Pass




11.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.051	Peak	4.46	4.92	5	Pass

Agilent 02:49:19 Jan 25, 2018

Ch Freq 846.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 28.11 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.11 dB

Center 846.500 MHz Span 10 MHz

#Res BW 51 kHz #VBW 300 kHz #Sweep 1 s (980 pts)

Freq/Channel

Center Freq
846.500000 MHz

Start Freq
841.500000 MHz

Stop Freq
851.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.4615 MHz **x dB** -26.00 dB

Transmit Freq Error 460.181 Hz

x dB Bandwidth 4.920 MHz

Copyright 2000–2012 Agilent Technologies


11.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.051	Peak	4.46	4.88	5	Pass

Agilent 02:49:29 Jan 25, 2018

Ch Freq 846.5 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 28.11 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.11 dB

Center 846.500 MHz Span 10 MHz

#Res BW 51 kHz #VBW 300 kHz #Sweep 1 s (980 pts)

Freq/Channel

Center Freq
846.500000 MHz

Start Freq
841.500000 MHz

Stop Freq
851.500000 MHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

4.4601 MHz **x dB** -26.00 dB


Transmit Freq Error -182.515 Hz

x dB Bandwidth 4.879 MHz

Copyright 2000–2012 Agilent Technologies


11.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.1	Peak	8.93	9.64	10	Pass




11.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.1	Peak	8.93	9.67	10	Pass




11.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	8.91	9.69	10	Pass



11.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	8.92	9.6	10	Pass




11.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.1	Peak	8.93	9.61	10	Pass

Agilent 02:57:21 Jan 25, 2018

Ch Freq 844 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 28.11 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.11 dB

Center 844.000 MHz Span 20 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (1000 pts)

Freq/Channel

Center Freq
844.000000 MHz

Start Freq
834.000000 MHz

Stop Freq
854.000000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9252 MHz **x dB** -26.00 dB


Transmit Freq Error -391.400 Hz

x dB Bandwidth 9.612 MHz

Copyright 2000–2012 Agilent Technologies


11.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.1	Peak	8.92	9.6	10	Pass




12. LTE_Band7

12.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




12.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.051	Peak	4.46	4.94	5	Pass




12.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.051	Peak	4.47	4.88	5	Pass




12.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.051	Peak	4.46	4.86	5	Pass




12.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.051	Peak	4.46	4.92	5	Pass




12.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.051	Peak	4.46	4.94	5	Pass




12.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.1	Peak	8.92	9.75	10	Pass




12.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.1	Peak	8.92	9.6	10	Pass




12.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	8.92	9.76	10	Pass



12.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	8.93	9.64	10	Pass




12.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.1	Peak	8.93	9.61	10	Pass

Agilent 03:05:13 Jan 25, 2018

Ch Freq 2.565 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 2.565 000 GHz Span 20 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (1000 pts)

Freq/Channel

Center Freq
2.56500000 GHz

Start Freq
2.55500000 GHz

Stop Freq
2.57500000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9251 MHz **x dB** -26.00 dB

Transmit Freq Error -6.956 kHz

x dB Bandwidth 9.615 MHz

Copyright 2000–2012 Agilent Technologies


12.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.1	Peak	8.93	9.68	10	Pass

Agilent 03:05:23 Jan 25, 2018

Ch Freq 2.565 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Center 2.565 000 GHz **Span** 20 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (1000 pts)

Freq/Channel

Center Freq
2.56500000 GHz

Start Freq
2.55500000 GHz

Stop Freq
2.57500000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9326 MHz **x dB** -26.00 dB


Transmit Freq Error -8.553 kHz

x dB Bandwidth 9.677 MHz

Copyright 2000–2012 Agilent Technologies


12.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.15	Peak	13.37	14.48	15	Pass




12.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.15	Peak	13.35	14.34	15	Pass



12.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.15	Peak	13.35	14.4	15	Pass




12.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.15	Peak	13.37	14.43	15	Pass

Agilent 03:06:16 Jan 25, 2018

Ch Freq 2.535 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.4 dB

Center 2.535 00 GHz Span 30 MHz

#Res BW 150 kHz #VBW 620 kHz #Sweep 1 s (1000 pts)

Freq/Channel

Center Freq
2.53500000 GHz

Start Freq
2.52000000 GHz

Stop Freq
2.55000000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.3713 MHz **x dB** -26.00 dB


Transmit Freq Error 2.164 kHz

x dB Bandwidth 14.433 MHz

Copyright 2000–2012 Agilent Technologies


12.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.15	Peak	13.36	14.53	15	Pass



12.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.15	Peak	13.38	14.53	15	Pass




12.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.2	Peak	17.77	19	20	Pass

Agilent 03:06:58 Jan 25, 2018

Ch Freq 2.51 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.3 dB

Center 2.510 00 GHz Span 40 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (1000 pts)

Freq/Channel

Center Freq
2.51000000 GHz

Start Freq
2.49000000 GHz

Stop Freq
2.53000000 GHz

CF Step
4.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

17.7735 MHz **x dB** -26.00 dB


Transmit Freq Error 21.863 kHz

x dB Bandwidth 19.002 MHz

Copyright 2000–2012 Agilent Technologies


12.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.2	Peak	17.77	19.15	20	Pass




12.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	17.83	19.13	20	Pass




12.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	17.84	19.16	20	Pass




12.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.2	Peak	17.82	19.18	20	Pass




12.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.2	Peak	17.81	19.06	20	Pass




13. LTE_Band17

13.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




13.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.051	Peak	4.46	4.87	5	Pass




13.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.051	Peak	4.46	4.85	5	Pass




13.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.051	Peak	4.46	4.9	5	Pass




13.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.051	Peak	4.45	4.86	5	Pass




13.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.051	Peak	4.45	4.92	5	Pass




13.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
709	99	26	0.1	Peak	8.92	9.68	10	Pass




13.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
709	99	26	0.1	Peak	8.91	9.63	10	Pass




13.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.1	Peak	8.91	9.62	10	Pass



13.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.1	Peak	8.91	9.62	10	Pass



13.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.1	Peak	8.91	9.61	10	Pass


Agilent 03:13:01 Jan 25, 2018

Ch Freq 711 MHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 27.88 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 7.88 dB



Center 711.000 MHz Span 20 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (1000 pts)

Freq/Channel

Center Freq
711.000000 MHz

Start Freq
701.000000 MHz

Stop Freq
721.000000 MHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9050 MHz **x dB** -26.00 dB

Transmit Freq Error -4.395 kHz

x dB Bandwidth 9.606 MHz

Copyright 2000–2012 Agilent Technologies


13.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.1	Peak	8.91	9.65	10	Pass

Agilent 03:13:11 Jan 25, 2018

Ch Freq 711 MHz Trig Free

Occupied Bandwidth Averages: 2



Ref 27.88 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 7.88 dB

Center 711.000 MHz Span 20 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (1000 pts)

Freq/Channel

Center Freq 711.000000 MHz

Start Freq 701.000000 MHz

Stop Freq 721.000000 MHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9058 MHz x dB -26.00 dB


Transmit Freq Error -8.490 kHz

x dB Bandwidth 9.647 MHz

Copyright 2000-2012 Agilent Technologies


14. LTE_Band41

14.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:40265, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




14.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:40265, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2557.5	99	26	0.051	Peak	4.46	4.89	5	Pass




14.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:40740, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.051	Peak	4.47	4.9	5	Pass




14.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:40740, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.051	Peak	4.46	4.88	5	Pass




14.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2652.5	99	26	0.051	Peak	4.46	4.83	5	Pass




14.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2652.5	99	26	0.051	Peak	4.46	4.89	5	Pass




14.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:40290, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.1	Peak	8.92	9.73	10	Pass




14.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:40290, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.1	Peak	8.91	9.54	10	Pass



14.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:40740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.1	Peak	8.91	9.81	10	Pass



14.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:40740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.1	Peak	8.89	9.59	10	Pass

Agilent 15:38:13 Jan 25, 2018

Ch Freq 2.605 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 30 dBm #Atten 30 dB



Center 2.605 000 GHz Span 20 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (1000 pts)

Freq/Channel

Center Freq
2.60500000 GHz

Start Freq
2.59500000 GHz

Stop Freq
2.61500000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.8943 MHz **x dB** -26.00 dB

Transmit Freq Error 1.575 kHz

x dB Bandwidth 9.592 MHz

Copyright 2000–2012 Agilent Technologies


14.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2650	99	26	0.1	Peak	8.93	9.69	10	Pass

Agilent 15:39:01 Jan 25, 2018

Ch Freq 2.65 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 2.650 000 GHz Span 20 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (1000 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9301 MHz	x dB	-26.00 dB
Transmit Freq Error	-8.224 kHz	
x dB Bandwidth	9.686 MHz	

Copyright 2000–2012 Agilent Technologies

Freq/Channel

Center Freq
2.65000000 GHz

Start Freq
2.64000000 GHz

Stop Freq
2.66000000 GHz


CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

14.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2650	99	26	0.1	Peak	8.92	9.71	10	Pass



14.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:40315, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.15	Peak	13.35	14.66	15	Pass

Agilent 15:40:43 Jan 25, 2018

Ch Freq 2.5625 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**

Ref 30 dBm #Atten 30 dB



Center 2.562 50 GHz Span 30 MHz

#Res BW 150 kHz #VBW 620 kHz #Sweep 10 s (1000 pts)

Freq/Channel

Center Freq
2.56250000 GHz

Start Freq
2.54750000 GHz

Stop Freq
2.57750000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

13.3472 MHz **x dB** -26.00 dB


Transmit Freq Error 12.508 kHz

x dB Bandwidth 14.661 MHz

Copyright 2000–2012 Agilent Technologies


14.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:40315, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.15	Peak	13.35	14.71	15	Pass




14.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:40740, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.15	Peak	13.36	14.4	15	Pass




14.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:40740, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.15	Peak	13.4	14.67	15	Pass




14.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2647.5	99	26	0.15	Peak	13.37	15.18	15	Pass



14.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2647.5	99	26	0.15	Peak	13.4	14.47	15	Pass




14.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:40340, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	17.81	18.89	20	Pass

Agilent 15:45:34 Jan 25, 2018

Ch Freq 2.565 GHz **Trig** Free

Occupied Bandwidth **Averages: 2**



Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 2.565 00 GHz Span 40 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (1000 pts)

Freq/Channel

Center Freq
2.56500000 GHz

Start Freq
2.54500000 GHz

Stop Freq
2.58500000 GHz

CF Step
4.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

17.8110 MHz **x dB** -26.00 dB


Transmit Freq Error -26.032 kHz

x dB Bandwidth 18.888 MHz

Copyright 2000–2012 Agilent Technologies


14.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:40340, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	17.75	19.07	20	Pass




14.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:40740, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.2	Peak	17.82	19.08	20	Pass




14.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:40740, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	0.2	Peak	17.83	19.42	20	Pass



14.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2645	99	26	0.2	Peak	17.81	19.62	20	Pass



14.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2645	99	26	0.2	Peak	17.81	19.17	20	Pass

