


APPENDIX D - RADIATED EMISSION (ABOVE 1000MHZ)

External Antenna

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5259.3000	59.98	41.66	101.64	68.30	33.34	Peak	No Limit
2 *	5265.3000	50.24	41.69	91.93	54.00	37.93	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3506.6100	45.93	2.74	48.67	68.30	-19.63	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5252.9000	53.28	41.62	94.90	54.00	40.90	AVG	No Limit
2	5254.7000	61.86	41.63	103.49	68.30	35.19	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3506.6500	42.70	2.74	45.44	68.30	-22.86	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5294.5000	51.19	41.84	93.03	54.00	39.03	AVG	No Limit
2	5295.4000	60.09	41.84	101.93	68.30	33.63	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3533.2150	46.04	2.80	48.84	68.30	-19.46	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5293.1000	52.26	41.83	94.09	54.00	40.09	AVG	No Limit
2	5295.0000	61.16	41.84	103.00	68.30	34.70	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3533.1850	44.48	2.80	47.28	68.30	-21.02	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5314.8000	52.09	41.94	94.03	54.00	40.03	AVG	No Limit
2	5317.0000	60.99	41.95	102.94	68.30	34.64	Peak	No Limit
3	5350.0000	20.60	42.12	62.72	68.30	-5.58	Peak	
4	5350.0000	9.86	42.12	51.98	54.00	-2.02	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3546.6400	47.29	2.83	50.12	68.30	-18.18	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5312.9000	52.18	41.93	94.11	54.00	40.11	AVG	No Limit
2	5313.7000	60.91	41.93	102.84	68.30	34.54	Peak	No Limit
3	5350.0000	19.62	42.12	61.74	68.30	-6.56	Peak	
4	5350.0000	6.90	42.12	49.02	54.00	-4.98	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3546.6600	44.79	2.83	47.62	68.30	-20.68	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5265.7000	66.70	41.69	108.39	68.30	40.09	Peak	No Limit
2 *	5267.8000	56.76	41.70	98.46	54.00	44.46	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3506.6150	44.65	2.74	47.39	68.30	-20.91	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5255.7000	49.62	41.64	91.26	54.00	37.26	AVG	No Limit
2	5257.1000	60.84	41.65	102.49	68.30	34.19	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3506.6200	39.88	2.74	42.62	68.30	-25.68	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5300MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5292.2000	56.84	41.82	98.66	54.00	44.66	AVG	No Limit
2	5305.3000	66.16	41.89	108.05	68.30	39.75	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5300MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3533.2900	44.85	2.80	47.65	68.30	-20.65	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5300MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5292.4000	48.99	41.83	90.82	54.00	36.82	AVG	No Limit
2	5306.3000	59.34	41.90	101.24	68.30	32.94	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5300MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3533.2550	40.84	2.80	43.64	68.30	-24.66	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5312.3000	55.94	41.93	97.87	54.00	43.87	AVG	No Limit
2	5320.7000	66.39	41.97	108.36	68.30	40.06	Peak	No Limit
3	5350.0000	18.54	42.12	60.66	68.30	-7.64	Peak	
4	5350.0000	8.61	42.12	50.73	54.00	-3.27	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3546.6200	46.06	2.83	48.89	68.30	-19.41	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5312.3000	47.98	41.93	89.91	54.00	35.91	AVG	No Limit
2	5313.1000	58.00	41.93	99.93	68.30	31.63	Peak	No Limit
3	5350.0000	12.90	42.12	55.02	68.30	-13.28	Peak	
4	5350.0000	1.15	42.12	43.27	54.00	-10.73	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3546.6350	42.37	2.83	45.20	68.30	-23.10	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5287.0000	55.57	41.80	97.37	54.00	43.37	AVG	No Limit
2	5287.6000	65.54	41.80	107.34	68.30	39.04	Peak	No Limit
3	5350.0000	25.56	42.12	67.68	68.30	-0.62	Peak	
4	5350.0000	9.29	42.12	51.41	54.00	-2.59	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3513.2150	45.36	2.75	48.11	68.30	-20.19	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5272.6000	56.20	41.72	97.92	68.30	29.62	Peak	No Limit
2 *	5272.8000	45.94	41.73	87.67	54.00	33.67	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3513.2750	38.76	2.75	41.51	68.30	-26.79	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5293.4000	53.67	41.83	95.50	54.00	41.50	AVG	No Limit
2	5299.2000	64.67	41.86	106.53	68.30	38.23	Peak	No Limit
3	5350.0000	18.07	42.12	60.19	68.30	-8.11	Peak	
4	5350.0000	9.86	42.12	51.98	54.00	-2.02	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3539.9800	45.06	2.81	47.87	68.30	-20.43	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5306.8000	41.85	41.90	83.75	54.00	29.75	AVG	No Limit
2	5322.2000	51.46	41.98	93.44	68.30	25.14	Peak	No Limit
3	5350.0000	9.06	42.12	51.18	68.30	-17.12	Peak	
4	5350.0000	0.48	42.12	42.60	54.00	-11.40	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3539.9950	40.56	2.81	43.37	68.30	-24.93	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	15.36	42.68	58.04	68.30	-10.26	Peak	
2	5460.0000	4.63	42.68	47.31	54.00	-6.69	AVG	
3	5470.0000	19.12	42.73	61.85	68.30	-6.45	Peak	
4	5470.0000	9.39	42.73	52.12	54.00	-1.88	AVG	
5 *	5494.6000	52.11	42.85	94.96	54.00	40.96	AVG	No Limit
6	5495.7000	61.22	42.86	104.08	68.30	35.78	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3666.5900	48.26	3.09	51.35	74.00	-22.65	Peak	
2 *	3666.6400	46.91	3.09	50.00	54.00	-4.00	AVG	
3	10996.7000	38.90	16.03	54.93	74.00	-19.07	Peak	
4	10999.7000	29.88	16.03	45.91	54.00	-8.09	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	13.71	42.68	56.39	68.30	-11.91	Peak	
2	5460.0000	4.13	42.68	46.81	54.00	-7.19	AVG	
3	5470.0000	16.71	42.73	59.44	68.30	-8.86	Peak	
4	5470.0000	7.28	42.73	50.01	54.00	-3.99	AVG	
5 *	5496.8000	52.00	42.86	94.86	54.00	40.86	AVG	No Limit
6	5503.1000	61.26	42.89	104.15	68.30	35.85	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3666.5200	43.78	3.09	46.87	74.00	-27.13	Peak	
2 *	3666.6500	41.19	3.09	44.28	54.00	-9.72	AVG	
3	10998.5000	25.67	16.03	41.70	54.00	-12.30	AVG	
4	11002.0000	36.76	16.04	52.80	74.00	-21.20	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5572.7000	55.93	43.10	99.03	54.00	45.03	AVG	No Limit
2	5583.8000	64.75	43.13	107.88	68.30	39.58	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3719.9400	46.51	3.21	49.72	54.00	-4.28	AVG	
2	3719.9550	48.05	3.21	51.26	74.00	-22.74	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5585.5000	52.70	43.14	95.84	54.00	41.84	AVG	No Limit
2	5586.8000	61.96	43.14	105.10	68.30	36.80	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3719.9400	41.83	3.21	45.04	54.00	-8.96	AVG	
2	3720.0150	44.46	3.21	47.67	74.00	-26.33	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5703.0000	63.36	43.49	106.85	68.30	38.55	Peak	No Limit
2 *	5707.2000	54.11	43.51	97.62	54.00	43.62	AVG	No Limit
3	5725.0000	19.14	43.56	62.70	68.30	-5.60	Peak	
4	5725.0000	8.56	43.56	52.12	54.00	-1.88	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3799.9500	46.03	3.39	49.42	54.00	-4.58	AVG	
2	3799.9600	47.25	3.39	50.64	74.00	-23.36	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5696.3000	52.88	43.47	96.35	54.00	42.35	AVG	No Limit
2	5698.7000	62.18	43.48	105.66	68.30	37.36	Peak	No Limit
3	5725.0000	12.86	43.56	56.42	68.30	-11.88	Peak	
4	5725.0000	5.14	43.56	48.70	54.00	-5.30	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3799.9500	40.94	3.39	44.33	54.00	-9.67	AVG	
2	3799.9800	43.59	3.39	46.98	74.00	-27.02	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	18.71	42.68	61.39	68.30	-6.91	Peak	
2	5460.0000	5.40	42.68	48.08	54.00	-5.92	AVG	
3	5470.0000	21.10	42.73	63.83	68.30	-4.47	Peak	
4	5470.0000	10.05	42.73	52.78	54.00	-1.22	AVG	
5	5495.7000	65.59	42.86	108.45	68.30	40.15	Peak	No Limit
6 *	5507.9000	55.68	42.90	98.58	54.00	44.58	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3666.5750	46.54	3.09	49.63	74.00	-24.37	Peak	
2 *	3666.6050	44.56	3.09	47.65	54.00	-6.35	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	10.04	42.68	52.72	68.30	-15.58	Peak	
2	5460.0000	0.92	42.68	43.60	54.00	-10.40	AVG	
3	5470.0000	13.56	42.73	56.29	68.30	-12.01	Peak	
4	5470.0000	2.90	42.73	45.63	54.00	-8.37	AVG	
5	5498.0000	59.19	42.87	102.06	68.30	33.76	Peak	No Limit
6 *	5505.1000	49.17	42.90	92.07	54.00	38.07	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3666.6000	39.47	3.09	42.56	54.00	-11.44	AVG	
2	3666.6050	43.62	3.09	46.71	74.00	-27.29	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5572.2000	56.95	43.10	100.05	54.00	46.05	AVG	No Limit
2	5583.9000	67.74	43.13	110.87	68.30	42.57	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3719.9200	47.68	3.21	50.89	74.00	-23.11	Peak	
2 *	3719.9600	45.70	3.21	48.91	54.00	-5.09	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5574.8000	48.98	43.11	92.09	54.00	38.09	AVG	No Limit
2	5583.3000	60.51	43.13	103.64	68.30	35.34	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3719.9250	41.00	3.21	44.21	54.00	-9.79	AVG	
2	3719.9450	44.23	3.21	47.44	74.00	-26.56	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5691.7000	66.40	43.46	109.86	68.30	41.56	Peak	No Limit
2 *	5708.0000	56.22	43.51	99.73	54.00	45.73	AVG	No Limit
3	5725.0000	19.42	43.56	62.98	68.30	-5.32	Peak	
4	5725.0000	8.87	43.56	52.43	54.00	-1.57	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3799.9600	44.64	3.39	48.03	54.00	-5.97	AVG	
2	3800.0100	47.02	3.39	50.41	74.00	-23.59	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5698.7000	46.50	43.48	89.98	54.00	35.98	AVG	No Limit
2	5698.8000	56.83	43.48	100.31	68.30	32.01	Peak	No Limit
3	5725.0000	12.08	43.56	55.64	68.30	-12.66	Peak	
4	5725.0000	1.91	43.56	45.47	54.00	-8.53	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3799.9350	40.68	3.39	44.07	54.00	-9.93	AVG	
2	3799.9700	44.79	3.39	48.18	74.00	-25.82	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	16.02	42.68	58.70	68.30	-9.60	Peak	
2	5460.0000	6.17	42.68	48.85	54.00	-5.15	AVG	
3	5470.0000	19.17	42.73	61.90	68.30	-6.40	Peak	
4	5470.0000	9.26	42.73	51.99	54.00	-2.01	AVG	
5	5508.0000	61.77	42.90	104.67	68.30	36.37	Peak	No Limit
6 *	5513.0000	52.07	42.92	94.99	54.00	40.99	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3673.2550	44.97	3.11	48.08	54.00	-5.92	AVG	
2	3673.2900	46.45	3.11	49.56	74.00	-24.44	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	8.94	42.68	51.62	68.30	-16.68	Peak	
2	5460.0000	0.53	42.68	43.21	54.00	-10.79	AVG	
3	5470.0000	10.51	42.73	53.24	68.30	-15.06	Peak	
4	5470.0000	1.23	42.73	43.96	54.00	-10.04	AVG	
5	5499.6000	51.57	42.88	94.45	68.30	26.15	Peak	No Limit
6 *	5507.0000	42.09	42.90	84.99	54.00	30.99	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3673.2500	43.90	3.11	47.01	74.00	-26.99	Peak	
2 *	3673.2800	40.89	3.11	44.00	54.00	-10.00	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5470.0000	20.14	42.73	62.87	68.30	-5.43	Peak	
2	5470.0000	8.16	42.73	50.89	54.00	-3.11	AVG	
3	5552.4000	65.56	43.04	108.60	68.30	40.30	Peak	No Limit
4 *	5566.8000	55.15	43.08	98.23	54.00	44.23	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3699.9200	45.04	3.17	48.21	54.00	-5.79	AVG	
2	3700.0250	46.88	3.17	50.05	74.00	-23.95	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5546.8000	45.79	43.02	88.81	54.00	34.81	AVG	No Limit
2	5566.2000	56.02	43.08	99.10	68.30	30.80	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3699.9300	41.45	3.17	44.62	54.00	-9.38	AVG	
2	3699.9450	44.39	3.17	47.56	74.00	-26.44	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5653.2000	54.75	43.34	98.09	54.00	44.09	AVG	No Limit
2	5657.0000	64.82	43.35	108.17	68.30	39.87	Peak	No Limit
3	5725.0000	19.38	43.56	62.94	68.30	-5.36	Peak	
4	5725.0000	7.23	43.56	50.79	54.00	-3.21	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3779.8700	46.36	3.34	49.70	74.00	-24.30	Peak	
2 *	3779.9600	44.71	3.34	48.05	54.00	-5.95	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5658.4000	42.99	43.36	86.35	54.00	32.35	AVG	No Limit
2	5673.8000	53.60	43.40	97.00	68.30	28.70	Peak	No Limit
3	5725.0000	12.50	43.56	56.06	68.30	-12.24	Peak	
4	5725.0000	1.07	43.56	44.63	54.00	-9.37	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3779.9050	38.93	3.34	42.27	54.00	-11.73	AVG	
2	3780.0050	42.18	3.34	45.52	74.00	-28.48	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5255.6000	66.80	41.64	108.44	68.30	40.14	Peak	No Limit
2 *	5262.3000	56.96	41.67	98.63	54.00	44.63	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3506.6000	41.85	2.74	44.59	68.30	-23.71	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5251.6000	59.49	41.62	101.11	68.30	32.81	Peak	No Limit
2 *	5266.6000	49.57	41.69	91.26	54.00	37.26	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3506.6050	38.86	2.74	41.60	68.30	-26.70	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5302.3000	57.02	41.88	98.90	54.00	44.90	AVG	No Limit
2	5307.7000	66.94	41.90	108.84	68.30	40.54	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3533.2300	45.52	2.80	48.32	68.30	-19.98	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5306.7000	50.01	41.90	91.91	54.00	37.91	AVG	No Limit
2	5306.9000	60.04	41.90	101.94	68.30	33.64	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3533.2750	40.14	2.80	42.94	68.30	-25.36	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5319.4000	64.93	41.96	106.89	68.30	38.59	Peak	No Limit
2 *	5328.0000	56.51	42.01	98.52	54.00	44.52	AVG	No Limit
3	5350.0000	22.11	42.12	64.23	68.30	-4.07	Peak	
4	5350.0000	8.29	42.12	50.41	54.00	-3.59	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3546.6850	46.12	2.83	48.95	68.30	-19.35	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5326.4000	59.56	42.00	101.56	68.30	33.26	Peak	No Limit
2 *	5326.6000	49.56	42.00	91.56	54.00	37.56	AVG	No Limit
3	5350.0000	15.07	42.12	57.19	68.30	-11.11	Peak	
4	5350.0000	1.54	42.12	43.66	54.00	-10.34	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3546.5850	42.38	2.83	45.21	68.30	-23.09	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5272.0000	55.34	41.72	97.06	54.00	43.06	AVG	No Limit
2	5286.4000	66.35	41.79	108.14	68.30	39.84	Peak	No Limit
3	5350.0000	21.35	42.12	63.47	68.30	-4.83	Peak	
4	5350.0000	7.41	42.12	49.53	54.00	-4.47	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3513.2050	45.04	2.75	47.79	68.30	-20.51	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5260.8000	57.77	41.66	99.43	68.30	31.13	Peak	No Limit
2 *	5261.4000	47.77	41.67	89.44	54.00	35.44	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3513.3100	42.53	2.75	45.28	68.30	-23.02	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5293.2000	53.65	41.83	95.48	54.00	41.48	AVG	No Limit
2	5293.8000	64.00	41.83	105.83	68.30	37.53	Peak	No Limit
3	5350.0000	18.77	42.12	60.89	68.30	-7.41	Peak	
4	5350.0000	8.90	42.12	51.02	54.00	-2.98	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3539.8900	45.28	2.81	48.09	68.30	-20.21	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5302.4000	55.05	41.88	96.93	68.30	28.63	Peak	No Limit
2 *	5303.0000	43.52	41.88	85.40	54.00	31.40	AVG	No Limit
3	5350.0000	8.60	42.12	50.72	68.30	-17.58	Peak	
4	5350.0000	0.76	42.12	42.88	54.00	-11.12	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3539.9100	40.52	2.81	43.33	68.30	-24.97	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5294.4000	49.20	41.84	91.04	54.00	37.04	AVG	No Limit
2	5294.8000	59.90	41.84	101.74	68.30	33.44	Peak	No Limit
3	5350.0000	18.58	42.12	60.70	68.30	-7.60	Peak	
4	5350.0000	8.43	42.12	50.55	54.00	-3.45	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3526.5850	44.75	2.78	47.53	68.30	-20.77	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5257.2000	53.58	41.65	95.23	68.30	26.93	Peak	No Limit
2 *	5260.0000	41.24	41.66	82.90	54.00	28.90	AVG	No Limit
3	5350.0000	11.97	42.12	54.09	68.30	-14.21	Peak	
4	5350.0000	1.77	42.12	43.89	54.00	-10.11	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3526.5750	38.77	2.78	41.55	68.30	-26.75	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	17.61	42.68	60.29	68.30	-8.01	Peak	
2	5460.0000	5.50	42.68	48.18	54.00	-5.82	AVG	
3	5470.0000	20.67	42.73	63.40	68.30	-4.90	Peak	
4	5470.0000	10.00	42.73	52.73	54.00	-1.27	AVG	
5 *	5492.3000	56.34	42.84	99.18	54.00	45.18	AVG	No Limit
6	5492.8000	65.57	42.84	108.41	68.30	40.11	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3666.5750	46.74	3.09	49.83	74.00	-24.17	Peak	
2 *	3666.6000	44.75	3.09	47.84	54.00	-6.16	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	11.05	42.68	53.73	68.30	-14.57	Peak	
2	5460.0000	0.98	42.68	43.66	54.00	-10.34	AVG	
3	5470.0000	14.06	42.73	56.79	68.30	-11.51	Peak	
4	5470.0000	3.36	42.73	46.09	54.00	-7.91	AVG	
5 *	5498.9000	50.56	42.87	93.43	54.00	39.43	AVG	No Limit
6	5499.4000	60.13	42.88	103.01	68.30	34.71	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3666.5450	43.52	3.09	46.61	74.00	-27.39	Peak	
2 *	3666.6050	40.61	3.09	43.70	54.00	-10.30	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5571.5000	66.30	43.10	109.40	68.30	41.10	Peak	No Limit
2 *	5572.0000	57.16	43.10	100.26	54.00	46.26	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3719.9250	47.58	3.21	50.79	74.00	-23.21	Peak	
2 *	3719.9400	45.66	3.21	48.87	54.00	-5.13	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5576.7000	50.72	43.11	93.83	54.00	39.83	AVG	No Limit
2	5578.0000	60.16	43.12	103.28	68.30	34.98	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3719.8850	41.08	3.21	44.29	54.00	-9.71	AVG	
2	3719.9550	43.91	3.21	47.12	74.00	-26.88	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5697.5000	65.92	43.48	109.40	68.30	41.10	Peak	No Limit
2 *	5697.8000	56.75	43.48	100.23	54.00	46.23	AVG	No Limit
3	5725.0000	20.79	43.56	64.35	68.30	-3.95	Peak	
4	5725.0000	7.59	43.56	51.15	54.00	-2.85	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3799.9150	46.98	3.39	50.37	74.00	-23.63	Peak	
2 *	3799.9150	44.55	3.39	47.94	54.00	-6.06	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5696.7000	47.79	43.47	91.26	54.00	37.26	AVG	No Limit
2	5707.0000	57.75	43.51	101.26	68.30	32.96	Peak	No Limit
3	5725.0000	12.91	43.56	56.47	68.30	-11.83	Peak	
4	5725.0000	1.82	43.56	45.38	54.00	-8.62	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3799.9150	40.02	3.39	43.41	54.00	-10.59	AVG	
2	3799.9650	43.96	3.39	47.35	74.00	-26.65	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	16.68	42.68	59.36	68.30	-8.94	Peak	
2	5460.0000	5.99	42.68	48.67	54.00	-5.33	AVG	
3	5470.0000	17.31	42.73	60.04	68.30	-8.26	Peak	
4	5470.0000	8.46	42.73	51.19	54.00	-2.81	AVG	
5	5527.0000	62.44	42.96	105.40	68.30	37.10	Peak	No Limit
6 *	5527.0000	53.32	42.96	96.28	54.00	42.28	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3673.2800	47.27	3.11	50.38	74.00	-23.62	Peak	
2 *	3673.2800	45.03	3.11	48.14	54.00	-5.86	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	12.68	42.68	55.36	68.30	-12.94	Peak	
2	5460.0000	1.50	42.68	44.18	54.00	-9.82	AVG	
3	5470.0000	13.79	42.73	56.52	68.30	-11.78	Peak	
4	5470.0000	2.72	42.73	45.45	54.00	-8.55	AVG	
5	5498.8000	54.06	42.87	96.93	68.30	28.63	Peak	No Limit
6 *	5499.4000	43.94	42.88	86.82	54.00	32.82	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3673.2800	40.66	3.11	43.77	54.00	-10.23	AVG	
2	3673.2950	43.97	3.11	47.08	74.00	-26.92	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5547.2000	55.52	43.02	98.54	54.00	44.54	AVG	No Limit
2	5557.8000	64.33	43.05	107.38	68.30	39.08	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3699.9250	45.21	3.17	48.38	54.00	-5.62	AVG	
2	3699.9400	47.42	3.17	50.59	74.00	-23.41	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5551.8000	58.46	43.04	101.50	68.30	33.20	Peak	No Limit
2 *	5551.8000	47.47	43.04	90.51	54.00	36.51	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3699.9100	44.18	3.17	47.35	74.00	-26.65	Peak	
2 *	3699.9400	40.98	3.17	44.15	54.00	-9.85	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5686.8000	55.23	43.44	98.67	54.00	44.67	AVG	No Limit
2	5688.0000	65.07	43.45	108.52	68.30	40.22	Peak	No Limit
3	5725.0000	19.87	43.56	63.43	68.30	-4.87	Peak	
4	5725.0000	7.45	43.56	51.01	54.00	-2.99	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3779.9300	46.77	3.34	50.11	74.00	-23.89	Peak	
2 *	3779.9550	44.68	3.34	48.02	54.00	-5.98	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5656.8000	55.08	43.35	98.43	68.30	30.13	Peak	No Limit
2 *	5657.0000	44.65	43.35	88.00	54.00	34.00	AVG	No Limit
3	5725.0000	10.49	43.56	54.05	68.30	-14.25	Peak	
4	5725.0000	2.14	43.56	45.70	54.00	-8.30	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3779.9500	39.90	3.34	43.24	54.00	-10.76	AVG	
2	3780.0100	43.42	3.34	46.76	74.00	-27.24	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	20.49	42.68	63.17	68.30	-5.13	Peak	
2	5460.0000	9.22	42.68	51.90	54.00	-2.10	AVG	
3	5470.0000	17.75	42.73	60.48	68.30	-7.82	Peak	
4	5470.0000	8.80	42.73	51.53	54.00	-2.47	AVG	
5	5558.8000	57.28	43.06	100.34	68.30	32.04	Peak	No Limit
6 *	5566.0000	46.34	43.08	89.42	54.00	35.42	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3686.5150	46.03	3.14	49.17	74.00	-24.83	Peak	
2 *	3686.6200	44.56	3.14	47.70	54.00	-6.30	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	16.74	42.68	59.42	68.30	-8.88	Peak	
2	5460.0000	6.85	42.68	49.53	54.00	-4.47	AVG	
3	5470.0000	17.66	42.73	60.39	68.30	-7.91	Peak	
4	5470.0000	7.62	42.73	50.35	54.00	-3.65	AVG	
5	5516.0000	52.97	42.93	95.90	68.30	27.60	Peak	No Limit
6 *	5520.8000	42.25	42.94	85.19	54.00	31.19	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3686.5850	39.49	3.14	42.63	54.00	-11.37	AVG	
2	3686.6450	42.65	3.14	45.79	74.00	-28.21	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5627.2000	60.71	43.26	103.97	68.30	35.67	Peak	No Limit
2 *	5636.8000	49.03	43.29	92.32	54.00	38.32	AVG	No Limit
3	5725.0000	19.52	43.56	63.08	68.30	-5.22	Peak	
4	5725.0000	9.24	43.56	52.80	54.00	-1.20	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3739.9500	46.44	3.26	49.70	54.00	-4.30	AVG	
2	3739.9800	48.36	3.26	51.62	74.00	-22.38	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5579.6000	41.12	43.12	84.24	54.00	30.24	AVG	No Limit
2	5585.6000	51.72	43.14	94.86	68.30	26.56	Peak	No Limit
3	5725.0000	12.48	43.56	56.04	68.30	-12.26	Peak	
4	5725.0000	2.81	43.56	46.37	54.00	-7.63	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3739.8700	44.61	3.26	47.87	74.00	-26.13	Peak	
2 *	3739.9350	42.08	3.26	45.34	54.00	-8.66	AVG	

Internal Antenna

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5254.5000	66.33	41.63	107.96	68.30	39.66	Peak	No Limit
2 *	5267.4000	56.62	41.70	98.32	54.00	44.32	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3506.6100	46.20	2.74	48.94	68.30	-19.36	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5254.2000	65.46	41.63	107.09	68.30	38.79	Peak	No Limit
2 *	5267.3000	56.41	41.70	98.11	54.00	44.11	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3506.5400	45.29	2.74	48.03	68.30	-20.27	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5295.3000	66.49	41.84	108.33	68.30	40.03	Peak	No Limit
2 *	5307.4000	56.77	41.90	98.67	54.00	44.67	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3533.2600	46.10	2.80	48.90	68.30	-19.40	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5304.9000	65.49	41.89	107.38	68.30	39.08	Peak	No Limit
2 *	5307.3000	56.44	41.90	98.34	54.00	44.34	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3533.1800	45.60	2.80	48.40	68.30	-19.90	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5327.4000	56.77	42.00	98.77	54.00	44.77	AVG	No Limit
2	5327.8000	65.68	42.01	107.69	68.30	39.39	Peak	No Limit
3	5350.0000	21.99	42.12	64.11	68.30	-4.19	Peak	
4	5350.0000	9.87	42.12	51.99	54.00	-2.01	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3546.6800	46.77	2.83	49.60	68.30	-18.70	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5312.5000	65.88	41.93	107.81	68.30	39.51	Peak	No Limit
2 *	5327.4000	56.42	42.00	98.42	54.00	44.42	AVG	No Limit
3	5350.0000	19.49	42.12	61.61	68.30	-6.69	Peak	
4	5350.0000	9.08	42.12	51.20	54.00	-2.80	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3546.6700	47.04	2.83	49.87	68.30	-18.43	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5256.1000	64.72	41.64	106.36	68.30	38.06	Peak	No Limit
2 *	5267.9000	55.36	41.70	97.06	54.00	43.06	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3506.6050	45.79	2.74	48.53	68.30	-19.77	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5251.7000	65.34	41.62	106.96	68.30	38.66	Peak	No Limit
2 *	5252.0000	55.63	41.62	97.25	54.00	43.25	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3506.6600	42.20	2.74	44.94	68.30	-23.36	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5300MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5295.3000	66.89	41.84	108.73	68.30	40.43	Peak	No Limit
2 *	5308.0000	55.85	41.90	97.75	54.00	43.75	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5300MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3533.2100	46.04	2.80	48.84	68.30	-19.46	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5300MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5304.0000	65.65	41.88	107.53	68.30	39.23	Peak	No Limit
2 *	5308.0000	55.93	41.90	97.83	54.00	43.83	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5300MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3533.1200	42.44	2.80	45.24	68.30	-23.06	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5315.3000	67.17	41.94	109.11	68.30	40.81	Peak	No Limit
2 *	5327.9000	55.59	42.01	97.60	54.00	43.60	AVG	No Limit
3	5350.0000	21.22	42.12	63.34	68.30	-4.96	Peak	
4	5350.0000	9.16	42.12	51.28	54.00	-2.72	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3546.6800	45.19	2.83	48.02	68.30	-20.28	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5326.8000	65.21	42.00	107.21	68.30	38.91	Peak	No Limit
2 *	5328.0000	55.97	42.01	97.98	54.00	43.98	AVG	No Limit
3	5350.0000	21.54	42.12	63.66	68.30	-4.64	Peak	
4	5350.0000	9.14	42.12	51.26	54.00	-2.74	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3546.6100	42.78	2.83	45.61	68.30	-22.69	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5275.4000	66.07	41.74	107.81	68.30	39.51	Peak	No Limit
2 *	5287.0000	55.11	41.80	96.91	54.00	42.91	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3513.2100	45.60	2.75	48.35	68.30	-19.95	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5267.6000	64.28	41.70	105.98	68.30	37.68	Peak	No Limit
2 *	5287.0000	53.88	41.80	95.68	54.00	41.68	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3513.2700	42.46	2.75	45.21	68.30	-23.09	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5306.2000	65.10	41.90	107.00	68.30	38.70	Peak	No Limit
2 *	5326.8000	53.06	42.00	95.06	54.00	41.06	AVG	No Limit
3	5350.0000	15.80	42.12	57.92	68.30	-10.38	Peak	
4	5350.0000	7.18	42.12	49.30	54.00	-4.70	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3541.2450	46.69	2.82	49.51	68.30	-18.79	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5312.0000	62.57	41.92	104.49	68.30	36.19	Peak	No Limit
2 *	5313.0000	52.37	41.93	94.30	54.00	40.30	AVG	No Limit
3	5350.0000	16.83	42.12	58.95	68.30	-9.35	Peak	
4	5350.0000	7.37	42.12	49.49	54.00	-4.51	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3541.1550	47.07	2.82	49.89	68.30	-18.41	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	15.58	42.68	58.26	68.30	-10.04	Peak	
2	5460.0000	5.18	42.68	47.86	54.00	-6.14	AVG	
3	5470.0000	20.64	42.73	63.37	68.30	-4.93	Peak	
4	5470.0000	9.51	42.73	52.24	54.00	-1.76	AVG	
5	5505.5000	64.27	42.90	107.17	68.30	38.87	Peak	No Limit
6 *	5507.1000	55.35	42.90	98.25	54.00	44.25	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3666.6050	46.78	3.09	49.87	54.00	-4.13	AVG	
2	3666.6600	48.45	3.09	51.54	74.00	-22.46	Peak	
3	10999.9000	28.06	16.03	44.09	54.00	-9.91	AVG	
4	11000.4500	38.45	16.03	54.48	74.00	-19.52	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	15.38	42.68	58.06	68.30	-10.24	Peak	
2	5460.0000	4.85	42.68	47.53	54.00	-6.47	AVG	
3	5470.0000	21.19	42.73	63.92	68.30	-4.38	Peak	
4	5470.0000	9.81	42.73	52.54	54.00	-1.46	AVG	
5 *	5492.7000	55.80	42.84	98.64	54.00	44.64	AVG	No Limit
6	5494.9000	64.93	42.85	107.78	68.30	39.48	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3666.6200	43.80	3.09	46.89	54.00	-7.11	AVG	
2	3666.6500	45.53	3.09	48.62	74.00	-25.38	Peak	
3	10997.1000	35.74	16.03	51.77	74.00	-22.23	Peak	
4	10999.5500	24.52	16.03	40.55	54.00	-13.45	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5572.8000	54.35	43.10	97.45	54.00	43.45	AVG	No Limit
2	5575.0000	63.36	43.11	106.47	68.30	38.17	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3719.9450	46.34	3.21	49.55	54.00	-4.45	AVG	
2	3719.9800	47.49	3.21	50.70	74.00	-23.30	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5572.6000	56.50	43.10	99.60	54.00	45.60	AVG	No Limit
2	5574.3000	65.00	43.10	108.10	68.30	39.80	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3719.8750	45.60	3.21	48.81	74.00	-25.19	Peak	
2 *	3719.9450	43.63	3.21	46.84	54.00	-7.16	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5692.1000	65.89	43.46	109.35	68.30	41.05	Peak	No Limit
2 *	5692.7000	56.77	43.46	100.23	54.00	46.23	AVG	No Limit
3	5725.0000	19.25	43.56	62.81	68.30	-5.49	Peak	
4	5725.0000	9.19	43.56	52.75	54.00	-1.25	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3799.9000	47.20	3.39	50.59	74.00	-23.41	Peak	
2 *	3799.9450	46.31	3.39	49.70	54.00	-4.30	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5692.6000	56.82	43.46	100.28	54.00	46.28	AVG	No Limit
2	5694.4000	66.38	43.47	109.85	68.30	41.55	Peak	No Limit
3	5725.0000	21.45	43.56	65.01	68.30	-3.29	Peak	
4	5725.0000	9.70	43.56	53.26	54.00	-0.74	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3799.9300	43.52	3.39	46.91	54.00	-7.09	AVG	
2	3799.9400	45.59	3.39	48.98	74.00	-25.02	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	17.71	42.68	60.39	68.30	-7.91	Peak	
2	5460.0000	5.03	42.68	47.71	54.00	-6.29	AVG	
3	5470.0000	19.99	42.73	62.72	68.30	-5.58	Peak	
4	5470.0000	9.54	42.73	52.27	54.00	-1.73	AVG	
5	5507.4000	66.35	42.90	109.25	68.30	40.95	Peak	No Limit
6 *	5507.8000	55.98	42.90	98.88	54.00	44.88	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3666.4750	46.33	3.09	49.42	74.00	-24.58	Peak	
2 *	3666.6300	44.23	3.09	47.32	54.00	-6.68	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	14.94	42.68	57.62	68.30	-10.68	Peak	
2	5460.0000	4.34	42.68	47.02	54.00	-6.98	AVG	
3	5470.0000	17.88	42.73	60.61	68.30	-7.69	Peak	
4	5470.0000	8.17	42.73	50.90	54.00	-3.10	AVG	
5 *	5492.2000	54.85	42.84	97.69	54.00	43.69	AVG	No Limit
6	5504.3000	64.98	42.89	107.87	68.30	39.57	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3666.5350	46.65	3.09	49.74	74.00	-24.26	Peak	
2 *	3666.5950	44.63	3.09	47.72	54.00	-6.28	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5572.7000	65.47	43.10	108.57	68.30	40.27	Peak	No Limit
2 *	5587.8000	56.22	43.15	99.37	54.00	45.37	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3719.8850	46.60	3.21	49.81	74.00	-24.19	Peak	
2 *	3719.9400	44.59	3.21	47.80	54.00	-6.20	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5586.1000	65.73	43.14	108.87	68.30	40.57	Peak	No Limit
2 *	5587.9000	56.01	43.15	99.16	54.00	45.16	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3719.9150	44.96	3.21	48.17	54.00	-5.83	AVG	
2	3719.9200	46.82	3.21	50.03	74.00	-23.97	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5692.4000	55.16	43.46	98.62	54.00	44.62	AVG	No Limit
2	5695.1000	64.58	43.47	108.05	68.30	39.75	Peak	No Limit
3	5725.0000	19.33	43.56	62.89	68.30	-5.41	Peak	
4	5725.0000	6.94	43.56	50.50	54.00	-3.50	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3799.9550	45.72	3.39	49.11	54.00	-4.89	AVG	
2	3799.8700	47.06	3.39	50.45	74.00	-23.55	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5692.2000	55.41	43.46	98.87	54.00	44.87	AVG	No Limit
2	5706.6000	64.63	43.50	108.13	68.30	39.83	Peak	No Limit
3	5725.0000	17.61	43.56	61.17	68.30	-7.13	Peak	
4	5725.0000	7.07	43.56	50.63	54.00	-3.37	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3799.9350	46.06	3.39	49.45	54.00	-4.55	AVG	
2	3799.9450	47.61	3.39	51.00	74.00	-23.00	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	15.27	42.68	57.95	68.30	-10.35	Peak	
2	5460.0000	5.06	42.68	47.74	54.00	-6.26	AVG	
3	5470.0000	17.04	42.73	59.77	68.30	-8.53	Peak	
4	5470.0000	7.94	42.73	50.67	54.00	-3.33	AVG	
5	5495.6000	62.46	42.86	105.32	68.30	37.02	Peak	No Limit
6 *	5517.0000	52.20	42.93	95.13	54.00	41.13	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3673.2450	46.40	3.11	49.51	74.00	-24.49	Peak	
2 *	3673.2800	44.07	3.11	47.18	54.00	-6.82	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	15.62	42.68	58.30	68.30	-10.00	Peak	
2	5460.0000	4.94	42.68	47.62	54.00	-6.38	AVG	
3	5470.0000	17.77	42.73	60.50	68.30	-7.80	Peak	
4	5470.0000	7.28	42.73	50.01	54.00	-3.99	AVG	
5 *	5515.0000	50.79	42.93	93.72	54.00	39.72	AVG	No Limit
6	5520.8000	60.66	42.94	103.60	68.30	35.30	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3673.1550	46.78	3.11	49.89	74.00	-24.11	Peak	
2 *	3673.3050	44.55	3.11	47.66	54.00	-6.34	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5566.2000	65.84	43.08	108.92	68.30	40.62	Peak	No Limit
2 *	5566.8000	55.32	43.08	98.40	54.00	44.40	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3699.9100	43.86	3.17	47.03	54.00	-6.97	AVG	
2	3700.0200	45.98	3.17	49.15	74.00	-24.85	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5566.6000	63.68	43.08	106.76	68.30	38.46	Peak	No Limit
2 *	5566.8000	54.08	43.08	97.16	54.00	43.16	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3699.9350	44.96	3.17	48.13	54.00	-5.87	AVG	
2	3699.9900	47.05	3.17	50.22	74.00	-23.78	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5674.0000	65.08	43.41	108.49	68.30	40.19	Peak	No Limit
2 *	5674.2000	53.71	43.41	97.12	54.00	43.12	AVG	No Limit
3	5725.0000	18.62	43.56	62.18	68.30	-6.12	Peak	
4	5725.0000	6.83	43.56	50.39	54.00	-3.61	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	3779.9200	47.28	3.34	50.62	74.00	-23.38	Peak	
2 *	3779.9500	45.10	3.34	48.44	54.00	-5.56	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5674.6000	52.98	43.41	96.39	54.00	42.39	AVG	No Limit
2	5684.4000	63.29	43.44	106.73	68.30	38.43	Peak	No Limit
3	5725.0000	15.92	43.56	59.48	68.30	-8.82	Peak	
4	5725.0000	4.43	43.56	47.99	54.00	-6.01	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3779.9100	45.54	3.34	48.88	54.00	-5.12	AVG	
2	3779.9300	47.25	3.34	50.59	74.00	-23.41	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5264.8000	66.24	41.69	107.93	68.30	39.63	Peak	No Limit
2 *	5268.1000	58.06	41.70	99.76	54.00	45.76	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3506.6200	45.83	2.74	48.57	68.30	-19.73	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5251.7000	65.34	41.62	106.96	68.30	38.66	Peak	No Limit
2 *	5262.2000	55.82	41.67	97.49	54.00	43.49	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3506.6500	41.63	2.74	44.37	68.30	-23.93	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5306.2000	67.33	41.90	109.23	68.30	40.93	Peak	No Limit
2 *	5308.2000	57.59	41.91	99.50	54.00	45.50	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	3533.4000	45.63	2.80	48.43	68.30	-19.87	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5292.1000	56.34	41.82	98.16	54.00	44.16	AVG	No Limit
2	5301.3000	65.16	41.87	107.03	68.30	38.73	Peak	No Limit