



TX CH157



Date: 8.OCT.2016 19:51:41

TX CH165




Date: 8.OCT.2016 19:52:33

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 4.74 | 0.12 | 4.86 | 29.42 |
| CH157 | 5785 | 4.59 | 0.12 | 4.71 | 29.42 |
| CH165 | 5825 | 4.01 | 0.12 | 4.13 | 29.42 |

TX CH149




Date: 10.OCT.2016 16:07:10

TX CH157



Date: 10.OCT.2016 16:08:33

TX CH165




Date: 10.OCT.2016 16:09:23

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 4.47 | 0.12 | 4.59 | 29.42 |
| CH157 | 5785 | 4.42 | 0.12 | 4.54 | 29.42 |
| CH165 | 5825 | 4.07 | 0.12 | 4.19 | 29.42 |

TX CH149




Date: 10.OCT.2016 17:03:22

TX CH157



Date: 10.OCT.2016 17:04:45

TX CH165



Date: 10.OCT.2016 17:16:55


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH149 | 5745 | 10.49 | 29.42 |
| CH157 | 5785 | 10.67 | 29.42 |
| CH165 | 5825 | 10.33 | 29.42 |

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 3.39 | 0.07 | 3.46 | 29.42 |
| CH157 | 5785 | 4.08 | 0.07 | 4.15 | 29.42 |
| CH165 | 5825 | 4.24 | 0.07 | 4.31 | 29.42 |

TX CH149




Date: 8.OCT.2016 18:26:34

TX CH157



Date: 8.OCT.2016 18:27:27

TX CH165




Date: 8.OCT.2016 18:28:19

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 4.26 | 0.07 | 4.33 | 29.42 |
| CH157 | 5785 | 4.53 | 0.07 | 4.60 | 29.42 |
| CH165 | 5825 | 4.06 | 0.07 | 4.13 | 29.42 |

TX CH149




Date: 8.OCT.2016 20:07:34

TX CH157



Date: 8.OCT.2016 20:08:44

TX CH165




Date: 8.OCT.2016 20:10:38

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 4.51 | 0.07 | 4.58 | 29.42 |
| CH157 | 5785 | 4.39 | 0.07 | 4.46 | 29.42 |
| CH165 | 5825 | 3.72 | 0.07 | 3.79 | 29.42 |

TX CH149




Date: 10.OCT.2016 16:18:29

TX CH157



Date: 10.OCT.2016 16:19:28

TX CH165




Date: 10.OCT.2016 16:20:21

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 4.33 | 0.07 | 4.40 | 29.42 |
| CH157 | 5785 | 4.32 | 0.07 | 4.39 | 29.42 |
| CH165 | 5825 | 3.93 | 0.07 | 4.00 | 29.42 |

TX CH149




Date: 10.OCT.2016 17:35:43

TX CH157



Date: 10.OCT.2016 17:36:41

TX CH165



Date: 10.OCT.2016 17:37:32


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH149 | 5745 | 10.23 | 29.42 |
| CH157 | 5785 | 10.42 | 29.42 |
| CH165 | 5825 | 10.08 | 29.42 |

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | 1.09 | 0.14 | 1.23 | 29.42 |
| CH159 | 5795 | 1.67 | 0.14 | 1.81 | 29.42 |

TX CH151



Date: 8.OCT.2016 19:21:05

TX CH159




Date: 8.OCT.2016 19:22:29

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | 1.71 | 0.14 | 1.85 | 29.42 |
| CH159 | 5795 | 2.00 | 0.14 | 2.14 | 29.42 |

TX CH151



Date: 8.OCT.2016 20:52:52

TX CH159




Date: 8.OCT.2016 20:54:35

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | 1.82 | 0.14 | 1.96 | 29.42 |
| CH159 | 5795 | 1.56 | 0.14 | 1.70 | 29.42 |

TX CH151



Date: 10.OCT.2016 16:38:50

TX CH159




Date: 10.OCT.2016 16:39:45

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | 1.64 | 0.14 | 1.78 | 29.42 |
| CH159 | 5795 | 1.29 | 0.14 | 1.43 | 29.42 |

TX CH151



Date: 10.OCT.2016 18:00:42

TX CH159



Date: 10.OCT.2016 18:01:37

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH151 | 5755 | 7.73 | 29.42 |
| CH159 | 5795 | 7.80 | 29.42 |


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 1

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 5.82 | 0.06 | 5.88 | 16.42 |
| CH40 | 5200 | 5.86 | 0.06 | 5.92 | 16.42 |
| CH48 | 5240 | 5.64 | 0.06 | 5.70 | 16.42 |




Date: 8.OCT.2016 18:29:11

CH40



Date: 8.OCT.2016 18:29:52

CH48



Date: 8.OCT.2016 18:30:37


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 6.41 | 0.06 | 6.47 | 16.42 |
| CH40 | 5200 | 6.54 | 0.06 | 6.60 | 16.42 |
| CH48 | 5240 | 6.70 | 0.06 | 6.76 | 16.42 |




Date: 8.OCT.2016 20:11:41

CH40



Date: 8.OCT.2016 20:13:43

CH48



Date: 8.OCT.2016 20:14:49


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 3

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 6.31 | 0.06 | 6.37 | 16.42 |
| CH40 | 5200 | 6.22 | 0.06 | 6.28 | 16.42 |
| CH48 | 5240 | 5.90 | 0.06 | 5.96 | 16.42 |




Date: 10.OCT.2016 16:21:22

CH40



Date: 10.OCT.2016 16:22:17

CH48



Date: 10.OCT.2016 16:23:09


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 4

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 6.28 | 0.06 | 6.34 | 16.42 |
| CH40 | 5200 | 6.08 | 0.06 | 6.14 | 16.42 |
| CH48 | 5240 | 5.74 | 0.06 | 5.80 | 16.42 |




Date: 10.OCT.2016 17:38:37

CH40



Date: 10.OCT.2016 17:39:27

CH48



Date: 10.OCT.2016 17:40:27


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH36 | 5180 | 12.29 | 16.42 |
| CH40 | 5200 | 12.26 | 16.42 |
| CH48 | 5240 | 12.10 | 16.42 |

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 3.09 | 0.16 | 3.25 | 16.42 |
| CH46 | 5230 | 3.12 | 0.16 | 3.28 | 16.42 |

CH38



Date: 8.OCT.2016 19:23:35

CH46




Date: 8.OCT.2016 19:24:41

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 3.65 | 0.16 | 3.81 | 16.42 |
| CH46 | 5230 | 3.86 | 0.16 | 4.02 | 16.42 |

CH38



Date: 8.OCT.2016 20:56:02

CH46




Date: 8.OCT.2016 20:58:01

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 3.47 | 0.16 | 3.63 | 16.42 |
| CH46 | 5230 | 3.10 | 0.16 | 3.26 | 16.42 |

CH38



Date: 10.OCT.2016 16:40:51

CH46




Date: 10.OCT.2016 16:42:01

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 3.31 | 0.16 | 3.47 | 16.42 |
| CH46 | 5230 | 3.02 | 0.16 | 3.18 | 16.42 |

CH38



Date: 10.OCT.2016 18:02:45

CH46




Date: 10.OCT.2016 18:03:54

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH38 | 5190 | 8.34 | 16.42 |
| CH46 | 5230 | 8.31 | 16.42 |

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42 | 5210 | -0.53 | 0.29 | -0.24 | 16.42 |



Date: 8.OCT.2016 19:33:26

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42 | 5210 | -0.08 | 0.29 | 0.21 | 16.42 |



Date: 8.OCT.2016 21:05:23

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42 | 5210 | -0.72 | 0.29 | -0.43 | 16.42 |



Date: 10.OCT.2016 16:49:56

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 4

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42 | 5210 | -0.89 | 0.29 | -0.60 | 16.42 |



Date: 10.OCT.2016 18:12:18


Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH42 | 5210 | 5.77 | 16.42 |

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 3.44 | 0.06 | 3.50 | 29.42 |
| CH157 | 5785 | 4.10 | 0.06 | 4.16 | 29.42 |
| CH165 | 5825 | 4.28 | 0.06 | 4.34 | 29.42 |

TX CH149




Date: 8.OCT.2016 19:09:39

TX CH157



Date: 8.OCT.2016 19:10:50

TX CH165




Date: 8.OCT.2016 19:11:47

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 4.26 | 0.06 | 4.32 | 29.42 |
| CH157 | 5785 | 4.58 | 0.06 | 4.64 | 29.42 |
| CH165 | 5825 | 4.13 | 0.06 | 4.19 | 29.42 |

TX CH149




Date: 8.OCT.2016 20:24:38

TX CH157



Date: 8.OCT.2016 20:26:13

TX CH165




Date: 8.OCT.2016 20:27:06

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 4.52 | 0.06 | 4.58 | 29.42 |
| CH157 | 5785 | 4.39 | 0.06 | 4.45 | 29.42 |
| CH165 | 5825 | 3.69 | 0.06 | 3.75 | 29.42 |

TX CH149




Date: 10.OCT.2016 16:29:19

TX CH157



Date: 10.OCT.2016 16:30:11

TX CH165




Date: 10.OCT.2016 16:31:03

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 4.26 | 0.06 | 4.32 | 29.42 |
| CH157 | 5785 | 4.27 | 0.06 | 4.33 | 29.42 |
| CH165 | 5825 | 3.84 | 0.06 | 3.90 | 29.42 |

TX CH149




Date: 10.OCT.2016 17:48:35

TX CH157



Date: 10.OCT.2016 17:49:29

TX CH165



Date: 10.OCT.2016 17:50:50


Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH149 | 5745 | 10.22 | 29.42 |
| CH157 | 5785 | 10.42 | 29.42 |
| CH165 | 5825 | 10.07 | 29.42 |

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | 1.16 | 0.16 | 1.32 | 29.42 |
| CH159 | 5795 | 1.61 | 0.16 | 1.77 | 29.42 |

TX CH151



Date: 8.OCT.2016 19:30:54

TX CH159




Date: 8.OCT.2016 19:32:11

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | 1.68 | 0.16 | 1.84 | 29.42 |
| CH159 | 5795 | 1.89 | 0.16 | 2.05 | 29.42 |

TX CH151



Date: 8.OCT.2016 21:03:29

TX CH159




Date: 8.OCT.2016 21:04:23

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | 1.71 | 0.16 | 1.87 | 29.42 |
| CH159 | 5795 | 1.24 | 0.16 | 1.40 | 29.42 |

TX CH151



Date: 10.OCT.2016 16:47:52

TX CH159




Date: 10.OCT.2016 16:48:47

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | 1.57 | 0.16 | 1.73 | 29.42 |
| CH159 | 5795 | 1.24 | 0.16 | 1.40 | 29.42 |

TX CH151



Date: 10.OCT.2016 18:09:38

TX CH159



Date: 10.OCT.2016 18:10:47


Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH151 | 5755 | 7.72 | 29.42 |
| CH159 | 5795 | 7.68 | 29.42 |

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 1

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH155 | 5775 | -2.28 | 0.29 | -1.99 | 29.42 |

TX CH155




Date: 8.OCT.2016 19:38:05

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH155 | 5775 | -1.69 | 0.29 | -1.40 | 29.42 |

TX CH155




Date: 8.OCT.2016 21:10:37

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 3

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH155 | 5775 | -2.40 | 0.29 | -2.11 | 29.42 |

TX CH155




Date: 10.OCT.2016 16:54:55

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 4

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH155 | 5775 | -2.35 | 0.29 | -2.06 | 29.42 |

TX CH155



Date: 10.OCT.2016 18:16:29

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH155 | 5775 | 4.14 | 29.42 |

For 2TX Beamforming


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 6.82 | 0.07 | 6.89 | 16.42 |
| CH40 | 5200 | 6.75 | 0.07 | 6.82 | 16.42 |
| CH48 | 5240 | 6.51 | 0.07 | 6.58 | 16.42 |




Date: 12.OCT.2016 12:31:31

CH40



Date: 12.OCT.2016 12:32:29


CH48



Date: 12.OCT.2016 12:34:27


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 7.43 | 0.07 | 7.50 | 16.42 |
| CH40 | 5200 | 7.55 | 0.07 | 7.62 | 16.42 |
| CH48 | 5240 | 7.70 | 0.07 | 7.77 | 16.42 |




Date: 12.OCT.2016 14:55:24

CH40



Date: 12.OCT.2016 14:56:04

CH48



Date: 12.OCT.2016 14:56:45


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH36 | 5180 | 10.22 | 16.42 |
| CH40 | 5200 | 10.25 | 16.42 |
| CH48 | 5240 | 10.23 | 16.42 |

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 4.22 | 0.14 | 4.36 | 16.42 |
| CH46 | 5230 | 3.97 | 0.14 | 4.11 | 16.42 |

CH38



Date: 12.OCT.2016 14:28:51

CH46




Date: 12.OCT.2016 14:29:51

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 4.76 | 0.14 | 4.90 | 16.42 |
| CH46 | 5230 | 4.95 | 0.14 | 5.09 | 16.42 |

CH38



Date: 12.OCT.2016 15:15:15

CH46




Date: 12.OCT.2016 15:16:08

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH38 | 5190 | 7.65 | 16.42 |
| CH46 | 5230 | 7.64 | 16.42 |


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 4.89 | 0.07 | 4.96 | 29.42 |
| CH157 | 5785 | 5.13 | 0.07 | 5.20 | 29.42 |
| CH165 | 5825 | 5.09 | 0.07 | 5.16 | 29.42 |




Date: 12.OCT.2016 14:15:31

TX CH157



Date: 12.OCT.2016 14:16:18

TX CH165




Date: 12.OCT.2016 14:17:06

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 5.08 | 0.07 | 5.15 | 29.42 |
| CH157 | 5785 | 5.21 | 0.07 | 5.28 | 29.42 |
| CH165 | 5825 | 4.96 | 0.07 | 5.03 | 29.42 |

TX CH149




Date: 12.OCT.2016 15:02:12

TX CH157



Date: 12.OCT.2016 15:03:01

TX CH165



Date: 12.OCT.2016 15:03:47


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH149 | 5745 | 8.07 | 29.42 |
| CH157 | 5785 | 8.25 | 29.42 |
| CH165 | 5825 | 8.11 | 29.42 |

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | 2.23 | 0.14 | 2.37 | 29.42 |
| CH159 | 5795 | 2.48 | 0.14 | 2.62 | 29.42 |

TX CH151



Date: 12.OCT.2016 14:35:17

TX CH159




Date: 12.OCT.2016 14:36:08

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | 2.48 | 0.14 | 2.62 | 29.42 |
| CH159 | 5795 | 2.48 | 0.14 | 2.62 | 29.42 |

TX CH151



Date: 12.OCT.2016 15:21:05

TX CH159




Date: 12.OCT.2016 15:22:01

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH151 | 5755 | 5.51 | 29.42 |
| CH159 | 5795 | 5.63 | 29.42 |


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 1

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 7.12 | 0.06 | 7.18 | 16.42 |
| CH40 | 5200 | 7.01 | 0.06 | 7.07 | 16.42 |
| CH48 | 5240 | 6.81 | 0.06 | 6.87 | 16.42 |




Date: 12.OCT.2016 14:17:58

CH40



Date: 12.OCT.2016 14:18:37


CH48



Date: 12.OCT.2016 14:19:20


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 7.48 | 0.06 | 7.54 | 16.42 |
| CH40 | 5200 | 7.59 | 0.06 | 7.65 | 16.42 |
| CH48 | 5240 | 7.68 | 0.06 | 7.74 | 16.42 |




Date: 12.OCT.2016 15:04:37

CH40



Date: 12.OCT.2016 15:05:14

CH48



Date: 12.OCT.2016 15:05:59


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH36 | 5180 | 10.37 | 16.42 |
| CH40 | 5200 | 10.38 | 16.42 |
| CH48 | 5240 | 10.34 | 16.42 |

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 4.23 | 0.16 | 4.39 | 16.42 |
| CH46 | 5230 | 4.17 | 0.16 | 4.33 | 16.42 |

CH38



Date: 12.OCT.2016 14:36:58

CH46




Date: 12.OCT.2016 14:37:52

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 4.67 | 0.16 | 4.83 | 16.42 |
| CH46 | 5230 | 4.84 | 0.16 | 5.00 | 16.42 |

CH38



Date: 12.OCT.2016 15:23:04

CH46



Date: 12.OCT.2016 15:24:06

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH38 | 5190 | 7.63 | 16.42 |
| CH46 | 5230 | 7.69 | 16.42 |

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42 | 5210 | 0.50 | 0.29 | 0.79 | 16.42 |



Date: 12.OCT.2016 14:50:35

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42 | 5210 | 1.13 | 0.29 | 1.42 | 16.42 |



Date: 12.OCT.2016 15:31:26


Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH42 | 5210 | 4.13 | 16.42 |

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 4.88 | 0.06 | 4.94 | 29.42 |
| CH157 | 5785 | 5.17 | 0.06 | 5.23 | 29.42 |
| CH165 | 5825 | 5.00 | 0.06 | 5.06 | 29.42 |

TX CH149




Date: 12.OCT.2016 14:26:08

TX CH157



Date: 12.OCT.2016 14:26:57

TX CH165




Date: 12.OCT.2016 14:27:44

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 5.07 | 0.06 | 5.13 | 29.42 |
| CH157 | 5785 | 5.27 | 0.06 | 5.33 | 29.42 |
| CH165 | 5825 | 4.98 | 0.06 | 5.04 | 29.42 |

TX CH149




Date: 12.OCT.2016 15:12:17

TX CH157



Date: 12.OCT.2016 15:13:06

TX CH165



Date: 12.OCT.2016 15:13:53


Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH149 | 5745 | 8.05 | 29.42 |
| CH157 | 5785 | 8.29 | 29.42 |
| CH165 | 5825 | 8.06 | 29.42 |

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | 2.26 | 0.16 | 2.42 | 29.42 |
| CH159 | 5795 | 2.53 | 0.16 | 2.69 | 29.42 |

TX CH151



Date: 12.OCT.2016 14:44:28

TX CH159




Date: 12.OCT.2016 14:46:15

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | 2.37 | 0.16 | 2.53 | 29.42 |
| CH159 | 5795 | 2.45 | 0.16 | 2.61 | 29.42 |

TX CH151



Date: 12.OCT.2016 15:29:19

TX CH159



Date: 12.OCT.2016 15:30:13


Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH151 | 5755 | 5.49 | 29.42 |
| CH159 | 5795 | 5.66 | 29.42 |

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 1

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH155 | 5775 | -1.14 | 0.29 | -0.85 | 29.42 |

TX CH155




Date: 12.OCT.2016 14:54:24

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH155 | 5775 | -1.22 | 0.29 | -0.93 | 29.42 |

TX CH155



Date: 12.OCT.2016 15:35:49


Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH155 | 5775 | 2.12 | 29.42 |

Test Mode: TX AC Wave2(160 MHz) Mode / CH42(UNII-1)+CH155 (UNII-3)_Ant 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH42 | 5210 | -0.89 | 0.17 | -0.72 | 16.42 |
| CH155 | 5775 | -3.58 | 0.17 | -3.41 | 29.42 |

TX CH42



Date: 14.NOV.2016 11:32:56

TX CH155




Date: 14.NOV.2016 11:34:17

Test Mode: TX AC Wave2(160 MHz) Mode / CH42(UNII-1)+CH155 (UNII-3)_Ant 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH42 | 5210 | -1.43 | 0.17 | -1.26 | 16.42 |
| CH155 | 5775 | -4.42 | 0.17 | -4.25 | 29.42 |

TX CH42



Date: 14.NOV.2016 14:32:57

TX CH155



Date: 14.NOV.2016 14:33:56

Test Mode: TX AC Wave2(160 MHz) Mode / CH42(UNII-1)+CH155 (UNII-3)_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH42 | 5210 | 2.03 | 16.42 |
| CH155 | 5775 | -0.80 | 29.42 |

For 3TX Beamforming


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 3.28 | 0.07 | 3.35 | 16.42 |
| CH40 | 5200 | 3.24 | 0.07 | 3.31 | 16.42 |
| CH48 | 5240 | 2.99 | 0.07 | 3.06 | 16.42 |




Date: 12.OCT.2016 15:40:28

CH40



Date: 12.OCT.2016 15:41:14


CH48



Date: 12.OCT.2016 15:41:57


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 3.81 | 0.07 | 3.88 | 16.42 |
| CH40 | 5200 | 3.98 | 0.07 | 4.05 | 16.42 |
| CH48 | 5240 | 4.02 | 0.07 | 4.09 | 16.42 |




Date: 12.OCT.2016 16:37:56

CH40



Date: 12.OCT.2016 16:38:40


CH48



Date: 12.OCT.2016 16:39:23


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 3.25 | 0.07 | 3.32 | 16.42 |
| CH40 | 5200 | 3.13 | 0.07 | 3.20 | 16.42 |
| CH48 | 5240 | 2.86 | 0.07 | 2.93 | 16.42 |




Date: 12.OCT.2016 17:23:47

CH40



Date: 12.OCT.2016 17:24:34

CH48



Date: 12.OCT.2016 17:25:22


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH36 | 5180 | 8.30 | 16.42 |
| CH40 | 5200 | 8.31 | 16.42 |
| CH48 | 5240 | 8.16 | 16.42 |

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 0.46 | 0.14 | 0.60 | 16.42 |
| CH46 | 5230 | 0.39 | 0.14 | 0.53 | 16.42 |

CH38



Date: 12.OCT.2016 16:16:33

CH46




Date: 12.OCT.2016 16:17:20

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 0.90 | 0.14 | 1.04 | 16.42 |
| CH46 | 5230 | 1.09 | 0.14 | 1.23 | 16.42 |

CH38



Date: 12.OCT.2016 17:01:10

CH46




Date: 12.OCT.2016 17:02:00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 0.46 | 0.14 | 0.60 | 16.42 |
| CH46 | 5230 | -0.04 | 0.14 | 0.10 | 16.42 |

CH38



Date: 12.OCT.2016 17:49:02

CH46



Date: 12.OCT.2016 17:49:54


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH38 | 5190 | 5.52 | 16.42 |
| CH46 | 5230 | 5.42 | 16.42 |

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 1.03 | 0.07 | 1.10 | 29.42 |
| CH157 | 5785 | 1.31 | 0.07 | 1.38 | 29.42 |
| CH165 | 5825 | 1.30 | 0.07 | 1.37 | 29.42 |

TX CH149




Date: 12.OCT.2016 16:04:39

TX CH157



Date: 12.OCT.2016 16:05:26

TX CH165




Date: 12.OCT.2016 16:06:12

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 1.18 | 0.07 | 1.25 | 29.42 |
| CH157 | 5785 | 1.31 | 0.07 | 1.38 | 29.42 |
| CH165 | 5825 | 1.12 | 0.07 | 1.19 | 29.42 |

TX CH149




Date: 12.OCT.2016 16:45:25

TX CH157



Date: 12.OCT.2016 16:46:27

TX CH165




Date: 12.OCT.2016 16:47:15

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 1.04 | 0.07 | 1.11 | 29.42 |
| CH157 | 5785 | 1.29 | 0.07 | 1.36 | 29.42 |
| CH165 | 5825 | 1.33 | 0.07 | 1.40 | 29.42 |

TX CH149




Date: 12.OCT.2016 17:31:27

TX CH157



Date: 12.OCT.2016 17:32:15

TX CH165



Date: 12.OCT.2016 17:33:01


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH149 | 5745 | 5.93 | 29.42 |
| CH157 | 5785 | 6.14 | 29.42 |
| CH165 | 5825 | 6.09 | 29.42 |

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -1.69 | 0.14 | -1.55 | 29.42 |
| CH159 | 5795 | -1.56 | 0.14 | -1.42 | 29.42 |

TX CH151



Date: 12.OCT.2016 16:22:23

TX CH159




Date: 12.OCT.2016 16:23:13

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -1.63 | 0.14 | -1.49 | 29.42 |
| CH159 | 5795 | -1.59 | 0.14 | -1.45 | 29.42 |

TX CH151



Date: 12.OCT.2016 17:07:10

TX CH159




Date: 12.OCT.2016 17:08:01

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -1.75 | 0.14 | -1.61 | 29.42 |
| CH159 | 5795 | -1.50 | 0.14 | -1.36 | 29.42 |

TX CH151



Date: 12.OCT.2016 17:55:05

TX CH159



Date: 12.OCT.2016 17:55:55

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH151 | 5755 | 3.22 | 29.42 |
| CH159 | 5795 | 3.36 | 29.42 |


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 1

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 3.22 | 0.06 | 3.28 | 16.42 |
| CH40 | 5200 | 3.19 | 0.06 | 3.25 | 16.42 |
| CH48 | 5240 | 2.97 | 0.06 | 3.03 | 16.42 |




Date: 12.OCT.2016 16:07:02

CH40



Date: 12.OCT.2016 16:07:45

CH48



Date: 12.OCT.2016 16:08:30


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 3.80 | 0.06 | 3.86 | 16.42 |
| CH40 | 5200 | 3.92 | 0.06 | 3.98 | 16.42 |
| CH48 | 5240 | 3.97 | 0.06 | 4.03 | 16.42 |




Date: 12.OCT.2016 16:48:36

CH40



Date: 12.OCT.2016 16:49:30


CH48



Date: 12.OCT.2016 16:50:17


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 3

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 3.25 | 0.06 | 3.31 | 16.42 |
| CH40 | 5200 | 3.14 | 0.06 | 3.20 | 16.42 |
| CH48 | 5240 | 2.88 | 0.06 | 2.94 | 16.42 |




Date: 12.OCT.2016 17:33:48

CH40



Date: 12.OCT.2016 17:34:41

CH48



Date: 12.OCT.2016 17:35:28


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH36 | 5180 | 8.26 | 16.42 |
| CH40 | 5200 | 8.26 | 16.42 |
| CH48 | 5240 | 8.13 | 16.42 |

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 0.38 | 0.16 | 0.54 | 16.42 |
| CH46 | 5230 | 0.35 | 0.16 | 0.51 | 16.42 |

CH38



Date: 12.OCT.2016 16:24:05

CH46




Date: 12.OCT.2016 16:24:54

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 0.80 | 0.16 | 0.96 | 16.42 |
| CH46 | 5230 | 1.00 | 0.16 | 1.16 | 16.42 |

CH38



Date: 12.OCT.2016 17:08:53

CH46




Date: 12.OCT.2016 17:10:04

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | 0.28 | 0.16 | 0.44 | 16.42 |
| CH46 | 5230 | -0.01 | 0.16 | 0.15 | 16.42 |

CH38



Date: 12.OCT.2016 17:57:10

CH46




Date: 12.OCT.2016 17:58:07

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH38 | 5190 | 5.42 | 16.42 |
| CH46 | 5230 | 5.40 | 16.42 |

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42 | 5210 | -3.46 | 0.29 | -3.17 | 16.42 |



Date: 12.OCT.2016 16:33:14

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42 | 5210 | -2.62 | 0.29 | -2.33 | 16.42 |



Date: 12.OCT.2016 17:18:37

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 3

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42 | 5210 | -3.62 | 0.29 | -3.33 | 16.42 |



Date: 12.OCT.2016 18:05:25


Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH42 | 5210 | 1.85 | 16.42 |

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 1.04 | 0.06 | 1.10 | 29.42 |
| CH157 | 5785 | 1.30 | 0.06 | 1.36 | 29.42 |
| CH165 | 5825 | 1.31 | 0.06 | 1.37 | 29.42 |

TX CH149




Date: 12.OCT.2016 16:13:57

TX CH157



Date: 12.OCT.2016 16:14:45

TX CH165




Date: 12.OCT.2016 16:15:32

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 1.20 | 0.06 | 1.26 | 29.42 |
| CH157 | 5785 | 1.39 | 0.06 | 1.45 | 29.42 |
| CH165 | 5825 | 1.14 | 0.06 | 1.20 | 29.42 |

TX CH149




Date: 12.OCT.2016 16:56:36

TX CH157



Date: 12.OCT.2016 16:59:30

TX CH165




Date: 12.OCT.2016 17:00:17

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | 1.07 | 0.06 | 1.13 | 29.42 |
| CH157 | 5785 | 1.41 | 0.06 | 1.47 | 29.42 |
| CH165 | 5825 | 1.30 | 0.06 | 1.36 | 29.42 |

TX CH149




Date: 12.OCT.2016 17:40:53

TX CH157



Date: 12.OCT.2016 17:41:42

TX CH165



Date: 12.OCT.2016 17:42:32


Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH149 | 5745 | 5.94 | 29.42 |
| CH157 | 5785 | 6.20 | 29.42 |
| CH165 | 5825 | 6.08 | 29.42 |

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -1.80 | 0.16 | -1.64 | 29.42 |
| CH159 | 5795 | -1.56 | 0.16 | -1.40 | 29.42 |

TX CH151



Date: 12.OCT.2016 16:31:20

TX CH159




Date: 12.OCT.2016 16:32:13

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -1.57 | 0.16 | -1.41 | 29.42 |
| CH159 | 5795 | -1.50 | 0.16 | -1.34 | 29.42 |

TX CH151



Date: 12.OCT.2016 17:16:49

TX CH159




Date: 12.OCT.2016 17:17:40

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -1.83 | 0.16 | -1.67 | 29.42 |
| CH159 | 5795 | -1.54 | 0.16 | -1.38 | 29.42 |

TX CH151



Date: 12.OCT.2016 18:03:39

TX CH159



Date: 12.OCT.2016 18:04:28


Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH151 | 5755 | 3.20 | 29.42 |
| CH159 | 5795 | 3.40 | 29.42 |

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 1

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH155 | 5775 | -5.35 | 0.29 | -5.06 | 29.42 |

TX CH155




Date: 12.OCT.2016 16:36:54

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH155 | 5775 | -5.27 | 0.29 | -4.98 | 29.42 |

TX CH155




Date: 12.OCT.2016 17:22:52

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 3

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH155 | 5775 | -5.42 | 0.29 | -5.13 | 29.42 |

TX CH155



Date: 12.OCT.2016 18:09:08


Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH155 | 5775 | -0.29 | 29.42 |

For 4TX Beamforming


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 1.06 | 0.07 | 1.13 | 16.42 |
| CH40 | 5200 | 1.01 | 0.07 | 1.08 | 16.42 |
| CH48 | 5240 | 0.87 | 0.07 | 0.94 | 16.42 |




Date: 12.OCT.2016 18:26:37

CH40



Date: 12.OCT.2016 18:27:34


CH48



Date: 12.OCT.2016 18:28:18


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 1.78 | 0.07 | 1.85 | 16.42 |
| CH40 | 5200 | 1.90 | 0.07 | 1.97 | 16.42 |
| CH48 | 5240 | 2.11 | 0.07 | 2.18 | 16.42 |




Date: 12.OCT.2016 19:42:11

CH40



Date: 12.OCT.2016 19:43:07


CH48



Date: 12.OCT.2016 19:45:14


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 0.46 | 0.07 | 0.53 | 16.42 |
| CH40 | 5200 | 0.36 | 0.07 | 0.43 | 16.42 |
| CH48 | 5240 | 0.07 | 0.07 | 0.14 | 16.42 |




Date: 17.OCT.2016 10:41:02

CH40



Date: 17.OCT.2016 10:42:03


CH48



Date: 17.OCT.2016 10:44:29


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 4

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 0.34 | 0.07 | 0.41 | 16.42 |
| CH40 | 5200 | 0.38 | 0.07 | 0.45 | 16.42 |
| CH48 | 5240 | 0.68 | 0.07 | 0.75 | 16.42 |

CH36



Date: 17.OCT.2016 11:42:46

CH40



Date: 17.OCT.2016 11:43:59

CH48



Date: 17.OCT.2016 11:44:44


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH36 | 5180 | 7.04 | 16.42 |
| CH40 | 5200 | 7.05 | 16.42 |
| CH48 | 5240 | 7.09 | 16.42 |

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | -1.62 | 0.14 | -1.48 | 16.42 |
| CH46 | 5230 | -1.70 | 0.14 | -1.56 | 16.42 |

CH38



Date: 12.OCT.2016 19:17:21

CH46




Date: 12.OCT.2016 19:18:33

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | -1.19 | 0.14 | -1.05 | 16.42 |
| CH46 | 5230 | -0.88 | 0.14 | -0.74 | 16.42 |

CH38



Date: 12.OCT.2016 20:07:41

CH46




Date: 12.OCT.2016 20:08:43

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | -2.41 | 0.14 | -2.27 | 16.42 |
| CH46 | 5230 | -2.85 | 0.14 | -2.71 | 16.42 |

CH38



Date: 17.OCT.2016 11:21:19

CH46




Date: 17.OCT.2016 11:22:10

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | -2.51 | 0.14 | -2.37 | 16.42 |
| CH46 | 5230 | -2.41 | 0.14 | -2.27 | 16.42 |

CH38



Date: 17.OCT.2016 12:05:04

CH46



Date: 17.OCT.2016 12:05:53


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH38 | 5190 | 4.26 | 16.42 |
| CH46 | 5230 | 4.26 | 16.42 |

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | -1.03 | 0.07 | -0.96 | 29.42 |
| CH157 | 5785 | -0.78 | 0.07 | -0.71 | 29.42 |
| CH165 | 5825 | -0.81 | 0.07 | -0.74 | 29.42 |

TX CH149




Date: 12.OCT.2016 19:03:49

TX CH157



Date: 12.OCT.2016 19:04:43

TX CH165




Date: 12.OCT.2016 19:05:35

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | -0.68 | 0.07 | -0.61 | 29.42 |
| CH157 | 5785 | -0.50 | 0.07 | -0.43 | 29.42 |
| CH165 | 5825 | -0.61 | 0.07 | -0.54 | 29.42 |

TX CH149




Date: 12.OCT.2016 19:55:20

TX CH157



Date: 12.OCT.2016 19:56:13

TX CH165




Date: 12.OCT.2016 19:57:02

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | -1.78 | 0.07 | -1.71 | 29.42 |
| CH157 | 5785 | -1.29 | 0.07 | -1.22 | 29.42 |
| CH165 | 5825 | -1.23 | 0.07 | -1.16 | 29.42 |

TX CH149




Date: 17.OCT.2016 11:06:12

TX CH157



Date: 17.OCT.2016 11:07:00

TX CH165




Date: 17.OCT.2016 11:07:48

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | -0.68 | 0.07 | -0.61 | 29.42 |
| CH157 | 5785 | -0.66 | 0.07 | -0.59 | 29.42 |
| CH165 | 5825 | -1.35 | 0.07 | -1.28 | 29.42 |

TX CH149




Date: 17.OCT.2016 11:51:16

TX CH157



Date: 17.OCT.2016 11:52:08

TX CH165



Date: 17.OCT.2016 11:52:59


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH149 | 5745 | 5.07 | 29.42 |
| CH157 | 5785 | 5.29 | 29.42 |
| CH165 | 5825 | 5.10 | 29.42 |

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -3.73 | 0.14 | -3.59 | 29.42 |
| CH159 | 5795 | -3.64 | 0.14 | -3.50 | 29.42 |

TX CH151



Date: 12.OCT.2016 19:24:32

TX CH159




Date: 12.OCT.2016 19:25:34

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -3.52 | 0.14 | -3.38 | 29.42 |
| CH159 | 5795 | -3.40 | 0.14 | -3.26 | 29.42 |

TX CH151



Date: 12.OCT.2016 20:14:02

TX CH159




Date: 12.OCT.2016 20:15:02

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -4.30 | 0.14 | -4.16 | 29.42 |
| CH159 | 5795 | -3.90 | 0.14 | -3.76 | 29.42 |

TX CH151



Date: 17.OCT.2016 11:27:30

TX CH159




Date: 17.OCT.2016 11:28:27

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -3.39 | 0.14 | -3.25 | 29.42 |
| CH159 | 5795 | -3.79 | 0.14 | -3.65 | 29.42 |

TX CH151



Date: 17.OCT.2016 12:10:58

TX CH159



Date: 17.OCT.2016 12:12:02

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH151 | 5755 | 2.44 | 29.42 |
| CH159 | 5795 | 2.48 | 29.42 |


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 1

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 1.13 | 0.06 | 1.19 | 16.42 |
| CH40 | 5200 | 1.09 | 0.06 | 1.15 | 16.42 |
| CH48 | 5240 | 0.90 | 0.06 | 0.96 | 16.42 |




Date: 12.OCT.2016 19:06:24

CH40



Date: 12.OCT.2016 19:07:06


CH48



Date: 12.OCT.2016 19:08:01


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 1.74 | 0.06 | 1.80 | 16.42 |
| CH40 | 5200 | 1.90 | 0.06 | 1.96 | 16.42 |
| CH48 | 5240 | 2.06 | 0.06 | 2.12 | 16.42 |




Date: 12.OCT.2016 19:57:58

CH40



Date: 12.OCT.2016 19:58:46

CH48



Date: 12.OCT.2016 19:59:31


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 3

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 0.62 | 0.06 | 0.68 | 16.42 |
| CH40 | 5200 | 0.52 | 0.06 | 0.58 | 16.42 |
| CH48 | 5240 | 0.21 | 0.06 | 0.27 | 16.42 |




Date: 17.OCT.2016 11:08:39

CH40



Date: 17.OCT.2016 11:12:24


CH48



Date: 17.OCT.2016 11:13:09

Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 4

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36 | 5180 | 0.33 | 0.06 | 0.39 | 16.42 |
| CH40 | 5200 | 0.36 | 0.06 | 0.42 | 16.42 |
| CH48 | 5240 | 0.59 | 0.06 | 0.65 | 16.42 |



Date: 17.OCT.2016 11:53:51


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH36 | 5180 | 7.07 | 16.42 |
| CH40 | 5200 | 7.09 | 16.42 |
| CH48 | 5240 | 7.08 | 16.42 |

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | -1.71 | 0.16 | -1.55 | 16.42 |
| CH46 | 5230 | -1.72 | 0.16 | -1.56 | 16.42 |

CH38



Date: 12.OCT.2016 19:26:28

CH46




Date: 12.OCT.2016 19:27:16

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | -1.39 | 0.16 | -1.23 | 16.42 |
| CH46 | 5230 | -0.88 | 0.16 | -0.72 | 16.42 |

CH38



Date: 12.OCT.2016 20:15:55

CH46




Date: 12.OCT.2016 20:16:43

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | -2.38 | 0.16 | -2.22 | 16.42 |
| CH46 | 5230 | -2.88 | 0.16 | -2.72 | 16.42 |

CH38



Date: 17.OCT.2016 11:29:29

CH46




Date: 17.OCT.2016 11:30:29

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38 | 5190 | -2.53 | 0.16 | -2.37 | 16.42 |
| CH46 | 5230 | -2.44 | 0.16 | -2.28 | 16.42 |

CH38



Date: 17.OCT.2016 12:13:06

CH46




Date: 17.OCT.2016 12:13:56

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH38 | 5190 | 3.12 | 16.42 |
| CH46 | 5230 | 3.18 | 16.42 |

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42 | 5210 | -5.60 | 0.29 | -5.31 | 16.42 |



Date: 12.OCT.2016 19:34:35

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42 | 5210 | -4.98 | 0.29 | -4.69 | 16.42 |



Date: 12.OCT.2016 20:25:49

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42 | 5210 | -6.46 | 0.29 | -6.17 | 16.42 |



Date: 17.OCT.2016 11:37:44

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 4

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42 | 5210 | -6.29 | 0.29 | -6.00 | 16.42 |



Date: 17.OCT.2016 12:20:57


Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_Total

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-----------------|
| CH42 | 5210 | 0.52 | 16.42 |

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | -1.07 | 0.06 | -1.01 | 29.42 |
| CH157 | 5785 | -0.83 | 0.06 | -0.77 | 29.42 |
| CH165 | 5825 | -0.84 | 0.06 | -0.78 | 29.42 |

TX CH149




Date: 12.OCT.2016 19:14:47

TX CH157



Date: 12.OCT.2016 19:15:38

TX CH165




Date: 12.OCT.2016 19:16:27

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | -0.66 | 0.06 | -0.60 | 29.42 |
| CH157 | 5785 | -0.45 | 0.06 | -0.39 | 29.42 |
| CH165 | 5825 | -0.68 | 0.06 | -0.62 | 29.42 |

TX CH149




Date: 12.OCT.2016 20:05:10

TX CH157



Date: 12.OCT.2016 20:05:59

TX CH165




Date: 12.OCT.2016 20:06:46

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | -1.82 | 0.06 | -1.76 | 29.42 |
| CH157 | 5785 | -1.07 | 0.06 | -1.01 | 29.42 |
| CH165 | 5825 | 1.13 | 0.06 | 1.19 | 29.42 |

TX CH149




Date: 17.OCT.2016 11:18:44

TX CH157



Date: 17.OCT.2016 11:19:33

TX CH165




Date: 17.OCT.2016 11:20:20

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH149 | 5745 | -0.63 | 0.06 | -0.57 | 29.42 |
| CH157 | 5785 | -0.76 | 0.06 | -0.70 | 29.42 |
| CH165 | 5825 | -1.34 | 0.06 | -1.28 | 29.42 |

TX CH149




Date: 17.OCT.2016 12:01:31

TX CH157



Date: 17.OCT.2016 12:02:20

TX CH165



Date: 17.OCT.2016 12:04:10


Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH149 | 5745 | 5.06 | 29.42 |
| CH157 | 5785 | 5.31 | 29.42 |
| CH165 | 5825 | 5.75 | 29.42 |

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -3.78 | 0.16 | -3.62 | 29.42 |
| CH159 | 5795 | -3.71 | 0.16 | -3.55 | 29.42 |

TX CH151



Date: 12.OCT.2016 19:32:43

TX CH159




Date: 12.OCT.2016 19:33:42

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -3.56 | 0.16 | -3.40 | 29.42 |
| CH159 | 5795 | -3.47 | 0.16 | -3.31 | 29.42 |

TX CH151



Date: 12.OCT.2016 20:23:53

TX CH159




Date: 12.OCT.2016 20:24:49

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -4.34 | 0.16 | -4.18 | 29.42 |
| CH159 | 5795 | -4.05 | 0.16 | -3.89 | 29.42 |

TX CH151



Date: 17.OCT.2016 11:35:55

TX CH159




Date: 17.OCT.2016 11:36:45

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH151 | 5755 | -3.44 | 0.16 | -3.28 | 29.42 |
| CH159 | 5795 | -3.90 | 0.16 | -3.74 | 29.42 |

TX CH151



Date: 17.OCT.2016 12:19:05

TX CH159



Date: 17.OCT.2016 12:19:58


Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH151 | 5755 | 2.41 | 29.42 |
| CH159 | 5795 | 2.40 | 29.42 |

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 1

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH155 | 5775 | -7.31 | 0.29 | -7.02 | 29.42 |

TX CH155




Date: 12.OCT.2016 19:38:39

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH155 | 5775 | -7.12 | 0.29 | -6.83 | 29.42 |

TX CH155




Date: 12.OCT.2016 20:30:17

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 3

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH155 | 5775 | -8.02 | 0.29 | -7.73 | 29.42 |

TX CH155




Date: 17.OCT.2016 11:41:37

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 4

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|--|--------------------|
| CH155 | 5775 | -7.52 | 0.29 | -7.23 | 29.42 |

TX CH155



Date: 17.OCT.2016 12:24:43

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_Total

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|--------------------|
| CH155 | 5775 | -1.16 | 29.42 |

ATTACHMENT H - FREQUENCY STABILITY

| | |
|-------------------|---------------|
| Test Mode: | UNII-1 |
|-------------------|---------------|

Voltage vs. Frequency Stability

| Voltage | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (V) | 5180.0000 |
| 132 | 5179.9920 |
| 120 | 5179.9920 |
| 108 | 5179.9916 |
| Max. Deviation (MHz) | 0.0084 |
| Max. Deviation (ppm) | 1.6216 |

Temperature vs. Frequency Stability

| Voltage | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (°C) | 5180.0000 |
| -5 | 5179.9916 |
| 5 | 5179.9916 |
| 15 | 5179.9916 |
| 25 | 5179.9916 |
| 35 | 5179.9916 |
| 45 | 5179.9916 |
| 50 | 5179.9916 |
| Max. Deviation (MHz) | 0.0084 |
| Max. Deviation (ppm) | 1.6216 |

| | |
|-------------------|---------------|
| Test Mode: | UNII-3 |
|-------------------|---------------|

Voltage vs. Frequency Stability

| Voltage | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (V) | 5745.0000 |
| 132 | 5744.9908 |
| 120 | 5744.9908 |
| 108 | 5744.9904 |
| Max. Deviation (MHz) | 0.0096 |
| Max. Deviation (ppm) | 1.6710 |

Temperature vs. Frequency Stability

| Voltage | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (°C) | 5745.0000 |
| -5 | 5744.9904 |
| 5 | 5744.9904 |
| 15 | 5744.9904 |
| 25 | 5744.9904 |
| 35 | 5744.9904 |
| 45 | 5744.9904 |
| 50 | 5744.9904 |
| Max. Deviation (MHz) | 0.0096 |
| Max. Deviation (ppm) | 1.6710 |