


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.34	17.00
CH46	5230	7.28	17.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.00	0.06	6.06	30.00
CH157	5785	6.90	0.06	6.96	30.00
CH165	5825	7.38	0.06	7.44	30.00

TX CH149




Date: 27.SEP.2016 11:16:45

TX CH157



Date: 27.SEP.2016 11:17:41

TX CH165




Date: 27.SEP.2016 11:18:35

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.52	0.06	5.58	30.00
CH157	5785	6.11	0.06	6.17	30.00
CH165	5825	5.98	0.06	6.04	30.00

TX CH149




Date: 27.SEP.2016 11:58:41

TX CH157



Date: 27.SEP.2016 11:59:27

TX CH165



Date: 27.SEP.2016 12:00:15


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.84	30.00
CH157	5785	9.59	30.00
CH165	5825	9.81	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.80	0.11	2.91	30.00
CH159	5795	3.51	0.11	3.62	30.00

TX CH151



Date: 27.SEP.2016 11:35:55

TX CH159




Date: 27.SEP.2016 11:36:45

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.03	0.11	2.14	30.00
CH159	5795	2.45	0.11	2.56	30.00

TX CH151



Date: 27.SEP.2016 12:17:47

TX CH159



Date: 27.SEP.2016 12:18:37

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.55	30.00
CH159	5795	6.13	30.00


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.05	0.06	8.11	17.00
CH40	5200	7.92	0.06	7.98	17.00
CH48	5240	7.58	0.06	7.64	17.00




Date: 27.SEP.2016 11:19:28

CH40



Date: 27.SEP.2016 11:20:21

CH48



Date: 27.SEP.2016 11:21:06


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.87	0.06	7.93	17.00
CH40	5200	7.93	0.06	7.99	17.00
CH48	5240	7.83	0.06	7.89	17.00




Date: 27.SEP.2016 12:01:07

CH40



Date: 27.SEP.2016 12:01:49

CH48



Date: 27.SEP.2016 12:02:29


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.03	17.00
CH40	5200	11.00	17.00
CH48	5240	10.78	17.00

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.30	0.11	4.41	17.00
CH46	5230	4.01	0.11	4.12	17.00

CH38



Date: 27.SEP.2016 11:37:42

CH46




Date: 27.SEP.2016 11:38:28

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.21	0.11	4.32	17.00
CH46	5230	4.22	0.11	4.33	17.00

CH38



Date: 27.SEP.2016 12:19:39

CH46




Date: 27.SEP.2016 12:20:21

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.38	17.00
CH46	5230	7.24	17.00

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.79	0.22	-0.57	17.00



Date: 27.SEP.2016 11:45:35

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.64	0.22	-0.42	17.00



Date: 27.SEP.2016 12:27:33


Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	2.52	17.00

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.06	0.06	6.12	30.00
CH157	5785	6.91	0.06	6.97	30.00
CH165	5825	7.30	0.06	7.36	30.00

TX CH149




Date: 27.SEP.2016 11:27:00

TX CH157



Date: 27.SEP.2016 11:27:48

TX CH165




Date: 27.SEP.2016 11:28:34

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.54	0.06	5.60	30.00
CH157	5785	6.17	0.06	6.23	30.00
CH165	5825	6.16	0.06	6.22	30.00

TX CH149




Date: 27.SEP.2016 12:08:56

TX CH157



Date: 27.SEP.2016 12:09:46

TX CH165



Date: 27.SEP.2016 12:10:34


Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.88	30.00
CH157	5785	9.63	30.00
CH165	5825	9.84	30.00

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.78	0.11	2.89	30.00
CH159	5795	3.44	0.11	3.55	30.00

TX CH151



Date: 27.SEP.2016 11:43:40

TX CH159




Date: 27.SEP.2016 11:44:32

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.04	0.11	2.15	30.00
CH159	5795	2.44	0.11	2.55	30.00

TX CH151



Date: 27.SEP.2016 12:25:41

TX CH159



Date: 27.SEP.2016 12:26:30


Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.55	30.00
CH159	5795	6.09	30.00

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-1.52	0.22	-1.30	30.00

TX CH155




Date: 27.SEP.2016 11:50:15

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-2.26	0.22	-2.04	30.00

TX CH155



Date: 27.SEP.2016 12:31:24


Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.36	30.00

Test Mode: TX AC Wave2(160 MHz) Mode / CH45(UNII-1)+CH155 (UNII-3)_Ant 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH45	5210	-0.72	0.17	-0.57	17.00
CH155	5775	-3.53	0.17	-3.38	30.00

TX CH45



Date: 14.NOV.2016 14:49:36

TX CH155




Date: 14.NOV.2016 14:50:27

Test Mode: TX AC Wave2(160 MHz) Mode / CH45(UNII-1)+CH155 (UNII-3)_Ant 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH45	5210	-1.40	0.17	-1.25	17.00
CH155	5775	-4.59	0.17	-4.44	30.00

TX CH45



Date: 14.NOV.2016 14:46:23

TX CH155



Date: 14.NOV.2016 14:48:03

Test Mode: TX AC Wave2(160 MHz) Mode / CH45(UNII-1)+CH155 (UNII-3)_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH45	5210	2.12	17.00
CH155	5775	-0.86	30.00

For 3TX Beamforming


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.27	0.06	4.33	17.00
CH40	5200	4.28	0.06	4.34	17.00
CH48	5240	3.87	0.06	3.93	17.00




Date: 27.SEP.2016 14:23:29

CH40



Date: 27.SEP.2016 14:25:31

CH48




Date: 27.SEP.2016 14:26:21

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.29	0.06	4.35	17.00
CH40	5200	4.35	0.06	4.41	17.00
CH48	5240	4.24	0.06	4.30	17.00

CH36




Date: 27.SEP.2016 15:05:29

CH40



Date: 27.SEP.2016 15:06:15

CH48




Date: 27.SEP.2016 15:07:03

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.39	0.06	4.45	17.00
CH40	5200	4.17	0.06	4.23	17.00
CH48	5240	3.71	0.06	3.77	17.00

CH36




Date: 27.SEP.2016 15:52:06

CH40



Date: 27.SEP.2016 15:52:48

CH48



Date: 27.SEP.2016 15:53:36


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.15	17.00
CH40	5200	9.10	17.00
CH48	5240	8.78	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.44	0.11	1.55	17.00
CH46	5230	1.21	0.11	1.32	17.00

CH38



Date: 27.SEP.2016 14:44:24

CH46




Date: 27.SEP.2016 14:45:20

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.41	0.11	1.52	17.00
CH46	5230	1.46	0.11	1.57	17.00

CH38



Date: 27.SEP.2016 15:24:41

CH46




Date: 27.SEP.2016 15:25:29

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.38	0.11	1.49	17.00
CH46	5230	1.08	0.11	1.19	17.00

CH38



Date: 27.SEP.2016 16:11:32

CH46



Date: 27.SEP.2016 16:12:19


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.29	17.00
CH46	5230	6.13	17.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.13	0.06	2.19	30.00
CH157	5785	3.02	0.06	3.08	30.00
CH165	5825	3.70	0.06	3.76	30.00

TX CH149




Date: 27.SEP.2016 14:32:10

TX CH157



Date: 27.SEP.2016 14:33:04

TX CH165




Date: 27.SEP.2016 14:33:50

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.72	0.06	1.78	30.00
CH157	5785	2.29	0.06	2.35	30.00
CH165	5825	2.12	0.06	2.18	30.00

TX CH149




Date: 27.SEP.2016 15:12:40

TX CH157



Date: 27.SEP.2016 15:13:29

TX CH165




Date: 27.SEP.2016 15:14:16

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.89	0.06	1.95	30.00
CH157	5785	2.61	0.06	2.67	30.00
CH165	5825	3.06	0.06	3.12	30.00

TX CH149




Date: 27.SEP.2016 15:59:23

TX CH157



Date: 27.SEP.2016 16:00:18

TX CH165



Date: 27.SEP.2016 16:01:08


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.75	30.00
CH157	5785	7.48	30.00
CH165	5825	7.84	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.31	0.11	-0.20	30.00
CH159	5795	0.49	0.11	0.60	30.00

TX CH151



Date: 27.SEP.2016 14:50:27

TX CH159




Date: 27.SEP.2016 14:51:21

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.92	0.11	-0.81	30.00
CH159	5795	-0.37	0.11	-0.26	30.00

TX CH151



Date: 27.SEP.2016 15:30:31

TX CH159




Date: 27.SEP.2016 15:31:24

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.66	0.11	-0.55	30.00
CH159	5795	0.08	0.11	0.19	30.00

TX CH151



Date: 27.SEP.2016 16:17:36

TX CH159



Date: 27.SEP.2016 16:18:27

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.26	30.00
CH159	5795	4.96	30.00


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.28	0.06	4.34	17.00
CH40	5200	4.18	0.06	4.24	17.00
CH48	5240	3.89	0.06	3.95	17.00




Date: 27.SEP.2016 14:34:44

CH40



Date: 27.SEP.2016 14:35:30

CH48



Date: 27.SEP.2016 14:36:16


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.29	0.06	4.35	17.00
CH40	5200	4.40	0.06	4.46	17.00
CH48	5240	4.23	0.06	4.29	17.00




Date: 27.SEP.2016 15:15:07

CH40



Date: 27.SEP.2016 15:15:50

CH48



Date: 27.SEP.2016 15:16:37


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.42	0.06	4.48	17.00
CH40	5200	4.17	0.06	4.23	17.00
CH48	5240	3.78	0.06	3.84	17.00




Date: 27.SEP.2016 16:02:02

CH40



Date: 27.SEP.2016 16:02:44

CH48



Date: 27.SEP.2016 16:03:29


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.16	17.00
CH40	5200	9.08	17.00
CH48	5240	8.80	17.00

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.37	0.11	1.48	17.00
CH46	5230	1.28	0.11	1.39	17.00

CH38



Date: 27.SEP.2016 14:52:22

CH46




Date: 27.SEP.2016 14:53:17

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.40	0.11	1.51	17.00
CH46	5230	1.57	0.11	1.68	17.00

CH38



Date: 27.SEP.2016 15:38:29

CH46




Date: 27.SEP.2016 15:39:22

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.36	0.11	1.47	17.00
CH46	5230	0.92	0.11	1.03	17.00

CH38



Date: 27.SEP.2016 16:19:32

CH46




Date: 27.SEP.2016 16:20:20

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.26	17.00
CH46	5230	6.15	17.00

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.64	0.22	-2.42	17.00



Date: 27.SEP.2016 15:00:20

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.25	0.22	-2.03	17.00



Date: 27.SEP.2016 15:46:44

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.43	0.22	-2.21	17.00



Date: 27.SEP.2016 16:27:15


Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	2.55	17.00

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.23	0.06	2.29	30.00
CH157	5785	3.00	0.06	3.06	30.00
CH165	5825	3.71	0.06	3.77	30.00

TX CH149




Date: 27.SEP.2016 14:41:44

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.68	0.06	1.74	30.00
CH157	5785	2.23	0.06	2.29	30.00
CH165	5825	2.15	0.06	2.21	30.00

TX CH149




Date: 27.SEP.2016 15:22:07

TX CH157



Date: 27.SEP.2016 15:22:57

TX CH165




Date: 27.SEP.2016 15:23:46

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.89	0.06	1.95	30.00
CH157	5785	2.74	0.06	2.80	30.00
CH165	5825	2.99	0.06	3.05	30.00

TX CH149




Date: 27.SEP.2016 16:09:01

TX CH157



Date: 27.SEP.2016 16:09:50

TX CH165



Date: 27.SEP.2016 16:10:38


Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.77	30.00
CH157	5785	7.50	30.00
CH165	5825	7.83	30.00

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.30	0.11	-0.19	30.00
CH159	5795	0.40	0.11	0.51	30.00

TX CH151



Date: 27.SEP.2016 14:58:30

TX CH159




Date: 27.SEP.2016 14:59:19

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.77	0.11	-0.66	30.00
CH159	5795	-0.52	0.11	-0.41	30.00

TX CH151



Date: 27.SEP.2016 15:44:40

TX CH159




Date: 27.SEP.2016 15:45:44

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.64	0.11	-0.53	30.00
CH159	5795	0.02	0.11	0.13	30.00

TX CH151



Date: 27.SEP.2016 16:25:26

TX CH159



Date: 27.SEP.2016 16:26:17


Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.32	30.00
CH159	5795	4.86	30.00

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.63	0.22	-3.41	30.00

TX CH155




Date: 27.SEP.2016 15:04:10

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.30	0.22	-4.08	30.00

TX CH155




Date: 27.SEP.2016 15:50:31

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.97	0.22	-3.75	30.00

TX CH155



Date: 27.SEP.2016 16:31:00

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.03	30.00

For 4TX Beamforming


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.16	0.06	2.22	17.00
CH40	5200	2.18	0.06	2.24	17.00
CH48	5240	1.82	0.06	1.88	17.00




Date: 27.SEP.2016 16:45:35

CH40



Date: 27.SEP.2016 16:46:21

CH48




Date: 27.SEP.2016 16:47:06

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.23	0.06	2.29	17.00
CH40	5200	2.37	0.06	2.43	17.00
CH48	5240	2.26	0.06	2.32	17.00

CH36




Date: 27.SEP.2016 17:29:56

CH40



Date: 27.SEP.2016 17:30:40

CH48




Date: 27.SEP.2016 17:31:27

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.61	0.06	2.67	17.00
CH40	5200	2.35	0.06	2.41	17.00
CH48	5240	1.97	0.06	2.03	17.00

CH36




Date: 27.SEP.2016 18:10:12

CH40



Date: 27.SEP.2016 18:10:53


CH48



Date: 27.SEP.2016 18:11:36


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.87	0.06	2.93	17.00
CH40	5200	3.00	0.06	3.06	17.00
CH48	5240	3.00	0.06	3.06	17.00

CH36



Date: 27.SEP.2016 19:19:15

CH40



Date: 27.SEP.2016 19:19:56

CH48



Date: 27.SEP.2016 19:20:44


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.56	17.00
CH40	5200	8.57	17.00
CH48	5240	8.37	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.69	0.11	-0.58	17.00
CH46	5230	-0.80	0.11	-0.69	17.00

CH38



Date: 27.SEP.2016 17:04:31

CH46




Date: 27.SEP.2016 17:05:21

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.63	0.11	-0.52	17.00
CH46	5230	-0.51	0.11	-0.40	17.00

CH38



Date: 27.SEP.2016 17:48:55

CH46




Date: 27.SEP.2016 17:49:43

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.38	0.11	-0.27	17.00
CH46	5230	-1.00	0.11	-0.89	17.00

CH38



Date: 27.SEP.2016 18:29:39

CH46




Date: 27.SEP.2016 18:30:28

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.10	0.11	0.01	17.00
CH46	5230	0.12	0.11	0.23	17.00

CH38



Date: 27.SEP.2016 19:38:05

CH46



Date: 27.SEP.2016 19:38:52


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.68	17.00
CH46	5230	5.60	17.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.30	0.06	0.36	30.00
CH157	5785	1.02	0.06	1.08	30.00
CH165	5825	1.41	0.06	1.47	30.00

TX CH149




Date: 27.SEP.2016 16:52:37

TX CH157



Date: 27.SEP.2016 16:53:26

TX CH165




Date: 27.SEP.2016 16:54:14

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.02	0.06	0.04	30.00
CH157	5785	0.50	0.06	0.56	30.00
CH165	5825	0.45	0.06	0.51	30.00

TX CH149




Date: 27.SEP.2016 17:36:49

TX CH157



Date: 27.SEP.2016 17:37:38

TX CH165




Date: 27.SEP.2016 17:38:27

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.12	0.06	-0.06	30.00
CH157	5785	0.67	0.06	0.73	30.00
CH165	5825	1.04	0.06	1.10	30.00

TX CH149




Date: 27.SEP.2016 18:16:50

TX CH157



Date: 27.SEP.2016 18:17:39

TX CH165




Date: 27.SEP.2016 18:18:26

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.35	0.06	1.41	30.00
CH157	5785	1.36	0.06	1.42	30.00
CH165	5825	0.61	0.06	0.67	30.00

TX CH149




Date: 27.SEP.2016 19:26:10

TX CH157



Date: 27.SEP.2016 19:26:59

TX CH165



Date: 27.SEP.2016 19:27:46


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.50	30.00
CH157	5785	6.98	30.00
CH165	5825	6.97	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.18	0.11	-2.07	30.00
CH159	5795	-1.60	0.11	-1.49	30.00

TX CH151



Date: 27.SEP.2016 17:10:19

TX CH159




Date: 27.SEP.2016 17:11:10

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.71	0.11	-2.60	30.00
CH159	5795	-2.21	0.11	-2.10	30.00

TX CH151



Date: 27.SEP.2016 17:55:55

TX CH159




Date: 27.SEP.2016 17:56:46

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.70	0.11	-2.59	30.00
CH159	5795	-2.05	0.11	-1.94	30.00

TX CH151



Date: 27.SEP.2016 19:05:02

TX CH159




Date: 27.SEP.2016 19:05:54

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.47	0.11	-1.36	30.00
CH159	5795	-1.50	0.11	-1.39	30.00

TX CH151



Date: 27.SEP.2016 19:43:55

TX CH159




Date: 27.SEP.2016 19:44:51

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.89	30.00
CH159	5795	4.30	30.00


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.16	0.06	2.22	17.00
CH40	5200	2.05	0.06	2.11	17.00
CH48	5240	1.82	0.06	1.88	17.00




Date: 27.SEP.2016 16:55:09

CH40



Date: 27.SEP.2016 16:55:55

CH48



Date: 27.SEP.2016 16:56:39


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.24	0.06	2.30	17.00
CH40	5200	2.24	0.06	2.30	17.00
CH48	5240	2.20	0.06	2.26	17.00




Date: 27.SEP.2016 17:39:19

CH40



Date: 27.SEP.2016 17:40:04


CH48



Date: 27.SEP.2016 17:40:50


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.51	0.06	2.57	17.00
CH40	5200	2.35	0.06	2.41	17.00
CH48	5240	1.94	0.06	2.00	17.00




Date: 27.SEP.2016 18:19:18

CH40



Date: 27.SEP.2016 18:20:04


CH48



Date: 27.SEP.2016 18:20:47


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.82	0.06	2.88	17.00
CH40	5200	2.97	0.06	3.03	17.00
CH48	5240	2.94	0.06	3.00	17.00




Date: 27.SEP.2016 19:28:36

CH40



Date: 27.SEP.2016 19:29:22

CH48



Date: 27.SEP.2016 19:30:06


Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.52	17.00
CH40	5200	8.50	17.00
CH48	5240	8.33	17.00

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.06	0.11	0.05	17.00
CH46	5230	-0.83	0.11	-0.72	17.00

CH38



Date: 27.SEP.2016 17:12:12

CH46




Date: 27.SEP.2016 17:13:01

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.77	0.11	-0.66	17.00
CH46	5230	-0.50	0.11	-0.39	17.00

CH38



Date: 27.SEP.2016 17:57:41

CH46




Date: 27.SEP.2016 17:58:29

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.55	0.11	-0.44	17.00
CH46	5230	-0.94	0.11	-0.83	17.00

CH38



Date: 27.SEP.2016 19:06:50

CH46




Date: 27.SEP.2016 19:07:39

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.04	0.11	0.15	17.00
CH46	5230	0.05	0.11	0.16	17.00

CH38



Date: 27.SEP.2016 19:45:51

CH46




Date: 27.SEP.2016 19:46:38

Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.43	17.00
CH46	5230	4.12	17.00

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.77	0.22	-4.55	17.00



Date: 27.SEP.2016 17:19:48

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.49	0.22	-4.27	17.00



Date: 27.SEP.2016 18:05:14

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.73	0.22	-4.51	17.00



Date: 27.SEP.2016 19:14:18

Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.02	0.22	-3.80	17.00



Date: 27.SEP.2016 19:53:33


Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.75	17.00

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.33	0.06	0.39	30.00
CH157	5785	1.09	0.06	1.15	30.00
CH165	5825	1.42	0.06	1.48	30.00

TX CH149




Date: 27.SEP.2016 17:01:57

TX CH157



Date: 27.SEP.2016 17:02:47

TX CH165




Date: 27.SEP.2016 17:03:35

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.06	0.06	0.00	30.00
CH157	5785	0.44	0.06	0.50	30.00
CH165	5825	0.41	0.06	0.47	30.00

TX CH149




Date: 27.SEP.2016 17:46:11

TX CH157



Date: 27.SEP.2016 17:47:01

TX CH165




Date: 27.SEP.2016 17:47:47

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.15	0.06	-0.09	30.00
CH157	5785	0.76	0.06	0.82	30.00
CH165	5825	1.18	0.06	1.24	30.00

TX CH149




Date: 27.SEP.2016 18:26:51

TX CH157



Date: 27.SEP.2016 18:27:39

TX CH165




Date: 27.SEP.2016 18:28:34

Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.37	0.06	1.43	30.00
CH157	5785	1.25	0.06	1.31	30.00
CH165	5825	0.59	0.06	0.65	30.00

TX CH149




Date: 27.SEP.2016 19:35:31

TX CH157



Date: 27.SEP.2016 19:36:21

TX CH165



Date: 27.SEP.2016 19:37:08


Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.50	30.00
CH157	5785	6.98	30.00
CH165	5825	7.00	30.00

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.26	0.11	-2.15	30.00
CH159	5795	-1.71	0.11	-1.60	30.00

TX CH151



Date: 27.SEP.2016 17:18:01

TX CH159




Date: 27.SEP.2016 17:18:51

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.56	0.11	-2.45	30.00
CH159	5795	-2.33	0.11	-2.22	30.00

TX CH151



Date: 27.SEP.2016 18:03:25

TX CH159




Date: 27.SEP.2016 18:04:13

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.82	0.11	-2.71	30.00
CH159	5795	-2.13	0.11	-2.02	30.00

TX CH151



Date: 27.SEP.2016 19:12:35

TX CH159




Date: 27.SEP.2016 19:13:23

Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.44	0.11	-1.33	30.00
CH159	5795	-1.48	0.11	-1.37	30.00

TX CH151



Date: 27.SEP.2016 19:51:49

TX CH159



Date: 27.SEP.2016 19:52:38


Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.89	30.00
CH159	5795	4.23	30.00

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.52	0.22	-5.30	30.00

TX CH155




Date: 27.SEP.2016 17:23:24

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-6.21	0.22	-5.99	30.00

TX CH155



Date: 27.SEP.2016 18:08:59

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-6.08	0.22	-5.86	30.00

TX CH155




Date: 27.SEP.2016 19:18:08

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.22	0.22	-5.00	30.00

TX CH155



Date: 27.SEP.2016 19:57:11

Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.50	30.00

ATTACHMENT H - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0032
120	5180.0036
108	5180.0036
Max. Deviation (MHz)	0.0036
Max. Deviation (ppm)	0.6950

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0036
5	5180.0036
15	5180.0036
25	5180.0036
35	5180.0040
45	5180.0040
50	5180.0040
Max. Deviation (MHz)	0.0040
Max. Deviation (ppm)	0.7722

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0044
120	5745.0044
108	5745.0044
Max. Deviation (MHz)	0.0044
Max. Deviation (ppm)	0.7659

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0044
5	5745.0044
15	5745.0048
25	5745.0048
35	5745.0048
45	5745.0048
50	5745.0048
Max. Deviation (MHz)	0.0048
Max. Deviation (ppm)	0.8355