


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-5.18	0.19	-4.99	28.00
CH159	5795	-5.78	0.19	-5.59	28.00

TX CH151



Date: 1.APR.2015 19:58:45

TX CH159




Date: 1.APR.2015 19:59:40

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-7.13	0.48	-6.65	28.00

TX CH155




Date: 1.APR.2015 20:06:15

For 2TX


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.38	0.03	0.41	15.00
CH40	5200	0.69	0.03	0.72	15.00
CH48	5240	0.27	0.03	0.30	15.00




Date: 1.APR.2015 21:25:08

CH40



Date: 1.APR.2015 20:33:33


CH48



Date: 1.APR.2015 20:34:11


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.31	0.03	1.34	15.00
CH40	5200	1.58	0.03	1.61	15.00
CH48	5240	0.88	0.03	0.91	15.00




Date: 1.APR.2015 21:29:17

CH40



Date: 1.APR.2015 21:30:05

CH48




Date: 1.APR.2015 21:30:43

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.91	0.03	3.91	15.00
CH40	5200	4.20	0.03	4.20	15.00
CH48	5240	3.62	0.03	3.62	15.00


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.45	0.10	0.55	15.00
CH40	5200	0.59	0.10	0.69	15.00
CH48	5240	0.01	0.10	0.11	15.00




Date: 1.APR.2015 20:41:55

CH40



Date: 1.APR.2015 20:42:30

CH48




Date: 1.APR.2015 20:42:50

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.15	0.10	1.25	15.00
CH40	5200	1.79	0.10	1.89	15.00
CH48	5240	0.82	0.10	0.92	15.00

CH36




Date: 1.APR.2015 21:37:48

CH40



Date: 1.APR.2015 21:38:23

CH48



Date: 1.APR.2015 21:38:49


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.93	0.10	3.93	15.00
CH40	5200	4.34	0.10	4.34	15.00
CH48	5240	3.54	0.10	3.54	15.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.48	0.13	-2.35	15.00
CH46	5230	-2.45	0.13	-2.32	15.00

CH38



Date: 1.APR.2015 20:53:10

CH46




Date: 1.APR.2015 20:53:39

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.18	0.13	-4.05	15.00
CH46	5230	-2.27	0.13	-2.14	15.00

CH38



Date: 1.APR.2015 21:48:07

CH46




Date: 1.APR.2015 21:48:38

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.10	0.13	-0.10	15.00
CH46	5230	0.78	0.13	0.78	15.00


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.10	0.03	0.13	9.00
CH60	5300	0.16	0.03	0.19	9.00
CH64	5320	-0.14	0.03	-0.11	9.00




Date: 1.APR.2015 20:35:12

CH60



Date: 1.APR.2015 20:35:57


CH64



Date: 1.APR.2015 20:36:34


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.82	0.03	0.85	9.00
CH60	5300	1.34	0.03	1.37	9.00
CH64	5320	1.54	0.03	1.57	9.00




Date: 1.APR.2015 21:31:22

CH60



Date: 1.APR.2015 21:32:16

CH64



Date: 1.APR.2015 21:32:52


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.52	0.03	3.52	9.00
CH60	5300	3.83	0.03	3.83	9.00
CH64	5320	3.82	0.03	3.82	9.00

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.16	0.10	0.26	9.00
CH60	5300	0.06	0.10	0.16	9.00
CH64	5320	-0.32	0.10	-0.22	9.00

CH52




Date: 1.APR.2015 20:43:16

CH60



Date: 1.APR.2015 20:43:53

CH64




Date: 1.APR.2015 20:44:12

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.51	0.10	0.61	9.00
CH60	5300	1.55	0.10	1.65	9.00
CH64	5320	1.36	0.10	1.46	9.00

CH52




Date: 1.APR.2015 21:39:13

CH60



Date: 1.APR.2015 21:39:39

CH64



Date: 1.APR.2015 21:39:57


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.45	0.10	3.45	9.00
CH60	5300	3.98	0.10	3.98	9.00
CH64	5320	3.71	0.10	3.71	9.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.80	0.13	-2.67	9.00
CH62	5310	-2.72	0.13	-2.59	9.00

CH54



Date: 1.APR.2015 20:54:07

CH62




Date: 1.APR.2015 20:54:34

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.76	0.13	-4.63	9.00
CH62	5310	-4.57	0.13	-4.44	9.00

CH54



Date: 1.APR.2015 21:49:03

CH62



Date: 1.APR.2015 21:49:31


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.53	0.13	-0.53	9.00
CH62	5310	-0.41	0.13	-0.41	9.00

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.19	0.03	0.22	9.00
CH116	5580	-0.65	0.03	-0.62	9.00
CH140	5700	-0.07	0.03	-0.04	9.00

CH100




Date: 1.APR.2015 20:37:14

CH116



Date: 1.APR.2015 20:38:00

CH140




Date: 1.APR.2015 20:38:35

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.36	0.03	1.39	9.00
CH116	5580	0.06	0.03	0.09	9.00
CH140	5700	0.26	0.03	0.29	9.00

CH100




Date: 1.APR.2015 21:33:34

CH116



Date: 1.APR.2015 21:34:19

CH140



Date: 1.APR.2015 21:34:55


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.85	0.03	3.85	9.00
CH116	5580	2.76	0.03	2.76	9.00
CH140	5700	3.14	0.03	3.14	9.00

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.02	0.10	0.12	9.00
CH116	5580	-0.51	0.10	-0.41	9.00
CH140	5700	-0.30	0.10	-0.20	9.00

CH100




Date: 1.APR.2015 20:44:36

CH116



Date: 1.APR.2015 20:45:16

CH140




Date: 1.APR.2015 20:45:47

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.28	0.10	1.38	9.00
CH116	5580	-0.01	0.10	0.09	9.00
CH140	5700	0.33	0.10	0.43	9.00

CH100




Date: 1.APR.2015 21:40:22

CH116



Date: 1.APR.2015 21:40:50

CH140



Date: 1.APR.2015 21:41:06


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.81	0.10	3.81	9.00
CH116	5580	2.86	0.10	2.86	9.00
CH140	5700	3.14	0.10	3.14	9.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.07	0.13	-2.94	9.00
CH110	5550	-3.45	0.13	-3.32	9.00
CH134	5670	-4.05	0.13	-3.92	9.00

CH102




Date: 1.APR.2015 20:55:01

CH110



Date: 1.APR.2015 20:55:27

CH134




Date: 1.APR.2015 20:55:45

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.34	0.13	-3.21	9.00
CH110	5550	-3.70	0.13	-3.57	9.00
CH134	5670	-4.24	0.13	-4.11	9.00

CH102




Date: 1.APR.2015 21:50:05

CH110



Date: 1.APR.2015 21:50:37

CH134



Date: 1.APR.2015 21:50:55


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.06	0.13	-0.06	9.00
CH110	5550	-0.44	0.13	-0.44	9.00
CH134	5670	-1.00	0.13	-1.00	9.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.92	0.03	-2.89	28.00
CH157	5785	-2.49	0.03	-2.46	28.00
CH165	5825	-2.29	0.03	-2.26	28.00

TX CH149




Date: 1.APR.2015 20:39:21

TX CH157



Date: 1.APR.2015 20:40:28

TX CH165




Date: 1.APR.2015 20:41:04

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.04	0.03	-2.01	28.00
CH157	5785	-2.20	0.03	-2.17	28.00
CH165	5825	-1.52	0.03	-1.49	28.00

TX CH149




Date: 1.APR.2015 21:35:38

TX CH157



Date: 1.APR.2015 21:36:22

TX CH165



Date: 1.APR.2015 21:36:59


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.58	0.03	0.58	28.00
CH157	5785	0.70	0.03	0.70	28.00
CH165	5825	1.16	0.03	1.16	28.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.17	0.10	-3.07	28.00
CH157	5785	-2.81	0.10	-2.71	28.00
CH165	5825	-2.43	0.10	-2.33	28.00

TX CH149




Date: 1.APR.2015 20:46:14

TX CH157



Date: 1.APR.2015 20:46:43

TX CH165




Date: 1.APR.2015 20:47:01

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.38	0.10	-2.28	28.00
CH157	5785	-2.31	0.10	-2.21	28.00
CH165	5825	-1.76	0.10	-1.66	28.00

TX CH149




Date: 1.APR.2015 21:41:31

TX CH157



Date: 1.APR.2015 21:41:55

TX CH165



Date: 1.APR.2015 21:42:15


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.35	0.10	0.35	28.00
CH157	5785	0.55	0.10	0.55	28.00
CH165	5825	1.03	0.10	1.03	28.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.10	0.13	-5.97	28.00
CH159	5795	-5.70	0.13	-5.57	28.00

TX CH151



Date: 1.APR.2015 20:56:12

TX CH159




Date: 1.APR.2015 20:56:41

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.13	0.13	-6.00	28.00
CH159	5795	-6.32	0.13	-6.19	28.00

TX CH151



Date: 1.APR.2015 21:51:28

TX CH159




Date: 1.APR.2015 21:51:56

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.97	0.13	-2.97	28.00
CH159	5795	-2.86	0.13	-2.86	28.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.35	0.16	1.51	15.00
CH40	5200	1.85	0.16	2.01	15.00
CH48	5240	1.20	0.16	1.36	15.00




Date: 1.APR.2015 20:47:38

CH40



Date: 1.APR.2015 20:48:32


CH48



Date: 1.APR.2015 20:48:51


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.10	0.16	2.26	15.00
CH40	5200	2.41	0.16	2.57	15.00
CH48	5240	1.66	0.16	1.82	15.00




Date: 1.APR.2015 21:42:50

CH40



Date: 1.APR.2015 21:43:18

CH48



Date: 1.APR.2015 21:43:37


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.91	0.16	4.91	15.00
CH40	5200	5.31	0.16	5.31	15.00
CH48	5240	4.61	0.16	4.61	15.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.90	0.19	-1.71	15.00
CH46	5230	-1.78	0.19	-1.59	15.00

CH38



Date: 1.APR.2015 20:57:13

CH46




Date: 1.APR.2015 20:57:46

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.86	0.19	-3.67	15.00
CH46	5230	-1.98	0.19	-1.79	15.00

CH38



Date: 1.APR.2015 21:52:32

CH46



Date: 1.APR.2015 21:53:06

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.43	0.19	0.43	15.00
CH46	5230	1.32	0.19	1.32	15.00

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.45	0.48	-6.45	15.00


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.16	0.16	1.32	9.00
CH60	5300	0.92	0.16	1.08	9.00
CH64	5320	0.70	0.16	0.86	9.00




Date: 1.APR.2015 20:49:17

CH60



Date: 1.APR.2015 20:49:44


CH64



Date: 1.APR.2015 20:50:07


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.58	0.16	1.74	9.00
CH60	5300	1.24	0.16	1.40	9.00
CH64	5320	1.11	0.16	1.27	9.00




Date: 1.APR.2015 21:44:02

CH60



Date: 1.APR.2015 21:44:37

CH64



Date: 1.APR.2015 21:44:54


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.55	0.16	4.55	9.00
CH60	5300	4.25	0.16	4.25	9.00
CH64	5320	4.08	0.16	4.08	9.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.09	0.19	-1.90	9.00
CH62	5310	-2.25	0.19	-2.06	9.00

CH54



Date: 1.APR.2015 20:58:14

CH62




Date: 1.APR.2015 20:59:01

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.21	0.19	-2.02	9.00
CH62	5310	-1.77	0.19	-1.58	9.00

CH54



Date: 1.APR.2015 21:53:38

CH62




Date: 1.APR.2015 21:54:06

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.05	0.19	1.05	9.00
CH62	5310	1.20	0.19	1.20	9.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-11.58	0.48	-11.10	9.00



Date: 1.APR.2015 21:16:13

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-9.23	0.48	-8.75	9.00



Date: 1.APR.2015 21:58:54


Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.76	0.48	-6.76	9.00

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.14	0.16	1.30	9.00
CH116	5580	-0.08	0.16	0.08	9.00
CH140	5700	0.65	0.16	0.81	9.00

CH100




Date: 1.APR.2015 20:50:32

CH116



Date: 1.APR.2015 20:50:59

CH140




Date: 1.APR.2015 20:51:17

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.52	0.16	1.68	9.00
CH116	5580	-0.44	0.16	-0.28	9.00
CH140	5700	0.60	0.16	0.76	9.00

CH100




Date: 1.APR.2015 21:45:18

CH116



Date: 1.APR.2015 21:45:44

CH140



Date: 1.APR.2015 21:46:00


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.51	0.16	4.51	9.00
CH116	5580	2.91	0.16	2.91	9.00
CH140	5700	3.80	0.16	3.80	9.00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.52	0.19	-2.33	9.00
CH110	5550	-3.70	0.19	-3.51	9.00
CH134	5670	-5.44	0.19	-5.25	9.00

CH102




Date: 1.APR.2015 20:59:29

CH110



Date: 1.APR.2015 21:02:54

CH134




Date: 1.APR.2015 21:03:14

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.86	0.19	-1.67	9.00
CH110	5550	-3.04	0.19	-2.85	9.00
CH134	5670	-3.86	0.19	-3.67	9.00

CH102




Date: 1.APR.2015 21:54:31

CH110



Date: 1.APR.2015 21:55:43

CH134



Date: 1.APR.2015 21:56:07


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.02	0.19	1.02	9.00
CH110	5550	-0.16	0.19	-0.16	9.00
CH134	5670	-1.38	0.19	-1.38	9.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.96	0.48	-9.48	9.00
CH122	5610	-5.43	0.48	-4.95	9.00

CH106



Date: 1.APR.2015 21:16:53

CH122




Date: 1.APR.2015 21:18:34

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.97	0.48	-9.49	9.00
CH122	5610	-6.88	0.48	-6.40	9.00

CH106



Date: 1.APR.2015 21:59:31

CH122



Date: 1.APR.2015 22:00:06


Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.48	0.48	-6.48	9.00
CH122	5610	-2.60	0.48	-2.60	9.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.24	0.16	-2.08	28.00
CH157	5785	-1.61	0.16	-1.45	28.00
CH165	5825	-1.61	0.16	-1.45	28.00

TX CH149




Date: 1.APR.2015 20:51:44

TX CH157



Date: 1.APR.2015 20:52:11

TX CH165




Date: 1.APR.2015 20:52:31

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.27	0.16	-2.11	28.00
CH157	5785	-2.25	0.16	-2.09	28.00
CH165	5825	-1.58	0.16	-1.42	28.00

TX CH149




Date: 1.APR.2015 21:46:25

TX CH157



Date: 1.APR.2015 21:46:50

TX CH165



Date: 1.APR.2015 21:47:08


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.91	0.16	0.91	28.00
CH157	5785	1.25	0.16	1.25	28.00
CH165	5825	1.58	0.16	1.58	28.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-5.61	0.19	-5.42	28.00
CH159	5795	-5.03	0.19	-4.84	28.00

TX CH151



Date: 1.APR.2015 21:03:48

TX CH159




Date: 1.APR.2015 21:05:55

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.38	0.19	-6.19	28.00
CH159	5795	-5.18	0.19	-4.99	28.00

TX CH151



Date: 1.APR.2015 21:56:40

TX CH159



Date: 1.APR.2015 21:57:22


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.77	0.19	-2.77	28.00
CH159	5795	-1.91	0.19	-1.91	28.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-12.66	0.48	-12.18	28.00

TX CH155




Date: 1.APR.2015 21:21:09

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-13.00	0.48	-12.52	28.00

TX CH155



Date: 1.APR.2015 22:00:58


Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-9.33	0.48	-9.33	28.00

For 3TX


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.26	0.03	-1.23	15.00
CH40	5200	-1.49	0.03	-1.46	15.00
CH48	5240	-0.89	0.03	-0.86	15.00




Date: 2.APR.2015 16:36:21

CH40



Date: 2.APR.2015 16:37:11


CH48



Date: 2.APR.2015 16:37:47


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.07	0.03	-0.04	15.00
CH40	5200	-0.17	0.03	-0.14	15.00
CH48	5240	0.00	0.03	0.03	15.00




Date: 2.APR.2015 17:29:42

CH40



Date: 2.APR.2015 17:30:33


CH48



Date: 2.APR.2015 17:31:16


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.08	0.03	0.11	15.00
CH40	5200	0.06	0.03	0.09	15.00
CH48	5240	0.38	0.03	0.41	15.00




Date: 2.APR.2015 18:18:42

CH40



Date: 2.APR.2015 18:20:00

CH48




Date: 2.APR.2015 18:21:22

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.42	0.03	4.42	15.00
CH40	5200	4.32	0.03	4.32	15.00
CH48	5240	4.66	0.03	4.66	15.00


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.90	0.10	-0.80	15.00
CH40	5200	-1.26	0.10	-1.16	15.00
CH48	5240	-1.04	0.10	-0.94	15.00




Date: 2.APR.2015 16:48:59

CH40



Date: 2.APR.2015 16:53:34

CH48




Date: 2.APR.2015 17:00:13

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.14	0.10	-0.04	15.00
CH40	5200	0.08	0.10	0.18	15.00
CH48	5240	0.45	0.10	0.55	15.00

CH36




Date: 2.APR.2015 17:46:06

CH40



Date: 2.APR.2015 17:46:50

CH48




Date: 2.APR.2015 17:47:08

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.56	0.10	0.66	15.00
CH40	5200	0.51	0.10	0.61	15.00
CH48	5240	0.85	0.10	0.95	15.00

CH36




Date: 2.APR.2015 20:38:45

CH40



Date: 2.APR.2015 20:39:17

CH48



Date: 2.APR.2015 20:39:35


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.75	0.10	4.75	15.00
CH40	5200	4.71	0.10	4.71	15.00
CH48	5240	5.03	0.10	5.03	15.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-7.33	0.13	-7.20	15.00
CH46	5230	-3.97	0.13	-3.84	15.00

CH38



Date: 2.APR.2015 17:10:28

CH46




Date: 2.APR.2015 17:11:04

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-6.60	0.13	-6.47	15.00
CH46	5230	-3.63	0.13	-3.50	15.00

CH38



Date: 2.APR.2015 17:56:03

CH46




Date: 2.APR.2015 17:56:36

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-6.45	0.13	-6.32	15.00
CH46	5230	-3.06	0.13	-2.93	15.00

CH38



Date: 2.APR.2015 20:48:43

CH46




Date: 2.APR.2015 20:50:25

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.88	0.13	-1.88	15.00
CH46	5230	1.36	0.13	1.36	15.00


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.43	0.03	-0.40	9.00
CH60	5300	-1.35	0.03	-1.32	9.00
CH64	5320	-1.64	0.03	-1.61	9.00




Date: 2.APR.2015 16:38:30

CH60



Date: 2.APR.2015 16:42:08

CH64




Date: 2.APR.2015 16:42:46

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.43	0.03	0.46	9.00
CH60	5300	-0.66	0.03	-0.63	9.00
CH64	5320	-0.75	0.03	-0.72	9.00

CH52




Date: 2.APR.2015 17:31:58

CH60



Date: 2.APR.2015 17:39:49


CH64



Date: 2.APR.2015 17:40:59


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.41	0.03	0.44	9.00
CH60	5300	-0.54	0.03	-0.51	9.00
CH64	5320	-0.56	0.03	-0.53	9.00




Date: 2.APR.2015 18:22:04

CH60



Date: 2.APR.2015 18:23:33

CH64



Date: 2.APR.2015 18:24:12


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.96	0.03	4.96	9.00
CH60	5300	3.96	0.03	3.96	9.00
CH64	5320	3.84	0.03	3.84	9.00

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.56	0.10	-0.46	9.00
CH60	5300	-1.42	0.10	-1.32	9.00
CH64	5320	-1.46	0.10	-1.36	9.00

CH52




Date: 2.APR.2015 17:00:44

CH60



Date: 2.APR.2015 17:01:13

CH64




Date: 2.APR.2015 17:01:32

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.77	0.10	0.87	9.00
CH60	5300	-0.48	0.10	-0.38	9.00
CH64	5320	-0.30	0.10	-0.20	9.00

CH52




Date: 2.APR.2015 17:47:35

CH60



Date: 2.APR.2015 17:48:02

CH64




Date: 2.APR.2015 17:48:22

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.00	0.10	1.10	9.00
CH60	5300	-0.17	0.10	-0.07	9.00
CH64	5320	-0.44	0.10	-0.34	9.00

CH52




Date: 2.APR.2015 20:40:02

CH60



Date: 2.APR.2015 20:40:29

CH64



Date: 2.APR.2015 20:40:48


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.33	0.10	5.33	9.00
CH60	5300	4.21	0.10	4.21	9.00
CH64	5320	4.17	0.10	4.17	9.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.99	0.13	-3.86	9.00
CH62	5310	-8.35	0.13	-8.22	9.00

CH54



Date: 2.APR.2015 17:11:38

CH62




Date: 2.APR.2015 17:12:12

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.65	0.13	-3.52	9.00
CH62	5310	-7.42	0.13	-7.29	9.00

CH54



Date: 2.APR.2015 17:57:10

CH62




Date: 2.APR.2015 17:57:37

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.05	0.13	-2.92	9.00
CH62	5310	-7.36	0.13	-7.23	9.00

CH54



Date: 2.APR.2015 20:51:07

CH62



Date: 2.APR.2015 20:51:39


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.36	0.13	1.36	9.00
CH62	5310	-2.79	0.13	-2.79	9.00

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.78	0.03	-1.75	9.00
CH116	5580	-2.29	0.03	-2.26	9.00
CH140	5700	-2.28	0.03	-2.25	9.00

CH100




Date: 2.APR.2015 16:43:30

CH116



Date: 2.APR.2015 16:44:15

CH140




Date: 2.APR.2015 16:44:50

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.48	0.03	-0.45	9.00
CH116	5580	-1.46	0.03	-1.43	9.00
CH140	5700	-1.52	0.03	-1.49	9.00

CH100




Date: 2.APR.2015 17:41:41

CH116



Date: 2.APR.2015 17:42:24

CH140




Date: 2.APR.2015 17:42:57

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.48	0.03	-0.45	9.00
CH116	5580	-0.58	0.03	-0.55	9.00
CH140	5700	-0.13	0.03	-0.10	9.00

CH100




Date: 2.APR.2015 18:24:54

CH116



Date: 2.APR.2015 20:35:02

CH140



Date: 2.APR.2015 20:35:39


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.93	0.03	3.93	9.00
CH116	5580	3.42	0.03	3.42	9.00
CH140	5700	3.59	0.03	3.59	9.00

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.92	0.10	-1.82	9.00
CH116	5580	-2.35	0.10	-2.25	9.00
CH140	5700	-2.13	0.10	-2.03	9.00

CH100




Date: 2.APR.2015 17:01:56

CH116



Date: 2.APR.2015 17:02:21

CH140




Date: 2.APR.2015 17:02:38

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.67	0.10	-0.57	9.00
CH116	5580	-1.44	0.10	-1.34	9.00
CH140	5700	-1.29	0.10	-1.19	9.00

CH100




Date: 2.APR.2015 17:48:45

CH116



Date: 2.APR.2015 17:49:12

CH140




Date: 2.APR.2015 17:49:28

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.12	0.10	-0.02	9.00
CH116	5580	-0.33	0.10	-0.23	9.00
CH140	5700	-0.20	0.10	-0.10	9.00

CH100




Date: 2.APR.2015 20:41:14

CH116



Date: 2.APR.2015 20:41:40

CH140



Date: 2.APR.2015 20:41:58


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.03	0.10	4.03	9.00
CH116	5580	3.58	0.10	3.58	9.00
CH140	5700	3.74	0.10	3.74	9.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.87	0.13	-4.74	9.00
CH110	5550	-8.25	0.13	-8.12	9.00
CH134	5670	-5.73	0.13	-5.60	9.00

CH102




Date: 2.APR.2015 17:12:38

CH110



Date: 2.APR.2015 17:13:04

CH134




Date: 2.APR.2015 17:13:22

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.88	0.13	-4.75	9.00
CH110	5550	-4.46	0.13	-4.33	9.00
CH134	5670	-5.69	0.13	-5.56	9.00

CH102




Date: 2.APR.2015 17:58:04

CH110



Date: 2.APR.2015 17:58:33

CH134




Date: 2.APR.2015 17:58:53

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.55	0.13	-4.42	9.00
CH110	5550	-7.59	0.13	-7.46	9.00
CH134	5670	-5.01	0.13	-4.88	9.00

CH102




Date: 2.APR.2015 20:52:04

CH110



Date: 2.APR.2015 20:52:31

CH134



Date: 2.APR.2015 20:53:09


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.14	0.13	0.14	9.00
CH110	5550	-1.53	0.13	-1.53	9.00
CH134	5670	-0.56	0.13	-0.56	9.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-5.09	0.03	-5.06	28.00
CH157	5785	-4.82	0.03	-4.79	28.00
CH165	5825	-4.62	0.03	-4.59	28.00

TX CH149




Date: 2.APR.2015 16:45:36

TX CH157



Date: 2.APR.2015 16:46:25

TX CH165




Date: 2.APR.2015 16:47:06

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-4.15	0.03	-4.12	28.00
CH157	5785	-3.50	0.03	-3.47	28.00
CH165	5825	-3.93	0.03	-3.90	28.00

TX CH149




Date: 2.APR.2015 17:43:41

TX CH157



Date: 2.APR.2015 17:44:26

TX CH165




Date: 2.APR.2015 17:45:06

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.25	0.03	-3.22	28.00
CH157	5785	-2.80	0.03	-2.77	28.00
CH165	5825	-3.89	0.03	-3.86	28.00

TX CH149




Date: 2.APR.2015 20:36:23

TX CH157



Date: 2.APR.2015 20:37:06

TX CH165



Date: 2.APR.2015 20:37:44


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.70	0.03	0.70	28.00
CH157	5785	1.17	0.03	1.17	28.00
CH165	5825	0.67	0.03	0.67	28.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-5.12	0.10	-5.02	28.00
CH157	5785	-4.70	0.10	-4.60	28.00
CH165	5825	-4.67	0.10	-4.57	28.00

TX CH149




Date: 2.APR.2015 17:03:05

TX CH157



Date: 2.APR.2015 17:03:39

TX CH165




Date: 2.APR.2015 17:03:57

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-4.16	0.10	-4.06	28.00
CH157	5785	-3.49	0.10	-3.39	28.00
CH165	5825	-3.76	0.10	-3.66	28.00

TX CH149




Date: 2.APR.2015 17:49:52

TX CH157



Date: 2.APR.2015 17:50:19

TX CH165




Date: 2.APR.2015 17:50:37

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.16	0.10	-3.06	28.00
CH157	5785	-3.02	0.10	-2.92	28.00
CH165	5825	-4.31	0.10	-4.21	28.00

TX CH149




Date: 2.APR.2015 20:42:23

TX CH157



Date: 2.APR.2015 20:42:47

TX CH165



Date: 2.APR.2015 20:43:06


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.80	0.10	0.80	28.00
CH157	5785	1.19	0.10	1.19	28.00
CH165	5825	0.64	0.10	0.64	28.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-11.15	0.13	-11.02	28.00
CH159	5795	-7.57	0.13	-7.44	28.00

TX CH151



Date: 2.APR.2015 17:13:47

TX CH159




Date: 2.APR.2015 17:14:19

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.79	0.13	-7.66	28.00
CH159	5795	-7.53	0.13	-7.40	28.00

TX CH151



Date: 2.APR.2015 17:59:20

TX CH159




Date: 2.APR.2015 17:59:45

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.59	0.13	-7.46	28.00
CH159	5795	-7.32	0.13	-7.19	28.00

TX CH151



Date: 2.APR.2015 20:53:38

TX CH159



Date: 2.APR.2015 20:54:08


Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-3.67	0.13	-3.67	28.00
CH159	5795	-2.57	0.13	-2.57	28.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.06	0.16	0.10	15.00
CH40	5200	0.03	0.16	0.19	15.00
CH48	5240	-0.14	0.16	0.02	15.00

CH36




Date: 2.APR.2015 17:04:40

CH40



Date: 2.APR.2015 17:05:14


CH48



Date: 2.APR.2015 17:05:34


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.33	0.16	0.49	15.00
CH40	5200	0.81	0.16	0.97	15.00
CH48	5240	0.19	0.16	0.35	15.00




Date: 2.APR.2015 17:51:23

CH40



Date: 2.APR.2015 17:51:52


CH48



Date: 2.APR.2015 17:52:11


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.94	0.16	1.10	15.00
CH40	5200	0.31	0.16	0.47	15.00
CH48	5240	0.68	0.16	0.84	15.00




Date: 2.APR.2015 20:43:36

CH40



Date: 2.APR.2015 20:44:03

CH48



Date: 2.APR.2015 20:44:24


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.35	0.16	5.35	15.00
CH40	5200	5.33	0.16	5.33	15.00
CH48	5240	5.19	0.16	5.19	15.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-6.08	0.19	-5.89	15.00
CH46	5230	-3.06	0.19	-2.87	15.00

CH38



Date: 2.APR.2015 17:14:59

CH46




Date: 2.APR.2015 17:15:33

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-6.32	0.19	-6.13	15.00
CH46	5230	-3.24	0.19	-3.05	15.00

CH38



Date: 2.APR.2015 18:00:19

CH46




Date: 2.APR.2015 18:00:53

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.43	0.19	-5.24	15.00
CH46	5230	-2.36	0.19	-2.17	15.00

CH38



Date: 2.APR.2015 20:54:42

CH46




Date: 2.APR.2015 20:55:17

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.96	0.19	-0.96	15.00
CH46	5230	2.09	0.19	2.09	15.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-13.05	0.48	-12.57	15.00



Date: 2.APR.2015 17:20:04

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-12.38	0.48	-11.90	15.00



Date: 2.APR.2015 18:07:24

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-11.90	0.48	-11.42	15.00




Date: 2.APR.2015 20:59:48

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-7.17	0.48	-7.17	15.00


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.30	0.16	0.46	9.00
CH60	5300	-1.07	0.16	-0.91	9.00
CH64	5320	-0.95	0.16	-0.79	9.00




Date: 2.APR.2015 17:06:00

CH60



Date: 2.APR.2015 17:06:25


CH64



Date: 2.APR.2015 17:06:56


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.66	0.16	0.82	9.00
CH60	5300	-0.17	0.16	-0.01	9.00
CH64	5320	-0.26	0.16	-0.10	9.00




Date: 2.APR.2015 17:52:35

CH60



Date: 2.APR.2015 17:53:01


CH64



Date: 2.APR.2015 17:53:18


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.34	0.16	1.50	9.00
CH60	5300	0.02	0.16	0.18	9.00
CH64	5320	-0.26	0.16	-0.10	9.00




Date: 2.APR.2015 20:44:52

CH60



Date: 2.APR.2015 20:45:18

CH64



Date: 2.APR.2015 20:45:40


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.72	0.16	5.72	9.00
CH60	5300	4.55	0.16	4.55	9.00
CH64	5320	4.45	0.16	4.45	9.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.92	0.19	-2.73	9.00
CH62	5310	-9.00	0.19	-8.81	9.00

CH54



Date: 2.APR.2015 17:16:04

CH62




Date: 2.APR.2015 17:16:33

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.97	0.19	-2.78	9.00
CH62	5310	-7.20	0.19	-7.01	9.00

CH54



Date: 2.APR.2015 18:01:21

CH62




Date: 2.APR.2015 18:01:49

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.09	0.19	-1.90	9.00
CH62	5310	-6.76	0.19	-6.57	9.00

CH54



Date: 2.APR.2015 20:56:09

CH62




Date: 2.APR.2015 20:56:38

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.32	0.19	2.32	9.00
CH62	5310	-2.59	0.19	-2.59	9.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-12.93	0.48	-12.45	9.00



Date: 2.APR.2015 17:21:06

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-12.84	0.48	-12.36	9.00



Date: 2.APR.2015 18:08:05

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-9.73	0.48	-9.25	9.00



Date: 2.APR.2015 21:00:26


Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.31	0.48	-6.31	9.00

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.50	0.16	-0.34	9.00
CH116	5580	-1.32	0.16	-1.16	9.00
CH140	5700	-0.76	0.16	-0.60	9.00

CH100




Date: 2.APR.2015 17:07:20

CH116



Date: 2.APR.2015 17:07:46

CH140




Date: 2.APR.2015 17:08:20

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.13	0.16	0.03	9.00
CH116	5580	-1.58	0.16	-1.42	9.00
CH140	5700	-0.76	0.16	-0.60	9.00

CH100




Date: 2.APR.2015 17:53:41

CH116



Date: 2.APR.2015 17:54:06

CH140




Date: 2.APR.2015 17:54:22

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.27	0.16	0.43	9.00
CH116	5580	0.06	0.16	0.22	9.00
CH140	5700	-0.62	0.16	-0.46	9.00

CH100




Date: 2.APR.2015 20:46:05

CH116



Date: 2.APR.2015 20:46:33

CH140



Date: 2.APR.2015 20:46:50


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.82	0.16	4.82	9.00
CH116	5580	4.04	0.16	4.04	9.00
CH140	5700	4.22	0.16	4.22	9.00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.74	0.19	-3.55	9.00
CH110	5550	-3.75	0.19	-3.56	9.00
CH134	5670	-4.38	0.19	-4.19	9.00

CH102




Date: 2.APR.2015 17:17:23

CH110



Date: 2.APR.2015 17:17:57

CH134




Date: 2.APR.2015 17:18:22

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.40	0.19	-4.21	9.00
CH110	5550	-4.14	0.19	-3.95	9.00
CH134	5670	-8.38	0.19	-8.19	9.00

CH102




Date: 2.APR.2015 18:02:21

CH110



Date: 2.APR.2015 18:02:55

CH134




Date: 2.APR.2015 18:03:13

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.98	0.19	-3.79	9.00
CH110	5550	-3.81	0.19	-3.62	9.00
CH134	5670	-4.71	0.19	-4.52	9.00

CH102




Date: 2.APR.2015 20:57:06

CH110



Date: 2.APR.2015 20:57:39

CH134



Date: 2.APR.2015 20:57:58


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.93	0.19	0.93	9.00
CH110	5550	1.06	0.19	1.06	9.00
CH134	5670	-0.53	0.19	-0.53	9.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-13.65	0.48	-13.17	9.00
CH122	5610	-5.46	0.48	-4.98	9.00

CH106



Date: 2.APR.2015 17:21:42

CH122




Date: 2.APR.2015 17:22:17

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-12.11	0.48	-11.63	9.00
CH122	5610	-5.57	0.48	-5.09	9.00

CH106



Date: 2.APR.2015 18:08:52

CH122




Date: 2.APR.2015 18:09:28

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-12.15	0.48	-11.67	9.00
CH122	5610	-5.72	0.48	-5.24	9.00

CH106



Date: 2.APR.2015 21:01:40

CH122



Date: 2.APR.2015 21:02:13


Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.33	0.48	-7.33	9.00
CH122	5610	-0.33	0.48	-0.33	9.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-4.07	0.16	-3.91	28.00
CH157	5785	-3.25	0.16	-3.09	28.00
CH165	5825	-3.33	0.16	-3.17	28.00

TX CH149




Date: 2.APR.2015 17:08:46

TX CH157



Date: 2.APR.2015 17:09:11

TX CH165




Date: 2.APR.2015 17:09:28

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.40	0.16	-3.24	28.00
CH157	5785	-2.82	0.16	-2.66	28.00
CH165	5825	-3.16	0.16	-3.00	28.00

TX CH149




Date: 2.APR.2015 17:54:48

TX CH157



Date: 2.APR.2015 17:55:12

TX CH165




Date: 2.APR.2015 17:55:31

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.72	0.16	-3.56	28.00
CH157	5785	-2.99	0.16	-2.83	28.00
CH165	5825	-3.44	0.16	-3.28	28.00

TX CH149




Date: 2.APR.2015 20:47:14

TX CH157



Date: 2.APR.2015 20:47:39

TX CH165



Date: 2.APR.2015 20:47:56


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	1.21	0.16	1.21	28.00
CH157	5785	1.92	0.16	1.92	28.00
CH165	5825	1.62	0.16	1.62	28.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.04	0.19	-6.85	28.00
CH159	5795	-6.73	0.19	-6.54	28.00

TX CH151



Date: 2.APR.2015 17:19:00

TX CH159




Date: 2.APR.2015 17:19:25

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.90	0.19	-6.71	28.00
CH159	5795	-7.13	0.19	-6.94	28.00

TX CH151



Date: 2.APR.2015 18:03:40

TX CH159




Date: 2.APR.2015 18:06:00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.07	0.19	-6.88	28.00
CH159	5795	-6.46	0.19	-6.27	28.00

TX CH151



Date: 2.APR.2015 20:58:24

TX CH159



Date: 2.APR.2015 20:59:04


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.04	0.19	-2.04	28.00
CH159	5795	-1.80	0.19	-1.80	28.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-10.07	0.48	-9.59	28.00

TX CH155




Date: 2.APR.2015 17:24:50

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-11.44	0.48	-10.96	28.00

TX CH155




Date: 2.APR.2015 18:14:29

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-9.97	0.48	-9.49	28.00

TX CH155



Date: 2.APR.2015 21:02:45

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-5.20	0.48	-5.20	28.00

ATTACHMENTI-FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0150
120	5180.0140
108	5180.0150
Max. Deviation (MHz)	0.0150
Max. Deviation (ppm)	2.8958

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0130
5	5180.0180
15	5180.0120
25	5180.0150
35	5180.0130
45	5180.0150
50	5180.0160
Max. Deviation (MHz)	0.0180
Max. Deviation (ppm)	3.4749

Test Mode:	UNII-2A
-------------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9950
120	5259.9953
108	5259.9951
Max. Deviation (MHz)	0.0050
Max. Deviation (ppm)	0.9471

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5259.9953
5	5259.9951
15	5259.9949
25	5259.9950
35	5259.9950
45	5259.9939
50	5259.9952
Max. Deviation (MHz)	0.0061
Max. Deviation (ppm)	1.1597

Test Mode:	UNII-2C
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0000
120	5500.0000
108	5500.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0023

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0000
5	5500.0000
15	5500.0013
25	5500.0000
35	5500.0012
45	5500.0000
50	5500.0000
Max. Deviation (MHz)	0.0013
Max. Deviation (ppm)	0.2364

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9799
120	5744.9795
108	5744.9796
Max. Deviation (MHz)	0.0205
Max. Deviation (ppm)	3.5683

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9793
5	5744.9796
15	5744.9798
25	5744.9799
35	5744.9798
45	5744.9798
50	5744.9793
Max. Deviation (MHz)	0.0207
Max. Deviation (ppm)	3.6031