




Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 1 5G WIFI 11N CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	37.50	91.46	96.97	54.00	42.97	Average
2	5350.000	8.63	34.43	37.52	41.50	47.04	54.00	-6.96	Average
3	5350.667	8.63	34.43	37.52	41.49	47.03	54.00	-6.97	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Peak	Vertical
------------	---------------	-----------------	------	------	----------




Condition: 3m VERTICAL
Job No : 1223RG
Mode : 5500 Band edge
: Ant 1 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5456.431	8.79	34.41	37.59	48.28	53.89	74.00	-20.11	Peak
2	5470.000	8.81	34.41	37.60	45.63	51.25	74.00	-22.75	Peak
3 pp	5500.000	8.85	34.40	37.61	93.82	99.46	74.00	25.46	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 1 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.519	8.81	34.41	37.60	37.74	43.36	54.00	-10.64	Average
2	5470.000	8.81	34.41	37.60	37.89	43.51	54.00	-10.49	Average
3 pp	5500.000	8.85	34.40	37.61	86.72	92.36	54.00	38.36	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 1223RG
 Mode : 5500 Band edge
 : Ant 1 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.519	8.81	34.41	37.60	50.40	56.02	74.00	-17.98	peak
2	5470.000	8.81	34.41	37.60	49.82	55.44	74.00	-18.56	peak
3 pp	5500.000	8.85	34.40	37.61	99.02	104.66	74.00	30.66	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 1223RG
 Mode : 5500 Band edge
 : Ant 1 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5468.798	8.80	34.41	37.59	40.23	45.85	54.00	-8.15	Average
2	5470.000	8.81	34.41	37.60	40.33	45.95	54.00	-8.05	Average
3	pp 5500.000	8.85	34.40	37.61	91.42	97.06	54.00	43.06	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 1 5G WIFI 11N CH140

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	9.56	34.52	37.73	90.80	97.15	74.00	23.15	Peak
2	5725.000	9.64	34.54	37.75	45.69	52.12	74.00	-21.88	Peak
3	5732.583	9.67	34.54	37.75	48.01	54.47	74.00	-19.53	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 1 5G WIFI 11N CH140

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	9.56	34.52	37.73	83.99	90.34	54.00	36.34	Average
2	5725.000	9.64	34.54	37.75	38.29	44.72	54.00	-9.28	Average
3	5725.583	9.64	34.54	37.75	38.25	44.68	54.00	-9.32	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 1 5G WIFI 11N CH140

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	9.56	34.52	37.73	96.77	103.12	74.00	29.12	peak
2	5725.000	9.64	34.54	37.75	51.83	58.26	74.00	-15.74	peak
3	5732.282	9.67	34.54	37.75	50.31	56.77	74.00	-17.23	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 1223RG
 Mode : 5700 Band edge
 : Ant 1 5G WIFI 11N CH140

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	37.73	88.96	95.31	54.00	41.31	Average
2	5725.000	9.64	34.54	37.75	41.95	48.38	54.00	-5.62	Average
3	5725.883	9.65	34.54	37.75	41.70	48.14	54.00	-5.86	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5745	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5745 Band edge

: Ant 1 5G WIFI 11N CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	46.61	53.01	109.40	-56.39	peak
2	5725.000	9.64	34.54	37.75	60.48	66.91	122.20	-55.29	peak
3 pp	5745.000	9.71	34.55	37.76	95.55	102.05	125.20	-23.15	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5745	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5745 Band edge

: Ant 1 5G WIFI 11N CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	50.42	56.82	109.40	-52.58	peak
2	5725.000	9.64	34.54	37.75	60.59	67.02	122.20	-55.18	peak
3 pp	5745.000	9.71	34.55	37.76	99.12	105.62	125.20	-19.58	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5825	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5825 Band edge

: Ant 1 5G WIFI 11N CH165

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	
1 pp	5825.000	9.98	34.60	37.80	94.92	101.70	125.20	-23.50	peak	:
2	5850.000	10.07	34.61	37.82	54.56	61.42	122.20	-60.78	peak	:
3	5860.000	10.10	34.62	37.82	54.55	61.45	109.40	-47.95	peak	:



Test mode:	802.11n(HT20)	Frequency(MHz):	5825	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5825 Band edge

: Ant 1 5G WIFI 11N CH165

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5825.000	9.98	34.60	37.80	99.03	105.81	125.20	-19.39	peak
2	5850.000	10.07	34.61	37.82	54.65	61.51	122.20	-60.69	peak
3	5860.000	10.10	34.62	37.82	55.39	62.29	109.40	-47.11	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 1 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5144.161	8.32	34.47	37.39	47.67	53.07	74.00	-20.93	Peak
2	5150.000	8.33	34.47	37.40	47.19	52.59	74.00	-21.41	Peak
3 pp	5180.000	8.37	34.46	37.42	94.16	99.57	74.00	25.57	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 1 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.658	8.32	34.47	37.40	38.28	43.67	54.00	-10.33	Average
2	5150.000	8.33	34.47	37.40	38.31	43.71	54.00	-10.29	Average
3 pp	5180.000	8.37	34.46	37.42	86.92	92.33	54.00	38.33	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 1 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.459	8.32	34.47	37.39	49.66	55.06	74.00	-18.94	peak
2	5150.000	8.33	34.47	37.40	48.73	54.13	74.00	-19.87	peak
3	pp 5180.000	8.37	34.46	37.42	96.91	102.32	74.00	28.32	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 1223RG
 Mode : 5180 Band edge
 : Ant 1 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.458	8.32	34.47	37.40	41.30	46.69	54.00	-7.31	Average
2	5150.000	8.33	34.47	37.40	41.22	46.62	54.00	-7.38	Average
3 pp	5180.000	8.37	34.46	37.42	90.32	95.73	54.00	41.73	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 1 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5240.000	8.46	34.45	37.45	95.03	100.49	74.00	26.49	Peak
2	5350.000	8.63	34.43	37.52	45.67	51.21	74.00	-22.79	Peak
3	5353.053	8.63	34.43	37.52	45.68	51.22	74.00	-22.78	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL
Job No : 1223RG
Mode : 5240 Band edge
: Ant 1 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	37.45	88.31	93.77	54.00	39.77	Average
2	5350.000	8.63	34.43	37.52	35.97	41.51	54.00	-12.49	Average
3	5351.070	8.63	34.43	37.52	36.07	41.61	54.00	-12.39	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 1 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	37.45	98.96	104.42	74.00	30.42	peak
2	5350.000	8.63	34.43	37.52	45.19	50.73	74.00	-23.27	peak
3	5357.022	8.64	34.43	37.53	46.21	51.75	74.00	-22.25	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 1 5G WIFI 11AC CH48

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5240.000	8.46	34.45	37.45	91.33	96.79	54.00	42.79 Average
2	5350.000	8.63	34.43	37.52	36.30	41.84	54.00	-12.16 Average
3	5350.929	8.63	34.43	37.52	36.33	41.87	54.00	-12.13 Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL
 Job No : 1223RG
 Mode : 5260 Band edge
 : Ant 1 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5137.818	8.31	34.47	37.39	45.79	51.18	74.00	-22.82	Peak
2	5150.000	8.33	34.47	37.40	44.64	50.04	74.00	-23.96	Peak
3	5260.000	8.49	34.45	37.47	95.85	101.32	74.00	27.32	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL
 Job No : 1223RG
 Mode : 5260 Band edge
 : Ant 1 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5108.321	8.26	34.48	37.37	36.29	41.66	54.00	-12.34	Average
2	5150.000	8.33	34.47	37.40	35.66	41.06	54.00	-12.94	Average
3	pp 5260.000	8.49	34.45	37.47	87.71	93.18	54.00	39.18	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 1 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5112.398	8.27	34.48	37.37	45.73	51.11	74.00	-22.89	peak
2	5150.000	8.33	34.47	37.40	44.73	50.13	74.00	-23.87	peak
3	pp 5260.000	8.49	34.45	37.47	99.43	104.90	74.00	30.90	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
Job No : 1223RG
Mode : 5260 Band edge
: Ant 1 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5107.966	8.26	34.48	37.37	37.06	42.43	54.00	-11.57	Average
2	5150.000	8.33	34.47	37.40	36.11	41.51	54.00	-12.49	Average
3 pp	5260.000	8.49	34.45	37.47	91.19	96.66	54.00	42.66	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 1 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	37.50	92.94	98.45	74.00	24.45	Peak
2	5350.000	8.63	34.43	37.52	45.90	51.44	74.00	-22.56	Peak
3	5355.169	8.64	34.43	37.53	47.00	52.54	74.00	-21.46	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 1 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	37.50	86.26	91.77	54.00	37.77	Average
2	5350.000	8.63	34.43	37.52	37.98	43.52	54.00	-10.48	Average
3	5351.066	8.63	34.43	37.52	37.90	43.44	54.00	-10.56	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 1 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	37.50	98.18	103.69	74.00	29.69	peak
2	5350.000	8.63	34.43	37.52	48.64	54.18	74.00	-19.82	peak
3	5356.370	8.64	34.43	37.53	49.75	55.29	74.00	-18.71	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
Job No : 1223RG
Mode : 5320 Band edge
: Ant 1 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	37.50	91.48	96.99	54.00	42.99	Average
2	5350.000	8.63	34.43	37.52	40.80	46.34	54.00	-7.66	Average
3	5350.966	8.63	34.43	37.52	40.93	46.47	54.00	-7.53	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 1 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5460.150	8.79	34.41	37.59	52.31	57.92	74.00	-16.08	Peak
2	5470.000	8.81	34.41	37.60	46.66	52.28	74.00	-21.72	Peak
3 pp	5500.000	8.85	34.40	37.61	93.01	98.65	74.00	24.65	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 1 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.038	8.80	34.41	37.60	37.69	43.30	54.00	-10.70	Average
2	5470.000	8.81	34.41	37.60	37.76	43.38	54.00	-10.62	Average
3 pp	5500.000	8.85	34.40	37.61	86.33	91.97	54.00	37.97	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 1 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5462.551	8.80	34.41	37.59	50.66	56.28	74.00	-17.72	peak
2	5470.000	8.81	34.41	37.60	49.28	54.90	74.00	-19.10	peak
3 pp	5500.000	8.85	34.40	37.61	97.45	103.09	74.00	29.09	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 1 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.519	8.81	34.41	37.60	40.33	45.95	54.00	-8.05	Average
2	5470.000	8.81	34.41	37.60	40.54	46.16	54.00	-7.84	Average
3 pp	5500.000	8.85	34.40	37.61	90.75	96.39	54.00	42.39	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 1 5G WIFI 11AC CH140

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5700.000	9.56	34.52	37.73	90.17	96.52	74.00	22.52 Peak
2	5725.000	9.64	34.54	37.75	46.00	52.43	74.00	-21.57 Peak
3	5732.382	9.67	34.54	37.75	46.82	53.28	74.00	-20.72 Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 1 5G WIFI 11AC CH140

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	37.73	83.34	89.69	54.00	35.69	Average
2	5725.000	9.64	34.54	37.75	37.91	44.34	54.00	-9.66	Average
3	5725.783	9.65	34.54	37.75	37.83	44.27	54.00	-9.73	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 1 5G WIFI 11AC CH140

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	37.73	96.38	102.73	74.00	28.73	peak
2	5725.000	9.64	34.54	37.75	48.78	55.21	74.00	-18.79	peak
3	5731.582	9.67	34.54	37.75	49.98	56.44	74.00	-17.56	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 1 5G WIFI 11AC CH140

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5700.000	9.56	34.52	37.73	88.66	95.01	54.00	41.01 Average
2	5725.000	9.64	34.54	37.75	42.01	48.44	54.00	-5.56 Average
3	5725.684	9.64	34.54	37.75	41.48	47.91	54.00	-6.09 Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5745	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5745 Band edge

: Ant 1 5G WIFI 11AC CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	46.44	52.84	109.40	-56.56	peak
2	5725.000	9.64	34.54	37.75	56.41	62.84	122.20	-59.36	peak
3 pp	5745.000	9.71	34.55	37.76	94.49	100.99	125.20	-24.21	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5745	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5745 Band edge

: Ant 1 5G WIFI 11AC CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	50.72	57.12	109.40	-52.28	peak
2	5725.000	9.64	34.54	37.75	59.10	65.53	122.20	-56.67	peak
3 pp	5745.000	9.71	34.55	37.76	98.43	104.93	125.20	-20.27	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5825	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5825 Band edge

: Ant 1 5G WIFI 11AC CH165

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5825.000	9.98	34.60	37.80	94.37	101.15	125.20	-24.05	peak :
2	5850.000	10.07	34.61	37.82	46.04	52.90	122.20	-69.30	peak :
3	5860.000	10.10	34.62	37.82	45.66	52.56	109.40	-56.84	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5825	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5825 Band edge

: Ant 1 5G WIFI 11AC CH165

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5825.000	9.98	34.60	37.80	97.90	104.68	125.20	-20.52	peak
2	5850.000	10.07	34.61	37.82	50.28	57.14	122.20	-65.06	peak
3	5860.000	10.10	34.62	37.82	54.30	61.20	109.40	-48.20	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 1 5G WIFI 11N40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5136.305	8.30	34.47	37.39	46.30	51.68	74.00	-22.32	Peak
2	5150.000	8.33	34.47	37.40	45.37	50.77	74.00	-23.23	Peak
3	pp 5190.000	8.39	34.46	37.42	86.21	91.64	74.00	17.64	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 1 5G WIFI 11N40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.863	8.32	34.47	37.40	37.60	42.99	54.00	-11.01	Average
2	5150.000	8.33	34.47	37.40	37.36	42.76	54.00	-11.24	Average
3 pp	5190.000	8.39	34.46	37.42	79.28	84.71	54.00	30.71	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 1 5G WIFI 11N40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.024	8.32	34.47	37.40	49.11	54.50	74.00	-19.50	peak
2	5150.000	8.33	34.47	37.40	48.17	53.57	74.00	-20.43	peak
3 pp	5190.000	8.39	34.46	37.42	89.50	94.93	74.00	20.93	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 1 5G WIFI 11N40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.222	8.32	34.47	37.40	40.36	45.75	54.00	-8.25	Average
2	5150.000	8.33	34.47	37.40	40.14	45.54	54.00	-8.46	Average
3 pp	5190.000	8.39	34.46	37.42	82.92	88.35	54.00	34.35	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 1 5G WIFI 11N40 CH46

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5230.000	8.45	34.45	37.45	89.75	95.20	74.00	21.20	Peak
2	5350.000	8.63	34.43	37.52	44.98	50.52	74.00	-23.48	Peak
3	5356.265	8.64	34.43	37.53	46.15	51.69	74.00	-22.31	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 1 5G WIFI 11N40 CH46

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5230.000	8.45	34.45	37.45	82.50	87.95	54.00	33.95	Average
2	5350.000	8.63	34.43	37.52	36.20	41.74	54.00	-12.26	Average
3	5350.587	8.63	34.43	37.52	36.26	41.80	54.00	-12.20	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
Job No : 1223RG
Mode : 5230 Band edge
: Ant 1 5G WIFI 11N40 CH46

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	93.45	98.90	74.00	24.90	peak
2	5350.000	8.63	34.43	37.52	45.96	51.50	74.00	-22.50	peak
3	5353.831	8.64	34.43	37.53	46.20	51.74	74.00	-22.26	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 1 5G WIFI 11N40 CH46

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5230.000	8.45	34.45	37.45	86.20	91.65	54.00	37.65	Average
2	5350.000	8.63	34.43	37.52	37.08	42.62	54.00	-11.38	Average
3	5350.587	8.63	34.43	37.52	37.07	42.61	54.00	-11.39	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 1 5G WIFI 11N40 CH54

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5135.830	8.30	34.47	37.39	45.68	51.06	74.00	-22.94 Peak
2	5150.000	8.33	34.47	37.40	44.98	50.38	74.00	-23.62 Peak
3 pp	5270.000	8.51	34.44	37.47	90.40	95.88	74.00	21.88 Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 1 5G WIFI 11N40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5135.040	8.30	34.47	37.39	36.22	41.60	54.00	-12.40	Average
2	5150.000	8.33	34.47	37.40	36.00	41.40	54.00	-12.60	Average
3 pp	5270.000	8.51	34.44	37.47	83.25	88.73	54.00	34.73	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 1 5G WIFI 11N40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5120.049	8.28	34.48	37.38	45.78	51.16	74.00	-22.84	peak
2	5150.000	8.33	34.47	37.40	44.99	50.39	74.00	-23.61	peak
3 pp	5270.000	8.51	34.44	37.47	92.25	97.73	74.00	23.73	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 1 5G WIFI 11N40 CH54

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5137.410	8.31	34.47	37.39	36.82	42.21	54.00	-11.79	Average
2	5150.000	8.33	34.47	37.40	36.53	41.93	54.00	-12.07	Average
3 pp	5270.000	8.51	34.44	37.47	85.49	90.97	54.00	36.97	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 1 5G WIFI 11N40 CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	87.22	92.73	74.00	18.73	Peak
2	5350.000	8.63	34.43	37.52	45.04	50.58	74.00	-23.42	Peak
3	5352.157	8.63	34.43	37.52	47.10	52.64	74.00	-21.36	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 1 5G WIFI 11N40 CH62

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	80.45	85.96	54.00	31.96	Average
2	5350.000	8.63	34.43	37.52	37.41	42.95	54.00	-11.05	Average
3	5351.676	8.63	34.43	37.52	37.45	42.99	54.00	-11.01	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 1 5G WIFI 11N40 CH62

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	92.29	97.80	74.00	23.80	peak
2	5350.000	8.63	34.43	37.52	46.90	52.44	74.00	-21.56	peak
3	5358.416	8.64	34.43	37.53	48.99	54.53	74.00	-19.47	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 1 5G WIFI 11N40 CH62

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5310.000	8.57	34.44	37.50	85.53	91.04	54.00	37.04 Average
2	5350.000	8.63	34.43	37.52	40.56	46.10	54.00	-7.90 Average
3	5350.474	8.63	34.43	37.52	40.74	46.28	54.00	-7.72 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 1 5G WIFI 11N40 CH102

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5459.342	8.79	34.41	37.59	45.58	51.19	74.00	-22.81	Peak
2	5470.000	8.81	34.41	37.60	45.57	51.19	74.00	-22.81	Peak
3 pp	5510.000	8.89	34.41	37.62	85.72	91.40	74.00	17.40	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 1 5G WIFI 11N40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5469.552	8.81	34.41	37.60	37.43	43.05	54.00	-10.95 Average
2	5470.000	8.81	34.41	37.60	37.47	43.09	54.00	-10.91 Average
3 pp	5510.000	8.89	34.41	37.62	78.81	84.49	54.00	30.49 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 1 5G WIFI 11N40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5468.712	8.80	34.41	37.59	50.35	55.97	74.00	-18.03 peak
2	5470.000	8.81	34.41	37.60	49.93	55.55	74.00	-18.45 peak
3 pp	5510.000	8.89	34.41	37.62	90.85	96.53	74.00	22.53 peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 1 5G WIFI 11N40 CH102

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.132	8.81	34.41	37.60	40.33	45.95	54.00	-8.05	Average
2	5470.000	8.81	34.41	37.60	40.49	46.11	54.00	-7.89	Average
3 pp	5510.000	8.89	34.41	37.62	83.84	89.52	54.00	35.52	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1 5G WIFI 11N40 CH134

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5670.000	9.45	34.50	37.71	89.06	95.30	74.00	21.30	Peak
2	5725.000	9.64	34.54	37.75	46.10	52.53	74.00	-21.47	Peak
3	5758.075	9.76	34.56	37.76	47.01	53.57	74.00	-20.43	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1 5G WIFI 11N40 CH134

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	82.18	88.42	54.00	34.42	Average
2	5725.000	9.64	34.54	37.75	37.80	44.23	54.00	-9.77	Average
3	5732.295	9.67	34.54	37.75	37.86	44.32	54.00	-9.68	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
Job No : 1223RG
Mode : 5670 Band edge
: Ant 1 5G WIFI 11N40 CH134

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	93.01	99.25	74.00	25.25	peak
2	5725.000	9.64	34.54	37.75	47.86	54.29	74.00	-19.71	peak
3	5732.436	9.67	34.54	37.75	49.65	56.11	74.00	-17.89	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1 5G WIFI 11N40 CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	86.37	92.61	54.00	38.61	Average
2	5725.000	9.64	34.54	37.75	40.32	46.75	54.00	-7.25	Average
3	5728.783	9.66	34.54	37.75	40.42	46.87	54.00	-7.13	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5755	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5755 Band edge

: Ant 1 5G WIFI 11N40 CH151

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	49.09	55.49	109.40	-53.91	peak
2	5725.000	9.64	34.54	37.75	51.95	58.38	122.20	-63.82	peak
3 pp	5755.000	9.75	34.56	37.76	89.80	96.35	125.20	-28.85	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5755	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 1223RG
 Mode : 5755 Band edge
 : Ant 1 5G WIFI 11N40 CH151

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	54.19	60.59	109.40	-48.81	peak
2	5725.000	9.64	34.54	37.75	53.56	59.99	122.20	-62.21	peak
3 pp	5755.000	9.75	34.56	37.76	93.78	100.33	125.20	-24.87	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5795	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5795 Band edge

: Ant 1 5G WIFI 11N40 CH159

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5795.000	9.88	34.58	37.79	88.67	95.34	125.20	-29.86	peak
2	5850.000	10.07	34.61	37.82	45.07	51.93	122.20	-70.27	peak
3	5860.000	10.10	34.62	37.82	46.59	53.49	109.40	-55.91	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5795	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5795 Band edge

: Ant 1 5G WIFI 11N40 CH159

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5795.000	9.88	34.58	37.79	93.52	100.19	125.20	-25.01	peak
2	5850.000	10.07	34.61	37.82	47.26	54.12	122.20	-68.08	peak
3	5860.000	10.10	34.62	37.82	47.42	54.32	109.40	-55.08	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 1 5G WIFI 11AC40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5133.558	8.30	34.47	37.39	46.33	51.71	74.00	-22.29	Peak
2	5150.000	8.33	34.47	37.40	45.62	51.02	74.00	-22.98	Peak
3 pp	5190.000	8.39	34.46	37.42	85.15	90.58	74.00	16.58	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 1 5G WIFI 11AC40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.743	8.32	34.47	37.40	37.63	43.02	54.00	-10.98	Average
2	5150.000	8.33	34.47	37.40	37.36	42.76	54.00	-11.24	Average
3	pp 5190.000	8.39	34.46	37.42	78.42	83.85	54.00	29.85	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 1 5G WIFI 11AC40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.503	8.32	34.47	37.40	49.57	54.96	74.00	-19.04	peak
2	5150.000	8.33	34.47	37.40	48.13	53.53	74.00	-20.47	peak
3 pp	5190.000	8.39	34.46	37.42	89.90	95.33	74.00	21.33	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 1 5G WIFI 11AC40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.863	8.32	34.47	37.40	39.57	44.96	54.00	-9.04	Average
2	5150.000	8.33	34.47	37.40	39.94	45.34	54.00	-8.66	Average
3 pp	5190.000	8.39	34.46	37.42	82.32	87.75	54.00	33.75	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 1 5G WIFI 11AC40 CH46

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5230.000	8.45	34.45	37.45	89.39	94.84	74.00	20.84 Peak
2	5350.000	8.63	34.43	37.52	45.15	50.69	74.00	-23.31 Peak
3	5353.020	8.63	34.43	37.52	45.24	50.78	74.00	-23.22 Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 1 5G WIFI 11AC40 CH46

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	82.34	87.79	54.00	33.79	Average
2	5350.000	8.63	34.43	37.52	36.26	41.80	54.00	-12.20	Average
3	5353.020	8.63	34.43	37.52	36.25	41.79	54.00	-12.21	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 1 5G WIFI 11AC40 CH46

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5230.000	8.45	34.45	37.45	93.95	99.40	74.00	25.40 peak
2	5350.000	8.63	34.43	37.52	45.17	50.71	74.00	-23.29 peak
3	5355.454	8.64	34.43	37.53	46.68	52.22	74.00	-21.78 peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 1 5G WIFI 11AC40 CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	86.25	91.70	54.00	37.70	Average
2	5350.000	8.63	34.43	37.52	37.06	42.60	54.00	-11.40	Average
3	5351.560	8.63	34.43	37.52	37.05	42.59	54.00	-11.41	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 1 5G WIFI 11AC40 CH54

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5113.357	8.27	34.48	37.37	46.36	51.74	74.00	-22.26	Peak
2	5150.000	8.33	34.47	37.40	44.44	49.84	74.00	-24.16	Peak
3	5270.000	8.51	34.44	37.47	90.92	96.40	74.00	22.40	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 1 5G WIFI 11AC40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.311	8.32	34.47	37.39	36.16	41.56	54.00	-12.44	Average
2	5150.000	8.33	34.47	37.40	35.96	41.36	54.00	-12.64	Average
3 pp	5270.000	8.51	34.44	37.47	82.96	88.44	54.00	34.44	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 1 5G WIFI 11AC40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.281	8.32	34.47	37.40	46.31	51.70	74.00	-22.30	peak
2	5150.000	8.33	34.47	37.40	45.19	50.59	74.00	-23.41	peak
3	pp 5270.000	8.51	34.44	37.47	93.11	98.59	74.00	24.59	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 1 5G WIFI 11AC40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.905	8.32	34.47	37.40	36.85	42.24	54.00	-11.76	Average
2	5150.000	8.33	34.47	37.40	36.69	42.09	54.00	-11.91	Average
3	pp 5270.000	8.51	34.44	37.47	86.13	91.61	54.00	37.61	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 1 5G WIFI 11AC40 CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	87.33	92.84	74.00	18.84	Peak
2	5350.000	8.63	34.43	37.52	45.44	50.98	74.00	-23.02	Peak
3	5352.398	8.63	34.43	37.52	48.41	53.95	74.00	-20.05	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 1 5G WIFI 11AC40 CH62

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5310.000	8.57	34.44	37.50	80.68	86.19	54.00	32.19 Average
2	5350.000	8.63	34.43	37.52	37.91	43.45	54.00	-10.55 Average
3	5352.157	8.63	34.43	37.52	37.85	43.39	54.00	-10.61 Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 1 5G WIFI 11AC40 CH62

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	92.74	98.25	74.00	24.25	peak
2	5350.000	8.63	34.43	37.52	49.58	55.12	74.00	-18.88	peak
3	5355.045	8.64	34.43	37.53	50.04	55.58	74.00	-18.42	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 1 5G WIFI 11AC40 CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	84.64	90.15	54.00	36.15	Average
2	5350.000	8.63	34.43	37.52	41.12	46.66	54.00	-7.34	Average
3	5350.474	8.63	34.43	37.52	41.05	46.59	54.00	-7.41	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 1 5G WIFI 11AC40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5465.773	8.80	34.41	37.59	46.07	51.69	74.00	-22.31	Peak
2	5470.000	8.81	34.41	37.60	45.81	51.43	74.00	-22.57	Peak
3 pp	5510.000	8.89	34.41	37.62	85.06	90.74	74.00	16.74	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 1 5G WIFI 11AC40 CH102

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5467.732	8.80	34.41	37.59	37.31	42.93	54.00	-11.07	Average
2	5470.000	8.81	34.41	37.60	37.27	42.89	54.00	-11.11	Average
3 pp	5510.000	8.89	34.41	37.62	78.71	84.39	54.00	30.39	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5510 Band edge


: Ant 1 5G WIFI 11AC40 CH102

Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	

Peak	MHz	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5466.753	8.80	34.41	37.59	48.50	54.12	74.00	-19.88	peak
2	5470.000	8.81	34.41	37.60	47.07	52.69	74.00	-21.31	peak
3	5510.000	8.89	34.41	37.62	90.31	95.99	74.00	21.99	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 1 5G WIFI 11AC40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.552	8.81	34.41	37.60	39.17	44.79	54.00	-9.21	Average
2	5470.000	8.81	34.41	37.60	39.46	45.08	54.00	-8.92	Average
3	pp 5510.000	8.89	34.41	37.62	83.46	89.14	54.00	35.14	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1 5G WIFI 11AC40 CH134

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5670.000	9.45	34.50	37.71	88.88	95.12	74.00	21.12	Peak
2	5725.000	9.64	34.54	37.75	46.72	53.15	74.00	-20.85	Peak
3	5732.717	9.67	34.54	37.75	47.45	53.91	74.00	-20.09	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1 5G WIFI 11AC40 CH134

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5670.000	9.45	34.50	37.71	81.84	88.08	54.00	34.08 Average
2	5725.000	9.64	34.54	37.75	38.17	44.60	54.00	-9.40 Average
3	5726.536	9.65	34.54	37.75	38.24	44.68	54.00	-9.32 Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1 5G WIFI 11AC40 CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	93.40	99.64	74.00	25.64	peak
2	5725.000	9.64	34.54	37.75	48.50	54.93	74.00	-19.07	peak
3	5757.510	9.75	34.56	37.76	49.45	56.00	74.00	-18.00	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1 5G WIFI 11AC40 CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	86.24	92.48	54.00	38.48	Average
2	5725.000	9.64	34.54	37.75	40.69	47.12	54.00	-6.88	Average
3	5730.328	9.66	34.54	37.75	40.77	47.22	54.00	-6.78	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5755	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5755 Band edge

: Ant 1 5G WIFI 11AC40 CH151

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	48.61	55.01	109.40	-54.39	peak
2	5725.000	9.64	34.54	37.75	50.73	57.16	122.20	-65.04	peak
3 pp	5755.000	9.75	34.56	37.76	89.25	95.80	125.20	-29.40	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5755	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 1223RG
 Mode : 5755 Band edge
 : Ant 1 5G WIFI 11AC40 CH151

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	51.21	57.61	109.40	-51.79	peak
2	5725.000	9.64	34.54	37.75	53.25	59.68	122.20	-62.52	peak
3 pp	5755.000	9.75	34.56	37.76	93.32	99.87	125.20	-25.33	peak

Test mode:	802.11ac(HT40)	Frequency(MHz):	5755	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Test mode:	802.11ac(HT40)	Frequency(MHz):	5795	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5795 Band edge

: Ant 1 5G WIFI 11AC40 CH159

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5795.000	9.88	34.58	37.79	89.00	95.67	125.20	-29.53	peak
2	5850.000	10.07	34.61	37.82	44.37	51.23	122.20	-70.97	peak
3	5860.000	10.10	34.62	37.82	44.78	51.68	109.40	-57.72	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5795	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5795 Band edge

: Ant 1 5G WIFI 11AC40 CH159

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5795.000	9.88	34.58	37.79	93.50	100.17	125.20	-25.03	peak
2	5850.000	10.07	34.61	37.82	45.87	52.73	122.20	-69.47	peak
3	5860.000	10.10	34.62	37.82	46.44	53.34	109.40	-56.06	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5210 Band edge

: Ant 1 5G WIFI 11AC80 CH42

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.947	8.33	34.47	37.40	48.42	53.82	74.00	-20.18	Peak
2	5210.000	8.42	34.46	37.44	82.57	88.01	74.00	14.01	Peak
3	5358.401	8.64	34.43	37.53	45.43	50.97	74.00	-23.03	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5210 Band edge

: Ant 1 5G WIFI 11AC80 CH42

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1	5149.178	8.32	34.47	37.40	38.61	44.00	-10.00	Average
2	5210.000	8.42	34.46	37.44	74.43	79.87	25.87	Average
3	5350.680	8.63	34.43	37.52	36.22	41.76	-12.24	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5210 Band edge

: Ant 1 5G WIFI 11AC80 CH42

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5144.828	8.32	34.47	37.39	51.01	56.41	74.00	-17.59 peak
2	5210.000	8.42	34.46	37.44	85.76	91.20	74.00	17.20 peak
3	5351.212	8.63	34.43	37.52	47.02	52.56	74.00	-21.44 peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5210 Band edge

: Ant 1 5G WIFI 11AC80 CH42

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.154	8.32	34.47	37.40	41.10	46.49	54.00	-7.51	Average
2 pp	5210.000	8.42	34.46	37.44	78.06	83.50	54.00	29.50	Average
3	5350.946	8.63	34.43	37.52	37.71	43.25	54.00	-10.75	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5290 Band edge

: Ant 1 5G WIFI 11AC80 CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5144.208	8.32	34.47	37.39	46.17	51.57	74.00	-22.43	Peak
2 pp	5290.000	8.54	34.44	37.49	84.88	90.37	74.00	16.37	Peak
3	5352.064	8.63	34.43	37.52	47.27	52.81	74.00	-21.19	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5290 Band edge

: Ant 1 5G WIFI 11AC80 CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5143.620	8.32	34.47	37.39	37.40	42.80	54.00	-11.20	Average
2	5290.000	8.54	34.44	37.49	77.79	83.28	54.00	29.28	Average
3	5350.840	8.63	34.43	37.52	38.02	43.56	54.00	-10.44	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5290 Band edge

: Ant 1 5G WIFI 11AC80 CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.032	8.32	34.47	37.40	47.74	53.13	74.00	-20.87	peak
2 pp	5290.000	8.54	34.44	37.49	89.73	95.22	74.00	21.22	peak
3	5350.535	8.63	34.43	37.52	50.42	55.96	74.00	-18.04	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5290 Band edge

: Ant 1 5G WIFI 11AC80 CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.855	8.32	34.47	37.40	39.20	44.59	54.00	-9.41	Average
2 pp	5290.000	8.54	34.44	37.49	82.10	87.59	54.00	33.59	Average
3	5350.535	8.63	34.43	37.52	41.49	47.03	54.00	-6.97	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5530 Band edge

: Ant 1 5G WIFI 11AC80 CH106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5464.121	8.80	34.41	37.59	47.12	52.74	74.00	-21.26	Peak
2	5470.000	8.81	34.41	37.60	44.50	50.12	74.00	-23.88	Peak
3	pp 5530.000	8.96	34.42	37.63	82.23	87.98	74.00	13.98	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5530 Band edge

: Ant 1 5G WIFI 11AC80 CH106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5466.989	8.80	34.41	37.59	38.07	43.69	54.00	-10.31	Average
2	5470.000	8.81	34.41	37.60	38.18	43.80	54.00	-10.20	Average
3 pp	5530.000	8.96	34.42	37.63	74.67	80.42	54.00	26.42	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5530 Band edge


: Ant 1 5G WIFI 11AC80 CH106

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark

	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5466.989	8.80	34.41	37.59	49.60	55.22	74.00	-18.78	peak
2	5470.000	8.81	34.41	37.60	48.46	54.08	74.00	-19.92	Peak
3 pp	5530.000	8.96	34.42	37.63	87.44	93.19	74.00	19.19	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5530 Band edge

: Ant 1 5G WIFI 11AC80 CH106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5467.526	8.80	34.41	37.59	41.09	46.71	54.00	-7.29	Average
2	5470.000	8.81	34.41	37.60	41.08	46.70	54.00	-7.30	Average
3 pp	5530.000	8.96	34.42	37.63	80.27	86.02	54.00	32.02	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5610 Band edge

: Ant 1 5G WIFI 11AC80 CH122

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5610.000	9.24	34.47	37.68	84.76	90.79	74.00	16.79	Peak
2	5725.000	9.64	34.54	37.75	47.38	53.81	74.00	-20.19	Peak
3	5745.566	9.71	34.55	37.76	47.31	53.81	74.00	-20.19	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5610 Band edge

: Ant 1 5G WIFI 11AC80 CH122

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5610.000	9.24	34.47	37.68	77.00	83.03	54.00	29.03	Average
2	5725.000	9.64	34.54	37.75	37.23	43.66	54.00	-10.34	Average
3	5748.206	9.72	34.55	37.76	37.15	43.66	54.00	-10.34	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5610 Band edge

: Ant 1 5G WIFI 11AC80 CH122

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5610.000	9.24	34.47	37.68	88.21	94.24	74.00	20.24	peak
2	5725.000	9.64	34.54	37.75	48.01	54.44	74.00	-19.56	peak
3	5753.693	9.74	34.56	37.76	47.90	54.44	74.00	-19.56	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5610 Band edge


: Ant 1 5G WIFI 11AC80 CH122

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	

1 pp	5610.000	9.24	34.47	37.68	81.00	87.03	54.00	33.03	Average
2	5725.000	9.64	34.54	37.75	39.15	45.58	54.00	-8.42	Average
3	5732.788	9.67	34.54	37.75	39.12	45.58	54.00	-8.42	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5775 Band edge

: Ant 1 5G WIFI 11AC80 CH155

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1	5720.472	9.63	34.54	37.74	49.88	56.31	111.88	-55.57 peak
2 pp	5775.000	9.81	34.57	37.77	84.84	91.45	125.20	-33.75 peak
3	5859.209	10.10	34.62	37.82	46.52	53.42	109.62	-56.20 peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5775 Band edge


: Ant 1 5G WIFI 11AC80 CH155

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5720.171	9.63	34.54	37.74	53.93	60.36	111.19	-50.83	peak
2 pp	5775.000	9.81	34.57	37.77	89.81	96.42	125.20	-28.78	peak
3	5852.732	10.08	34.61	37.82	47.82	54.69	115.97	-61.28	peak



ANT2

Test mode:	802.11a	Frequency(MHz):	5180	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11A CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.458	8.32	34.47	37.40	51.79	57.18	74.00	-16.82	Peak
2	5150.000	8.33	34.47	37.40	48.41	53.81	74.00	-20.19	Peak
3 pp	5180.000	8.37	34.46	37.42	90.02	95.43	74.00	21.43	Peak



Test mode:	802.11a	Frequency(MHz):	5180	Average	Vertical
------------	---------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11A CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.257	8.32	34.47	37.40	37.49	42.88	54.00	-11.12	Average
2	5150.000	8.33	34.47	37.40	37.54	42.94	54.00	-11.06	Average
3	pp 5180.000	8.37	34.46	37.42	83.19	88.60	54.00	34.60	Average



Test mode:	802.11a	Frequency(MHz):	5180	Peak	Horizontal
------------	---------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 1223RG
 Mode : 5180 Band edge
 : Ant 2 5G WIFI 11A CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.458	8.32	34.47	37.40	52.28	57.67	74.00	-16.33	peak
2	5150.000	8.33	34.47	37.40	51.04	56.44	74.00	-17.56	peak
3 pp	5180.000	8.37	34.46	37.42	91.64	97.05	74.00	23.05	peak



Test mode:	802.11a	Frequency(MHz):	5180	Average	Horizontal
------------	---------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
Job No : 1223RG
Mode : 5180 Band edge
: Ant 2 5G WIFI 11A CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.657	8.32	34.47	37.40	38.23	43.62	54.00	-10.38	Average
2	5150.000	8.33	34.47	37.40	38.02	43.42	54.00	-10.58	Average
3	pp 5180.000	8.37	34.46	37.42	84.73	90.14	54.00	36.14	Average



Test mode:	802.11a	Frequency(MHz):	5240	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11A CH48

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	37.45	89.64	95.10	74.00	21.10	Peak
2	5350.000	8.63	34.43	37.52	45.45	50.99	74.00	-23.01	Peak
3	5350.646	8.63	34.43	37.52	45.26	50.80	74.00	-23.20	Peak



Test mode:	802.11a	Frequency(MHz):	5240	Average	Vertical
------------	---------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11A CH48

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5240.000	8.46	34.45	37.45	82.62	88.08	54.00	34.08	Average
2	5350.000	8.63	34.43	37.52	35.71	41.25	54.00	-12.75	Average
3	5352.345	8.63	34.43	37.52	35.73	41.27	54.00	-12.73	Average



Test mode:	802.11a	Frequency(MHz):	5240	Peak	Horizontal
------------	---------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11A CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	37.45	91.26	96.72	74.00	22.72	peak
2	5350.000	8.63	34.43	37.52	45.01	50.55	74.00	-23.45	peak
3	5354.612	8.64	34.43	37.53	46.59	52.13	74.00	-21.87	peak



Test mode:	802.11a	Frequency(MHz):	5240	Average	Horizontal
------------	---------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11A CH48

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5240.000	8.46	34.45	37.45	83.99	89.45	54.00	35.45	Average
2	5350.000	8.63	34.43	37.52	35.75	41.29	54.00	-12.71	Average
3	5354.187	8.64	34.43	37.53	35.79	41.33	54.00	-12.67	Average



Test mode:	802.11a	Frequency(MHz):	5260	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 2 5G WIFI 11A CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.343	8.32	34.47	37.40	45.59	50.98	74.00	-23.02	Peak
2	5150.000	8.33	34.47	37.40	44.37	49.77	74.00	-24.23	Peak
3 pp	5260.000	8.49	34.45	37.47	89.05	94.52	74.00	20.52	Peak



Test mode:	802.11a	Frequency(MHz):	5260	Average	Vertical
------------	---------	-----------------	------	---------	----------




Condition: 3m VERTICAL
 Job No : 1223RG
 Mode : 5260 Band edge
 : Ant 2 5G WIFI 11A CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5116.300	8.27	34.48	37.38	35.60	40.97	54.00	-13.03	Average
2	5150.000	8.33	34.47	37.40	35.36	40.76	54.00	-13.24	Average
3 pp	5260.000	8.49	34.45	37.47	81.92	87.39	54.00	33.39	Average



Test mode:	802.11a	Frequency(MHz):	5260	Peak	Horizontal
------------	---------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 2 5G WIFI 11A CH52

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5143.881	8.32	34.47	37.39	45.52	50.92	74.00	-23.08 peak
2	5150.000	8.33	34.47	37.40	44.34	49.74	74.00	-24.26 peak
3 pp	5260.000	8.49	34.45	37.47	90.04	95.51	74.00	21.51 peak



Test mode:	802.11a	Frequency(MHz):	5260	Average	Horizontal
------------	---------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 1223RG
 Mode : 5260 Band edge
 : Ant 2 5G WIFI 11A CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5109.562	8.26	34.48	37.37	35.82	41.19	54.00	-12.81	Average
2	5150.000	8.33	34.47	37.40	35.37	40.77	54.00	-13.23	Average
3 pp	5260.000	8.49	34.45	37.47	83.36	88.83	54.00	34.83	Average



Test mode:	802.11a	Frequency(MHz):	5320	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11A CH64

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5320.000	8.58	34.43	37.50	88.03	93.54	74.00	19.54 Peak
2	5350.000	8.63	34.43	37.52	46.30	51.84	74.00	-22.16 Peak
3	5384.176	8.68	34.42	37.54	45.92	51.48	74.00	-22.52 Peak



Test mode:	802.11a	Frequency(MHz):	5320	Average	Vertical
------------	---------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11A CH64

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	8.58	34.43	37.50	81.44	86.95	54.00	32.95	Average
2	5350.000	8.63	34.43	37.52	36.13	41.67	54.00	-12.33	Average
3	5350.566	8.63	34.43	37.52	36.25	41.79	54.00	-12.21	Average



Test mode:	802.11a	Frequency(MHz):	5320	Peak	Horizontal
------------	---------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11A CH64

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5320.000	8.58	34.43	37.50	91.00	96.51	74.00	22.51 peak
2	5350.000	8.63	34.43	37.52	47.83	53.37	74.00	-20.63 peak
3	5351.167	8.63	34.43	37.52	47.54	53.08	74.00	-20.92 peak



Test mode:	802.11a	Frequency(MHz):	5320	Average	Horizontal
------------	---------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11A CH64

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	8.58	34.43	37.50	84.22	89.73	54.00	35.73	Average
2	5350.000	8.63	34.43	37.52	37.25	42.79	54.00	-11.21	Average
3	5351.066	8.63	34.43	37.52	37.27	42.81	54.00	-11.19	Average



Test mode:	802.11a	Frequency(MHz):	5500	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11A CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5468.557	8.80	34.41	37.59	47.55	53.17	74.00	-20.83	Peak
2	5470.000	8.81	34.41	37.60	46.88	52.50	74.00	-21.50	Peak
3 pp	5500.000	8.85	34.40	37.61	87.00	92.64	74.00	18.64	Peak



Test mode:	802.11a	Frequency(MHz):	5500	Average	Vertical
------------	---------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11A CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.038	8.80	34.41	37.60	36.02	41.63	54.00	-12.37	Average
2	5470.000	8.81	34.41	37.60	36.18	41.80	54.00	-12.20	Average
3 pp	5500.000	8.85	34.40	37.61	80.38	86.02	54.00	32.02	Average



Test mode:	802.11a	Frequency(MHz):	5500	Peak	Horizontal
------------	---------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11A CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5468.798	8.80	34.41	37.59	53.11	58.73	74.00	-15.27	peak
2	5470.000	8.81	34.41	37.60	50.73	56.35	74.00	-17.65	peak
3 pp	5500.000	8.85	34.40	37.61	93.84	99.48	74.00	25.48	peak



Test mode:	802.11a	Frequency(MHz):	5500	Average	Horizontal
------------	---------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11A CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Limit	Over Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.158	8.81	34.41	37.60	38.12	43.74	54.00	-10.26	Average
2	5470.000	8.81	34.41	37.60	38.14	43.76	54.00	-10.24	Average
3 pp	5500.000	8.85	34.40	37.61	87.26	92.90	54.00	38.90	Average



Test mode:	802.11a	Frequency(MHz):	5700	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11A CH140

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	9.56	34.52	37.73	85.08	91.43	74.00	17.43	Peak
2	5725.000	9.64	34.54	37.75	46.75	53.18	74.00	-20.82	Peak
3	5727.882	9.65	34.54	37.75	47.25	53.69	74.00	-20.31	Peak



Test mode:	802.11a	Frequency(MHz):	5700	Average	Vertical
------------	---------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11A CH140

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	9.56	34.52	37.73	78.43	84.78	54.00	30.78	Average
2	5725.000	9.64	34.54	37.75	36.06	42.49	54.00	-11.51	Average
3	5747.810	9.72	34.55	37.76	36.00	42.51	54.00	-11.49	Average



Test mode:	802.11a	Frequency(MHz):	5700	Peak	Horizontal
------------	---------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11A CH140

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5700.000	9.56	34.52	37.73	94.62	100.97	74.00	26.97 peak
2	5725.000	9.64	34.54	37.75	50.32	56.75	74.00	-17.25 peak
3	5729.182	9.66	34.54	37.75	52.84	59.29	74.00	-14.71 peak



Test mode:	802.11a	Frequency(MHz):	5700	Average	Horizontal
------------	---------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
Job No : 1223RG
Mode : 5700 Band edge
: Ant 2 5G WIFI 11A CH140

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	37.73	87.99	94.34	54.00	40.34	Average
2	5725.000	9.64	34.54	37.75	39.69	46.12	54.00	-7.88	Average
3	5725.483	9.64	34.54	37.75	39.62	46.05	54.00	-7.95	Average



Test mode:	802.11a	Frequency(MHz):	5745	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5745 Band edge

: Ant 2 5G WIFI 11A CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	44.06	50.46	109.40	-58.94	peak
2	5725.000	9.64	34.54	37.75	49.29	55.72	122.20	-66.48	peak
3 pp	5745.000	9.71	34.55	37.76	84.63	91.13	125.20	-34.07	peak



Test mode:	802.11a	Frequency(MHz):	5745	Peak	Horizontal
------------	---------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 1223RG
 Mode : 5745 Band edge
 : Ant 2 5G WIFI 11A CH149

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	45.65	52.05	109.40	-57.35	peak
2	5725.000	9.64	34.54	37.75	60.23	66.66	122.20	-55.54	peak
3 pp	5745.000	9.71	34.55	37.76	93.70	100.20	125.20	-25.00	peak



Test mode:	802.11a	Frequency(MHz):	5825	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5825 Band edge

: Ant 2 5G WIFI 11A CH165

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5825.000	9.98	34.60	37.80	85.07	91.85	125.20	-33.35	peak
2	5850.000	10.07	34.61	37.82	44.32	51.18	122.20	-71.02	peak
3	5860.000	10.10	34.62	37.82	44.01	50.91	109.40	-58.49	peak



Test mode:	802.11a	Frequency(MHz):	5825	Peak	Horizontal
------------	---------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 1223RG
 Mode : 5825 Band edge
 : Ant 2 5G WIFI 11A CH165

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5825.000	9.98	34.60	37.80	92.81	99.59	125.20	-25.61	peak
2	5850.000	10.07	34.61	37.82	49.61	56.47	122.20	-65.73	peak
3	5860.000	10.10	34.62	37.82	50.12	57.02	109.40	-52.38	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11N CH36

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5145.659	8.32	34.47	37.39	51.45	56.85	74.00	-17.15 Peak
2	5150.000	8.33	34.47	37.40	51.64	57.04	74.00	-16.96 Peak
3	pp 5180.000	8.37	34.46	37.42	90.18	95.59	74.00	21.59 Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11N CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.458	8.32	34.47	37.40	36.79	42.18	54.00	-11.82	Average
2	5150.000	8.33	34.47	37.40	36.80	42.20	54.00	-11.80	Average
3 pp	5180.000	8.37	34.46	37.42	82.42	87.83	54.00	33.83	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11N CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5137.472	8.31	34.47	37.39	51.26	56.65	74.00	-17.35	peak
2	5150.000	8.33	34.47	37.40	46.86	52.26	74.00	-21.74	peak
3 pp	5180.000	8.37	34.46	37.42	89.75	95.16	74.00	21.16	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11N CH36

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.757	8.32	34.47	37.40	37.26	42.65	54.00	-11.35	Average
2	5150.000	8.33	34.47	37.40	37.08	42.48	54.00	-11.52	Average
3 pp	5180.000	8.37	34.46	37.42	82.97	88.38	54.00	34.38	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11N CH48

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5240.000	8.46	34.45	37.45	89.17	94.63	74.00	20.63 Peak
2	5350.000	8.63	34.43	37.52	44.63	50.17	74.00	-23.83 Peak
3	5356.029	8.64	34.43	37.53	45.97	51.51	74.00	-22.49 Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11N CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	37.45	82.45	87.91	54.00	33.91	Average
2	5350.000	8.63	34.43	37.52	35.63	41.17	54.00	-12.83	Average
3	5350.362	8.63	34.43	37.52	35.70	41.24	54.00	-12.76	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
Job No : 1223RG
Mode : 5240 Band edge
: Ant 2 5G WIFI 11N CH48

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5240.000	8.46	34.45	37.45	90.33	95.79	74.00	21.79 peak
2	5350.000	8.63	34.43	37.52	45.09	50.63	74.00	-23.37 peak
3	5354.187	8.64	34.43	37.53	46.47	52.01	74.00	-21.99 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
Job No : 1223RG
Mode : 5240 Band edge
: Ant 2 5G WIFI 11N CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	37.45	83.03	88.49	54.00	34.49	Average
2	5350.000	8.63	34.43	37.52	35.71	41.25	54.00	-12.75	Average
3	5351.070	8.63	34.43	37.52	35.71	41.25	54.00	-12.75	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5109.916	8.26	34.48	37.37	45.75	51.12	74.00	-22.88	Peak
2	5150.000	8.33	34.47	37.40	43.77	49.17	74.00	-24.83	Peak
3 pp	5260.000	8.49	34.45	37.47	88.73	94.20	74.00	20.20	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5107.790	8.26	34.48	37.37	35.55	40.92	54.00	-13.08	Average
2	5150.000	8.33	34.47	37.40	35.38	40.78	54.00	-13.22	Average
3	pp 5260.000	8.49	34.45	37.47	81.93	87.40	54.00	33.40	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5121.982	8.28	34.47	37.38	45.70	51.07	74.00	-22.93	peak
2	5150.000	8.33	34.47	37.40	44.59	49.99	74.00	-24.01	peak
3 pp	5260.000	8.49	34.45	37.47	90.14	95.61	74.00	21.61	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
Job No : 1223RG
Mode : 5260 Band edge
: Ant 2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5108.853	8.26	34.48	37.37	35.70	41.07	54.00	-12.93	Average
2	5150.000	8.33	34.47	37.40	35.37	40.77	54.00	-13.23	Average
3 pp	5260.000	8.49	34.45	37.47	83.38	88.85	54.00	34.85	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11N CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	37.50	85.59	91.10	74.00	17.10	Peak
2	5350.000	8.63	34.43	37.52	45.15	50.69	74.00	-23.31	Peak
3	5378.945	8.67	34.42	37.54	47.34	52.89	74.00	-21.11	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11N CH64

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5320.000	8.58	34.43	37.50	78.84	84.35	54.00	30.35 Average
2	5350.000	8.63	34.43	37.52	36.14	41.68	54.00	-12.32 Average
3	5351.167	8.63	34.43	37.52	36.15	41.69	54.00	-12.31 Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11N CH64

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1	pp 5320.000	8.58	34.43	37.50	91.01	96.52	74.00	22.52 peak
2	5350.000	8.63	34.43	37.52	46.98	52.52	74.00	-21.48 peak
3	5350.866	8.63	34.43	37.52	49.86	55.40	74.00	-18.60 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11N CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5320.000	8.58	34.43	37.50	84.19	89.70	54.00	35.70 Average
2	5350.000	8.63	34.43	37.52	37.43	42.97	54.00	-11.03 Average
3	5351.867	8.63	34.43	37.52	37.39	42.93	54.00	-11.07 Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5468.197	8.80	34.41	37.59	48.83	54.45	74.00	-19.55	Peak
2	5470.000	8.81	34.41	37.60	45.95	51.57	74.00	-22.43	Peak
3 pp	5500.000	8.85	34.40	37.61	86.52	92.16	74.00	18.16	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5468.077	8.80	34.41	37.59	36.19	41.81	54.00	-12.19	Average
2	5470.000	8.81	34.41	37.60	36.18	41.80	54.00	-12.20	Average
3	pp 5500.000	8.85	34.40	37.61	79.50	85.14	54.00	31.14	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5462.671	8.80	34.41	37.59	54.40	60.02	74.00	-13.98	peak
2	5470.000	8.81	34.41	37.60	52.74	58.36	74.00	-15.64	peak
3 pp	5500.000	8.85	34.40	37.61	92.89	98.53	74.00	24.53	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.158	8.81	34.41	37.60	38.31	43.93	54.00	-10.07	Average
2	5470.000	8.81	34.41	37.60	38.18	43.80	54.00	-10.20	Average
3 pp	5500.000	8.85	34.40	37.61	86.13	91.77	54.00	37.77	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11N CH140

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5700.000	9.56	34.52	37.73	84.72	91.07	74.00	17.07 Peak
2	5725.000	9.64	34.54	37.75	45.19	51.62	74.00	-22.38 Peak
3	5737.787	9.69	34.55	37.75	46.75	53.24	74.00	-20.76 Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11N CH140

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	37.73	77.90	84.25	54.00	30.25	Average
2	5725.000	9.64	34.54	37.75	35.86	42.29	54.00	-11.71	Average
3	5746.807	9.72	34.55	37.76	35.83	42.34	54.00	-11.66	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11N CH140

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	9.56	34.52	37.73	94.04	100.39	74.00	26.39	peak
2	5725.000	9.64	34.54	37.75	50.05	56.48	74.00	-17.52	peak
3	5730.582	9.66	34.54	37.75	52.91	59.36	74.00	-14.64	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11N CH140

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5700.000	9.56	34.52	37.73	87.39	93.74	54.00	Average
2	5725.000	9.64	34.54	37.75	39.16	45.59	54.00	-8.41 Average
3	5725.483	9.64	34.54	37.75	38.91	45.34	54.00	-8.66 Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5745	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5745 Band edge

: Ant 2 5G WIFI 11N CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	43.70	50.10	109.40	-59.30	peak
2	5725.000	9.64	34.54	37.75	53.52	59.95	122.20	-62.25	peak
3 pp	5745.000	9.71	34.55	37.76	83.81	90.31	125.20	-34.89	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5745	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 1223RG
 Mode : 5745 Band edge
 : Ant 2 5G WIFI 11N CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	9.61	34.53	37.74	51.45	57.85	109.40	-51.55 peak
2	5725.000	9.64	34.54	37.75	60.67	67.10	122.20	-55.10 peak
3 pp	5745.000	9.71	34.55	37.76	93.23	99.73	125.20	-25.47 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5825	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5825 Band edge

: Ant 2 5G WIFI 11N CH165

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5825.000	9.98	34.60	37.80	86.59	93.37	125.20	-31.83	peak
2	5850.000	10.07	34.61	37.82	44.52	51.38	122.20	-70.82	peak
3	5860.000	10.10	34.62	37.82	44.60	51.50	109.40	-57.90	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5825	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5825 Band edge

: Ant 2 5G WIFI 11N CH165

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5825.000	9.98	34.60	37.80	91.93	98.71	125.20	-26.49	peak :
2	5850.000	10.07	34.61	37.82	53.36	60.22	122.20	-61.98	peak :
3	5860.000	10.10	34.62	37.82	47.90	54.80	109.40	-54.60	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5139.268	8.31	34.47	37.39	51.57	56.96	74.00	-17.04	Peak
2	5150.000	8.33	34.47	37.40	50.05	55.45	74.00	-18.55	Peak
3 pp	5180.000	8.37	34.46	37.42	88.96	94.37	74.00	20.37	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.958	8.32	34.47	37.40	36.93	42.32	54.00	-11.68	Average
2	5150.000	8.33	34.47	37.40	36.92	42.32	54.00	-11.68	Average
3 pp	5180.000	8.37	34.46	37.42	82.18	87.59	54.00	33.59	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.158	8.32	34.47	37.40	53.28	58.67	74.00	-15.33	peak
2	5150.000	8.33	34.47	37.40	51.12	56.52	74.00	-17.48	peak
3 pp	5180.000	8.37	34.46	37.42	90.00	95.41	74.00	21.41	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.458	8.32	34.47	37.40	37.24	42.63	54.00	-11.37	Average
2	5150.000	8.33	34.47	37.40	37.45	42.85	54.00	-11.15	Average
3 pp	5180.000	8.37	34.46	37.42	83.01	88.42	54.00	34.42	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11AC CH48

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5240.000	8.46	34.45	37.45	89.78	95.24	74.00	21.24	Peak
2	5350.000	8.63	34.43	37.52	44.11	49.65	74.00	-24.35	Peak
3	5354.754	8.64	34.43	37.53	45.99	51.53	74.00	-22.47	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5240.000	8.46	34.45	37.45	82.69	88.15	54.00	34.15 Average
2	5350.000	8.63	34.43	37.52	35.60	41.14	54.00	-12.86 Average
3	5350.504	8.63	34.43	37.52	35.64	41.18	54.00	-12.82 Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5240.000	8.46	34.45	37.45	89.67	95.13	74.00	21.13 peak
2	5350.000	8.63	34.43	37.52	44.01	49.55	74.00	-24.45 peak
3	5351.070	8.63	34.43	37.52	45.21	50.75	74.00	-23.25 peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
Job No : 1223RG
Mode : 5240 Band edge
: Ant 2 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	37.45	83.10	88.56	54.00	34.56	Average
2	5350.000	8.63	34.43	37.52	35.80	41.34	54.00	-12.66	Average
3	5351.495	8.63	34.43	37.52	35.80	41.34	54.00	-12.66	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 2 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5112.752	8.27	34.48	37.37	45.87	51.25	74.00	-22.75	Peak
2	5150.000	8.33	34.47	37.40	44.58	49.98	74.00	-24.02	Peak
3	pp 5260.000	8.49	34.45	37.47	88.84	94.31	74.00	20.31	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 2 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5109.384	8.26	34.48	37.37	35.56	40.93	54.00	-13.07	Average
2	5150.000	8.33	34.47	37.40	35.25	40.65	54.00	-13.35	Average
3	pp 5260.000	8.49	34.45	37.47	81.94	87.41	54.00	33.41	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 2 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5123.048	8.28	34.47	37.38	45.49	50.86	74.00	-23.14	peak
2	5150.000	8.33	34.47	37.40	43.76	49.16	74.00	-24.84	peak
3	5260.000	8.49	34.45	37.47	89.71	95.18	74.00	21.18	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 2 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5109.916	8.26	34.48	37.37	35.73	41.10	54.00	-12.90	Average
2	5150.000	8.33	34.47	37.40	35.26	40.66	54.00	-13.34	Average
3	pp 5260.000	8.49	34.45	37.47	82.95	88.42	54.00	34.42	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	37.50	87.09	92.60	74.00	18.60	Peak
2	5350.000	8.63	34.43	37.52	47.03	52.57	74.00	-21.43	Peak
3	5367.696	8.66	34.43	37.53	46.96	52.52	74.00	-21.48	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	37.50	80.59	86.10	54.00	32.10	Average
2	5350.000	8.63	34.43	37.52	36.41	41.95	54.00	-12.05	Average
3	5350.767	8.63	34.43	37.52	36.49	42.03	54.00	-11.97	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11AC CH64

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5320.000	8.58	34.43	37.50	90.66	96.17	74.00	22.17 peak
2	5350.000	8.63	34.43	37.52	53.16	58.70	74.00	-15.30 peak
3	5351.867	8.63	34.43	37.52	52.20	57.74	74.00	-16.26 peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11AC CH64

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5320.000	8.58	34.43	37.50	83.84	89.35	54.00	35.35 Average
2	5350.000	8.63	34.43	37.52	37.79	43.33	54.00	-10.67 Average
3	5350.966	8.63	34.43	37.52	37.78	43.32	54.00	-10.68 Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5451.037	8.78	34.41	37.58	47.08	52.69	74.00	-21.31	Peak
2	5470.000	8.81	34.41	37.60	49.87	55.49	74.00	-18.51	Peak
3 pp	5500.000	8.85	34.40	37.61	86.07	91.71	74.00	17.71	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5468.918	8.80	34.41	37.60	36.33	41.94	54.00	-12.06	Average
2	5470.000	8.81	34.41	37.60	36.28	41.90	54.00	-12.10	Average
3 pp	5500.000	8.85	34.40	37.61	79.63	85.27	54.00	31.27	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.519	8.81	34.41	37.60	54.28	59.90	74.00	-14.10	peak
2	5470.000	8.81	34.41	37.60	50.04	55.66	74.00	-18.34	peak
3 pp	5500.000	8.85	34.40	37.61	93.48	99.12	74.00	25.12	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5467.957	8.80	34.41	37.59	38.41	44.03	54.00	-9.97	Average
2	5470.000	8.81	34.41	37.60	38.17	43.79	54.00	-10.21	Average
3 pp	5500.000	8.85	34.40	37.61	86.64	92.28	54.00	38.28	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11AC CH140

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5700.000	9.56	34.52	37.73	84.60	90.95	74.00	16.95 Peak
2	5725.000	9.64	34.54	37.75	48.47	54.90	74.00	-19.10 Peak
3	5727.583	9.65	34.54	37.75	48.91	55.35	74.00	-18.65 Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11AC CH140

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5700.000	9.56	34.52	37.73	77.08	83.43	54.00	29.43 Average
2	5725.000	9.64	34.54	37.75	36.11	42.54	54.00	-11.46 Average
3	5726.083	9.65	34.54	37.75	36.10	42.54	54.00	-11.46 Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11AC CH140

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	37.73	94.01	100.36	74.00	26.36 peak
2	5725.000	9.64	34.54	37.75	57.37	63.80	74.00	-10.20 peak
3	5726.883	9.65	34.54	37.75	59.05	65.49	74.00	-8.51 peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11AC CH140

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	37.73	87.37	93.72	54.00	39.72	Average
2	5725.000	9.64	34.54	37.75	40.94	47.37	54.00	-6.63	Average
3	5725.483	9.64	34.54	37.75	40.36	46.79	54.00	-7.21	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5745	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5745 Band edge

: Ant 2 5G WIFI 11AC CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	43.70	50.10	109.40	-59.30	peak
2	5725.000	9.64	34.54	37.75	53.00	59.43	122.20	-62.77	peak
3 pp	5745.000	9.71	34.55	37.76	83.76	90.26	125.20	-34.94	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5745	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5745 Band edge

: Ant 2 5G WIFI 11AC CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	50.66	57.06	109.40	-52.34	peak
2	5725.000	9.64	34.54	37.75	60.63	67.06	122.20	-55.14	peak
3 pp	5745.000	9.71	34.55	37.76	91.98	98.48	125.20	-26.72	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5825	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5825 Band edge

: Ant 2 5G WIFI 11AC CH165

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5825.000	9.98	34.60	37.80	84.20	90.98	125.20	-34.22	peak :
2	5850.000	10.07	34.61	37.82	44.63	51.49	122.20	-70.71	peak :
3	5860.000	10.10	34.62	37.82	44.70	51.60	109.40	-57.80	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5825	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
Job No : 1223RG
Mode : 5825 Band edge
: Ant 2 5G WIFI 11AC CH165

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5825.000	9.98	34.60	37.80	91.57	98.35	125.20	-26.85	peak
2	5850.000	10.07	34.61	37.82	51.51	58.37	122.20	-63.83	peak
3	5860.000	10.10	34.62	37.82	52.67	59.57	109.40	-49.83	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5190 Band edge

: Ant 2 5G WIFI 11N40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.545	8.32	34.47	37.40	48.76	54.15	74.00	-19.85	Peak
2	5150.000	8.33	34.47	37.40	47.09	52.49	74.00	-21.51	Peak
3 pp	5190.000	8.39	34.46	37.42	84.65	90.08	74.00	16.08	Peak