




Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11N40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.264	8.32	34.47	37.40	38.82	44.21	54.00	-9.79	Average
2	5150.000	8.33	34.47	37.40	38.94	44.34	54.00	-9.66	Average
3 pp	5190.000	8.39	34.46	37.42	76.71	82.14	54.00	28.14	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11N40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.024	8.32	34.47	37.40	49.68	55.07	74.00	-18.93	peak
2	5150.000	8.33	34.47	37.40	50.70	56.10	74.00	-17.90	peak
3 pp	5190.000	8.39	34.46	37.42	83.97	89.40	74.00	15.40	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11N40 CH38

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.461	8.32	34.47	37.40	39.66	45.05	54.00	-8.95	Average
2	5150.000	8.33	34.47	37.40	39.88	45.28	54.00	-8.72	Average
3	pp 5190.000	8.39	34.46	37.42	76.95	82.38	54.00	28.38	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11N40 CH46

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	83.48	88.93	74.00	14.93	Peak
2	5350.000	8.63	34.43	37.52	45.02	50.56	74.00	-23.44	Peak
3	5353.831	8.64	34.43	37.53	45.83	51.37	74.00	-22.63	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11N40 CH46

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5230.000	8.45	34.45	37.45	76.45	81.90	54.00	27.90 Average
2	5350.000	8.63	34.43	37.52	35.85	41.39	54.00	-12.61 Average
3	5351.722	8.63	34.43	37.52	35.90	41.44	54.00	-12.56 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11N40 CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	84.44	89.89	74.00	15.89	peak
2	5350.000	8.63	34.43	37.52	45.23	50.77	74.00	-23.23	peak
3	5356.265	8.64	34.43	37.53	45.83	51.37	74.00	-22.63	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11N40 CH46

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5230.000	8.45	34.45	37.45	77.24	82.69	54.00	28.69	Average
2	5350.000	8.63	34.43	37.52	35.96	41.50	54.00	-12.50	Average
3	5351.560	8.63	34.43	37.52	35.96	41.50	54.00	-12.50	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5270 Band edge


: Ant 2 5G WIFI 11N40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5130.301	8.30	34.47	37.38	45.31	50.70	74.00	-23.30	Peak
2	5150.000	8.33	34.47	37.40	43.62	49.02	74.00	-24.98	Peak
3	pp 5270.000	8.51	34.44	37.47	82.33	87.81	74.00	13.81	Peak





Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 2 5G WIFI 11N40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.321	8.32	34.47	37.39	35.63	41.03	54.00	-12.97	Average
2	5150.000	8.33	34.47	37.40	35.41	40.81	54.00	-13.19	Average
3 pp	5270.000	8.51	34.44	37.47	75.13	80.61	54.00	26.61	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 2 5G WIFI 11N40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5144.134	8.32	34.47	37.39	45.58	50.98	74.00	-23.02	peak
2	5150.000	8.33	34.47	37.40	45.03	50.43	74.00	-23.57	peak
3 pp	5270.000	8.51	34.44	37.47	83.73	89.21	74.00	15.21	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
Job No : 1223RG  
Mode : 5270 Band edge  
: Ant 2 5G WIFI 11N40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5135.040	8.30	34.47	37.39	35.72	41.10	54.00	-12.90	Average
2	5150.000	8.33	34.47	37.40	35.52	40.92	54.00	-13.08	Average
3	pp 5270.000	8.51	34.44	37.47	76.44	81.92	54.00	27.92	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11N40 CH62

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5310.000	8.57	34.44	37.50	81.27	86.78	74.00	12.78 Peak
2	5350.000	8.63	34.43	37.52	45.18	50.72	74.00	-23.28 Peak
3	5367.213	8.66	34.43	37.53	45.82	51.38	74.00	-22.62 Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11N40 CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	74.16	79.67	54.00	25.67	Average
2	5350.000	8.63	34.43	37.52	36.11	41.65	54.00	-12.35	Average
3	5352.879	8.63	34.43	37.52	36.19	41.73	54.00	-12.27	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11N40 CH62

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5310.000	8.57	34.44	37.50	83.99	89.50	74.00	15.50 peak
2	5350.000	8.63	34.43	37.52	45.80	51.34	74.00	-22.66 peak
3	5368.902	8.66	34.43	37.53	46.78	52.34	74.00	-21.66 peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11N40 CH62

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5310.000	8.57	34.44	37.50	76.71	82.22	54.00	28.22	Average
2	5350.000	8.63	34.43	37.52	37.02	42.56	54.00	-11.44	Average
3	5350.955	8.63	34.43	37.52	37.01	42.55	54.00	-11.45	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5510 Band edge


: Ant 2 5G WIFI 11N40 CH102

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5467.873	8.80	34.41	37.59	47.17	52.79	74.00	-21.21	Peak
2	5470.000	8.81	34.41	37.60	46.81	52.43	74.00	-21.57	Peak
3 pp	5510.000	8.89	34.41	37.62	80.71	86.39	74.00	12.39	Peak





Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11N40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5469.552	8.81	34.41	37.60	37.65	43.27	54.00	-10.73 Average
2	5470.000	8.81	34.41	37.60	37.57	43.19	54.00	-10.81 Average
3 pp	5510.000	8.89	34.41	37.62	73.68	79.36	54.00	25.36 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11N40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.272	8.81	34.41	37.60	53.98	59.60	74.00	-14.40	peak
2	5470.000	8.81	34.41	37.60	51.66	57.28	74.00	-16.72	peak
3 pp	5510.000	8.89	34.41	37.62	88.31	93.99	74.00	19.99	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11N40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.552	8.81	34.41	37.60	41.24	46.86	54.00	-7.14	Average
2	5470.000	8.81	34.41	37.60	41.71	47.33	54.00	-6.67	Average
3 pp	5510.000	8.89	34.41	37.62	81.11	86.79	54.00	32.79	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 2 5G WIFI 11N40 CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	78.68	84.92	74.00	10.92	Peak
2	5725.000	9.64	34.54	37.75	44.45	50.88	74.00	-23.12	Peak
3	5738.765	9.69	34.55	37.75	45.73	52.22	74.00	-21.78	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 2 5G WIFI 11N40 CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5670.000	9.45	34.50	37.71	71.12	77.36	54.00	23.36 Average
2	5725.000	9.64	34.54	37.75	35.74	42.17	54.00	-11.83 Average
3	5745.945	9.71	34.55	37.76	35.83	42.33	54.00	-11.67 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 2 5G WIFI 11N40 CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	88.59	94.83	74.00	20.83	peak
2	5725.000	9.64	34.54	37.75	46.74	53.17	74.00	-20.83	peak
3	5736.514	9.68	34.55	37.75	49.04	55.52	74.00	-18.48	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 2 5G WIFI 11N40 CH134

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5670.000	9.45	34.50	37.71	81.51	87.75	54.00	33.75 Average
2	5725.000	9.64	34.54	37.75	38.88	45.31	54.00	-8.69 Average
3	5734.123	9.67	34.54	37.75	38.71	45.17	54.00	-8.83 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5755	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5755 Band edge


: Ant 2 5G WIFI 11N40 CH151

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	45.38	51.78	109.40	-57.62	peak
2	5725.000	9.64	34.54	37.75	48.53	54.96	122.20	-67.24	peak
3 pp	5755.000	9.75	34.56	37.76	78.83	85.38	125.20	-39.82	peak





Test mode:	802.11n(HT40)	Frequency(MHz):	5755	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5755 Band edge

: Ant 2 5G WIFI 11N40 CH151

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	51.23	57.63	109.40	-51.77	peak
2	5725.000	9.64	34.54	37.75	55.86	62.29	122.20	-59.91	peak
3 pp	5755.000	9.75	34.56	37.76	86.68	93.23	125.20	-31.97	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5795	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5795 Band edge

: Ant 2 5G WIFI 11N40 CH159

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5795.000	9.88	34.58	37.79	78.82	85.49	125.20	-39.71	peak
2	5850.000	10.07	34.61	37.82	44.53	51.39	122.20	-70.81	peak
3	5860.000	10.10	34.62	37.82	44.95	51.85	109.40	-57.55	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5795	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5795 Band edge

: Ant 2 5G WIFI 11N40 CH159

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	
1	pp 5795.000	9.88	34.58	37.79	86.16	92.83	125.20	-32.37	peak	:
2	5850.000	10.07	34.61	37.82	46.09	52.95	122.20	-69.25	peak	:
3	5860.000	10.10	34.62	37.82	45.63	52.53	109.40	-56.87	peak	:



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11AC40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5144.793	8.32	34.47	37.39	48.49	53.89	74.00	-20.11	Peak
2	5150.000	8.33	34.47	37.40	48.02	53.42	74.00	-20.58	Peak
3 pp	5190.000	8.39	34.46	37.42	83.69	89.12	74.00	15.12	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11AC40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.222	8.32	34.47	37.40	38.41	43.80	54.00	-10.20	Average
2	5150.000	8.33	34.47	37.40	38.43	43.83	54.00	-10.17	Average
3	pp 5190.000	8.39	34.46	37.42	76.17	81.60	54.00	27.60	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11AC40 CH38

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.264	8.32	34.47	37.40	51.44	56.83	74.00	-17.17	peak
2	5150.000	8.33	34.47	37.40	50.33	55.73	74.00	-18.27	peak
3 pp	5190.000	8.39	34.46	37.42	83.80	89.23	74.00	15.23	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11AC40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.342	8.32	34.47	37.40	39.65	45.04	54.00	-8.96	Average
2	5150.000	8.33	34.47	37.40	39.65	45.05	54.00	-8.95	Average
3	pp 5190.000	8.39	34.46	37.42	76.71	82.14	54.00	28.14	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5230 Band edge


: Ant 2 5G WIFI 11AC40 CH46

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5230.000	8.45	34.45	37.45	82.32	87.77	74.00	13.77	Peak
2	5350.000	8.63	34.43	37.52	45.10	50.64	74.00	-23.36	Peak
3	5356.752	8.64	34.43	37.53	44.88	50.42	74.00	-23.58	Peak





Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11AC40 CH46

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	75.38	80.83	54.00	26.83	Average
2	5350.000	8.63	34.43	37.52	35.56	41.10	54.00	-12.90	Average
3	5351.073	8.63	34.43	37.52	35.61	41.15	54.00	-12.85	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11AC40 CH46

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5230.000	8.45	34.45	37.45	83.87	89.32	74.00	15.32 peak
2	5350.000	8.63	34.43	37.52	44.75	50.29	74.00	-23.71 peak
3	5356.103	8.64	34.43	37.53	45.44	50.98	74.00	-23.02 peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11AC40 CH46

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5230.000	8.45	34.45	37.45	76.78	82.23	54.00	28.23 Average
2	5350.000	8.63	34.43	37.52	35.67	41.21	54.00	-12.79 Average
3	5352.857	8.63	34.43	37.52	35.76	41.30	54.00	-12.70 Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 2 5G WIFI 11AC40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.915	8.32	34.47	37.39	45.19	50.59	74.00	-23.41	Peak
2	5150.000	8.33	34.47	37.40	44.75	50.15	74.00	-23.85	Peak
3 pp	5270.000	8.51	34.44	37.47	82.11	87.59	74.00	13.59	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 2 5G WIFI 11AC40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.509	8.32	34.47	37.40	35.57	40.96	54.00	-13.04	Average
2	5150.000	8.33	34.47	37.40	35.29	40.69	54.00	-13.31	Average
3	pp 5270.000	8.51	34.44	37.47	74.77	80.25	54.00	26.25	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 2 5G WIFI 11AC40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5126.159	8.29	34.47	37.38	45.54	50.92	74.00	-23.08	peak
2	5150.000	8.33	34.47	37.40	43.92	49.32	74.00	-24.68	peak
3 pp	5270.000	8.51	34.44	37.47	83.55	89.03	74.00	15.03	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 2 5G WIFI 11AC40 CH54

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.301	8.32	34.47	37.40	35.54	40.93	54.00	-13.07	Average
2	5150.000	8.33	34.47	37.40	35.33	40.73	54.00	-13.27	Average
3 pp	5270.000	8.51	34.44	37.47	76.62	82.10	54.00	28.10	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5310 Band edge


: Ant 2 5G WIFI 11AC40 CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	80.71	86.22	74.00	12.22	Peak
2	5350.000	8.63	34.43	37.52	44.84	50.38	74.00	-23.62	Peak
3	5352.759	8.63	34.43	37.52	46.38	51.92	74.00	-22.08	Peak





Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11AC40 CH62

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	73.68	79.19	54.00	25.19	Average
2	5350.000	8.63	34.43	37.52	36.00	41.54	54.00	-12.46	Average
3	5351.676	8.63	34.43	37.52	35.98	41.52	54.00	-12.48	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11AC40 CH62

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5310.000	8.57	34.44	37.50	84.80	90.31	74.00	16.31 peak
2	5350.000	8.63	34.43	37.52	44.87	50.41	74.00	-23.59 peak
3	5364.439	8.65	34.43	37.53	46.96	52.51	74.00	-21.49 peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11AC40 CH62

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	76.84	82.35	54.00	28.35	Average
2	5350.000	8.63	34.43	37.52	37.34	42.88	54.00	-11.12	Average
3	5351.075	8.63	34.43	37.52	37.18	42.72	54.00	-11.28	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11AC40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.272	8.81	34.41	37.60	46.93	52.55	74.00	-21.45	Peak
2	5470.000	8.81	34.41	37.60	47.14	52.76	74.00	-21.24	Peak
3 pp	5510.000	8.89	34.41	37.62	80.53	86.21	74.00	12.21	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11AC40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.552	8.81	34.41	37.60	37.27	42.89	54.00	-11.11	Average
2	5470.000	8.81	34.41	37.60	37.53	43.15	54.00	-10.85	Average
3 pp	5510.000	8.89	34.41	37.62	73.97	79.65	54.00	25.65	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11AC40 CH102

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5468.292	8.80	34.41	37.59	51.87	57.49	74.00	-16.51	peak
2	5470.000	8.81	34.41	37.60	53.12	58.74	74.00	-15.26	peak
3 pp	5510.000	8.89	34.41	37.62	88.25	93.93	74.00	19.93	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11AC40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.552	8.81	34.41	37.60	41.16	46.78	54.00	-7.22	Average
2	5470.000	8.81	34.41	37.60	41.63	47.25	54.00	-6.75	Average
3 pp	5510.000	8.89	34.41	37.62	80.92	86.60	54.00	32.60	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5670 Band edge


: Ant 2 5G WIFI 11AC40 CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	79.02	85.26	74.00	11.26	Peak
2	5725.000	9.64	34.54	37.75	44.62	51.05	74.00	-22.95	Peak
3	5760.899	9.77	34.56	37.77	45.84	52.40	74.00	-21.60	Peak





Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 2 5G WIFI 11AC40 CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	71.10	77.34	54.00	23.34	Average
2	5725.000	9.64	34.54	37.75	35.41	41.84	54.00	-12.16	Average
3	5746.509	9.72	34.55	37.76	35.61	42.12	54.00	-11.88	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 2 5G WIFI 11AC40 CH134

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	87.94	94.18	74.00	20.18 peak
2	5725.000	9.64	34.54	37.75	45.52	51.95	74.00	-22.05 peak
3	5733.139	9.67	34.54	37.75	47.58	54.04	74.00	-19.96 peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 2 5G WIFI 11AC40 CH134

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5670.000	9.45	34.50	37.71	81.17	87.41	54.00	33.41 Average
2	5725.000	9.64	34.54	37.75	38.04	44.47	54.00	-9.53 Average
3	5733.139	9.67	34.54	37.75	37.89	44.35	54.00	-9.65 Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5755	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5755 Band edge

: Ant 2 5G WIFI 11AC40 CH151

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	9.61	34.53	37.74	45.98	52.38	109.40	-57.02 peak
2	5725.000	9.64	34.54	37.75	47.89	54.32	122.20	-67.88 peak
3 pp	5755.000	9.75	34.56	37.76	78.15	84.70	125.20	-40.50 peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5755	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5755 Band edge

: Ant 2 5G WIFI 11AC40 CH151

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	52.21	58.61	109.40	-50.79	peak
2	5725.000	9.64	34.54	37.75	53.24	59.67	122.20	-62.53	peak
3 pp	5755.000	9.75	34.56	37.76	87.10	93.65	125.20	-31.55	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5795	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5795 Band edge

: Ant 2 5G WIFI 11AC40 CH159

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5795.000	9.88	34.58	37.79	77.36	84.03	125.20	-41.17	peak :
2	5850.000	10.07	34.61	37.82	43.76	50.62	122.20	-71.58	peak :
3	5860.000	10.10	34.62	37.82	43.84	50.74	109.40	-58.66	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5795	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5795 Band edge

: Ant 2 5G WIFI 11AC40 CH159

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5795.000	9.88	34.58	37.79	86.39	93.06	125.20	-32.14 peak
2	5850.000	10.07	34.61	37.82	45.67	52.53	122.20	-69.67 peak
3	5860.000	10.10	34.62	37.82	45.39	52.29	109.40	-57.11 peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5210 Band edge


: Ant 2 5G WIFI 11AC80 CH42

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5144.828	8.32	34.47	37.39	48.11	53.51	74.00	-20.49	Peak
2 pp	5210.000	8.42	34.46	37.44	78.77	84.21	74.00	10.21	Peak
3	5352.276	8.63	34.43	37.52	45.13	50.67	74.00	-23.33	Peak





Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5210 Band edge

: Ant 2 5G WIFI 11AC80 CH42

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.643	8.32	34.47	37.40	38.64	44.03	54.00	-9.97	Average
2	5210.000	8.42	34.46	37.44	70.90	76.34	54.00	22.34	Average
3	5350.946	8.63	34.43	37.52	35.79	41.33	54.00	-12.67	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5210 Band edge

: Ant 2 5G WIFI 11AC80 CH42

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.922	8.32	34.47	37.40	49.14	54.53	74.00	-19.47	peak
2	5210.000	8.42	34.46	37.44	80.34	85.78	74.00	11.78	peak
3	5352.542	8.63	34.43	37.52	45.82	51.36	74.00	-22.64	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5210 Band edge

: Ant 2 5G WIFI 11AC80 CH42

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.922	8.32	34.47	37.40	39.12	44.51	54.00	-9.49	Average
2	5210.000	8.42	34.46	37.44	71.69	77.13	54.00	23.13	Average
3	5350.414	8.63	34.43	37.52	36.04	41.58	54.00	-12.42	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5290 Band edge

: Ant 2 5G WIFI 11AC80 CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5122.203	8.28	34.47	37.38	44.89	50.26	74.00	-23.74	Peak
2	5290.000	8.54	34.44	37.49	76.74	82.23	74.00	8.23	Peak
3	5356.654	8.64	34.43	37.53	44.87	50.41	74.00	-23.59	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5290 Band edge

: Ant 2 5G WIFI 11AC80 CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.855	8.32	34.47	37.40	35.69	41.08	54.00	-12.92	Average
2 pp	5290.000	8.54	34.44	37.49	69.65	75.14	54.00	21.14	Average
3	5351.758	8.63	34.43	37.52	35.81	41.35	54.00	-12.65	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5290 Band edge

: Ant 2 5G WIFI 11AC80 CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5135.688	8.30	34.47	37.39	45.78	51.16	74.00	-22.84	peak
2	5290.000	8.54	34.44	37.49	79.23	84.72	74.00	10.72	peak
3	5351.452	8.63	34.43	37.52	45.26	50.80	74.00	-23.20	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5290 Band edge

: Ant 2 5G WIFI 11AC80 CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.855	8.32	34.47	37.40	35.92	41.31	54.00	-12.69	Average
2	pp 5290.000	8.54	34.44	37.49	72.05	77.54	54.00	23.54	Average
3	5351.758	8.63	34.43	37.52	36.31	41.85	54.00	-12.15	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5530 Band edge


: Ant 2 5G WIFI 11AC80 CH106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5466.630	8.80	34.41	37.59	46.21	51.83	74.00	-22.17	Peak
2	5470.000	8.81	34.41	37.60	43.99	49.61	74.00	-24.39	Peak
3	pp 5530.000	8.96	34.42	37.63	76.63	82.38	74.00	8.38	Peak





Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5530 Band edge

: Ant 2 5G WIFI 11AC80 CH106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.499	8.81	34.41	37.60	36.58	42.20	54.00	-11.80	Average
2	5470.000	8.81	34.41	37.60	36.60	42.22	54.00	-11.78	Average
3	pp 5530.000	8.96	34.42	37.63	68.61	74.36	54.00	20.36	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5530 Band edge

: Ant 2 5G WIFI 11AC80 CH106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5466.809	8.80	34.41	37.59	50.30	55.92	74.00	-18.08	peak
2	5470.000	8.81	34.41	37.60	49.03	54.65	74.00	-19.35	Peak
3	pp 5530.000	8.96	34.42	37.63	84.49	90.24	74.00	16.24	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5530 Band edge

: Ant 2 5G WIFI 11AC80 CH106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5468.602	8.80	34.41	37.59	40.27	45.89	54.00	-8.11	Average
2	5470.000	8.81	34.41	37.60	39.89	45.51	54.00	-8.49	Average
3 pp	5530.000	8.96	34.42	37.63	77.07	82.82	54.00	28.82	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5610 Band edge

: Ant 2 5G WIFI 11AC80 CH122

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5610.000	9.24	34.47	37.68	74.29	80.32	74.00	6.32	Peak
2	5725.000	9.64	34.54	37.75	45.31	51.74	74.00	-22.26	Peak
3	5741.912	9.70	34.55	37.76	45.25	51.74	74.00	-22.26	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5610 Band edge

: Ant 2 5G WIFI 11AC80 CH122

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5610.000	9.24	34.47	37.68	67.08	73.11	54.00	19.11	Average
2	5725.000	9.64	34.54	37.75	35.49	41.92	54.00	-12.08	Average
3	5757.151	9.75	34.56	37.76	35.37	41.92	54.00	-12.08	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5610 Band edge

: Ant 2 5G WIFI 11AC80 CH122

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5610.000	9.24	34.47	37.68	83.09	89.12	74.00	15.12	peak
2	5725.000	9.64	34.54	37.75	46.32	52.75	74.00	-21.25	peak
3	5733.801	9.67	34.54	37.75	46.29	52.75	74.00	-21.25	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5610 Band edge

: Ant 2 5G WIFI 11AC80 CH122

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5610.000	9.24	34.47	37.68	75.26	81.29	54.00	27.29	Average
2	5725.000	9.64	34.54	37.75	36.40	42.83	54.00	-11.17	Average
3	5748.409	9.72	34.55	37.76	36.32	42.83	54.00	-11.17	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5775 Band edge


: Ant 2 5G WIFI 11AC80 CH155

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5722.883	9.64	34.54	37.74	45.77	52.21	117.37	-65.16	peak
2 pp	5775.000	9.81	34.57	37.77	75.47	82.08	125.20	-43.12	peak
3	5851.191	10.07	34.61	37.82	45.38	52.24	119.48	-67.24	peak





Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5775 Band edge


: Ant 2 5G WIFI 11AC80 CH155

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5723.486	9.64	34.54	37.74	49.95	56.39	118.75	-62.36 peak
2 pp	5775.000	9.81	34.57	37.77	82.25	88.86	125.20	-36.34 peak
3	5853.657	10.08	34.61	37.82	45.43	52.30	113.86	-61.56 peak



MIMO

Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11N CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.357	8.32	34.47	37.40	52.32	57.71	74.00	-16.29	Peak
2	5150.000	8.33	34.47	37.40	53.29	58.69	74.00	-15.31	Peak
3 pp	5180.000	8.37	34.46	37.42	94.33	99.74	74.00	25.74	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11N CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Limit	Over Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.558	8.32	34.47	37.40	38.25	43.64	54.00	-10.36	Average
2	5150.000	8.33	34.47	37.40	38.10	43.50	54.00	-10.50	Average
3	pp 5180.000	8.37	34.46	37.42	86.62	92.03	54.00	38.03	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11N CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5140.765	8.31	34.47	37.39	49.22	54.61	74.00	-19.39	peak
2	5150.000	8.33	34.47	37.40	48.25	53.65	74.00	-20.35	peak
3 pp	5180.000	8.37	34.46	37.42	96.92	102.33	74.00	28.33	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11N CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.857	8.32	34.47	37.40	40.59	45.98	54.00	-8.02	Average
2	5150.000	8.33	34.47	37.40	40.39	45.79	54.00	-8.21	Average
3 pp	5180.000	8.37	34.46	37.42	89.52	94.93	54.00	40.93	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11N CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	37.45	95.39	100.85	74.00	26.85	Peak
2	5350.000	8.63	34.43	37.52	45.29	50.83	74.00	-23.17	Peak
3	5352.345	8.63	34.43	37.52	46.18	51.72	74.00	-22.28	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11N CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	37.45	88.12	93.58	54.00	39.58	Average
2	5350.000	8.63	34.43	37.52	35.92	41.46	54.00	-12.54	Average
3	5351.778	8.63	34.43	37.52	35.95	41.49	54.00	-12.51	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5240 Band edge


: Ant 1+2 5G WIFI 11N CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	37.45	99.16	104.62	74.00	30.62	peak
2	5350.000	8.63	34.43	37.52	45.27	50.81	74.00	-23.19	peak
3	5358.582	8.64	34.43	37.53	45.94	51.48	74.00	-22.52	peak





Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11N CH48

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5240.000	8.46	34.45	37.45	92.11	97.57	54.00	43.57 Average
2	5350.000	8.63	34.43	37.52	36.46	42.00	54.00	-12.00 Average
3	5351.495	8.63	34.43	37.52	36.49	42.03	54.00	-11.97 Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5117.543	8.28	34.48	37.38	45.44	50.82	74.00	-23.18	Peak
2	5150.000	8.33	34.47	37.40	44.68	50.08	74.00	-23.92	Peak
3 pp	5260.000	8.49	34.45	37.47	95.58	101.05	74.00	27.05	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5115.768	8.27	34.48	37.38	36.51	41.88	54.00	-12.12	Average
2	5150.000	8.33	34.47	37.40	35.65	41.05	54.00	-12.95	Average
3 pp	5260.000	8.49	34.45	37.47	87.55	93.02	54.00	39.02	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5113.462	8.27	34.48	37.37	45.92	51.30	74.00	-22.70	peak
2	5150.000	8.33	34.47	37.40	44.92	50.32	74.00	-23.68	peak
3	pp 5260.000	8.49	34.45	37.47	99.53	105.00	74.00	31.00	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5106.904	8.26	34.48	37.37	37.83	43.20	54.00	-10.80	Average
2	5150.000	8.33	34.47	37.40	36.19	41.59	54.00	-12.41	Average
3 pp	5260.000	8.49	34.45	37.47	92.33	97.80	54.00	43.80	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11N CH64

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	37.50	93.70	99.21	74.00	25.21	Peak
2	5350.000	8.63	34.43	37.52	57.30	62.84	74.00	-11.16	Peak
3	5351.167	8.63	34.43	37.52	57.95	63.49	74.00	-10.51	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11N CH64

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5320.000	8.58	34.43	37.50	86.00	91.51	54.00	37.51 Average
2	5350.000	8.63	34.43	37.52	39.05	44.59	54.00	-9.41 Average
3	5350.667	8.63	34.43	37.52	38.91	44.45	54.00	-9.55 Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5320 Band edge


: Ant 1+2 5G WIFI 11N CH64

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5320.000	8.58	34.43	37.50	97.14	102.65	74.00	28.65 peak
2	5350.000	8.63	34.43	37.52	50.33	55.87	74.00	-18.13 peak
3	5353.868	8.64	34.43	37.53	51.80	57.34	74.00	-16.66 peak





Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11N CH64

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5320.000	8.58	34.43	37.50	90.06	95.57	54.00	41.57 Average
2	5350.000	8.63	34.43	37.52	40.09	45.63	54.00	-8.37 Average
3	5351.367	8.63	34.43	37.52	40.21	45.75	54.00	-8.25 Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5468.798	8.80	34.41	37.59	56.50	62.12	74.00	-11.88 Peak
2	5470.000	8.81	34.41	37.60	57.46	63.08	74.00	-10.92 Peak
3 pp	5500.000	8.85	34.40	37.61	95.44	101.08	74.00	27.08 Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5468.798	8.80	34.41	37.59	39.78	45.40	54.00	-8.60 Average
2	5470.000	8.81	34.41	37.60	40.17	45.79	54.00	-8.21 Average
3 pp	5500.000	8.85	34.40	37.61	87.43	93.07	54.00	39.07 Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5463.992	8.80	34.41	37.59	54.80	60.42	74.00	-13.58	peak
2	5470.000	8.81	34.41	37.60	49.37	54.99	74.00	-19.01	peak
3	pp 5500.000	8.85	34.40	37.61	97.12	102.76	74.00	28.76	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5469.399	8.81	34.41	37.60	40.60	46.22	54.00	-7.78 Average
2	5470.000	8.81	34.41	37.60	40.82	46.44	54.00	-7.56 Average
3	pp 5500.000	8.85	34.40	37.61	90.37	96.01	54.00	42.01 Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 1+2 5G WIFI 11N CH140

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	9.56	34.52	37.73	94.66	101.01	74.00	27.01	Peak
2	5725.000	9.64	34.54	37.75	56.58	63.01	74.00	-10.99	Peak
3	5725.883	9.65	34.54	37.75	57.65	64.09	74.00	-9.91	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 1+2 5G WIFI 11N CH140

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	37.73	86.90	93.25	54.00	39.25	Average
2	5725.000	9.64	34.54	37.75	41.11	47.54	54.00	-6.46	Average
3	5725.483	9.64	34.54	37.75	40.63	47.06	54.00	-6.94	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5700 Band edge


: Ant 1+2 5G WIFI 11N CH140

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	9.56	34.52	37.73	96.11	102.46	74.00	28.46	peak
2	5725.000	9.64	34.54	37.75	49.10	55.53	74.00	-18.47	peak
3	5735.584	9.68	34.54	37.75	49.84	56.31	74.00	-17.69	peak





Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 1+2 5G WIFI 11N CH140

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	37.73	88.21	94.56	54.00	40.56	Average
2	5725.000	9.64	34.54	37.75	41.46	47.89	54.00	-6.11	Average
3	5725.483	9.64	34.54	37.75	41.33	47.76	54.00	-6.24	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5745	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5745 Band edge

: Ant 1+2 5G WIFI 11N CH149

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	54.06	60.46	109.40	-48.94	peak
2	5725.000	9.64	34.54	37.75	69.10	75.53	122.20	-46.67	peak
3 pp	5745.000	9.71	34.55	37.76	95.82	102.32	125.20	-22.88	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5745	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5745 Band edge

: Ant 1+2 5G WIFI 11N CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	61.73	68.13	109.40	-41.27	peak
2	5725.000	9.64	34.54	37.75	68.18	74.61	122.20	-47.59	peak
3 pp	5745.000	9.71	34.55	37.76	99.72	106.22	125.20	-18.98	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5825	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5825 Band edge

: Ant 1+2 5G WIFI 11N CH165

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5825.000	9.98	34.60	37.80	96.14	102.92	125.20	-22.28	peak
2	5850.000	10.07	34.61	37.82	56.55	63.41	122.20	-58.79	peak
3	5860.000	10.10	34.62	37.82	54.39	61.29	109.40	-48.11	peak



est mode:	802.11n(HT20)	Frequency(MHz):	5825	Peak	Horizontal
-----------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5825 Band edge

: Ant 1+2 5G WIFI 11N CH165

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5825.000	9.98	34.60	37.80	99.99	106.77	125.20	-18.43	peak
2	5850.000	10.07	34.61	37.82	61.78	68.64	122.20	-53.56	peak
3	5860.000	10.10	34.62	37.82	60.84	67.74	109.40	-41.66	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.458	8.32	34.47	37.40	50.17	55.56	74.00	-18.44	Peak
2	5150.000	8.33	34.47	37.40	46.97	52.37	74.00	-21.63	Peak
3 pp	5180.000	8.37	34.46	37.42	94.62	100.03	74.00	26.03	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.057	8.32	34.47	37.40	38.35	43.74	54.00	-10.26	Average
2	5150.000	8.33	34.47	37.40	38.28	43.68	54.00	-10.32	Average
3	pp 5180.000	8.37	34.46	37.42	86.68	92.09	54.00	38.09	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5180 Band edge


: Ant 1+2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.257	8.32	34.47	37.40	49.55	54.94	74.00	-19.06	peak
2	5150.000	8.33	34.47	37.40	48.36	53.76	74.00	-20.24	peak
3 pp	5180.000	8.37	34.46	37.42	96.18	101.59	74.00	27.59	peak





Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.958	8.32	34.47	37.40	40.68	46.07	54.00	-7.93	Average
2	5150.000	8.33	34.47	37.40	40.66	46.06	54.00	-7.94	Average
3 pp	5180.000	8.37	34.46	37.42	89.30	94.71	54.00	40.71	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	37.45	95.33	100.79	74.00	26.79	Peak
2	5350.000	8.63	34.43	37.52	44.84	50.38	74.00	-23.62	Peak
3	5351.070	8.63	34.43	37.52	46.14	51.68	74.00	-22.32	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	37.45	87.45	92.91	54.00	38.91	Average
2	5350.000	8.63	34.43	37.52	35.85	41.39	54.00	-12.61	Average
3	5352.062	8.63	34.43	37.52	35.91	41.45	54.00	-12.55	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	37.45	99.57	105.03	74.00	31.03	peak
2	5350.000	8.63	34.43	37.52	44.60	50.14	74.00	-23.86	peak
3	5355.321	8.64	34.43	37.53	45.80	51.34	74.00	-22.66	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11AC CH48

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5240.000	8.46	34.45	37.45	92.19	97.65	54.00	43.65	Average
2	5350.000	8.63	34.43	37.52	36.53	42.07	54.00	-11.93	Average
3	5354.896	8.64	34.43	37.53	36.44	41.98	54.00	-12.02	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5104.070	8.25	34.48	37.37	45.96	51.32	74.00	-22.68	Peak
2	5150.000	8.33	34.47	37.40	45.14	50.54	74.00	-23.46	Peak
3 pp	5260.000	8.49	34.45	37.47	95.70	101.17	74.00	27.17	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5114.526	8.27	34.48	37.37	36.52	41.90	54.00	-12.10	Average
2	5150.000	8.33	34.47	37.40	35.59	40.99	54.00	-13.01	Average
3 pp	5260.000	8.49	34.45	37.47	88.65	94.12	54.00	40.12	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5260 Band edge


: Ant 1+2 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5103.362	8.25	34.48	37.37	45.92	51.28	74.00	-22.72	peak
2	5150.000	8.33	34.47	37.40	44.02	49.42	74.00	-24.58	peak
3 pp	5260.000	8.49	34.45	37.47	99.38	104.85	74.00	30.85	peak





Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5107.790	8.26	34.48	37.37	37.62	42.99	54.00	-11.01	Average
2	5150.000	8.33	34.47	37.40	35.93	41.33	54.00	-12.67	Average
3 pp	5260.000	8.49	34.45	37.47	92.28	97.75	54.00	43.75	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	37.50	93.65	99.16	74.00	25.16	Peak
2	5350.000	8.63	34.43	37.52	52.84	58.38	74.00	-15.62	Peak
3	5352.067	8.63	34.43	37.52	53.25	58.79	74.00	-15.21	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5320 Band edge


: Ant 1+2 5G WIFI 11AC CH64

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark

	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	37.50	85.65	91.16	54.00	37.16	Average
2	5350.000	8.63	34.43	37.52	38.55	44.09	54.00	-9.91	Average
3	5350.966	8.63	34.43	37.52	38.43	43.97	54.00	-10.03	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	37.50	97.09	102.60	74.00	28.60	peak
2	5350.000	8.63	34.43	37.52	49.89	55.43	74.00	-18.57	peak
3	5371.309	8.66	34.42	37.54	51.91	57.45	74.00	-16.55	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11AC CH64

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5320.000	8.58	34.43	37.50	90.09	95.60	54.00	41.60 Average
2	5350.000	8.63	34.43	37.52	40.32	45.86	54.00	-8.14 Average
3	5350.566	8.63	34.43	37.52	40.41	45.95	54.00	-8.05 Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5467.836	8.80	34.41	37.59	56.86	62.48	74.00	-11.52	Peak
2	5470.000	8.81	34.41	37.60	55.68	61.30	74.00	-12.70	Peak
3 pp	5500.000	8.85	34.40	37.61	95.52	101.16	74.00	27.16	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.519	8.81	34.41	37.60	40.33	45.95	54.00	-8.05	Average
2	5470.000	8.81	34.41	37.60	40.61	46.23	54.00	-7.77	Average
3 pp	5500.000	8.85	34.40	37.61	88.12	93.76	54.00	39.76	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5500 Band edge


: Ant 1+2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.519	8.81	34.41	37.60	55.71	61.33	74.00	-12.67	peak
2	5470.000	8.81	34.41	37.60	50.82	56.44	74.00	-17.56	peak
3 pp	5500.000	8.85	34.40	37.61	97.63	103.27	74.00	29.27	peak





Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.519	8.81	34.41	37.60	41.07	46.69	54.00	-7.31	Average
2	5470.000	8.81	34.41	37.60	41.30	46.92	54.00	-7.08	Average
3 pp	5500.000	8.85	34.40	37.61	90.75	96.39	54.00	42.39	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 1+2 5G WIFI 11AC CH140

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	9.56	34.52	37.73	94.60	100.95	74.00	26.95	Peak
2	5725.000	9.64	34.54	37.75	60.23	66.66	74.00	-7.34	Peak
3	5727.583	9.65	34.54	37.75	58.86	65.30	74.00	-8.70	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5700 Band edge


: Ant 1+2 5G WIFI 11AC CH140

Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	

	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Remark
1 pp	5700.000	9.56	34.52	37.73	86.84	93.19	54.00	39.19	Average
2	5725.000	9.64	34.54	37.75	41.32	47.75	54.00	-6.25	Average
3	5725.883	9.65	34.54	37.75	41.48	47.92	54.00	-6.08	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5700 Band edge

: Ant 1+2 5G WIFI 11AC CH140

Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	

pp	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Remark
1	5700.000	9.56	34.52	37.73	95.62	101.97	74.00	27.97	peak
2	5725.000	9.64	34.54	37.75	49.78	56.21	74.00	-17.79	peak
3	5731.182	9.66	34.54	37.75	53.00	59.45	74.00	-14.55	peak




# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM171001122302

Page: 725 of 804

Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5700 Band edge

: Ant 1+2 5G WIFI 11AC CH140

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1	pp 5700.000	9.56	34.52	37.73	87.87	94.22	54.00	40.22 Average
2	5725.000	9.64	34.54	37.75	41.31	47.74	54.00	-6.26 Average
3	5729.982	9.66	34.54	37.75	41.30	47.75	54.00	-6.25 Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5745	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5745 Band edge

: Ant 1+2 5G WIFI 11AC CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	58.46	64.86	109.40	-44.54	peak
2	5725.000	9.64	34.54	37.75	68.00	74.43	122.20	-47.77	peak
3 pp	5745.000	9.71	34.55	37.76	95.39	101.89	125.20	-23.31	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5745	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5745 Band edge

: Ant 1+2 5G WIFI 11AC CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	9.61	34.53	37.74	59.44	65.84	109.40	-43.56 peak
2	5725.000	9.64	34.54	37.75	70.69	77.12	122.20	-45.08 peak
3 pp	5745.000	9.71	34.55	37.76	100.61	107.11	125.20	-18.09 peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5825	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5825 Band edge


: Ant 1+2 5G WIFI 11AC CH165

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5825.000	9.98	34.60	37.80	95.12	101.90	125.20	-23.30	peak
2	5850.000	10.07	34.61	37.82	55.81	62.67	122.20	-59.53	peak
3	5860.000	10.10	34.62	37.82	56.19	63.09	109.40	-46.31	peak





Test mode:	802.11ac(HT20)	Frequency(MHz):	5825	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5825 Band edge

: Ant 1+2 5G WIFI 11AC CH165

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5825.000	9.98	34.60	37.80	100.71	107.49	125.20	-17.71	peak
2	5850.000	10.07	34.61	37.82	62.51	69.37	122.20	-52.83	peak
3	5860.000	10.10	34.62	37.82	60.59	67.49	109.40	-41.91	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5190 Band edge


: Ant 1+2 5G WIFI 11N40 CH38

Read	Limit	Over	Remark
Level	Line	Limit	
Freq	Loss	Factor	Factor

	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.187	8.32	34.47	37.40	49.51	54.90	74.00	-19.10	Peak
2	5150.000	8.33	34.47	37.40	50.29	55.69	74.00	-18.31	Peak
3 pp	5190.000	8.39	34.46	37.42	87.42	92.85	74.00	18.85	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11N40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.743	8.32	34.47	37.40	39.26	44.65	54.00	-9.35	Average
2	5150.000	8.33	34.47	37.40	39.24	44.64	54.00	-9.36	Average
3 pp	5190.000	8.39	34.46	37.42	78.53	83.96	54.00	29.96	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11N40 CH38

Cable Ant Preamp Read


Freq Loss Factor Factor Level Level Limit Over

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB

	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Remark
1	5143.597	8.32	34.47	37.39	51.03	56.43	74.00	-17.57	peak
2	5150.000	8.33	34.47	37.40	50.78	56.18	74.00	-17.82	peak
3 pp	5190.000	8.39	34.46	37.42	91.05	96.48	74.00	22.48	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11N40 CH38


Cable Loss Ant Factor Preamp Factor Read Level Limit Over

Freq Loss Factor Factor Level Level Line Limit Remark

	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.342	8.32	34.47	37.40	40.96	46.35	54.00	-7.65	Average
2	5150.000	8.33	34.47	37.40	41.45	46.85	54.00	-7.15	Average
3	pp 5190.000	8.39	34.46	37.42	82.39	87.82	54.00	33.82	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5230 Band edge


: Ant 1+2 5G WIFI 11N40 CH46

Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB

1	pp	5230.000	8.45	34.45	37.45	90.73	96.18	74.00	22.18	Peak
2		5350.000	8.63	34.43	37.52	44.72	50.26	74.00	-23.74	Peak
3		5356.265	8.64	34.43	37.53	45.22	50.76	74.00	-23.24	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11N40 CH46


Cable Loss Ant Factor Preamp Factor Read Level Level Limit Over

Freq Loss Factor Factor Level Level Line Limit Remark

	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	82.20	87.65	54.00	33.65	Average
2	5350.000	8.63	34.43	37.52	36.09	41.63	54.00	-12.37	Average
3	5351.722	8.63	34.43	37.52	36.19	41.73	54.00	-12.27	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11N40 CH46


Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	

1	pp	5230.000	8.45	34.45	37.45	94.67	100.12	74.00	26.12	peak
2		5350.000	8.63	34.43	37.52	46.03	51.57	74.00	-22.43	peak
3		5354.642	8.64	34.43	37.53	45.81	51.35	74.00	-22.65	peak





Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11N40 CH46


Cable Ant Preamp Read Limit Over

Freq Loss Factor Factor Level Level Line Limit Remark

	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Remark
1 pp	5230.000	8.45	34.45	37.45	86.99	92.44	54.00	38.44	Average
2	5350.000	8.63	34.43	37.52	36.83	42.37	54.00	-11.63	Average
3	5350.587	8.63	34.43	37.52	36.83	42.37	54.00	-11.63	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11N40 CH54

Cable Ant Preamp

Read

Limit


Over

Freq Loss Factor Factor Level Level Line Limit Remark

	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5119.065	8.28	34.48	37.38	45.56	50.94	74.00	-23.06	Peak
2	5150.000	8.33	34.47	37.40	45.02	50.42	74.00	-23.58	Peak
3 pp	5270.000	8.51	34.44	37.47	89.54	95.02	74.00	21.02	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11N40 CH54


Cable Ant Preamp Read Limit Over

Freq Loss Factor Factor Level Level Line Limit Remark

	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5136.620	8.30	34.47	37.39	36.16	41.54	54.00	-12.46	Average
2	5150.000	8.33	34.47	37.40	35.83	41.23	54.00	-12.77	Average
3 pp	5270.000	8.51	34.44	37.47	82.08	87.56	54.00	33.56	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11N40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5140.969	8.31	34.47	37.39	46.35	51.74	74.00	-22.26	peak
2	5150.000	8.33	34.47	37.40	44.25	49.65	74.00	-24.35	peak
3 pp	5270.000	8.51	34.44	37.47	94.11	99.59	74.00	25.59	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11N40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.707	8.32	34.47	37.40	36.93	42.32	54.00	-11.68	Average
2	5150.000	8.33	34.47	37.40	36.62	42.02	54.00	-11.98	Average
3	5270.000	8.51	34.44	37.47	86.18	91.66	54.00	37.66	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5310 Band edge


: Ant 1+2 5G WIFI 11N40 CH62

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	

1	pp	5310.000	8.57	34.44	37.50	87.81	93.32	74.00	19.32	Peak
2		5350.000	8.63	34.43	37.52	46.82	52.36	74.00	-21.64	Peak
3		5378.201	8.67	34.42	37.54	47.46	53.01	74.00	-20.99	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 1+2 5G WIFI 11N40 CH62

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5310.000	8.57	34.44	37.50	79.97	85.48	54.00	31.48 Average
2	5350.000	8.63	34.43	37.52	37.87	43.41	54.00	-10.59 Average
3	5353.721	8.64	34.43	37.52	37.86	43.41	54.00	-10.59 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5310 Band edge


: Ant 1+2 5G WIFI 11N40 CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	91.76	97.27	74.00	23.27	peak
2	5350.000	8.63	34.43	37.52	47.69	53.23	74.00	-20.77	peak
3	5352.999	8.63	34.43	37.52	49.55	55.09	74.00	-18.91	peak





Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 1+2 5G WIFI 11N40 CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	84.29	89.80	54.00	35.80 Average
2	5350.000	8.63	34.43	37.52	39.86	45.40	54.00	-8.60 Average
3	5350.834	8.63	34.43	37.52	39.70	45.24	54.00	-8.76 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5510 Band edge


: Ant 1+2 5G WIFI 11N40 CH102

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	

1	5467.033	8.80	34.41	37.59	54.87	60.49	74.00	-13.51	Peak
2	5470.000	8.81	34.41	37.60	53.29	58.91	74.00	-15.09	Peak
3 pp	5510.000	8.89	34.41	37.62	89.52	95.20	74.00	21.20	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11N40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.552	8.81	34.41	37.60	43.04	48.66	54.00	-5.34	Average
2	5470.000	8.81	34.41	37.60	43.25	48.87	54.00	-5.13	Average
3 pp	5510.000	8.89	34.41	37.62	81.94	87.62	54.00	33.62	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11N40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5468.992	8.80	34.41	37.60	51.20	56.81	74.00	-17.19	peak
2	5470.000	8.81	34.41	37.60	48.59	54.21	74.00	-19.79	peak
3	5510.000	8.89	34.41	37.62	90.87	96.55	74.00	22.55	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11N40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.412	8.81	34.41	37.60	39.60	45.22	54.00	-8.78	Average
2	5470.000	8.81	34.41	37.60	39.75	45.37	54.00	-8.63	Average
3	pp 5510.000	8.89	34.41	37.62	82.81	88.49	54.00	34.49	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1+2 5G WIFI 11N40 CH134

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5670.000	9.45	34.50	37.71	90.19	96.43	74.00	22.43	Peak
2	5725.000	9.64	34.54	37.75	48.59	55.02	74.00	-18.98	Peak
3	5726.676	9.65	34.54	37.75	48.65	55.09	74.00	-18.91	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1+2 5G WIFI 11N40 CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	82.10	88.34	54.00	34.34	Average
2	5725.000	9.64	34.54	37.75	39.83	46.26	54.00	-7.74	Average
3	5725.553	9.64	34.54	37.75	39.81	46.24	54.00	-7.76	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5670 Band edge

: Ant 1+2 5G WIFI 11N40 CH134


Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	

1	pp	5670.000	9.45	34.50	37.71	95.36	101.60	74.00	27.60	peak
2		5725.000	9.64	34.54	37.75	48.00	54.43	74.00	-19.57	peak
3		5730.188	9.66	34.54	37.75	48.89	55.34	74.00	-18.66	peak





Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1+2 5G WIFI 11N40 CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5670.000	9.45	34.50	37.71	86.29	92.53	54.00	38.53	Average
2	5725.000	9.64	34.54	37.75	40.08	46.51	54.00	-7.49	Average
3	5728.783	9.66	34.54	37.75	40.08	46.53	54.00	-7.47	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5755	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5755 Band edge

: Ant 1+2 5G WIFI 11N40 CH151

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	52.99	59.39	109.40	-50.01	peak
2	5725.000	9.64	34.54	37.75	58.01	64.44	122.20	-57.76	peak
3 pp	5755.000	9.75	34.56	37.76	90.87	97.42	125.20	-27.78	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5755	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5755 Band edge

: Ant 1+2 5G WIFI 11N40 CH151

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	58.56	64.96	109.40	-44.44	peak
2	5725.000	9.64	34.54	37.75	60.87	67.30	122.20	-54.90	peak
3 pp	5755.000	9.75	34.56	37.76	96.62	103.17	125.20	-22.03	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5795	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5795 Band edge

: Ant 1+2 5G WIFI 11N40 CH159

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5795.000	9.88	34.58	37.79	91.50	98.17	125.20	-27.03	peak
2	5850.000	10.07	34.61	37.82	45.20	52.06	122.20	-70.14	peak
3	5860.000	10.10	34.62	37.82	45.36	52.26	109.40	-57.14	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5795	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5795 Band edge

: Ant 1+2 5G WIFI 11N40 CH159

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5795.000	9.88	34.58	37.79	95.34	102.01	125.20	-23.19	peak
2	5850.000	10.07	34.61	37.82	46.18	53.04	122.20	-69.16	peak
3	5860.000	10.10	34.62	37.82	46.48	53.38	109.40	-56.02	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11AC40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.743	8.32	34.47	37.40	51.88	57.27	74.00	-16.73	Peak
2	5150.000	8.33	34.47	37.40	50.54	55.94	74.00	-18.06	Peak
3 pp	5190.000	8.39	34.46	37.42	87.05	92.48	74.00	18.48	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11AC40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.222	8.32	34.47	37.40	39.33	44.72	54.00	-9.28	Average
2	5150.000	8.33	34.47	37.40	39.46	44.86	54.00	-9.14	Average
3 pp	5190.000	8.39	34.46	37.42	79.22	84.65	54.00	30.65	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5190 Band edge


: Ant 1+2 5G WIFI 11AC40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.306	8.32	34.47	37.40	50.47	55.86	74.00	-18.14	peak
2	5150.000	8.33	34.47	37.40	48.77	54.17	74.00	-19.83	peak
3	pp 5190.000	8.39	34.46	37.42	89.70	95.13	74.00	21.13	peak





Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11AC40 CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.461	8.32	34.47	37.40	41.09	46.48	54.00	-7.52	Average
2	5150.000	8.33	34.47	37.40	41.21	46.61	54.00	-7.39	Average
3 pp	5190.000	8.39	34.46	37.42	82.09	87.52	54.00	33.52	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11AC40 CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	89.58	95.03	74.00	21.03	Peak
2	5350.000	8.63	34.43	37.52	44.50	50.04	74.00	-23.96	Peak
3	5350.911	8.63	34.43	37.52	46.80	52.34	74.00	-21.66	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11AC40 CH46

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5230.000	8.45	34.45	37.45	81.71	87.16	54.00	33.16	Average
2	5350.000	8.63	34.43	37.52	35.90	41.44	54.00	-12.56	Average
3	5351.073	8.63	34.43	37.52	36.07	41.61	54.00	-12.39	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11AC40 CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5230.000	8.45	34.45	37.45	93.81	99.26	74.00	25.26	peak
2	5350.000	8.63	34.43	37.52	45.13	50.67	74.00	-23.33	peak
3	5359.675	8.64	34.43	37.53	45.37	50.91	74.00	-23.09	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11AC40 CH46

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	86.16	91.61	54.00	37.61 Average
2	5350.000	8.63	34.43	37.52	36.54	42.08	54.00	-11.92 Average
3	5351.560	8.63	34.43	37.52	36.47	42.01	54.00	-11.99 Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11AC40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5116.505	8.27	34.48	37.38	45.78	51.15	74.00	-22.85	Peak
2	5150.000	8.33	34.47	37.40	45.39	50.79	74.00	-23.21	Peak
3 pp	5270.000	8.51	34.44	37.47	89.63	95.11	74.00	21.11	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11AC40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.509	8.32	34.47	37.40	35.93	41.32	54.00	-12.68	Average
2	5150.000	8.33	34.47	37.40	35.74	41.14	54.00	-12.86	Average
3 pp	5270.000	8.51	34.44	37.47	81.68	87.16	54.00	33.16	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11AC40 CH54


	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	

1	5142.155	8.31	34.47	37.39	45.78	51.17	74.00	-22.83	peak
2	5150.000	8.33	34.47	37.40	44.77	50.17	74.00	-23.83	peak
3 pp	5270.000	8.51	34.44	37.47	93.83	99.31	74.00	25.31	peak





Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11AC40 CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5137.213	8.31	34.47	37.39	36.57	41.96	54.00	-12.04	Average
2	5150.000	8.33	34.47	37.40	36.53	41.93	54.00	-12.07	Average
3 pp	5270.000	8.51	34.44	37.47	86.17	91.65	54.00	37.65	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5310 Band edge


: Ant 1+2 5G WIFI 11AC40 CH62

Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	

1	2	3
pp		
5310.000	5350.000	5351.195
8.57	8.63	8.63
34.44	34.43	34.43
37.50	37.52	37.52
87.67	48.26	47.06
93.18	53.80	52.60
74.00	74.00	74.00
19.18	-20.20	-21.40
Peak	Peak	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 1+2 5G WIFI 11AC40 CH62

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5310.000	8.57	34.44	37.50	79.76	85.27	54.00	31.27 Average
2	5350.000	8.63	34.43	37.52	37.53	43.07	54.00	-10.93 Average
3	5350.474	8.63	34.43	37.52	37.48	43.02	54.00	-10.98 Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 1+2 5G WIFI 11AC40 CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	92.18	97.69	74.00	23.69	peak
2	5350.000	8.63	34.43	37.52	48.88	54.42	74.00	-19.58	peak
3	5354.443	8.64	34.43	37.53	51.33	56.87	74.00	-17.13	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5310 Band edge

: Ant 1+2 5G WIFI 11AC40 CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	84.47	89.98	54.00	35.98	Average
2	5350.000	8.63	34.43	37.52	39.66	45.20	54.00	-8.80	Average
3	5351.075	8.63	34.43	37.52	39.52	45.06	54.00	-8.94	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11AC40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5467.033	8.80	34.41	37.59	55.79	61.41	74.00	-12.59	Peak
2	5470.000	8.81	34.41	37.60	54.45	60.07	74.00	-13.93	Peak
3	pp 5510.000	8.89	34.41	37.62	90.05	95.73	74.00	21.73	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11AC40 CH102

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5469.552	8.81	34.41	37.60	43.87	49.49	54.00	-4.51 Average
2	5470.000	8.81	34.41	37.60	43.94	49.56	54.00	-4.44 Average
3 pp	5510.000	8.89	34.41	37.62	82.00	87.68	54.00	33.68 Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5510 Band edge


: Ant 1+2 5G WIFI 11AC40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5468.012	8.80	34.41	37.59	52.23	57.85	74.00	-16.15	peak
2	5470.000	8.81	34.41	37.60	51.75	57.37	74.00	-16.63	peak
3 pp	5510.000	8.89	34.41	37.62	90.38	96.06	74.00	22.06	peak





Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11AC40 CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.552	8.81	34.41	37.60	39.84	45.46	54.00	-8.54	Average
2	5470.000	8.81	34.41	37.60	40.15	45.77	54.00	-8.23	Average
3 pp	5510.000	8.89	34.41	37.62	82.65	88.33	54.00	34.33	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1+2 5G WIFI 11AC40 CH134

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	90.83	97.07	74.00	23.07	Peak
2	5725.000	9.64	34.54	37.75	47.07	53.50	74.00	-20.50	Peak
3	5728.642	9.66	34.54	37.75	48.06	54.51	74.00	-19.49	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1+2 5G WIFI 11AC40 CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	81.66	87.90	54.00	33.90	Average
2	5725.000	9.64	34.54	37.75	37.87	44.30	54.00	-9.70	Average
3	5730.047	9.66	34.54	37.75	38.02	44.47	54.00	-9.53	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1+2 5G WIFI 11AC40 CH134

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1	pp 5670.000	9.45	34.50	37.71	93.67	99.91	74.00	25.91 peak
2	5725.000	9.64	34.54	37.75	47.55	53.98	74.00	-20.02 peak
3	5730.609	9.66	34.54	37.75	49.21	55.66	74.00	-18.34 peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5670 Band edge

: Ant 1+2 5G WIFI 11AC40 CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	86.07	92.31	54.00	38.31	Average
2	5725.000	9.64	34.54	37.75	39.72	46.15	54.00	-7.85	Average
3	5728.502	9.65	34.54	37.75	39.95	46.39	54.00	-7.61	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5755	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5755 Band edge

: Ant 1+2 5G WIFI 11AC40 CH151

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	9.61	34.53	37.74	56.01	62.41	109.40	-46.99 peak
2	5725.000	9.64	34.54	37.75	57.77	64.20	122.20	-58.00 peak
3 pp	5755.000	9.75	34.56	37.76	90.86	97.41	125.20	-27.79 peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5755	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5755 Band edge

: Ant 1+2 5G WIFI 11AC40 CH151

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	56.30	62.70	109.40	-46.70 peak
2	5725.000	9.64	34.54	37.75	60.19	66.62	122.20	-55.58 peak
3 pp	5755.000	9.75	34.56	37.76	94.94	101.49	125.20	-23.71 peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5795	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG

Mode : 5795 Band edge


: Ant 1+2 5G WIFI 11AC40 CH159

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5795.000	9.88	34.58	37.79	90.61	97.28	125.20	-27.92	peak
2	5850.000	10.07	34.61	37.82	45.09	51.95	122.20	-70.25	peak
3	5860.000	10.10	34.62	37.82	45.06	51.96	109.40	-57.44	peak





Test mode:	802.11ac(HT40)	Frequency(MHz):	5795	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 1223RG  
 Mode : 5795 Band edge  
 : Ant 1+2 5G WIFI 11AC40 CH159

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5795.000	9.88	34.58	37.79	94.69	101.36	125.20	-23.84	peak
2	5850.000	10.07	34.61	37.82	46.43	53.29	122.20	-68.91	peak
3	5860.000	10.10	34.62	37.82	46.81	53.71	109.40	-55.69	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5210 Band edge

: Ant 1+2 5G WIFI 11AC80 CH42

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.178	8.32	34.47	37.40	49.65	55.04	74.00	-18.96	Peak
2 pp	5210.000	8.42	34.46	37.44	82.48	87.92	74.00	13.92	Peak
3	5356.803	8.64	34.43	37.53	46.16	51.70	74.00	-22.30	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5210 Band edge

: Ant 1+2 5G WIFI 11AC80 CH42

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.083	8.32	34.47	37.39	39.56	44.96	54.00	-9.04	Average
2 pp	5210.000	8.42	34.46	37.44	73.95	79.39	54.00	25.39	Average
3	5351.212	8.63	34.43	37.52	36.23	41.77	54.00	-12.23	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5210 Band edge


: Ant 1+2 5G WIFI 11AC80 CH42

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	

1	5148.410	8.32	34.47	37.40	53.15	58.54	74.00	-15.46	peak
2	pp 5210.000	8.42	34.46	37.44	86.73	92.17	74.00	18.17	peak
3	5350.946	8.63	34.43	37.52	46.83	52.37	74.00	-21.63	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5210 Band edge

: Ant 1+2 5G WIFI 11AC80 CH42

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.643	8.32	34.47	37.40	41.29	46.68	54.00	-7.32	Average
2 pp	5210.000	8.42	34.46	37.44	77.66	83.10	54.00	29.10	Average
3	5351.212	8.63	34.43	37.52	37.11	42.65	54.00	-11.35	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5290 Band edge

: Ant 1+2 5G WIFI 11AC80 CH58

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.209	8.32	34.47	37.40	46.07	51.46	74.00	-22.54	Peak
2	5290.000	8.54	34.44	37.49	84.92	90.41	74.00	16.41	Peak
3	5350.229	8.63	34.43	37.52	46.67	52.21	74.00	-21.79	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5290 Band edge

: Ant 1+2 5G WIFI 11AC80 CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.855	8.32	34.47	37.40	37.03	42.42	54.00	-11.58	Average
2	5290.000	8.54	34.44	37.49	76.27	81.76	54.00	27.76	Average
3	5350.535	8.63	34.43	37.52	37.30	42.84	54.00	-11.16	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5290 Band edge


: Ant 1+2 5G WIFI 11AC80 CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5140.975	8.31	34.47	37.39	49.26	54.65	74.00	-19.35	peak
2	5290.000	8.54	34.44	37.49	89.11	94.60	74.00	20.60	peak
3	5352.064	8.63	34.43	37.52	47.78	53.32	74.00	-20.68	peak





Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5290 Band edge

: Ant 1+2 5G WIFI 11AC80 CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.090	8.32	34.47	37.39	38.40	43.80	54.00	-10.20	Average
2	5290.000	8.54	34.44	37.49	80.71	86.20	54.00	32.20	Average
3	5351.146	8.63	34.43	37.52	39.73	45.27	54.00	-8.73	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5530 Band edge

: Ant 1+2 5G WIFI 11AC80 CH106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5460.002	8.79	34.41	37.59	51.79	57.40	74.00	-16.60	Peak
2	5470.000	8.81	34.41	37.60	49.91	55.53	74.00	-18.47	Peak
3 pp	5530.000	8.96	34.42	37.63	86.61	92.36	74.00	18.36	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5530 Band edge

: Ant 1+2 5G WIFI 11AC80 CH106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5466.271	8.80	34.41	37.59	42.38	48.00	54.00	-6.00	Average
2	5470.000	8.81	34.41	37.60	42.01	47.63	54.00	-6.37	Average
3 pp	5530.000	8.96	34.42	37.63	77.60	83.35	54.00	29.35	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5530 Band edge

: Ant 1+2 5G WIFI 11AC80 CH106

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5458.570	8.79	34.41	37.59	50.10	55.71	74.00	-18.29	peak
2	5470.000	8.81	34.41	37.60	47.92	53.54	74.00	-20.46	Peak
3	pp 5530.000	8.96	34.42	37.63	87.68	93.43	74.00	19.43	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5530 Band edge

: Ant 1+2 5G WIFI 11AC80 CH106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5466.451	8.80	34.41	37.59	41.13	46.75	54.00	-7.25	Average
2	5470.000	8.81	34.41	37.60	40.97	46.59	54.00	-7.41	Average
3 pp	5530.000	8.96	34.42	37.63	79.67	85.42	54.00	31.42	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5610 Band edge

: Ant 1+2 5G WIFI 11AC80 CH122

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5610.000	9.24	34.47	37.68	85.96	91.99	74.00	17.99	Peak
2	5725.000	9.64	34.54	37.75	47.11	53.54	74.00	-20.46	Peak
3	5751.051	9.73	34.55	37.76	47.02	53.54	74.00	-20.46	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5610 Band edge

: Ant 1+2 5G WIFI 11AC80 CH122

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5610.000	9.24	34.47	37.68	77.32	83.35	54.00	29.35	Average
2	5725.000	9.64	34.54	37.75	37.17	43.60	54.00	-10.40	Average
3	5747.394	9.72	34.55	37.76	37.09	43.60	54.00	-10.40	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5610 Band edge


: Ant 1+2 5G WIFI 11AC80 CH122

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5610.000	9.24	34.47	37.68	88.66	94.69	74.00	20.69 peak
2	5725.000	9.64	34.54	37.75	49.11	55.54	74.00	-18.46 peak
3	5741.101	9.70	34.55	37.75	49.04	55.54	74.00	-18.46 peak





Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG


Mode : 5610 Band edge

: Ant 1+2 5G WIFI 11AC80 CH122

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	
1 pp	5610.000	9.24	34.47	37.68	80.96	86.99	54.00	32.99	Average	
2	5725.000	9.64	34.54	37.75	39.19	45.62	54.00	-8.38	Average	
3	5734.004	9.67	34.54	37.75	39.16	45.62	54.00	-8.38	Average	



Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 1223RG


Mode : 5775 Band edge

: Ant 1+2 5G WIFI 11AC80 CH155

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5719.267	9.62	34.53	37.74	55.76	62.17	110.59	-48.42	peak
2 pp	5775.000	9.81	34.57	37.77	86.78	93.39	125.20	-31.81	peak
3	5857.666	10.10	34.62	37.82	46.35	53.25	110.05	-56.80	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 1223RG

Mode : 5775 Band edge

: Ant 1+2 5G WIFI 11AC80 CH155

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5722.883	9.64	34.54	37.74	58.28	64.72	117.37	-52.65	peak
2 pp	5775.000	9.81	34.57	37.77	90.33	96.94	125.20	-28.26	peak
3	5851.191	10.07	34.61	37.82	47.09	53.95	119.48	-65.53	peak



**Note:**

*The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:*

*Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor*

---

## **7 Photographs - EUT Test Setup Details**

Refer to Appendix A - Photographs of EUT Test Setup Details for SZEM1710011223RG.