



CH60



Date: 5.JUL.2015 18:13:12

CH64




Date: 16.AUG.2015 13:36:22

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.50	0.47	5.97	11.00
CH60	5300	6.05	0.47	6.52	11.00
CH64	5320	1.24	0.47	1.71	11.00

CH52




Date: 5.JUL.2015 19:06:09

CH60



Date: 5.JUL.2015 18:25:26

CH64




Date: 16.AUG.2015 13:35:13

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.97	0.47	5.44	11.00
CH60	5300	4.24	0.47	4.71	11.00
CH64	5320	-1.80	0.47	-1.33	11.00

CH52




Date: 5.JUL.2015 19:05:12

CH60



Date: 5.JUL.2015 18:52:51

CH64



Date: 16.AUG.2015 13:37:49


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.68	11.00
CH60	5300	10.80	11.00
CH64	5320	4.84	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.96	0.83	3.79	11.00
CH62	5310	-4.81	0.83	-3.98	11.00

CH54



Date: 5.JUL.2015 20:31:04

CH62




Date: 16.AUG.2015 13:48:04

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.64	0.83	3.47	11.00
CH62	5310	-3.07	0.83	-2.24	11.00

CH54



Date: 5.JUL.2015 20:41:43

CH62




Date: 16.AUG.2015 13:49:09

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.89	0.83	2.72	11.00
CH62	5310	-3.11	0.83	-2.28	11.00

CH54



Date: 5.JUL.2015 20:52:35

CH62



Date: 16.AUG.2015 13:50:13


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	8.12	11.00
CH62	5310	2.01	11.00

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.78	0.47	-2.31	11.00
CH116	5580	5.58	0.47	6.05	11.00
CH140	5700	4.96	0.47	5.43	11.00

CH100




Date: 16.AUG.2015 13:42:32

CH116



Date: 5.JUL.2015 18:16:04

CH140




Date: 5.JUL.2015 18:16:45

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.50	0.47	1.97	11.00
CH116	5580	6.24	0.47	6.71	11.00
CH140	5700	5.14	0.47	5.61	11.00

CH100




Date: 16.AUG.2015 13:41:10

CH116



Date: 5.JUL.2015 18:43:10

CH140




Date: 5.JUL.2015 18:44:38

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.56	0.47	-1.09	11.00
CH116	5580	4.89	0.47	5.36	11.00
CH140	5700	4.17	0.47	4.64	11.00

CH100




Date: 16.AUG.2015 13:39:47

CH116



Date: 5.JUL.2015 18:55:08

CH140



Date: 5.JUL.2015 18:55:47


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.68	11.00
CH116	5580	10.85	11.00
CH140	5700	10.02	11.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-7.31	0.83	-6.48	11.00
CH110	5550	2.67	0.83	3.50	11.00
CH134	5670	2.67	0.83	3.50	11.00

CH102




Date: 16.AUG.2015 13:54:24

CH110



Date: 5.JUL.2015 20:33:59

CH134




Date: 5.JUL.2015 20:34:50

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.94	0.83	-3.11	11.00
CH110	5550	4.84	0.83	5.67	11.00
CH134	5670	2.93	0.83	3.76	11.00

CH102




Date: 16.AUG.2015 13:53:23

CH110



Date: 5.JUL.2015 20:45:08

CH134




Date: 5.JUL.2015 20:46:26

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-6.71	0.83	-5.88	11.00
CH110	5550	1.20	0.83	2.03	11.00
CH134	5670	2.10	0.83	2.93	11.00

CH102




Date: 16.AUG.2015 13:52:16

CH110



Date: 5.JUL.2015 20:55:37

CH134



Date: 5.JUL.2015 20:56:30


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.12	11.00
CH110	5550	8.76	11.00
CH134	5670	8.18	11.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.27	0.47	2.74	30.00
CH157	5785	2.19	0.47	2.66	30.00
CH165	5825	2.51	0.47	2.98	30.00

TX CH149




Date: 5.JUL.2015 18:17:43

TX CH157



Date: 5.JUL.2015 18:18:52

TX CH165




Date: 5.JUL.2015 18:19:36

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.39	0.47	2.86	30.00
CH157	5785	1.88	0.47	2.35	30.00
CH165	5825	2.19	0.47	2.66	30.00

TX CH149




Date: 5.JUL.2015 18:45:50

TX CH157



Date: 5.JUL.2015 18:47:05

TX CH165




Date: 5.JUL.2015 18:47:50

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.29	0.47	2.76	30.00
CH157	5785	1.84	0.47	2.31	30.00
CH165	5825	1.26	0.47	1.73	30.00

TX CH149




Date: 5.JUL.2015 18:56:38

TX CH157



Date: 5.JUL.2015 18:58:45

TX CH165



Date: 5.JUL.2015 18:59:27


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.56	30.00
CH157	5785	7.21	30.00
CH165	5825	7.26	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.07	0.83	0.76	30.00
CH159	5795	0.12	0.83	0.95	30.00

TX CH151



Date: 5.JUL.2015 20:35:52

TX CH159




Date: 5.JUL.2015 20:36:55

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.28	0.83	1.11	30.00
CH159	5795	0.10	0.83	0.93	30.00

TX CH151



Date: 5.JUL.2015 20:47:27

TX CH159




Date: 5.JUL.2015 20:48:30

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.21	0.83	0.62	30.00
CH159	5795	-0.77	0.83	0.06	30.00

TX CH151



Date: 5.JUL.2015 20:57:32

TX CH159



Date: 5.JUL.2015 20:58:46


Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.61	30.00
CH159	5795	5.44	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.73	0.11	-0.62	17.00
CH40	5200	-0.28	0.11	-0.17	17.00
CH48	5240	-0.28	0.11	-0.17	17.00

CH36




Date: 5.JUL.2015 19:30:16

CH40



Date: 5.JUL.2015 19:31:10


CH48



Date: 5.JUL.2015 19:31:52


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.02	0.11	0.09	17.00
CH40	5200	0.35	0.11	0.46	17.00
CH48	5240	1.06	0.11	1.17	17.00




Date: 5.JUL.2015 19:43:26

CH40



Date: 5.JUL.2015 19:44:14


CH48



Date: 5.JUL.2015 19:44:57


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.14	0.11	-0.03	17.00
CH40	5200	0.33	0.11	0.44	17.00
CH48	5240	-0.34	0.11	-0.23	17.00




Date: 5.JUL.2015 19:54:49

CH40



Date: 5.JUL.2015 19:55:37

CH48



Date: 5.JUL.2015 19:56:17


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.60	17.00
CH40	5200	5.02	17.00
CH48	5240	5.08	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.08	0.29	-1.79	17.00
CH46	5230	-1.75	0.29	-1.46	17.00

CH38



Date: 5.JUL.2015 21:38:35

CH46




Date: 5.JUL.2015 21:39:37

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.35	0.29	-1.06	17.00
CH46	5230	-0.62	0.29	-0.33	17.00

CH38



Date: 5.JUL.2015 21:48:08

CH46




Date: 5.JUL.2015 21:49:07

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.09	0.29	-0.80	17.00
CH46	5230	-1.36	0.29	-1.07	17.00

CH38



Date: 5.JUL.2015 21:11:00

CH46




Date: 5.JUL.2015 21:12:43

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.57	17.00
CH46	5230	3.84	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.39	0.62	-4.77	17.00



Date: 5.JUL.2015 22:35:37

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.15	0.62	-3.53	17.00



Date: 5.JUL.2015 22:32:01

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.34	0.62	-3.72	17.00




Date: 5.JUL.2015 22:10:32

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.80	17.00


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.71	0.11	4.82	11.00
CH60	5300	5.25	0.11	5.36	11.00
CH64	5320	-0.55	0.11	-0.44	11.00




Date: 5.JUL.2015 19:32:42

CH60



Date: 5.JUL.2015 19:33:38


CH64



Date: 5.JUL.2015 20:11:04


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.43	0.11	4.54	11.00
CH60	5300	5.06	0.11	5.17	11.00
CH64	5320	-1.20	0.11	-1.09	11.00




Date: 5.JUL.2015 19:45:47

CH60



Date: 5.JUL.2015 19:46:35


CH64



Date: 5.JUL.2015 20:10:40


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.77	0.11	3.88	11.00
CH60	5300	3.49	0.11	3.60	11.00
CH64	5320	-2.54	0.11	-2.43	11.00




Date: 5.JUL.2015 19:57:05

CH60



Date: 5.JUL.2015 19:57:54

CH64



Date: 5.JUL.2015 20:11:30


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.20	11.00
CH60	5300	9.55	11.00
CH64	5320	3.53	11.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.60	0.29	2.89	11.00
CH62	5310	-1.30	0.29	-1.01	11.00

CH54



Date: 5.JUL.2015 21:40:33

CH62




Date: 5.JUL.2015 22:00:51

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.60	0.29	2.89	11.00
CH62	5310	-1.12	0.29	-0.83	11.00

CH54



Date: 5.JUL.2015 21:50:10

CH62




Date: 16.AUG.2015 14:28:01

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.94	0.29	2.23	11.00
CH62	5310	-0.95	0.29	-0.66	11.00

CH54



Date: 5.JUL.2015 21:13:39

CH62




Date: 16.AUG.2015 14:26:40

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	7.45	11.00
CH62	5310	3.94	11.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-0.65	0.62	-0.03	11.00



Date: 5.JUL.2015 22:36:48

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-0.50	0.62	0.12	11.00



Date: 5.JUL.2015 22:33:55

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.56	0.62	-0.94	11.00



Date: 5.JUL.2015 22:21:25


Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	4.51	11.00

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.70	0.11	-2.59	11.00
CH116	5580	5.14	0.11	5.25	11.00
CH140	5700	5.53	0.11	5.64	11.00

CH100




Date: 16.AUG.2015 14:07:32

CH116



Date: 5.JUL.2015 19:35:58

CH140




Date: 5.JUL.2015 19:36:39

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.76	0.11	0.87	11.00
CH116	5580	6.82	0.11	6.93	11.00
CH140	5700	5.33	0.11	5.44	11.00

CH100




Date: 16.AUG.2015 14:08:32

CH116



Date: 5.JUL.2015 19:49:42

CH140




Date: 5.JUL.2015 19:50:27

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.51	0.11	-1.40	11.00
CH116	5580	4.23	0.11	4.34	11.00
CH140	5700	4.80	0.11	4.91	11.00

CH100




Date: 16.AUG.2015 14:09:38

CH116



Date: 5.JUL.2015 20:00:10

CH140



Date: 5.JUL.2015 20:00:51


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.97	11.00
CH116	5580	10.41	11.00
CH140	5700	10.11	11.00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.71	0.29	-4.42	11.00
CH110	5550	1.99	0.29	2.28	11.00
CH134	5670	2.30	0.29	2.59	11.00

CH102




Date: 16.AUG.2015 14:32:14

CH110



Date: 5.JUL.2015 21:43:30

CH134




Date: 5.JUL.2015 21:44:19

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.96	0.29	-1.67	11.00
CH110	5550	4.35	0.29	4.64	11.00
CH134	5670	2.76	0.29	3.05	11.00

CH102




Date: 16.AUG.2015 14:31:10

CH110



Date: 5.JUL.2015 21:53:41

CH134




Date: 5.JUL.2015 21:54:32

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.98	0.29	-4.69	11.00
CH110	5550	0.08	0.29	0.37	11.00
CH134	5670	2.37	0.29	2.66	11.00

CH102




Date: 16.AUG.2015 14:33:32

CH110



Date: 5.JUL.2015 21:17:28

CH134



Date: 5.JUL.2015 21:18:21


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.40	11.00
CH110	5550	7.55	11.00
CH134	5670	7.54	11.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.81	0.62	-6.19	11.00
CH122	5610	-0.56	0.62	0.06	11.00

CH106



Date: 5.JUL.2015 22:47:52

CH122




Date: 5.JUL.2015 22:39:12

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.36	0.62	-0.74	11.00
CH122	5610	0.31	0.62	0.93	11.00

CH106



Date: 5.JUL.2015 22:47:21

CH122




Date: 5.JUL.2015 22:28:26

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.76	0.62	-6.14	11.00
CH122	5610	-0.99	0.62	-0.37	11.00

CH106



Date: 5.JUL.2015 22:48:18

CH122



Date: 5.JUL.2015 22:18:15


Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	1.23	11.00
CH122	5610	5.01	11.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.10	0.11	2.21	30.00
CH157	5785	1.83	0.11	1.94	30.00
CH165	5825	1.80	0.11	1.91	30.00

TX CH149




Date: 5.JUL.2015 19:37:33

TX CH157



Date: 5.JUL.2015 19:38:25

TX CH165




Date: 5.JUL.2015 19:39:08

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.31	0.11	2.42	30.00
CH157	5785	2.09	0.11	2.20	30.00
CH165	5825	1.84	0.11	1.95	30.00

TX CH149




Date: 5.JUL.2015 19:51:19

TX CH157



Date: 5.JUL.2015 19:52:11

TX CH165




Date: 5.JUL.2015 19:52:56

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.13	0.11	2.24	30.00
CH157	5785	1.63	0.11	1.74	30.00
CH165	5825	1.23	0.11	1.34	30.00

TX CH149




Date: 5.JUL.2015 20:01:42

TX CH157



Date: 5.JUL.2015 20:02:34

TX CH165



Date: 5.JUL.2015 20:03:17


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.06	30.00
CH157	5785	6.74	30.00
CH165	5825	6.51	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.87	0.29	-0.58	30.00
CH159	5795	-1.15	0.29	-0.86	30.00

TX CH151



Date: 5.JUL.2015 21:45:22

TX CH159




Date: 5.JUL.2015 21:46:25

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.54	0.29	-0.25	30.00
CH159	5795	-0.93	0.29	-0.64	30.00

TX CH151



Date: 5.JUL.2015 21:55:32

TX CH159




Date: 5.JUL.2015 21:56:34

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.36	0.29	-0.07	30.00
CH159	5795	-1.20	0.29	-0.91	30.00

TX CH151



Date: 5.JUL.2015 21:19:23

TX CH159



Date: 5.JUL.2015 21:23:13


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.48	30.00
CH159	5795	3.97	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.08	0.62	-4.46	30.00

TX CH155




Date: 5.JUL.2015 22:52:30

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.83	0.62	-4.21	30.00

TX CH155




Date: 5.JUL.2015 22:51:59

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.56	0.62	-3.94	30.00

TX CH155



Date: 5.JUL.2015 22:52:58

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.57	30.00

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9902
120	5179.9905
108	5179.9903
Max. Deviation (MHz)	0.0098
Max. Deviation (ppm)	1.8919

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9871
10	5179.9873
20	5179.9876
30	5179.9879
40	5179.9872
Max. Deviation (MHz)	0.0129
Max. Deviation (ppm)	2.4903

Test Mode:	UNII-2A
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9786
120	5259.9789
108	5259.9787
Max. Deviation (MHz)	0.0214
Max. Deviation (ppm)	4.0684

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5260.0131
10	5260.0134
20	5260.0132
30	5260.0137
40	5260.0138
Max. Deviation (MHz)	0.0138
Max. Deviation (ppm)	2.6236

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9874
120	5499.9877
108	5499.9876
Max. Deviation (MHz)	0.0126
Max. Deviation (ppm)	2.2909

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5500.0174
10	5500.0176
20	5500.0178
30	5500.0181
40	5500.0175
Max. Deviation (MHz)	0.0181
Max. Deviation (ppm)	3.2909

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9752
120	5744.9756
108	5744.9754
Max. Deviation (MHz)	0.0248
Max. Deviation (ppm)	4.3168

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9890
10	5744.9892
20	5744.9894
30	5744.9897
40	5744.9891
Max. Deviation (MHz)	0.0110
Max. Deviation (ppm)	1.9147