


1.4.4.3 Channel 5 @Ant 0



Data: 129

Date: 2018-09-27




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Limit	Over Limit	Antenna Line	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1 pp 2389.94	44.07	-29.93	74.00	0.00	0.00	0.00	400	360	Peak	HORIZONTAL



Data: 130




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1 pp 2389.80	36.01	-17.99	54.00	0.00	0.00	0.00	400	360	Average HORIZON



Data: 133

Date: 2018-09-27



Site : 03CH01-SZ


Condition : PEAK\_BE\_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz

	Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos			
Freq	Level	Limit	Line	Factor	Loss	Factor		Remark	Pol/Pha	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1 pp	2345.14	46.06	-27.94	74.00	0.00	0.00	0.00	100	0 Peak	VERTICA
2	2389.94	44.44	-29.56	74.00	0.00	0.00	0.00	100	0 Peak	VERTICA



Data: 134



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1 pp 2389.94	35.30	-18.70	54.00	0.00	0.00	0.00	100	0 Average	VERTICAL

1.4.4.4 Channel 6 @Ant 0



Data: 139




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase	
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1	2483.50	43.38	-30.62	74.00	0.00	0.00	0.00	400	360	Peak	HORIZONTAL
2 pp	2485.72	45.43	-28.57	74.00	0.00	0.00	0.00	400	360	Peak	HORIZONTAL



Data: 140




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1 pp 2483.50	35.60	-18.40	54.00	0.00	0.00	0.00	400	360	Average HORIZON



Data: 143

Date: 2018-09-27



Site : 03CH01-SZ


Condition : PEAK\_BE\_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1	2483.50	43.61	-30.39	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL
2 pp	2489.92	45.22	-28.78	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL



Data: 144



Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m VERTICAL  
 : RBW:1000.000KHz VBW:1.000KHz


Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1 pp 2483.50	35.98	-18.02	54.00	0.00	0.00	0.00	100	0 Average	VERTICAL



1.4.4.5 Channel 7 @Ant 0



Data: 147




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase	
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1	2483.50	46.00	-28.00	74.00	0.00	0.00	0.00	400	360	Peak	HORIZONTAL
2 pp	2483.97	49.16	-24.84	74.00	0.00	0.00	0.00	400	360	Peak	HORIZONTAL



Data: 148

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1 pp 2483.62	37.68	-16.32	54.00	0.00	0.00	0.00	400	360	Average HORIZON



Data: 153

Date: 2018-09-27




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m VERTICAL  
 : RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1	2483.50	43.78	-30.22	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL
2 pp	2498.88	45.49	-28.51	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL



Data: 154

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1 pp 2483.50	35.51	-18.49	54.00	0.00	0.00	0.00	100	0 Average	VERTICAL

1.4.4.6 Channel 8 @Ant 0



Data: 157




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase	
	MHz	dBUV/m	dB	dBUV/m	dB/m	dB	dB	cm	deg		
1	2483.50	43.48	-30.52	74.00	0.00	0.00	0.00	400	360	Peak	HORIZONTAL
2 pp	2485.79	45.99	-28.01	74.00	0.00	0.00	0.00	400	360	Peak	HORIZONTAL



Data: 158

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1 pp 2483.83	36.12	-17.88	54.00	0.00	0.00	0.00	400	360	Average HORIZON



Data: 161

Date: 2018-09-27




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m VERTICAL  
 : RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Pha
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1	2483.50	43.29	-30.71	74.00	0.00	0.00	0.00	100	0 Peak	VERTICA
2 pp	2485.51	45.95	-28.05	74.00	0.00	0.00	0.00	100	0 Peak	VERTICA



Data: 162

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz

	Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
Freq	Level	Limit	Line	Factor	Loss	Factor		Remark	Pol/Pha
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1 pp 2483.50	35.48	-18.52	54.00	0.00	0.00	0.00	100	0 Average	VERTICAL




1.4.4.7 Channel 9 @Ant 0



Data: 165

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK\_BE\_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase	
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1	2483.50	43.44	-30.56	74.00	0.00	0.00	0.00	400	360	Peak	HORIZONTAL
2	2484.60	46.49	-27.51	74.00	0.00	0.00	0.00	400	360	Peak	HORIZONTAL



Data: 166

Date: 2018-09-27



Site : 03CH01-SZ


Condition : AVG\_BE\_54 3m HORIZONTAL

: RBW:1000.000KHz VBW:1.000KHz

	Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
Freq	Level	Limit	Line	Factor	Loss	Factor		Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1 pp 2483.50	35.77	-18.23	54.00	0.00	0.00	0.00	400	360	Average HORIZON



Data: 171



Site : 03CH01-SZ


Condition : PEAK\_BE\_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1	2483.50	43.23	-30.77	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL
2 pp	2486.77	45.54	-28.46	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL



Data: 172



Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m VERTICAL  
 : RBW:1000.000KHz VBW:1.000KHz


Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1 pp 2483.50	35.29	-18.71	54.00	0.00	0.00	0.00	100	0 Average	VERTICAL

1.4.4.8 Channel 3 @Ant 1



Data: 85

Date: 2018-09-27



Site : 03CH01-SZ


Condition : PEAK\_BE\_74 3m HORIZONTAL

: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Limit	Over	Limit	Antenna	Cable	Preamp	Remark	Pol/Phase
			Line	Factor	Loss	Factor			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB		
1 pp 2389.94	43.92	-30.08	74.00	0.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 86




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.94	35.93	-18.07	54.00	0.00	0.00	0.00	Average HORIZONTAL



Data: 89



Site : 03CH01-SZ


Condition : PEAK\_BE\_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz

	Over	Limit	Antenna	Cable	Preamp			
Freq	Level		Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2329.60	46.13	-27.87	74.00	0.00	0.00	0.00	Peak	VERTICAL
2 2389.94	44.00	-30.00	74.00	0.00	0.00	0.00	Peak	VERTICAL



Data: 90



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Preamp Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2389.94	35.77	-18.23	54.00	0.00	0.00	0.00	Average	VERTICAL




1.4.4.9 Channel 4 @Ant 1



Data: 93

Date: 2018-09-27




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.94	44.59	-29.41	74.00	0.00	0.00	0.00	Peak HORIZONTAL



Data: 94




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.94	35.70	-18.30	54.00	0.00	0.00	0.00	Average HORIZONTAL



Data: 97



Site : 03CH01-SZ


Condition : PEAK\_BE\_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz

	Over	Limit	Antenna	Cable	Preamp				
Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB			
1 pp	2357.04	46.10	-27.90	74.00	0.00	0.00	0.00	Peak	VERTICAL
2	2389.94	42.81	-31.19	74.00	0.00	0.00	0.00	Peak	VERTICAL



Data: 98



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Preamp Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2389.94	35.71	-18.29	54.00	0.00	0.00	0.00	Average	VERTICAL

1.4.4.10 Channel 5 @Ant 1



Data: 101

Date: 2018-09-27




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1	pp 2366.28	46.39	-27.61	74.00	0.00	0.00	0.00	Peak	HORIZONTAL
2	2389.94	43.75	-30.25	74.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 102

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

	Over	Limit	Antenna	Cable	Preamp			
Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2389.94	36.07	-17.93	54.00	0.00	0.00	0.00	Average	HORIZONTAL



Data: 105

Date: 2018-09-27



Site : site

Condition : PEAK\_BE\_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz

Over LimitAntenna Cable Preamp

Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
------	-------	-------	------	--------	------	--------	--------	-----------


MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
-----	--------	----	--------	------	----	----	--	--

1	pp	2389.94	43.18	-30.82	74.00	0.00	0.00	0.00	Peak	VERTICAL
---	----	---------	-------	--------	-------	------	------	------	------	----------



Data: 106

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB		
1 pp 2389.94	35.58	-18.42	54.00	0.00	0.00	0.00 Average	VERTICAL




1.4.4.11 Channel 6 @Ant 1



Data: 111

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK\_BE\_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Limit	Over	Limit	Antenna	Cable	Preamp	Remark	Pol/Phase
			Line	Factor	Loss	Factor	dB		
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB		
1 pp 2483.50	44.26	-29.74	74.00	0.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 112

Date: 2018-09-27




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.50	35.68	-18.32	54.00	0.00	0.00	0.00 Average	HORIZONTAL



Data: 115

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK\_BE\_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1	2483.50	42.52	-31.48	74.00	0.00	0.00	0.00 Peak	VERTICAL
2 pp	2492.16	45.64	-28.36	74.00	0.00	0.00	0.00 Peak	VERTICAL



Data: 116

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Preamp Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2483.50	35.53	-18.47	54.00	0.00	0.00	0.00	Average	VERTICAL

1.4.4.12 Channel 7 @Ant 1



Data: 121

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK\_BE\_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Limit	Over	Limit	Antenna	Cable	Preamp	Remark	Pol/Phase
			Line	Factor	Loss	Factor			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB		
1 pp 2483.50	45.23	-28.77	74.00	0.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 122

Date: 2018-09-27




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.50	37.21	-16.79	54.00	0.00	0.00	0.00 Average	HORIZONTAL



Data: 125

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK\_BE\_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.50	46.51	-27.49	74.00	0.00	0.00	0.00 Peak	VERTICAL



Data: 126

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.50	38.83	-15.17	54.00	0.00	0.00	0.00 Average	VERTICAL



1.4.4.13 Channel 8 @Ant 1



Data: 127




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase			
								dB	dBuV/m	dB/m
1	2483.52	44.23	-29.77	74.00	0.00	0.00	0.00	Peak	HORIZONTAL	
2	pp	2486.56	47.56	-26.44	74.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 128

Date: 2018-09-28




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.60	37.18	-16.82	54.00	0.00	0.00	0.00	Average HORIZONTAL



Data: 131

Date: 2018-09-28




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m VERTICAL  
 : RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1	2483.52	43.88	-30.12	74.00	0.00	0.00	0.00	Peak	VERTICAL
2 pp	2498.44	47.49	-26.51	74.00	0.00	0.00	0.00	Peak	VERTICAL



Data: 132

Date: 2018-09-28



Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m VERTICAL  
 : RBW:1000.000KHz VBW:1.000KHz


Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2483.52	36.82	-17.18	54.00	0.00	0.00	0.00	Average	VERTICAL

1.4.4.14 Channel 9 @Ant 1



Data: 135

Date: 2018-09-28




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2483.76	47.22	-26.78	74.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 136

Date: 2018-09-28




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Preamp Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2483.52	36.86	-17.14	54.00	0.00	0.00	0.00	Average	HORIZONTAL



Data: 139

Date: 2018-09-28



Site : 03CH01-SZ

Condition : PEAK\_BE\_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz

Over LimitAntenna Cable Preamp


Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		

1	pp	2483.52	44.40	-29.60	74.00	0.00	0.00	0.00	Peak	VERTICAL
---	----	---------	-------	--------	-------	------	------	------	------	----------



Data: 140

Date: 2018-09-28




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m VERTICAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.52	36.56	-17.44	54.00	0.00	0.00	0.00	Average VERTICAL



1.4.4.15 Channel 3 @ MIMO




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dB/m	dB	dB	
1	pp 2330.58	47.28	-26.72	74.00	0.00	0.00	0.00 Peak	HORIZONTAL
2	2389.94	44.06	-29.94	74.00	0.00	0.00	0.00 Peak	HORIZONTAL



Data: 74



Site : 03CH01-SZ


Condition : AVG\_BE\_54 3m HORIZONTAL

: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.80	37.42	-16.58	54.00	0.00	0.00	0.00	Average HORIZONTAL



Data: 77



Site : 03CH01-SZ

Condition : PEAK\_BE\_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz


Over LimitAntenna Cable Preamp

Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		

1	pp	2389.94	44.46	-29.54	74.00	0.00	0.00	0.00	Peak	VERTICAL
---	----	---------	-------	--------	-------	------	------	------	------	----------



Data: 78



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB		
1 pp 2389.94	36.64	-17.36	54.00	0.00	0.00	0.00 Peak	VERTICAL

1.4.4.16 Channel 4 @ MIMO



Data: 81




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Limit	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2389.94	45.97	-28.03	74.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 82




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2389.38	37.78	-16.22	54.00	0.00	0.00	0.00	Average	HORIZONTAL



Data: 85



Site : 03CH01-SZ


Condition : PEAK\_BE\_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz

	Over	Limit	Antenna	Cable	Preamp				
Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB			
1 pp 2325.26	47.13	-26.87	74.00	0.00	0.00	0.00	Peak	VERTICAL	
2 2389.94	44.10	-29.90	74.00	0.00	0.00	0.00	Peak	VERTICAL	



Data: 86



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1	pp 2324.00	37.17	-16.83	54.00	0.00	0.00	0.00	Average	VERTICAL
2	2389.94	36.72	-17.28	54.00	0.00	0.00	0.00	Average	VERTICAL



1.4.4.17 Channel 5 @ MIMO



Data: 89



Site : 03CH01-SZ

Condition : PEAK\_BE\_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

Over LimitAntenna Cable Preamp

Freq	Level	Limit	Line	Factor	Antenna	Cable	Preamp	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB		
1 pp 2389.94	45.13	-28.87	74.00	0.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 90




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.94	37.56	-16.44	54.00	0.00	0.00	0.00	Average HORIZONTAL



Data: 93



Site : 03CH01-SZ

Condition : PEAK\_BE\_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

Over LimitAntenna Cable Preamp

Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2389.94	44.23	-29.77	74.00	0.00	0.00	0.00	Peak	VERTICAL



Data: 94



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL


: RBW:1000.000KHz VBW:1.000KHz

	Over	Limit	Antenna	Cable	Preamp			
Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2389.94	36.51	-17.49	54.00	0.00	0.00	0.00	Average	VERTICAL

1.4.4.18 Channel 6 @ MIMO



Data: 97




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1	pp 2349.48	47.02	-26.98	74.00	0.00	0.00	0.00	Peak HORIZONTAL
2	2389.94	44.73	-29.27	74.00	0.00	0.00	0.00	Peak HORIZONTAL



Data: 98




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Preamp Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2389.66	37.45	-16.55	54.00	0.00	0.00	0.00	Average	HORIZONTAL



Data: 103

Date: 2018-09-28



Site : 03CH01-SZ

Condition : PEAK\_BE\_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz

Over LimitAntenna Cable Preamp

Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
------	-------	-------	------	--------	------	--------	--------	-----------


MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
-----	--------	----	--------	------	----	----	--	--

1 pp	2483.50	44.87	-29.13	74.00	0.00	0.00	0.00	Peak VERTICAL
------	---------	-------	--------	-------	------	------	------	---------------



Data: 104

Date: 2018-09-28



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2483.50	36.60	-17.40	54.00	0.00	0.00	0.00	Average	VERTICAL




1.4.4.19 Channel 7 @ MIMO



Data: 107

Date: 2018-09-29




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1	2483.50	44.64	-29.36	74.00	0.00	0.00	0.00 Peak	HORIZONTAL
2 pp	2486.42	47.64	-26.36	74.00	0.00	0.00	0.00 Peak	HORIZONTAL



Data: 108




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.55	37.01	-16.99	54.00	0.00	0.00	0.00 Average	HORIZONTAL



Data: 113




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m VERTICAL  
 : RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.50	45.79	-28.21	74.00	0.00	0.00	0.00 Peak	VERTICAL



Data: 114



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.62	37.56	-16.44	54.00	0.00	0.00	0.00 Average	VERTICAL

1.4.4.20 Channel 8 @ MIMO



Data: 117

Date: 2018-09-29




Site : 03CH01-SZ  
 Condition : PEAK\_BE\_74 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1	2483.50	44.25	-29.75	74.00	0.00	0.00	0.00	Peak HORIZONTAL
2 pp	2492.37	46.01	-27.99	74.00	0.00	0.00	0.00	Peak HORIZONTAL



Data: 118

Date: 2018-09-29




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1	2483.50	36.21	-17.79	54.00	0.00	0.00	0.00	Average	HORIZONTAL
2 pp	2484.88	36.57	-17.43	54.00	0.00	0.00	0.00	Average	HORIZONTAL



Data: 123

Date: 2018-09-29



Site : 03CH01-SZ

Condition : PEAK\_BE\_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Over Limit	Antenna Line	Antenna Factor	Cable Loss	Preamp Factor	Remark	Pol/Phase	
									dB
1	2483.50	44.24	-29.76	74.00	0.00	0.00	0.00	Peak	VERTICAL
2 pp	2496.43	47.07	-26.93	74.00	0.00	0.00	0.00	Peak	VERTICAL



Data: 124

Date: 2018-09-29



Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m VERTICAL  
 : RBW:1000.000KHz VBW:1.000KHz


	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1	2483.50	36.22	-17.78	54.00	0.00	0.00	0.00	Average	VERTICAL
2 pp	2484.46	36.58	-17.42	54.00	0.00	0.00	0.00	Average	VERTICAL



1.4.4.21 Channel 9 @ MIMO



Data: 129



Site : 03CH01-SZ

Condition : PEAK\_BE\_74 3m HORIZONTAL

: RBW:1000.000KHz VBW:3000.000KHz

Over LimitAntenna Cable Preamp


Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		

1 pp	2483.50	44.56	-29.44	74.00	0.00	0.00	0.00	Peak	HORIZONTAL
------	---------	-------	--------	-------	------	------	------	------	------------



Data: 130

Date: 2018-09-29




Site : 03CH01-SZ  
 Condition : AVG\_BE\_54 3m HORIZONTAL  
 : RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2483.50	36.22	-17.78	54.00	0.00	0.00	0.00	Average	HORIZONTAL



Data: 135

Date: 2018-09-29



Site : 03CH01-SZ

Condition : PEAK\_BE\_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.50	43.38	-30.62	74.00	0.00	0.00	0.00 Peak	VERTICAL



Data: 136

Date: 2018-09-29



Site : 03CH01-SZ

Condition : AVG\_BE\_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.62	36.39	-17.61	54.00	0.00	0.00	0.00	Average VERTICAL

Note2:

1, Level =Reading level by receiver + Transd (Antenna factor + cable loss – preamplifier gain)

The reading level is calculated by software which is not shown in the sheet.

2, Margin=Limit - Level


#### 1.4 Part 4: Testing Range of “3 GHz to 18 GHz”

- Note 1: The test results and plot for testing range of “3 GHz to 18 GHz” showed as below is the worst case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.
- Note 2: The testing range of “3 GHz to 18 GHz” is for checking radiated emissions located in restricted bands faraway from the EUT operating bands.
- Note 3: Two limits are required in the testing range above 1 GHz, that is Peak limit (74 dB $\mu$ V/m) and Average Limit (54 dB $\mu$ V/m).




Data: 27

Date: 2018-10-09




### 1.5 Part 5: Testing Range of “18 GHz to 26.5 GHz”

- Note 1: The test results and plot for testing range of “18 GHz to 26.5 GHz” showed as below is the WORST case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.
- Note 2: The testing range of “18 GHz to 26.5 GHz” is for checking radiated emissions located in restricted bands faraway from the EUT operating bands.
- Note 3: Two limits are required in the testing range above 1 GHz, that is Peak limit (74 dB $\mu$ V/m) and Average Limit (54 dB $\mu$ V/m).



## Appendix I: Conducted Emission at Power Port

Note: RBW =9 kHz, VBW = 30 kHz



### MEASUREMENT RESULT: AV Detector

Frequency (MHz)	Level (dB $\mu$ V)	Limit (dB $\mu$ V)	Transd. (dB)	Margin (dB)	Line	PE
0.185754	53.64	64.22	9.7	10.58	L1	FLO
0.237328	40.16	62.19	9.7	22.03	N	FLO
2.923148	35.83	56.00	9.8	20.17	L1	FLO
4.006337	34.08	56.00	9.8	21.92	L1	FLO
12.353297	35.21	60.00	10.0	24.79	N	FLO
17.486641	36.80	60.00	10.1	23.20	N	FLO

### MEASUREMENT RESULT: PK Detector

Frequency (MHz)	Level (dB $\mu$ V)	Limit (dB $\mu$ V)	Transd. (dB)	Margin (dB)	Line	PE
0.18231	33.39	54.38	9.7	20.99	L1	FLO
0.240419	24.17	52.08	9.7	27.91	N	FLO



---

---

0.305042	22.90	50.10	9.7	27.20	L1	FLO
5.582653	26.04	50.00	9.8	23.96	N	FLO
12.603859	28.81	50.00	10.0	21.19	L1	FLO
17.36374	30.70	50.00	10.1	19.30	N	FLO

**Note**

1, Level = Reading level by receiver + Transd (Antenna factor + cable loss – preamplifier gain)

The reading level is calculated by software which is not shown in the sheet.

2, Margin = Limit - Level

---

END