



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	4.53	24.45	24.45	30.00
2437MHz	Pass	4.53	23.49	23.49	30.00
2457MHz	Pass	4.53	22.82	22.82	30.00
2462MHz	Pass	4.53	22.68	22.68	30.00
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	4.53	19.10	19.10	30.00
2417MHz	Pass	4.53	21.58	21.58	30.00
2437MHz	Pass	4.53	24.35	24.35	30.00
2457MHz	Pass	4.53	21.04	21.04	30.00
2462MHz	Pass	4.53	18.74	18.74	30.00
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	4.53	19.56	19.56	30.00
2417MHz	Pass	4.53	20.69	20.69	30.00
2437MHz	Pass	4.53	23.87	23.87	30.00
2457MHz	Pass	4.53	20.17	20.17	30.00
2462MHz	Pass	4.53	18.09	18.09	30.00
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	4.53	19.17	19.17	30.00
2427MHz	Pass	4.53	19.70	19.70	30.00
2437MHz	Pass	4.53	19.90	19.90	30.00
2447MHz	Pass	4.53	19.12	19.12	30.00
2452MHz	Pass	4.53	18.67	18.67	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	4.53	19.99	19.99	30.00
2417MHz	Pass	4.53	20.87	20.87	30.00
2437MHz	Pass	4.53	24.05	24.05	30.00
2457MHz	Pass	4.53	20.36	20.36	30.00
2462MHz	Pass	4.53	18.20	18.20	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	4.53	19.40	19.40	30.00
2427MHz	Pass	4.53	19.97	19.97	30.00
2437MHz	Pass	4.53	20.15	20.15	30.00
2447MHz	Pass	4.53	19.36	19.36	30.00
2452MHz	Pass	4.53	18.84	18.84	30.00

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_2TX	27.29	0.53580
802.11g_Nss1,(6Mbps)_2TX	26.98	0.49888
VHT20_Nss2,(MCS0)_2TX	25.87	0.38637
VHT40_Nss2,(MCS0)_2TX	21.77	0.15031
802.11ax HEW20_Nss2,(MCS0)_2TX	26.10	0.40738
802.11ax HEW40_Nss2,(MCS0)_2TX	21.93	0.15596



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	4.53	24.25	24.31	27.29	30.00
2437MHz	Pass	4.53	21.32	21.34	24.34	30.00
2457MHz	Pass	4.53	20.75	20.90	23.84	30.00
2462MHz	Pass	4.53	20.98	20.85	23.93	30.00
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	4.53	18.36	18.56	21.47	30.00
2417MHz	Pass	4.53	21.20	21.30	24.26	30.00
2437MHz	Pass	4.53	24.00	23.93	26.98	30.00
2457MHz	Pass	4.53	20.36	20.30	23.34	30.00
2462MHz	Pass	4.53	17.81	17.49	20.66	30.00
VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	4.42	18.81	19.01	21.92	30.00
2417MHz	Pass	4.42	19.75	19.95	22.86	30.00
2437MHz	Pass	4.42	22.88	22.83	25.87	30.00
2457MHz	Pass	4.42	18.87	19.12	22.01	30.00
2462MHz	Pass	4.42	16.54	16.29	19.43	30.00
VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	4.42	17.10	17.11	20.12	30.00
2427MHz	Pass	4.42	17.47	17.35	20.42	30.00
2437MHz	Pass	4.42	18.87	18.65	21.77	30.00
2447MHz	Pass	4.42	16.86	16.64	19.76	30.00
2452MHz	Pass	4.42	16.34	16.04	19.20	30.00
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	4.42	19.18	19.23	22.22	30.00
2417MHz	Pass	4.42	20.16	20.11	23.15	30.00
2437MHz	Pass	4.42	23.16	23.02	26.10	30.00
2457MHz	Pass	4.42	18.90	19.29	22.11	30.00
2462MHz	Pass	4.42	16.78	16.64	19.72	30.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	4.42	17.40	17.37	20.40	30.00
2427MHz	Pass	4.42	17.87	17.65	20.77	30.00
2437MHz	Pass	4.42	18.99	18.85	21.93	30.00
2447MHz	Pass	4.42	17.12	16.91	20.03	30.00
2452MHz	Pass	4.42	16.59	16.46	19.54	30.00

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_1TX	25.20	0.33113
802.11g_Nss1,(6Mbps)_1TX	23.88	0.24434
VHT20_Nss1,(MCS0)_1TX	23.11	0.20464
VHT40_Nss1,(MCS0)_1TX	19.68	0.09290
802.11ax HEW20_Nss1,(MCS0)_1TX	23.32	0.21478
802.11ax HEW40_Nss1,(MCS0)_1TX	19.89	0.09750



Average Power_Non-Beamforming_Sample 2
_Radio1_Omni_1T1S

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	5.00	23.96	23.96	30.00
2417MHz	Pass	5.00	24.40	24.40	30.00
2437MHz	Pass	5.00	25.20	25.20	30.00
2457MHz	Pass	5.00	24.00	24.00	30.00
2462MHz	Pass	5.00	24.18	24.18	30.00
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	5.00	18.57	18.57	30.00
2417MHz	Pass	5.00	21.16	21.16	30.00
2437MHz	Pass	5.00	23.88	23.88	30.00
2457MHz	Pass	5.00	20.46	20.46	30.00
2462MHz	Pass	5.00	18.33	18.33	30.00
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	5.00	18.50	18.50	30.00
2417MHz	Pass	5.00	20.27	20.27	30.00
2437MHz	Pass	5.00	23.11	23.11	30.00
2457MHz	Pass	5.00	20.01	20.01	30.00
2462MHz	Pass	5.00	16.78	16.78	30.00
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	5.00	18.64	18.64	30.00
2427MHz	Pass	5.00	19.04	19.04	30.00
2437MHz	Pass	5.00	19.68	19.68	30.00
2447MHz	Pass	5.00	18.66	18.66	30.00
2452MHz	Pass	5.00	18.19	18.19	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	5.00	18.76	18.76	30.00
2417MHz	Pass	5.00	20.55	20.55	30.00
2437MHz	Pass	5.00	23.32	23.32	30.00
2457MHz	Pass	5.00	20.38	20.38	30.00
2462MHz	Pass	5.00	17.10	17.10	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	5.00	19.08	19.08	30.00
2427MHz	Pass	5.00	19.22	19.22	30.00
2437MHz	Pass	5.00	19.89	19.89	30.00
2447MHz	Pass	5.00	18.85	18.85	30.00
2452MHz	Pass	5.00	18.59	18.59	30.00

DG = Directional Gain; Port X = Port X output power



Average Power_Non-Beamforming_Sample 2
_Radio1_Omni_2T2S

Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_2TX	27.03	0.50466
802.11g_Nss1,(6Mbps)_2TX	25.66	0.36813
VHT20_Nss2,(MCS0)_2TX	25.09	0.32285
VHT40_Nss2,(MCS0)_2TX	21.61	0.14488
802.11ax HEW20_Nss2,(MCS0)_2TX	25.37	0.34435
802.11ax HEW40_Nss2,(MCS0)_2TX	21.79	0.15101



Average Power_Non-Beamforming_Sample 2
_Radio1_Omni_2T2S

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	5.00	23.45	23.55	26.51	30.00
2417MHz	Pass	5.00	24.08	23.96	27.03	30.00
2437MHz	Pass	5.00	24.01	23.85	26.94	30.00
2457MHz	Pass	5.00	22.65	22.74	25.71	30.00
2462MHz	Pass	5.00	22.33	22.44	25.40	30.00
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	5.00	17.69	17.43	20.57	30.00
2417MHz	Pass	5.00	18.43	18.18	21.32	30.00
2437MHz	Pass	5.00	22.59	22.70	25.66	30.00
2457MHz	Pass	5.00	18.62	18.70	21.67	30.00
2462MHz	Pass	5.00	17.57	17.42	20.51	30.00
VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	5.00	18.02	17.98	21.01	30.00
2417MHz	Pass	5.00	18.85	18.87	21.87	30.00
2437MHz	Pass	5.00	22.10	22.06	25.09	30.00
2457MHz	Pass	5.00	18.84	18.97	21.92	30.00
2462MHz	Pass	5.00	17.28	17.22	20.26	30.00
VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	5.00	17.03	16.95	20.00	30.00
2427MHz	Pass	5.00	17.42	17.04	20.24	30.00
2437MHz	Pass	5.00	18.65	18.54	21.61	30.00
2447MHz	Pass	5.00	17.14	17.17	20.17	30.00
2452MHz	Pass	5.00	16.24	16.10	19.18	30.00
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	5.00	18.32	18.25	21.30	30.00
2417MHz	Pass	5.00	19.17	19.14	22.17	30.00
2437MHz	Pass	5.00	22.39	22.33	25.37	30.00
2457MHz	Pass	5.00	19.20	19.22	22.22	30.00
2462MHz	Pass	5.00	17.58	17.47	20.54	30.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	5.00	17.27	17.14	20.22	30.00
2427MHz	Pass	5.00	17.66	17.30	20.49	30.00
2437MHz	Pass	5.00	18.86	18.70	21.79	30.00
2447MHz	Pass	5.00	17.32	17.39	20.37	30.00
2452MHz	Pass	5.00	16.47	16.20	19.35	30.00

DG = Directional Gain; Port X = Port X output power



Average Power_Non-Beamforming_Sample 2
_Radio1_Panel 1_1T1S

Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_1TX	25.14	0.32659
802.11g_Nss1,(6Mbps)_1TX	24.03	0.25293
VHT20_Nss1,(MCS0)_1TX	22.96	0.19770
VHT40_Nss1,(MCS0)_1TX	18.90	0.07762
802.11ax HEW20_Nss1,(MCS0)_1TX	23.11	0.20464
802.11ax HEW40_Nss1,(MCS0)_1TX	19.02	0.07980



Average Power_Non-Beamforming_Sample 2
_Radio1_Panel 1_1T1S

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	7.80	23.80	23.80	28.20
2417MHz	Pass	7.80	24.64	24.64	28.20
2437MHz	Pass	7.80	25.14	25.14	28.20
2457MHz	Pass	7.80	23.33	23.33	28.20
2462MHz	Pass	7.80	22.99	22.99	28.20
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	7.80	18.18	18.18	28.20
2417MHz	Pass	7.80	20.14	20.14	28.20
2437MHz	Pass	7.80	24.03	24.03	28.20
2457MHz	Pass	7.80	19.72	19.72	28.20
2462MHz	Pass	7.80	17.03	17.03	28.20
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	7.80	18.83	18.83	28.20
2417MHz	Pass	7.80	19.53	19.53	28.20
2437MHz	Pass	7.80	22.96	22.96	28.20
2457MHz	Pass	7.80	18.84	18.84	28.20
2462MHz	Pass	7.80	15.35	15.35	28.20
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	7.80	17.61	17.61	28.20
2427MHz	Pass	7.80	17.91	17.91	28.20
2437MHz	Pass	7.80	18.90	18.90	28.20
2447MHz	Pass	7.80	17.63	17.63	28.20
2452MHz	Pass	7.80	16.36	16.36	28.20
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	7.80	18.99	18.99	28.20
2417MHz	Pass	7.80	19.79	19.79	28.20
2437MHz	Pass	7.80	23.11	23.11	28.20
2457MHz	Pass	7.80	19.16	19.16	28.20
2462MHz	Pass	7.80	15.62	15.62	28.20
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	7.80	17.95	17.95	28.20
2427MHz	Pass	7.80	18.16	18.16	28.20
2437MHz	Pass	7.80	19.02	19.02	28.20
2447MHz	Pass	7.80	17.90	17.90	28.20
2452MHz	Pass	7.80	16.46	16.46	28.20

DG = Directional Gain; Port X = Port X output power



Average Power_Non-Beamforming_Sample 2
_Radio1_Panel 1_2T2S

Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_2TX	26.89	0.48865
802.11g_Nss1,(6Mbps)_2TX	25.58	0.36141
VHT20_Nss2,(MCS0)_2TX	24.33	0.27102
VHT40_Nss2,(MCS0)_2TX	20.58	0.11429
802.11ax HEW20_Nss2,(MCS0)_2TX	24.62	0.28973
802.11ax HEW40_Nss2,(MCS0)_2TX	20.76	0.11912



Average Power_Non-Beamforming_Sample 2
_Radio1_Panel 1_2T2S

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.80	24.11	23.63	26.89	28.20
2437MHz	Pass	7.80	21.63	21.10	24.38	28.20
2462MHz	Pass	7.80	21.31	21.06	24.20	28.20
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.80	17.23	17.35	20.30	28.20
2417MHz	Pass	7.80	19.56	19.21	22.40	28.20
2437MHz	Pass	7.80	22.79	22.33	25.58	28.20
2457MHz	Pass	7.80	18.17	18.20	21.20	28.20
2462MHz	Pass	7.80	16.63	16.75	19.70	28.20
VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.80	17.80	17.76	20.79	28.20
2417MHz	Pass	7.80	18.67	18.52	21.61	28.20
2437MHz	Pass	7.80	21.46	21.17	24.33	28.20
2457MHz	Pass	7.80	18.31	18.12	21.23	28.20
2462MHz	Pass	7.80	17.04	16.97	20.02	28.20
VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.80	16.26	16.61	19.45	28.20
2427MHz	Pass	7.80	16.49	16.80	19.66	28.20
2437MHz	Pass	7.80	17.53	17.60	20.58	28.20
2447MHz	Pass	7.80	16.32	16.76	19.56	28.20
2452MHz	Pass	7.80	15.72	15.88	18.81	28.20
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.80	18.06	18.08	21.08	28.20
2417MHz	Pass	7.80	18.70	18.78	21.75	28.20
2437MHz	Pass	7.80	21.82	21.39	24.62	28.20
2457MHz	Pass	7.80	18.63	18.41	21.53	28.20
2462MHz	Pass	7.80	17.37	17.39	20.39	28.20
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.80	16.51	16.82	19.68	28.20
2427MHz	Pass	7.80	16.74	17.04	19.90	28.20
2437MHz	Pass	7.80	17.71	17.79	20.76	28.20
2447MHz	Pass	7.80	16.71	16.94	19.84	28.20
2452MHz	Pass	7.80	16.00	16.03	19.03	28.20

DG = Directional Gain; **Port X** = Port X output power



Average Power_Non-Beamforming_Sample 2
_Radio1_Panel 2_1T1S

Appendix C.7

Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_1TX	24.09	0.25645
802.11g_Nss1,(6Mbps)_1TX	23.50	0.22387
VHT20_Nss1,(MCS0)_1TX	22.42	0.17458
VHT40_Nss1,(MCS0)_1TX	19.18	0.08279
802.11ax HEW20_Nss1,(MCS0)_1TX	22.82	0.19143
802.11ax HEW40_Nss1,(MCS0)_1TX	19.38	0.08670



**Average Power_Non-Beamforming_Sample 2
_Radio1_Panel 2_1T1S**

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	10.50	24.09	24.09	25.50
2437MHz	Pass	10.50	22.67	22.67	25.50
2462MHz	Pass	10.50	23.54	23.54	25.50
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	10.50	18.55	18.55	25.50
2417MHz	Pass	10.50	20.45	20.45	25.50
2437MHz	Pass	10.50	23.50	23.50	25.50
2457MHz	Pass	10.50	19.94	19.94	25.50
2462MHz	Pass	10.50	17.38	17.38	25.50
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	10.50	17.75	17.75	25.50
2417MHz	Pass	10.50	19.89	19.89	25.50
2437MHz	Pass	10.50	22.42	22.42	25.50
2457MHz	Pass	10.50	19.46	19.46	25.50
2462MHz	Pass	10.50	15.62	15.62	25.50
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	10.50	18.67	18.67	25.50
2427MHz	Pass	10.50	18.82	18.82	25.50
2437MHz	Pass	10.50	19.18	19.18	25.50
2447MHz	Pass	10.50	18.05	18.05	25.50
2452MHz	Pass	10.50	17.57	17.57	25.50
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	10.50	18.00	18.00	25.50
2417MHz	Pass	10.50	20.15	20.15	25.50
2437MHz	Pass	10.50	22.82	22.82	25.50
2457MHz	Pass	10.50	19.76	19.76	25.50
2462MHz	Pass	10.50	15.91	15.91	25.50
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	10.50	18.81	18.81	25.50
2427MHz	Pass	10.50	18.95	18.95	25.50
2437MHz	Pass	10.50	19.38	19.38	25.50
2447MHz	Pass	10.50	18.47	18.47	25.50
2452MHz	Pass	10.50	17.70	17.70	25.50

DG = Directional Gain; Port X = Port X output power



Average Power_Non-Beamforming_Sample 2
_Radio1_Panel 2_2T2S

Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_2TX	24.75	0.29854
802.11g_Nss1,(6Mbps)_2TX	24.98	0.31477
VHT20_Nss2,(MCS0)_2TX	24.01	0.25177
VHT40_Nss2,(MCS0)_2TX	20.57	0.11402
802.11ax HEW20_Nss2,(MCS0)_2TX	24.34	0.27164
802.11ax HEW40_Nss2,(MCS0)_2TX	20.83	0.12106



**Average Power_Non-Beamforming_Sample 2
_Radio1_Panel 2_2T2S**

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.50	21.71	21.77	24.75	25.50
2437MHz	Pass	10.50	21.55	21.68	24.63	25.50
2462MHz	Pass	10.50	21.78	21.67	24.74	25.50
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.50	17.35	17.09	20.23	25.50
2417MHz	Pass	10.50	18.16	17.85	21.02	25.50
2437MHz	Pass	10.50	21.86	22.08	24.98	25.50
2457MHz	Pass	10.50	17.97	17.80	20.90	25.50
2462MHz	Pass	10.50	16.54	16.41	19.49	25.50
VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.50	17.85	17.77	20.82	25.50
2417MHz	Pass	10.50	18.44	18.82	21.64	25.50
2437MHz	Pass	10.50	20.94	21.06	24.01	25.50
2457MHz	Pass	10.50	17.95	17.78	20.88	25.50
2462MHz	Pass	10.50	16.57	16.25	19.42	25.50
VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	10.50	16.64	16.66	19.66	25.50
2427MHz	Pass	10.50	16.60	16.72	19.67	25.50
2437MHz	Pass	10.50	17.66	17.45	20.57	25.50
2447MHz	Pass	10.50	16.46	16.64	19.56	25.50
2452MHz	Pass	10.50	16.36	16.36	19.37	25.50
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.50	17.93	18.02	20.99	25.50
2417MHz	Pass	10.50	18.77	18.86	21.83	25.50
2437MHz	Pass	10.50	21.38	21.28	24.34	25.50
2457MHz	Pass	10.50	18.31	18.06	21.20	25.50
2462MHz	Pass	10.50	16.93	16.75	19.85	25.50
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	10.50	17.10	16.81	19.97	25.50
2427MHz	Pass	10.50	16.94	16.91	19.94	25.50
2437MHz	Pass	10.50	17.86	17.77	20.83	25.50
2447MHz	Pass	10.50	16.85	16.88	19.88	25.50
2452MHz	Pass	10.50	16.57	16.47	19.53	25.50

DG = Directional Gain; **Port X** = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
VHT20-BF_Nss1,(MCS0)_2TX	25.81	0.38107
VHT40-BF_Nss1,(MCS0)_2TX	21.13	0.12972
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	25.86	0.38548
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	21.21	0.13213



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.43	16.32	16.13	19.24	28.57
2417MHz	Pass	7.43	18.62	18.42	21.53	28.57
2437MHz	Pass	7.43	22.97	22.63	25.81	28.57
2457MHz	Pass	7.43	18.50	18.56	21.54	28.57
2462MHz	Pass	7.43	16.64	16.72	19.69	28.57
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.43	17.06	16.30	19.71	28.57
2427MHz	Pass	7.43	17.19	17.10	20.16	28.57
2437MHz	Pass	7.43	18.17	18.07	21.13	28.57
2447MHz	Pass	7.43	16.50	16.60	19.56	28.57
2452MHz	Pass	7.43	16.77	16.30	19.55	28.57
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.43	16.94	16.73	19.85	28.57
2417MHz	Pass	7.43	19.31	18.97	22.15	28.57
2437MHz	Pass	7.43	22.93	22.76	25.86	28.57
2457MHz	Pass	7.43	18.57	18.52	21.56	28.57
2462MHz	Pass	7.43	16.75	16.81	19.79	28.57
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.43	17.14	16.32	19.76	28.57
2427MHz	Pass	7.43	17.60	17.17	20.40	28.57
2437MHz	Pass	7.43	18.20	18.19	21.21	28.57
2447MHz	Pass	7.43	17.39	17.56	20.49	28.57
2452MHz	Pass	7.43	17.02	16.78	19.91	28.57

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
VHT20-BF_Nss1,(MCS0)_2TX	24.16	0.26062
VHT40-BF_Nss1,(MCS0)_2TX	19.78	0.09506
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	24.32	0.27040
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	20.02	0.10046



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	8.01	16.48	15.58	19.06	27.99
2417MHz	Pass	8.01	17.44	16.39	19.96	27.99
2437MHz	Pass	8.01	21.41	20.88	24.16	27.99
2457MHz	Pass	8.01	18.32	17.96	21.15	27.99
2462MHz	Pass	8.01	16.23	15.17	18.74	27.99
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	8.01	16.10	15.65	18.89	27.99
2427MHz	Pass	8.01	16.32	15.73	19.05	27.99
2437MHz	Pass	8.01	17.05	16.46	19.78	27.99
2447MHz	Pass	8.01	15.67	14.98	18.35	27.99
2452MHz	Pass	8.01	15.52	14.50	18.05	27.99
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	8.01	16.67	16.08	19.40	27.99
2417MHz	Pass	8.01	17.13	16.90	20.03	27.99
2437MHz	Pass	8.01	21.47	21.14	24.32	27.99
2457MHz	Pass	8.01	18.59	18.14	21.38	27.99
2462MHz	Pass	8.01	16.52	15.83	19.20	27.99
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	8.01	16.19	15.66	18.94	27.99
2427MHz	Pass	8.01	16.36	15.98	19.18	27.99
2437MHz	Pass	8.01	17.19	16.82	20.02	27.99
2447MHz	Pass	8.01	15.64	15.06	18.37	27.99
2452MHz	Pass	8.01	15.19	14.93	18.07	27.99

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
VHT20-BF_Nss1,(MCS0)_2TX	24.45	0.27861
VHT40-BF_Nss1,(MCS0)_2TX	20.42	0.11015
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	24.59	0.28774
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	20.50	0.11220



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.81	17.80	16.82	20.35	25.19
2417MHz	Pass	10.81	17.60	17.26	20.44	25.19
2437MHz	Pass	10.81	21.69	21.17	24.45	25.19
2457MHz	Pass	10.81	16.51	16.06	19.30	25.19
2462MHz	Pass	10.81	15.37	14.41	17.93	25.19
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	10.81	16.47	16.45	19.47	25.19
2427MHz	Pass	10.81	17.48	16.79	20.16	25.19
2437MHz	Pass	10.81	17.56	17.26	20.42	25.19
2447MHz	Pass	10.81	15.81	15.26	18.55	25.19
2452MHz	Pass	10.81	15.16	14.65	17.92	25.19
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.81	17.66	17.27	20.48	25.19
2417MHz	Pass	10.81	17.92	17.38	20.67	25.19
2437MHz	Pass	10.81	21.72	21.44	24.59	25.19
2457MHz	Pass	10.81	16.45	16.23	19.35	25.19
2462MHz	Pass	10.81	15.60	14.53	18.11	25.19
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	10.81	16.89	16.48	19.70	25.19
2427MHz	Pass	10.81	17.49	17.07	20.30	25.19
2437MHz	Pass	10.81	17.50	17.48	20.50	25.19
2447MHz	Pass	10.81	15.78	15.47	18.64	25.19
2452MHz	Pass	10.81	15.37	15.03	18.21	25.19

DG = Directional Gain; **Port X** = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
VHT20-BF_Nss1,(MCS0)_2TX	21.51	0.14158
VHT40-BF_Nss1,(MCS0)_2TX	20.91	0.12331
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	21.73	0.14894
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	21.16	0.13062



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	13.51	18.33	17.77	21.07	22.49
2417MHz	Pass	13.51	18.78	18.15	21.49	22.49
2437MHz	Pass	13.51	18.59	18.41	21.51	22.49
2457MHz	Pass	13.51	18.38	17.90	21.16	22.49
2462MHz	Pass	13.51	17.26	16.58	19.94	22.49
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	13.51	17.87	17.39	20.65	22.49
2427MHz	Pass	13.51	18.16	17.63	20.91	22.49
2437MHz	Pass	13.51	18.13	17.56	20.86	22.49
2447MHz	Pass	13.51	17.01	16.61	19.82	22.49
2452MHz	Pass	13.51	16.52	16.17	19.36	22.49
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	13.51	18.45	18.22	21.35	22.49
2417MHz	Pass	13.51	18.93	18.30	21.64	22.49
2437MHz	Pass	13.51	18.93	18.49	21.73	22.49
2457MHz	Pass	13.51	18.62	18.11	21.38	22.49
2462MHz	Pass	13.51	17.80	17.16	20.50	22.49
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	13.51	17.96	17.45	20.72	22.49
2427MHz	Pass	13.51	18.27	17.67	20.99	22.49
2437MHz	Pass	13.51	18.06	18.24	21.16	22.49
2447MHz	Pass	13.51	17.02	16.74	19.89	22.49
2452MHz	Pass	13.51	16.57	16.31	19.45	22.49

DG = Directional Gain; Port X = Port X output power



Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX	1.30
802.11g_Nss1,(6Mbps)_1TX	-1.71
VHT20_Nss1,(MCS0)_1TX	-2.27
VHT40_Nss1,(MCS0)_1TX	-7.68
802.11ax HEW20_Nss1,(MCS0)_1TX	-3.05
802.11ax HEW40_Nss1,(MCS0)_1TX	-8.60









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	4.53	1.30	1.30	8.00
2437MHz	Pass	4.53	0.33	0.33	8.00
2462MHz	Pass	4.53	0.23	0.23	8.00
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	4.53	-6.80	-6.80	8.00
2437MHz	Pass	4.53	-1.71	-1.71	8.00
2462MHz	Pass	4.53	-7.23	-7.23	8.00
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	4.53	-6.76	-6.76	8.00
2437MHz	Pass	4.53	-2.27	-2.27	8.00
2462MHz	Pass	4.53	-8.23	-8.23	8.00
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	4.53	-8.32	-8.32	8.00
2437MHz	Pass	4.53	-7.68	-7.68	8.00
2452MHz	Pass	4.53	-8.65	-8.65	8.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	4.53	-5.39	-5.39	8.00
2437MHz	Pass	4.53	-3.05	-3.05	8.00
2462MHz	Pass	4.53	-6.92	-6.92	8.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	4.53	-9.50	-9.50	8.00
2437MHz	Pass	4.53	-8.60	-8.60	8.00
2452MHz	Pass	4.53	-10.25	-10.25	8.00




DG = Directional Gain;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;


















Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_2TX	4.80
802.11g_Nss1,(6Mbps)_2TX	0.66
VHT20_Nss2,(MCS0)_2TX	-0.78
VHT40_Nss2,(MCS0)_2TX	-8.50
802.11ax HEW20_Nss2,(MCS0)_2TX	-0.92
802.11ax HEW40_Nss2,(MCS0)_2TX	-9.55









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.43	2.91	2.27	4.80	6.57
2437MHz	Pass	7.43	-1.17	-1.22	1.14	6.57
2462MHz	Pass	7.43	-1.36	-1.52	0.41	6.57
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.43	-7.77	-7.70	-4.75	6.57
2437MHz	Pass	7.43	-1.14	-1.85	0.66	6.57
2462MHz	Pass	7.43	-8.24	-8.60	-5.78	6.57
VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	4.42	-7.43	-6.60	-5.50	8.00
2437MHz	Pass	4.42	-3.60	-2.38	-0.78	8.00
2462MHz	Pass	4.42	-8.81	-9.86	-8.21	8.00
VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	4.42	-11.28	-11.13	-10.00	8.00
2437MHz	Pass	4.42	-9.31	-9.49	-8.50	8.00
2452MHz	Pass	4.42	-11.68	-11.89	-10.32	8.00
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	4.42	-8.07	-7.97	-5.01	8.00
2437MHz	Pass	4.42	-3.83	-3.07	-0.92	8.00
2462MHz	Pass	4.42	-10.50	-10.58	-7.73	8.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	4.42	-11.60	-12.49	-10.26	8.00
2437MHz	Pass	4.42	-11.14	-10.48	-9.55	8.00
2452MHz	Pass	4.42	-12.71	-12.66	-11.22	8.00




DG = Directional Gain;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;


















Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX	1.69
802.11g_Nss1,(6Mbps)_1TX	-2.85
VHT20_Nss1,(MCS0)_1TX	-3.95
VHT40_Nss1,(MCS0)_1TX	-9.55
802.11ax HEW20_Nss1,(MCS0)_1TX	-4.06
802.11ax HEW40_Nss1,(MCS0)_1TX	-9.49









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	5.00	0.65	0.65	8.00
2437MHz	Pass	5.00	1.69	1.69	8.00
2462MHz	Pass	5.00	1.00	1.00	8.00
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	5.00	-8.06	-8.06	8.00
2437MHz	Pass	5.00	-2.85	-2.85	8.00
2462MHz	Pass	5.00	-7.96	-7.96	8.00
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	5.00	-8.68	-8.68	8.00
2437MHz	Pass	5.00	-3.95	-3.95	8.00
2462MHz	Pass	5.00	-9.66	-9.66	8.00
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	5.00	-10.25	-10.25	8.00
2437MHz	Pass	5.00	-9.55	-9.55	8.00
2452MHz	Pass	5.00	-10.91	-10.91	8.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	5.00	-8.38	-8.38	8.00
2437MHz	Pass	5.00	-4.06	-4.06	8.00
2462MHz	Pass	5.00	-10.14	-10.14	8.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	5.00	-10.94	-10.94	8.00
2437MHz	Pass	5.00	-9.49	-9.49	8.00
2452MHz	Pass	5.00	-10.85	-10.85	8.00




DG = Directional Gain;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;


















Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_2TX	3.67
802.11g_Nss1,(6Mbps)_2TX	-1.36
VHT20_Nss2,(MCS0)_2TX	-3.08
VHT40_Nss2,(MCS0)_2TX	-8.63
802.11ax HEW20_Nss2,(MCS0)_2TX	-2.72
802.11ax HEW40_Nss2,(MCS0)_2TX	-9.91









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	8.01	2.90	0.52	3.67	5.99
2437MHz	Pass	8.01	0.54	1.56	2.76	5.99
2462MHz	Pass	8.01	-1.99	-0.70	0.82	5.99
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	8.01	-9.17	-8.76	-6.09	5.99
2437MHz	Pass	8.01	-3.91	-2.38	-1.36	5.99
2462MHz	Pass	8.01	-8.70	-9.15	-5.91	5.99
VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	5.00	-8.71	-9.07	-6.59	8.00
2437MHz	Pass	5.00	-3.97	-4.42	-3.08	8.00
2462MHz	Pass	5.00	-8.94	-9.45	-8.12	8.00
VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	5.00	-11.89	-11.72	-10.68	8.00
2437MHz	Pass	5.00	-10.67	-10.25	-8.63	8.00
2452MHz	Pass	5.00	-12.90	-12.47	-11.04	8.00
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	5.00	-9.76	-9.30	-6.69	8.00
2437MHz	Pass	5.00	-5.52	-5.45	-2.72	8.00
2462MHz	Pass	5.00	-10.40	-10.26	-7.84	8.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	5.00	-13.30	-12.89	-11.36	8.00
2437MHz	Pass	5.00	-10.71	-11.40	-9.91	8.00
2452MHz	Pass	5.00	-13.75	-13.62	-12.56	8.00




DG = Directional Gain;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;


















Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX	2.49
802.11g_Nss1,(6Mbps)_1TX	-2.87
VHT20_Nss1,(MCS0)_1TX	-4.30
VHT40_Nss1,(MCS0)_1TX	-9.58
802.11ax HEW20_Nss1,(MCS0)_1TX	-4.98
802.11ax HEW40_Nss1,(MCS0)_1TX	-11.27









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	7.80	0.97	0.97	6.20
2437MHz	Pass	7.80	2.49	2.49	6.20
2462MHz	Pass	7.80	-1.17	-1.17	6.20
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	7.80	-8.31	-8.31	6.20
2437MHz	Pass	7.80	-2.87	-2.87	6.20
2462MHz	Pass	7.80	-10.05	-10.05	6.20
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	7.80	-8.33	-8.33	6.20
2437MHz	Pass	7.80	-4.30	-4.30	6.20
2462MHz	Pass	7.80	-12.11	-12.11	6.20
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	7.80	-11.02	-11.02	6.20
2437MHz	Pass	7.80	-9.58	-9.58	6.20
2452MHz	Pass	7.80	-12.06	-12.06	6.20
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	7.80	-7.03	-7.03	6.20
2437MHz	Pass	7.80	-4.98	-4.98	6.20
2462MHz	Pass	7.80	-10.32	-10.32	6.20
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	7.80	-12.13	-12.13	6.20
2437MHz	Pass	7.80	-11.27	-11.27	6.20
2452MHz	Pass	7.80	-13.31	-13.31	6.20




DG = Directional Gain;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;


















Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_2TX	2.15
802.11g_Nss1,(6Mbps)_2TX	-0.15
VHT20_Nss2,(MCS0)_2TX	-3.94
VHT40_Nss2,(MCS0)_2TX	-9.54
802.11ax HEW20_Nss2,(MCS0)_2TX	-3.34
802.11ax HEW40_Nss2,(MCS0)_2TX	-11.13









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.81	0.98	0.43	2.15	3.19
2437MHz	Pass	10.81	-2.10	-1.34	0.30	3.19
2462MHz	Pass	10.81	-1.94	-2.34	-1.02	3.19
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.81	-9.24	-8.45	-5.82	3.19
2437MHz	Pass	10.81	-3.76	-2.64	-0.15	3.19
2462MHz	Pass	10.81	-10.28	-9.80	-7.80	3.19
VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.80	-9.37	-9.29	-7.13	6.20
2437MHz	Pass	7.80	-6.05	-5.74	-3.94	6.20
2462MHz	Pass	7.80	-9.33	-9.92	-8.14	6.20
VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.80	-12.93	-12.33	-11.61	6.20
2437MHz	Pass	7.80	-11.49	-10.64	-9.54	6.20
2452MHz	Pass	7.80	-13.84	-12.45	-11.39	6.20
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.80	-10.05	-9.85	-7.81	6.20
2437MHz	Pass	7.80	-6.02	-6.33	-3.34	6.20
2462MHz	Pass	7.80	-10.76	-10.72	-7.73	6.20
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.80	-14.01	-13.76	-12.40	6.20
2437MHz	Pass	7.80	-12.43	-12.36	-11.13	6.20
2452MHz	Pass	7.80	-14.72	-13.87	-13.22	6.20




DG = Directional Gain;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;


















Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX	1.74
802.11g_Nss1,(6Mbps)_1TX	-2.20
VHT20_Nss1,(MCS0)_1TX	-3.90
VHT40_Nss1,(MCS0)_1TX	-8.33
802.11ax HEW20_Nss1,(MCS0)_1TX	-2.51
802.11ax HEW40_Nss1,(MCS0)_1TX	-9.64









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	10.50	1.42	1.42	3.50
2437MHz	Pass	10.50	1.05	1.05	3.50
2462MHz	Pass	10.50	1.74	1.74	3.50
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	10.50	-6.93	-6.93	3.50
2437MHz	Pass	10.50	-2.20	-2.20	3.50
2462MHz	Pass	10.50	-8.45	-8.45	3.50
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	10.50	-8.78	-8.78	3.50
2437MHz	Pass	10.50	-3.90	-3.90	3.50
2462MHz	Pass	10.50	-10.40	-10.40	3.50
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	10.50	-9.07	-9.07	3.50
2437MHz	Pass	10.50	-8.33	-8.33	3.50
2452MHz	Pass	10.50	-9.89	-9.89	3.50
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	10.50	-7.36	-7.36	3.50
2437MHz	Pass	10.50	-2.51	-2.51	3.50
2462MHz	Pass	10.50	-9.56	-9.56	3.50
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	10.50	-10.04	-10.04	3.50
2437MHz	Pass	10.50	-9.64	-9.64	3.50
2452MHz	Pass	10.50	-12.24	-12.24	3.50




DG = Directional Gain;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;


















Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_2TX	-5.37
802.11g_Nss1,(6Mbps)_2TX	-1.18
VHT20_Nss2,(MCS0)_2TX	-2.87
VHT40_Nss2,(MCS0)_2TX	-8.97
802.11ax HEW20_Nss2,(MCS0)_2TX	-2.63
802.11ax HEW40_Nss2,(MCS0)_2TX	-9.99









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	13.51	-8.38	-8.38	-5.37	0.49
2437MHz	Pass	13.51	-8.53	-8.52	-5.80	0.49
2462MHz	Pass	13.51	-7.73	-8.81	-5.50	0.49
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	13.51	-8.18	-7.18	-4.64	0.49
2437MHz	Pass	13.51	-4.21	-3.41	-1.18	0.49
2462MHz	Pass	13.51	-9.16	-8.05	-5.65	0.49
VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.50	-7.61	-8.15	-6.65	3.50
2437MHz	Pass	10.50	-5.26	-4.66	-2.87	3.50
2462MHz	Pass	10.50	-9.48	-8.31	-7.30	3.50
VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	10.50	-11.71	-11.36	-10.03	3.50
2437MHz	Pass	10.50	-10.40	-10.58	-8.97	3.50
2452MHz	Pass	10.50	-12.00	-11.69	-10.90	3.50
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.50	-9.05	-9.50	-6.39	3.50
2437MHz	Pass	10.50	-5.44	-4.96	-2.63	3.50
2462MHz	Pass	10.50	-10.30	-10.45	-7.36	3.50
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	10.50	-12.33	-12.33	-11.25	3.50
2437MHz	Pass	10.50	-11.26	-11.18	-9.99	3.50
2452MHz	Pass	10.50	-13.18	-12.55	-11.20	3.50




DG = Directional Gain;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;


















Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
VHT20-BF_Nss1,(MCS0)_2TX	1.89
VHT40-BF_Nss1,(MCS0)_2TX	-5.00
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	1.26
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-7.24









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.43	-4.35	-7.06	-3.75	6.57
2437MHz	Pass	7.43	1.67	-2.49	1.89	6.57
2462MHz	Pass	7.43	-5.36	-8.76	-4.99	6.57
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.43	-7.65	-9.35	-7.40	6.57
2437MHz	Pass	7.43	-5.43	-9.45	-5.00	6.57
2452MHz	Pass	7.43	-9.69	-7.97	-6.65	6.57
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.43	-8.00	-8.57	-5.27	6.57
2437MHz	Pass	7.43	-1.45	-2.08	1.26	6.57
2462MHz	Pass	7.43	-7.66	-8.27	-4.94	6.57
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.43	-11.02	-12.16	-9.50	6.57
2437MHz	Pass	7.43	-9.49	-10.25	-7.24	6.57
2452MHz	Pass	7.43	-11.16	-11.86	-8.57	6.57




DG = Directional Gain;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;











Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
VHT20-BF_Nss1,(MCS0)_2TX	0.96
VHT40-BF_Nss1,(MCS0)_2TX	-7.94
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-1.43
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-8.54









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	8.01	-7.14	-9.57	-6.72	5.99
2437MHz	Pass	8.01	-1.88	-2.22	0.96	5.99
2462MHz	Pass	8.01	-8.91	-7.15	-6.10	5.99
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	8.01	-12.06	-12.60	-9.78	5.99
2437MHz	Pass	8.01	-11.07	-9.97	-8.00	5.99
2452MHz	Pass	8.01	-9.89	-8.50	-7.94	5.99
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	8.01	-8.80	-10.46	-6.98	5.99
2437MHz	Pass	8.01	-4.23	-4.00	-1.43	5.99
2462MHz	Pass	8.01	-8.58	-9.30	-6.08	5.99
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	8.01	-13.15	-12.63	-10.41	5.99
2437MHz	Pass	8.01	-11.21	-11.93	-8.54	5.99
2452MHz	Pass	8.01	-10.77	-12.65	-10.10	5.99




DG = Directional Gain;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;











Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
VHT20-BF_Nss1,(MCS0)_2TX	-1.23
VHT40-BF_Nss1,(MCS0)_2TX	-5.51
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-0.91
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-8.38









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.81	-7.08	-4.39	-4.04	3.19
2437MHz	Pass	10.81	-3.97	-3.08	-1.23	3.19
2462MHz	Pass	10.81	-9.89	-9.86	-6.86	3.19
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	10.81	-7.58	-6.29	-5.57	3.19
2437MHz	Pass	10.81	-5.66	-11.14	-5.51	3.19
2452MHz	Pass	10.81	-7.01	-13.61	-6.86	3.19
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.81	-7.74	-7.91	-5.81	3.19
2437MHz	Pass	10.81	-3.72	-4.14	-0.91	3.19
2462MHz	Pass	10.81	-9.50	-10.54	-6.98	3.19
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	10.81	-11.21	-11.59	-8.39	3.19
2437MHz	Pass	10.81	-9.29	-11.61	-8.38	3.19
2452MHz	Pass	10.81	-13.00	-13.32	-10.17	3.19




DG = Directional Gain;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;











Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
VHT20-BF_Nss1,(MCS0)_2TX	-2.43
VHT40-BF_Nss1,(MCS0)_2TX	-5.15
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-3.83
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-7.18









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	13.51	-4.28	-6.16	-2.43	0.49
2437MHz	Pass	13.51	-5.89	-4.28	-3.67	0.49
2462MHz	Pass	13.51	-4.06	-8.26	-3.58	0.49
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	13.51	-9.68	-9.22	-6.97	0.49
2437MHz	Pass	13.51	-5.54	-7.11	-5.15	0.49
2452MHz	Pass	13.51	-7.11	-10.34	-6.79	0.49
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	13.51	-7.29	-7.16	-4.78	0.49
2437MHz	Pass	13.51	-6.36	-6.79	-3.83	0.49
2462MHz	Pass	13.51	-7.58	-9.54	-6.64	0.49
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	13.51	-9.94	-10.56	-8.24	0.49
2437MHz	Pass	13.51	-8.68	-10.69	-7.18	0.49
2452MHz	Pass	13.51	-11.98	-11.94	-9.44	0.49




DG = Directional Gain;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;











Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.41148G	16.60	-13.40	2.30437G	-51.83	2.4G	-26.76	2.4G	-25.18	2.48512G	-48.98	7.23233G	-38.67	1
802.11g_Nss1,(6Mbps)_1TX	Pass	2.43073G	13.30	-16.70	2.19807G	-53.99	2.39988G	-30.93	2.4G	-32.51	2.49G	-49.66	23.33112G	-41.81	1
VHT20_Nss1,(MCS0)_1TX	Pass	2.4395G	12.74	-17.26	2.30029G	-53.65	2.39798G	-30.27	2.4G	-32.41	2.49548G	-49.60	24.09532G	-42.51	1
VHT40_Nss1,(MCS0)_1TX	Pass	2.442G	5.58	-24.42	30M	-53.24	2.39636G	-31.38	2.4G	-35.96	2.48834G	-46.57	23.5837G	-41.29	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	2.4395G	12.73	-17.27	2.30292G	-53.44	2.39946G	-24.30	2.4G	-26.76	2.51306G	-50.10	23.30021G	-41.78	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	2.442G	5.53	-24.47	2.30626G	-52.02	2.39916G	-32.01	2.4G	-34.68	2.48406G	-46.09	16.24977G	-42.26	1



**CSE(Non-restricted Band)_Non-Beamforming_Sample 1
_Radio1_1T1S**

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.41148G	16.60	-13.40	2.30437G	-51.83	2.4G	-26.76	2.4G	-25.18	2.48512G	-48.98	7.23233G	-38.67	1
2437MHz	Pass	2.41148G	16.60	-13.40	2.3067G	-53.46	2.3956G	-47.57	2.4835G	-50.29	2.49032G	-47.42	23.32831G	-42.25	1
2462MHz	Pass	2.41148G	16.60	-13.40	2.30233G	-53.22	2.39882G	-49.55	2.4835G	-50.16	2.48692G	-46.26	23.24683G	-42.11	1
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	13.30	-16.70	2.19807G	-53.99	2.39988G	-30.93	2.4G	-32.51	2.49G	-49.66	23.33112G	-41.81	1
2437MHz	Pass	2.43073G	13.30	-16.70	2.30758G	-53.40	2.39988G	-36.33	2.4G	-37.27	2.48416G	-38.86	24.66566G	-41.41	1
2462MHz	Pass	2.43073G	13.30	-16.70	855.4M	-55.38	2.39282G	-50.57	2.4835G	-37.36	2.4842G	-38.34	23.31426G	-42.13	1
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.4395G	12.74	-17.26	2.30029G	-53.65	2.39798G	-30.27	2.4G	-32.41	2.49548G	-49.60	24.09532G	-42.51	1
2437MHz	Pass	2.4395G	12.74	-17.26	2.30262G	-52.73	2.39952G	-36.14	2.4G	-38.85	2.48506G	-40.61	15.25363G	-41.75	1
2462MHz	Pass	2.4395G	12.74	-17.26	2.16253G	-54.30	2.39268G	-51.90	2.4835G	-41.98	2.48364G	-40.88	23.54465G	-42.21	1
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.442G	5.58	-24.42	30M	-53.24	2.39636G	-31.38	2.4G	-35.96	2.48834G	-46.57	23.5837G	-41.29	1
2437MHz	Pass	2.442G	5.58	-24.42	2.3034G	-53.05	2.39952G	-33.65	2.4G	-38.99	2.48366G	-37.90	23.32287G	-42.80	1
2452MHz	Pass	2.442G	5.58	-24.42	2.3097G	-54.27	2.39572G	-44.79	2.4835G	-35.96	2.4835G	-33.43	16.24977G	-42.18	1
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.4395G	12.73	-17.27	2.30292G	-53.44	2.39946G	-24.30	2.4G	-26.76	2.51306G	-50.10	23.30021G	-41.78	1
2437MHz	Pass	2.4395G	12.73	-17.27	2.30204G	-53.26	2.3993G	-35.10	2.4G	-38.63	2.4838G	-38.46	16.22855G	-41.64	1
2462MHz	Pass	2.4395G	12.73	-17.27	2.30903G	-54.81	2.39498G	-50.99	2.4835G	-40.21	2.48358G	-38.23	16.22293G	-42.39	1
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.442G	5.53	-24.47	2.30626G	-52.02	2.39916G	-32.01	2.4G	-34.68	2.48406G	-46.09	16.24977G	-42.26	1
2437MHz	Pass	2.442G	5.53	-24.47	2.30483G	-53.33	2.39656G	-34.94	2.4G	-37.19	2.48542G	-39.73	23.48554G	-42.31	1
2452MHz	Pass	2.442G	5.53	-24.47	31.43M	-54.17	2.39948G	-46.93	2.4835G	-38.33	2.48414G	-32.77	15.17842G	-41.87	1

