



Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX	-2.11
802.11g_Nss1,(6Mbps)_1TX	-5.56
VHT20_Nss1,(MCS0)_1TX	-6.24
VHT40_Nss1,(MCS0)_1TX	-11.97
802.11ax HEW20_Nss1,(MCS0)_1TX	-5.57
802.11ax HEW40_Nss1,(MCS0)_1TX	-13.13




RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	7.80	-2.92	-2.92	6.20
2437MHz	Pass	7.80	-2.11	-2.11	6.20
2462MHz	Pass	7.80	-2.87	-2.87	6.20
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	7.80	-10.10	-10.10	6.20
2437MHz	Pass	7.80	-5.56	-5.56	6.20
2462MHz	Pass	7.80	-10.62	-10.62	6.20
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	7.80	-12.25	-12.25	6.20
2437MHz	Pass	7.80	-6.24	-6.24	6.20
2462MHz	Pass	7.80	-13.46	-13.46	6.20
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	7.80	-12.66	-12.66	6.20
2437MHz	Pass	7.80	-11.97	-11.97	6.20
2452MHz	Pass	7.80	-14.24	-14.24	6.20
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	7.80	-11.78	-11.78	6.20
2437MHz	Pass	7.80	-5.57	-5.57	6.20
2462MHz	Pass	7.80	-12.13	-12.13	6.20
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	7.80	-14.13	-14.13	6.20
2437MHz	Pass	7.80	-13.13	-13.13	6.20
2452MHz	Pass	7.80	-15.41	-15.41	6.20




DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;


















Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_2TX	-2.51
802.11g_Nss1,(6Mbps)_2TX	-4.00
VHT20_Nss2,(MCS0)_2TX	-6.03
VHT40_Nss2,(MCS0)_2TX	-12.97
802.11ax HEW20_Nss2,(MCS0)_2TX	-5.72
802.11ax HEW40_Nss2,(MCS0)_2TX	-13.50

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.81	-4.33	-4.47	-2.51	3.19
2437MHz	Pass	10.81	-6.28	-4.68	-3.07	3.19
2462MHz	Pass	10.81	-5.80	-5.23	-3.41	3.19
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.81	-10.86	-10.35	-7.59	3.19
2437MHz	Pass	10.81	-6.80	-6.68	-4.00	3.19
2462MHz	Pass	10.81	-11.08	-10.30	-8.42	3.19
VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.80	-10.28	-10.73	-9.12	6.20
2437MHz	Pass	7.80	-7.98	-7.40	-6.03	6.20
2462MHz	Pass	7.80	-10.23	-9.79	-8.54	6.20
VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.80	-14.27	-14.67	-13.34	6.20
2437MHz	Pass	7.80	-13.68	-13.84	-12.97	6.20
2452MHz	Pass	7.80	-15.07	-14.59	-13.46	6.20
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.80	-11.57	-11.43	-9.08	6.20
2437MHz	Pass	7.80	-8.45	-7.91	-5.72	6.20
2462MHz	Pass	7.80	-11.83	-11.30	-9.30	6.20
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.80	-15.08	-15.71	-14.08	6.20
2437MHz	Pass	7.80	-14.43	-14.73	-13.50	6.20
2452MHz	Pass	7.80	-15.21	-15.15	-14.13	6.20




DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;


















Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX	-1.33
802.11g_Nss1,(6Mbps)_1TX	-5.48
VHT20_Nss1,(MCS0)_1TX	-6.33
VHT40_Nss1,(MCS0)_1TX	-12.43
802.11ax HEW20_Nss1,(MCS0)_1TX	-6.43
802.11ax HEW40_Nss1,(MCS0)_1TX	-12.46

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz_TnomVnom	Pass	10.50	-1.51	-1.51	3.50
2437MHz_TnomVnom	Pass	10.50	-3.16	-3.16	3.50
2462MHz_TnomVnom	Pass	10.50	-1.33	-1.33	3.50
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz_TnomVnom	Pass	10.50	-9.80	-9.80	3.50
2437MHz_TnomVnom	Pass	10.50	-5.48	-5.48	3.50
2462MHz_TnomVnom	Pass	10.50	-10.43	-10.43	3.50
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz_TnomVnom	Pass	10.50	-12.37	-12.37	3.50
2437MHz_TnomVnom	Pass	10.50	-6.33	-6.33	3.50
2462MHz_TnomVnom	Pass	10.50	-13.06	-13.06	3.50
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz_TnomVnom	Pass	10.50	-12.53	-12.53	3.50
2437MHz_TnomVnom	Pass	10.50	-12.43	-12.43	3.50
2452MHz_TnomVnom	Pass	10.50	-13.04	-13.04	3.50
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz_TnomVnom	Pass	10.50	-11.82	-11.82	3.50
2437MHz_TnomVnom	Pass	10.50	-6.43	-6.43	3.50
2462MHz_TnomVnom	Pass	10.50	-11.42	-11.42	3.50
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz_TnomVnom	Pass	10.50	-13.70	-13.70	3.50
2437MHz_TnomVnom	Pass	10.50	-12.46	-12.46	3.50
2452MHz_TnomVnom	Pass	10.50	-15.50	-15.50	3.50




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;


















Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_2TX	0.41
802.11g_Nss1,(6Mbps)_2TX	-4.30
VHT20_Nss2,(MCS0)_2TX	-6.40
VHT40_Nss2,(MCS0)_2TX	-12.38
802.11ax HEW20_Nss2,(MCS0)_2TX	-6.12
802.11ax HEW40_Nss2,(MCS0)_2TX	-13.33

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	13.51	-4.03	-2.57	-1.72	0.49
2437MHz_TnomVnom	Pass	13.51	-1.54	-1.61	0.41	0.49
2462MHz_TnomVnom	Pass	13.51	-3.29	-2.99	-0.62	0.49
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	13.51	-10.53	-10.26	-8.07	0.49
2437MHz_TnomVnom	Pass	13.51	-7.34	-7.28	-4.30	0.49
2462MHz_TnomVnom	Pass	13.51	-11.55	-11.33	-8.65	0.49
VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	10.50	-12.17	-11.33	-10.50	3.50
2437MHz_TnomVnom	Pass	10.50	-8.02	-7.61	-6.40	3.50
2462MHz_TnomVnom	Pass	10.50	-11.30	-10.29	-9.33	3.50
VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	10.50	-15.56	-15.44	-14.02	3.50
2437MHz_TnomVnom	Pass	10.50	-13.92	-13.99	-12.38	3.50
2452MHz_TnomVnom	Pass	10.50	-14.79	-15.30	-14.07	3.50
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	10.50	-12.82	-13.19	-10.38	3.50
2437MHz_TnomVnom	Pass	10.50	-8.80	-8.54	-6.12	3.50
2462MHz_TnomVnom	Pass	10.50	-12.16	-11.09	-9.09	3.50
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	10.50	-16.49	-16.34	-15.39	3.50
2437MHz_TnomVnom	Pass	10.50	-14.81	-14.51	-13.33	3.50
2452MHz_TnomVnom	Pass	10.50	-15.91	-15.62	-14.81	3.50




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;


















Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
VHT20-BF_Nss1,(MCS0)_2TX	-1.51
VHT40-BF_Nss1,(MCS0)_2TX	-8.76
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-2.75
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-10.36

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.53	-9.63	-10.35	-7.74	6.47
2437MHz	Pass	7.53	-6.19	-1.78	-1.51	6.47
2462MHz	Pass	7.53	-12.21	-10.91	-8.82	6.47
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.53	-16.18	-14.84	-13.56	6.47
2437MHz	Pass	7.53	-9.50	-10.77	-8.76	6.47
2452MHz	Pass	7.53	-10.45	-10.34	-8.76	6.47
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.53	-9.26	-10.58	-7.43	6.47
2437MHz	Pass	7.53	-5.28	-5.75	-2.75	6.47
2462MHz	Pass	7.53	-13.00	-11.94	-9.95	6.47
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.53	-14.56	-14.81	-12.35	6.47
2437MHz	Pass	7.53	-13.46	-13.28	-10.36	6.47
2452MHz	Pass	7.53	-13.90	-11.84	-10.79	6.47




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;











Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
VHT20-BF_Nss1,(MCS0)_2TX	-1.86
VHT40-BF_Nss1,(MCS0)_2TX	-10.16
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-4.47
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-14.03

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	8.01	-6.69	-6.46	-4.60	5.99
2437MHz	Pass	8.01	-5.46	-4.35	-1.86	5.99
2462MHz	Pass	8.01	-11.03	-12.36	-8.63	5.99
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	8.01	-13.00	-17.90	-12.86	5.99
2437MHz	Pass	8.01	-11.50	-15.31	-11.35	5.99
2452MHz	Pass	8.01	-10.63	-12.43	-10.16	5.99
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	8.01	-12.50	-13.49	-10.34	5.99
2437MHz	Pass	8.01	-7.09	-7.80	-4.47	5.99
2462MHz	Pass	8.01	-12.81	-12.81	-9.80	5.99
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	8.01	-16.61	-19.09	-15.71	5.99
2437MHz	Pass	8.01	-16.77	-17.59	-14.60	5.99
2452MHz	Pass	8.01	-16.60	-16.11	-14.03	5.99




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;











Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
VHT20-BF_Nss1,(MCS0)_2TX	-2.67
VHT40-BF_Nss1,(MCS0)_2TX	-12.04
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-6.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-12.94

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.81	-12.37	-13.95	-11.48	3.19
2437MHz	Pass	10.81	-5.90	-5.48	-2.67	3.19
2462MHz	Pass	10.81	-13.40	-13.79	-10.58	3.19
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	10.81	-12.25	-17.67	-12.04	3.19
2437MHz	Pass	10.81	-12.42	-17.00	-12.21	3.19
2452MHz	Pass	10.81	-14.59	-12.69	-12.13	3.19
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	10.81	-12.46	-12.23	-9.33	3.19
2437MHz	Pass	10.81	-8.56	-8.19	-6.00	3.19
2462MHz	Pass	10.81	-12.70	-14.59	-10.53	3.19
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	10.81	-17.89	-19.46	-16.86	3.19
2437MHz	Pass	10.81	-14.94	-15.30	-12.94	3.19
2452MHz	Pass	10.81	-15.93	-16.79	-13.59	3.19




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;











Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
VHT20-BF_Nss1,(MCS0)_2TX	-5.61
VHT40-BF_Nss1,(MCS0)_2TX	-9.91
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-6.64
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-12.48

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	13.51	-12.52	-14.04	-11.45	0.49
2437MHz	Pass	13.51	-8.52	-6.50	-5.61	0.49
2462MHz	Pass	13.51	-14.22	-13.90	-12.30	0.49
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	13.51	-11.53	-12.54	-9.91	0.49
2437MHz	Pass	13.51	-14.69	-14.07	-12.05	0.49
2452MHz	Pass	13.51	-14.59	-12.69	-12.13	0.49
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	13.51	-12.30	-14.25	-10.90	0.49
2437MHz	Pass	13.51	-8.94	-8.98	-6.64	0.49
2462MHz	Pass	13.51	-13.90	-15.11	-11.81	0.49
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	13.51	-15.19	-17.58	-15.05	0.49
2437MHz	Pass	13.51	-14.17	-14.46	-12.48	0.49
2452MHz	Pass	13.51	-15.93	-16.79	-13.59	0.49




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;











Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.43753G	15.51	-14.49	2.30146G	-53.54	2.3999G	-27.99	2.4G	-31.27	2.48522G	-48.87	24.49147G	-38.31	1
802.11g_Nss1,(6Mbps)_1TX	Pass	2.43202G	10.16	-19.84	2.15875G	-53.32	2.39544G	-28.49	2.4G	-32.32	2.4844G	-50.49	24.46618G	-37.49	1
VHT20_Nss1,(MCS0)_1TX	Pass	2.43077G	9.76	-20.24	2.13312G	-53.94	2.39956G	-29.89	2.4G	-34.93	2.49626G	-50.41	24.26951G	-38.22	1
VHT40_Nss1,(MCS0)_1TX	Pass	2.44075G	3.59	-26.41	2.10531G	-53.95	2.39952G	-31.88	2.4G	-36.39	2.48426G	-36.43	23.4659G	-37.30	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	2.43574G	9.54	-20.46	2.10487G	-53.36	2.3997G	-26.44	2.4G	-27.31	2.48846G	-49.60	24.07003G	-38.05	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	2.43453G	3.62	-26.38	2.168G	-54.15	2.39832G	-32.03	2.4G	-36.57	2.4839G	-36.47	23.31165G	-38.45	1







**CSE(Non-restricted Band)_Non-Beamforming_Sample
1_Radio 1_1T1S**



Appendix E.1



Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.43753G	15.51	-14.49	2.30146G	-53.54	2.399G	-27.99	2.4G	-31.27	2.48522G	-48.87	24.49147G	-38.31	1
2437MHz_TnomVnom	Pass	2.43753G	15.51	-14.49	2.18205G	-53.24	2.39666G	-43.35	2.4G	-44.72	2.4856G	-43.76	24.19366G	-38.40	1
2462MHz_TnomVnom	Pass	2.43753G	15.51	-14.49	2.01021G	-53.89	2.39996G	-49.09	2.4835G	-43.14	2.49152G	-39.20	24.39594G	-37.84	1
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.43202G	10.16	-19.84	2.15875G	-53.32	2.39544G	-28.49	2.4G	-32.32	2.4844G	-50.49	24.46618G	-37.49	1
2437MHz_TnomVnom	Pass	2.43202G	10.16	-19.84	2.10749G	-54.07	2.39982G	-36.42	2.4G	-39.46	2.48488G	-40.18	24.54485G	-37.85	1
2462MHz_TnomVnom	Pass	2.43202G	10.16	-19.84	1.94584G	-52.94	2.39188G	-50.76	2.4835G	-46.49	2.48394G	-38.32	23.48284G	-38.69	1
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.43077G	9.76	-20.24	2.13312G	-53.94	2.39956G	-29.89	2.4G	-34.93	2.49626G	-50.41	24.26951G	-38.22	1
2437MHz_TnomVnom	Pass	2.43077G	9.76	-20.24	2.30641G	-52.74	2.39486G	-36.18	2.4G	-38.94	2.48418G	-40.51	24.39594G	-38.28	1
2462MHz_TnomVnom	Pass	2.43077G	9.76	-20.24	2.06496G	-53.74	2.39288G	-52.12	2.4835G	-48.59	2.49026G	-46.85	24.55047G	-37.95	1
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	2.44075G	3.59	-26.41	2.30569G	-53.20	2.39672G	-36.56	2.4G	-41.72	2.48422G	-46.80	24.16985G	-38.55	1
2437MHz_TnomVnom	Pass	2.44075G	3.59	-26.41	2.10531G	-53.95	2.39952G	-31.88	2.4G	-36.39	2.48426G	-36.43	23.4659G	-37.30	1
2452MHz_TnomVnom	Pass	2.44075G	3.59	-26.41	2.30512G	-54.30	2.39732G	-44.35	2.4835G	-40.04	2.48638G	-33.48	24.09413G	-37.81	1
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.43574G	9.54	-20.46	2.10487G	-53.36	2.3997G	-26.44	2.4G	-27.31	2.48846G	-49.60	24.07003G	-38.05	1
2437MHz_TnomVnom	Pass	2.43574G	9.54	-20.46	2.16166G	-53.97	2.39876G	-35.20	2.4G	-37.15	2.48474G	-38.96	24.23299G	-38.30	1
2462MHz_TnomVnom	Pass	2.43574G	9.54	-20.46	2.30379G	-53.84	2.39466G	-51.61	2.4835G	-47.98	2.48408G	-38.01	23.53903G	-38.58	1
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	2.43453G	3.62	-26.38	2.30569G	-53.47	2.39932G	-37.36	2.4G	-40.16	2.48682G	-46.05	24.4447G	-37.97	1
2437MHz_TnomVnom	Pass	2.43453G	3.62	-26.38	2.168G	-54.15	2.39832G	-32.03	2.4G	-36.57	2.4839G	-36.47	23.31165G	-38.45	1
2452MHz_TnomVnom	Pass	2.43453G	3.62	-26.38	2.30655G	-52.99	2.39804G	-45.97	2.4835G	-40.79	2.48426G	-34.62	24.50359G	-38.37	1





























Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.43599G	15.59	-14.41	2.30029G	-53.22	2.39904G	-29.48	2.4G	-29.97	2.48628G	-49.44	24.54766G	-38.27	1
802.11g_Nss1,(6Mbps)_2TX	Pass	2.442G	10.72	-19.28	2.30204G	-53.51	2.39986G	-23.67	2.4G	-27.79	2.48392G	-49.93	24.76681G	-37.69	1
VHT20_Nss2,(MCS0)_2TX	Pass	2.43198G	9.06	-20.94	1.93536G	-53.68	2.39982G	-25.16	2.4G	-30.94	2.50614G	-50.82	24.40156G	-38.28	1
VHT40_Nss2,(MCS0)_2TX	Pass	2.43202G	2.87	-27.13	2.30798G	-53.52	2.39952G	-32.68	2.4G	-38.58	2.48798G	-42.60	24.09413G	-37.86	1
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	2.442G	9.12	-20.88	2.30408G	-52.34	2.39994G	-26.56	2.4G	-27.95	2.4849G	-49.73	24.74714G	-37.86	1
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	2.43202G	3.18	-26.82	2.30426G	-52.93	2.3998G	-28.05	2.4G	-32.15	2.48378G	-35.13	24.42506G	-37.18	1







**CSE(Non-restricted Band)_Non-Beamforming_Sample
1_Radio 1_2T2S**



Appendix E.2



Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.43599G	15.59	-14.41	2.30029G	-53.22	2.39904G	-29.48	2.4G	-29.97	2.48628G	-49.44	24.54766G	-38.27	1
2412MHz_TnomVnom	Pass	2.43599G	15.59	-14.41	2.30961G	-53.44	2.4G	-34.81	2.4G	-34.38	2.48612G	-48.91	23.49126G	-38.11	2
2437MHz_TnomVnom	Pass	2.43599G	15.59	-14.41	2.1171G	-53.90	2.394G	-37.20	2.4835G	-42.98	2.4885G	-37.39	24.17399G	-37.97	1
2437MHz_TnomVnom	Pass	2.43599G	15.59	-14.41	2.09613G	-54.44	2.3995G	-32.94	2.4G	-37.03	2.4855G	-37.17	24.42123G	-37.29	2
2462MHz_TnomVnom	Pass	2.43599G	15.59	-14.41	2.14011G	-53.84	2.39906G	-48.79	2.4835G	-43.61	2.48452G	-31.24	24.4409G	-37.77	1
2462MHz_TnomVnom	Pass	2.43599G	15.59	-14.41	2.10632G	-54.37	2.39904G	-48.42	2.4835G	-48.74	2.48752G	-43.37	24.45775G	-38.44	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.442G	10.72	-19.28	2.30204G	-53.51	2.39986G	-23.67	2.4G	-27.79	2.48392G	-49.93	24.76681G	-37.69	1
2412MHz_TnomVnom	Pass	2.442G	10.72	-19.28	2.30874G	-53.38	2.39922G	-26.59	2.4G	-27.92	2.48878G	-49.40	24.00541G	-38.32	2
2437MHz_TnomVnom	Pass	2.442G	10.72	-19.28	2.16137G	-54.11	2.39738G	-35.00	2.4G	-37.25	2.4842G	-37.10	23.59803G	-37.93	1
2437MHz_TnomVnom	Pass	2.442G	10.72	-19.28	2.30932G	-54.58	2.39982G	-35.09	2.4G	-37.01	2.48702G	-37.71	23.16255G	-38.92	2
2462MHz_TnomVnom	Pass	2.442G	10.72	-19.28	2.30146G	-53.59	2.3997G	-50.92	2.4835G	-46.13	2.4836G	-38.34	24.11218G	-37.58	1
2462MHz_TnomVnom	Pass	2.442G	10.72	-19.28	2.3067G	-54.08	2.39142G	-50.87	2.4835G	-45.96	2.48356G	-38.41	24.06442G	-37.94	2
VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.43198G	9.06	-20.94	1.93536G	-53.68	2.39982G	-25.16	2.4G	-30.94	2.50614G	-50.82	24.40156G	-38.28	1
2412MHz_TnomVnom	Pass	2.43198G	9.06	-20.94	2.30932G	-53.21	2.39798G	-28.79	2.4G	-33.19	2.4895G	-50.35	24.31728G	-37.40	2
2437MHz_TnomVnom	Pass	2.43198G	9.06	-20.94	2.30554G	-53.32	2.3998G	-36.28	2.4G	-39.36	2.48416G	-37.08	24.43247G	-37.97	1
2437MHz_TnomVnom	Pass	2.43198G	9.06	-20.94	1.98691G	-54.06	2.39988G	-37.09	2.4G	-39.86	2.48482G	-43.06	24.39313G	-38.90	2
2462MHz_TnomVnom	Pass	2.43198G	9.06	-20.94	2.15292G	-54.45	2.39924G	-49.69	2.4835G	-39.43	2.48448G	-30.51	24.4128G	-37.73	1
2462MHz_TnomVnom	Pass	2.43198G	9.06	-20.94	2.15088G	-54.07	2.39572G	-50.61	2.4835G	-36.77	2.48388G	-36.10	24.39594G	-37.48	2
VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	2.43202G	2.87	-27.13	2.30941G	-53.70	2.39296G	-38.61	2.4G	-43.94	2.48386G	-48.59	24.46994G	-37.23	1
2422MHz_TnomVnom	Pass	2.43202G	2.87	-27.13	2.30569G	-53.44	2.397G	-40.20	2.4G	-43.07	2.49374G	-48.85	24.49798G	-38.24	2
2437MHz_TnomVnom	Pass	2.43202G	2.87	-27.13	2.30798G	-53.52	2.39952G	-32.68	2.4G	-38.58	2.48798G	-42.60	24.09413G	-37.86	1
2437MHz_TnomVnom	Pass	2.43202G	2.87	-27.13	2.30712G	-52.09	2.39952G	-35.16	2.4G	-42.25	2.4835G	-40.06	24.48957G	-38.42	2
2452MHz_TnomVnom	Pass	2.43202G	2.87	-27.13	2.16915G	-52.65	2.3958G	-42.39	2.4835G	-45.94	2.50322G	-39.41	24.48396G	-38.62	1
2452MHz_TnomVnom	Pass	2.43202G	2.87	-27.13	2.13365G	-54.59	2.39452G	-43.50	2.4835G	-45.52	2.49886G	-39.00	24.43628G	-36.69	2
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.442G	9.12	-20.88	2.30408G	-52.34	2.39994G	-26.56	2.4G	-27.95	2.4849G	-49.73	24.74714G	-37.86	1
2412MHz_TnomVnom	Pass	2.442G	9.12	-20.88	2.14215G	-53.98	2.39964G	-30.99	2.4G	-33.98	2.4921G	-51.12	24.11218G	-38.41	2
2437MHz_TnomVnom	Pass	2.442G	9.12	-20.88	2.15147G	-53.56	2.39856G	-35.15	2.4G	-37.82	2.48352G	-38.81	23.3536G	-38.21	1
2437MHz_TnomVnom	Pass	2.442G	9.12	-20.88	2.09962G	-53.74	2.39984G	-37.31	2.4G	-39.04	2.48542G	-40.02	23.48003G	-37.45	2
2462MHz_TnomVnom	Pass	2.442G	9.12	-20.88	2.10399G	-54.51	2.39416G	-49.45	2.4835G	-34.83	2.48376G	-33.80	24.64038G	-38.35	1
2462MHz_TnomVnom	Pass	2.442G	9.12	-20.88	2.00002G	-53.38	2.39478G	-49.93	2.4835G	-38.94	2.4841G	-34.28	16.70617G	-38.26	2
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	2.43202G	3.18	-26.82	2.30368G	-53.15	2.3928G	-35.56	2.4G	-38.27	2.48578G	-49.75	24.54847G	-37.68	1
2422MHz_TnomVnom	Pass	2.43202G	3.18	-26.82	2.30283G	-53.28	2.39876G	-35.23	2.4G	-41.76	2.48578G	-46.43	24.45031G	-37.93	2
2437MHz_TnomVnom	Pass	2.43202G	3.18	-26.82	2.30426G	-52.93	2.3998G	-28.05	2.4G	-32.15	2.48378G	-35.13	24.42506G	-37.18	1
2437MHz_TnomVnom	Pass	2.43202G	3.18	-26.82	2.09787G	-53.58	2.39928G	-29.55	2.4G	-34.06	2.48374G	-34.92	25G	-37.47	2
2452MHz_TnomVnom	Pass	2.43202G	3.18	-26.82	2.30998G	-53.53	2.3982G	-39.31	2.4835G	-37.56	2.48698G	-34.27	24.43628G	-37.96	1
2452MHz_TnomVnom	Pass	2.43202G	3.18	-26.82	2.15913G	-53.56	2.39984G	-42.63	2.4835G	-36.41	2.48498G	-33.44	24.42506G	-38.06	2





























Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.43603G	12.00	-18.00	2.30816G	-55.65	2.39902G	-35.90	2.4G	-37.11	2.48368G	-51.80	24.68533G	-41.21	1
802.11g_Nss1,(6Mbps)_1TX	Pass	2.43954G	10.01	-19.99	818.41M	-54.65	2.39918G	-30.20	2.4G	-30.94	2.51076G	-52.31	16.23697G	-40.68	1
VHT20_Nss1,(MCS0)_1TX	Pass	2.43077G	9.29	-20.71	1.92982G	-54.35	2.39638G	-32.87	2.4G	-37.09	2.5001G	-52.75	24.882G	-40.88	1
VHT40_Nss1,(MCS0)_1TX	Pass	2.43202G	2.76	-27.24	2.30054G	-54.69	2.39948G	-33.67	2.4G	-38.85	2.48462G	-37.20	24.57932G	-40.27	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	2.43954G	9.18	-20.82	1.97264G	-55.46	2.39974G	-27.64	2.4G	-34.68	2.5041G	-52.43	23.3536G	-40.27	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	2.43202G	2.81	-27.19	2.11877G	-55.03	2.39948G	-32.90	2.4G	-38.55	2.48462G	-37.19	23.31165G	-40.92	1