Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 20MHz Ch 140 / Ant. 2

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	11399.990	38.21	60.00	-21.79	28.02	AVERAGE	6.74	35.26	38.70	309	100	HORIZONTAL
2	11400.000	51.76	80.00	-28.24	41.57	PEAK	6.74	35.26	38.70	309	100	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	11399.970	38.22	60.00	-21.78	28.03	AVERAGE	6.74	35.26	38.70	274	100	VERTICAL
2	11400.010	51.51	80.00	-28.49	41.33	PEAK	6.74	35.26	38.70	274	100	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 54 / Ant. 2

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	10540.000	52.94	74.30	-21.36	43.43	PEAK	6.59	35.48	38.39	292	100	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	10539.980	52.81	74.30	-21.49	43.31	PEAK	6.59	35.48	38.39	332	100	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 62 / Ant. 2

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	10599.600	51.23	74.30	-23.07	41.66	PEAK	6.61	35.42	38.38	360	100	HORIZONTAL
2	10620.010	39.22	60.00	-20.78	29.65	AVERAGE	6.61	35.42	38.38	360	100	HORIZONTAL
3	10620.020	53.05	80.00	-26.95	43.47	PEAK	6.61	35.42	38.38	360	100	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	10599.610	50.32	74.30	-23.98	40.75	PEAK	6.61	35.42	38.38	315	100	VERTICAL
2	10619.990	39.29	60.00	-20.71	29.71	AVERAGE	6.61	35.42	38.38	315	100	VERTICAL
3	10620.010	52.04	80.00	-27.96	42.47	PEAK	6.61	35.42	38.38	315	100	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 102 / Ant. 2

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	11019.970	37.94	60.00	-22.06	27.98	AVERAGE	6.74	35.11	38.33	173	100	HORIZONTAL
2	11019.990	51.59	80.00	-28.41	41.63	PEAK	6.74	35.11	38.33	173	100	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	11019.990	37.98	60.00	-22.02	28.03	AVERAGE	6.74	35.11	38.32	360	100	VERTICAL
2	11020.000	51.41	80.00	-28.59	41.47	PEAK	6.74	35.11	38.32	360	100	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 110 / Ant. 2

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	11100.000	52.05	80.00	-27.95	42.05	PEAK	6.74	35.14	38.40	223	100	HORIZONTAL
2	11100.030	38.98	60.00	-21.02	28.98	AVERAGE	6.74	35.14	38.40	223	100	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 @	11099.990	38.98	60.00	-21.02	28.98	6.74	35.14	38.40	264	100	Average	VERTICAL
2	11100.000	52.17	80.00	-27.83	42.17	6.74	35.14	38.40	264	100	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 134 / Ant. 2

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	11340.020	50.03	80.00	-29.97	39.90	PEAK	6.74	35.24	38.63	275	100	HORIZONTAL
2	11340.020	39.87	60.00	-20.13	29.73	AVERAGE	6.74	35.24	38.63	275	100	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	11339.980	48.65	80.00	-31.35	38.51	PEAK	6.74	35.24	38.63	327	100	VERTICAL
2	11339.990	38.89	60.00	-21.11	28.76	AVERAGE	6.74	35.24	38.63	327	100	VERTICAL

Note:

The amplitude of spurious emissions that are attenuated by more than 20dB below the permissible value has no need to be reported.

Emission level (dBuV/m) = 20 log Emission level (uV/m).

Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level.

The limits above 5GHz shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade form 3m to 1.5m.

Distance extrapolation factor = 20 log (specific distance [3m] / test distance [1.5m]) (dB);

Limit line = specific limits (dBuV) + distance extrapolation factor [6 dB].

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	802.11a Ch 52 / Ant. 2

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	10519.980	53.38	74.30	-20.92	43.91	PEAK	6.58	35.50	38.40	316	100	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	10520.000	52.89	74.30	-21.41	43.42	PEAK	6.58	35.50	38.39	248	100	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	802.11a Ch 60 / Ant. 2

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10598.890	50.35	74.30	-23.95	40.79	6.61	35.42	38.38	253	100	PEAK	HORIZONTAL
2 @	10600.010	39.32	60.00	-20.68	29.76	6.61	35.42	38.38	253	100	AVERAGE	HORIZONTAL
3	10600.010	50.16	80.00	-29.84	40.59	6.61	35.42	38.38	253	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	10599.980	50.37	74.30	-23.93	40.80	PEAK	6.61	35.42	38.38	312	100	VERTICAL
2	10600.000	52.32	80.00	-27.68	42.75	PEAK	6.61	35.42	38.38	312	100	VERTICAL
3	10600.030	39.36	60.00	-20.64	29.79	AVERAGE	6.61	35.42	38.38	312	100	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	802.11a Ch 64 / Ant. 2

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	10640.030	39.27	60.00	-20.73	29.67	AVERAGE	6.62	35.39	38.37	178	100	HORIZONTAL
2	10640.030	51.56	80.00	-28.44	41.96	PEAK	6.62	35.39	38.37	178	100	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	10639.970	39.26	60.00	-20.74	29.66	AVERAGE	6.62	35.39	38.37	75	100	VERTICAL
2	10640.010	52.47	80.00	-27.53	42.87	PEAK	6.62	35.39	38.37	75	100	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	802.11a Ch 100 / Ant. 2

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	11000.010	51.18	80.00	-28.82	41.22	PEAK	6.74	35.10	38.32	250	100	HORIZONTAL
2	11000.030	38.25	60.00	-21.75	28.29	AVERAGE	6.74	35.10	38.32	250	100	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	10999.990	38.24	60.00	-21.76	28.30	AVERAGE	6.74	35.10	38.30	361	100	VERTICAL
2	11000.000	51.43	80.00	-28.57	41.49	PEAK	6.74	35.10	38.30	361	100	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	802.11a Ch 116 / Ant. 2

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	11159.990	52.45	80.00	-27.55	42.41	PEAK	6.74	35.17	38.47	207	100	HORIZONTAL
2	11160.030	39.91	60.00	-20.09	29.88	AVERAGE	6.74	35.17	38.47	207	100	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	11160.000	53.30	80.00	-26.70	43.26	PEAK	6.74	35.17	38.47	163	100	VERTICAL
2	11160.030	39.88	60.00	-20.12	29.85	AVERAGE	6.74	35.17	38.47	163	100	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	802.11a Ch 140 / Ant. 2

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	11399.990	38.29	60.00	-21.71	28.11	AVERAGE	6.74	35.26	38.70	242	100	HORIZONTAL
2	11400.000	51.71	80.00	-28.29	41.52	PEAK	6.74	35.26	38.70	242	100	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Remark	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV		dB	dB	dB/m	deg	cm	
1	11399.970	38.33	60.00	-21.67	28.15	AVERAGE	6.74	35.26	38.70	26	100	VERTICAL
2	11400.020	51.56	80.00	-28.44	41.37	PEAK	6.74	35.26	38.70	26	100	VERTICAL

Note:

The amplitude of spurious emissions that are attenuated by more than 20dB below the permissible value has no need to be reported.

Emission level (dBuV/m) = 20 log Emission level (uV/m).

Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level.

The limits above 5GHz shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade form 3m to 1.5m.

Distance extrapolation factor = 20 log (specific distance [3m] / test distance [1.5m]) (dB);

Limit line = specific limits (dBuV) + distance extrapolation factor [6 dB].

<For Antenna 3>:

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 20MHz Ch 52 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10520.010	54.30	74.30	-20.00	44.83	6.58	35.50	38.40	234	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10520.000	54.33	74.30	-19.97	44.85	6.58	35.50	38.39	165	100	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 20MHz Ch 60 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10599.990	53.38	74.30	-20.92	43.81	6.61	35.42	38.38	179	100	PEAK	HORIZONTAL
2	10600.000	40.18	60.00	-19.82	30.61	6.61	35.42	38.38	179	100	AVERAGE	HORIZONTAL
3	10600.010	52.54	80.00	-27.46	42.97	6.61	35.42	38.38	179	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10599.980	53.61	74.30	-20.69	44.04	6.61	35.42	38.38	136	100	PEAK	VERTICAL
2	10600.010	52.16	80.00	-27.84	42.59	6.61	35.42	38.38	136	100	PEAK	VERTICAL
3	10600.030	40.16	60.00	-19.84	30.59	6.61	35.42	38.38	136	100	AVERAGE	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 20MHz Ch 64 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10640.020	53.57	80.00	-26.43	43.97	6.62	35.39	38.37	252	100	PEAK	HORIZONTAL
2	10640.030	40.14	60.00	-19.86	30.54	6.62	35.39	38.37	252	100	AVERAGE	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10639.970	40.15	60.00	-19.85	30.55	6.62	35.39	38.37	198	100	AVERAGE	VERTICAL
2	10639.990	53.93	80.00	-26.07	44.33	6.62	35.39	38.37	198	100	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 20MHz Ch 100 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11000.010	40.63	60.00	-19.37	30.67	6.74	35.10	38.32	66	100	AVERAGE	HORIZONTAL
2	11000.010	53.67	80.00	-26.33	43.71	6.74	35.10	38.32	66	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11000.020	54.48	80.00	-25.52	44.54	6.74	35.10	38.30	209	100	PEAK	VERTICAL
2	11000.030	40.62	60.00	-19.38	30.68	6.74	35.10	38.30	209	100	AVERAGE	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 20MHz Ch 116 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11160.010	40.23	60.00	-19.77	30.19	6.74	35.17	38.47	113	100	AVERAGE	HORIZONTAL
2	11160.010	52.78	80.00	-27.22	42.74	6.74	35.17	38.47	113	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11159.970	40.25	60.00	-19.75	30.21	6.74	35.17	38.47	131	100	AVERAGE	VERTICAL
2	11160.020	53.26	80.00	-26.74	43.23	6.74	35.17	38.47	131	100	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 20MHz Ch 140 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11399.980	54.23	80.00	-25.77	44.05	6.74	35.26	38.70	123	100	PEAK	HORIZONTAL
2	11400.030	40.44	60.00	-19.56	30.25	6.74	35.26	38.70	123	100	AVERAGE	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11400.020	53.61	80.00	-26.39	43.43	6.74	35.26	38.70	74	100	PEAK	VERTICAL
2	11400.030	40.46	60.00	-19.54	30.28	6.74	35.26	38.70	74	100	AVERAGE	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 54 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10539.980	54.67	74.30	-19.63	45.17	6.59	35.48	38.39	114	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10539.990	54.08	74.30	-20.22	44.57	6.59	35.48	38.39	195	100	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 62 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10599.190	51.64	74.30	-22.66	42.07	6.61	35.42	38.38	169	100	PEAK	HORIZONTAL
2	10619.990	53.06	80.00	-26.94	43.48	6.61	35.42	38.38	169	100	PEAK	HORIZONTAL
3	10619.990	39.82	60.00	-20.18	30.25	6.61	35.42	38.38	169	100	AVERAGE	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10599.620	51.12	74.30	-23.18	41.55	6.61	35.42	38.38	220	100	PEAK	VERTICAL
2	10620.020	51.90	80.00	-28.10	42.33	6.61	35.42	38.38	220	100	PEAK	VERTICAL
3	10620.030	39.85	60.00	-20.15	30.28	6.61	35.42	38.38	220	100	AVERAGE	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 102 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11019.990	40.71	60.00	-19.29	30.75	6.74	35.11	38.33	112	100	AVERAGE	HORIZONTAL
2	11020.020	54.21	80.00	-25.79	44.25	6.74	35.11	38.33	112	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11019.970	40.68	60.00	-19.32	30.73	6.74	35.11	38.32	196	100	AVERAGE	VERTICAL
2	11019.980	53.51	80.00	-26.49	43.56	6.74	35.11	38.32	196	100	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 110 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11100.000	52.66	80.00	-27.34	42.66	6.74	35.14	38.40	81	100	PEAK	HORIZONTAL
2	11100.030	40.24	60.00	-19.76	30.24	6.74	35.14	38.40	81	100	AVERAGE	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11099.990	40.24	60.00	-19.76	30.24	6.74	35.14	38.40	165	100	AVERAGE	VERTICAL
2	11100.020	52.98	80.00	-27.02	42.98	6.74	35.14	38.40	165	100	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 134 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11340.020	52.76	80.00	-27.24	42.63	6.74	35.24	38.63	277	100	PEAK	HORIZONTAL
2	11340.030	40.06	60.00	-19.94	29.92	6.74	35.24	38.63	277	100	AVERAGE	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11339.970	40.08	60.00	-19.92	29.95	6.74	35.24	38.63	200	100	AVERAGE	VERTICAL
2	11340.020	52.49	80.00	-27.51	42.36	6.74	35.24	38.63	200	100	PEAK	VERTICAL

Note:

The amplitude of spurious emissions that are attenuated by more than 20dB below the permissible value has no need to be reported.

Emission level (dBuV/m) = 20 log Emission level (uV/m).

Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level.

The limits above 5GHz shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade form 3m to 1.5m.

Distance extrapolation factor = 20 log (specific distance [3m] / test distance [1.5m]) (dB);

Limit line = specific limits (dBuV) + distance extrapolation factor [6 dB].

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	802.11a Ch 52 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10520.020	54.27	74.30	-20.03	44.79	6.58	35.50	38.40	181	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10519.990	54.51	74.30	-19.79	45.04	6.58	35.50	38.39	96	100	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	802.11a Ch 60 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10599.890	53.94	74.30	-20.36	44.37	6.61	35.42	38.38	131	100	PEAK	VERTICAL
2	10600.020	53.22	80.00	-26.78	43.66	6.61	35.42	38.38	131	100	PEAK	VERTICAL
3 @	10600.030	40.26	60.00	-19.74	30.69	6.61	35.42	38.38	131	100	AVERAGE	VERTICAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10599.990	53.94	80.00	-26.06	44.37	6.61	35.42	38.38	131	100	PEAK	VERTICAL
2	10600.020	53.22	80.00	-26.78	43.66	6.61	35.42	38.38	131	100	PEAK	VERTICAL
3	10600.030	40.26	60.00	-19.74	30.69	6.61	35.42	38.38	131	100	AVERAGE	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	802.11a Ch 64 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10639.970	40.21	60.00	-19.79	30.61	6.62	35.39	38.37	212	100	AVERAGE	HORIZONTAL
2	10640.000	53.45	80.00	-26.55	43.85	6.62	35.39	38.37	212	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10639.970	40.23	60.00	-19.77	30.63	6.62	35.39	38.37	144	100	AVERAGE	VERTICAL
2	10639.980	52.66	80.00	-27.34	43.06	6.62	35.39	38.37	144	100	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	802.11a Ch 100 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10999.970	40.66	60.00	-19.34	30.71	6.74	35.10	38.32	70	100	AVERAGE	HORIZONTAL
2	11000.020	53.89	80.00	-26.11	43.94	6.74	35.10	38.32	70	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10999.980	53.65	80.00	-26.35	43.71	6.74	35.10	38.30	160	100	PEAK	VERTICAL
2	11000.030	40.62	60.00	-19.38	30.68	6.74	35.10	38.30	160	100	AVERAGE	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	802.11a Ch 116 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11159.990	40.29	60.00	-19.71	30.25	6.74	35.17	38.47	116	100	AVERAGE	HORIZONTAL
2	11160.000	52.82	80.00	-27.18	42.79	6.74	35.17	38.47	116	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11159.990	53.24	80.00	-26.76	43.21	6.74	35.17	38.47	178	100	PEAK	VERTICAL
2	11160.030	40.31	60.00	-19.69	30.27	6.74	35.17	38.47	178	100	AVERAGE	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	802.11a Ch 140 / Ant. 3

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11399.980	54.51	80.00	-25.49	44.32	6.74	35.26	38.70	266	100	PEAK	HORIZONTAL
2	11399.990	40.44	60.00	-19.56	30.25	6.74	35.26	38.70	266	100	AVERAGE	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11400.000	53.84	80.00	-26.16	43.66	6.74	35.26	38.70	298	100	PEAK	VERTICAL
2	11400.010	40.44	60.00	-19.56	30.25	6.74	35.26	38.70	298	100	AVERAGE	VERTICAL

Note:

The amplitude of spurious emissions that are attenuated by more than 20dB below the permissible value has no need to be reported.

Emission level (dBuV/m) = 20 log Emission level (uV/m).

Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level.

The limits above 5GHz shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade form 3m to 1.5m.

Distance extrapolation factor = 20 log (specific distance [3m] / test distance [1.5m]) (dB);

Limit line = specific limits (dBuV) + distance extrapolation factor [6 dB].

<For Antenna 4>:

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 20MHz Ch 52 / Ant. 4

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10518.150	48.77	74.30	-25.53	39.29	6.58	35.50	38.40	173	109	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 @	10520.230	51.37	74.30	-22.93	41.89	6.58	35.50	38.39	332	100	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 20MHz Ch 60 / Ant. 4

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 @	10589.300	52.09	74.30	-22.21	42.53	6.61	35.44	38.38	112	100	PEAK	HORIZONTAL
2	10600.070	51.64	80.00	-28.36	42.07	6.61	35.42	38.38	112	100	PEAK	HORIZONTAL
3 @	10600.500	38.99	60.00	-21.01	29.42	6.61	35.42	38.38	112	100	AVERAGE	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 @	10595.900	52.22	74.30	-22.08	42.67	6.61	35.44	38.38	112	100	PEAK	VERTICAL
2 @	10600.480	38.97	60.00	-21.03	29.40	6.61	35.42	38.38	112	100	AVERAGE	VERTICAL
3	10602.380	51.16	80.00	-28.84	41.59	6.61	35.42	38.38	112	100	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 20MHz Ch 64 / Ant. 4

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 @	10640.110	39.40	60.00	-20.60	29.80	6.62	35.39	38.37	357	100	AVERAGE	HORIZONTAL
2	10641.450	51.15	80.00	-28.85	41.55	6.62	35.39	38.37	357	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10638.460	53.82	80.00	-26.18	44.22	6.62	35.39	38.37	263	102	PEAK	VERTICAL
2 @	10642.400	39.36	60.00	-20.64	29.76	6.62	35.39	38.37	263	102	AVERAGE	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 20MHz Ch 100 / Ant. 4

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 @	10998.000	38.03	60.00	-21.97	28.07	6.74	35.10	38.32	170	100	AVERAGE	HORIZONTAL
2	10998.820	51.65	80.00	-28.35	41.69	6.74	35.10	38.32	170	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 @	10997.680	38.03	60.00	-21.97	28.09	6.74	35.10	38.30	32	101	AVERAGE	VERTICAL
2	10998.380	46.44	80.00	-33.56	36.50	6.74	35.10	38.30	32	101	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 20MHz Ch 116 / Ant. 4

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11161.010	52.80	80.00	-27.20	42.77	6.74	35.17	38.47	360	100	PEAK	HORIZONTAL
2 @	11161.220	39.38	60.00	-20.62	29.35	6.74	35.17	38.47	360	100	AVERAGE	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11159.090	52.56	80.00	-27.44	42.52	6.74	35.17	38.47	212	100	PEAK	VERTICAL
2 @	11161.160	39.34	60.00	-20.66	29.31	6.74	35.17	38.47	212	100	AVERAGE	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 20MHz Ch 140 / Ant. 4

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 @	11399.470	39.08	60.00	-20.92	28.89	6.74	35.26	38.70	127	100	AVERAGE	HORIZONTAL
2	11400.730	52.09	80.00	-27.91	41.90	6.74	35.26	38.70	127	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 @	11399.550	39.07	60.00	-20.93	28.88	6.74	35.26	38.70	287	100	AVERAGE	VERTICAL
2	11400.800	52.62	80.00	-27.38	42.44	6.74	35.26	38.70	287	100	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 54 / Ant. 4

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10541.930	50.50	74.30	-23.80	41.00	6.59	35.48	38.39	281	102	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 @	10539.970	52.37	74.30	-21.93	42.87	6.59	35.48	38.39	94	101	PEAK	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 62 / Ant. 4

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	10598.900	50.86	74.30	-23.44	41.30	6.61	35.42	38.38	72	100	PEAK	HORIZONTAL
2 @	10620.730	39.32	60.00	-20.68	29.75	6.61	35.42	38.38	72	100	AVERAGE	HORIZONTAL
3	10621.170	52.27	80.00	-27.73	42.70	6.61	35.42	38.38	72	100	PEAK	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 @	10599.000	51.47	74.30	-22.83	41.90	6.61	35.42	38.38	266	100	PEAK	VERTICAL
2	10617.760	47.54	80.00	-32.46	37.97	6.61	35.42	38.38	266	100	PEAK	VERTICAL
3 @	10620.650	39.22	60.00	-20.78	29.64	6.61	35.42	38.38	266	100	AVERAGE	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 102 / Ant. 4

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11019.300	50.98	80.00	-29.02	41.02	6.74	35.11	38.33	239	100	PEAK	HORIZONTAL
2 @	11019.950	37.97	60.00	-22.03	28.01	6.74	35.11	38.33	239	100	AVERAGE	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11021.040	51.03	80.00	-28.97	41.08	6.74	35.11	38.32	317	101	PEAK	VERTICAL
2 @	11022.100	37.77	60.00	-22.23	27.83	6.74	35.11	38.32	317	101	AVERAGE	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 110 / Ant. 4

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11101.730	51.91	80.00	-28.09	41.91	6.74	35.14	38.40	169	109	Peak	HORIZONTAL
2 @	11101.880	38.46	60.00	-21.54	28.46	6.74	35.14	38.40	169	109	AVERAGE	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11098.890	47.17	80.00	-32.83	37.17	6.74	35.14	38.40	46	124	PEAK	VERTICAL
2 @	11101.980	38.46	60.00	-21.54	28.46	6.74	35.14	38.40	46	124	AVERAGE	VERTICAL

Temperature	25.6°C	Humidity	56%
Test Engineer	Allen Liu	Configurations	Draft n MCS0 40MHz Ch 134 / Ant. 4

Horizontal



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11339.590	52.93	80.00	-27.07	42.79	6.74	35.24	38.63	0	100	PEAK	HORIZONTAL
2 @	11340.290	39.75	60.00	-20.25	29.61	6.74	35.24	38.63	0	100	AVERAGE	HORIZONTAL

Vertical



	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Preamp Factor	Antenna Factor	Table Pos	Ant Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1	11338.760	52.78	80.00	-27.22	42.64	6.74	35.24	38.63	149	110	PEAK	VERTICAL
2 @	11340.010	39.76	60.00	-20.24	29.63	6.74	35.24	38.63	149	110	AVERAGE	VERTICAL

Note:

The amplitude of spurious emissions that are attenuated by more than 20dB below the permissible value has no need to be reported.

Emission level (dBuV/m) = 20 log Emission level (uV/m).

Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level.

The limits above 5GHz shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade form 3m to 1.5m.

Distance extrapolation factor = 20 log (specific distance [3m] / test distance [1.5m]) (dB);

Limit line = specific limits (dBuV) + distance extrapolation factor [6 dB].