



Band66 QPSK BW=15MHz Channel=132597 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0



Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0



Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0



Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#0



Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band2	1.4	18607	6	#0	QPSK	1.092	1.308	PASS
Band2	1.4	18607	6	#0	16QAM	1.092	1.261	PASS
Band2	1.4	18900	6	#0	QPSK	1.100	1.271	PASS
Band2	1.4	18900	6	#0	16QAM	1.098	1.271	PASS
Band2	1.4	19193	6	#0	QPSK	1.093	1.266	PASS
Band2	1.4	19193	6	#0	16QAM	1.097	1.288	PASS
Band2	3	18615	15	#0	QPSK	2.695	2.920	PASS
Band2	3	18615	15	#0	16QAM	2.694	2.949	PASS
Band2	3	18900	15	#0	QPSK	2.687	2.904	PASS
Band2	3	18900	15	#0	16QAM	2.693	2.914	PASS
Band2	3	19185	15	#0	QPSK	2.689	2.925	PASS
Band2	3	19185	15	#0	16QAM	2.689	2.915	PASS
Band2	5	18625	25	#0	QPSK	4.505	4.919	PASS
Band2	5	18625	25	#0	16QAM	4.515	4.876	PASS
Band2	5	18900	25	#0	QPSK	4.505	4.822	PASS
Band2	5	18900	25	#0	16QAM	4.498	4.888	PASS
Band2	5	19175	25	#0	QPSK	4.501	4.908	PASS
Band2	5	19175	25	#0	16QAM	4.499	4.878	PASS
Band2	10	18650	50	#0	QPSK	8.973	9.690	PASS
Band2	10	18650	50	#0	16QAM	8.979	9.736	PASS
Band2	10	18900	50	#0	QPSK	9.012	9.856	PASS
Band2	10	18900	50	#0	16QAM	9.011	9.685	PASS
Band2	10	19150	50	#0	QPSK	9.005	9.642	PASS
Band2	10	19150	50	#0	16QAM	8.972	9.629	PASS
Band2	15	18675	75	#0	QPSK	13.453	14.570	PASS
Band2	15	18675	75	#0	16QAM	13.475	14.425	PASS
Band2	15	18900	75	#0	QPSK	13.491	14.584	PASS
Band2	15	18900	75	#0	16QAM	13.489	14.557	PASS
Band2	15	19125	75	#0	QPSK	13.493	14.739	PASS
Band2	15	19125	75	#0	16QAM	13.485	14.498	PASS
Band2	20	18700	100	#0	QPSK	17.929	19.231	PASS
Band2	20	18700	100	#0	16QAM	17.940	19.145	PASS
Band2	20	18900	100	#0	QPSK	18.011	19.097	PASS
Band2	20	18900	100	#0	16QAM	18.005	19.163	PASS
Band2	20	19100	100	#0	QPSK	17.960	19.381	PASS
Band2	20	19100	100	#0	16QAM	17.962	19.285	PASS
Band4	1.4	19957	6	#0	QPSK	1.093	1.282	PASS
Band4	1.4	19957	6	#0	16QAM	1.096	1.284	PASS
Band4	1.4	20175	6	#0	QPSK	1.088	1.274	PASS
Band4	1.4	20175	6	#0	16QAM	1.096	1.329	PASS
Band4	1.4	20393	6	#0	QPSK	1.093	1.282	PASS
Band4	1.4	20393	6	#0	16QAM	1.096	1.266	PASS
Band4	3	19965	15	#0	QPSK	2.691	2.923	PASS
Band4	3	19965	15	#0	16QAM	2.681	2.924	PASS
Band4	3	20175	15	#0	QPSK	2.690	2.906	PASS
Band4	3	20175	15	#0	16QAM	2.692	2.927	PASS
Band4	3	20385	15	#0	QPSK	2.692	2.928	PASS
Band4	3	20385	15	#0	16QAM	2.686	2.939	PASS
Band4	5	19975	25	#0	QPSK	4.532	4.960	PASS
Band4	5	19975	25	#0	16QAM	4.501	4.862	PASS
Band4	5	20175	25	#0	QPSK	4.504	4.926	PASS
Band4	5	20175	25	#0	16QAM	4.505	4.864	PASS
Band4	5	20375	25	#0	QPSK	4.496	4.881	PASS
Band4	5	20375	25	#0	16QAM	4.515	4.895	PASS
Band4	10	20000	50	#0	QPSK	8.947	9.661	PASS
Band4	10	20000	50	#0	16QAM	8.963	9.676	PASS
Band4	10	20175	50	#0	QPSK	9.016	9.654	PASS
Band4	10	20175	50	#0	16QAM	8.986	9.702	PASS
Band4	10	20350	50	#0	QPSK	9.004	9.659	PASS
Band4	10	20350	50	#0	16QAM	8.994	9.697	PASS
Band4	15	20025	75	#0	QPSK	13.469	14.481	PASS
Band4	15	20025	75	#0	16QAM	13.451	14.459	PASS
Band4	15	20175	75	#0	QPSK	13.471	14.480	PASS
Band4	15	20175	75	#0	16QAM	13.473	14.542	PASS


Band4	15	20325	75	#0	QPSK	13.478	14.543	PASS
Band4	15	20325	75	#0	16QAM	13.474	14.414	PASS
Band4	20	20050	100	#0	QPSK	17.984	19.244	PASS
Band4	20	20050	100	#0	16QAM	17.921	19.371	PASS
Band4	20	20175	100	#0	QPSK	17.996	19.268	PASS
Band4	20	20175	100	#0	16QAM	18.010	19.268	PASS
Band4	20	20300	100	#0	QPSK	17.999	19.549	PASS
Band4	20	20300	100	#0	16QAM	18.021	19.344	PASS
Band5	1.4	20407	6	#0	QPSK	1.088	1.292	PASS
Band5	1.4	20407	6	#0	16QAM	1.090	1.273	PASS
Band5	1.4	20525	6	#0	QPSK	1.099	1.266	PASS
Band5	1.4	20525	6	#0	16QAM	1.092	1.280	PASS
Band5	1.4	20643	6	#0	QPSK	1.090	1.289	PASS
Band5	1.4	20643	6	#0	16QAM	1.100	1.314	PASS
Band5	3	20415	15	#0	QPSK	2.706	2.932	PASS
Band5	3	20415	15	#0	16QAM	2.685	2.916	PASS
Band5	3	20525	15	#0	QPSK	2.697	2.893	PASS
Band5	3	20525	15	#0	16QAM	2.686	2.904	PASS
Band5	3	20635	15	#0	QPSK	2.694	2.915	PASS
Band5	3	20635	15	#0	16QAM	2.690	2.916	PASS
Band5	5	20425	25	#0	QPSK	4.508	4.911	PASS
Band5	5	20425	25	#0	16QAM	4.521	4.940	PASS
Band5	5	20525	25	#0	QPSK	4.496	4.940	PASS
Band5	5	20525	25	#0	16QAM	4.517	4.898	PASS
Band5	5	20625	25	#0	QPSK	4.504	4.903	PASS
Band5	5	20625	25	#0	16QAM	4.496	4.863	PASS
Band5	10	20450	50	#0	QPSK	9.015	9.765	PASS
Band5	10	20450	50	#0	16QAM	8.988	9.674	PASS
Band5	10	20525	50	#0	QPSK	8.950	9.517	PASS
Band5	10	20525	50	#0	16QAM	8.983	9.712	PASS
Band5	10	20600	50	#0	QPSK	9.007	9.725	PASS
Band5	10	20600	50	#0	16QAM	8.978	9.734	PASS
Band7	5	20775	25	#0	QPSK	4.505	4.844	PASS
Band7	5	20775	25	#0	16QAM	4.500	4.941	PASS
Band7	5	21100	25	#0	QPSK	4.511	4.884	PASS
Band7	5	21100	25	#0	16QAM	4.512	4.919	PASS
Band7	5	21425	25	#0	QPSK	4.501	4.881	PASS
Band7	5	21425	25	#0	16QAM	4.508	4.922	PASS
Band7	10	20800	50	#0	QPSK	8.964	9.746	PASS
Band7	10	20800	50	#0	16QAM	8.995	9.749	PASS
Band7	10	21100	50	#0	QPSK	8.987	9.610	PASS
Band7	10	21100	50	#0	16QAM	9.010	9.600	PASS
Band7	10	21400	50	#0	QPSK	9.010	9.685	PASS
Band7	10	21400	50	#0	16QAM	8.976	9.708	PASS
Band7	15	20825	75	#0	QPSK	13.433	14.460	PASS
Band7	15	20825	75	#0	16QAM	13.478	14.447	PASS
Band7	15	21100	75	#0	QPSK	13.508	14.483	PASS
Band7	15	21100	75	#0	16QAM	13.452	14.512	PASS
Band7	15	21375	75	#0	QPSK	13.483	14.519	PASS
Band7	15	21375	75	#0	16QAM	13.445	14.531	PASS
Band7	20	20850	100	#0	QPSK	17.997	19.296	PASS
Band7	20	20850	100	#0	16QAM	18.000	19.312	PASS
Band7	20	21100	100	#0	QPSK	18.023	19.321	PASS
Band7	20	21100	100	#0	16QAM	18.003	19.310	PASS
Band7	20	21350	100	#0	QPSK	17.944	19.312	PASS
Band7	20	21350	100	#0	16QAM	17.968	19.344	PASS
Band12	1.4	23017	6	#0	QPSK	1.090	1.273	PASS
Band12	1.4	23017	6	#0	16QAM	1.095	1.279	PASS
Band12	1.4	23095	6	#0	QPSK	1.089	1.308	PASS
Band12	1.4	23095	6	#0	16QAM	1.087	1.270	PASS
Band12	1.4	23173	6	#0	QPSK	1.099	1.282	PASS
Band12	1.4	23173	6	#0	16QAM	1.093	1.269	PASS
Band12	3	23025	15	#0	QPSK	2.702	2.904	PASS
Band12	3	23025	15	#0	16QAM	2.693	2.936	PASS
Band12	3	23095	15	#0	QPSK	2.694	2.924	PASS
Band12	3	23095	15	#0	16QAM	2.686	2.921	PASS
Band12	3	23165	15	#0	QPSK	2.691	2.912	PASS
Band12	3	23165	15	#0	16QAM	2.691	2.908	PASS

Band12	5	23035	25	#0	QPSK	4.523	5.127	PASS
Band12	5	23035	25	#0	16QAM	4.530	5.214	PASS
Band12	5	23095	25	#0	QPSK	4.534	5.383	PASS
Band12	5	23095	25	#0	16QAM	4.521	5.585	PASS
Band12	5	23155	25	#0	QPSK	4.511	5.054	PASS
Band12	5	23155	25	#0	16QAM	4.535	5.079	PASS
Band12	10	23060	50	#0	QPSK	9.003	9.843	PASS
Band12	10	23060	50	#0	16QAM	9.002	9.896	PASS
Band12	10	23095	50	#0	QPSK	8.995	10.105	PASS
Band12	10	23095	50	#0	16QAM	8.990	10.008	PASS
Band12	10	23130	50	#0	QPSK	9.003	9.987	PASS
Band12	10	23130	50	#0	16QAM	9.014	9.947	PASS
Band13	5	23205	25	#0	QPSK	4.519	5.119	PASS
Band13	5	23205	25	#0	16QAM	4.533	5.107	PASS
Band13	5	23230	25	#0	QPSK	4.526	5.121	PASS
Band13	5	23230	25	#0	16QAM	4.541	5.141	PASS
Band13	5	23255	25	#0	QPSK	4.515	5.167	PASS
Band13	5	23255	25	#0	16QAM	4.513	5.106	PASS
Band13	10	23230	50	#0	QPSK	8.998	9.925	PASS
Band13	10	23230	50	#0	16QAM	8.992	10.041	PASS
Band17	5	23755	25	#0	QPSK	4.515	5.076	PASS
Band17	5	23755	25	#0	16QAM	4.520	5.135	PASS
Band17	5	23790	25	#0	QPSK	4.519	5.126	PASS
Band17	5	23790	25	#0	16QAM	4.518	5.180	PASS
Band17	5	23825	25	#0	QPSK	4.506	5.090	PASS
Band17	5	23825	25	#0	16QAM	4.512	5.132	PASS
Band17	10	23780	50	#0	QPSK	9.030	10.083	PASS
Band17	10	23780	50	#0	16QAM	8.983	9.920	PASS
Band17	10	23790	50	#0	QPSK	8.996	9.973	PASS
Band17	10	23790	50	#0	16QAM	8.992	9.883	PASS
Band17	10	23800	50	#0	QPSK	8.976	9.826	PASS
Band17	10	23800	50	#0	16QAM	9.007	9.976	PASS
Band25	1.4	26047	6	#0	QPSK	1.099	1.278	PASS
Band25	1.4	26047	6	#0	16QAM	1.088	1.278	PASS
Band25	1.4	26365	6	#0	QPSK	1.096	1.280	PASS
Band25	1.4	26365	6	#0	16QAM	1.097	1.282	PASS
Band25	1.4	26683	6	#0	QPSK	1.097	1.274	PASS
Band25	1.4	26683	6	#0	16QAM	1.098	1.298	PASS
Band25	3	26055	15	#0	QPSK	2.690	2.922	PASS
Band25	3	26055	15	#0	16QAM	2.685	2.915	PASS
Band25	3	26365	15	#0	QPSK	2.690	2.926	PASS
Band25	3	26365	15	#0	16QAM	2.688	2.901	PASS
Band25	3	26675	15	#0	QPSK	2.688	2.917	PASS
Band25	3	26675	15	#0	16QAM	2.691	2.906	PASS
Band25	5	26065	25	#0	QPSK	4.525	5.075	PASS
Band25	5	26065	25	#0	16QAM	4.517	5.109	PASS
Band25	5	26365	25	#0	QPSK	4.531	5.137	PASS
Band25	5	26365	25	#0	16QAM	4.520	5.162	PASS
Band25	5	26665	25	#0	QPSK	4.514	5.094	PASS
Band25	5	26665	25	#0	16QAM	4.515	5.110	PASS
Band25	10	26090	50	#0	QPSK	9.020	10.006	PASS
Band25	10	26090	50	#0	16QAM	9.010	10.109	PASS
Band25	10	26365	50	#0	QPSK	9.006	10.236	PASS
Band25	10	26365	50	#0	16QAM	9.003	10.014	PASS
Band25	10	26640	50	#0	QPSK	8.991	9.925	PASS
Band25	10	26640	50	#0	16QAM	9.016	9.965	PASS
Band25	15	26115	75	#0	QPSK	13.466	14.829	PASS
Band25	15	26115	75	#0	16QAM	13.503	14.919	PASS
Band25	15	26365	75	#0	QPSK	13.500	15.046	PASS
Band25	15	26365	75	#0	16QAM	13.544	15.025	PASS
Band25	15	26615	75	#0	QPSK	13.536	15.125	PASS
Band25	15	26615	75	#0	16QAM	13.484	14.902	PASS
Band25	20	26140	100	#0	QPSK	17.968	19.739	PASS
Band25	20	26140	100	#0	16QAM	18.023	19.601	PASS
Band25	20	26365	100	#0	QPSK	17.986	19.658	PASS
Band25	20	26365	100	#0	16QAM	18.022	19.687	PASS
Band25	20	26590	100	#0	QPSK	18.009	19.533	PASS
Band25	20	26590	100	#0	16QAM	18.022	19.571	PASS


Band26(814-824)	1.4	26697	6	#0	QPSK	1.098	1.288	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	1.089	1.271	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	1.097	1.267	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	1.092	1.287	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	1.094	1.271	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	1.098	1.290	PASS
Band26(814-824)	3	26705	15	#0	QPSK	2.684	2.905	PASS
Band26(814-824)	3	26705	15	#0	16QAM	2.685	2.919	PASS
Band26(814-824)	3	26740	15	#0	QPSK	2.694	2.917	PASS
Band26(814-824)	3	26740	15	#0	16QAM	2.683	2.922	PASS
Band26(814-824)	3	26775	15	#0	QPSK	2.693	2.921	PASS
Band26(814-824)	3	26775	15	#0	16QAM	2.683	2.931	PASS
Band26(814-824)	5	26715	25	#0	QPSK	4.513	4.879	PASS
Band26(814-824)	5	26715	25	#0	16QAM	4.508	4.924	PASS
Band26(814-824)	5	26740	25	#0	QPSK	4.516	4.917	PASS
Band26(814-824)	5	26740	25	#0	16QAM	4.511	4.952	PASS
Band26(814-824)	5	26765	25	#0	QPSK	4.501	4.897	PASS
Band26(814-824)	5	26765	25	#0	16QAM	4.500	4.881	PASS
Band26(814-824)	10	26740	50	#0	QPSK	8.993	9.618	PASS
Band26(814-824)	10	26740	50	#0	16QAM	8.966	9.735	PASS
Band26(824-849)	1.4	26797	6	#0	QPSK	1.092	1.279	PASS
Band26(824-849)	1.4	26797	6	#0	16QAM	1.093	1.285	PASS
Band26(824-849)	1.4	26915	6	#0	QPSK	1.092	1.292	PASS
Band26(824-849)	1.4	26915	6	#0	16QAM	1.102	1.309	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	1.095	1.297	PASS
Band26(824-849)	1.4	27033	6	#0	16QAM	1.093	1.276	PASS
Band26(824-849)	3	26805	15	#0	QPSK	2.683	2.921	PASS
Band26(824-849)	3	26805	15	#0	16QAM	2.697	2.904	PASS
Band26(824-849)	3	26915	15	#0	QPSK	2.695	2.919	PASS
Band26(824-849)	3	26915	15	#0	16QAM	2.681	2.931	PASS
Band26(824-849)	3	27025	15	#0	QPSK	2.690	2.919	PASS
Band26(824-849)	3	27025	15	#0	16QAM	2.683	2.910	PASS
Band26(824-849)	5	26815	25	#0	QPSK	4.508	4.912	PASS
Band26(824-849)	5	26815	25	#0	16QAM	4.511	4.936	PASS
Band26(824-849)	5	26915	25	#0	QPSK	4.495	4.877	PASS
Band26(824-849)	5	26915	25	#0	16QAM	4.495	4.881	PASS
Band26(824-849)	5	27015	25	#0	QPSK	4.502	4.862	PASS
Band26(824-849)	5	27015	25	#0	16QAM	4.495	4.879	PASS
Band26(824-849)	10	26840	50	#0	QPSK	8.980	9.589	PASS
Band26(824-849)	10	26840	50	#0	16QAM	8.973	9.690	PASS
Band26(824-849)	10	26915	50	#0	QPSK	8.978	9.568	PASS
Band26(824-849)	10	26915	50	#0	16QAM	8.957	9.591	PASS
Band26(824-849)	10	26990	50	#0	QPSK	8.977	9.681	PASS
Band26(824-849)	10	26990	50	#0	16QAM	8.962	9.652	PASS
Band26(824-849)	15	26865	75	#0	QPSK	13.468	14.391	PASS
Band26(824-849)	15	26865	75	#0	16QAM	13.508	14.522	PASS
Band26(824-849)	15	26915	75	#0	QPSK	13.458	14.483	PASS
Band26(824-849)	15	26915	75	#0	16QAM	13.444	14.485	PASS
Band26(824-849)	15	26965	75	#0	QPSK	13.436	14.516	PASS
Band26(824-849)	15	26965	75	#0	16QAM	13.473	14.422	PASS
Band66	1.4	131979	6	#0	QPSK	1.093	1.304	PASS
Band66	1.4	131979	6	#0	16QAM	1.091	1.273	PASS
Band66	1.4	132322	6	#0	QPSK	1.095	1.268	PASS
Band66	1.4	132322	6	#0	16QAM	1.095	1.296	PASS
Band66	1.4	132665	6	#0	QPSK	1.090	1.286	PASS
Band66	1.4	132665	6	#0	16QAM	1.101	1.267	PASS
Band66	3	131987	15	#0	QPSK	2.701	2.916	PASS
Band66	3	131987	15	#0	16QAM	2.695	2.901	PASS
Band66	3	132322	15	#0	QPSK	2.688	2.922	PASS
Band66	3	132322	15	#0	16QAM	2.686	2.934	PASS
Band66	3	132657	15	#0	QPSK	2.692	2.912	PASS
Band66	3	132657	15	#0	16QAM	2.683	2.900	PASS
Band66	5	131997	25	#0	QPSK	4.525	5.142	PASS
Band66	5	131997	25	#0	16QAM	4.538	5.197	PASS
Band66	5	132322	25	#0	QPSK	4.508	5.128	PASS
Band66	5	132322	25	#0	16QAM	4.522	5.200	PASS
Band66	5	132647	25	#0	QPSK	4.521	5.044	PASS
Band66	5	132647	25	#0	16QAM	4.517	5.174	PASS

Band66	10	132022	50	#0	QPSK	8.975	10.119	PASS
Band66	10	132022	50	#0	16QAM	8.966	9.861	PASS
Band66	10	132322	50	#0	QPSK	9.019	10.143	PASS
Band66	10	132322	50	#0	16QAM	8.980	10.041	PASS
Band66	10	132622	50	#0	QPSK	9.019	10.034	PASS
Band66	10	132622	50	#0	16QAM	9.011	10.000	PASS
Band66	15	132047	75	#0	QPSK	13.460	14.909	PASS
Band66	15	132047	75	#0	16QAM	13.460	14.672	PASS
Band66	15	132322	75	#0	QPSK	13.518	14.910	PASS
Band66	15	132322	75	#0	16QAM	13.482	15.040	PASS
Band66	15	132597	75	#0	QPSK	13.480	14.785	PASS
Band66	15	132597	75	#0	16QAM	13.463	14.761	PASS
Band66	20	132072	100	#0	QPSK	17.961	19.717	PASS
Band66	20	132072	100	#0	16QAM	17.980	19.508	PASS
Band66	20	132322	100	#0	QPSK	18.006	19.690	PASS
Band66	20	132322	100	#0	16QAM	18.003	19.439	PASS
Band66	20	132572	100	#0	QPSK	18.040	19.542	PASS
Band66	20	132572	100	#0	16QAM	17.983	19.564	PASS


Band2 16QAM BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 16QAM BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 16QAM BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 16QAM BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 16QAM BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 16QAM BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 16QAM BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 16QAM BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 16QAM BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 16QAM BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 16QAM BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 16QAM BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band4 16QAM BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Band4 16QAM BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 16QAM BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 16QAM BW=10MHz Channel=20000 RB Size=50 Position=#0




Band4 16QAM BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 16QAM BW=10MHz Channel=20350 RB Size=50 Position=#0




Band4 16QAM BW=15MHz Channel=20025 RB Size=75 Position=#0




Band4 16QAM BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 16QAM BW=15MHz Channel=20325 RB Size=75 Position=#0




Band4 16QAM BW=20MHz Channel=20050 RB Size=100 Position=#0




Band4 16QAM BW=20MHz Channel=20175 RB Size=100 Position=#0




Band4 16QAM BW=20MHz Channel=20300 RB Size=100 Position=#0




Band4 16QAM BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 16QAM BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 16QAM BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 16QAM BW=5MHz Channel=19975 RB Size=25 Position=#0




Band4 16QAM BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 16QAM BW=5MHz Channel=20375 RB Size=25 Position=#0




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0




Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0




Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0




Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0




Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0




Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 16QAM BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 16QAM BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 16QAM BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0



Band7 16QAM BW=15MHz Channel=20825 RB Size=75 Position=#0



Band7 16QAM BW=15MHz Channel=21100 RB Size=75 Position=#0



Band7 16QAM BW=15MHz Channel=21375 RB Size=75 Position=#0

