

TC-610/620 VHF Parts List 1

No.	Material No.	Description	Qty.	Ref. No.	Address
1	3001050000000	Chip resistor 0402 0Ω J 1/16W	1	C222	T2K
2	3001050000000	Chip resistor 0402 0Ω J 1/16W	1	R103	T4I
3	3001050000000	Chip resistor 0402 0Ω J 1/16W	1	R117	T5H
4	3001050000000	Chip resistor 0402 0Ω J 1/16W	1	R119	T4I
5	3001050000000	Chip resistor 0402 0Ω J 1/16W	1	R244	B1E
6	3001050000000	Chip resistor 0402 0Ω J 1/16W	1	R308	T4J
7	3001050000000	Chip resistor 0402 0Ω J 1/16W	1	R317	T3I
8	3001050000000	Chip resistor 0402 0Ω J 1/16W	1	R510	T2G
9	3001051000020	Chip resistor 0402 10Ω F 1/16	1	R116	T3G
10	3001051000020	Chip resistor 0402 10Ω F 1/16	1	R241	B3K
11	3001051000020	Chip resistor 0402 10Ω F 1/16	1	R243	B2A
12	3001051000020	Chip resistor 0402 10Ω F 1/16	1	R247	B2C
13	3001051010040	Chip resistor 0402 100Ω F 1/1	1	R202	B1D
14	3001051010040	Chip resistor 0402 100Ω F 1/1	1	R540	T2G
15	3001051010040	Chip resistor 0402 100Ω F 1/1	1	R653	T4G
16	3001051010040	Chip resistor 0402 100Ω F 1/1	1	R654	T4G
17	3001051010040	Chip resistor 0402 100Ω F 1/1	1	R660	B5J
18	3001051010040	Chip resistor 0402 100Ω F 1/1	1	R670	B5K
19	3001051010040	Chip resistor 0402 100Ω F 1/1	1	R697	B4J
20	3001051010040	Chip resistor 0402 100Ω F 1/1	1	R698	B4J
21	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R101	T4I
22	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R108	T4G
23	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R110	T3G
24	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R206	B1F
25	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R246	B2D
26	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R250	B1C
27	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R253	T3K
28	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R309	T3I
29	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R310	T4J
30	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R640	B3A
31	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R643	T2E
32	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R644	B3I
33	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R649	T2D
34	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R650	T4G
35	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R657	B3I
36	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R658	B3J
37	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R662	B3B
38	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R665	B3A
39	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R666	B3B
40	3001051020000	Chip resistor 0402 1KΩ F 1/16	1	R694	B3J
41	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R104	T5I
42	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R112	T3G
43	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R212	T2J

No.	Material No.	Description	Qty.	Ref. No.	Address
44	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R213	T1K
45	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R248	T3K
46	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R256	B1E
47	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R300	T3J
48	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R301	T3J
49	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R302	T3J
50	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R400	T3F
51	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R436	B4C
52	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R439	B4D
53	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R530	T3F
54	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R695	B3J
55	3001051030000	Chip resistor 0402 10KΩ J 1/1	1	R696	B3J
56	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R208	B1F
57	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R267	T4H
58	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R311	T2I
59	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R501	T3D
60	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R502	T3D
61	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R507	T2F
62	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R508	T2F
63	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R512	T2G
64	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R514	T2G
65	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R645	B4I
66	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R646	B4I
67	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R647	B3I
68	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R652	T4G
69	3001051040000	Chip resistor 0402 100KΩ F 1/	1	R655	B3J
70	3001051050000	Chip resistor 0402 1MΩ F 1/16	1	R251	B1F
71	3001051050000	Chip resistor 0402 1MΩ F 1/16	1	R437	B4D
72	3001051050000	Chip resistor 0402 1MΩ F 1/16	1	R500	T2F
73	3001051050000	Chip resistor 0402 1MΩ F 1/16	1	R667	B4I
74	3001051230000	Chip resistor 0402 12KΩ J 1/1	1	R222	T2K
75	3001051230000	Chip resistor 0402 12KΩ J 1/1	1	R313	T3I
76	3001051230000	Chip resistor 0402 12KΩ J 1/1	1	R314	T3J
77	3001051230000	Chip resistor 0402 12KΩ J 1/1	1	R315	T3J
78	3001051230000	Chip resistor 0402 12KΩ J 1/1	1	R504	T3F
79	3001051240000	Chip resistor 0402 120KΩ J 1/	1	R109	T3G
80	3001051240000	Chip resistor 0402 120KΩ J 1/	1	R229	T3K
81	3001051520010	Chip resistor 0402 1.5KΩ F 1/	1	R515	T2G
82	3001051530000	Chip resistor 0402 15KΩ J 1/1	1	R210	T3K
83	3001053930000	Chip resistor 0402 39KΩ J 1/1	1	R416	T5E
84	3001051540000	Chip resistor 0402 150KΩ F 1/	1	R107	T4G
85	3001051540000	Chip resistor 0402 150KΩ F 1/	1	R219	T2K
86	3001051540000	Chip resistor 0402 150KΩ F 1/	1	R225	T2K
87	3001051540000	Chip resistor 0402 150KΩ F 1/	1	R266	T4H
88	3001051540000	Chip resistor 0402 150KΩ F 1/	1	R306	T5J

No.	Material No.	Description	Qty.	Ref. No.	Address
89	3001051540000	Chip resistor 0402 150KΩ F 1/	1	R430	B4C
90	3001051540000	Chip resistor 0402 150KΩ F 1/	1	R431	B4C
91	3001051540000	Chip resistor 0402 150KΩ F 1/	1	R432	B4C
92	3001051540000	Chip resistor 0402 150KΩ F 1/	1	R433	B4C
93	3001051540000	Chip resistor 0402 150KΩ F 1/	1	R434	B4C
94	3001051540000	Chip resistor 0402 150KΩ F 1/	1	R435	B4C
95	3001051830000	Chip resistor 0402 18KΩ J 1/1	1	R224	T2K
96	3001051830000	Chip resistor 0402 18KΩ J 1/1	1	R233	T4K
97	3001051830000	Chip resistor 0402 18KΩ J 1/1	1	R239	T4K
98	3001051840000	Chip resistor 0402 180KΩ J 1/	1	R238	T4K
99	3001051840000	Chip resistor 0402 180KΩ J 1/	1	R316	T3I
100	3001051840000	Chip resistor 0402 180KΩ J 1/	1	R511	T2G
101	3001051840000	Chip resistor 0402 180KΩ J 1/	1	R513	T2G
102	3001051850000	Chip resistor 0402 1.8MΩ J 1/	1	R228	T3K
103	3001052200010	Chip resistor 0402 22Ω F 1/16	1	R401	T4F
104	3001052200010	Chip resistor 0402 22Ω F 1/16	1	R406	T5F
105	3001062710000	Chip resistor 0603 270Ω J 1/1	1	R419	B5C
106	3001052220000	Chip resistor 0402 2.2KΩ J 1/	1	R201	T1F
107	3001052220000	Chip resistor 0402 2.2KΩ J 1/	1	R235	T4K
108	3001052220000	Chip resistor 0402 2.2KΩ J 1/	1	R307	T5J
109	3001052220000	Chip resistor 0402 2.2KΩ J 1/	1	R438	B4D
110	3001052230010	Chip resistor 0402 22KΩ J 1/1	1	R214	T2K
111	3001052230010	Chip resistor 0402 22KΩ J 1/1	1	R221	T2K
112	3001052720000	Chip resistor 0402 2.7KΩ J 1/	1	R520	T2I
113	3001052720000	Chip resistor 0402 2.7KΩ J 1/	1	R659	T2E
114	3001052720000	Chip resistor 0402 2.7KΩ J 1/	1	R663	T2D
115	3001052730010	Chip resistor 0402 27KΩ F 1/1	1	R216	T2K
116	3001052790000	Chip resistor 0402 2.7Ω J 1/1	1	R521	T3E
117	3001053030000	Chip resistor 0402 30KΩ F 1/1	1	R218	T2K
118	3001053310010	Chip resistor 0402 330Ω J 1/1	1	R114	T3G
119	3001053310010	Chip resistor 0402 330Ω J 1/1	1	R403	T4F
120	3001053310010	Chip resistor 0402 330Ω J 1/1	1	R407	T4F
121	3001053310010	Chip resistor 0402 330Ω J 1/1	1	R516	T2G
122	3001053310010	Chip resistor 0402 330Ω J 1/1	1	R656	B4A
123	3001053310010	Chip resistor 0402 330Ω J 1/1	1	R689	B4A
124	3001053320000	Chip resistor 0402 3.3KΩ J 1/	1	R111	T3G
125	3001053320000	Chip resistor 0402 3.3KΩ J 1/	1	R113	T3G
126	3001053320000	Chip resistor 0402 3.3KΩ J 1/	1	R115	T3F
127	3001053320000	Chip resistor 0402 3.3KΩ J 1/	1	R230	T3K
128	3001053320000	Chip resistor 0402 3.3KΩ J 1/	1	R236	T4K
129	3001053320000	Chip resistor 0402 3.3KΩ J 1/	1	R261	B4I
130	3001053320000	Chip resistor 0402 3.3KΩ J 1/	1	R263	B4H
131	3001053320000	Chip resistor 0402 3.3KΩ J 1/	1	R312	B1I
132	3001053320000	Chip resistor 0402 3.3KΩ J 1/	1	R639	T2D
133	3001053320000	Chip resistor 0402 3.3KΩ J 1/	1	R664	T2D

No.	Material No.	Description	Qty.	Ref. No.	Address
134	3001053340000	Chip resistor 0402 330KΩ J 1/	1	R260	B4I
135	3001053340000	Chip resistor 0402 330KΩ J 1/	1	R262	B4H
136	3001053340000	Chip resistor 0402 330KΩ J 1/	1	R702	B5J
137	3001053630000	Chip resistor 0402 36KΩ J 1/1	1	R226	T2K
138	3001053940000	Chip resistor 0402 390KΩ J 1/	1	R217	T2J
139	3001053940000	Chip resistor 0402 390KΩ J 1/	1	R223	T2K
140	3001053940000	Chip resistor 0402 390KΩ J 1/	1	R227	T2K
141	3001054700000	Chip resistor 0402 47Ω J 1/16	1	R410	T5F
142	3001054700000	Chip resistor 0402 47Ω J 1/16	1	R415	T5E
143	3001054710000	Chip resistor 0402 470Ω J 1/1	1	R200	T1F
144	3001054710000	Chip resistor 0402 470Ω J 1/1	1	R204	B1F
145	3001054720000	Chip resistor 0402 4.7KΩ J 1/	1	R102	T4I
146	3001054720000	Chip resistor 0402 4.7KΩ J 1/	1	R203	B1F
147	3001054720000	Chip resistor 0402 4.7KΩ J 1/	1	R231	T3K
148	3001054720000	Chip resistor 0402 4.7KΩ J 1/	1	R242	B3K
149	3001054720000	Chip resistor 0402 4.7KΩ J 1/	1	R412	T5F
150	3001054720000	Chip resistor 0402 4.7KΩ J 1/	1	R441	B4J
151	3001054720000	Chip resistor 0402 4.7KΩ J 1/	1	R442	B4J
152	3001054720000	Chip resistor 0402 4.7KΩ J 1/	1	R651	T5G
153	3001054720000	Chip resistor 0402 4.7KΩ J 1/	1	R700	B4J
154	3001054720000	Chip resistor 0402 4.7KΩ J 1/	1	R701	B4K
155	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R205	B1F
156	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R417	T5E
157	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R237	T4K
158	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R245	B2D
159	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R268	T5H
160	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R273	B4J
161	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R274	B4K
162	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R275	B4H
163	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R304	T4J
164	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R305	T4J
165	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R402	T4F
166	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R636	B4I
167	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R637	B4I
168	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R638	B4I
169	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R641	B4I
170	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R668	B4J
171	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R690	B5J
172	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R692	T1E
173	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R693	B5I
174	3001054730000	Chip resistor 0402 47KΩ J 1/1	1	R703	T1D
175	3001054740000	Chip resistor 0402 470KΩ J 1/	1	R642	B2I
176	3001054740000	Chip resistor 0402 470KΩ J 1/	1	R648	B3I
177	3001054790000	Chip resistor 0402 4.7Ω J 1/1	1	R249	B1E
178	3001054790000	Chip resistor 0402 4.7Ω J 1/1	1	R255	B2E

No.	Material No.	Description	Qty.	Ref. No.	Address
179	3001055110000	Chip resistor 0402 510Ω J 1/1	1	R503	T3F
180	3001055610000	Chip resistor 0402 560Ω J 1/1	1	R100	T4I
181	3001055610000	Chip resistor 0402 560Ω J 1/1	1	R517	T2H
182	3001055610000	Chip resistor 0402 560Ω J 1/1	1	R518	T2I
183	3001055630000	Chip resistor 0402 56KΩ J 1/1	1	R207	B1F
184	3001055630000	Chip resistor 0402 56KΩ J 1/1	1	R411	T5F
185	3001055640000	Chip resistor 0402 560KΩ J 1/	1	R211	T3J
186	3001055640000	Chip resistor 0402 560KΩ J 1/	1	R519	T2I
187	3001056810000	Chip resistor 0402 680Ω J 1/1	1	R405	T5F
188	3001056820000	Chip resistor 0402 6.8KΩ J 1/	1	R505	T3E
189	3001058210000	Chip resistor 0402 820Ω J 1/1	1	R661	T2D
190	3001058220010	Chip resistor 0402 8.2KΩ F 1/	1	R234	T4K
191	3001058230000	Chip resistor 0402 82KΩ J 1/1	1	R264	B4H
192	3001058240000	Chip resistor 0402 820KΩ F 1/	1	R232	T3K
193	3001058240000	Chip resistor 0402 820KΩ F 1/	1	R240	T4K
194	3001059130000	Chip resistor 0402 91KΩ F 1/1	1	R440	B4D
195	3231351630000	Air-core inductor E2-0.35*1.6*3TR	1	L411	T5C
196	3001070000000	Chip resistor 0805 0Ω J 1/8W	1	L202	B2D
197	3001070000000	Chip resistor 0805 0Ω J 1/8W	1	L455	T5B
198	3002996830000	Trimmer resistor (2*2) 68KΩ(+25%)	1	VR200	B4K
199	3002996830000	Trimmer resistor (2*2) 68KΩ(+25%)	1	VR260	B5H
200	3002996830000	Trimmer resistor (2*2) 68KΩ(+25%)	1	VR300	T4J
201	3002996830000	Trimmer resistor (2*2) 68KΩ(+25%)	1	VR601	B5J
202	3005051020010	Resistor array 0402 1K*4 J 1/16	1	RN1	T4J
203	3099080398000	Chip resistor 1206 0.39Ω J 1/	1	R420	B4C
204	3099080398000	Chip resistor 1206 0.39Ω J 1/	1	R421	B4C
205	3099080398000	Chip resistor 1206 0.39Ω J 1/	1	R422	B4C
206	3101050200010	Chip capacitor 0402 2PF B 50V	1	C501	T3D
207	3101050200010	Chip capacitor 0402 2PF B 50V	1	C560	T2H
208	3101050200010	Chip capacitor 0402 2PF B 50V	1	C561	T2H
209	3101050300000	Chip capacitor 0402 3PF B 50V	1	C500	T4C
210	3101050400010	Chip capacitor 0402 4PF B 50V	1	C532	T3F
211	3101050400010	Chip capacitor 0402 4PF B 50V	1	C534	T2F
212	3101050800000	Chip capacitor 0402 8PF B 50V	1	C524	T2F
213	3101050800000	Chip capacitor 0402 8PF B 50V	1	C645	B5I
214	3101050800000	Chip capacitor 0402 8PF B 50V	1	C691	B4I
215	3101051000020	Chip capacitor 0402 10PF J 50V	1	C121	T3H
216	3101051000020	Chip capacitor 0402 10PF J 50V	1	C132	T3G
217	3101051000020	Chip capacitor 0402 10PF J 50V	1	C137	T3H
218	3101051000020	Chip capacitor 0402 10PF J 50V	1	C321	T5I
219	3101051000020	Chip capacitor 0402 10PF J 50V	1	C322	T5I
220	3101051000020	Chip capacitor 0402 10PF J 50V	1	C449	B5E
221	3101051000020	Chip capacitor 0402 10PF J 50V	1	C505	T3D
222	3101051000020	Chip capacitor 0402 10PF J 50V	1	C541	T2G
223	3101051010030	Chip capacitor 0402 100PF J 50	1	C107	T5I

No.	Material No.	Description	Qty.	Ref. No.	Address
224	3101051010030	Chip capacitor 0402 100PF J 50	1	C110	T5H
225	3101051010030	Chip capacitor 0402 100PF J 50	1	C201	T1F
226	3101051010030	Chip capacitor 0402 100PF J 50	1	C266	B4H
227	3101051010030	Chip capacitor 0402 100PF J 50	1	C303	T3J
228	3101051010030	Chip capacitor 0402 100PF J 50	1	C304	T3J
229	3101051010030	Chip capacitor 0402 100PF J 50	1	C305	T3J
230	3101051010030	Chip capacitor 0402 100PF J 50	1	C334	B1I
231	3101051010030	Chip capacitor 0402 100PF J 50	1	C503	T3D
232	3101051010030	Chip capacitor 0402 100PF J 50	1	C506	T3E
233	3101051010030	Chip capacitor 0402 100PF J 50	1	C514	T3E
234	3101051010030	Chip capacitor 0402 100PF J 50	1	C518	T3F
235	3101051010030	Chip capacitor 0402 100PF J 50	1	C520	T2F
236	3101051010030	Chip capacitor 0402 100PF J 50	1	C531	T3F
237	3101051010030	Chip capacitor 0402 100PF J 50	1	C535	T2F
238	3101051010030	Chip capacitor 0402 100PF J 50	1	C669	T4J
239	3101051020010	Chip capacitor 0402 1000PF K 5	1	C106	T4H
240	3101051020010	Chip capacitor 0402 1000PF K 5	1	C204	T3K
241	3101051020010	Chip capacitor 0402 1000PF K 5	1	C248	B1E
242	3101051020010	Chip capacitor 0402 1000PF K 5	1	C250	B1E
243	3101051020010	Chip capacitor 0402 1000PF K 5	1	C254	B2D
244	3101051020010	Chip capacitor 0402 1000PF K 5	1	C265	T4H
245	3101051020010	Chip capacitor 0402 1000PF K 5	1	C320	T5I
246	3101051020010	Chip capacitor 0402 1000PF K 5	1	C323	T5I
247	3101051020010	Chip capacitor 0402 1000PF K 5	1	C341	T3I
248	3101051020010	Chip capacitor 0402 1000PF K 5	1	C400	T3F
249	3101051020010	Chip capacitor 0402 1000PF K 5	1	C403	T5F
250	3101051020010	Chip capacitor 0402 1000PF K 5	1	C405	T5F
251	3101051020010	Chip capacitor 0402 1000PF K 5	1	C408	T5F
252	3101051020010	Chip capacitor 0402 1000PF K 5	1	C414	T5E
253	3101051020010	Chip capacitor 0402 1000PF K 5	1	C439	B4D
254	3101051020010	Chip capacitor 0402 1000PF K 5	1	C502	T3D
255	3101051020010	Chip capacitor 0402 1000PF K 5	1	C509	T3D
256	3101051020010	Chip capacitor 0402 1000PF K 5	1	C609	B3I
257	3101051020010	Chip capacitor 0402 1000PF K 5	1	C641	B4B
258	3101051020010	Chip capacitor 0402 1000PF K 5	1	C644	B4B
259	3101051020010	Chip capacitor 0402 1000PF K 5	1	C646	T2D
260	3101051020010	Chip capacitor 0402 1000PF K 5	1	C651	T4G
261	3101051020010	Chip capacitor 0402 1000PF K 5	1	C653	T5G
262	3101051020010	Chip capacitor 0402 1000PF K 5	1	C657	T2D
263	3101051020010	Chip capacitor 0402 1000PF K 5	1	C658	T1E
264	3101051020010	Chip capacitor 0402 1000PF K 5	1	C661	T1D
265	3101051020010	Chip capacitor 0402 1000PF K 5	1	C666	B3A
266	3101051020010	Chip capacitor 0402 1000PF K 5	1	C667	B4A
267	3101051020010	Chip capacitor 0402 1000PF K 5	1	C670	B5I
268	3101051020010	Chip capacitor 0402 1000PF K 5	1	C680	B3I

No.	Material No.	Description	Qty.	Ref. No.	Address
269	3101051020010	Chip capacitor 0402 1000PF K 5	1	C684	T1D
270	3101051020010	Chip capacitor 0402 1000PF K 5	1	C685	B5J
271	3101051020010	Chip capacitor 0402 1000PF K 5	1	C686	B2I
272	3101051020010	Chip capacitor 0402 1000PF K 5	1	C689	B4I
273	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C105	T4H
274	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C208	T3K
275	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C237	T3K
276	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C259	B2E
277	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C274	B1F
278	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C277	B4K
279	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C300	T3I
280	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C311	B3I
281	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C416	T4D
282	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C419	B4C
283	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C517	T3F
284	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C527	T2F
285	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C528	T2F
286	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C529	T2G
287	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C540	T1G
288	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C542	T2H
289	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C546	T2I
290	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C547	T2I
291	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C656	B4K
292	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C662	T2D
293	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C677	T1E
294	3101051030020	Chip capacitor 0402 0.01UF K 2	1	C681	B3I
295	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C1	B5I
296	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C118	T4G
297	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C127	T3G
298	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C143	T3G
299	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C205	T3K
300	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C212	B1F
301	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C217	T2K
302	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C231	B2J
303	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C240	T4K
304	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C249	T2B
305	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C253	T4J
306	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C255	B2D
307	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C256	B1E
308	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C257	B2C
309	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C272	B2E
310	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C315	T4J
311	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C324	T2I
312	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C325	T2I
313	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C326	T2J

No.	Material No.	Description	Qty.	Ref. No.	Address
314	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C329	T2J
315	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C330	T2I
316	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C331	T2I
317	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C332	T2I
318	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C333	B1I
319	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C415	T4D
320	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C418	B4C
321	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C420	T4E
322	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C433	B4D
323	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C510	T3E
324	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C511	T3F
325	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C537	T2G
326	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C642	B3J
327	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C650	T4G
328	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C655	T5G
329	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C683	B2I
330	3101051040060	Chip capacitor 0402 0.1UF K 16	1	C687	B5I
331	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C213	B1F
332	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C216	T1K
333	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C218	T2J
334	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C226	T2K
335	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C230	B2J
336	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C241	T4K
337	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C242	T4K
338	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C301	T3I
339	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C306	T3I
340	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C307	T3I
341	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C309	T3I
342	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C310	B3I
343	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C440	B4J
344	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C441	B4K
345	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C448	B5E
346	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C678	B4K
347	3101051050000	Chip capacitor 0402 1UF K 6.3V	1	C690	B3I
348	3101051200020	Chip capacitor 0402 12PF J 50V	1	C508	T3E
349	3101051200020	Chip capacitor 0402 12PF J 50V	1	C521	T3F
350	3101051200020	Chip capacitor 0402 12PF J 50V	1	C533	T3F
351	3101051200020	Chip capacitor 0402 12PF J 50V	1	C544	T2H
352	3101051500020	Chip capacitor 0402 15PF J 50V	1	C111	T5H
353	3101051500020	Chip capacitor 0402 15PF J 50V	1	C133	T3G
354	3101051500020	Chip capacitor 0402 15PF J 50V	1	C135	T3H
355	3101051500020	Chip capacitor 0402 15PF J 50V	1	C413	T4F
356	3101051500020	Chip capacitor 0402 15PF J 50V	1	C507	T3E
357	3101051500020	Chip capacitor 0402 15PF J 50V	1	C522	T2F
358	3101051500020	Chip capacitor 0402 15PF J 50V	1	C523	T2F

No.	Material No.	Description	Qty.	Ref. No.	Address
359	3101051520000	Chip capacitor 0402 1500PF K 5	1	C224	T2J
360	3101051520000	Chip capacitor 0402 1500PF K 5	1	C233	T3K
361	3101051830000	Chip capacitor 0402 0.018UF K	1	C207	T3K
362	3101052200010	Chip capacitor 0402 22PF J 50V	1	C136	T3H
363	3101052200010	Chip capacitor 0402 22PF J 50V	1	C138	T3H
364	3101052200010	Chip capacitor 0402 22PF J 50V	1	C245	T4K
365	3210305150010	Multi-layer chip inductor 0402 15nH	1	L505	T3F
366	3001056830000	Chip resistor 0402 68KΩ J 1/1	1	R118	T4H
367	3101052210010	Chip capacitor 0402 220PF K 50	1	C260	B1D
368	3101052210010	Chip capacitor 0402 220PF K 50	1	C275	B1C
369	3101052210010	Chip capacitor 0402 220PF K 50	1	C412	T5E
370	3101052220010	Chip capacitor 0402 2200pF K 5	1	C243	T4K
371	3101052220010	Chip capacitor 0402 2200pF K 5	1	C258	T4K
372	3101052230000	Chip capacitor 0402 0.022UF K	1	C215	T1K
373	3101052230000	Chip capacitor 0402 0.022UF K	1	C276	B4K
374	3101052230000	Chip capacitor 0402 0.022UF K	1	C663	B4K
375	3101052240010	Chip capacitor 0402 0.22UF Z 1	1	C203	T3K
376	3001054320000	Chip resistor 0402 4.3KΩ J 1/	1	R506	T3E
377	3101053300000	Chip capacitor 0402 33PF J 50V	1	C120	T3H
378	3101053300000	Chip capacitor 0402 33PF J 50V	1	C130	T3G
379	3101053300000	Chip capacitor 0402 33PF J 50V	1	C515	T3E
380	3101053910000	Chip capacitor 0402 390PF J 50	1	C228	T2J
381	3101053910000	Chip capacitor 0402 390PF J 50	1	C234	T3K
382	3101053920000	Chip capacitor 0402 3900PF K 2	1	C679	B4K
383	3101054700010	Chip capacitor 0402 47PF J 50V	1	C280	B1A
384	3101054710010	Chip capacitor 0402 470PF K 50	1	C117	T4G
385	3101054710010	Chip capacitor 0402 470PF K 50	1	C126	T3G
386	3101054710010	Chip capacitor 0402 470PF K 50	1	C131	T4G
387	3101054710010	Chip capacitor 0402 470PF K 50	1	C134	T3G
388	3101054710010	Chip capacitor 0402 470PF K 50	1	C139	T3H
389	3101054710010	Chip capacitor 0402 470PF K 50	1	C140	T3G
390	3101054710010	Chip capacitor 0402 470PF K 50	1	C142	T3G
391	3101054710010	Chip capacitor 0402 470PF K 50	1	C267	T2B
392	3101054710010	Chip capacitor 0402 470PF K 50	1	C316	T4J
393	3101054710010	Chip capacitor 0402 470PF K 50	1	C335	T4I
394	3101054710010	Chip capacitor 0402 470PF K 50	1	C337	T3I
395	3101054710010	Chip capacitor 0402 470PF K 50	1	C342	T3I
396	3101054710010	Chip capacitor 0402 470PF K 50	1	C401	T4F
397	3101054710010	Chip capacitor 0402 470PF K 50	1	C404	T4F
398	3101054710010	Chip capacitor 0402 470PF K 50	1	C410	T4E
399	3101054710010	Chip capacitor 0402 470PF K 50	1	C417	T4D
400	3101054710010	Chip capacitor 0402 470PF K 50	1	C430	B4C
401	3101054710010	Chip capacitor 0402 470PF K 50	1	C432	B4D
402	3101054710010	Chip capacitor 0402 470PF K 50	1	C435	B5D
403	3101054710010	Chip capacitor 0402 470PF K 50	1	C436	B4D

No.	Material No.	Description	Qty.	Ref. No.	Address
404	3101054710010	Chip capacitor 0402 470PF K 50	1	C437	B4C
405	3101054710010	Chip capacitor 0402 470PF K 50	1	C442	B5C
406	3101054710010	Chip capacitor 0402 470PF K 50	1	C512	T3F
407	3101054710010	Chip capacitor 0402 470PF K 50	1	C530	T2G
408	3101054710010	Chip capacitor 0402 470PF K 50	1	C536	T3F
409	3101054710010	Chip capacitor 0402 470PF K 50	1	C538	T2G
410	3101054710010	Chip capacitor 0402 470PF K 50	1	C539	T1G
411	3101054710010	Chip capacitor 0402 470PF K 50	1	C648	B3A
412	3101054710010	Chip capacitor 0402 470PF K 50	1	C649	B3B
413	3101054710010	Chip capacitor 0402 470PF K 50	1	C654	T5G
414	3101054710010	Chip capacitor 0402 470PF K 50	1	C659	B3A
415	3101054710010	Chip capacitor 0402 470PF K 50	1	C660	B3B
416	3101054710010	Chip capacitor 0402 470PF K 50	1	C671	B5F
417	3101054710010	Chip capacitor 0402 470PF K 50	1	C675	B5F
418	3101054710010	Chip capacitor 0402 470PF K 50	1	C676	B5F
419	3101054710010	Chip capacitor 0402 470PF K 50	1	C688	T2B
420	3101054730000	Chip capacitor 0402 0.047UF K	1	C223	T2K
421	3101054730000	Chip capacitor 0402 0.047UF K	1	C225	T2K
422	3101054730000	Chip capacitor 0402 0.047UF K	1	C232	T3K
423	3101054730000	Chip capacitor 0402 0.047UF K	1	R220	T2K
424	3101055600000	Chip capacitor 0402 56PF J 50V	1	C339	T3I
425	3101055600000	Chip capacitor 0402 56PF J 50V	1	C343	T3I
426	3101055620010	Chip capacitor 0402 5600PF K 2	1	C244	T4K
427	3101055620010	Chip capacitor 0402 5600PF K 2	1	C261	B4H
428	3101055630000	Chip capacitor 0402 0.056UF K	1	C236	T3K
429	3101056800000	Chip capacitor 0402 68PF J 50V	1	C219	T2K
430	3101056800000	Chip capacitor 0402 68PF J 50V	1	C220	T2K
431	3101056800000	Chip capacitor 0402 68PF J 50V	1	C221	T2J
432	3101056800000	Chip capacitor 0402 68PF J 50V	1	C340	T3I
433	3101056820000	Chip capacitor 0402 6800PF K 2	1	C239	T3K
434	3101056830000	Chip capacitor 0402 0.068UF K	1	C227	T3K
435	3101052700000	Chip capacitor 0402 27PF J 50V	1	C141	T3G
436	3101052700000	Chip capacitor 0402 27PF J 50V	1	C504	T4D
437	3101052700000	Chip capacitor 0402 27PF J 50V	1	C519	T3F
438	3101062000000	Chip capacitor 0603 20PF J 50V	1	C455	T4B
439	3101060500010	Chip capacitor 0603 5PF B 50V	1	C123	T4G
440	3101060590010	Chip capacitor 0603 0.5PF B 50	1	C112	T5H
441	3101060590010	Chip capacitor 0603 0.5PF B 50	1	C116	T4G
442	3101060590010	Chip capacitor 0603 0.5PF B 50	1	C125	T4G
443	3101060700020	Chip capacitor 0603 7PF B 50V	1	C452	T4C
444	3101060700020	Chip capacitor 0603 7PF B 50V	1	C454	T4C
445	3101060700020	Chip capacitor 0603 7PF B 50V	1	C456	T4C
446	3210107220000	Bobbin inductor 0805 22nH	1	L513	T2F
447	3210107220000	Bobbin inductor 0805 22nH	1	L514	T2E
448	3210107220000	Bobbin inductor 0805 22nH	1	L515	T3E

No.	Material No.	Description	Qty.	Ref. No.	Address
449	3210107220000	Bobbin inductor 0805 22nH	1	L516	T3D
450	3101061000000	Chip capacitor 0603 10PF J 50V	1	C457	T4B
451	3101061000000	Chip capacitor 0603 10PF J 50V	1	C444	T5D
452	3101061020000	Chip capacitor 0603 1000PF K 5	1	C450	T4C
453	3101061020000	Chip capacitor 0603 1000PF K 5	1	C458	T5C
454	3101061050020	Chip capacitor 0603 1UF K 25V	1	C246	B3J
455	3101061050020	Chip capacitor 0603 1UF K 25V	1	C308	B3I
456	3304060300040	Varactor HVC362TRF-E	1	D503	T3D
457	3304060300040	Varactor HVC362TRF-E	1	D504	T3E
458	3304060300040	Varactor HVC362TRF-E	1	D506	T3E
459	3304060300040	Varactor HVC362TRF-E	1	D507	T2F
460	3101062200010	Chip capacitor 0603 22PF J 50V	1	C453	T4B
461	3101063590000	Chip capacitor 0603 3.5PF C 50	1	C122	T3G
462	3001053910010	Chip resistor 0402 390Ω F 1/1	1	R105	T5H
463	3001053910010	Chip resistor 0402 390Ω F 1/1	1	R106	T4G
464	3210108330000	Bobbin inductor 1206 33nH	1	L107	T3H
465	3101071050010	Chip capacitor 0805 1UF K 10V	1	C318	T5J
466	3101102260010	Chip capacitor 1206 22uF	1	C251	B1D
467	3102992000040	Trimmer capacitor 3.2*2.5*1.25mm	1	TC100	T5G
468	3102992000040	Trimmer capacitor 3.2*2.5*1.25mm	1	TC101	T4H
469	3104071050010	Tantalum capacitor 0805 1UF M 16V T	1	C264	B4H
470	3104071560020	Tantalum capacitor 0805 15UF M 6.3V	1	C312	B3I
471	3104072250010	Tantalum capacitor 0805 2.2UF M 10V	1	C302	T3I
472	3104072250010	Tantalum capacitor 0805 2.2UF M 10V	1	C643	T2E
473	3104072250010	Tantalum capacitor 0805 2.2UF M 10V	1	C664	T2D
474	3104072250010	Tantalum capacitor 0805 2.2UF M 10V	1	C665	T2E
475	3104074750030	Tantalum capacitor 0805 4.7UF M 10V	1	C200	T1F
476	3104074750030	Tantalum capacitor 0805 4.7UF M 10V	1	C262	B4H
477	3104074750030	Tantalum capacitor 0805 4.7UF M 10V	1	C434	B5D
478	3104081060070	Tantalum capacitor 1206 10UF M 16V	1	C229	B2J
479	3104081060070	Tantalum capacitor 1206 10UF M 16V	1	C252	B1E
480	3104081060070	Tantalum capacitor 1206 10UF M 16V	1	C431	B4C
481	3104081560020	Tantalum capacitor 1206 15UF M 10V	1	C652	T5G
482	3104082260040	Tantalum capacitor 1206 22UF M 10V	1	C673	B3I
483	3104204760020	Tantalum capacitor C-package 47UF M 16V T	1	C682	T3B
484	3101060900010	Chip capacitor 0603 9PF B 50V	1	C114	T4G
485	3210305180000	Multi-layer chip inductor 0402 18nH	1	L116	T4F
486	3210305220000	Multi-layer chip inductor 0402 22nH	1	L530	T2F
487	3101060600010	Chip capacitor 0603 6PF B 50V	1	C113	T4H
488	3210305390000	Multi-layer chip inductor 0402 39nH	1	L531	T2F
489	3212105101000	Multi-layer chip inductor 0402 100nH	1	L111	T4G
490	3212105101000	Multi-layer chip inductor 0402 100nH	1	L115	T3G
491	3212105101000	Multi-layer chip inductor 0402 100nH	1	L400	T4F
492	3210306561010	Multi-layer chip inductor 0603 560nH	1	L304	T3I
493	3210406331000	Multi-layer chip inductor 0603 330nH	1	L303	T3I

No.	Material No.	Description	Qty.	Ref. No.	Address
494	3210406331000	Multi-layer chip inductor 0603 330nH	1	L306	T3I
495	3212105470000	Multi-layer chip inductor 0402 47nH	1	L112	T3G
496	3213212102000	Multi-layer chip inductor 1008 1uH	1	L403	T4E
497	3213212102000	Multi-layer chip inductor 1008 1uH	1	L454	B4B
498	3213212102000	Multi-layer chip inductor 1008 1uH	1	L510	T1G
499	3213212331000	Multi-layer chip inductor 1008 330nH	1	L509	T2G
500	3213212561000	Multi-layer chip inductor 1008 0.56uH	1	L408	T4C
501	3213306102000	Multi-layer chip inductor 0603 1uH	1	L200	T3K
502	3213306102000	Multi-layer chip inductor 0603 1uH	1	L300	T4J
503	3213306102000	Multi-layer chip inductor 0603 1uH	1	L301	T5I
504	3213306102000	Multi-layer chip inductor 0603 1uH	1	L307	T3I
505	3213306102000	Multi-layer chip inductor 0603 1uH	1	L308	T4I
506	3213306221010	Multi-layer chip inductor 0603 0.22uH	1	L607	B3I
507	3213306332000	Multi-layer chip inductor 0603 3.3uH	1	L109	T4G
508	3213306332000	Multi-layer chip inductor 0603 3.3uH	1	L110	T3G
509	3213306332000	Multi-layer chip inductor 0603 3.3uH	1	L305	T3I
510	3215006100010	Multi-layer chip inductor 0603 10nH	1	L512	T3E
511	3221506601000	Chip ferrite bead 0603 600Ω±2	1	L100	T5I
512	3221506601000	Chip ferrite bead 0603 600Ω±2	1	L402	T4F
513	3221506601000	Chip ferrite bead 0603 600Ω±2	1	L650	T4G
514	3221507221000	Chip ferrite bead 0805 220Ω±2	1	L404	T4E
515	3221507600000	Chip ferrite bead 0805 60Ω±25	1	L407	T4D
516	3221507600000	Chip ferrite bead 0805 60Ω±25	1	L604	T2B
517	3231351640000	Air-core inductor E2-0.35*1.6*4TL	1	L501	T3D
518	3231351640000	Air-core inductor E2-0.35*1.6*4TL	1	L502	T3E
519	3231351640000	Air-core inductor E2-0.35*1.6*4TL	1	L506	T3F
520	3231351640000	Air-core inductor E2-0.35*1.6*4TL	1	L507	T2F
521	3231351680000	Air-core inductor E2-0.35*1.6*8TR	1	L406	T4D
522	3231351680000	Air-core inductor E2-0.35*1.6*8TR	1	L500	T4D
523	3303020100020	Switching diode MA2S11100L	1	D607	B5J
524	3303020100020	Switching diode MA2S11100L	1	D650	T5G
525	3303020100070	Switching diode MA2Z07700L	1	D401	T4C
526	3303020100080	Switching diode MA2S07700L 1.7	1	D400	T3F
527	3303020100080	Switching diode MA2S07700L 1.7	1	D500	T3F
528	3303020100080	Switching diode MA2S07700L 1.7	1	D501	T4D
529	3303020100080	Switching diode MA2S07700L 1.7	1	D502	T4D
530	3304040200000	Varactor BB179 SOD523 P	1	D108	T5H
531	3210108390000	Multi-layer chip inductor 1206 39nH	1	L104	T5H
532	3307110100070	LED KPT-1608S	1	D602	B4A
533	3307110100080	LED KPT-1608S	1	D601	B4A
534	3101061010010	Chip capacitor 0603 100PF J 50	1	C429	T4C
535	3401001000080	Transistor 2SA1362-GR	1	Q654	T1E
536	3401001000490	Transistor 2SA1832-GR	1	Q202	B1F
537	3401002000990	Transistor 2SC5108-Y	1	Q102	T4G
538	3401002000990	Transistor 2SC5108-Y	1	Q103	T3H

No.	Material No.	Description	Qty.	Ref. No.	Address
539	3401002000990	Transistor 2SC5108-Y	1	Q104	T3G
540	3401002000990	Transistor 2SC5108-Y	1	Q105	T3I
541	3401002000990	Transistor 2SC5108-Y	1	Q400	T4F
542	3401002000990	Transistor 2SC5108-Y	1	Q502	T2I
543	3403007000000	Transistor DTA114EE(TL)	1	Q300	T2I
544	3403007000020	Transistor DTA114YE(TL)	1	Q431	B4D
545	3403008000010	Transistor DTC114EE(TL)	1	Q204	B2D
546	3403008000010	Transistor DTC114EE(TL)	1	Q430	B5C
547	3403008000010	Transistor DTC114EE(TL)	1	Q614	B4A
548	3403008000010	Transistor DTC114EE(TL)	1	Q615	B4A
549	3403009000010	Transistor UMG3N(N-TR)	1	Q609	T2D
550	3403009000010	Transistor UMG3N(N-TR)	1	Q613	T2E
551	3406001000090	Transistor 2SC4988FRTR-E	1	Q401	T4F
552	3411002000020	Transistor 2SC5343EG	1	Q301	T3K
553	3411002000020	Transistor 2SC5343EG	1	Q650	T4G
554	3418001000010	Transistor AT-41511-TR1G	1	Q500	T3E
555	3499000000140	Transistor 2SK508-K52-T1B-A	1	Q100	T4H
556	3499000000140	Transistor 2SK508-K52-T1B-A	1	Q101	T3G
557	3499000000150	Transistor UMC4(NTR)	1	Q652	T4G
558	3499000000180	Transistor UFMMT717	1	Q205	B2D
559	3499000000180	Transistor UFMMT717	1	Q610	T2E
560	3499000000180	Transistor UFMMT717	1	Q611	T2D
561	3501020000030	FET 3SK318YB-TL-E-Q	1	Q501	T2G
562	3503010000010	FET 2SJ243-T1-A P-c	1	Q653	T4G
563	3503020000030	FET 2SK1824-T1-A	1	Q201	B1F
564	3503020000030	FET 2SK1824-T1-A	1	Q203	T4K
565	3503040000000	FET UPA572T-A	1	Q612	T1E
566	3504990000010	FET RD01MUS2-T1	1	Q402	T4E
567	3515990000000	FET RQA0002DNSTB-E	1	Q403	T5E
568	3604002055090	PLL TB31202FN-EL	1	U202	T4I
569	3605008005070	Operational amplifier NJM2904V	1	U430	B4D
570	3605017005540	Operational amplifier 1.7V TDA2	1	U201	B2E
571	3608015000000	Power management IC (voltage regulator) XC6201P5	1	U606	B3I
572	3609016000000	RF/IF demodulator HSOP05	1	U200	T3J
573	3612031004440	Memory AT24C64AN-10SU-2	1	U609	B3K
574	3619006005220	Low voltage detector R3111N451C-TR	1	U610	B5J
575	3701012850010	TCXO 12.8MHz NSA0	1	X300	T5J
576	3701737230020	Crystal 7.3728MHz DSX530G	1	X601	B4I
577	3801045030130	Ceramic filter 450KHz ± 6.0 KHz	1	CF300	T1J
578	3802388540010	Crystal filter 38.850MHz MFT3	1	XF1	T2H
579	5205000001000	TC-610 battery connector Black PA9T	1	G1	T3C
580	3101051230000	Chip capacitor 0402 0.012UF K	1	C238	T3K
581	3101051820000	Chip capacitor 0402 1800PF K 5	1	C235	T3K
582	3101051810010	Chip capacitor 0402 180p J 50V	1	C513	T3F
583	3104086850030	Tantalum capacitor 1206 6.8UF K 16V	1	C101	T4I

No.	Material No.	Description	Qty.	Ref. No.	Address
584	3213306682000	Multi-layer chip inductor 0603 6.8uH	1	L101	T4H
585	3213306682000	Multi-layer chip inductor 0603 6.8uH	1	L102	T4H
586	3213306682000	Multi-layer chip inductor 0603 6.8uH	1	L103	T5H
587	3213306682000	Multi-layer chip inductor 0603 6.8uH	1	L105	T5G
588	3213306682000	Multi-layer chip inductor 0603 6.8uH	1	L106	T3H
589	3213306682000	Multi-layer chip inductor 0603 6.8uH	1	L108	T4H
590	3304060300010	Varactor HVC376BTRF-E	1	D100	T5H
591	3304060300010	Varactor HVC376BTRF-E	1	D101	T5H
592	3304060300010	Varactor HVC376BTRF-E	1	D102	T3H
593	3304060300010	Varactor HVC376BTRF-E	1	D103	T3H
594	3304060300010	Varactor HVC376BTRF-E	1	D104	T5H
595	3304060300010	Varactor HVC376BTRF-E	1	D105	T5H
596	3304060300010	Varactor HVC376BTRF-E	1	D106	T3H
597	3304060300010	Varactor HVC376BTRF-E	1	D107	T4H
598	3610007000020	MCU MB95F108AMWP	1	U605	B4J
599	3001051820010	Chip resistor 0402 1.8KΩ F 1/	1	R303	T4J
600	3231351670000	Air-core inductor E2-0.35*1.6*7TR	1	L451	T4C
601	3101054740000	Chip capacitor 0402 0.47UF Z 6	1	C202	T1F
602	3231351660000	Air-core inductor E2-0.35*1.6*6TR	1	L450	T4C
603	3231351660000	Air-core inductor E2-0.35*1.6*6TR	1	L452	T4B
604	3210305560000	Multi-layer chip inductor 0402 56nH	1	L114	T3G
605	3101061200000	Chip capacitor 0603 12PF J 50V	1	C451	T3B
606	3101061500010	Chip capacitor 0603 15PF J 50V	1	C445	T5D
607	3101061500010	Chip capacitor 0603 15PF J 50V	1	C446	T5C
608	3101051800010	Chip capacitor 0402 18PF J 50V	1	C421	T4F
609	3210305270000	Multi-layer chip inductor 0402 27nH	1	L113	T3H
610	3101051510000	Chip capacitor 0402 150PF(±5%)	1	C108	T4H
611	3101051510000	Chip capacitor 0402 150PF(±5%)	1	C402	T4F
612	3001053920010	Chip resistor 0402 3.9KΩ J 1/	1	R404	T5F
613	3001061020010	Chip resistor 0603 1KΩ J 1/10	1	C247	B1E
614	3210306820000	Multi-layer chip inductor 0603 82nH	1	L401	T4F
615	3001051800000	Chip resistor 0402 18Ω J 1/16	1	R408	T5F
616	3210306270000	Multi-layer chip inductor 0603 27nH	1	L412	T5F
617	41006101001B0	TC-610/620 VHF PCB F	1		
618	3101055610000	Chip capacitor 0402 560PF K 50	1	C206	T3K
619	3231301340000	Air-core inductor E2 0.3*1.3*4TR	1	L409	T5D
620	3231351650000	Air-core inductor E2-0.35*1.6*5TL	1	L410	T5D
621	3101065600000	Chip capacitor 0603 56PF J 50V	1	C443	T5D
622	3001060000000	Chip resistor 0603 0Ω J 1/10W	1	L405	T5E
623	3212106680000	Multi-layer chip inductor 0603 68nH	1	R413	T4E
624	3104071040010	Tantalum capacitor 0805 0.1UF M 20V	1	C100	T4I
625	3104071040010	Tantalum capacitor 0805 0.1UF M 20V	1	C102	T4I
626	3210106331000	Bobbin inductor 0603 330nH	1	L504	T3F
627	3303010500290	Switching diode 1SS372	1	D300	T3K
628	3303030100010	Switching diode DAN222(TL)	1	D301	T3K

No.	Material No.	Description	Qty.	Ref. No.	Address
629	3001051220000	Chip resistor 0402 1.2K Ω J 1/	1	R252	T3K
630	3399990000080	Zener diode EDZTE616.8B	1	D200	B1D
631	3399990000080	Zener diode EDZTE616.8B	1	D201	B1D
632	3399990000080	Zener diode EDZTE616.8B	1	D202	B1E
633	3399990000080	Zener diode EDZTE616.8B	1	D203	B1C
634	3399990000080	Zener diode EDZTE616.8B	1	D430	B5D
635	3302030500020	Zener diode UDZSTE(1718B)1	1	D655	T2B
636	4100510300000	TC-610/620 PTT key PCB 0.6T/2L/1P	1		
637	3920450300000	Demodulator 450KHz $\pm$ 4kHz JTBM450C24	1		

Confidential

TC-610/620 VHF/UHF Parts List 2

TC-610

No.	Material No.	Description	Qty.
1	6000631001010	Volume control knob 01(RoHS)	1
2	6000630001010	Channel selector knob 01(RoHS)	1
3	6201006000000	Inner liner knob 00(RoHS)	1
4	7207002200200	Nut 00(RoHS)	2
5	6100334000000	O-RING, channel selector knob 00(RoHS)	2
6	6000640001000	Light guide 00(RoHS)	1
7	6000613000010	Front case, radio unit 01(RoHS)	1
8	6000634000000	Plastic PTT key 00 (RoHS)	1
9	6100312000010	Silica rubber PTT key 01 (RoHS)	1
10	4210060000000	Lead $\Phi 0.5 \times 60$ mm Red (RoHS)	1
11	6100307000010	Waterproof ring, radio unit 01(RoHS)	1
12	4303020000020	Volume switch (RoHS)	1
13	4304030000010	Gray code channel selector knob (RoHS)	1
14	4100610300000	PTT key 00(RoHS)	1
15	7300032000000	Metal dome, PTT key 00(RoHS)	1
16	5205000001000	Battery connector 00 (RoHS)	1
17	6100314000000	Waterproof ring, battery connector 00(RoHS)	1
18	6100335000000	O_RING, antenna 00 (RoHS)	1
19	7102504000300	Machine screw M2.5*4.0mm 00(RoHS)	2
20	4400100008000	SMA-connector (RoHS)	1
21	7500116000020	Cooler pad 02(RoHS)	1
22	7102005000000	Machine screw M2.0*5.0mm 00(RoHS)	2
23	6000627100000	Rear cover, radio unit 00(RoHS)	1
24	7400218000000	Protective vent 00 (RoHS)	1
25	7102508000000	Machine screw M2.5*8.0mm (RoHS)	2
26	7400216000000	Waterproof and transparent PC sheet 00 (RoHS)	2

27	6300051000000	Aluminum chassis 00 (RoHS)	1
28	7400023010010	PC sheet 01(RoHS)	1
29	5205000000190	Earpiece jack (RoHS)	1
30	5205000000280	Speaker jack (RoHS)	1
31	6100323000000	Bracket, earpiece jack 00 (RoHS)	1
32		PCB	1
33	7102004021030	Self-tapping screw ST1.9*4.0mm 03(RoHS)	9
34	5002220000050	MIC (RoHS)	1
35	6100123000000	Mic cover 00(RoHS)	1
36	7400217100000	Mic washer 00 (RoHS)	1
37	7400184000000	Waterproof mic net 00(RoHS)	1
38	5001210000030	Speaker (RoHS)	1
39	4210060000100	Lead 60mm Black (RoHS)	1
40	6000700000000	Earpiece cover stopper 00(RoHS)	1
41	6000635001000	Earpiece cover 00(RoHS)	1
42	8600610500000	HYT model type label 00(RoHS)	1
43	7400202000000	Felt, speaker 00(RoHS)	1
44	8600610600000	HYT LOGO PC label 00(RoHS)	1
45	6201066000000	Inner liner knob 00(RoHS)	1
46	6201540000000	Stainless steel mesh 00 (RoHS)	1
47	6000645000000	Front cover (RoHS)	1

TC-620

No.	Material No.	Description	Qty.
1	7102003500100	Self-tapping screw ST2.0X3.5 00(RoHS)	2
2	6000639000000	Mic cover 00(RoHS)	1
3	6300040000000	Decorative sheet, zinc alloy 00 (RoHS)	1
4	6000700000000	Earpiece cover stopper 00(RoHS)	1
5	1500006200020	Front case kit 02(RoHS)	1
6	5001210000170	Speaker (RoHS)	1
7	7400184000000	Waterproof mic net 00(RoHS)	1
8	7400217100000	Mic pad 00 (RoHS)	1
9	6100123000000	Mic cover 00(RoHS)	1
10	6100323000000	Bracket, earpiece jack 00 (RoHS)	1
11	7102004021030	Self-tapping screw ST1.9*4.0mm 03(RoHS)	9
12	5002220000050	MIC (RoHS)	1
13	5205000000280	Speaker jack (RoHS)	1
14	5205000000190	Earpiece jack (RoHS)	1
15		PCB	1
16	4100610300000	PTT key 00(RoHS)	1
17	7300032000000	Metal dome, PTT key 00(RoHS)	1
18	7400023010010	PC sheet 01(RoHS)	1
19	5205000001000	Battery connector (RoHS)	1
20	6100314000000	Waterproof ring, battery connector 00(RoHS)	1
21	6300051000000	Aluminum chassis 00 (RoHS)	1
22	7400218000000	Protective vent 00 (RoHS)	1
23	6100307000010	Waterproof ring, radio unit 01(RoHS)	1
24	7400216000000	Waterproof and transparent PC sheet 00 (RoHS)	2
25	7102508000000	Machine screw M2.5*8.0mm 00(RoHS)	2
26	7500116000020	Cooler pad 02(RoHS)	1
27	4400100008000	SMA-connector RoHS)	1

28	7102504000300	Machine screw M2.5*4.0mm 00(RoHS)	2
29	7102005000000	Machine screw M2.0*5.0mm 00(RoHS)	2
30	6100335000000	O_RING, antenna 00 (RoHS)	1
31	6000629000010	Rear cover, radio unit 01(RoHS)	1
32	4304030000010	Gray code channel selector knob (RoHS)	1
33	4303020000020	Volume switch (RoHS)	1
34	6100334000000	O-RING, channel selector knob 00(RoHS)	2
35	7207002200200	Nut 00(RoHS)	2
36	4210060000000	Lead Φ 0.5*60mm Red (RoHS)	1
37	4210060000100	Lead 60mm Black (RoHS)	1
38	6000624000000	Light guide 00(RoHS)	1
39	6100312000010	Plastic PTT key 01 (RoHS)	1
40	6000634000000	Silica rubber PTT key 00 (RoHS)	1
41	6201066000000	Inner liner knob 00(RoHS)	1
42	6201006000000	Inner liner knob 00(RoHS)	1
43	6000630001010	Channel selector knob 01(RoHS)	1
44	6000631001010	Volume control knob 01(RoHS)	1
45	8600620600000	HYT LOGO PC label 00(RoHS)	1

Remarks: Parts that are not marked with material number can vary according to changes of their corresponding frequencies.