


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.94	-13	Pass	401
0.15	30	0.01	Peak	0.28	-53.91	-13	Pass	2985
30	500	0.1	Peak	365.571	-41.58	-13	Pass	4700
500	1000	0.1	Peak	824.265	32.39	-13	N/A	5000
1000	10000	1	Peak	7970.851	-21.71	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.13	-13	Pass	401
0.15	30	0.01	Peak	0.2	-53.04	-13	Pass	2985
30	500	0.1	Peak	372.673	-42.81	-13	Pass	4700
500	1000	0.1	Peak	836.567	32.66	-13	N/A	5000
1000	10000	1	Peak	9145.994	-21.58	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-56.59	-13	Pass	401
0.15	30	0.01	Peak	18.656	-53.21	-13	Pass	2985
30	500	0.1	Peak	471.694	-42.05	-13	Pass	4700
500	1000	0.1	Peak	848.77	32.72	-13	N/A	5000
1000	10000	1	Peak	7927.846	-21.25	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-61.6	-13	Pass	401
0.15	30	0.01	Peak	0.3	-59.73	-13	Pass	2985
30	1000	0.1	Peak	746.287	-47.85	-13	Pass	9699
1000	3000	1	Peak	1850.425	28.6	-13	N/A	2000
3000	20000	1	Peak	19392.013	-20.4	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.33	-13	Pass	401
0.15	30	0.01	Peak	1.51	-59.4	-13	Pass	2985
30	1000	0.1	Peak	890.154	-47.68	-13	Pass	9699
1000	3000	1	Peak	1879.44	27.17	-13	N/A	2000
3000	20000	1	Peak	19803.681	-20.35	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.09	-13	Pass	401
0.15	30	0.01	Peak	0.16	-59.78	-13	Pass	2985
30	1000	0.1	Peak	864.62	-47.91	-13	Pass	9699
1000	3000	1	Peak	1910.455	27.34	-13	N/A	2000
3000	20000	1	Peak	19833.73	-20.86	-13	Pass	17000




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.09	-13	Pass	401
0.15	30	0.01	Peak	0.35	-53.5	-13	Pass	2985
30	500	0.1	Peak	265.75	-42.49	-13	Pass	4700
500	1000	0.1	Peak	824.165	29	-13	N/A	5000
1000	10000	1	Peak	8410.905	-21.27	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.13	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.84	-13	Pass	2985
30	500	0.1	Peak	470.794	-42.74	-13	Pass	4700
500	1000	0.1	Peak	836.467	24.21	-13	N/A	5000
1000	10000	1	Peak	8029.858	-21.66	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.74	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.99	-13	Pass	2985
30	500	0.1	Peak	462.592	-42.36	-13	Pass	4700
500	1000	0.1	Peak	848.87	29.38	-13	N/A	5000
1000	10000	1	Peak	7015.734	-21	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.03	-13	Pass	401
0.15	30	0.01	Peak	0.21	-59.79	-13	Pass	2985
30	1000	0.1	Peak	502.358	-48.09	-13	Pass	9699
1000	3000	1	Peak	1850.425	28.87	-13	N/A	2000
3000	20000	1	Peak	19791.662	-19.99	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-60.9	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.38	-13	Pass	2985
30	1000	0.1	Peak	730.686	-47.66	-13	Pass	9699
1000	3000	1	Peak	1880.44	28.6	-13	N/A	2000
3000	20000	1	Peak	19746.589	-20.36	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.66	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.43	-13	Pass	2985
30	1000	0.1	Peak	834.898	-48.08	-13	Pass	9699
1000	3000	1	Peak	1909.455	28.36	-13	N/A	2000
3000	20000	1	Peak	19919.87	-20.13	-13	Pass	17000




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.5	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.41	-13	Pass	2985
30	1000	0.1	Peak	883.846	-53.16	-13	Pass	9699
1000	3000	1	Peak	1853.427	23.16	-13	N/A	2000
3000	20000	1	Peak	19629.398	-24.88	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.67	-13	Pass	2985
30	1000	0.1	Peak	966.656	-52.53	-13	Pass	9699
1000	3000	1	Peak	1881.441	23.19	-13	N/A	2000
3000	20000	1	Peak	19804.683	-23.78	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.57	-13	Pass	401
0.15	30	0.01	Peak	1.1	-64.65	-13	Pass	2985
30	1000	0.1	Peak	366.541	-52.01	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.25	-13	N/A	2000
3000	20000	1	Peak	19991.987	-24.64	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.88	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.23	-13	Pass	2985
30	1000	0.1	Peak	448.851	-52.79	-13	Pass	9699
1000	3000	1	Peak	1713.357	23.16	-13	N/A	2000
3000	20000	1	Peak	19772.631	-25	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.7	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.38	-13	Pass	2985
30	1000	0.1	Peak	989.987	-52.24	-13	Pass	9699
1000	3000	1	Peak	1733.367	22.99	-13	N/A	2000
3000	20000	1	Peak	19649.431	-25.11	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.9	-13	Pass	401
0.15	30	0.01	Peak	0.31	-64.53	-13	Pass	2985
30	1000	0.1	Peak	851.002	-51.59	-13	Pass	9699
1000	3000	1	Peak	1753.377	23.19	-13	N/A	2000
3000	20000	1	Peak	19804.683	-25.05	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.02	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.45	-13	Pass	2985
30	500	0.1	Peak	447.289	-53.46	-13	Pass	4700
500	1000	0.1	Peak	827.065	18.18	-13	N/A	5000
1000	10000	1	Peak	7494.793	-31.37	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.78	-13	Pass	401
0.15	30	0.01	Peak	1.07	-63.93	-13	Pass	2985
30	500	0.1	Peak	452.09	-52.46	-13	Pass	4700
500	1000	0.1	Peak	835.567	18.48	-13	N/A	5000
1000	10000	1	Peak	9625.537	-31.85	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.38	-13	Pass	401
0.15	30	0.01	Peak	0.21	-62.88	-13	Pass	2985
30	500	0.1	Peak	472.194	-53.4	-13	Pass	4700
500	1000	0.1	Peak	847.269	18.14	-13	N/A	5000
1000	10000	1	Peak	7512.795	-31.02	-13	Pass	9000




LTE

8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	Pass	2985
30	1000	0.1	RMS	888.052	-64.03	-13	Pass	9699
1000	1840	1	RMS	1840	-51.96	-13	Pass	840
1840	1920	1	RMS	1850.2	22.27	60	Pass	401
1920	3000	1	RMS	2951.956	-49.81	-13	Pass	1080
3000	12000	1	RMS	3700.085	-41.92	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.39	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.88	-13	Pass	2985
30	1000	0.1	RMS	875.935	-64.17	-13	Pass	9699
1000	1840	1	RMS	1840	-52.12	-13	Pass	840
1840	1920	1	RMS	1850.2	21.38	60	Pass	401
1920	3000	1	RMS	2947.952	-49.8	-13	Pass	1080
3000	12000	1	RMS	3700.085	-42.77	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.38	-13	Pass	8000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-13	Pass	2985
30	1000	0.1	RMS	837.599	-64.22	-13	Pass	9699
1000	1840	1	RMS	1808.963	-52.8	-13	Pass	840
1840	1920	1	RMS	1879.4	22.38	60	Pass	401
1920	3000	1	RMS	2851.863	-49.77	-13	Pass	1080
3000	12000	1	RMS	11428.292	-43.29	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.38	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.46	-13	Pass	2985
30	1000	0.1	RMS	868.726	-64.2	-13	Pass	9699
1000	1840	1	RMS	1800.954	-52.82	-13	Pass	840
1840	1920	1	RMS	1879.4	21.49	60	Pass	401
1920	3000	1	RMS	2949.954	-49.81	-13	Pass	1080
3000	12000	1	RMS	11434.3	-43.41	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36.41	-13	Pass	8000




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.74	-13	Pass	2985
30	1000	0.1	RMS	864.821	-64.24	-13	Pass	9699
1000	1840	1	RMS	1802.956	-52.79	-13	Pass	840
1840	1920	1	RMS	1908.8	22.15	60	Pass	401
1920	3000	1	RMS	2948.953	-49.84	-13	Pass	1080
3000	12000	1	RMS	11011.978	-43.42	-13	Pass	9000
12000	20000	1	RMS	19792.974	-36.44	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	Pass	2985
30	1000	0.1	RMS	992.59	-64.08	-13	Pass	9699
1000	1840	1	RMS	1840	-52.84	-13	Pass	840
1840	1920	1	RMS	1908.8	21.22	60	Pass	401
1920	3000	1	RMS	2949.954	-49.85	-13	Pass	1080
3000	12000	1	RMS	11432.297	-43.37	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.35	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.54	-13	Pass	2985
30	1000	0.1	RMS	878.539	-64.06	-13	Pass	9699
1000	1840	1	RMS	1840	-51.94	-13	Pass	840
1840	1920	1	RMS	1850.2	22.29	60	Pass	401
1920	3000	1	RMS	2948.953	-49.82	-13	Pass	1080
3000	12000	1	RMS	3700.085	-42.04	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.36	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.3	-13	Pass	2985
30	1000	0.1	RMS	909.48	-64.14	-13	Pass	9699
1000	1840	1	RMS	1840	-52.15	-13	Pass	840
1840	1920	1	RMS	1850.2	21.58	60	Pass	401
1920	3000	1	RMS	2930.936	-49.82	-13	Pass	1080
3000	12000	1	RMS	3700.085	-42.75	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.41	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.14	-13	Pass	2985
30	1000	0.1	RMS	915.888	-64.23	-13	Pass	9699
1000	1840	1	RMS	1804.958	-52.78	-13	Pass	840
1840	1920	1	RMS	1878.6	22.46	60	Pass	401
1920	3000	1	RMS	2949.954	-49.84	-13	Pass	1080
3000	12000	1	RMS	11446.315	-43.4	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.46	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.29	-13	Pass	2985
30	1000	0.1	RMS	856.61	-64.26	-13	Pass	9699
1000	1840	1	RMS	1805.959	-52.84	-13	Pass	840
1840	1920	1	RMS	1878.6	21.57	60	Pass	401
1920	3000	1	RMS	2845.857	-49.84	-13	Pass	1080
3000	12000	1	RMS	11438.305	-43.37	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.39	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2985
30	1000	0.1	RMS	988.385	-64.14	-13	Pass	9699
1000	1840	1	RMS	1796.949	-52.81	-13	Pass	840
1840	1920	1	RMS	1907.2	22.18	60	Pass	401
1920	3000	1	RMS	2950.955	-49.8	-13	Pass	1080
3000	12000	1	RMS	11439.306	-43.41	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.35	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.72	-13	Pass	2985
30	1000	0.1	RMS	877.538	-63.97	-13	Pass	9699
1000	1840	1	RMS	1804.958	-52.82	-13	Pass	840
1840	1920	1	RMS	1907.2	21.37	60	Pass	401
1920	3000	1	RMS	2947.952	-49.75	-13	Pass	1080
3000	12000	1	RMS	11428.292	-43.33	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.37	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.33	-13	Pass	2985
30	1000	0.1	RMS	881.643	-64.19	-13	Pass	9699
1000	1840	1	RMS	1840	-51.85	-13	Pass	840
1840	1920	1	RMS	1850.2	22.35	60	Pass	401
1920	3000	1	RMS	2947.952	-49.74	-13	Pass	1080
3000	12000	1	RMS	3701.086	-42.05	-13	Pass	9000
12000	20000	1	RMS	19792.974	-36.32	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	1000	0.1	RMS	883.445	-64.21	-13	Pass	9699
1000	1840	1	RMS	1840	-52.02	-13	Pass	840
1840	1920	1	RMS	1850.2	21.53	60	Pass	401
1920	3000	1	RMS	2947.952	-49.74	-13	Pass	1080
3000	12000	1	RMS	3701.086	-42.6	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.46	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.26	-13	Pass	2985
30	1000	0.1	RMS	853.406	-64.15	-13	Pass	9699
1000	1840	1	RMS	1798.951	-52.76	-13	Pass	840
1840	1920	1	RMS	1877.8	22.43	60	Pass	401
1920	3000	1	RMS	2951.956	-49.84	-13	Pass	1080
3000	12000	1	RMS	11430.295	-43.36	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.41	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.55	-13	Pass	2985
30	1000	0.1	RMS	981.275	-64.15	-13	Pass	9699
1000	1840	1	RMS	1801.955	-52.82	-13	Pass	840
1840	1920	1	RMS	1877.8	21.73	60	Pass	401
1920	3000	1	RMS	2922.929	-49.86	-13	Pass	1080
3000	12000	1	RMS	11429.294	-43.39	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.3	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	1000	0.1	RMS	887.451	-64.17	-13	Pass	9699
1000	1840	1	RMS	1800.954	-52.88	-13	Pass	840
1840	1920	1	RMS	1905.2	22.27	60	Pass	401
1920	3000	1	RMS	2948.953	-49.83	-13	Pass	1080
3000	12000	1	RMS	11429.294	-43.42	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.48	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.25	-13	Pass	2985
30	1000	0.1	RMS	991.489	-64.2	-13	Pass	9699
1000	1840	1	RMS	1791.943	-52.81	-13	Pass	840
1840	1920	1	RMS	1905.2	21.52	60	Pass	401
1920	3000	1	RMS	2844.856	-49.85	-13	Pass	1080
3000	12000	1	RMS	11434.3	-43.3	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.43	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	Pass	2985
30	1000	0.1	RMS	884.647	-64.1	-13	Pass	9699
1000	1840	1	RMS	1832.992	-51.45	-13	Pass	840
1840	1920	1	RMS	1850.4	22.55	60	Pass	401
1920	3000	1	RMS	2950.955	-49.77	-13	Pass	1080
3000	12000	1	RMS	3701.086	-40.87	-13	Pass	9000
12000	20000	1	RMS	19810.976	-36.36	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.46	-13	Pass	2985
30	1000	0.1	RMS	900.568	-64.15	-13	Pass	9699
1000	1840	1	RMS	1832.992	-51.61	-13	Pass	840
1840	1920	1	RMS	1850.4	21.78	60	Pass	401
1920	3000	1	RMS	2953.957	-49.79	-13	Pass	1080
3000	12000	1	RMS	3701.086	-41.61	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.4	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-13	Pass	2985
30	1000	0.1	RMS	902.971	-64.09	-13	Pass	9699
1000	1840	1	RMS	1799.952	-52.8	-13	Pass	840
1840	1920	1	RMS	1875.4	22.71	60	Pass	401
1920	3000	1	RMS	2947.952	-49.84	-13	Pass	1080
3000	12000	1	RMS	11436.302	-43.48	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.39	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.34	-13	Pass	2985
30	1000	0.1	RMS	862.518	-64.1	-13	Pass	9699
1000	1840	1	RMS	1806.961	-52.83	-13	Pass	840
1840	1920	1	RMS	1875.4	21.77	60	Pass	401
1920	3000	1	RMS	2948.953	-49.79	-13	Pass	1080
3000	12000	1	RMS	11430.295	-43.31	-13	Pass	9000
12000	20000	1	RMS	19790.974	-36.39	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.38	-72.19	-13	Pass	2985
30	1000	0.1	RMS	883.546	-64.11	-13	Pass	9699
1000	1840	1	RMS	1799.952	-52.79	-13	Pass	840
1840	1920	1	RMS	1900.4	22.27	60	Pass	401
1920	3000	1	RMS	2948.953	-49.84	-13	Pass	1080
3000	12000	1	RMS	11436.302	-43.33	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.41	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	Pass	2985
30	1000	0.1	RMS	880.642	-64.06	-13	Pass	9699
1000	1840	1	RMS	1792.944	-52.8	-13	Pass	840
1840	1920	1	RMS	1900.4	21.33	60	Pass	401
1920	3000	1	RMS	2949.954	-49.82	-13	Pass	1080
3000	12000	1	RMS	11446.315	-43.4	-13	Pass	9000
12000	20000	1	RMS	19805.976	-36.41	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.16	-13	Pass	2985
30	1000	0.1	RMS	977.47	-64.16	-13	Pass	9699
1000	1840	1	RMS	1837.998	-48.39	-13	Pass	840
1840	1920	1	RMS	1850.8	22.46	60	Pass	401
1920	3000	1	RMS	2949.954	-49.77	-13	Pass	1080
3000	12000	1	RMS	3702.086	-42.04	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.39	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.43	-13	Pass	2985
30	1000	0.1	RMS	892.558	-64.16	-13	Pass	9699
1000	1840	1	RMS	1837.998	-48.18	-13	Pass	840
1840	1920	1	RMS	1850.8	21.67	60	Pass	401
1920	3000	1	RMS	2947.952	-49.82	-13	Pass	1080
3000	12000	1	RMS	3702.086	-42.72	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.41	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.03	-13	Pass	2985
30	1000	0.1	RMS	874.834	-64.22	-13	Pass	9699
1000	1840	1	RMS	1796.949	-52.81	-13	Pass	840
1840	1920	1	RMS	1873.2	22.63	60	Pass	401
1920	3000	1	RMS	2949.954	-49.82	-13	Pass	1080
3000	12000	1	RMS	11436.302	-43.43	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.38	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.28	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.83	-13	Pass	2985
30	1000	0.1	RMS	903.172	-64.09	-13	Pass	9699
1000	1840	1	RMS	1840	-52.82	-13	Pass	840
1840	1920	1	RMS	1873.2	21.74	60	Pass	401
1920	3000	1	RMS	2945.95	-49.81	-13	Pass	1080
3000	12000	1	RMS	11427.291	-43.46	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.36	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.74	-13	Pass	2985
30	1000	0.1	RMS	896.863	-64.1	-13	Pass	9699
1000	1840	1	RMS	1796.949	-52.78	-13	Pass	840
1840	1920	1	RMS	1895.8	22.25	60	Pass	401
1920	3000	1	RMS	2946.951	-49.8	-13	Pass	1080
3000	12000	1	RMS	11425.289	-43.44	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.35	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.39	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.96	-13	Pass	2985
30	1000	0.1	RMS	864.42	-64.18	-13	Pass	9699
1000	1840	1	RMS	1810.965	-52.83	-13	Pass	840
1840	1920	1	RMS	1895.8	21.43	60	Pass	401
1920	3000	1	RMS	2949.954	-49.84	-13	Pass	1080
3000	12000	1	RMS	11436.302	-43.43	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.42	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.52	-13	Pass	2985
30	1000	0.1	RMS	875.235	-64.16	-13	Pass	9699
1000	1840	1	RMS	1832.992	-48.28	-13	Pass	840
1840	1920	1	RMS	1851	22.54	60	Pass	401
1920	3000	1	RMS	2950.955	-49.73	-13	Pass	1080
3000	12000	1	RMS	3702.086	-41.08	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.27	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.19	-13	Pass	2985
30	1000	0.1	RMS	872.231	-64.19	-13	Pass	9699
1000	1840	1	RMS	1832.992	-48.37	-13	Pass	840
1840	1920	1	RMS	1851	21.76	60	Pass	401
1920	3000	1	RMS	2948.953	-49.8	-13	Pass	1080
3000	12000	1	RMS	3702.086	-41.76	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.42	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-13	Pass	2985
30	1000	0.1	RMS	842.099	-64.22	-13	Pass	9699
1000	1840	1	RMS	1835.995	-52.14	-13	Pass	840
1840	1920	1	RMS	1871	22.65	60	Pass	401
1920	3000	1	RMS	2946.951	-49.78	-13	Pass	1080
3000	12000	1	RMS	11454.325	-43.43	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.39	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.77	-13	Pass	2985
30	1000	0.1	RMS	874.634	-64.16	-13	Pass	9699
1000	1840	1	RMS	1835.995	-52.34	-13	Pass	840
1840	1920	1	RMS	1871	21.82	60	Pass	401
1920	3000	1	RMS	2947.952	-49.79	-13	Pass	1080
3000	12000	1	RMS	11437.304	-43.39	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.34	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.29	-13	Pass	2985
30	1000	0.1	RMS	865.221	-64.05	-13	Pass	9699
1000	1840	1	RMS	1796.949	-52.78	-13	Pass	840
1840	1920	1	RMS	1891	22.3	60	Pass	401
1920	3000	1	RMS	2938.943	-49.85	-13	Pass	1080
3000	12000	1	RMS	11439.306	-43.47	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.35	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.25	-13	Pass	2985
30	1000	0.1	RMS	897.865	-64.03	-13	Pass	9699
1000	1840	1	RMS	1807.962	-52.86	-13	Pass	840
1840	1920	1	RMS	1891	21.42	60	Pass	401
1920	3000	1	RMS	2842.854	-49.82	-13	Pass	1080
3000	12000	1	RMS	11432.297	-43.43	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.41	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.32	-13	Pass	2985
30	1000	0.1	RMS	861.817	-64.16	-13	Pass	9699
1000	1700	1	RMS	1700	-52.58	-13	Pass	700
1700	1765	1	RMS	1710.238	21.99	60	Pass	401
1765	3000	1	RMS	2947.958	-49.76	-13	Pass	1235
3000	12000	1	RMS	11435.301	-43.32	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.45	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	1000	0.1	RMS	890.054	-64.21	-13	Pass	9699
1000	1700	1	RMS	1700	-52.69	-13	Pass	700
1700	1765	1	RMS	1710.238	21.1	60	Pass	401
1765	3000	1	RMS	2949.959	-49.76	-13	Pass	1235
3000	12000	1	RMS	11424.287	-43.38	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.36	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	1000	0.1	RMS	867.224	-64.21	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.13	-13	Pass	700
1700	1765	1	RMS	1732.013	21.96	60	Pass	401
1765	3000	1	RMS	2847.877	-49.87	-13	Pass	1235
3000	12000	1	RMS	11435.301	-43.45	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.34	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.73	-13	Pass	2985
30	1000	0.1	RMS	907.577	-64.23	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.2	-13	Pass	700
1700	1765	1	RMS	1732.013	21.06	60	Pass	401
1765	3000	1	RMS	2845.875	-49.83	-13	Pass	1235
3000	12000	1	RMS	11429.294	-43.39	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.35	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.62	-13	Pass	2985
30	1000	0.1	RMS	845.8	-64.16	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.08	-13	Pass	700
1700	1765	1	RMS	1753.788	22.3	60	Pass	401
1765	3000	1	RMS	2946.957	-49.78	-13	Pass	1235
3000	12000	1	RMS	11433.299	-43.4	-13	Pass	9000
12000	20000	1	RMS	19805.976	-36.35	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	Pass	2985
30	1000	0.1	RMS	982.877	-64.34	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.1	-13	Pass	700
1700	1765	1	RMS	1753.788	21.43	60	Pass	401
1765	3000	1	RMS	2949.959	-49.76	-13	Pass	1235
3000	12000	1	RMS	11437.304	-43.4	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.39	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.04	-13	Pass	2985
30	1000	0.1	RMS	992.09	-64.19	-13	Pass	9699
1000	1700	1	RMS	1700	-52.62	-13	Pass	700
1700	1765	1	RMS	1710.238	22.07	60	Pass	401
1765	3000	1	RMS	2845.875	-49.84	-13	Pass	1235
3000	12000	1	RMS	11457.328	-43.37	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.39	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.56	-13	Pass	2985
30	1000	0.1	RMS	868.826	-64.07	-13	Pass	9699
1000	1700	1	RMS	1700	-52.57	-13	Pass	700
1700	1765	1	RMS	1710.075	21.32	60	Pass	401
1765	3000	1	RMS	2951.961	-49.78	-13	Pass	1235
3000	12000	1	RMS	11770.716	-43.39	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.32	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	1000	0.1	RMS	888.352	-64.27	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.08	-13	Pass	700
1700	1765	1	RMS	1731.2	22.07	60	Pass	401
1765	3000	1	RMS	2943.955	-49.87	-13	Pass	1235
3000	12000	1	RMS	11008.978	-43.37	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.44	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-13	Pass	2985
30	1000	0.1	RMS	846.8	-64.27	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.18	-13	Pass	700
1700	1765	1	RMS	1731.2	21.12	60	Pass	401
1765	3000	1	RMS	2951.961	-49.8	-13	Pass	1235
3000	12000	1	RMS	11429.294	-43.32	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36.36	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	Pass	2985
30	1000	0.1	RMS	863.819	-64.23	-13	Pass	9699
1000	1700	1	RMS	1700	-53.1	-13	Pass	700
1700	1765	1	RMS	1752.163	22.32	60	Pass	401
1765	3000	1	RMS	2946.957	-49.77	-13	Pass	1235
3000	12000	1	RMS	11439.306	-43.36	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.33	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2985
30	1000	0.1	RMS	871.73	-64.21	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.07	-13	Pass	700
1700	1765	1	RMS	1752.163	21.52	60	Pass	401
1765	3000	1	RMS	2949.959	-49.8	-13	Pass	1235
3000	12000	1	RMS	11432.297	-43.43	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.38	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	Pass	2985
30	1000	0.1	RMS	860.215	-64.22	-13	Pass	9699
1000	1700	1	RMS	1700	-52.45	-13	Pass	700
1700	1765	1	RMS	1710.238	22.12	60	Pass	401
1765	3000	1	RMS	2843.874	-49.85	-13	Pass	1235
3000	12000	1	RMS	11440.307	-43.46	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.37	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-13	Pass	2985
30	1000	0.1	RMS	873.432	-64.13	-13	Pass	9699
1000	1700	1	RMS	1700	-52.59	-13	Pass	700
1700	1765	1	RMS	1710.238	21.22	60	Pass	401
1765	3000	1	RMS	2949.959	-49.78	-13	Pass	1235
3000	12000	1	RMS	11432.297	-43.42	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.37	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2985
30	1000	0.1	RMS	878.539	-64.18	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.17	-13	Pass	700
1700	1765	1	RMS	1730.225	22.11	60	Pass	401
1765	3000	1	RMS	2838.87	-49.81	-13	Pass	1235
3000	12000	1	RMS	11435.301	-43.27	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.38	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	Pass	2985
30	1000	0.1	RMS	873.332	-64.27	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.1	-13	Pass	700
1700	1765	1	RMS	1730.225	21.33	60	Pass	401
1765	3000	1	RMS	2951.961	-49.78	-13	Pass	1235
3000	12000	1	RMS	11443.311	-43.4	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.39	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2985
30	1000	0.1	RMS	995.494	-64.12	-13	Pass	9699
1000	1700	1	RMS	1687.983	-53.18	-13	Pass	700
1700	1765	1	RMS	1750.213	22.32	60	Pass	401
1765	3000	1	RMS	2925.94	-49.77	-13	Pass	1235
3000	12000	1	RMS	11446.315	-43.31	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.34	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.92	-13	Pass	2985
30	1000	0.1	RMS	904.874	-64.24	-13	Pass	9699
1000	1700	1	RMS	1700	-53.11	-13	Pass	700
1700	1765	1	RMS	1750.213	21.65	60	Pass	401
1765	3000	1	RMS	2950.96	-49.84	-13	Pass	1235
3000	12000	1	RMS	11438.305	-43.38	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.36	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2985
30	1000	0.1	RMS	971.863	-64.19	-13	Pass	9699
1000	1700	1	RMS	1700	-52.36	-13	Pass	700
1700	1765	1	RMS	1710.563	22.17	60	Pass	401
1765	3000	1	RMS	2938.951	-49.85	-13	Pass	1235
3000	12000	1	RMS	11438.305	-43.36	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.35	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.32	-13	Pass	2985
30	1000	0.1	RMS	877.738	-64.11	-13	Pass	9699
1000	1700	1	RMS	1700	-52.54	-13	Pass	700
1700	1765	1	RMS	1710.563	21.38	60	Pass	401
1765	3000	1	RMS	2949.959	-49.77	-13	Pass	1235
3000	12000	1	RMS	11429.294	-43.34	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.39	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	1000	0.1	RMS	878.639	-63.97	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.14	-13	Pass	700
1700	1765	1	RMS	1727.95	22.12	60	Pass	401
1765	3000	1	RMS	2948.959	-49.81	-13	Pass	1235
3000	12000	1	RMS	11434.3	-43.37	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.34	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.04	-13	Pass	2985
30	1000	0.1	RMS	844.699	-64.25	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.15	-13	Pass	700
1700	1765	1	RMS	1727.95	21.17	60	Pass	401
1765	3000	1	RMS	2946.957	-49.82	-13	Pass	1235
3000	12000	1	RMS	11435.301	-43.31	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.36	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	Pass	2985
30	1000	0.1	RMS	866.323	-64.14	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.15	-13	Pass	700
1700	1765	1	RMS	1745.5	22.36	60	Pass	401
1765	3000	1	RMS	2950.96	-49.78	-13	Pass	1235
3000	12000	1	RMS	11444.312	-43.35	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.37	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2985
30	1000	0.1	RMS	872.03	-64.23	-13	Pass	9699
1000	1700	1	RMS	1700	-53.11	-13	Pass	700
1700	1765	1	RMS	1745.5	21.52	60	Pass	401
1765	3000	1	RMS	2943.955	-49.73	-13	Pass	1235
3000	12000	1	RMS	11440.307	-43.38	-13	Pass	9000
12000	20000	1	RMS	19806.976	-36.41	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.92	-13	Pass	2985
30	1000	0.1	RMS	887.15	-64.16	-13	Pass	9699
1000	1700	1	RMS	1696.996	-51.52	-13	Pass	700
1700	1765	1	RMS	1710.725	22.24	60	Pass	401
1765	3000	1	RMS	2950.96	-49.8	-13	Pass	1235
3000	12000	1	RMS	11436.302	-43.34	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.36	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2985
30	1000	0.1	RMS	900.368	-64.17	-13	Pass	9699
1000	1700	1	RMS	1697.997	-51.54	-13	Pass	700
1700	1765	1	RMS	1710.725	21.39	60	Pass	401
1765	3000	1	RMS	2952.962	-49.73	-13	Pass	1235
3000	12000	1	RMS	11012.978	-43.41	-13	Pass	9000
12000	20000	1	RMS	19805.976	-36.39	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.64	-13	Pass	2985
30	1000	0.1	RMS	888.552	-64.16	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.68	-13	Pass	700
1700	1765	1	RMS	1725.675	22.18	60	Pass	401
1765	3000	1	RMS	2947.958	-49.82	-13	Pass	1235
3000	12000	1	RMS	11428.292	-43.28	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.41	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	Pass	2985
30	1000	0.1	RMS	868.926	-64.19	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.68	-13	Pass	700
1700	1765	1	RMS	1725.838	21.22	60	Pass	401
1765	3000	1	RMS	2950.96	-49.82	-13	Pass	1235
3000	12000	1	RMS	11427.291	-43.43	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.41	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-13	Pass	2985
30	1000	0.1	RMS	869.427	-64.15	-13	Pass	9699
1000	1700	1	RMS	1700	-53.04	-13	Pass	700
1700	1765	1	RMS	1740.788	22.4	60	Pass	401
1765	3000	1	RMS	1767.002	-38.98	-13	Pass	1235
3000	12000	1	RMS	11449.318	-43.43	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.33	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2985
30	1000	0.1	RMS	871.229	-64.05	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.17	-13	Pass	700
1700	1765	1	RMS	1740.788	21.57	60	Pass	401
1765	3000	1	RMS	1767.002	-40.03	-13	Pass	1235
3000	12000	1	RMS	11425.289	-43.37	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.34	-13	Pass	8000




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2985
30	1000	0.1	RMS	861.316	-64.22	-13	Pass	9699
1000	1700	1	RMS	1700	-51.11	-13	Pass	700
1700	1765	1	RMS	1711.05	22.23	60	Pass	401
1765	3000	1	RMS	2946.957	-49.81	-13	Pass	1235
3000	12000	1	RMS	11432.297	-43.4	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.41	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.33	-13	Pass	2985
30	1000	0.1	RMS	879.941	-64.17	-13	Pass	9699
1000	1700	1	RMS	1700	-52.17	-13	Pass	700
1700	1765	1	RMS	1711.05	21.42	60	Pass	401
1765	3000	1	RMS	2947.958	-49.8	-13	Pass	1235
3000	12000	1	RMS	11434.3	-43.36	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.37	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.93	-13	Pass	2985
30	1000	0.1	RMS	871.83	-64.16	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.07	-13	Pass	700
1700	1765	1	RMS	1723.563	22.23	60	Pass	401
1765	3000	1	RMS	2957.966	-49.82	-13	Pass	1235
3000	12000	1	RMS	11423.286	-43.31	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.42	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	1000	0.1	RMS	986.282	-64.03	-13	Pass	9699
1000	1700	1	RMS	1700	-53.15	-13	Pass	700
1700	1765	1	RMS	1723.563	21.28	60	Pass	401
1765	3000	1	RMS	2849.878	-49.81	-13	Pass	1235
3000	12000	1	RMS	11434.3	-43.45	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.4	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-13	Pass	2985
30	1000	0.1	RMS	886.449	-64.18	-13	Pass	9699
1000	1700	1	RMS	1700	-52.1	-13	Pass	700
1700	1765	1	RMS	1736.075	22.18	60	Pass	401
1765	3000	1	RMS	1772.006	-37.82	-13	Pass	1235
3000	12000	1	RMS	11436.302	-43.31	-13	Pass	9000
12000	20000	1	RMS	19808.976	-36.42	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2985
30	1000	0.1	RMS	898.365	-64.16	-13	Pass	9699
1000	1700	1	RMS	1700	-52.02	-13	Pass	700
1700	1765	1	RMS	1736.075	21.29	60	Pass	401
1765	3000	1	RMS	1772.006	-38.91	-13	Pass	1235
3000	12000	1	RMS	11450.32	-43.31	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.45	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.77	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.06	-13	Pass	7840
814	860	0.1	RMS	824.222	20.09	60	Pass	460
860	1000	0.1	RMS	872.109	-63.78	-13	Pass	1400
1000	3000	1	RMS	2948.974	-49.65	-13	Pass	2000
3000	10000	1	RMS	8003.715	-44.16	-13	Pass	7000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.52	-13	Pass	7840
814	860	0.1	RMS	824.222	19.07	60	Pass	460
860	1000	0.1	RMS	882.116	-63.98	-13	Pass	1400
1000	3000	1	RMS	2952.976	-49.67	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.09	-13	Pass	7000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	814	0.1	RMS	754.892	-64.19	-13	Pass	7840
814	860	0.1	RMS	836.048	20.26	60	Pass	460
860	1000	0.1	RMS	868.606	-63.76	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.12	-13	Pass	2000
3000	10000	1	RMS	8007.715	-44.16	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2985
30	814	0.1	RMS	476.257	-64.19	-13	Pass	7840
814	860	0.1	RMS	836.048	19.23	60	Pass	460
860	1000	0.1	RMS	883.917	-63.9	-13	Pass	1400
1000	3000	1	RMS	2849.925	-49.67	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.12	-13	Pass	7000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.54	-13	Pass	2985
30	814	0.1	RMS	749.592	-64.3	-13	Pass	7840
814	860	0.1	RMS	847.874	20.29	60	Pass	460
860	1000	0.1	RMS	865.504	-63.84	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.74	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.1	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2985
30	814	0.1	RMS	729.589	-64.07	-13	Pass	7840
814	860	0.1	RMS	847.874	19.37	60	Pass	460
860	1000	0.1	RMS	862.902	-63.91	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.68	-13	Pass	2000
3000	10000	1	RMS	8005.715	-44.17	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.3	-13	Pass	7840
814	860	0.1	RMS	824.222	20.25	60	Pass	460
860	1000	0.1	RMS	998.899	-63.96	-13	Pass	1400
1000	3000	1	RMS	2946.973	-49.65	-13	Pass	2000
3000	10000	1	RMS	7998.714	-44.12	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.44	-13	Pass	7840
814	860	0.1	RMS	824.222	19.49	60	Pass	460
860	1000	0.1	RMS	892.223	-63.86	-13	Pass	1400
1000	3000	1	RMS	2948.974	-49.69	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.11	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.36	-72.41	-13	Pass	2985
30	814	0.1	RMS	732.99	-64.17	-13	Pass	7840
814	860	0.1	RMS	835.246	20.56	60	Pass	460
860	1000	0.1	RMS	992.995	-63.81	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.11	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.08	-13	Pass	7000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2985
30	814	0.1	RMS	813.8	-64.2	-13	Pass	7840
814	860	0.1	RMS	835.246	19.55	60	Pass	460
860	1000	0.1	RMS	873.109	-63.9	-13	Pass	1400
1000	3000	1	RMS	2948.974	-49.67	-13	Pass	2000
3000	10000	1	RMS	8005.715	-44.05	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.35	-13	Pass	2985
30	814	0.1	RMS	730.089	-64.18	-13	Pass	7840
814	860	0.1	RMS	846.27	20.37	60	Pass	460
860	1000	0.1	RMS	894.925	-63.92	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.29	-13	Pass	2000
3000	10000	1	RMS	8002.715	-44.11	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2985
30	814	0.1	RMS	730.089	-63.97	-13	Pass	7840
814	860	0.1	RMS	846.27	19.38	60	Pass	460
860	1000	0.1	RMS	971.68	-63.86	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.67	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.14	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.54	-13	Pass	7840
814	860	0.1	RMS	824.322	20.19	60	Pass	460
860	1000	0.1	RMS	871.308	-63.69	-13	Pass	1400
1000	3000	1	RMS	2950.975	-49.69	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.12	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.08	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.04	-13	Pass	7840
814	860	0.1	RMS	824.322	19.39	60	Pass	460
860	1000	0.1	RMS	862.202	-63.97	-13	Pass	1400
1000	3000	1	RMS	2944.972	-49.73	-13	Pass	2000
3000	10000	1	RMS	8005.715	-44.16	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.87	-13	Pass	2985
30	814	0.1	RMS	812.2	-64.31	-13	Pass	7840
814	860	0.1	RMS	834.344	20.5	60	Pass	460
860	1000	0.1	RMS	862.202	-63.85	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.73	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.2	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.76	-13	Pass	2985
30	814	0.1	RMS	368.043	-64.3	-13	Pass	7840
814	860	0.1	RMS	834.344	19.67	60	Pass	460
860	1000	0.1	RMS	880.815	-64.02	-13	Pass	1400
1000	3000	1	RMS	1668.334	-49.36	-13	Pass	2000
3000	10000	1	RMS	8005.715	-44.21	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	Pass	2985
30	814	0.1	RMS	726.189	-64.23	-13	Pass	7840
814	860	0.1	RMS	844.366	20.08	60	Pass	460
860	1000	0.1	RMS	864.103	-63.94	-13	Pass	1400
1000	3000	1	RMS	1688.344	-49.52	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.08	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.42	-71.52	-13	Pass	2985
30	814	0.1	RMS	478.757	-64.14	-13	Pass	7840
814	860	0.1	RMS	844.366	19.44	60	Pass	460
860	1000	0.1	RMS	883.817	-63.89	-13	Pass	1400
1000	3000	1	RMS	2943.972	-49.67	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.08	-13	Pass	7000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.87	-13	Pass	2985
30	814	0.1	RMS	811.4	-62.32	-13	Pass	7840
814	860	0.1	RMS	824.623	19.95	60	Pass	460
860	1000	0.1	RMS	877.312	-63.85	-13	Pass	1400
1000	3000	1	RMS	2950.975	-49.65	-13	Pass	2000
3000	10000	1	RMS	7198.6	-42.83	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	814	0.1	RMS	811.3	-62.6	-13	Pass	7840
814	860	0.1	RMS	824.623	19.24	60	Pass	460
860	1000	0.1	RMS	863.703	-63.78	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.6	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.1	-13	Pass	7000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2985
30	814	0.1	RMS	494.459	-63.92	-13	Pass	7840
814	860	0.1	RMS	832.139	19.73	60	Pass	460
860	1000	0.1	RMS	883.617	-63.71	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.42	-13	Pass	2000
3000	10000	1	RMS	7105.587	-44.08	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	Pass	2985
30	814	0.1	RMS	811.3	-63.95	-13	Pass	7840
814	860	0.1	RMS	832.139	18.74	60	Pass	460
860	1000	0.1	RMS	865.204	-63.59	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.64	-13	Pass	2000
3000	10000	1	RMS	8004.715	-44.07	-13	Pass	7000




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	Pass	2985
30	814	0.1	RMS	796.698	-61.97	-13	Pass	7840
814	860	0.1	RMS	839.556	20.2	60	Pass	460
860	1000	0.1	RMS	980.486	-61.69	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.45	-13	Pass	2000
3000	10000	1	RMS	8000.714	-43.91	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.81	-13	Pass	2985
30	814	0.1	RMS	723.188	-64.03	-13	Pass	7840
814	860	0.1	RMS	839.556	19.15	60	Pass	460
860	1000	0.1	RMS	878.713	-63.6	-13	Pass	1400
1000	3000	1	RMS	2948.974	-49.61	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.1	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.7	-25	Pass	2985
30	1000	0.1	RMS	539.662	-64	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.17	-25	Pass	1480
2480	2590	1	RMS	2500.075	22.03	60	Pass	401
2590	3000	1	RMS	2949.878	-49.8	-25	Pass	410
3000	12000	1	RMS	11581.482	-53.22	-25	Pass	9000
12000	26000	1	RMS	25901.983	-40.19	-25	Pass	14000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-25	Pass	2985
30	1000	0.1	RMS	869.827	-64.19	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.12	-25	Pass	1480
2480	2590	1	RMS	2500.075	21.19	60	Pass	401
2590	3000	1	RMS	2949.878	-49.8	-25	Pass	410
3000	12000	1	RMS	11606.513	-53.18	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.2	-25	Pass	14000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-25	Pass	2985
30	1000	0.1	RMS	870.128	-64.27	-25	Pass	9699
1000	2480	1	RMS	2472.995	-51.21	-25	Pass	1480
2480	2590	1	RMS	2532.8	22.44	60	Pass	401
2590	3000	1	RMS	2951.883	-49.87	-25	Pass	410
3000	12000	1	RMS	11601.507	-53.11	-25	Pass	9000
12000	26000	1	RMS	25901.983	-40.15	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-25	Pass	2985
30	1000	0.1	RMS	895.361	-64.27	-25	Pass	9699
1000	2480	1	RMS	2480	-51.15	-25	Pass	1480
2480	2590	1	RMS	2532.8	21.78	60	Pass	401
2590	3000	1	RMS	2947.873	-49.86	-25	Pass	410
3000	12000	1	RMS	11599.504	-53.21	-25	Pass	9000
12000	26000	1	RMS	25903.983	-40.19	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-25	Pass	2985
30	1000	0.1	RMS	974.266	-64.18	-25	Pass	9699
1000	2480	1	RMS	2480	-51.16	-25	Pass	1480
2480	2590	1	RMS	2565.25	22.42	60	Pass	401
2590	3000	1	RMS	2947.873	-49.86	-25	Pass	410
3000	12000	1	RMS	11598.503	-53.13	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.2	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.12	-25	Pass	2985
30	1000	0.1	RMS	987.383	-64.3	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.29	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.74	60	Pass	401
2590	3000	1	RMS	2948.875	-49.84	-25	Pass	410
3000	12000	1	RMS	11593.497	-53.06	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.24	-25	Pass	14000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-25	Pass	2985
30	1000	0.1	RMS	922.297	-64.04	-25	Pass	9699
1000	2480	1	RMS	2480	-51.17	-25	Pass	1480
2480	2590	1	RMS	2500.35	22.1	60	Pass	401
2590	3000	1	RMS	2945.868	-49.8	-25	Pass	410
3000	12000	1	RMS	11609.517	-53.13	-25	Pass	9000
12000	26000	1	RMS	25884.98	-40.17	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-25	Pass	2985
30	1000	0.1	RMS	874.033	-64.13	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.07	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.46	60	Pass	401
2590	3000	1	RMS	2948.875	-49.88	-25	Pass	410
3000	12000	1	RMS	11606.513	-53.1	-25	Pass	9000
12000	26000	1	RMS	25894.982	-40.2	-25	Pass	14000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.47	-25	Pass	2985
30	1000	0.1	RMS	880.542	-64.18	-25	Pass	9699
1000	2480	1	RMS	2472.995	-51.21	-25	Pass	1480
2480	2590	1	RMS	2530.6	22.42	60	Pass	401
2590	3000	1	RMS	2951.883	-49.86	-25	Pass	410
3000	12000	1	RMS	11596.501	-53.14	-25	Pass	9000
12000	26000	1	RMS	25881.98	-40.26	-25	Pass	14000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-25	Pass	2985
30	1000	0.1	RMS	861.917	-64.23	-25	Pass	9699
1000	2480	1	RMS	2480	-51.21	-25	Pass	1480
2480	2590	1	RMS	2530.325	21.52	60	Pass	401
2590	3000	1	RMS	2946.87	-49.83	-25	Pass	410
3000	12000	1	RMS	11602.508	-53.13	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.18	-25	Pass	14000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-25	Pass	2985
30	1000	0.1	RMS	882.044	-64.24	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.14	-25	Pass	1480
2480	2590	1	RMS	2560.575	22.28	60	Pass	401
2590	3000	1	RMS	2842.616	-49.89	-25	Pass	410
3000	12000	1	RMS	11601.507	-53.22	-25	Pass	9000
12000	26000	1	RMS	25887.981	-40.24	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.95	-25	Pass	2985
30	1000	0.1	RMS	871.229	-64.17	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.26	-25	Pass	1480
2480	2590	1	RMS	2560.575	21.45	60	Pass	401
2590	3000	1	RMS	2948.875	-49.83	-25	Pass	410
3000	12000	1	RMS	11520.406	-53.13	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.11	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-25	Pass	2985
30	1000	0.1	RMS	879.941	-64.2	-25	Pass	9699
1000	2480	1	RMS	2480	-51.11	-25	Pass	1480
2480	2590	1	RMS	2500.625	22.24	60	Pass	401
2590	3000	1	RMS	2949.878	-49.84	-25	Pass	410
3000	12000	1	RMS	11520.406	-53.21	-25	Pass	9000
12000	26000	1	RMS	25882.98	-40.2	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.14	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.36	-25	Pass	2985
30	1000	0.1	RMS	879.841	-64.12	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.18	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.47	60	Pass	401
2590	3000	1	RMS	2951.883	-49.84	-25	Pass	410
3000	12000	1	RMS	11612.52	-53.2	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.19	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.23	-25	Pass	2985
30	1000	0.1	RMS	895.962	-64.27	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.24	-25	Pass	1480
2480	2590	1	RMS	2528.125	22.58	60	Pass	401
2590	3000	1	RMS	2945.868	-49.85	-25	Pass	410
3000	12000	1	RMS	11598.503	-53.18	-25	Pass	9000
12000	26000	1	RMS	25901.983	-40.16	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.45	-25	Pass	2985
30	1000	0.1	RMS	864.12	-64.19	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.08	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.68	60	Pass	401
2590	3000	1	RMS	2936.846	-49.87	-25	Pass	410
3000	12000	1	RMS	11603.509	-53.14	-25	Pass	9000
12000	26000	1	RMS	25896.982	-40.12	-25	Pass	14000



11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-25	Pass	2985
30	1000	0.1	RMS	990.387	-64.21	-25	Pass	9699
1000	2480	1	RMS	2480	-51.24	-25	Pass	1480
2480	2590	1	RMS	2555.625	22.43	60	Pass	401
2590	3000	1	RMS	2951.883	-49.89	-25	Pass	410
3000	12000	1	RMS	11590.493	-53.2	-25	Pass	9000
12000	26000	1	RMS	25901.983	-40.22	-25	Pass	14000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-25	Pass	2985
30	1000	0.1	RMS	893.258	-64.02	-25	Pass	9699
1000	2480	1	RMS	2480	-51.05	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.65	60	Pass	401
2590	3000	1	RMS	2947.873	-49.86	-25	Pass	410
3000	12000	1	RMS	11525.413	-53.22	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.12	-25	Pass	14000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.65	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.49	-25	Pass	2985
30	1000	0.1	RMS	871.63	-64.06	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.2	-25	Pass	1480
2480	2590	1	RMS	2500.9	22.26	60	Pass	401
2590	3000	1	RMS	2951.883	-49.82	-25	Pass	410
3000	12000	1	RMS	11602.508	-53.23	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.13	-25	Pass	14000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-25	Pass	2985
30	1000	0.1	RMS	995.995	-64.3	-25	Pass	9699
1000	2480	1	RMS	2480	-51.26	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.58	60	Pass	401
2590	3000	1	RMS	2947.873	-49.83	-25	Pass	410
3000	12000	1	RMS	11598.503	-53.08	-25	Pass	9000
12000	26000	1	RMS	25885.98	-40.22	-25	Pass	14000




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.26	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-25	Pass	2985
30	1000	0.1	RMS	882.845	-64.01	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.14	-25	Pass	1480
2480	2590	1	RMS	2525.925	22.66	60	Pass	401
2590	3000	1	RMS	2949.878	-49.83	-25	Pass	410
3000	12000	1	RMS	11606.513	-53.2	-25	Pass	9000
12000	26000	1	RMS	25894.982	-40.18	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.68	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.16	-25	Pass	2985
30	1000	0.1	RMS	880.141	-64.14	-25	Pass	9699
1000	2480	1	RMS	2472.995	-51.28	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.76	60	Pass	401
2590	3000	1	RMS	2949.878	-49.81	-25	Pass	410
3000	12000	1	RMS	11601.507	-53.16	-25	Pass	9000
12000	26000	1	RMS	25895.982	-40.21	-25	Pass	14000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.9	-25	Pass	2985
30	1000	0.1	RMS	989.386	-64.29	-25	Pass	9699
1000	2480	1	RMS	2480	-51.28	-25	Pass	1480
2480	2590	1	RMS	2550.95	22.45	60	Pass	401
2590	3000	1	RMS	2847.628	-49.9	-25	Pass	410
3000	12000	1	RMS	11609.517	-53.17	-25	Pass	9000
12000	26000	1	RMS	25894.982	-40.16	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.41	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.06	-25	Pass	2985
30	1000	0.1	RMS	894.56	-64.19	-25	Pass	9699
1000	2480	1	RMS	2473.996	-51.23	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.68	60	Pass	401
2590	3000	1	RMS	2949.878	-49.86	-25	Pass	410
3000	12000	1	RMS	11523.41	-53.29	-25	Pass	9000
12000	26000	1	RMS	25888.981	-40.23	-25	Pass	14000



12. LTE_Band26(part22)


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.07	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.08	-13	Pass	7840
814	860	0.1	RMS	824.222	20.02	60	Pass	460
860	1000	0.1	RMS	873.91	-63.81	-13	Pass	1400
1000	3000	1	RMS	2945.973	-49.61	-13	Pass	2000
3000	10000	1	RMS	7159.594	-42.64	-13	Pass	7000




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.06	-13	Pass	7840
814	860	0.1	RMS	824.222	19.03	60	Pass	460
860	1000	0.1	RMS	871.909	-63.68	-13	Pass	1400
1000	3000	1	RMS	2945.973	-49.64	-13	Pass	2000
3000	10000	1	RMS	8009.716	-44.05	-13	Pass	7000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	814	0.1	RMS	737.09	-63.95	-13	Pass	7840
814	860	0.1	RMS	836.048	20.33	60	Pass	460
860	1000	0.1	RMS	865.504	-63.75	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.92	-13	Pass	2000
3000	10000	1	RMS	8008.716	-44.1	-13	Pass	7000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.4	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-13	Pass	2985
30	814	0.1	RMS	810.8	-64.06	-13	Pass	7840
814	860	0.1	RMS	836.048	19.45	60	Pass	460
860	1000	0.1	RMS	995.096	-63.77	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.62	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.05	-13	Pass	7000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2985
30	814	0.1	RMS	726.989	-63.94	-13	Pass	7840
814	860	0.1	RMS	847.874	20.15	60	Pass	460
860	1000	0.1	RMS	871.608	-63.79	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.94	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.04	-13	Pass	7000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2985
30	814	0.1	RMS	742.891	-64.01	-13	Pass	7840
814	860	0.1	RMS	847.874	19.28	60	Pass	460
860	1000	0.1	RMS	991.294	-63.76	-13	Pass	1400
1000	3000	1	RMS	2946.973	-49.59	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.1	-13	Pass	7000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.09	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.39	-13	Pass	7840
814	860	0.1	RMS	824.222	20.2	60	Pass	460
860	1000	0.1	RMS	912.437	-63.82	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.63	-13	Pass	2000
3000	10000	1	RMS	7150.593	-42.12	-13	Pass	7000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.3	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.86	-13	Pass	7840
814	860	0.1	RMS	824.222	19.36	60	Pass	460
860	1000	0.1	RMS	866.805	-63.66	-13	Pass	1400
1000	3000	1	RMS	2945.973	-49.64	-13	Pass	2000
3000	10000	1	RMS	7109.587	-43.97	-13	Pass	7000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	Pass	2985
30	814	0.1	RMS	720.788	-63.88	-13	Pass	7840
814	860	0.1	RMS	835.246	20.47	60	Pass	460
860	1000	0.1	RMS	879.214	-63.67	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.92	-13	Pass	2000
3000	10000	1	RMS	8007.715	-44.01	-13	Pass	7000




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2985
30	814	0.1	RMS	719.088	-64	-13	Pass	7840
814	860	0.1	RMS	835.246	19.56	60	Pass	460
860	1000	0.1	RMS	862.001	-63.63	-13	Pass	1400
1000	3000	1	RMS	2948.974	-49.56	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44	-13	Pass	7000




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	Pass	2985
30	814	0.1	RMS	482.558	-64.05	-13	Pass	7840
814	860	0.1	RMS	846.27	20.17	60	Pass	460
860	1000	0.1	RMS	981.687	-63.8	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.25	-13	Pass	2000
3000	10000	1	RMS	7995.714	-44.02	-13	Pass	7000




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.77	-13	Pass	2985
30	814	0.1	RMS	728.389	-63.96	-13	Pass	7840
814	860	0.1	RMS	846.27	19.23	60	Pass	460
860	1000	0.1	RMS	875.711	-63.69	-13	Pass	1400
1000	3000	1	RMS	2948.974	-49.59	-13	Pass	2000
3000	10000	1	RMS	7106.587	-43.98	-13	Pass	7000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.76	-13	Pass	7840
814	860	0.1	RMS	824.322	20.1	60	Pass	460
860	1000	0.1	RMS	883.417	-63.58	-13	Pass	1400
1000	3000	1	RMS	2955.978	-49.56	-13	Pass	2000
3000	10000	1	RMS	7169.596	-42.28	-13	Pass	7000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.82	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.92	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.78	-13	Pass	7840
814	860	0.1	RMS	824.322	19.32	60	Pass	460
860	1000	0.1	RMS	871.008	-63.8	-13	Pass	1400
1000	3000	1	RMS	2944.972	-49.61	-13	Pass	2000
3000	10000	1	RMS	8007.715	-44.04	-13	Pass	7000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72	-13	Pass	2985
30	814	0.1	RMS	742.391	-64.01	-13	Pass	7840
814	860	0.1	RMS	834.344	20.33	60	Pass	460
860	1000	0.1	RMS	893.424	-63.66	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.66	-13	Pass	2000
3000	10000	1	RMS	7111.587	-44	-13	Pass	7000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.25	-13	Pass	2985
30	814	0.1	RMS	745.591	-63.9	-13	Pass	7840
814	860	0.1	RMS	834.344	19.65	60	Pass	460
860	1000	0.1	RMS	993.996	-63.73	-13	Pass	1400
1000	3000	1	RMS	1668.334	-49.29	-13	Pass	2000
3000	10000	1	RMS	7105.587	-43.99	-13	Pass	7000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2985
30	814	0.1	RMS	812.5	-64.01	-13	Pass	7840
814	860	0.1	RMS	844.366	19.95	60	Pass	460
860	1000	0.1	RMS	997.798	-63.78	-13	Pass	1400
1000	3000	1	RMS	1688.344	-49.45	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.04	-13	Pass	7000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	Pass	2985
30	814	0.1	RMS	473.357	-63.93	-13	Pass	7840
814	860	0.1	RMS	844.366	19.38	60	Pass	460
860	1000	0.1	RMS	875.511	-63.59	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.54	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.02	-13	Pass	7000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2985
30	814	0.1	RMS	811.4	-61.68	-13	Pass	7840
814	860	0.1	RMS	824.623	19.92	60	Pass	460
860	1000	0.1	RMS	875.411	-63.59	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.58	-13	Pass	2000
3000	10000	1	RMS	7176.597	-42.51	-13	Pass	7000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.71	-13	Pass	2985
30	814	0.1	RMS	811.4	-62.13	-13	Pass	7840
814	860	0.1	RMS	824.623	19.24	60	Pass	460
860	1000	0.1	RMS	874.51	-63.75	-13	Pass	1400
1000	3000	1	RMS	2942.971	-49.57	-13	Pass	2000
3000	10000	1	RMS	7998.714	-44.02	-13	Pass	7000




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.59	-13	Pass	2985
30	814	0.1	RMS	729.289	-64.21	-13	Pass	7840
814	860	0.1	RMS	832.139	19.77	60	Pass	460
860	1000	0.1	RMS	871.208	-63.84	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.46	-13	Pass	2000
3000	10000	1	RMS	8005.715	-44.06	-13	Pass	7000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-13	Pass	2985
30	814	0.1	RMS	475.757	-64.19	-13	Pass	7840
814	860	0.1	RMS	832.139	18.8	60	Pass	460
860	1000	0.1	RMS	904.432	-63.85	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.68	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.09	-13	Pass	7000




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.83	-13	Pass	2985
30	814	0.1	RMS	733.29	-64.16	-13	Pass	7840
814	860	0.1	RMS	839.556	20.07	60	Pass	460
860	1000	0.1	RMS	893.224	-63.96	-13	Pass	1400
1000	3000	1	RMS	2945.973	-49.67	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.08	-13	Pass	7000




**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.08	-13	Pass	7840
814	860	0.1	RMS	839.556	19.17	60	Pass	460
860	1000	0.1	RMS	895.926	-63.9	-13	Pass	1400
1000	3000	1	RMS	2950.975	-49.71	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.1	-13	Pass	7000




12.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.83	-13	Pass	2985
30	814	0.1	RMS	811.5	-54.36	-13	Pass	7840
814	860	0.1	RMS	824.824	20.12	60	Pass	460
860	1000	0.1	RMS	982.187	-63.9	-13	Pass	1400
1000	3000	1	RMS	2950.975	-49.66	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.08	-13	Pass	7000




**12.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2985
30	814	0.1	RMS	811.5	-53.73	-13	Pass	7840
814	860	0.1	RMS	824.824	19.35	60	Pass	460
860	1000	0.1	RMS	912.838	-63.82	-13	Pass	1400
1000	3000	1	RMS	2948.974	-49.69	-13	Pass	2000
3000	10000	1	RMS	8010.716	-44.09	-13	Pass	7000




12.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-13	Pass	2985
30	814	0.1	RMS	809.899	-62.48	-13	Pass	7840
814	860	0.1	RMS	829.834	20.34	60	Pass	460
860	1000	0.1	RMS	892.823	-63.91	-13	Pass	1400
1000	3000	1	RMS	2950.975	-49.68	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.14	-13	Pass	7000




**12.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.14	-13	Pass	2985
30	814	0.1	RMS	809.899	-63.04	-13	Pass	7840
814	860	0.1	RMS	829.834	19.43	60	Pass	460
860	1000	0.1	RMS	861.901	-63.91	-13	Pass	1400
1000	3000	1	RMS	2945.973	-49.68	-13	Pass	2000
3000	10000	1	RMS	8006.715	-44.11	-13	Pass	7000




**12.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2985
30	814	0.1	RMS	808.199	-64.27	-13	Pass	7840
814	860	0.1	RMS	834.845	20.44	60	Pass	460
860	1000	0.1	RMS	886.719	-63.84	-13	Pass	1400
1000	3000	1	RMS	1669.335	-48.47	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.08	-13	Pass	7000



**12.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-13	Pass	2985
30	814	0.1	RMS	730.589	-64.11	-13	Pass	7840
814	860	0.1	RMS	834.845	19.75	60	Pass	460
860	1000	0.1	RMS	893.824	-63.84	-13	Pass	1400
1000	3000	1	RMS	1669.335	-49.15	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.14	-13	Pass	7000



13. LTE_Band26(part90)


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.52	-13	Pass	401
0.15	30	0.01	Peak	2.791	-64.06	-13	Pass	2985
30	809	0.1	Peak	499.46	-51.71	-13	Pass	7790
809	829	0.1	Peak	814.3	24.79	60	Pass	401
829	1000	0.1	Peak	889.235	-52.55	-13	Pass	1710
1000	3000	1	Peak	2692.846	-37.44	-13	Pass	2000
3000	10000	1	Peak	7075.582	-29.94	-13	Pass	7000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.19	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.36	-13	Pass	2985
30	809	0.1	Peak	710.887	-50.66	-13	Pass	7790
809	829	0.1	Peak	814.2	25.59	60	Pass	401
829	1000	0.1	Peak	881.331	-51.63	-13	Pass	1710
1000	3000	1	Peak	2831.916	-37.51	-13	Pass	2000
3000	10000	1	Peak	9704.958	-30.96	-13	Pass	7000




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.83	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.38	-13	Pass	2985
30	809	0.1	Peak	776.096	-52.34	-13	Pass	7790
809	829	0.1	Peak	818.5	24.78	60	Pass	401
829	1000	0.1	Peak	985.692	-51.93	-13	Pass	1710
1000	3000	1	Peak	2783.892	-37.15	-13	Pass	2000
3000	10000	1	Peak	8779.826	-31.02	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-63.83	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.75	-13	Pass	2985
30	809	0.1	Peak	468.756	-52.69	-13	Pass	7790
809	829	0.1	Peak	818.55	25.27	60	Pass	401
829	1000	0.1	Peak	898.24	-51.99	-13	Pass	1710
1000	3000	1	Peak	2667.834	-37.73	-13	Pass	2000
3000	10000	1	Peak	8872.839	-32.26	-13	Pass	7000




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.17	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.54	-13	Pass	2985
30	809	0.1	Peak	686.084	-52.5	-13	Pass	7790
809	829	0.1	Peak	822.9	24.84	60	Pass	401
829	1000	0.1	Peak	862.92	-52.48	-13	Pass	1710
1000	3000	1	Peak	2944.972	-37.53	-13	Pass	2000
3000	10000	1	Peak	7955.708	-31.48	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.01	-13	Pass	401
0.15	30	0.01	Peak	0.73	-64.29	-13	Pass	2985
30	809	0.1	Peak	640.878	-51.94	-13	Pass	7790
809	829	0.1	Peak	822.85	25.37	60	Pass	401
829	1000	0.1	Peak	871.025	-51.62	-13	Pass	1710
1000	3000	1	Peak	2924.962	-37.44	-13	Pass	2000
3000	10000	1	Peak	7989.713	-31.69	-13	Pass	7000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.88	-13	Pass	401
0.15	30	0.01	Peak	0.17	-62.85	-13	Pass	2985
30	809	0.1	Peak	659.881	-51.91	-13	Pass	7790
809	829	0.1	Peak	814.2	24.66	60	Pass	401
829	1000	0.1	Peak	834.703	-52.42	-13	Pass	1710
1000	3000	1	Peak	2517.759	-36.84	-13	Pass	2000
3000	10000	1	Peak	8010.716	-32.11	-13	Pass	7000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.93	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.98	-13	Pass	2985
30	809	0.1	Peak	663.081	-52.2	-13	Pass	7790
809	829	0.1	Peak	814.2	25.72	60	Pass	401
829	1000	0.1	Peak	866.722	-51.97	-13	Pass	1710
1000	3000	1	Peak	2801.901	-37.38	-13	Pass	2000
3000	10000	1	Peak	7685.669	-31.8	-13	Pass	7000




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.38	-13	Pass	401
0.15	30	0.01	Peak	0.71	-63.76	-13	Pass	2985
30	809	0.1	Peak	776.096	-52.27	-13	Pass	7790
809	829	0.1	Peak	817.7	24.9	60	Pass	401
829	1000	0.1	Peak	979.588	-51.39	-13	Pass	1710
1000	3000	1	Peak	2886.943	-37.74	-13	Pass	2000
3000	10000	1	Peak	8835.834	-31.9	-13	Pass	7000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.02	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.59	-13	Pass	2985
30	809	0.1	Peak	466.756	-52.31	-13	Pass	7790
809	829	0.1	Peak	817.75	25.25	60	Pass	401
829	1000	0.1	Peak	848.111	-51.65	-13	Pass	1710
1000	3000	1	Peak	2830.915	-36.97	-13	Pass	2000
3000	10000	1	Peak	7630.662	-31.5	-13	Pass	7000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.31	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.05	-13	Pass	2985
30	809	0.1	Peak	608.174	-52.38	-13	Pass	7790
809	829	0.1	Peak	821.25	25.01	60	Pass	401
829	1000	0.1	Peak	829.2	-46.68	-13	Pass	1710
1000	3000	1	Peak	2840.92	-37.3	-13	Pass	2000
3000	10000	1	Peak	7989.713	-31.72	-13	Pass	7000




**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.12	-13	Pass	401
0.15	30	0.01	Peak	0.28	-64.41	-13	Pass	2985
30	809	0.1	Peak	798.899	-52.45	-13	Pass	7790
809	829	0.1	Peak	821.25	25.57	60	Pass	401
829	1000	0.1	Peak	829	-46.4	-13	Pass	1710
1000	3000	1	Peak	3000	-36.88	-13	Pass	2000
3000	10000	1	Peak	9993.999	-31.68	-13	Pass	7000




**13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.72	-13	Pass	401
0.15	30	0.01	Peak	1.05	-63.92	-13	Pass	2985
30	809	0.1	Peak	792.198	-51.49	-13	Pass	7790
809	829	0.1	Peak	814.3	25.09	60	Pass	401
829	1000	0.1	Peak	862.62	-51.71	-13	Pass	1710
1000	3000	1	Peak	2928.964	-36.28	-13	Pass	2000
3000	10000	1	Peak	9549.936	-30.88	-13	Pass	7000




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-65.49	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.19	-13	Pass	2985
30	809	0.1	Peak	807.9	-52.39	-13	Pass	7790
809	829	0.1	Peak	814.25	25.45	60	Pass	401
829	1000	0.1	Peak	977.787	-52.13	-13	Pass	1710
1000	3000	1	Peak	2760.88	-37.41	-13	Pass	2000
3000	10000	1	Peak	7506.644	-31.53	-13	Pass	7000




**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.27	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.35	-13	Pass	2985
30	809	0.1	Peak	354.642	-52.37	-13	Pass	7790
809	829	0.1	Peak	816.85	24.9	60	Pass	401
829	1000	0.1	Peak	830.001	-48.58	-13	Pass	1710
1000	3000	1	Peak	2963.982	-37.25	-13	Pass	2000
3000	10000	1	Peak	8054.722	-31	-13	Pass	7000




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.1	-13	Pass	401
0.15	30	0.01	Peak	1.24	-63.65	-13	Pass	2985
30	809	0.1	Peak	498.26	-51.98	-13	Pass	7790
809	829	0.1	Peak	816.8	25.77	60	Pass	401
829	1000	0.1	Peak	829.901	-48.67	-13	Pass	1710
1000	3000	1	Peak	2454.727	-37.47	-13	Pass	2000
3000	10000	1	Peak	7938.706	-30.21	-13	Pass	7000




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.63	-13	Pass	401
0.15	30	0.01	Peak	0.25	-64.61	-13	Pass	2985
30	809	0.1	Peak	782.997	-50.99	-13	Pass	7790
809	829	0.1	Peak	819.3	24.95	60	Pass	401
829	1000	0.1	Peak	832.102	-48.88	-13	Pass	1710
1000	3000	1	Peak	2624.812	-36.85	-13	Pass	2000
3000	10000	1	Peak	9992.999	-32.17	-13	Pass	7000




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.61	-13	Pass	401
0.15	30	0.01	Peak	0.41	-63.18	-13	Pass	2985
30	809	0.1	Peak	773.895	-51.98	-13	Pass	7790
809	829	0.1	Peak	819.3	25.56	60	Pass	401
829	1000	0.1	Peak	832.102	-49.31	-13	Pass	1710
1000	3000	1	Peak	2772.886	-37.39	-13	Pass	2000
3000	10000	1	Peak	7129.59	-31.9	-13	Pass	7000




13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.87	-13	Pass	2985
30	809	0.1	Peak	808.3	-46.9	-13	Pass	7790
809	829	0.1	Peak	814.55	25.09	60	Pass	401
829	1000	0.1	Peak	832.302	-47.25	-13	Pass	1710
1000	3000	1	Peak	2928.964	-37.55	-13	Pass	2000
3000	10000	1	Peak	7141.592	-32.11	-13	Pass	7000




**13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.4	-13	Pass	401
0.15	30	0.01	Peak	0.15	-61.84	-13	Pass	2985
30	809	0.1	Peak	808.3	-44.13	-13	Pass	7790
809	829	0.1	Peak	814.55	25.65	60	Pass	401
829	1000	0.1	Peak	832.202	-46.24	-13	Pass	1710
1000	3000	1	Peak	2515.758	-37.41	-13	Pass	2000
3000	10000	1	Peak	7804.686	-31.36	-13	Pass	7000




13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.28	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.74	-13	Pass	2985
30	809	0.1	Peak	808.3	-48.72	-13	Pass	7790
809	829	0.1	Peak	814.6	25.15	60	Pass	401
829	1000	0.1	Peak	832.202	-49.07	-13	Pass	1710
1000	3000	1	Peak	2988.994	-37.65	-13	Pass	2000
3000	10000	1	Peak	8013.716	-32.22	-13	Pass	7000




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.31	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.58	-13	Pass	2985
30	809	0.1	Peak	808.3	-44.38	-13	Pass	7790
809	829	0.1	Peak	814.55	25.59	60	Pass	401
829	1000	0.1	Peak	832.202	-47.35	-13	Pass	1710
1000	3000	1	Peak	2826.913	-37.62	-13	Pass	2000
3000	10000	1	Peak	8019.717	-31.98	-13	Pass	7000




**13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.71	-13	Pass	401
0.15	30	0.01	Peak	0.2	-65.04	-13	Pass	2985
30	809	0.1	Peak	808.3	-48.01	-13	Pass	7790
809	829	0.1	Peak	814.6	25.06	60	Pass	401
829	1000	0.1	Peak	832.202	-48.35	-13	Pass	1710
1000	3000	1	Peak	2687.844	-38.16	-13	Pass	2000
3000	10000	1	Peak	8779.826	-32.66	-13	Pass	7000




**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.69	-13	Pass	401
0.15	30	0.01	Peak	2.211	-64.98	-13	Pass	2985
30	809	0.1	Peak	808.4	-46.05	-13	Pass	7790
809	829	0.1	Peak	814.6	25.45	60	Pass	401
829	1000	0.1	Peak	832.302	-48.02	-13	Pass	1710
1000	3000	1	Peak	2954.977	-38.05	-13	Pass	2000
3000	10000	1	Peak	9465.924	-32.67	-13	Pass	7000




13.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.2	-13	Pass	401
0.15	30	0.01	Peak	0.26	-62.68	-13	Pass	2985
30	809	0.1	Peak	808.1	-50.17	-13	Pass	7790
809	829	0.1	Peak	814.9	24.94	60	Pass	401
829	1000	0.1	Peak	829.1	-36.9	-13	Pass	1710
1000	3000	1	Peak	2931.966	-38.44	-13	Pass	2000
3000	10000	1	Peak	7889.699	-32.94	-13	Pass	7000



**13.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.36	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.54	-13	Pass	2985
30	809	0.1	Peak	806.5	-49.39	-13	Pass	7790
809	829	0.1	Peak	814.8	25.63	60	Pass	401
829	1000	0.1	Peak	829	-37.67	-13	Pass	1710
1000	3000	1	Peak	2987.994	-38.32	-13	Pass	2000
3000	10000	1	Peak	9031.862	-32.74	-13	Pass	7000



14. LTE_Band38


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-25	Pass	2985
30	1000	0.1	RMS	871.229	-63.79	-25	Pass	9699
1000	2550	1	RMS	2550	-50.35	-25	Pass	1550
2550	2640	1	RMS	2570.25	18.57	60	Pass	401
2640	3000	1	RMS	2950.5	-49.73	-25	Pass	401
3000	12000	1	RMS	7711.575	-48.34	-25	Pass	9000
12000	26500	1	RMS	25901.905	-40.16	-25	Pass	14500




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	Pass	2985
30	1000	0.1	RMS	844.099	-63.74	-25	Pass	9699
1000	2550	1	RMS	2458.941	-49.89	-25	Pass	1550
2550	2640	1	RMS	2570.025	18.02	60	Pass	401
2640	3000	1	RMS	2953.2	-49.76	-25	Pass	401
3000	12000	1	RMS	7711.575	-49.23	-25	Pass	9000
12000	26500	1	RMS	25898.905	-40.04	-25	Pass	14500




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-25	Pass	2985
30	1000	0.1	RMS	892.157	-63.76	-25	Pass	9699
1000	2550	1	RMS	2537.992	-50.44	-25	Pass	1550
2550	2640	1	RMS	2592.525	18.27	60	Pass	401
2640	3000	1	RMS	2948.7	-49.74	-25	Pass	401
3000	12000	1	RMS	7778.583	-48.47	-25	Pass	9000
12000	26500	1	RMS	25898.905	-40.11	-25	Pass	14500




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.35	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.9	-25	Pass	2985
30	1000	0.1	RMS	863.819	-63.69	-25	Pass	9699
1000	2550	1	RMS	2546.998	-50.52	-25	Pass	1550
2550	2640	1	RMS	2592.75	18.5	60	Pass	401
2640	3000	1	RMS	2952.3	-49.73	-25	Pass	401
3000	12000	1	RMS	7778.583	-48.08	-25	Pass	9000
12000	26500	1	RMS	25907.906	-40.11	-25	Pass	14500



**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-25	Pass	2985
30	1000	0.1	RMS	864.821	-63.65	-25	Pass	9699
1000	2550	1	RMS	2543.996	-50.49	-25	Pass	1550
2550	2640	1	RMS	2615.25	19.52	60	Pass	401
2640	3000	1	RMS	2947.8	-49.72	-25	Pass	401
3000	12000	1	RMS	7845.592	-48.48	-25	Pass	9000
12000	26500	1	RMS	25872.901	-40.15	-25	Pass	14500




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.52	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.27	-25	Pass	2985
30	1000	0.1	RMS	851.803	-63.74	-25	Pass	9699
1000	2550	1	RMS	2514.977	-50.53	-25	Pass	1550
2550	2640	1	RMS	2615.25	18.38	60	Pass	401
2640	3000	1	RMS	2945.1	-49.73	-25	Pass	401
3000	12000	1	RMS	7846.592	-49.27	-25	Pass	9000
12000	26500	1	RMS	25896.904	-40.13	-25	Pass	14500




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-25	Pass	2985
30	1000	0.1	RMS	867.124	-63.75	-25	Pass	9699
1000	2550	1	RMS	2540.994	-50.48	-25	Pass	1550
2550	2640	1	RMS	2570.475	18.61	60	Pass	401
2640	3000	1	RMS	2948.7	-49.73	-25	Pass	401
3000	12000	1	RMS	7712.575	-51.49	-25	Pass	9000
12000	26500	1	RMS	25894.904	-40.15	-25	Pass	14500




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.76	-25	Pass	2985
30	1000	0.1	RMS	977.07	-63.81	-25	Pass	9699
1000	2550	1	RMS	2512.976	-50.46	-25	Pass	1550
2550	2640	1	RMS	2570.475	17.71	60	Pass	401
2640	3000	1	RMS	2949.6	-49.73	-25	Pass	401
3000	12000	1	RMS	11610.518	-53	-25	Pass	9000
12000	26500	1	RMS	25891.904	-40.14	-25	Pass	14500



14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72	-25	Pass	2985
30	1000	0.1	RMS	881.343	-63.71	-25	Pass	9699
1000	2550	1	RMS	2510.975	-50.45	-25	Pass	1550
2550	2640	1	RMS	2590.5	19.32	60	Pass	401
2640	3000	1	RMS	2946	-49.73	-25	Pass	401
3000	12000	1	RMS	7771.582	-50.23	-25	Pass	9000
12000	26500	1	RMS	25894.904	-40.17	-25	Pass	14500




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-25	Pass	2985
30	1000	0.1	RMS	840.899	-63.72	-25	Pass	9699
1000	2550	1	RMS	2544.997	-50.32	-25	Pass	1550
2550	2640	1	RMS	2590.5	17.55	60	Pass	401
2640	3000	1	RMS	2949.6	-49.66	-25	Pass	401
3000	12000	1	RMS	11610.518	-52.98	-25	Pass	9000
12000	26500	1	RMS	25896.904	-40.13	-25	Pass	14500




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.88	-25	Pass	2985
30	1000	0.1	RMS	870.729	-63.83	-25	Pass	9699
1000	2550	1	RMS	2520.981	-50.49	-25	Pass	1550
2550	2640	1	RMS	2610.525	18.88	60	Pass	401
2640	3000	1	RMS	2945.1	-49.75	-25	Pass	401
3000	12000	1	RMS	7831.59	-50.65	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.19	-25	Pass	14500




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-25	Pass	2985
30	1000	0.1	RMS	986.782	-63.77	-25	Pass	9699
1000	2550	1	RMS	2511.975	-50.52	-25	Pass	1550
2550	2640	1	RMS	2610.525	17.91	60	Pass	401
2640	3000	1	RMS	2847.9	-49.77	-25	Pass	401
3000	12000	1	RMS	7831.59	-49.3	-25	Pass	9000
12000	26500	1	RMS	25889.903	-40.15	-25	Pass	14500




14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.31	-72.28	-25	Pass	2985
30	1000	0.1	RMS	905.975	-63.8	-25	Pass	9699
1000	2550	1	RMS	2550	-50.42	-25	Pass	1550
2550	2640	1	RMS	2570.925	18.44	60	Pass	401
2640	3000	1	RMS	2949.6	-49.69	-25	Pass	401
3000	12000	1	RMS	7712.575	-47.89	-25	Pass	9000
12000	26500	1	RMS	25893.904	-40.09	-25	Pass	14500




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.9	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-25	Pass	2985
30	1000	0.1	RMS	980.074	-63.75	-25	Pass	9699
1000	2550	1	RMS	2543.996	-50.27	-25	Pass	1550
2550	2640	1	RMS	2570.925	17.75	60	Pass	401
2640	3000	1	RMS	2944.2	-49.72	-25	Pass	401
3000	12000	1	RMS	7712.575	-47.95	-25	Pass	9000
12000	26500	1	RMS	25896.904	-40.14	-25	Pass	14500



14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.94	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-25	Pass	2985
30	1000	0.1	RMS	876.837	-63.72	-25	Pass	9699
1000	2550	1	RMS	2514.977	-50.44	-25	Pass	1550
2550	2640	1	RMS	2588.025	18.52	60	Pass	401
2640	3000	1	RMS	2845.2	-49.75	-25	Pass	401
3000	12000	1	RMS	7764.582	-49	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.1	-25	Pass	14500




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.41	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.17	-25	Pass	2985
30	1000	0.1	RMS	875.134	-63.8	-25	Pass	9699
1000	2550	1	RMS	2522.983	-50.42	-25	Pass	1550
2550	2640	1	RMS	2588.025	17.64	60	Pass	401
2640	3000	1	RMS	2942.4	-49.73	-25	Pass	401
3000	12000	1	RMS	7765.582	-50.76	-25	Pass	9000
12000	26500	1	RMS	25905.906	-40.22	-25	Pass	14500




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.36	-71.9	-25	Pass	2985
30	1000	0.1	RMS	891.456	-63.83	-25	Pass	9699
1000	2550	1	RMS	2520.981	-50.49	-25	Pass	1550
2550	2640	1	RMS	2605.575	18.66	60	Pass	401
2640	3000	1	RMS	2948.7	-49.69	-25	Pass	401
3000	12000	1	RMS	7818.588	-52.87	-25	Pass	9000
12000	26500	1	RMS	25902.905	-40.17	-25	Pass	14500




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.69	-25	Pass	2985
30	1000	0.1	RMS	854.207	-63.75	-25	Pass	9699
1000	2550	1	RMS	2510.975	-50.5	-25	Pass	1550
2550	2640	1	RMS	2605.575	18.49	60	Pass	401
2640	3000	1	RMS	2948.7	-49.69	-25	Pass	401
3000	12000	1	RMS	7817.588	-52.26	-25	Pass	9000
12000	26500	1	RMS	25884.902	-40.1	-25	Pass	14500




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.36	-72.54	-25	Pass	2985
30	1000	0.1	RMS	903.572	-63.92	-25	Pass	9699
1000	2550	1	RMS	2535.991	-50.39	-25	Pass	1550
2550	2640	1	RMS	2570.925	19.42	60	Pass	401
2640	3000	1	RMS	2952.3	-49.73	-25	Pass	401
3000	12000	1	RMS	7712.575	-49.35	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.17	-25	Pass	14500




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.19	-25	Pass	2985
30	1000	0.1	RMS	873.933	-63.76	-25	Pass	9699
1000	2550	1	RMS	2543.996	-50.19	-25	Pass	1550
2550	2640	1	RMS	2570.925	18.24	60	Pass	401
2640	3000	1	RMS	2950.5	-49.71	-25	Pass	401
3000	12000	1	RMS	7712.575	-50.08	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.15	-25	Pass	14500




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-25	Pass	2985
30	1000	0.1	RMS	889.053	-63.82	-25	Pass	9699
1000	2550	1	RMS	2512.976	-50.43	-25	Pass	1550
2550	2640	1	RMS	2586	19.37	60	Pass	401
2640	3000	1	RMS	2949.6	-49.68	-25	Pass	401
3000	12000	1	RMS	7758.581	-51.64	-25	Pass	9000
12000	26500	1	RMS	25891.904	-40.11	-25	Pass	14500




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-25	Pass	2985
30	1000	0.1	RMS	900.869	-63.79	-25	Pass	9699
1000	2550	1	RMS	2550	-50.46	-25	Pass	1550
2550	2640	1	RMS	2585.775	17.99	60	Pass	401
2640	3000	1	RMS	2948.7	-49.7	-25	Pass	401
3000	12000	1	RMS	7757.581	-50.85	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.18	-25	Pass	14500



**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-25	Pass	2985
30	1000	0.1	RMS	908.178	-63.72	-25	Pass	9699
1000	2550	1	RMS	2511.975	-50.46	-25	Pass	1550
2550	2640	1	RMS	2601.075	19.44	60	Pass	401
2640	3000	1	RMS	2950.5	-49.7	-25	Pass	401
3000	12000	1	RMS	7803.586	-49.64	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.11	-25	Pass	14500



**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.35	-25	Pass	2985
30	1000	0.1	RMS	825.197	-63.73	-25	Pass	9699
1000	2550	1	RMS	2520.981	-50.49	-25	Pass	1550
2550	2640	1	RMS	2600.85	18.12	60	Pass	401
2640	3000	1	RMS	2951.4	-49.72	-25	Pass	401
3000	12000	1	RMS	7803.586	-48.77	-25	Pass	9000
12000	26500	1	RMS	25901.905	-40.12	-25	Pass	14500



15. LTE_Band41 full


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-25	Pass	2986
30	1000	0.1	RMS	631.773	-62.75	-25	Pass	9700
1000	2476	1	RMS	2476	-50.91	-25	Pass	1477
2476	2710	1	RMS	2495.89	17.32	60	Pass	401
2710	3000	1	RMS	2942	-49.62	-25	Pass	401
3000	12000	1	RMS	7488.548	-49.28	-25	Pass	9001
12000	27000	1	RMS	25900	-39.93	-25	Pass	15001




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.6	-25	Pass	2986
30	1000	0.1	RMS	876.818	-63.8	-25	Pass	9700
1000	2476	1	RMS	2475	-51.16	-25	Pass	1477
2476	2710	1	RMS	2495.89	18.05	60	Pass	401
2710	3000	1	RMS	2950.7	-49.73	-25	Pass	401
3000	12000	1	RMS	7489.548	-51.54	-25	Pass	9001
12000	27000	1	RMS	25908	-40.13	-25	Pass	15001




**15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-25	Pass	2986
30	1000	0.1	RMS	864.11	-63.68	-25	Pass	9700
1000	2476	1	RMS	2471	-51.19	-25	Pass	1477
2476	2710	1	RMS	2590.66	18.99	60	Pass	401
2710	3000	1	RMS	2948.525	-49.72	-25	Pass	401
3000	12000	1	RMS	7772.583	-50.84	-25	Pass	9001
12000	27000	1	RMS	25903	-40.1	-25	Pass	15001




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.07	-25	Pass	2986
30	1000	0.1	RMS	841.999	-63.87	-25	Pass	9700
1000	2476	1	RMS	2475	-50.97	-25	Pass	1477
2476	2710	1	RMS	2590.66	17.07	60	Pass	401
2710	3000	1	RMS	2844.85	-49.61	-25	Pass	401
3000	12000	1	RMS	7771.582	-52.32	-25	Pass	9001
12000	27000	1	RMS	25883	-40.08	-25	Pass	15001




**15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.41	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.79	-25	Pass	2986
30	1000	0.1	RMS	877.819	-62.24	-25	Pass	9700
1000	2476	1	RMS	2476	-51.02	-25	Pass	1477
2476	2710	1	RMS	2684.845	18.8	60	Pass	401
2710	3000	1	RMS	2949.975	-49.55	-25	Pass	401
3000	12000	1	RMS	8055.617	-47.15	-25	Pass	9001
12000	27000	1	RMS	25895	-39.99	-25	Pass	15001




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.18	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-25	Pass	2986
30	1000	0.1	RMS	888.326	-63.79	-25	Pass	9700
1000	2476	1	RMS	2470	-51.1	-25	Pass	1477
2476	2710	1	RMS	2685.43	17.28	60	Pass	401
2710	3000	1	RMS	2953.6	-49.74	-25	Pass	401
3000	12000	1	RMS	8056.617	-52.24	-25	Pass	9001
12000	27000	1	RMS	25880	-40.09	-25	Pass	15001




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-25	Pass	2986
30	1000	0.1	RMS	871.715	-63.8	-25	Pass	9700
1000	2476	1	RMS	2476	-51.14	-25	Pass	1477
2476	2710	1	RMS	2496.475	-10.24	60	Pass	401
2710	3000	1	RMS	2946.35	-49.69	-25	Pass	401
3000	12000	1	RMS	7249.519	-52.27	-25	Pass	9001
12000	27000	1	RMS	25882	-40.08	-25	Pass	15001




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-25	Pass	2986
30	1000	0.1	RMS	888.026	-63.83	-25	Pass	9700
1000	2476	1	RMS	2473	-51.19	-25	Pass	1477
2476	2710	1	RMS	2496.475	-10.72	60	Pass	401
2710	3000	1	RMS	2947.8	-49.73	-25	Pass	401
3000	12000	1	RMS	11609	-53	-25	Pass	9001
12000	27000	1	RMS	25903	-40.03	-25	Pass	15001




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.86	-25	Pass	2986
30	1000	0.1	RMS	890.828	-63.8	-25	Pass	9700
1000	2476	1	RMS	2475	-51.13	-25	Pass	1477
2476	2710	1	RMS	2588.32	-3.65	60	Pass	401
2710	3000	1	RMS	2940.55	-49.74	-25	Pass	401
3000	12000	1	RMS	11518	-53	-25	Pass	9001
12000	27000	1	RMS	25903	-40.05	-25	Pass	15001




15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72	-25	Pass	2986
30	1000	0.1	RMS	989.793	-63.81	-25	Pass	9700
1000	2476	1	RMS	2468	-51.06	-25	Pass	1477
2476	2710	1	RMS	2588.32	-5.53	60	Pass	401
2710	3000	1	RMS	2949.975	-49.67	-25	Pass	401
3000	12000	1	RMS	11524	-53.05	-25	Pass	9001
12000	27000	1	RMS	25901	-40.11	-25	Pass	15001




15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.85	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.38	-25	Pass	2986
30	1000	0.1	RMS	872.115	-63.86	-25	Pass	9700
1000	2476	1	RMS	2474	-51.14	-25	Pass	1477
2476	2710	1	RMS	2680.165	-6.03	60	Pass	401
2710	3000	1	RMS	2947.8	-49.7	-25	Pass	401
3000	12000	1	RMS	7206.513	-51.02	-25	Pass	9001
12000	27000	1	RMS	25891	-40.11	-25	Pass	15001




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.13	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.5	-25	Pass	2986
30	1000	0.1	RMS	882.722	-63.74	-25	Pass	9700
1000	2476	1	RMS	2475	-51.16	-25	Pass	1477
2476	2710	1	RMS	2680.165	-7.84	60	Pass	401
2710	3000	1	RMS	2944.9	-49.67	-25	Pass	401
3000	12000	1	RMS	11523	-53	-25	Pass	9001
12000	27000	1	RMS	25898	-40.15	-25	Pass	15001




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.56	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.89	-25	Pass	2986
30	1000	0.1	RMS	980.187	-63.76	-25	Pass	9700
1000	2476	1	RMS	2474	-51.05	-25	Pass	1477
2476	2710	1	RMS	2496.475	-11.18	60	Pass	401
2710	3000	1	RMS	2952.875	-49.63	-25	Pass	401
3000	12000	1	RMS	11598	-52.98	-25	Pass	9001
12000	27000	1	RMS	25901	-40.07	-25	Pass	15001




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-25	Pass	2986
30	1000	0.1	RMS	883.623	-63.68	-25	Pass	9700
1000	2476	1	RMS	2475	-51.09	-25	Pass	1477
2476	2710	1	RMS	2496.475	-11.08	60	Pass	401
2710	3000	1	RMS	2949.25	-49.68	-25	Pass	401
3000	12000	1	RMS	7175.51	-50.98	-25	Pass	9001
12000	27000	1	RMS	25899	-40	-25	Pass	15001




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	Pass	2986
30	1000	0.1	RMS	849.7	-63.84	-25	Pass	9700
1000	2476	1	RMS	2473	-50.99	-25	Pass	1477
2476	2710	1	RMS	2585.98	-3.83	60	Pass	401
2710	3000	1	RMS	2949.25	-49.43	-25	Pass	401
3000	12000	1	RMS	7154.507	-50.14	-25	Pass	9001
12000	27000	1	RMS	25867	-40.02	-25	Pass	15001




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.29	-25	Pass	2986
30	1000	0.1	RMS	895.03	-63.8	-25	Pass	9700
1000	2476	1	RMS	2474	-51.11	-25	Pass	1477
2476	2710	1	RMS	2585.98	-4.7	60	Pass	401
2710	3000	1	RMS	2947.075	-49.65	-25	Pass	401
3000	12000	1	RMS	11606	-52.97	-25	Pass	9001
12000	27000	1	RMS	25900	-40.08	-25	Pass	15001




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.78	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.37	-25	Pass	2986
30	1000	0.1	RMS	879.62	-63.8	-25	Pass	9700
1000	2476	1	RMS	2476	-51.18	-25	Pass	1477
2476	2710	1	RMS	2675.485	-6.96	60	Pass	401
2710	3000	1	RMS	2947.8	-49.63	-25	Pass	401
3000	12000	1	RMS	11596	-52.96	-25	Pass	9001
12000	27000	1	RMS	25897	-39.97	-25	Pass	15001




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.32	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.4	-25	Pass	2986
30	1000	0.1	RMS	864.21	-63.79	-25	Pass	9700
1000	2476	1	RMS	2472	-51.08	-25	Pass	1477
2476	2710	1	RMS	2675.485	-8.05	60	Pass	401
2710	3000	1	RMS	2947.075	-49.59	-25	Pass	401
3000	12000	1	RMS	11607	-52.89	-25	Pass	9001
12000	27000	1	RMS	25886	-40	-25	Pass	15001




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.08	-25	Pass	2986
30	1000	0.1	RMS	866.712	-61.24	-25	Pass	9700
1000	2476	1	RMS	2470	-50.9	-25	Pass	1477
2476	2710	1	RMS	2496.475	-11.18	60	Pass	401
2710	3000	1	RMS	2948.525	-49.45	-25	Pass	401
3000	12000	1	RMS	7161.508	-50.44	-25	Pass	9001
12000	27000	1	RMS	25897	-39.82	-25	Pass	15001




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.39	-25	Pass	2986
30	1000	0.1	RMS	870.414	-63.69	-25	Pass	9700
1000	2476	1	RMS	2475	-51	-25	Pass	1477
2476	2710	1	RMS	2497.06	-12.01	60	Pass	401
2710	3000	1	RMS	2949.975	-49.46	-25	Pass	401
3000	12000	1	RMS	11520	-52.98	-25	Pass	9001
12000	27000	1	RMS	25894	-40.09	-25	Pass	15001




**15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.86	-25	Pass	2986
30	1000	0.1	RMS	878.319	-63.74	-25	Pass	9700
1000	2476	1	RMS	2475	-51.1	-25	Pass	1477
2476	2710	1	RMS	2583.64	-5.84	60	Pass	401
2710	3000	1	RMS	2949.25	-49.61	-25	Pass	401
3000	12000	1	RMS	7136.505	-50.9	-25	Pass	9001
12000	27000	1	RMS	25899	-39.99	-25	Pass	15001




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.1	-25	Pass	2986
30	1000	0.1	RMS	863.509	-63.62	-25	Pass	9700
1000	2476	1	RMS	2475	-51.03	-25	Pass	1477
2476	2710	1	RMS	2583.64	-6.62	60	Pass	401
2710	3000	1	RMS	2947.075	-49.61	-25	Pass	401
3000	12000	1	RMS	11519	-52.92	-25	Pass	9001
12000	27000	1	RMS	25891	-39.99	-25	Pass	15001




**15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.95	-25	Pass	2986
30	1000	0.1	RMS	886.725	-63.63	-25	Pass	9700
1000	2476	1	RMS	2473	-50.99	-25	Pass	1477
2476	2710	1	RMS	2670.805	-7.63	60	Pass	401
2710	3000	1	RMS	2952.15	-49.56	-25	Pass	401
3000	12000	1	RMS	11605	-52.9	-25	Pass	9001
12000	27000	1	RMS	25907	-39.99	-25	Pass	15001



**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-25	Pass	2986
30	1000	0.1	RMS	867.412	-63.56	-25	Pass	9700
1000	2476	1	RMS	2476	-50.95	-25	Pass	1477
2476	2710	1	RMS	2670.805	-7.93	60	Pass	401
2710	3000	1	RMS	2949.975	-49.54	-25	Pass	401
3000	12000	1	RMS	7124.503	-50.32	-25	Pass	9001
12000	27000	1	RMS	25891	-40.02	-25	Pass	15001



CA

16. CA_38C


16.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-25	Pass	2985
30	1000	0.1	RMS	874.133	-63.9	-25	Pass	9699
1000	2560	1	RMS	2551.995	-50.39	-25	Pass	1560
2560	2630	1	RMS	2583.975	15.03	60	Pass	401
2630	3000	1	RMS	2947.275	-49.7	-25	Pass	401
3000	12000	1	RMS	7755.581	-50.31	-25	Pass	9000
12000	26500	1	RMS	25888.903	-40.18	-25	Pass	14500




**16.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.57	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-25	Pass	2985
30	1000	0.1	RMS	866.022	-63.85	-25	Pass	9699
1000	2560	1	RMS	2555.997	-50.39	-25	Pass	1560
2560	2630	1	RMS	2585.725	14.22	60	Pass	401
2630	3000	1	RMS	2950.975	-49.71	-25	Pass	401
3000	12000	1	RMS	7755.581	-51.31	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.11	-25	Pass	14500




**16.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.05	-25	Pass	2985
30	1000	0.1	RMS	983.979	-63.87	-25	Pass	9699
1000	2560	1	RMS	2557.999	-50.4	-25	Pass	1560
2560	2630	1	RMS	2595.7	15.67	60	Pass	401
2630	3000	1	RMS	2946.35	-49.72	-25	Pass	401
3000	12000	1	RMS	7785.584	-51.08	-25	Pass	9000
12000	26500	1	RMS	25888.903	-40.16	-25	Pass	14500




**16.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-25	Pass	2985
30	1000	0.1	RMS	860.114	-63.75	-25	Pass	9699
1000	2560	1	RMS	2533.983	-50.44	-25	Pass	1560
2560	2630	1	RMS	2594.125	14.32	60	Pass	401
2630	3000	1	RMS	2950.05	-49.7	-25	Pass	401
3000	12000	1	RMS	7784.584	-51.2	-25	Pass	9000
12000	26500	1	RMS	25888.903	-40.11	-25	Pass	14500




**16.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-25	Pass	2985
30	1000	0.1	RMS	879.44	-63.83	-25	Pass	9699
1000	2560	1	RMS	2548.993	-50.44	-25	Pass	1560
2560	2630	1	RMS	2604.1	15.33	60	Pass	401
2630	3000	1	RMS	2947.275	-49.73	-25	Pass	401
3000	12000	1	RMS	7815.588	-50.28	-25	Pass	9000
12000	26500	1	RMS	25896.904	-40.15	-25	Pass	14500




**16.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.64	-25	Pass	2985
30	1000	0.1	RMS	883.045	-63.84	-25	Pass	9699
1000	2560	1	RMS	2512.97	-50.46	-25	Pass	1560
2560	2630	1	RMS	2604.1	14.48	60	Pass	401
2630	3000	1	RMS	2950.05	-49.66	-25	Pass	401
3000	12000	1	RMS	7814.588	-51.64	-25	Pass	9000
12000	26500	1	RMS	25904.906	-40.18	-25	Pass	14500




**16.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.14	-25	Pass	2985
30	1000	0.1	RMS	907.177	-63.72	-25	Pass	9699
1000	2560	1	RMS	2526.979	-50.44	-25	Pass	1560
2560	2630	1	RMS	2590.8	15.69	60	Pass	401
2630	3000	1	RMS	2949.125	-49.69	-25	Pass	401
3000	12000	1	RMS	11605.512	-52.93	-25	Pass	9000
12000	26500	1	RMS	25882.902	-40.17	-25	Pass	14500




**16.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.38	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.09	-25	Pass	2985
30	1000	0.1	RMS	876.236	-63.8	-25	Pass	9699
1000	2560	1	RMS	2547.992	-50.42	-25	Pass	1560
2560	2630	1	RMS	2588.7	14.98	60	Pass	401
2630	3000	1	RMS	2949.125	-49.66	-25	Pass	401
3000	12000	1	RMS	7768.582	-51.2	-25	Pass	9000
12000	26500	1	RMS	25887.903	-40.11	-25	Pass	14500




**16.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.09	-25	Pass	2985
30	1000	0.1	RMS	875.034	-63.84	-25	Pass	9699
1000	2560	1	RMS	2555.997	-50.42	-25	Pass	1560
2560	2630	1	RMS	2595.875	15.31	60	Pass	401
2630	3000	1	RMS	2950.05	-49.71	-25	Pass	401
3000	12000	1	RMS	7785.584	-50.23	-25	Pass	9000
12000	26500	1	RMS	25905.906	-40.05	-25	Pass	14500




**16.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.85	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.2	-25	Pass	2985
30	1000	0.1	RMS	897.764	-63.71	-25	Pass	9699
1000	2560	1	RMS	2521.976	-50.43	-25	Pass	1560
2560	2630	1	RMS	2595.875	14.71	60	Pass	401
2630	3000	1	RMS	2949.125	-49.68	-25	Pass	401
3000	12000	1	RMS	7784.584	-52.87	-25	Pass	9000
12000	26500	1	RMS	25896.904	-40.22	-25	Pass	14500




**16.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.48	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-25	Pass	2985
30	1000	0.1	RMS	855.008	-63.79	-25	Pass	9699
1000	2560	1	RMS	2511.969	-50.41	-25	Pass	1560
2560	2630	1	RMS	2600.95	16.02	60	Pass	401
2630	3000	1	RMS	2949.125	-49.72	-25	Pass	401
3000	12000	1	RMS	7799.586	-50.7	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.05	-25	Pass	14500



**16.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-25	Pass	2985
30	1000	0.1	RMS	985.18	-63.8	-25	Pass	9699
1000	2560	1	RMS	2549.994	-50.47	-25	Pass	1560
2560	2630	1	RMS	2600.95	15.02	60	Pass	401
2630	3000	1	RMS	2949.125	-49.69	-25	Pass	401
3000	12000	1	RMS	7208.514	-52.43	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.14	-25	Pass	14500



END