



Spectrum Plot


QPSK-26815




QPSK-26915




QPSK-27015




16QAM-26815



16QAM-26915




16QAM-27015




Spectrum Plot


64QAM-26815



64QAM-26915



64QAM-27015



-

-


LTE Band 26_10M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26840	829	8.9504	26840	829	9.8140
26915	836.5	8.9644	26915	836.5	9.8670
26990	844	8.9662	26990	844	9.8040
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26840	829	8.9717	26840	829	9.7840
26915	836.5	8.9789	26915	836.5	9.7980
26990	844	8.9665	26990	844	9.8230
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26840	829	8.9548	26840	829	9.7690
26915	836.5	8.9554	26915	836.5	9.7420
26990	844	8.9875	26990	844	9.7780

Spectrum Plot


QPSK-26840




QPSK-26915




QPSK-26990




16QAM-26840



16QAM-26915



16QAM-26990




Spectrum Plot


64QAM-26840



64QAM-26915



64QAM-26990




-

-


LTE Band 26_15M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26865	831.5	13.4200	26865	831.5	14.6800
26915	836.5	13.4320	26915	836.5	14.7400
26965	841.5	13.4520	26965	841.5	14.8500
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26865	831.5	13.4210	26865	831.5	14.6100
26915	836.5	13.4600	26915	836.5	14.6700
26965	841.5	13.4800	26965	841.5	14.6100
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26865	831.5	13.4130	26865	831.5	14.6000
26915	836.5	13.4440	26915	836.5	14.6200
26965	841.5	13.4780	26965	841.5	14.7200

Spectrum Plot


QPSK-26865




QPSK-26915




QPSK-26965




16QAM-26865



16QAM-26915




16QAM-26965




Spectrum Plot


64QAM-26865



64QAM-26915




64QAM-26965



-

APPENDIX C - CONDUCTED SPURIOUS EMISSIONS



WCDMA Band V_WCDMA Spectrum Plot			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
4182	836.4	4182	836.4
<p>Ref: 20 dBm, Offset: 7.1 dB, Att: 30 dB, RBW: 1 kHz, VBW: 3 kHz, SWF: 145 ms, Marker 1 [T1]: -57.16 dBm, 63.682582308 kHz</p> <p>Date: 27.SEP.2019 13:33:38</p>		<p>Ref: 20 dBm, Offset: 7.1 dB, Att: 30 dB, RBW: 10 kHz, VBW: 30 kHz, SWF: 300 ms, Marker 1 [T1]: -56.84 dBm, 150.000000000 kHz</p> <p>Date: 27.SEP.2019 13:34:27</p>	
Channel	Frequency(MHz)	-	-
4182	836.4	-	-
<p>Ref: 20 dBm, Offset: 7.1 dB, Att: 30 dB, RBW: 1 MHz, VBW: 3 MHz, SWF: 60 ms, Marker 1 [T1]: -40.23 dBm, 3.596747500 GHz</p> <p>Date: 27.SEP.2019 13:37:28</p>			

LTE Band 5_1.4M Spectrum Plot


Channel	Frequency(MHz)	Channel	Frequency(MHz)
20525	836.5	20525	836.5
<p>Ref: 20 dBm, Att: 30 dB, RBW: 1 kHz, VBW: 3 kHz, SWT: 145 ms, Marker 1 [T1]: -59.97 dBm @ 63.908653846 kHz</p> <p>Date: 25.SEP.2019 22:17:50</p>		<p>Ref: 20 dBm, Att: 30 dB, RBW: 10 kHz, VBW: 30 kHz, SWT: 300 ms, Marker 1 [T1]: -59.68 dBm @ 197.636538462 kHz</p> <p>Date: 25.SEP.2019 22:17:09</p>	
Channel	Frequency(MHz)	-	-
20525	836.5	-	-
<p>Ref: 30 dBm, Att: 40 dB, RBW: 1 MHz, VBW: 3 MHz, SWT: 60 ms, Marker 1 [T1]: -32.56 dBm @ 3.595521250 GHz</p> <p>Date: 25.SEP.2019 22:19:39</p>			


LTE Band 5_5M Spectrum Plot

Channel	Frequency(MHz)	Channel	Frequency(MHz)
20525	836.5	20525	836.5
Date: 25.SEP.2019 22:18:10		Date: 25.SEP.2019 22:16:55	
Channel	Frequency(MHz)	-	-
20525	836.5	-	-
Date: 25.SEP.2019 22:20:01			

LTE Band 5_10M Spectrum Plot

Channel	Frequency(MHz)	Channel	Frequency(MHz)
20525	836.5	20525	836.5
<p>Ref: 20 dBm, Offset: 5 dB, Att: 30 dB, RBW: 1 kHz, VBW: 3 kHz, SWT: 145 ms, Marker 1 (T1): -60.63 dBm, 63.682582308 kHz</p> <p>Date: 25.SEP.2019 22:18:24</p>		<p>Ref: 20 dBm, Offset: 5 dB, Att: 30 dB, RBW: 10 kHz, VBW: 30 kHz, SWT: 300 ms, Marker 1 (T1): -59.08 dBm, 197.836538462 kHz</p> <p>Date: 25.SEP.2019 22:16:35</p>	
Channel	Frequency(MHz)	-	-
20525	836.5	-	-
<p>Ref: 30 dBm, Offset: 5 dB, Att: 40 dB, RBW: 1 MHz, VBW: 3 MHz, SWT: 60 ms, Marker 1 (T1): -32.74 dBm, 3.288451259 GHz</p> <p>Date: 25.SEP.2019 22:20:18</p>			






LTE Band 26_15M Spectrum Plot			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
26915	836.5	26915	836.5
Date: 8.OCT.2019 13:26:18		Date: 8.OCT.2019 13:17:52	
Channel	Frequency(MHz)	-	-
26915	836.5	-	-
Date: 8.OCT.2019 13:19:14			

APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode	TX Mode
-----------	---------


Ant 0°



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	0.018	36.20	14.27	50.47	122.26	-71.79	AVG	
2	0.044	30.30	13.91	44.21	114.74	-70.53	AVG	
3 *	0.088	25.30	13.54	38.84	108.73	-69.89	AVG	

Test Mode TX Mode


Ant 0°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.452	31.20	13.18	44.38	94.51	-50.13	AVG	
2	*	2.167	35.20	11.72	46.92	69.54	-22.62	QP	
3		12.716	26.10	11.60	37.70	69.54	-31.84	QP	

Test Mode TX Mode


Ant 90°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	0.014	36.30	15.53	51.83	124.50	-72.67	AVG	
2		0.035	26.20	13.88	40.08	116.72	-76.64	AVG	
3		0.075	22.50	13.53	36.03	110.08	-74.05	AVG	

Test Mode TX Mode


Ant 90°



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	0.190	27.10	13.60	40.70	102.03	-61.33	AVG	
2 *	2.213	26.30	11.69	37.99	69.54	-31.55	QP	
3	6.352	22.20	11.07	33.27	69.54	-36.27	QP	

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1000MHZ)


Test Mode GSM850_TX CH190_GSM_Main Antenna



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-61.16	-14.49	-75.65	-13.00	-62.65	peak	
2		68.315	-53.87	-15.87	-69.74	-13.00	-56.74	peak	
3		89.655	-55.53	-16.09	-71.62	-13.00	-58.62	peak	
4	*	166.285	-51.07	-11.89	-62.96	-13.00	-49.96	peak	
5		280.260	-61.22	-12.59	-73.81	-13.00	-60.81	peak	
6		499.965	-63.65	-7.68	-71.33	-13.00	-58.33	peak	

Test Mode GSM850_TX CH190_GSM_Main Antenna


Horizontal



No.	Mk.	Freq. (MHz)	Reading Level (dBm)	Correct Factor (dB)	Measurement (dBm)	Limit (dBm)	Margin (dB)	Detector	Comment
1		42.610	-58.69	-14.49	-73.18	-13.00	-60.18	peak	
2		90.140	-62.31	-16.01	-78.32	-13.00	-65.32	peak	
3	*	163.860	-57.51	-11.54	-69.05	-13.00	-56.05	peak	
4		282.685	-62.16	-12.44	-74.60	-13.00	-61.60	peak	
5		475.230	-63.95	-7.88	-71.83	-13.00	-58.83	peak	
6		625.095	-64.39	-5.20	-69.59	-13.00	-56.59	peak	

Test Mode GSM850_TX CH190_EDGE_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		31.455	-59.79	-14.84	-74.63	-13.00	-61.63	peak	
2		77.530	-52.82	-17.60	-70.42	-13.00	-57.42	peak	
3	*	162.890	-53.01	-11.41	-64.42	-13.00	-51.42	peak	
4		286.565	-60.77	-12.18	-72.95	-13.00	-59.95	peak	
5		480.080	-62.69	-7.84	-70.53	-13.00	-57.53	peak	
6		625.095	-63.58	-5.20	-68.78	-13.00	-55.78	peak	

Test Mode GSM850_TX CH190_EDGE_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.125	-61.07	-14.44	-75.51	-13.00	-62.51	peak	
2		163.375	-59.04	-11.48	-70.52	-13.00	-57.52	peak	
3		286.565	-61.66	-12.18	-73.84	-13.00	-60.84	peak	
4		499.965	-63.44	-7.68	-71.12	-13.00	-58.12	peak	
5		625.095	-63.89	-5.20	-69.09	-13.00	-56.09	peak	
6 *		953.925	-65.33	-0.72	-66.05	-13.00	-53.05	peak	

Test Mode GSM850_TX CH190_GSM_Second Antenna


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		69.285	-53.79	-16.06	-69.85	-13.00	-56.85	peak	
2		89.655	-55.34	-16.09	-71.43	-13.00	-58.43	peak	
3	*	170.165	-50.73	-12.42	-63.15	-13.00	-50.15	peak	
4		284.140	-60.69	-12.33	-73.02	-13.00	-60.02	peak	
5		499.965	-64.82	-7.68	-72.50	-13.00	-59.50	peak	
6		625.095	-63.69	-5.20	-68.89	-13.00	-55.89	peak	

Test Mode GSM850_TX CH190_GSM_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-58.51	-14.49	-73.00	-13.00	-60.00	peak	
2		161.920	-60.61	-11.28	-71.89	-13.00	-58.89	peak	
3	*	179.380	-58.28	-13.09	-71.37	-13.00	-58.37	peak	
4		240.005	-60.34	-14.00	-74.34	-13.00	-61.34	peak	
5		281.715	-61.74	-12.50	-74.24	-13.00	-61.24	peak	
6		499.965	-65.11	-7.68	-72.79	-13.00	-59.79	peak	

Test Mode GSM850_TX CH190_EDGE_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		70.740	-53.78	-16.35	-70.13	-13.00	-57.13	peak	
2		89.655	-54.83	-16.09	-70.92	-13.00	-57.92	peak	
3	*	171.620	-51.02	-12.53	-63.55	-13.00	-50.55	peak	
4		281.715	-60.49	-12.50	-72.99	-13.00	-59.99	peak	
5		475.230	-64.88	-7.88	-72.76	-13.00	-59.76	peak	
6		625.095	-65.28	-5.20	-70.48	-13.00	-57.48	peak	


Test Mode GSM850_TX CH190_EDGE_Second Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-57.88	-14.49	-72.37	-13.00	-59.37	peak	
2		163.375	-59.08	-11.48	-70.56	-13.00	-57.56	peak	
3		284.625	-61.76	-12.30	-74.06	-13.00	-61.06	peak	
4		324.880	-62.92	-11.08	-74.00	-13.00	-61.00	peak	
5		475.230	-63.89	-7.88	-71.77	-13.00	-58.77	peak	
6	*	625.095	-64.23	-5.20	-69.43	-13.00	-56.43	peak	


Test Mode	WCDMA Band V_TX CH4182_Main Antenna
-----------	-------------------------------------



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	42.610	-59.52	-14.49	-74.01	-13.00	-61.01	peak	
2	70.255	-53.14	-16.26	-69.40	-13.00	-56.40	peak	
3	89.655	-56.04	-16.09	-72.13	-13.00	-59.13	peak	
4 *	167.255	-50.76	-12.03	-62.79	-13.00	-49.79	peak	
5	205.085	-51.56	-15.39	-66.95	-13.00	-53.95	peak	
6	283.170	-61.03	-12.40	-73.43	-13.00	-60.43	peak	


Test Mode WCDMA Band V_TX CH4182_Main Antenna

Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	42.610	-58.21	-14.49	-72.70	-13.00	-59.70	peak	
2	89.655	-63.00	-16.09	-79.09	-13.00	-66.09	peak	
3 *	163.860	-57.96	-11.54	-69.50	-13.00	-56.50	peak	
4	282.200	-61.20	-12.47	-73.67	-13.00	-60.67	peak	
5	475.230	-63.19	-7.88	-71.07	-13.00	-58.07	peak	
6	625.095	-65.12	-5.20	-70.32	-13.00	-57.32	peak	


Test Mode	WCDMA Band V_TX CH4182_Second Antenna
-----------	---------------------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		68.315	-54.06	-15.87	-69.93	-13.00	-56.93	peak	
2		91.110	-55.50	-15.92	-71.42	-13.00	-58.42	peak	
3	*	166.285	-51.64	-11.89	-63.53	-13.00	-50.53	peak	
4		281.230	-61.80	-12.53	-74.33	-13.00	-61.33	peak	
5		480.080	-64.29	-7.84	-72.13	-13.00	-59.13	peak	
6		625.095	-65.23	-5.20	-70.43	-13.00	-57.43	peak	

Test Mode WCDMA Band V_TX CH4182_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-59.12	-14.49	-73.61	-13.00	-60.61	peak	
2		166.770	-57.94	-11.97	-69.91	-13.00	-56.91	peak	
3	*	185.685	-55.90	-13.89	-69.79	-13.00	-56.79	peak	
4		281.715	-61.24	-12.50	-73.74	-13.00	-60.74	peak	
5		323.910	-62.09	-11.10	-73.19	-13.00	-60.19	peak	
6		625.095	-64.85	-5.20	-70.05	-13.00	-57.05	peak	

Test Mode | LTE Band 5_TX CH20525_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		68.800	-54.27	-15.96	-70.23	-13.00	-57.23	peak	
2		91.595	-55.35	-15.87	-71.22	-13.00	-58.22	peak	
3	*	169.680	-51.02	-12.38	-63.40	-13.00	-50.40	peak	
4		285.110	-61.74	-12.26	-74.00	-13.00	-61.00	peak	
5		499.965	-65.10	-7.68	-72.78	-13.00	-59.78	peak	
6		625.095	-64.33	-5.20	-69.53	-13.00	-56.53	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-57.89	-14.49	-72.38	-13.00	-59.38	peak	
2		88.685	-61.85	-16.29	-78.14	-13.00	-65.14	peak	
3	*	167.255	-56.43	-12.03	-68.46	-13.00	-55.46	peak	
4		283.170	-62.39	-12.40	-74.79	-13.00	-61.79	peak	
5		475.230	-64.10	-7.88	-71.98	-13.00	-58.98	peak	
6		665.835	-64.65	-4.46	-69.11	-13.00	-56.11	peak	

Test Mode LTE Band 5_TX CH20525_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		70.740	-53.79	-16.35	-70.14	-13.00	-57.14	peak	
2		94.990	-56.46	-15.57	-72.03	-13.00	-59.03	peak	
3	*	166.770	-51.33	-11.97	-63.30	-13.00	-50.30	peak	
4		282.685	-60.97	-12.44	-73.41	-13.00	-60.41	peak	
5		480.080	-64.47	-7.84	-72.31	-13.00	-59.31	peak	
6		666.320	-65.14	-4.46	-69.60	-13.00	-56.60	peak	

Test Mode LTE Band 5_TX CH20525_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-57.90	-14.49	-72.39	-13.00	-59.39	peak	
2	*	166.285	-56.29	-11.89	-68.18	-13.00	-55.18	peak	
3		284.625	-62.42	-12.30	-74.72	-13.00	-61.72	peak	
4		339.915	-63.60	-10.83	-74.43	-13.00	-61.43	peak	
5		475.230	-64.86	-7.88	-72.74	-13.00	-59.74	peak	
6		666.320	-65.71	-4.46	-70.17	-13.00	-57.17	peak	

Test Mode LTE Band 5_TX CH20525_10M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		68.315	-54.30	-15.87	-70.17	-13.00	-57.17	peak	
2		94.020	-55.96	-15.66	-71.62	-13.00	-58.62	peak	
3	*	166.285	-51.39	-11.89	-63.28	-13.00	-50.28	peak	
4		281.230	-60.92	-12.53	-73.45	-13.00	-60.45	peak	
5		499.965	-64.82	-7.68	-72.50	-13.00	-59.50	peak	
6		625.095	-64.24	-5.20	-69.44	-13.00	-56.44	peak	

Test Mode LTE Band 5_TX CH20525_10M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-58.35	-14.49	-72.84	-13.00	-59.84	peak	
2		164.830	-56.45	-11.68	-68.13	-13.00	-55.13	peak	
3		282.685	-61.04	-12.44	-73.48	-13.00	-60.48	peak	
4		499.965	-64.52	-7.68	-72.20	-13.00	-59.20	peak	
5		625.095	-64.51	-5.20	-69.71	-13.00	-56.71	peak	
6	*	953.925	-64.05	-0.72	-64.77	-13.00	-51.77	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		30.000	-56.23	-15.02	-71.25	-13.00	-58.25	peak	
2	*	168.710	-55.56	-12.31	-67.87	-13.00	-54.87	peak	
3		197.810	-55.17	-15.07	-70.24	-13.00	-57.24	peak	
4		270.075	-64.63	-13.15	-77.78	-13.00	-64.78	peak	
5		325.365	-63.67	-11.14	-74.81	-13.00	-61.81	peak	
6		677.475	-66.91	-4.34	-71.25	-13.00	-58.25	peak	


Test Mode LTE Band 26_TX CH26915_1.4M_Main Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		94.020	-64.69	-15.69	-80.38	-13.00	-67.38	peak	
2	*	167.255	-54.11	-12.10	-66.21	-13.00	-53.21	peak	
3		208.965	-55.77	-15.63	-71.40	-13.00	-58.40	peak	
4		269.105	-62.86	-13.13	-75.99	-13.00	-62.99	peak	
5		329.730	-63.60	-11.07	-74.67	-13.00	-61.67	peak	
6		741.495	-66.80	-3.73	-70.53	-13.00	-57.53	peak	


Test Mode LTE Band 26_TX CH26915_5M_Main Antenna



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		30.000	-56.52	-15.02	-71.54	-13.00	-58.54	peak	
2	*	168.225	-55.66	-12.23	-67.89	-13.00	-54.89	peak	
3		198.780	-55.67	-15.15	-70.82	-13.00	-57.82	peak	
4		330.215	-63.52	-11.06	-74.58	-13.00	-61.58	peak	
5		506.270	-66.90	-7.69	-74.59	-13.00	-61.59	peak	
6		692.995	-66.46	-4.13	-70.59	-13.00	-57.59	peak	

Test Mode LTE Band 26_TX CH26915_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		94.505	-64.21	-15.64	-79.85	-13.00	-66.85	peak	
2	*	167.740	-54.07	-12.17	-66.24	-13.00	-53.24	peak	
3		207.995	-55.18	-15.59	-70.77	-13.00	-57.77	peak	
4		331.185	-63.24	-11.05	-74.29	-13.00	-61.29	peak	
5		503.360	-66.16	-7.73	-73.89	-13.00	-60.89	peak	
6		724.035	-67.10	-3.85	-70.95	-13.00	-57.95	peak	

Test Mode LTE Band 26_TX CH26915_15M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		30.000	-56.18	-15.02	-71.20	-13.00	-58.20	peak	
2		50.370	-59.60	-13.90	-73.50	-13.00	-60.50	peak	
3	*	167.255	-55.09	-12.10	-67.19	-13.00	-54.19	peak	
4		197.810	-54.87	-15.07	-69.94	-13.00	-56.94	peak	
5		339.915	-63.86	-10.91	-74.77	-13.00	-61.77	peak	
6		631.885	-67.05	-5.12	-72.17	-13.00	-59.17	peak	

Test Mode LTE Band 26_TX CH26915_15M_Main Antenna


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	167.255	-54.02	-12.10	-66.12	-13.00	-53.12	peak	
2		206.055	-55.33	-15.50	-70.83	-13.00	-57.83	peak	
3		278.320	-62.31	-12.77	-75.08	-13.00	-62.08	peak	
4		336.520	-63.30	-10.96	-74.26	-13.00	-61.26	peak	
5		494.630	-66.79	-7.79	-74.58	-13.00	-61.58	peak	
6		687.175	-67.24	-4.20	-71.44	-13.00	-58.44	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		69.770	-54.20	-16.16	-70.36	-13.00	-57.36	peak	
2	*	167.255	-51.99	-12.03	-64.02	-13.00	-51.02	peak	
3		282.200	-61.56	-12.47	-74.03	-13.00	-61.03	peak	
4		480.080	-65.05	-7.84	-72.89	-13.00	-59.89	peak	
5		625.095	-64.69	-5.20	-69.89	-13.00	-56.89	peak	
6		917.065	-66.50	-1.53	-68.03	-13.00	-55.03	peak	

Test Mode | LTE Band 5_TX CH20525_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-58.25	-14.49	-72.74	-13.00	-59.74	peak	
2		180.350	-57.72	-13.19	-70.91	-13.00	-57.91	peak	
3		282.200	-62.30	-12.47	-74.77	-13.00	-61.77	peak	
4		475.230	-63.20	-7.88	-71.08	-13.00	-58.08	peak	
5		625.095	-64.84	-5.20	-70.04	-13.00	-57.04	peak	
6	*	901.060	-63.43	-1.90	-65.33	-13.00	-52.33	peak	

Test Mode LTE Band 5_TX CH20525_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		68.800	-54.14	-15.96	-70.10	-13.00	-57.10	peak	
2		167.255	-51.98	-12.03	-64.01	-13.00	-51.01	peak	
3		285.110	-62.27	-12.26	-74.53	-13.00	-61.53	peak	
4		499.965	-65.07	-7.68	-72.75	-13.00	-59.75	peak	
5		666.320	-65.28	-4.46	-69.74	-13.00	-56.74	peak	
6	*	907.365	-48.09	-1.74	-49.83	-13.00	-36.83	peak	

Test Mode LTE Band 5_TX CH20525_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-59.24	-14.49	-73.73	-13.00	-60.73	peak	
2		166.285	-56.68	-11.89	-68.57	-13.00	-55.57	peak	
3		282.200	-60.99	-12.47	-73.46	-13.00	-60.46	peak	
4		475.230	-64.33	-7.88	-72.21	-13.00	-59.21	peak	
5		781.750	-66.35	-3.24	-69.59	-13.00	-56.59	peak	
6	*	891.845	-40.38	-2.00	-42.38	-13.00	-29.38	peak	

Test Mode LTE Band 5_TX CH20525_10M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		68.800	-54.31	-15.96	-70.27	-13.00	-57.27	peak	
2	*	166.285	-52.13	-11.89	-64.02	-13.00	-51.02	peak	
3		279.775	-61.38	-12.62	-74.00	-13.00	-61.00	peak	
4		475.230	-64.05	-7.88	-71.93	-13.00	-58.93	peak	
5		625.095	-64.33	-5.20	-69.53	-13.00	-56.53	peak	
6		902.515	-62.47	-1.86	-64.33	-13.00	-51.33	peak	

Test Mode | LTE Band 5_TX CH20525_10M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-58.88	-14.49	-73.37	-13.00	-60.37	peak	
2	*	165.315	-55.85	-11.76	-67.61	-13.00	-54.61	peak	
3		205.085	-57.75	-15.39	-73.14	-13.00	-60.14	peak	
4		283.655	-61.12	-12.36	-73.48	-13.00	-60.48	peak	
5		475.230	-63.79	-7.88	-71.67	-13.00	-58.67	peak	
6		772.535	-66.73	-3.36	-70.09	-13.00	-57.09	peak	

Test Mode | LTE Band 26_TX CH26915_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		30.000	-57.19	-15.02	-72.21	-13.00	-59.21	peak	
2		49.885	-59.85	-13.88	-73.73	-13.00	-60.73	peak	
3	*	168.225	-55.25	-12.23	-67.48	-13.00	-54.48	peak	
4		205.570	-54.45	-15.48	-69.93	-13.00	-56.93	peak	
5		327.305	-63.51	-11.11	-74.62	-13.00	-61.62	peak	
6		658.075	-66.72	-4.61	-71.33	-13.00	-58.33	peak	

Test Mode | LTE Band 26_TX CH26915_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		94.020	-64.31	-15.69	-80.00	-13.00	-67.00	peak	
2	*	167.255	-52.98	-12.10	-65.08	-13.00	-52.08	peak	
3		206.540	-53.17	-15.52	-68.69	-13.00	-55.69	peak	
4		276.865	-61.53	-12.83	-74.36	-13.00	-61.36	peak	
5		337.005	-62.06	-10.95	-73.01	-13.00	-60.01	peak	
6		673.110	-66.75	-4.40	-71.15	-13.00	-58.15	peak	

Test Mode LTE Band 26_TX CH26915_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		30.000	-56.53	-15.02	-71.55	-13.00	-58.55	peak	
2		50.370	-59.59	-13.90	-73.49	-13.00	-60.49	peak	
3	*	166.285	-55.09	-11.96	-67.05	-13.00	-54.05	peak	
4		206.055	-54.14	-15.50	-69.64	-13.00	-56.64	peak	
5		326.335	-63.63	-11.12	-74.75	-13.00	-61.75	peak	
6		659.530	-67.00	-4.58	-71.58	-13.00	-58.58	peak	


Test Mode | LTE Band 26_TX CH26915_5M_Second Antenna

Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	94.020	-63.26	-15.69	-78.95	-13.00	-65.95	peak	
2 *	166.770	-53.80	-12.03	-65.83	-13.00	-52.83	peak	
3	207.025	-54.42	-15.54	-69.96	-13.00	-56.96	peak	
4	272.985	-62.39	-13.02	-75.41	-13.00	-62.41	peak	
5	338.460	-63.40	-10.93	-74.33	-13.00	-61.33	peak	
6	658.075	-66.80	-4.61	-71.41	-13.00	-58.41	peak	


Test Mode LTE Band 26_TX CH26915_15M_Second Antenna



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		30.000	-56.33	-15.02	-71.35	-13.00	-58.35	peak	
2	*	167.255	-55.32	-12.10	-67.42	-13.00	-54.42	peak	
3		206.055	-54.66	-15.50	-70.16	-13.00	-57.16	peak	
4		325.365	-63.87	-11.14	-75.01	-13.00	-62.01	peak	
5		467.470	-66.94	-8.01	-74.95	-13.00	-61.95	peak	
6		690.085	-67.22	-4.17	-71.39	-13.00	-58.39	peak	

Test Mode LTE Band 26_TX CH26915_15M_Second Antenna

Horizontal




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	167.740	-53.53	-12.17	-65.70	-13.00	-52.70	peak	
2	206.540	-54.34	-15.52	-69.86	-13.00	-56.86	peak	
3	279.775	-62.25	-12.70	-74.95	-13.00	-61.95	peak	
4	333.610	-63.03	-11.01	-74.04	-13.00	-61.04	peak	
5	480.080	-66.33	-7.91	-74.24	-13.00	-61.24	peak	
6	684.265	-66.77	-4.25	-71.02	-13.00	-58.02	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1000MHZ)

Test Mode GSM850_TX CH190_GSM_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1773.500	-48.61	-4.53	-53.14	-13.00	-40.14	peak	
2		2496.000	-49.88	-3.93	-53.81	-13.00	-40.81	peak	


Test Mode GSM850_TX CH190_GSM_Main Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1773.500	-47.98	-4.53	-52.51	-13.00	-39.51	peak	
2		2496.000	-52.03	-3.93	-55.96	-13.00	-42.96	peak	


Test Mode GSM850_TX CH190_EDGE_Main Antenna



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	1935.000	-47.16	-3.52	-50.68	-13.00	-37.68	peak	

Test Mode GSM850_TX CH190_EDGE_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1926.500	-52.90	-3.58	-56.48	-13.00	-43.48	peak	

Test Mode GSM850_TX CH190_GSM_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1773.500	-47.86	-4.53	-52.39	-13.00	-39.39	peak	
2		2513.000	-51.19	-3.89	-55.08	-13.00	-42.08	peak	

Test Mode GSM850_TX CH190_GSM_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2509.985	-38.42	-3.90	-42.32	-13.00	-29.32	peak	

Test Mode GSM850_TX CH190_EDGE_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1765.000	-49.93	-4.59	-54.52	-13.00	-41.52	peak	

Test Mode GSM850_TX CH190_EDGE_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2513.000	-43.04	-3.89	-46.93	-13.00	-33.93	peak	
2		3456.500	-54.50	0.09	-54.41	-13.00	-41.41	peak	

Test Mode | WCDMA Band V_TX CH4182_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1722.500	-48.62	-4.85	-53.47	-13.00	-40.47	peak	


Test Mode | WCDMA Band V_TX CH4182_Main Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2266.500	-52.49	-3.56	-56.05	-13.00	-43.05	peak	


Test Mode	WCDMA Band V_TX CH4182_Second Antenna
-----------	---------------------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	1960.500	-51.24	-3.36	-54.60	-13.00	-41.60	peak	

Test Mode	WCDMA Band V_TX CH4182_Second Antenna
-----------	---------------------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	2207.000	-53.87	-3.46	-57.33	-13.00	-44.33	peak	

Test Mode | LTE Band 5_TX CH20525_1.4M_Main Antenna


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1 *	1901.000	-50.02	-3.73	-53.75	-13.00	-40.75	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1884.000	-41.79	-3.84	-45.63	-13.00	-32.63	peak	

Test Mode | LTE Band 5_TX CH20525_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2887.000	-54.13	-2.07	-56.20	-13.00	-43.20	peak	

Test Mode | LTE Band 5_TX CH20525_5M_Main Antenna


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1 *	2810.500	-54.01	-2.46	-56.47	-13.00	-43.47	peak	

Test Mode | LTE Band 5_TX CH20525_10M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2861.500	-53.58	-2.20	-55.78	-13.00	-42.78	peak	


Test Mode | LTE Band 5_TX CH20525_10M_Main Antenna

Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1 *	2708.500	-53.49	-2.94	-56.43	-13.00	-43.43	peak	


Test Mode | LTE Band 26_TX CH26915_1.4M_Main Antenna



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2504.500	-46.94	-3.57	-50.51	-13.00	-37.51	peak	


Test Mode | LTE Band 26_TX CH26915_1.4M_Main Antenna

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	2504.500	-44.13	-3.57	-47.70	-13.00	-34.70	peak	


Test Mode LTE Band 26_TX CH26915_5M_Main Antenna



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	1935.000	-43.63	-3.42	-47.05	-13.00	-34.05	peak	


Test Mode | LTE Band 26_TX CH26915_5M_Main Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2504.500	-44.86	-3.57	-48.43	-13.00	-35.43	peak	


Test Mode LTE Band 26_TX CH26915_15M_Main Antenna



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1 *	2487.500	-45.67	-3.58	-49.25	-13.00	-36.25	peak	


Test Mode | LTE Band 26_TX CH26915_15M_Main Antenna

Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	2487.500	-43.81	-3.58	-47.39	-13.00	-34.39	peak	


Test Mode | LTE Band 5_TX CH20525_1.4M_Second Antenna



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5896.000	-56.99	5.36	-51.63	-13.00	-38.63	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1739.500	-50.47	-4.75	-55.22	-13.00	-42.22	peak	

Test Mode | LTE Band 5_TX CH20525_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	9194.000	-57.20	9.95	-47.25	-13.00	-34.25	peak	

Test Mode LTE Band 5_TX CH20525_5M_Second Antenna


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	7434.500	-57.19	8.64	-48.55	-13.00	-35.55	peak	

Test Mode | LTE Band 5_TX CH20525_10M_Second Antenna


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1 *	8446.000	-57.56	9.07	-48.49	-13.00	-35.49	peak	

Test Mode | LTE Band 5_TX CH20525_10M_Second Antenna


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	9194.000	-57.80	9.95	-47.85	-13.00	-34.85	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Second Antenna


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1 *	1714.000	-49.32	-4.81	-54.13	-13.00	-41.13	peak	

Test Mode | LTE Band 26_TX CH26915_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	1731.000	-48.60	-4.70	-53.30	-13.00	-40.30	peak	

Test Mode | LTE Band 26_TX CH26915_5M_Second Antenna


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	1935.000	-49.19	-3.42	-52.61	-13.00	-39.61	peak	

Test Mode | LTE Band 26_TX CH26915_5M_Second Antenna


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1 *	1935.000	-51.08	-3.42	-54.50	-13.00	-41.50	peak	

Test Mode LTE Band 26_TX CH26915_15M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2487.500	-44.48	-3.58	-48.06	-13.00	-35.06	peak	

Test Mode | LTE Band 26_TX CH26915_15M_Second Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2487.500	-44.39	-3.58	-47.97	-13.00	-34.97	peak	

APPENDIX G - BAND EDGE