


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.98	-13	Pass	401
0.15	30	0.01	Peak	0.24	-54.8	-13	Pass	2986
30	500	0.1	Peak	396.7	-43.92	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.61	-13	N/A	5001
1000	10000	1	Peak	7405.782	-22.49	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.69	-13	Pass	401
0.15	30	0.01	Peak	0.18	-55.23	-13	Pass	2986
30	500	0.1	Peak	472.8	-43.97	-13	Pass	4701
500	1000	0.1	Peak	836.5	32.41	-13	N/A	5001
1000	10000	1	Peak	7081.742	-22.9	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.19	-13	Pass	401
0.15	30	0.01	Peak	0.17	-54.17	-13	Pass	2986
30	500	0.1	Peak	481.9	-44.05	-13	Pass	4701
500	1000	0.1	Peak	848.8	32.4	-13	N/A	5001
1000	10000	1	Peak	7193.756	-23.27	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.22	-13	Pass	401
0.15	30	0.01	Peak	0.21	-60.02	-13	Pass	2986
30	1000	0.1	Peak	774.491	-48.94	-13	Pass	9700
1000	3000	1	Peak	1850	30.02	-13	N/A	2001
3000	20000	1	Peak	19527	-20.48	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.67	-13	Pass	401
0.15	30	0.01	Peak	0.15	-60.36	-13	Pass	2986
30	1000	0.1	Peak	994.897	-49.38	-13	Pass	9700
1000	3000	1	Peak	1880	28.91	-13	N/A	2001
3000	20000	1	Peak	14702.429	-20.17	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-63.32	-13	Pass	401
0.15	30	0.01	Peak	0.19	-60.76	-13	Pass	2986
30	1000	0.1	Peak	834.198	-49.52	-13	Pass	9700
1000	3000	1	Peak	1910	29.38	-13	N/A	2001
3000	20000	1	Peak	14702.429	-20.78	-13	Pass	17001




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.62	-13	Pass	401
0.15	30	0.01	Peak	0.29	-55.08	-13	Pass	2986
30	500	0.1	Peak	478.3	-43.67	-13	Pass	4701
500	1000	0.1	Peak	824.3	27.29	-13	N/A	5001
1000	10000	1	Peak	7197.757	-22.83	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.86	-13	Pass	401
0.15	30	0.01	Peak	0.64	-54.92	-13	Pass	2986
30	500	0.1	Peak	269.1	-43.94	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.76	-13	N/A	5001
1000	10000	1	Peak	6702.696	-23.13	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.81	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.91	-13	Pass	2986
30	500	0.1	Peak	476	-44.18	-13	Pass	4701
500	1000	0.1	Peak	848.7	25.3	-13	N/A	5001
1000	10000	1	Peak	6994.732	-23.07	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.98	-13	Pass	401
0.15	30	0.01	Peak	0.19	-60.87	-13	Pass	2986
30	1000	0.1	Peak	871.815	-48.38	-13	Pass	9700
1000	3000	1	Peak	1850	27.32	-13	N/A	2001
3000	20000	1	Peak	19647	-20.72	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.45	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.02	-13	Pass	2986
30	1000	0.1	Peak	941.161	-49.36	-13	Pass	9700
1000	3000	1	Peak	1879	22.85	-13	N/A	2001
3000	20000	1	Peak	14699.428	-19.96	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-60.12	-13	Pass	2986
30	1000	0.1	Peak	358.84	-49.32	-13	Pass	9700
1000	3000	1	Peak	1909	25.72	-13	N/A	2001
3000	20000	1	Peak	19646	-20.64	-13	Pass	17001




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.66	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.25	-13	Pass	2986
30	1000	0.1	Peak	745.187	-51.7	-13	Pass	9700
1000	3000	1	Peak	1854	22.98	-13	N/A	2001
3000	20000	1	Peak	19821	-24.16	-13	Pass	17001




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-66.12	-13	Pass	401
0.15	30	0.01	Peak	0.38	-64.62	-13	Pass	2986
30	1000	0.1	Peak	911.041	-51.67	-13	Pass	9700
1000	3000	1	Peak	1881	23.01	-13	N/A	2001
3000	20000	1	Peak	19596	-24.79	-13	Pass	17001



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.51	-13	Pass	401
0.15	30	0.01	Peak	0.56	-63.76	-13	Pass	2986
30	1000	0.1	Peak	982.088	-51.45	-13	Pass	9700
1000	3000	1	Peak	1909	22.88	-13	N/A	2001
3000	20000	1	Peak	19773	-23.66	-13	Pass	17001



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.77	-13	Pass	401
0.15	30	0.01	Peak	0.18	-62.17	-13	Pass	2986
30	1000	0.1	Peak	937.859	-51.34	-13	Pass	9700
1000	3000	1	Peak	1711	4.91	-13	N/A	2001
3000	20000	1	Peak	18115.845	-24.73	-13	Pass	17001




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.52	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.6	-13	Pass	2986
30	1000	0.1	Peak	904.637	-51.82	-13	Pass	9700
1000	3000	1	Peak	1733	4.83	-13	N/A	2001
3000	20000	1	Peak	19956	-24.67	-13	Pass	17001



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.96	-13	Pass	401
0.15	30	0.01	Peak	0.3	-63.72	-13	Pass	2986
30	1000	0.1	Peak	349.639	-51.7	-13	Pass	9700
1000	3000	1	Peak	1754	5.58	-13	N/A	2001
3000	20000	1	Peak	19760	-23.89	-13	Pass	17001



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.12	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.13	-13	Pass	2986
30	500	0.1	Peak	407.9	-52.74	-13	Pass	4701
500	1000	0.1	Peak	827.7	18.11	-13	N/A	5001
1000	10000	1	Peak	7593.805	-31.64	-13	Pass	9001




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.8	-13	Pass	401
0.15	30	0.01	Peak	2.1	-64.04	-13	Pass	2986
30	500	0.1	Peak	358.7	-53.24	-13	Pass	4701
500	1000	0.1	Peak	837.1	17.64	-13	N/A	5001
1000	10000	1	Peak	7022.735	-31.76	-13	Pass	9001



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.73	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.26	-13	Pass	2986
30	500	0.1	Peak	476.1	-53.15	-13	Pass	4701
500	1000	0.1	Peak	847.3	17.55	-13	N/A	5001
1000	10000	1	Peak	9297	-31.69	-13	Pass	9001




LTE

8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	Pass	2986
30	1000	0.1	RMS	867.312	-63.5	-13	Pass	9700
1000	1840	1	RMS	1840	-51.78	-13	Pass	841
1840	1920	1	RMS	1850.2	22.41	60	Pass	401
1920	3000	1	RMS	2938	-49.55	-13	Pass	1081
3000	12000	1	RMS	7213.514	-42.56	-13	Pass	9001
12000	20000	1	RMS	19720	-35.09	-13	Pass	8001




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.96	-13	Pass	2986
30	1000	0.1	RMS	860.507	-63.63	-13	Pass	9700
1000	1840	1	RMS	1840	-52.11	-13	Pass	841
1840	1920	1	RMS	1850.2	20.96	60	Pass	401
1920	3000	1	RMS	2947	-49.5	-13	Pass	1081
3000	12000	1	RMS	11004.977	-43.13	-13	Pass	9001
12000	20000	1	RMS	19798	-36.31	-13	Pass	8001




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.88	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.73	-13	Pass	2986
30	1000	0.1	RMS	873.916	-63.48	-13	Pass	9700
1000	1840	1	RMS	1800	-52.47	-13	Pass	841
1840	1920	1	RMS	1879.4	22.53	60	Pass	401
1920	3000	1	RMS	2946	-49.53	-13	Pass	1081
3000	12000	1	RMS	11343	-43.08	-13	Pass	9001
12000	20000	1	RMS	19799	-36.28	-13	Pass	8001




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	845.2	-63.31	-13	Pass	9700
1000	1840	1	RMS	1804	-52.43	-13	Pass	841
1840	1920	1	RMS	1879.4	21.02	60	Pass	401
1920	3000	1	RMS	2941	-49.48	-13	Pass	1081
3000	12000	1	RMS	11432	-43.09	-13	Pass	9001
12000	20000	1	RMS	19803	-36.34	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	1000	0.1	RMS	863.61	-63.5	-13	Pass	9700
1000	1840	1	RMS	1801	-52.5	-13	Pass	841
1840	1920	1	RMS	1908.8	22.48	60	Pass	401
1920	3000	1	RMS	2953	-49.57	-13	Pass	1081
3000	12000	1	RMS	11439	-43.12	-13	Pass	9001
12000	20000	1	RMS	19803	-36.31	-13	Pass	8001




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2986
30	1000	0.1	RMS	870.914	-63.4	-13	Pass	9700
1000	1840	1	RMS	1803	-52.44	-13	Pass	841
1840	1920	1	RMS	1908.8	21.02	60	Pass	401
1920	3000	1	RMS	2938	-49.57	-13	Pass	1081
3000	12000	1	RMS	7217.515	-41.9	-13	Pass	9001
12000	20000	1	RMS	19802	-36.37	-13	Pass	8001




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.48	-13	Pass	2986
30	1000	0.1	RMS	866.011	-63.42	-13	Pass	9700
1000	1840	1	RMS	1840	-51.5	-13	Pass	841
1840	1920	1	RMS	1850.2	22.43	60	Pass	401
1920	3000	1	RMS	2951	-49.46	-13	Pass	1081
3000	12000	1	RMS	11438	-43.1	-13	Pass	9001
12000	20000	1	RMS	19721	-35.02	-13	Pass	8001




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.76	-13	Pass	2986
30	1000	0.1	RMS	860.407	-63.42	-13	Pass	9700
1000	1840	1	RMS	1840	-51.75	-13	Pass	841
1840	1920	1	RMS	1850.2	21.08	60	Pass	401
1920	3000	1	RMS	2953	-49.51	-13	Pass	1081
3000	12000	1	RMS	11447	-43.01	-13	Pass	9001
12000	20000	1	RMS	19798	-36.31	-13	Pass	8001




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	Pass	2986
30	1000	0.1	RMS	910.741	-63.53	-13	Pass	9700
1000	1840	1	RMS	1804	-52.48	-13	Pass	841
1840	1920	1	RMS	1878.6	22.47	60	Pass	401
1920	3000	1	RMS	2951	-49.53	-13	Pass	1081
3000	12000	1	RMS	11427	-43.11	-13	Pass	9001
12000	20000	1	RMS	19799	-36.3	-13	Pass	8001




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	Pass	2986
30	1000	0.1	RMS	997.198	-63.49	-13	Pass	9700
1000	1840	1	RMS	1807	-52.47	-13	Pass	841
1840	1920	1	RMS	1878.6	20.95	60	Pass	401
1920	3000	1	RMS	2847	-49.55	-13	Pass	1081
3000	12000	1	RMS	11437	-43.03	-13	Pass	9001
12000	20000	1	RMS	19798	-36.31	-13	Pass	8001




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.43	-13	Pass	2986
30	1000	0.1	RMS	906.638	-63.49	-13	Pass	9700
1000	1840	1	RMS	1795	-52.44	-13	Pass	841
1840	1920	1	RMS	1907.2	22.35	60	Pass	401
1920	3000	1	RMS	2947	-49.51	-13	Pass	1081
3000	12000	1	RMS	7194.512	-41.68	-13	Pass	9001
12000	20000	1	RMS	19804	-36.29	-13	Pass	8001




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	Pass	2986
30	1000	0.1	RMS	996.998	-63.54	-13	Pass	9700
1000	1840	1	RMS	1808	-52.48	-13	Pass	841
1840	1920	1	RMS	1907.2	20.91	60	Pass	401
1920	3000	1	RMS	2950	-49.42	-13	Pass	1081
3000	12000	1	RMS	11444	-43.15	-13	Pass	9001
12000	20000	1	RMS	19797	-36.28	-13	Pass	8001




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.02	-13	Pass	2986
30	1000	0.1	RMS	852.602	-63.49	-13	Pass	9700
1000	1840	1	RMS	1840	-51.52	-13	Pass	841
1840	1920	1	RMS	1850.2	22.69	60	Pass	401
1920	3000	1	RMS	2945	-49.49	-13	Pass	1081
3000	12000	1	RMS	11437	-43.05	-13	Pass	9001
12000	20000	1	RMS	19718	-35.21	-13	Pass	8001




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	Pass	2986
30	1000	0.1	RMS	866.311	-63.47	-13	Pass	9700
1000	1840	1	RMS	1840	-51.94	-13	Pass	841
1840	1920	1	RMS	1850.2	21.24	60	Pass	401
1920	3000	1	RMS	2952	-49.51	-13	Pass	1081
3000	12000	1	RMS	11438	-43.1	-13	Pass	9001
12000	20000	1	RMS	19801	-36.22	-13	Pass	8001




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2986
30	1000	0.1	RMS	871.715	-63.44	-13	Pass	9700
1000	1840	1	RMS	1807	-52.44	-13	Pass	841
1840	1920	1	RMS	1877.8	22.72	60	Pass	401
1920	3000	1	RMS	2952	-49.48	-13	Pass	1081
3000	12000	1	RMS	11428	-43.07	-13	Pass	9001
12000	20000	1	RMS	19801	-36.15	-13	Pass	8001




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2986
30	1000	0.1	RMS	877.519	-63.39	-13	Pass	9700
1000	1840	1	RMS	1811	-52.5	-13	Pass	841
1840	1920	1	RMS	1877.8	21.37	60	Pass	401
1920	3000	1	RMS	2937	-49.5	-13	Pass	1081
3000	12000	1	RMS	7204.513	-41.58	-13	Pass	9001
12000	20000	1	RMS	19800	-36.22	-13	Pass	8001




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.23	-13	Pass	2986
30	1000	0.1	RMS	875.818	-63.54	-13	Pass	9700
1000	1840	1	RMS	1797	-52.51	-13	Pass	841
1840	1920	1	RMS	1905.2	22.62	60	Pass	401
1920	3000	1	RMS	2953	-49.47	-13	Pass	1081
3000	12000	1	RMS	11436	-43.12	-13	Pass	9001
12000	20000	1	RMS	19804	-36.29	-13	Pass	8001




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	1000	0.1	RMS	864.01	-63.51	-13	Pass	9700
1000	1840	1	RMS	1811	-52.5	-13	Pass	841
1840	1920	1	RMS	1905.2	21.3	60	Pass	401
1920	3000	1	RMS	2849	-49.51	-13	Pass	1081
3000	12000	1	RMS	11435	-43.11	-13	Pass	9001
12000	20000	1	RMS	19798	-36.35	-13	Pass	8001




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-13	Pass	2986
30	1000	0.1	RMS	885.924	-63.46	-13	Pass	9700
1000	1840	1	RMS	1840	-47.82	-13	Pass	841
1840	1920	1	RMS	1850.4	22.71	60	Pass	401
1920	3000	1	RMS	2944	-49.52	-13	Pass	1081
3000	12000	1	RMS	11440	-43.16	-13	Pass	9001
12000	20000	1	RMS	19703	-34.95	-13	Pass	8001




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-13	Pass	2986
30	1000	0.1	RMS	877.519	-63.35	-13	Pass	9700
1000	1840	1	RMS	1840	-48.7	-13	Pass	841
1840	1920	1	RMS	1850.4	21.34	60	Pass	401
1920	3000	1	RMS	2954	-49.49	-13	Pass	1081
3000	12000	1	RMS	11431	-43.08	-13	Pass	9001
12000	20000	1	RMS	19807	-36.27	-13	Pass	8001




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	1000	0.1	RMS	857.506	-63.49	-13	Pass	9700
1000	1840	1	RMS	1805	-52.47	-13	Pass	841
1840	1920	1	RMS	1875.4	22.7	60	Pass	401
1920	3000	1	RMS	2948	-49.48	-13	Pass	1081
3000	12000	1	RMS	7207.514	-42.01	-13	Pass	9001
12000	20000	1	RMS	19801	-36.27	-13	Pass	8001




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2986
30	1000	0.1	RMS	874.817	-63.41	-13	Pass	9700
1000	1840	1	RMS	1798	-52.42	-13	Pass	841
1840	1920	1	RMS	1875.4	21.25	60	Pass	401
1920	3000	1	RMS	2844	-49.49	-13	Pass	1081
3000	12000	1	RMS	11448	-43.04	-13	Pass	9001
12000	20000	1	RMS	19800	-36.28	-13	Pass	8001




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	Pass	2986
30	1000	0.1	RMS	863.61	-63.55	-13	Pass	9700
1000	1840	1	RMS	1810	-52.47	-13	Pass	841
1840	1920	1	RMS	1900.4	22.65	60	Pass	401
1920	3000	1	RMS	2950	-49.53	-13	Pass	1081
3000	12000	1	RMS	11433	-43.12	-13	Pass	9001
12000	20000	1	RMS	19803	-36.26	-13	Pass	8001




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-13	Pass	2986
30	1000	0.1	RMS	866.411	-63.56	-13	Pass	9700
1000	1840	1	RMS	1802	-52.47	-13	Pass	841
1840	1920	1	RMS	1900.4	21.24	60	Pass	401
1920	3000	1	RMS	2947	-49.47	-13	Pass	1081
3000	12000	1	RMS	11429	-43.13	-13	Pass	9001
12000	20000	1	RMS	19798	-36.3	-13	Pass	8001




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	1000	0.1	RMS	888.926	-63.46	-13	Pass	9700
1000	1840	1	RMS	1840	-42.39	-13	Pass	841
1840	1920	1	RMS	1850.8	22.75	60	Pass	401
1920	3000	1	RMS	2949	-49.48	-13	Pass	1081
3000	12000	1	RMS	11451	-43.08	-13	Pass	9001
12000	20000	1	RMS	19709	-34.98	-13	Pass	8001




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.13	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.63	-13	Pass	2986
30	1000	0.1	RMS	992.195	-63.53	-13	Pass	9700
1000	1840	1	RMS	1840	-44.35	-13	Pass	841
1840	1920	1	RMS	1850.8	21.4	60	Pass	401
1920	3000	1	RMS	2953	-49.5	-13	Pass	1081
3000	12000	1	RMS	7189.511	-41.31	-13	Pass	9001
12000	20000	1	RMS	19800	-36.31	-13	Pass	8001




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.48	-13	Pass	2986
30	1000	0.1	RMS	851.502	-63.47	-13	Pass	9700
1000	1840	1	RMS	1796	-52.42	-13	Pass	841
1840	1920	1	RMS	1873.2	22.8	60	Pass	401
1920	3000	1	RMS	2952	-49.49	-13	Pass	1081
3000	12000	1	RMS	11429	-43.11	-13	Pass	9001
12000	20000	1	RMS	19801	-36.3	-13	Pass	8001




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.68	-13	Pass	2986
30	1000	0.1	RMS	476.855	-63.49	-13	Pass	9700
1000	1840	1	RMS	1796	-52.42	-13	Pass	841
1840	1920	1	RMS	1873.2	21.29	60	Pass	401
1920	3000	1	RMS	2845	-49.5	-13	Pass	1081
3000	12000	1	RMS	11427	-43.05	-13	Pass	9001
12000	20000	1	RMS	19805	-36.3	-13	Pass	8001




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.45	-13	Pass	2986
30	1000	0.1	RMS	719.684	-63.45	-13	Pass	9700
1000	1840	1	RMS	1813	-52.45	-13	Pass	841
1840	1920	1	RMS	1895.8	22.69	60	Pass	401
1920	3000	1	RMS	1920	-45.96	-13	Pass	1081
3000	12000	1	RMS	11451	-43.07	-13	Pass	9001
12000	20000	1	RMS	19797	-36.28	-13	Pass	8001




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.05	-13	Pass	2986
30	1000	0.1	RMS	875.317	-63.46	-13	Pass	9700
1000	1840	1	RMS	1800	-52.44	-13	Pass	841
1840	1920	1	RMS	1895.8	21.35	60	Pass	401
1920	3000	1	RMS	1920	-46.23	-13	Pass	1081
3000	12000	1	RMS	11427	-43.09	-13	Pass	9001
12000	20000	1	RMS	19799	-36.32	-13	Pass	8001




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.41	-13	Pass	2986
30	1000	0.1	RMS	886.925	-63.35	-13	Pass	9700
1000	1840	1	RMS	1840	-43.46	-13	Pass	841
1840	1920	1	RMS	1851	22.79	60	Pass	401
1920	3000	1	RMS	2952	-49.53	-13	Pass	1081
3000	12000	1	RMS	7234.517	-42.18	-13	Pass	9001
12000	20000	1	RMS	19743	-34.59	-13	Pass	8001




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	Pass	2986
30	1000	0.1	RMS	855.804	-63.34	-13	Pass	9700
1000	1840	1	RMS	1840	-45.52	-13	Pass	841
1840	1920	1	RMS	1851	21.42	60	Pass	401
1920	3000	1	RMS	2952	-49.52	-13	Pass	1081
3000	12000	1	RMS	11428	-43.11	-13	Pass	9001
12000	20000	1	RMS	19800	-36.3	-13	Pass	8001




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.76	-13	Pass	2986
30	1000	0.1	RMS	892.529	-63.35	-13	Pass	9700
1000	1840	1	RMS	1835	-51.88	-13	Pass	841
1840	1920	1	RMS	1871	22.78	60	Pass	401
1920	3000	1	RMS	2948	-49.45	-13	Pass	1081
3000	12000	1	RMS	11438	-43.09	-13	Pass	9001
12000	20000	1	RMS	19804	-36.26	-13	Pass	8001




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.21	-13	Pass	2986
30	1000	0.1	RMS	865.01	-63.43	-13	Pass	9700
1000	1840	1	RMS	1835	-52.15	-13	Pass	841
1840	1920	1	RMS	1871	21.31	60	Pass	401
1920	3000	1	RMS	2949	-49.48	-13	Pass	1081
3000	12000	1	RMS	11427	-43.13	-13	Pass	9001
12000	20000	1	RMS	19800	-36.29	-13	Pass	8001




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	1000	0.1	RMS	874.417	-63.27	-13	Pass	9700
1000	1840	1	RMS	1799	-52.47	-13	Pass	841
1840	1920	1	RMS	1891	22.71	60	Pass	401
1920	3000	1	RMS	1922	-47.2	-13	Pass	1081
3000	12000	1	RMS	11440	-42.98	-13	Pass	9001
12000	20000	1	RMS	19802	-36.2	-13	Pass	8001



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.21	-13	Pass	2986
30	1000	0.1	RMS	881.822	-62.18	-13	Pass	9700
1000	1840	1	RMS	1807	-52.3	-13	Pass	841
1840	1920	1	RMS	1891	21.24	60	Pass	401
1920	3000	1	RMS	1922	-47.15	-13	Pass	1081
3000	12000	1	RMS	7281.523	-41.61	-13	Pass	9001
12000	20000	1	RMS	19797	-36.14	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	Pass	2986
30	1000	0.1	RMS	907.839	-63.52	-13	Pass	9700
1000	1700	1	RMS	1700	-51.85	-13	Pass	701
1700	1765	1	RMS	1710.238	22.98	60	Pass	401
1765	3000	1	RMS	2942	-49.51	-13	Pass	1236
3000	12000	1	RMS	11431	-43.08	-13	Pass	9001
12000	20000	1	RMS	19765	-34.82	-13	Pass	8001




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.96	-13	Pass	2986
30	1000	0.1	RMS	877.919	-63.35	-13	Pass	9700
1000	1700	1	RMS	1699	-50.39	-13	Pass	701
1700	1765	1	RMS	1710.238	21.47	60	Pass	401
1765	3000	1	RMS	2950	-49.51	-13	Pass	1236
3000	12000	1	RMS	11430	-43.18	-13	Pass	9001
12000	20000	1	RMS	19800	-36.33	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2986
30	1000	0.1	RMS	884.023	-63.46	-13	Pass	9700
1000	1700	1	RMS	1697	-52.82	-13	Pass	701
1700	1765	1	RMS	1732.013	22.87	60	Pass	401
1765	3000	1	RMS	2945	-49.55	-13	Pass	1236
3000	12000	1	RMS	11434	-43.12	-13	Pass	9001
12000	20000	1	RMS	19801	-36.31	-13	Pass	8001




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.97	-13	Pass	2986
30	1000	0.1	RMS	887.726	-63.38	-13	Pass	9700
1000	1700	1	RMS	1697	-52.75	-13	Pass	701
1700	1765	1	RMS	1732.013	21.41	60	Pass	401
1765	3000	1	RMS	2940	-49.55	-13	Pass	1236
3000	12000	1	RMS	11450	-43.1	-13	Pass	9001
12000	20000	1	RMS	19807	-36.2	-13	Pass	8001




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.8	-13	Pass	2986
30	1000	0.1	RMS	849.3	-62.08	-13	Pass	9700
1000	1700	1	RMS	1700	-52.65	-13	Pass	701
1700	1765	1	RMS	1753.788	23.09	60	Pass	401
1765	3000	1	RMS	2835	-49.36	-13	Pass	1236
3000	12000	1	RMS	7279.522	-41.79	-13	Pass	9001
12000	20000	1	RMS	19798	-36.21	-13	Pass	8001




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2986
30	1000	0.1	RMS	464.453	-63.4	-13	Pass	9700
1000	1700	1	RMS	1699	-52.66	-13	Pass	701
1700	1765	1	RMS	1753.788	21.62	60	Pass	401
1765	3000	1	RMS	2947	-49.45	-13	Pass	1236
3000	12000	1	RMS	11445	-43.02	-13	Pass	9001
12000	20000	1	RMS	19800	-36.21	-13	Pass	8001




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.81	-13	Pass	2986
30	1000	0.1	RMS	699.482	-62.8	-13	Pass	9700
1000	1700	1	RMS	1700	-51.5	-13	Pass	701
1700	1765	1	RMS	1710.238	22.82	60	Pass	401
1765	3000	1	RMS	2950	-49.45	-13	Pass	1236
3000	12000	1	RMS	11339	-42.98	-13	Pass	9001
12000	20000	1	RMS	19779	-34.78	-13	Pass	8001




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.18	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.61	-13	Pass	2986
30	1000	0.1	RMS	996.798	-63.76	-13	Pass	9700
1000	1700	1	RMS	1700	-52.18	-13	Pass	701
1700	1765	1	RMS	1710.238	21.63	60	Pass	401
1765	3000	1	RMS	2950	-49.57	-13	Pass	1236
3000	12000	1	RMS	11422	-43.27	-13	Pass	9001
12000	20000	1	RMS	19798	-36.33	-13	Pass	8001




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	Pass	2986
30	1000	0.1	RMS	880.221	-63.47	-13	Pass	9700
1000	1700	1	RMS	1695	-52.85	-13	Pass	701
1700	1765	1	RMS	1731.2	22.55	60	Pass	401
1765	3000	1	RMS	2936	-49.51	-13	Pass	1236
3000	12000	1	RMS	7241.518	-41.89	-13	Pass	9001
12000	20000	1	RMS	19765	-34.68	-13	Pass	8001




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2986
30	1000	0.1	RMS	863.61	-63.43	-13	Pass	9700
1000	1700	1	RMS	1700	-52.7	-13	Pass	701
1700	1765	1	RMS	1731.2	21.29	60	Pass	401
1765	3000	1	RMS	2950	-49.56	-13	Pass	1236
3000	12000	1	RMS	11761	-43.12	-13	Pass	9001
12000	20000	1	RMS	19801	-36.27	-13	Pass	8001




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2986
30	1000	0.1	RMS	866.211	-63.44	-13	Pass	9700
1000	1700	1	RMS	1699	-52.74	-13	Pass	701
1700	1765	1	RMS	1752.163	22.76	60	Pass	401
1765	3000	1	RMS	2950	-49.56	-13	Pass	1236
3000	12000	1	RMS	11450	-43.19	-13	Pass	9001
12000	20000	1	RMS	19799	-36.39	-13	Pass	8001




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.35	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.88	-13	Pass	2986
30	1000	0.1	RMS	882.422	-63.58	-13	Pass	9700
1000	1700	1	RMS	1699	-52.84	-13	Pass	701
1700	1765	1	RMS	1752.163	21.29	60	Pass	401
1765	3000	1	RMS	2953	-49.49	-13	Pass	1236
3000	12000	1	RMS	11009.978	-43.09	-13	Pass	9001
12000	20000	1	RMS	19799	-36.28	-13	Pass	8001




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.72	-13	Pass	2986
30	1000	0.1	RMS	493.157	-62.41	-13	Pass	9700
1000	1700	1	RMS	1700	-51.7	-13	Pass	701
1700	1765	1	RMS	1710.238	22.96	60	Pass	401
1765	3000	1	RMS	2843	-49.49	-13	Pass	1236
3000	12000	1	RMS	11429	-43.05	-13	Pass	9001
12000	20000	1	RMS	19799	-36.28	-13	Pass	8001




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.3	-13	Pass	2986
30	1000	0.1	RMS	867.812	-62.25	-13	Pass	9700
1000	1700	1	RMS	1700	-51.94	-13	Pass	701
1700	1765	1	RMS	1710.238	21.54	60	Pass	401
1765	3000	1	RMS	2952	-49.41	-13	Pass	1236
3000	12000	1	RMS	7282.523	-41.52	-13	Pass	9001
12000	20000	1	RMS	19794	-36.28	-13	Pass	8001




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.19	-13	Pass	2986
30	1000	0.1	RMS	902.736	-63.36	-13	Pass	9700
1000	1700	1	RMS	1698	-52.8	-13	Pass	701
1700	1765	1	RMS	1730.225	22.86	60	Pass	401
1765	3000	1	RMS	2940	-49.6	-13	Pass	1236
3000	12000	1	RMS	11452	-43.19	-13	Pass	9001
12000	20000	1	RMS	19797	-34.64	-13	Pass	8001




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.79	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.13	-13	Pass	2986
30	1000	0.1	RMS	972.081	-63.46	-13	Pass	9700
1000	1700	1	RMS	1698	-52.86	-13	Pass	701
1700	1765	1	RMS	1730.225	21.58	60	Pass	401
1765	3000	1	RMS	2949	-49.52	-13	Pass	1236
3000	12000	1	RMS	11426	-43.15	-13	Pass	9001
12000	20000	1	RMS	19800	-36.3	-13	Pass	8001




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.6	-13	Pass	2986
30	1000	0.1	RMS	849.5	-63.28	-13	Pass	9700
1000	1700	1	RMS	1699	-52.65	-13	Pass	701
1700	1765	1	RMS	1750.213	22.95	60	Pass	401
1765	3000	1	RMS	2948	-49.59	-13	Pass	1236
3000	12000	1	RMS	3501.061	-42.08	-13	Pass	9001
12000	20000	1	RMS	19801	-36.24	-13	Pass	8001




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.02	-13	Pass	2986
30	1000	0.1	RMS	872.215	-63.53	-13	Pass	9700
1000	1700	1	RMS	1699	-52.79	-13	Pass	701
1700	1765	1	RMS	1750.213	21.72	60	Pass	401
1765	3000	1	RMS	2851	-49.56	-13	Pass	1236
3000	12000	1	RMS	11429	-43.12	-13	Pass	9001
12000	20000	1	RMS	19802	-36.31	-13	Pass	8001




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	979.586	-63.45	-13	Pass	9700
1000	1700	1	RMS	1700	-49	-13	Pass	701
1700	1765	1	RMS	1710.563	23.08	60	Pass	401
1765	3000	1	RMS	2944	-49.54	-13	Pass	1236
3000	12000	1	RMS	7322.528	-41.84	-13	Pass	9001
12000	20000	1	RMS	19808	-36.3	-13	Pass	8001




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	995.397	-63.41	-13	Pass	9700
1000	1700	1	RMS	1700	-49.1	-13	Pass	701
1700	1765	1	RMS	1710.563	21.73	60	Pass	401
1765	3000	1	RMS	2954	-49.6	-13	Pass	1236
3000	12000	1	RMS	11900	-43.14	-13	Pass	9001
12000	20000	1	RMS	19803	-36.33	-13	Pass	8001




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2986
30	1000	0.1	RMS	994.496	-63.08	-13	Pass	9700
1000	1700	1	RMS	1700	-52.81	-13	Pass	701
1700	1765	1	RMS	1727.95	22.87	60	Pass	401
1765	3000	1	RMS	2948	-49.51	-13	Pass	1236
3000	12000	1	RMS	7353.531	-42.56	-13	Pass	9001
12000	20000	1	RMS	19849	-35.31	-13	Pass	8001




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-13	Pass	2986
30	1000	0.1	RMS	902.135	-63.46	-13	Pass	9700
1000	1700	1	RMS	1695	-52.85	-13	Pass	701
1700	1765	1	RMS	1727.95	21.59	60	Pass	401
1765	3000	1	RMS	2957	-49.64	-13	Pass	1236
3000	12000	1	RMS	11434	-43.22	-13	Pass	9001
12000	20000	1	RMS	19808	-36.38	-13	Pass	8001




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2986
30	1000	0.1	RMS	855.604	-63.62	-13	Pass	9700
1000	1700	1	RMS	1692	-52.88	-13	Pass	701
1700	1765	1	RMS	1745.5	23.03	60	Pass	401
1765	3000	1	RMS	2952	-49.62	-13	Pass	1236
3000	12000	1	RMS	11426	-43.14	-13	Pass	9001
12000	20000	1	RMS	19801	-36.4	-13	Pass	8001




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.46	-13	Pass	2986
30	1000	0.1	RMS	860.407	-63.31	-13	Pass	9700
1000	1700	1	RMS	1700	-52.91	-13	Pass	701
1700	1765	1	RMS	1745.5	21.54	60	Pass	401
1765	3000	1	RMS	2949	-49.59	-13	Pass	1236
3000	12000	1	RMS	11453	-43.18	-13	Pass	9001
12000	20000	1	RMS	19794	-36.28	-13	Pass	8001




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.54	-13	Pass	2986
30	1000	0.1	RMS	872.515	-63.55	-13	Pass	9700
1000	1700	1	RMS	1700	-42.84	-13	Pass	701
1700	1765	1	RMS	1710.725	22.97	60	Pass	401
1765	3000	1	RMS	2938	-49.65	-13	Pass	1236
3000	12000	1	RMS	11437	-43.16	-13	Pass	9001
12000	20000	1	RMS	19802	-36.38	-13	Pass	8001




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	853.003	-63.55	-13	Pass	9700
1000	1700	1	RMS	1700	-45.89	-13	Pass	701
1700	1765	1	RMS	1710.725	21.67	60	Pass	401
1765	3000	1	RMS	2950	-49.6	-13	Pass	1236
3000	12000	1	RMS	7349.531	-42.33	-13	Pass	9001
12000	20000	1	RMS	19839	-35.19	-13	Pass	8001




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-13	Pass	2986
30	1000	0.1	RMS	892.229	-63.54	-13	Pass	9700
1000	1700	1	RMS	1699	-50.69	-13	Pass	701
1700	1765	1	RMS	1725.838	22.9	60	Pass	401
1765	3000	1	RMS	2945	-49.57	-13	Pass	1236
3000	12000	1	RMS	11439	-43.12	-13	Pass	9001
12000	20000	1	RMS	19804	-36.35	-13	Pass	8001




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.93	-13	Pass	2986
30	1000	0.1	RMS	888.626	-63.48	-13	Pass	9700
1000	1700	1	RMS	1699	-50.94	-13	Pass	701
1700	1765	1	RMS	1725.838	21.44	60	Pass	401
1765	3000	1	RMS	2951	-49.61	-13	Pass	1236
3000	12000	1	RMS	11437	-43.12	-13	Pass	9001
12000	20000	1	RMS	19800	-36.32	-13	Pass	8001




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	Pass	2986
30	1000	0.1	RMS	876.818	-63.48	-13	Pass	9700
1000	1700	1	RMS	1691	-52.87	-13	Pass	701
1700	1765	1	RMS	1740.788	22.98	60	Pass	401
1765	3000	1	RMS	1767	-39.44	-13	Pass	1236
3000	12000	1	RMS	11893	-43.09	-13	Pass	9001
12000	20000	1	RMS	19796	-36.3	-13	Pass	8001




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.97	-13	Pass	2986
30	1000	0.1	RMS	897.632	-63.5	-13	Pass	9700
1000	1700	1	RMS	1694	-52.84	-13	Pass	701
1700	1765	1	RMS	1740.788	21.65	60	Pass	401
1765	3000	1	RMS	1767	-39.51	-13	Pass	1236
3000	12000	1	RMS	11466	-43.15	-13	Pass	9001
12000	20000	1	RMS	19799	-36.34	-13	Pass	8001




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.57	-13	Pass	2986
30	1000	0.1	RMS	903.436	-63.55	-13	Pass	9700
1000	1700	1	RMS	1700	-43.78	-13	Pass	701
1700	1765	1	RMS	1711.05	22.99	60	Pass	401
1765	3000	1	RMS	2940	-49.55	-13	Pass	1236
3000	12000	1	RMS	7347.531	-42.07	-13	Pass	9001
12000	20000	1	RMS	19825	-34.79	-13	Pass	8001




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	1000	0.1	RMS	876.918	-63.66	-13	Pass	9700
1000	1700	1	RMS	1700	-46.52	-13	Pass	701
1700	1765	1	RMS	1711.05	21.69	60	Pass	401
1765	3000	1	RMS	2849	-49.57	-13	Pass	1236
3000	12000	1	RMS	11430	-43.12	-13	Pass	9001
12000	20000	1	RMS	19802	-36.28	-13	Pass	8001




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.05	-13	Pass	2986
30	1000	0.1	RMS	876.118	-63.67	-13	Pass	9700
1000	1700	1	RMS	1688	-52.42	-13	Pass	701
1700	1765	1	RMS	1723.563	22.89	60	Pass	401
1765	3000	1	RMS	2950	-49.67	-13	Pass	1236
3000	12000	1	RMS	11428	-43.11	-13	Pass	9001
12000	20000	1	RMS	19801	-36.27	-13	Pass	8001




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	Pass	2986
30	1000	0.1	RMS	880.621	-63.55	-13	Pass	9700
1000	1700	1	RMS	1688	-52.72	-13	Pass	701
1700	1765	1	RMS	1723.563	21.45	60	Pass	401
1765	3000	1	RMS	2947	-49.63	-13	Pass	1236
3000	12000	1	RMS	11434	-43.06	-13	Pass	9001
12000	20000	1	RMS	19803	-36.36	-13	Pass	8001




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-13	Pass	2986
30	1000	0.1	RMS	886.725	-63.53	-13	Pass	9700
1000	1700	1	RMS	1700	-50.29	-13	Pass	701
1700	1765	1	RMS	1736.075	22.88	60	Pass	401
1765	3000	1	RMS	1767	-36.6	-13	Pass	1236
3000	12000	1	RMS	11435	-43.1	-13	Pass	9001
12000	20000	1	RMS	19799	-36.38	-13	Pass	8001



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2986
30	1000	0.1	RMS	880.421	-63.45	-13	Pass	9700
1000	1700	1	RMS	1700	-51.3	-13	Pass	701
1700	1765	1	RMS	1736.075	21.46	60	Pass	401
1765	3000	1	RMS	1767	-37.9	-13	Pass	1236
3000	12000	1	RMS	7359.532	-42.28	-13	Pass	9001
12000	20000	1	RMS	19798	-36.38	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.38	-72.46	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.91	-13	Pass	7841
814	860	0.1	RMS	824.2	19.97	60	Pass	461
860	1000	0.1	RMS	903	-63.51	-13	Pass	1401
1000	3000	1	RMS	1648	-48.33	-13	Pass	2001
3000	10000	1	RMS	7105	-44.08	-13	Pass	7001




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.99	-13	Pass	7841
814	860	0.1	RMS	824.3	18.44	60	Pass	461
860	1000	0.1	RMS	875	-63.7	-13	Pass	1401
1000	3000	1	RMS	1648	-49.66	-13	Pass	2001
3000	10000	1	RMS	8006	-44.1	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	Pass	2986
30	814	0.1	RMS	724	-63.93	-13	Pass	7841
814	860	0.1	RMS	836.1	19.94	60	Pass	461
860	1000	0.1	RMS	867	-63.55	-13	Pass	1401
1000	3000	1	RMS	1672	-48.74	-13	Pass	2001
3000	10000	1	RMS	8001	-44.08	-13	Pass	7001




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.59	-13	Pass	2986
30	814	0.1	RMS	722.7	-63.97	-13	Pass	7841
814	860	0.1	RMS	836.1	18.39	60	Pass	461
860	1000	0.1	RMS	881.1	-63.65	-13	Pass	1401
1000	3000	1	RMS	2849	-49.58	-13	Pass	2001
3000	10000	1	RMS	7111	-44.09	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2986
30	814	0.1	RMS	471.1	-63.92	-13	Pass	7841
814	860	0.1	RMS	847.9	19.89	60	Pass	461
860	1000	0.1	RMS	873.2	-63.52	-13	Pass	1401
1000	3000	1	RMS	1695	-48.29	-13	Pass	2001
3000	10000	1	RMS	7111	-44.07	-13	Pass	7001




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	Pass	2986
30	814	0.1	RMS	745.5	-63.93	-13	Pass	7841
814	860	0.1	RMS	847.9	18.43	60	Pass	461
860	1000	0.1	RMS	879.3	-63.57	-13	Pass	1401
1000	3000	1	RMS	1695	-49.57	-13	Pass	2001
3000	10000	1	RMS	7201	-42.43	-13	Pass	7001




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.4	-71.88	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.1	-13	Pass	7841
814	860	0.1	RMS	824.2	20.07	60	Pass	461
860	1000	0.1	RMS	892.2	-63.63	-13	Pass	1401
1000	3000	1	RMS	1648	-48.36	-13	Pass	2001
3000	10000	1	RMS	8002	-44.12	-13	Pass	7001




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.49	-13	Pass	7841
814	860	0.1	RMS	824.2	18.63	60	Pass	461
860	1000	0.1	RMS	887.4	-63.55	-13	Pass	1401
1000	3000	1	RMS	1648	-49.66	-13	Pass	2001
3000	10000	1	RMS	8001	-44	-13	Pass	7001




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.71	-13	Pass	2986
30	814	0.1	RMS	742.6	-63.87	-13	Pass	7841
814	860	0.1	RMS	835.2	20.03	60	Pass	461
860	1000	0.1	RMS	976.5	-63.65	-13	Pass	1401
1000	3000	1	RMS	1670	-48.2	-13	Pass	2001
3000	10000	1	RMS	8001	-44.08	-13	Pass	7001




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2986
30	814	0.1	RMS	475.8	-63.88	-13	Pass	7841
814	860	0.1	RMS	835.2	18.45	60	Pass	461
860	1000	0.1	RMS	880.9	-63.73	-13	Pass	1401
1000	3000	1	RMS	2947	-49.64	-13	Pass	2001
3000	10000	1	RMS	7110	-44.03	-13	Pass	7001




10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	Pass	2986
30	814	0.1	RMS	721.2	-63.84	-13	Pass	7841
814	860	0.1	RMS	846.2	19.96	60	Pass	461
860	1000	0.1	RMS	992.4	-63.7	-13	Pass	1401
1000	3000	1	RMS	1692	-48.47	-13	Pass	2001
3000	10000	1	RMS	7108	-44.09	-13	Pass	7001




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2986
30	814	0.1	RMS	474.5	-63.86	-13	Pass	7841
814	860	0.1	RMS	846.2	18.49	60	Pass	461
860	1000	0.1	RMS	974.3	-63.66	-13	Pass	1401
1000	3000	1	RMS	2950	-49.6	-13	Pass	2001
3000	10000	1	RMS	7204	-42.63	-13	Pass	7001




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.54	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.38	-13	Pass	7841
814	860	0.1	RMS	824.3	20.32	60	Pass	461
860	1000	0.1	RMS	891.8	-63.57	-13	Pass	1401
1000	3000	1	RMS	1648	-48.22	-13	Pass	2001
3000	10000	1	RMS	7997	-44.05	-13	Pass	7001




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.1	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.16	-13	Pass	7841
814	860	0.1	RMS	824.3	18.88	60	Pass	461
860	1000	0.1	RMS	879.5	-63.48	-13	Pass	1401
1000	3000	1	RMS	1648	-49.62	-13	Pass	2001
3000	10000	1	RMS	8001	-44.03	-13	Pass	7001




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2986
30	814	0.1	RMS	792.5	-63.92	-13	Pass	7841
814	860	0.1	RMS	834.3	20.24	60	Pass	461
860	1000	0.1	RMS	903.6	-63.65	-13	Pass	1401
1000	3000	1	RMS	1668	-48.1	-13	Pass	2001
3000	10000	1	RMS	7110	-44.05	-13	Pass	7001




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	Pass	2986
30	814	0.1	RMS	723.1	-63.88	-13	Pass	7841
814	860	0.1	RMS	834.3	19	60	Pass	461
860	1000	0.1	RMS	879.7	-63.67	-13	Pass	1401
1000	3000	1	RMS	1668	-49.53	-13	Pass	2001
3000	10000	1	RMS	7110	-44.08	-13	Pass	7001




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	814	0.1	RMS	727	-63.92	-13	Pass	7841
814	860	0.1	RMS	844.3	20.38	60	Pass	461
860	1000	0.1	RMS	862.9	-63.65	-13	Pass	1401
1000	3000	1	RMS	1688	-48.4	-13	Pass	2001
3000	10000	1	RMS	7111	-44.1	-13	Pass	7001




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.74	-13	Pass	2986
30	814	0.1	RMS	492.8	-63.85	-13	Pass	7841
814	860	0.1	RMS	844.3	18.99	60	Pass	461
860	1000	0.1	RMS	862.8	-63.77	-13	Pass	1401
1000	3000	1	RMS	1688	-49.61	-13	Pass	2001
3000	10000	1	RMS	7204	-42.92	-13	Pass	7001




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	814	0.1	RMS	814	-51.21	-13	Pass	7841
814	860	0.1	RMS	824.6	21.16	60	Pass	461
860	1000	0.1	RMS	891.1	-63.85	-13	Pass	1401
1000	3000	1	RMS	1649	-48.23	-13	Pass	2001
3000	10000	1	RMS	7109	-44.2	-13	Pass	7001




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72	-13	Pass	2986
30	814	0.1	RMS	814	-52.67	-13	Pass	7841
814	860	0.1	RMS	824.6	19.63	60	Pass	461
860	1000	0.1	RMS	870.4	-63.66	-13	Pass	1401
1000	3000	1	RMS	2940	-49.7	-13	Pass	2001
3000	10000	1	RMS	7110	-44.14	-13	Pass	7001




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.7	-13	Pass	2986
30	814	0.1	RMS	749.7	-64	-13	Pass	7841
814	860	0.1	RMS	832.1	20.95	60	Pass	461
860	1000	0.1	RMS	862.4	-63.82	-13	Pass	1401
1000	3000	1	RMS	1664	-48.46	-13	Pass	2001
3000	10000	1	RMS	8009	-44.14	-13	Pass	7001




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2986
30	814	0.1	RMS	476.2	-64.2	-13	Pass	7841
814	860	0.1	RMS	832.1	19.68	60	Pass	461
860	1000	0.1	RMS	997.4	-63.82	-13	Pass	1401
1000	3000	1	RMS	2944	-49.7	-13	Pass	2001
3000	10000	1	RMS	7997	-44.2	-13	Pass	7001




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.86	-13	Pass	7841
814	860	0.1	RMS	839.6	21	60	Pass	461
860	1000	0.1	RMS	867.1	-63.82	-13	Pass	1401
1000	3000	1	RMS	1679	-47.88	-13	Pass	2001
3000	10000	1	RMS	7111	-44.14	-13	Pass	7001



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.57	-13	Pass	2986
30	814	0.1	RMS	738.6	-64.07	-13	Pass	7841
814	860	0.1	RMS	839.6	19.66	60	Pass	461
860	1000	0.1	RMS	877.5	-63.93	-13	Pass	1401
1000	3000	1	RMS	1679	-49.18	-13	Pass	2001
3000	10000	1	RMS	7110	-44.17	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.01	-25	Pass	2986
30	1000	0.1	RMS	539.662	-63.64	-25	Pass	9700
1000	2480	1	RMS	2471	-50.99	-25	Pass	1481
2480	2590	1	RMS	2500.075	22.36	60	Pass	401
2590	3000	1	RMS	2950	-49.65	-25	Pass	411
3000	12000	1	RMS	7382.535	-51.89	-25	Pass	9001
12000	26000	1	RMS	25897	-40.2	-25	Pass	14001




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-25	Pass	2986
30	1000	0.1	RMS	882.422	-63.59	-25	Pass	9700
1000	2480	1	RMS	2480	-50.97	-25	Pass	1481
2480	2590	1	RMS	2500.075	20.84	60	Pass	401
2590	3000	1	RMS	2946	-49.68	-25	Pass	411
3000	12000	1	RMS	11598	-52.97	-25	Pass	9001
12000	26000	1	RMS	25899	-40.27	-25	Pass	14001




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-25	Pass	2986
30	1000	0.1	RMS	903.836	-63.72	-25	Pass	9700
1000	2480	1	RMS	2479	-50.96	-25	Pass	1481
2480	2590	1	RMS	2532.8	22.49	60	Pass	401
2590	3000	1	RMS	2950	-49.67	-25	Pass	411
3000	12000	1	RMS	11590	-52.99	-25	Pass	9001
12000	26000	1	RMS	25902	-40.18	-25	Pass	14001




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.37	-25	Pass	2986
30	1000	0.1	RMS	889.026	-63.58	-25	Pass	9700
1000	2480	1	RMS	2480	-51.05	-25	Pass	1481
2480	2590	1	RMS	2532.8	21.18	60	Pass	401
2590	3000	1	RMS	2952	-49.64	-25	Pass	411
3000	12000	1	RMS	11613	-52.97	-25	Pass	9001
12000	26000	1	RMS	25891	-40.16	-25	Pass	14001




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.98	-25	Pass	2986
30	1000	0.1	RMS	999.9	-63.66	-25	Pass	9700
1000	2480	1	RMS	2480	-51.05	-25	Pass	1481
2480	2590	1	RMS	2565.25	22.62	60	Pass	401
2590	3000	1	RMS	2951	-49.67	-25	Pass	411
3000	12000	1	RMS	11609	-52.88	-25	Pass	9001
12000	26000	1	RMS	25902	-40.14	-25	Pass	14001




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.01	-25	Pass	2986
30	1000	0.1	RMS	879.12	-63.61	-25	Pass	9700
1000	2480	1	RMS	2480	-51.01	-25	Pass	1481
2480	2590	1	RMS	2565.25	21.36	60	Pass	401
2590	3000	1	RMS	2951	-49.65	-25	Pass	411
3000	12000	1	RMS	7316.527	-51.44	-25	Pass	9001
12000	26000	1	RMS	25894	-40.2	-25	Pass	14001




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-25	Pass	2986
30	1000	0.1	RMS	885.424	-63.52	-25	Pass	9700
1000	2480	1	RMS	2477	-50.94	-25	Pass	1481
2480	2590	1	RMS	2500.35	22.62	60	Pass	401
2590	3000	1	RMS	2949	-49.63	-25	Pass	411
3000	12000	1	RMS	11520	-52.82	-25	Pass	9001
12000	26000	1	RMS	25906	-40.2	-25	Pass	14001




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.9	-25	Pass	401
0.15	30	0.01	RMS	23.32	-71.84	-25	Pass	2986
30	1000	0.1	RMS	625.873	-62.69	-25	Pass	9700
1000	2480	1	RMS	2480	-50.79	-25	Pass	1481
2480	2590	1	RMS	2500.35	21.17	60	Pass	401
2590	3000	1	RMS	2950	-49.57	-25	Pass	411
3000	12000	1	RMS	11598	-52.9	-25	Pass	9001
12000	26000	1	RMS	25894	-40.16	-25	Pass	14001




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.8	-25	Pass	2986
30	1000	0.1	RMS	888.126	-63.63	-25	Pass	9700
1000	2480	1	RMS	2478	-50.94	-25	Pass	1481
2480	2590	1	RMS	2530.325	22.53	60	Pass	401
2590	3000	1	RMS	2950	-49.64	-25	Pass	411
3000	12000	1	RMS	11593	-52.97	-25	Pass	9001
12000	26000	1	RMS	25879	-40.21	-25	Pass	14001




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-25	Pass	2986
30	1000	0.1	RMS	865.411	-63.55	-25	Pass	9700
1000	2480	1	RMS	2478	-51.01	-25	Pass	1481
2480	2590	1	RMS	2530.325	20.99	60	Pass	401
2590	3000	1	RMS	2951	-49.65	-25	Pass	411
3000	12000	1	RMS	11591	-53.01	-25	Pass	9001
12000	26000	1	RMS	25896	-40.22	-25	Pass	14001




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-25	Pass	2986
30	1000	0.1	RMS	846.6	-63.61	-25	Pass	9700
1000	2480	1	RMS	2478	-50.97	-25	Pass	1481
2480	2590	1	RMS	2560.575	22.57	60	Pass	401
2590	3000	1	RMS	2844	-49.63	-25	Pass	411
3000	12000	1	RMS	7274.522	-51.46	-25	Pass	9001
12000	26000	1	RMS	25890	-40.2	-25	Pass	14001




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-25	Pass	2986
30	1000	0.1	RMS	863.009	-63.57	-25	Pass	9700
1000	2480	1	RMS	2480	-50.93	-25	Pass	1481
2480	2590	1	RMS	2560.575	21.06	60	Pass	401
2590	3000	1	RMS	2950	-49.6	-25	Pass	411
3000	12000	1	RMS	11599	-52.93	-25	Pass	9001
12000	26000	1	RMS	25899	-40.19	-25	Pass	14001




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.38	-25	Pass	2986
30	1000	0.1	RMS	882.622	-63.5	-25	Pass	9700
1000	2480	1	RMS	2477	-50.84	-25	Pass	1481
2480	2590	1	RMS	2500.625	22.58	60	Pass	401
2590	3000	1	RMS	2949	-49.49	-25	Pass	411
3000	12000	1	RMS	11607	-52.86	-25	Pass	9001
12000	26000	1	RMS	25889	-40.16	-25	Pass	14001




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.89	-25	Pass	401
0.15	30	0.01	RMS	23.91	-72.01	-25	Pass	2986
30	1000	0.1	RMS	859.107	-63.6	-25	Pass	9700
1000	2480	1	RMS	2479	-50.81	-25	Pass	1481
2480	2590	1	RMS	2500.625	21.12	60	Pass	401
2590	3000	1	RMS	2950	-49.51	-25	Pass	411
3000	12000	1	RMS	11600	-52.82	-25	Pass	9001
12000	26000	1	RMS	25900	-40.02	-25	Pass	14001




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.81	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.9	-25	Pass	2986
30	1000	0.1	RMS	912.442	-62.17	-25	Pass	9700
1000	2480	1	RMS	2480	-50.78	-25	Pass	1481
2480	2590	1	RMS	2528.125	22.61	60	Pass	401
2590	3000	1	RMS	2949	-49.48	-25	Pass	411
3000	12000	1	RMS	11607	-52.78	-25	Pass	9001
12000	26000	1	RMS	25892	-40.21	-25	Pass	14001




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-25	Pass	2986
30	1000	0.1	RMS	867.712	-63.37	-25	Pass	9700
1000	2480	1	RMS	2478	-50.82	-25	Pass	1481
2480	2590	1	RMS	2528.125	21.1	60	Pass	401
2590	3000	1	RMS	2952	-49.5	-25	Pass	411
3000	12000	1	RMS	7285.523	-51.24	-25	Pass	9001
12000	26000	1	RMS	25901	-40.05	-25	Pass	14001




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.64	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.47	-25	Pass	2986
30	1000	0.1	RMS	995.897	-63.51	-25	Pass	9700
1000	2480	1	RMS	2479	-50.89	-25	Pass	1481
2480	2590	1	RMS	2555.625	22.59	60	Pass	401
2590	3000	1	RMS	2950	-49.62	-25	Pass	411
3000	12000	1	RMS	11600	-52.97	-25	Pass	9001
12000	26000	1	RMS	25898	-40.24	-25	Pass	14001



**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72.43	-25	Pass	2986
30	1000	0.1	RMS	873.016	-63.44	-25	Pass	9700
1000	2480	1	RMS	2480	-50.84	-25	Pass	1481
2480	2590	1	RMS	2555.625	21.15	60	Pass	401
2590	3000	1	RMS	2946	-49.61	-25	Pass	411
3000	12000	1	RMS	11596	-52.95	-25	Pass	9001
12000	26000	1	RMS	25891	-40.22	-25	Pass	14001




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.83	-25	Pass	2986
30	1000	0.1	RMS	886.925	-63.38	-25	Pass	9700
1000	2480	1	RMS	2477	-50.81	-25	Pass	1481
2480	2590	1	RMS	2500.9	22.56	60	Pass	401
2590	3000	1	RMS	2948	-49.5	-25	Pass	411
3000	12000	1	RMS	11600	-52.79	-25	Pass	9001
12000	26000	1	RMS	25897	-40.08	-25	Pass	14001




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.66	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-25	Pass	2986
30	1000	0.1	RMS	904.537	-61.93	-25	Pass	9700
1000	2480	1	RMS	2480	-50.74	-25	Pass	1481
2480	2590	1	RMS	2500.9	21.17	60	Pass	401
2590	3000	1	RMS	2945	-49.48	-25	Pass	411
3000	12000	1	RMS	11607	-52.8	-25	Pass	9001
12000	26000	1	RMS	25882	-40.14	-25	Pass	14001




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-25	Pass	2986
30	1000	0.1	RMS	885.924	-63.58	-25	Pass	9700
1000	2480	1	RMS	2475	-50.94	-25	Pass	1481
2480	2590	1	RMS	2525.925	22.58	60	Pass	401
2590	3000	1	RMS	2948	-49.6	-25	Pass	411
3000	12000	1	RMS	7299.525	-51.12	-25	Pass	9001
12000	26000	1	RMS	25898	-40.14	-25	Pass	14001




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-25	Pass	2986
30	1000	0.1	RMS	964.076	-63.61	-25	Pass	9700
1000	2480	1	RMS	2479	-50.89	-25	Pass	1481
2480	2590	1	RMS	2525.925	21.1	60	Pass	401
2590	3000	1	RMS	2946	-49.62	-25	Pass	411
3000	12000	1	RMS	11609	-52.91	-25	Pass	9001
12000	26000	1	RMS	25908	-40.13	-25	Pass	14001




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.53	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.01	-25	Pass	2986
30	1000	0.1	RMS	859.307	-63.5	-25	Pass	9700
1000	2480	1	RMS	2478	-50.93	-25	Pass	1481
2480	2590	1	RMS	2550.95	22.58	60	Pass	401
2590	3000	1	RMS	2945	-49.56	-25	Pass	411
3000	12000	1	RMS	11523	-52.88	-25	Pass	9001
12000	26000	1	RMS	25890	-40.14	-25	Pass	14001



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.13	-25	Pass	2986
30	1000	0.1	RMS	992.195	-63.51	-25	Pass	9700
1000	2480	1	RMS	2479	-50.82	-25	Pass	1481
2480	2590	1	RMS	2550.95	21.06	60	Pass	401
2590	3000	1	RMS	2951	-49.59	-25	Pass	411
3000	12000	1	RMS	11606	-52.96	-25	Pass	9001
12000	26000	1	RMS	25895	-40.19	-25	Pass	14001



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2986
30	689	0.1	RMS	688.5	-63.48	-13	Pass	6591
689	726	0.1	RMS	699.268	19.9	60	Pass	401
726	1000	0.1	RMS	854	-63.34	-13	Pass	2741
1000	3000	1	RMS	2949	-49.61	-13	Pass	2001
3000	10000	1	RMS	8008	-44	-13	Pass	7001




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	689	0.1	RMS	468.1	-64.02	-13	Pass	6591
689	726	0.1	RMS	699.268	18.34	60	Pass	401
726	1000	0.1	RMS	866.1	-63.38	-13	Pass	2741
1000	3000	1	RMS	2950	-49.59	-13	Pass	2001
3000	10000	1	RMS	7181	-42.28	-13	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2986
30	689	0.1	RMS	480.5	-64.04	-13	Pass	6591
689	726	0.1	RMS	707.038	20	60	Pass	401
726	1000	0.1	RMS	882.1	-63.34	-13	Pass	2741
1000	3000	1	RMS	2950	-49.6	-13	Pass	2001
3000	10000	1	RMS	8009	-43.94	-13	Pass	7001




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.95	-13	Pass	2986
30	689	0.1	RMS	479.7	-63.86	-13	Pass	6591
689	726	0.1	RMS	707.038	18.54	60	Pass	401
726	1000	0.1	RMS	884.2	-63.45	-13	Pass	2741
1000	3000	1	RMS	2948	-49.56	-13	Pass	2001
3000	10000	1	RMS	7110	-44.07	-13	Pass	7001




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.52	-13	Pass	2986
30	689	0.1	RMS	496.1	-64.11	-13	Pass	6591
689	726	0.1	RMS	714.808	19.47	60	Pass	401
726	1000	0.1	RMS	883.2	-63.11	-13	Pass	2741
1000	3000	1	RMS	2949	-49.6	-13	Pass	2001
3000	10000	1	RMS	7107	-44.03	-13	Pass	7001




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.2	-13	Pass	2986
30	689	0.1	RMS	479.1	-64.11	-13	Pass	6591
689	726	0.1	RMS	714.808	18.06	60	Pass	401
726	1000	0.1	RMS	963.2	-63.36	-13	Pass	2741
1000	3000	1	RMS	2952	-49.61	-13	Pass	2001
3000	10000	1	RMS	7105	-44.09	-13	Pass	7001




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-13	Pass	2986
30	689	0.1	RMS	479.2	-63.89	-13	Pass	6591
689	726	0.1	RMS	699.268	19.72	60	Pass	401
726	1000	0.1	RMS	880.1	-63.22	-13	Pass	2741
1000	3000	1	RMS	2948	-49.62	-13	Pass	2001
3000	10000	1	RMS	7109	-44.08	-13	Pass	7001




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.16	-13	Pass	2986
30	689	0.1	RMS	476.2	-64.09	-13	Pass	6591
689	726	0.1	RMS	699.268	18.37	60	Pass	401
726	1000	0.1	RMS	860.5	-63.35	-13	Pass	2741
1000	3000	1	RMS	2950	-49.62	-13	Pass	2001
3000	10000	1	RMS	7208	-42.44	-13	Pass	7001




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.75	-13	Pass	2986
30	689	0.1	RMS	478.1	-63.97	-13	Pass	6591
689	726	0.1	RMS	706.205	19.51	60	Pass	401
726	1000	0.1	RMS	883.5	-63.53	-13	Pass	2741
1000	3000	1	RMS	2943	-49.63	-13	Pass	2001
3000	10000	1	RMS	8004	-44.04	-13	Pass	7001




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.28	-13	Pass	2986
30	689	0.1	RMS	463.6	-63.99	-13	Pass	6591
689	726	0.1	RMS	706.205	18.03	60	Pass	401
726	1000	0.1	RMS	869.7	-63.3	-13	Pass	2741
1000	3000	1	RMS	2951	-49.66	-13	Pass	2001
3000	10000	1	RMS	8003	-44.03	-13	Pass	7001




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.2	-13	Pass	2986
30	689	0.1	RMS	628.4	-64.03	-13	Pass	6591
689	726	0.1	RMS	713.235	19.92	60	Pass	401
726	1000	0.1	RMS	867.6	-63.23	-13	Pass	2741
1000	3000	1	RMS	2945	-49.65	-13	Pass	2001
3000	10000	1	RMS	7110	-44.05	-13	Pass	7001




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	Pass	2986
30	689	0.1	RMS	472.7	-63.97	-13	Pass	6591
689	726	0.1	RMS	713.235	18.53	60	Pass	401
726	1000	0.1	RMS	885.8	-63.33	-13	Pass	2741
1000	3000	1	RMS	2951	-49.6	-13	Pass	2001
3000	10000	1	RMS	8002	-44.06	-13	Pass	7001




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.75	-13	Pass	6591
689	726	0.1	RMS	699.36	19.84	60	Pass	401
726	1000	0.1	RMS	857.4	-63.27	-13	Pass	2741
1000	3000	1	RMS	2948	-49.63	-13	Pass	2001
3000	10000	1	RMS	8001	-44.08	-13	Pass	7001




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.84	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.91	-13	Pass	6591
689	726	0.1	RMS	699.36	18.63	60	Pass	401
726	1000	0.1	RMS	875.6	-63.27	-13	Pass	2741
1000	3000	1	RMS	2949	-49.68	-13	Pass	2001
3000	10000	1	RMS	7223	-42.89	-13	Pass	7001




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	Pass	2986
30	689	0.1	RMS	474	-63.98	-13	Pass	6591
689	726	0.1	RMS	705.373	19.81	60	Pass	401
726	1000	0.1	RMS	839.1	-63.4	-13	Pass	2741
1000	3000	1	RMS	2950	-49.63	-13	Pass	2001
3000	10000	1	RMS	7112	-44.13	-13	Pass	7001




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.01	-13	Pass	2986
30	689	0.1	RMS	492.1	-64.15	-13	Pass	6591
689	726	0.1	RMS	705.373	18.49	60	Pass	401
726	1000	0.1	RMS	899.9	-63.49	-13	Pass	2741
1000	3000	1	RMS	2952	-49.65	-13	Pass	2001
3000	10000	1	RMS	7112	-44.06	-13	Pass	7001




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.3	-13	Pass	2986
30	689	0.1	RMS	479.6	-64.05	-13	Pass	6591
689	726	0.1	RMS	711.293	19.63	60	Pass	401
726	1000	0.1	RMS	853.1	-63.49	-13	Pass	2741
1000	3000	1	RMS	2949	-49.65	-13	Pass	2001
3000	10000	1	RMS	7111	-44.04	-13	Pass	7001




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.64	-13	Pass	2986
30	689	0.1	RMS	467.5	-63.96	-13	Pass	6591
689	726	0.1	RMS	711.385	18.27	60	Pass	401
726	1000	0.1	RMS	840.2	-63.38	-13	Pass	2741
1000	3000	1	RMS	2950	-49.58	-13	Pass	2001
3000	10000	1	RMS	7108	-44.08	-13	Pass	7001




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.32	-13	Pass	2986
30	689	0.1	RMS	688.9	-62.62	-13	Pass	6591
689	726	0.1	RMS	699.545	19.63	60	Pass	401
726	1000	0.1	RMS	848.4	-63.43	-13	Pass	2741
1000	3000	1	RMS	2948	-49.63	-13	Pass	2001
3000	10000	1	RMS	7108	-44.05	-13	Pass	7001




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.61	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.67	-13	Pass	6591
689	726	0.1	RMS	699.638	18.21	60	Pass	401
726	1000	0.1	RMS	875.4	-63.46	-13	Pass	2741
1000	3000	1	RMS	2946	-49.65	-13	Pass	2001
3000	10000	1	RMS	7212	-42.77	-13	Pass	7001




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.13	-13	Pass	2986
30	689	0.1	RMS	469.1	-64.07	-13	Pass	6591
689	726	0.1	RMS	703.06	20.03	60	Pass	401
726	1000	0.1	RMS	826.6	-63.52	-13	Pass	2741
1000	3000	1	RMS	2949	-49.63	-13	Pass	2001
3000	10000	1	RMS	8009	-44.12	-13	Pass	7001




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.32	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.42	-13	Pass	2986
30	689	0.1	RMS	482.9	-63.97	-13	Pass	6591
689	726	0.1	RMS	703.06	18.54	60	Pass	401
726	1000	0.1	RMS	883.6	-63.31	-13	Pass	2741
1000	3000	1	RMS	2949	-49.64	-13	Pass	2001
3000	10000	1	RMS	7107	-44.15	-13	Pass	7001




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.3	-71.27	-13	Pass	2986
30	689	0.1	RMS	478.6	-64.09	-13	Pass	6591
689	726	0.1	RMS	706.575	20.18	60	Pass	401
726	1000	0.1	RMS	853.3	-63.44	-13	Pass	2741
1000	3000	1	RMS	2945	-49.61	-13	Pass	2001
3000	10000	1	RMS	8012	-44.14	-13	Pass	7001



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.51	-13	Pass	2986
30	689	0.1	RMS	472.1	-64.13	-13	Pass	6591
689	726	0.1	RMS	706.575	18.73	60	Pass	401
726	1000	0.1	RMS	868.3	-63.24	-13	Pass	2741
1000	3000	1	RMS	2950	-49.63	-13	Pass	2001
3000	10000	1	RMS	7111	-44.16	-13	Pass	7001



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.97	-13	Pass	2986
30	694	0.1	RMS	693.6	-63.58	-13	Pass	6641
694	726	0.1	RMS	704.32	20.02	60	Pass	401
726	1000	0.1	RMS	886.4	-63.32	-13	Pass	2741
1000	3000	1	RMS	2947	-49.67	-13	Pass	2001
3000	10000	1	RMS	7112	-44.04	-13	Pass	7001




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	Pass	2986
30	694	0.1	RMS	470.6	-64.02	-13	Pass	6641
694	726	0.1	RMS	704.32	18.58	60	Pass	401
726	1000	0.1	RMS	738.7	-63.34	-13	Pass	2741
1000	3000	1	RMS	2951	-49.68	-13	Pass	2001
3000	10000	1	RMS	7223	-42.62	-13	Pass	7001




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	Pass	2986
30	694	0.1	RMS	492.9	-63.94	-13	Pass	6641
694	726	0.1	RMS	707.84	20.2	60	Pass	401
726	1000	0.1	RMS	888.3	-63.51	-13	Pass	2741
1000	3000	1	RMS	2946	-49.65	-13	Pass	2001
3000	10000	1	RMS	8008	-44.12	-13	Pass	7001




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	Pass	2986
30	694	0.1	RMS	468.3	-64.04	-13	Pass	6641
694	726	0.1	RMS	707.84	18.94	60	Pass	401
726	1000	0.1	RMS	881.9	-63.37	-13	Pass	2741
1000	3000	1	RMS	2948	-49.65	-13	Pass	2001
3000	10000	1	RMS	7108	-44.11	-13	Pass	7001




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	Pass	2986
30	694	0.1	RMS	466.5	-64.05	-13	Pass	6641
694	726	0.1	RMS	711.36	19.92	60	Pass	401
726	1000	0.1	RMS	864	-63.47	-13	Pass	2741
1000	3000	1	RMS	2948	-49.65	-13	Pass	2001
3000	10000	1	RMS	8002	-44.16	-13	Pass	7001




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.58	-13	Pass	2986
30	694	0.1	RMS	496.8	-64.06	-13	Pass	6641
694	726	0.1	RMS	711.36	18.81	60	Pass	401
726	1000	0.1	RMS	907.2	-63.4	-13	Pass	2741
1000	3000	1	RMS	2948	-49.65	-13	Pass	2001
3000	10000	1	RMS	8003	-44.07	-13	Pass	7001




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2986
30	694	0.1	RMS	694	-56.18	-13	Pass	6641
694	726	0.1	RMS	704.56	20.11	60	Pass	401
726	1000	0.1	RMS	990.7	-63.31	-13	Pass	2741
1000	3000	1	RMS	2947	-49.65	-13	Pass	2001
3000	10000	1	RMS	8007	-44.11	-13	Pass	7001




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	Pass	2986
30	694	0.1	RMS	694	-56.93	-13	Pass	6641
694	726	0.1	RMS	704.56	18.73	60	Pass	401
726	1000	0.1	RMS	877.9	-63.48	-13	Pass	2741
1000	3000	1	RMS	2947	-49.66	-13	Pass	2001
3000	10000	1	RMS	7214	-42.58	-13	Pass	7001




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.9	-13	Pass	2986
30	694	0.1	RMS	474.8	-63.95	-13	Pass	6641
694	726	0.1	RMS	705.6	20.37	60	Pass	401
726	1000	0.1	RMS	970.4	-63.46	-13	Pass	2741
1000	3000	1	RMS	2946	-49.68	-13	Pass	2001
3000	10000	1	RMS	7108	-44.11	-13	Pass	7001




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2986
30	694	0.1	RMS	483.4	-64.08	-13	Pass	6641
694	726	0.1	RMS	705.6	18.86	60	Pass	401
726	1000	0.1	RMS	992.2	-63.28	-13	Pass	2741
1000	3000	1	RMS	2950	-49.65	-13	Pass	2001
3000	10000	1	RMS	8000	-44.16	-13	Pass	7001




13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.38	-13	Pass	2986
30	694	0.1	RMS	480.5	-64.05	-13	Pass	6641
694	726	0.1	RMS	706.56	20.07	60	Pass	401
726	1000	0.1	RMS	853.3	-63.16	-13	Pass	2741
1000	3000	1	RMS	2941	-49.7	-13	Pass	2001
3000	10000	1	RMS	8000	-44.12	-13	Pass	7001



**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.91	-13	Pass	2986
30	694	0.1	RMS	495.3	-64.17	-13	Pass	6641
694	726	0.1	RMS	706.56	18.68	60	Pass	401
726	1000	0.1	RMS	877.5	-63.38	-13	Pass	2741
1000	3000	1	RMS	2949	-49.67	-13	Pass	2001
3000	10000	1	RMS	8007	-44.14	-13	Pass	7001



14. LTE_Band26(part22)


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.61	-13	Pass	7841
814	860	0.1	RMS	824.3	20.02	60	Pass	461
860	1000	0.1	RMS	876.7	-63.73	-13	Pass	1401
1000	3000	1	RMS	1648	-48.16	-13	Pass	2001
3000	10000	1	RMS	8008	-44.13	-13	Pass	7001




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.98	-13	Pass	7841
814	860	0.1	RMS	824.2	18.5	60	Pass	461
860	1000	0.1	RMS	883.7	-63.72	-13	Pass	1401
1000	3000	1	RMS	1648	-49.52	-13	Pass	2001
3000	10000	1	RMS	7225	-42.59	-13	Pass	7001




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.14	-13	Pass	2986
30	814	0.1	RMS	723.4	-63.99	-13	Pass	7841
814	860	0.1	RMS	836.1	20.07	60	Pass	461
860	1000	0.1	RMS	869.3	-63.61	-13	Pass	1401
1000	3000	1	RMS	1672	-48.59	-13	Pass	2001
3000	10000	1	RMS	8008	-44.1	-13	Pass	7001




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.04	-13	Pass	2986
30	814	0.1	RMS	729.4	-63.94	-13	Pass	7841
814	860	0.1	RMS	836.1	18.47	60	Pass	461
860	1000	0.1	RMS	892.2	-63.72	-13	Pass	1401
1000	3000	1	RMS	2951	-49.68	-13	Pass	2001
3000	10000	1	RMS	7108	-44.1	-13	Pass	7001




14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	Pass	2986
30	814	0.1	RMS	728.4	-63.88	-13	Pass	7841
814	860	0.1	RMS	847.9	20.01	60	Pass	461
860	1000	0.1	RMS	861.9	-63.68	-13	Pass	1401
1000	3000	1	RMS	1695	-48.12	-13	Pass	2001
3000	10000	1	RMS	8005	-44.14	-13	Pass	7001




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	814	0.1	RMS	489.5	-63.92	-13	Pass	7841
814	860	0.1	RMS	847.9	18.58	60	Pass	461
860	1000	0.1	RMS	996.6	-63.66	-13	Pass	1401
1000	3000	1	RMS	1695	-49.45	-13	Pass	2001
3000	10000	1	RMS	7109	-44.06	-13	Pass	7001




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.97	-13	Pass	7841
814	860	0.1	RMS	824.2	20.1	60	Pass	461
860	1000	0.1	RMS	991	-63.72	-13	Pass	1401
1000	3000	1	RMS	1648	-48.11	-13	Pass	2001
3000	10000	1	RMS	8011	-44.02	-13	Pass	7001




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.91	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.87	-13	Pass	7841
814	860	0.1	RMS	824.2	18.71	60	Pass	461
860	1000	0.1	RMS	871.9	-63.69	-13	Pass	1401
1000	3000	1	RMS	1648	-49.47	-13	Pass	2001
3000	10000	1	RMS	7239	-42.5	-13	Pass	7001




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.79	-13	Pass	2986
30	814	0.1	RMS	489.9	-62.21	-13	Pass	7841
814	860	0.1	RMS	835.2	20.03	60	Pass	461
860	1000	0.1	RMS	880.8	-63.53	-13	Pass	1401
1000	3000	1	RMS	1670	-48	-13	Pass	2001
3000	10000	1	RMS	8002	-43.94	-13	Pass	7001




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	Pass	2986
30	814	0.1	RMS	734.4	-61.92	-13	Pass	7841
814	860	0.1	RMS	835.2	18.54	60	Pass	461
860	1000	0.1	RMS	886.8	-61.79	-13	Pass	1401
1000	3000	1	RMS	1670	-49.44	-13	Pass	2001
3000	10000	1	RMS	7110	-43.92	-13	Pass	7001




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	Pass	401
0.15	30	0.01	RMS	15.36	-71.72	-13	Pass	2986
30	814	0.1	RMS	492	-61.84	-13	Pass	7841
814	860	0.1	RMS	846.2	20.17	60	Pass	461
860	1000	0.1	RMS	867.7	-61.78	-13	Pass	1401
1000	3000	1	RMS	1692	-48.3	-13	Pass	2001
3000	10000	1	RMS	8001	-43.87	-13	Pass	7001




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.59	-13	Pass	401
0.15	30	0.01	RMS	1.88	-71.21	-13	Pass	2986
30	814	0.1	RMS	469.3	-61.93	-13	Pass	7841
814	860	0.1	RMS	846.2	18.58	60	Pass	461
860	1000	0.1	RMS	869.7	-61.71	-13	Pass	1401
1000	3000	1	RMS	2947	-49.49	-13	Pass	2001
3000	10000	1	RMS	7110	-43.89	-13	Pass	7001




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.57	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.48	-13	Pass	7841
814	860	0.1	RMS	824.3	20.38	60	Pass	461
860	1000	0.1	RMS	900.1	-63.71	-13	Pass	1401
1000	3000	1	RMS	1648	-48.06	-13	Pass	2001
3000	10000	1	RMS	7109	-43.97	-13	Pass	7001




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.96	-13	Pass	7841
814	860	0.1	RMS	824.3	18.93	60	Pass	461
860	1000	0.1	RMS	868.8	-63.7	-13	Pass	1401
1000	3000	1	RMS	1648	-49.5	-13	Pass	2001
3000	10000	1	RMS	7245	-42.88	-13	Pass	7001




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.17	-13	Pass	2986
30	814	0.1	RMS	473.2	-63.96	-13	Pass	7841
814	860	0.1	RMS	834.3	20.31	60	Pass	461
860	1000	0.1	RMS	993.9	-63.79	-13	Pass	1401
1000	3000	1	RMS	1668	-48.06	-13	Pass	2001
3000	10000	1	RMS	8004	-44.01	-13	Pass	7001




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	814	0.1	RMS	468.8	-63.93	-13	Pass	7841
814	860	0.1	RMS	834.3	19.07	60	Pass	461
860	1000	0.1	RMS	883.1	-63.75	-13	Pass	1401
1000	3000	1	RMS	1668	-49.5	-13	Pass	2001
3000	10000	1	RMS	7109	-43.99	-13	Pass	7001




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	814	0.1	RMS	478.6	-64.04	-13	Pass	7841
814	860	0.1	RMS	844.3	20.42	60	Pass	461
860	1000	0.1	RMS	886.2	-63.67	-13	Pass	1401
1000	3000	1	RMS	1688	-48.29	-13	Pass	2001
3000	10000	1	RMS	7110	-44.05	-13	Pass	7001




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2986
30	814	0.1	RMS	719.6	-63.89	-13	Pass	7841
814	860	0.1	RMS	844.3	19.01	60	Pass	461
860	1000	0.1	RMS	874	-63.59	-13	Pass	1401
1000	3000	1	RMS	1688	-49.53	-13	Pass	2001
3000	10000	1	RMS	7253	-42.3	-13	Pass	7001




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2986
30	814	0.1	RMS	814	-51.06	-13	Pass	7841
814	860	0.1	RMS	824.6	20.9	60	Pass	461
860	1000	0.1	RMS	880.2	-63.47	-13	Pass	1401
1000	3000	1	RMS	1649	-48.18	-13	Pass	2001
3000	10000	1	RMS	8003	-43.96	-13	Pass	7001




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.96	-13	Pass	2986
30	814	0.1	RMS	814	-52.5	-13	Pass	7841
814	860	0.1	RMS	824.6	19.59	60	Pass	461
860	1000	0.1	RMS	892.6	-63.45	-13	Pass	1401
1000	3000	1	RMS	1649	-49.5	-13	Pass	2001
3000	10000	1	RMS	8004	-43.99	-13	Pass	7001




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2986
30	814	0.1	RMS	500.1	-63.8	-13	Pass	7841
814	860	0.1	RMS	832.1	20.93	60	Pass	461
860	1000	0.1	RMS	881.9	-63.58	-13	Pass	1401
1000	3000	1	RMS	1664	-48.45	-13	Pass	2001
3000	10000	1	RMS	7106	-43.99	-13	Pass	7001




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.59	-13	Pass	2986
30	814	0.1	RMS	479	-63.91	-13	Pass	7841
814	860	0.1	RMS	832.1	19.32	60	Pass	461
860	1000	0.1	RMS	872.6	-63.61	-13	Pass	1401
1000	3000	1	RMS	2951	-49.54	-13	Pass	2001
3000	10000	1	RMS	7109	-43.94	-13	Pass	7001




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.35	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.92	-13	Pass	2986
30	814	0.1	RMS	485	-63.84	-13	Pass	7841
814	860	0.1	RMS	839.6	20.86	60	Pass	461
860	1000	0.1	RMS	871.9	-63.45	-13	Pass	1401
1000	3000	1	RMS	1679	-47.86	-13	Pass	2001
3000	10000	1	RMS	7110	-44.09	-13	Pass	7001




**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	814	0.1	RMS	812.8	-63.41	-13	Pass	7841
814	860	0.1	RMS	839.6	19.39	60	Pass	461
860	1000	0.1	RMS	862.4	-63.56	-13	Pass	1401
1000	3000	1	RMS	1679	-49.3	-13	Pass	2001
3000	10000	1	RMS	7252	-42.24	-13	Pass	7001




**14.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2986
30	814	0.1	RMS	813	-52.32	-13	Pass	7841
814	860	0.1	RMS	824.8	20.35	60	Pass	461
860	1000	0.1	RMS	870.3	-63.55	-13	Pass	1401
1000	3000	1	RMS	1649	-48.03	-13	Pass	2001
3000	10000	1	RMS	8002	-44.03	-13	Pass	7001




**14.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.34	-71.94	-13	Pass	2986
30	814	0.1	RMS	813	-53.31	-13	Pass	7841
814	860	0.1	RMS	824.8	19.03	60	Pass	461
860	1000	0.1	RMS	860.9	-63.61	-13	Pass	1401
1000	3000	1	RMS	1649	-49.36	-13	Pass	2001
3000	10000	1	RMS	7110	-43.97	-13	Pass	7001




**14.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	814	0.1	RMS	813.7	-57.93	-13	Pass	7841
814	860	0.1	RMS	829.8	20.33	60	Pass	461
860	1000	0.1	RMS	860.8	-63.65	-13	Pass	1401
1000	3000	1	RMS	1659	-48.38	-13	Pass	2001
3000	10000	1	RMS	7109	-44	-13	Pass	7001




**14.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	Pass	2986
30	814	0.1	RMS	813.7	-58.49	-13	Pass	7841
814	860	0.1	RMS	829.8	18.89	60	Pass	461
860	1000	0.1	RMS	860.2	-63.54	-13	Pass	1401
1000	3000	1	RMS	2947	-49.59	-13	Pass	2001
3000	10000	1	RMS	7111	-44	-13	Pass	7001




**14.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	814	0.1	RMS	811.8	-59.91	-13	Pass	7841
814	860	0.1	RMS	834.8	20.28	60	Pass	461
860	1000	0.1	RMS	867.3	-63.67	-13	Pass	1401
1000	3000	1	RMS	1669	-48.02	-13	Pass	2001
3000	10000	1	RMS	7106	-44.03	-13	Pass	7001



**14.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.55	-13	Pass	2986
30	814	0.1	RMS	811.8	-60.48	-13	Pass	7841
814	860	0.1	RMS	834.8	18.88	60	Pass	461
860	1000	0.1	RMS	881.6	-63.53	-13	Pass	1401
1000	3000	1	RMS	1669	-49.33	-13	Pass	2001
3000	10000	1	RMS	7248	-42.46	-13	Pass	7001



15. LTE_Band26(part90)


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.43	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.95	-13	Pass	2986
30	809	0.1	Peak	809	-50.04	-13	Pass	7791
809	829	0.1	Peak	814.25	25.83	60	Pass	401
829	1000	0.1	Peak	882.7	-51.47	-13	Pass	1711
1000	3000	1	Peak	2533	-37.43	-13	Pass	2001
3000	10000	1	Peak	7025	-31.29	-13	Pass	7001




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.61	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.11	-13	Pass	2986
30	809	0.1	Peak	808.8	-50.89	-13	Pass	7791
809	829	0.1	Peak	814.3	25.91	60	Pass	401
829	1000	0.1	Peak	923	-51.62	-13	Pass	1711
1000	3000	1	Peak	2958	-37.23	-13	Pass	2001
3000	10000	1	Peak	7877	-30.08	-13	Pass	7001




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.77	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.54	-13	Pass	2986
30	809	0.1	Peak	486.6	-51.97	-13	Pass	7791
809	829	0.1	Peak	818.55	26.17	60	Pass	401
829	1000	0.1	Peak	833.9	-51.9	-13	Pass	1711
1000	3000	1	Peak	2880	-36.95	-13	Pass	2001
3000	10000	1	Peak	9382	-30.68	-13	Pass	7001




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.16	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.02	-13	Pass	2986
30	809	0.1	Peak	796.9	-51.63	-13	Pass	7791
809	829	0.1	Peak	818.55	25.86	60	Pass	401
829	1000	0.1	Peak	829.2	-50.98	-13	Pass	1711
1000	3000	1	Peak	2930	-36.48	-13	Pass	2001
3000	10000	1	Peak	8350	-31.26	-13	Pass	7001




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.04	-13	Pass	401
0.15	30	0.01	Peak	0.81	-64.03	-13	Pass	2986
30	809	0.1	Peak	390.3	-51.98	-13	Pass	7791
809	829	0.1	Peak	822.9	25.87	60	Pass	401
829	1000	0.1	Peak	829.2	-47.4	-13	Pass	1711
1000	3000	1	Peak	2825	-36.83	-13	Pass	2001
3000	10000	1	Peak	7681	-30.75	-13	Pass	7001




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-64.32	-13	Pass	401
0.15	30	0.01	Peak	0.27	-62.68	-13	Pass	2986
30	809	0.1	Peak	808.9	-42.94	-13	Pass	7791
809	829	0.1	Peak	822.8	25.79	60	Pass	401
829	1000	0.1	Peak	829.6	-37.61	-13	Pass	1711
1000	3000	1	Peak	2952	-37.45	-13	Pass	2001
3000	10000	1	Peak	7119	-30.53	-13	Pass	7001




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.47	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.68	-13	Pass	2986
30	809	0.1	Peak	809	-43.6	-13	Pass	7791
809	829	0.1	Peak	814.2	25.44	60	Pass	401
829	1000	0.1	Peak	837.6	-51.91	-13	Pass	1711
1000	3000	1	Peak	2542	-37.02	-13	Pass	2001
3000	10000	1	Peak	8789	-31.48	-13	Pass	7001




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.37	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.1	-13	Pass	2986
30	809	0.1	Peak	809	-42.83	-13	Pass	7791
809	829	0.1	Peak	814.25	25.7	60	Pass	401
829	1000	0.1	Peak	858.5	-51.33	-13	Pass	1711
1000	3000	1	Peak	2846	-37.29	-13	Pass	2001
3000	10000	1	Peak	8788	-31.45	-13	Pass	7001




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.56	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.26	-13	Pass	2986
30	809	0.1	Peak	804.5	-51.88	-13	Pass	7791
809	829	0.1	Peak	817.7	26.1	60	Pass	401
829	1000	0.1	Peak	830.7	-46.1	-13	Pass	1711
1000	3000	1	Peak	1636	-36.6	-13	Pass	2001
3000	10000	1	Peak	7645	-30.51	-13	Pass	7001




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.82	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.11	-13	Pass	2986
30	809	0.1	Peak	736.9	-52.31	-13	Pass	7791
809	829	0.1	Peak	817.75	25.81	60	Pass	401
829	1000	0.1	Peak	830.7	-46.39	-13	Pass	1711
1000	3000	1	Peak	2851	-37.08	-13	Pass	2001
3000	10000	1	Peak	9604	-31.33	-13	Pass	7001




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.96	-13	Pass	401
0.15	30	0.01	Peak	0.85	-64.08	-13	Pass	2986
30	809	0.1	Peak	775.4	-51.66	-13	Pass	7791
809	829	0.1	Peak	821.25	26.04	60	Pass	401
829	1000	0.1	Peak	829.7	-45.67	-13	Pass	1711
1000	3000	1	Peak	2851	-36.76	-13	Pass	2001
3000	10000	1	Peak	8354	-31.5	-13	Pass	7001




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.42	-13	Pass	401
0.15	30	0.01	Peak	1.75	-64.24	-13	Pass	2986
30	809	0.1	Peak	794.9	-52.42	-13	Pass	7791
809	829	0.1	Peak	821.25	25.7	60	Pass	401
829	1000	0.1	Peak	829	-44.78	-13	Pass	1711
1000	3000	1	Peak	2915	-36.39	-13	Pass	2001
3000	10000	1	Peak	9421	-31.45	-13	Pass	7001




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.45	-13	Pass	2986
30	809	0.1	Peak	809	-44.61	-13	Pass	7791
809	829	0.1	Peak	814.35	26.52	60	Pass	401
829	1000	0.1	Peak	869.2	-51.09	-13	Pass	1711
1000	3000	1	Peak	2929	-37.41	-13	Pass	2001
3000	10000	1	Peak	8763	-30.29	-13	Pass	7001




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-63.59	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.11	-13	Pass	2986
30	809	0.1	Peak	809	-45.16	-13	Pass	7791
809	829	0.1	Peak	814.3	26.39	60	Pass	401
829	1000	0.1	Peak	900	-51.75	-13	Pass	1711
1000	3000	1	Peak	2808	-35.86	-13	Pass	2001
3000	10000	1	Peak	9300	-31.37	-13	Pass	7001




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.2	-13	Pass	401
0.15	30	0.01	Peak	0.22	-62.48	-13	Pass	2986
30	809	0.1	Peak	808.4	-49.34	-13	Pass	7791
809	829	0.1	Peak	816.85	26.41	60	Pass	401
829	1000	0.1	Peak	940.3	-52.09	-13	Pass	1711
1000	3000	1	Peak	2829	-37.15	-13	Pass	2001
3000	10000	1	Peak	7517	-31.18	-13	Pass	7001




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-66.2	-13	Pass	401
0.15	30	0.01	Peak	0.65	-64.24	-13	Pass	2986
30	809	0.1	Peak	808.4	-51.36	-13	Pass	7791
809	829	0.1	Peak	816.8	25.75	60	Pass	401
829	1000	0.1	Peak	876.9	-51.76	-13	Pass	1711
1000	3000	1	Peak	2951	-36.29	-13	Pass	2001
3000	10000	1	Peak	8031	-31.62	-13	Pass	7001




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.29	-13	Pass	401
0.15	30	0.01	Peak	0.34	-63.61	-13	Pass	2986
30	809	0.1	Peak	792.9	-50.97	-13	Pass	7791
809	829	0.1	Peak	819.3	26.07	60	Pass	401
829	1000	0.1	Peak	829.1	-49.65	-13	Pass	1711
1000	3000	1	Peak	2530	-36.83	-13	Pass	2001
3000	10000	1	Peak	7698	-30.75	-13	Pass	7001




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.05	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.66	-13	Pass	2986
30	809	0.1	Peak	522.7	-52.19	-13	Pass	7791
809	829	0.1	Peak	819.3	25.94	60	Pass	401
829	1000	0.1	Peak	829.7	-38.74	-13	Pass	1711
1000	3000	1	Peak	2965	-36.64	-13	Pass	2001
3000	10000	1	Peak	7704	-31.51	-13	Pass	7001




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.46	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.3	-13	Pass	2986
30	809	0.1	Peak	808.6	-39.32	-13	Pass	7791
809	829	0.1	Peak	814.55	26.51	60	Pass	401
829	1000	0.1	Peak	829.9	-31.68	-13	Pass	1711
1000	3000	1	Peak	2654	-37.06	-13	Pass	2001
3000	10000	1	Peak	7897	-31.2	-13	Pass	7001



**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-65.67	-13	Pass	401
0.15	30	0.01	Peak	0.51	-64.14	-13	Pass	2986
30	809	0.1	Peak	807.6	-40.92	-13	Pass	7791
809	829	0.1	Peak	814.55	26.05	60	Pass	401
829	1000	0.1	Peak	830	-31.77	-13	Pass	1711
1000	3000	1	Peak	2964	-36.51	-13	Pass	2001
3000	10000	1	Peak	7686	-31.46	-13	Pass	7001



16. LTE_Band38


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-25	Pass	2986
30	1000	0.1	RMS	861.108	-63.63	-25	Pass	9700
1000	2550	1	RMS	2547	-49.52	-25	Pass	1551
2550	2640	1	RMS	2570.25	19.13	60	Pass	401
2640	3000	1	RMS	2949.6	-49.39	-25	Pass	401
3000	12000	1	RMS	7391.536	-51.54	-25	Pass	9001
12000	26500	1	RMS	25887	-40.15	-25	Pass	14501




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-25	Pass	2986
30	1000	0.1	RMS	852.502	-63.52	-25	Pass	9700
1000	2550	1	RMS	2545	-49.7	-25	Pass	1551
2550	2640	1	RMS	2570.025	17.64	60	Pass	401
2640	3000	1	RMS	2948.7	-49.58	-25	Pass	401
3000	12000	1	RMS	11602	-52.87	-25	Pass	9001
12000	26500	1	RMS	25901	-40.23	-25	Pass	14501




**16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.13	-25	Pass	2986
30	1000	0.1	RMS	885.124	-63.55	-25	Pass	9700
1000	2550	1	RMS	2550	-50.12	-25	Pass	1551
2550	2640	1	RMS	2592.75	19.31	60	Pass	401
2640	3000	1	RMS	2948.7	-49.57	-25	Pass	401
3000	12000	1	RMS	11608	-52.85	-25	Pass	9001
12000	26500	1	RMS	25901	-40.16	-25	Pass	14501




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-25	Pass	2986
30	1000	0.1	RMS	896.732	-63.61	-25	Pass	9700
1000	2550	1	RMS	2549	-50.16	-25	Pass	1551
2550	2640	1	RMS	2592.75	17.6	60	Pass	401
2640	3000	1	RMS	2951.4	-49.59	-25	Pass	401
3000	12000	1	RMS	11584	-52.87	-25	Pass	9001
12000	26500	1	RMS	25903	-40.11	-25	Pass	14501



**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.98	-25	Pass	2986
30	1000	0.1	RMS	847.9	-63.55	-25	Pass	9700
1000	2550	1	RMS	2517	-50.29	-25	Pass	1551
2550	2640	1	RMS	2615.025	19.21	60	Pass	401
2640	3000	1	RMS	2952.3	-49.55	-25	Pass	401
3000	12000	1	RMS	11598	-52.84	-25	Pass	9001
12000	26500	1	RMS	25896	-40.09	-25	Pass	14501




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-25	Pass	2986
30	1000	0.1	RMS	838.399	-63.43	-25	Pass	9700
1000	2550	1	RMS	2517	-50.3	-25	Pass	1551
2550	2640	1	RMS	2615.025	17.98	60	Pass	401
2640	3000	1	RMS	2949.6	-49.52	-25	Pass	401
3000	12000	1	RMS	7401.537	-51.83	-25	Pass	9001
12000	26500	1	RMS	25901	-40.09	-25	Pass	14501




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.84	-25	Pass	2986
30	1000	0.1	RMS	893.629	-63.63	-25	Pass	9700
1000	2550	1	RMS	2550	-50.28	-25	Pass	1551
2550	2640	1	RMS	2570.475	19.86	60	Pass	401
2640	3000	1	RMS	2941.5	-49.54	-25	Pass	401
3000	12000	1	RMS	11605	-52.81	-25	Pass	9001
12000	26500	1	RMS	25895	-40.15	-25	Pass	14501




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.01	-25	Pass	2986
30	1000	0.1	RMS	987.192	-63.57	-25	Pass	9700
1000	2550	1	RMS	2511	-50.28	-25	Pass	1551
2550	2640	1	RMS	2570.475	17.84	60	Pass	401
2640	3000	1	RMS	2942.4	-49.56	-25	Pass	401
3000	12000	1	RMS	11602	-52.9	-25	Pass	9001
12000	26500	1	RMS	25884	-40.06	-25	Pass	14501




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-25	Pass	2986
30	1000	0.1	RMS	877.919	-63.56	-25	Pass	9700
1000	2550	1	RMS	2548	-50.26	-25	Pass	1551
2550	2640	1	RMS	2590.5	20	60	Pass	401
2640	3000	1	RMS	2951.4	-49.56	-25	Pass	401
3000	12000	1	RMS	11609	-52.87	-25	Pass	9001
12000	26500	1	RMS	25902	-40.11	-25	Pass	14501




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.3	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.81	-25	Pass	2986
30	1000	0.1	RMS	852.502	-63.58	-25	Pass	9700
1000	2550	1	RMS	2549	-50.24	-25	Pass	1551
2550	2640	1	RMS	2590.5	17.73	60	Pass	401
2640	3000	1	RMS	2950.5	-49.57	-25	Pass	401
3000	12000	1	RMS	11599	-52.92	-25	Pass	9001
12000	26500	1	RMS	25895	-40.15	-25	Pass	14501




16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-25	Pass	2986
30	1000	0.1	RMS	731.586	-63.5	-25	Pass	9700
1000	2550	1	RMS	2544	-50.3	-25	Pass	1551
2550	2640	1	RMS	2610.3	19.51	60	Pass	401
2640	3000	1	RMS	2949.6	-49.57	-25	Pass	401
3000	12000	1	RMS	7385.535	-51.6	-25	Pass	9001
12000	26500	1	RMS	25901	-40.08	-25	Pass	14501




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-25	Pass	2986
30	1000	0.1	RMS	990.594	-63.65	-25	Pass	9700
1000	2550	1	RMS	2549	-50.27	-25	Pass	1551
2550	2640	1	RMS	2610.3	17.82	60	Pass	401
2640	3000	1	RMS	2951.4	-49.55	-25	Pass	401
3000	12000	1	RMS	11609	-52.88	-25	Pass	9001
12000	26500	1	RMS	25901	-40.07	-25	Pass	14501




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-25	Pass	2986
30	1000	0.1	RMS	872.616	-63.56	-25	Pass	9700
1000	2550	1	RMS	2545	-49.25	-25	Pass	1551
2550	2640	1	RMS	2570.925	19.09	60	Pass	401
2640	3000	1	RMS	2947.8	-49.56	-25	Pass	401
3000	12000	1	RMS	11601	-52.69	-25	Pass	9001
12000	26500	1	RMS	25908	-40.11	-25	Pass	14501




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.63	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.37	-25	Pass	2986
30	1000	0.1	RMS	880.721	-63.52	-25	Pass	9700
1000	2550	1	RMS	2547	-49.67	-25	Pass	1551
2550	2640	1	RMS	2570.7	18.05	60	Pass	401
2640	3000	1	RMS	2945.1	-49.57	-25	Pass	401
3000	12000	1	RMS	11603	-52.8	-25	Pass	9001
12000	26500	1	RMS	25901	-40.21	-25	Pass	14501



**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.95	-25	Pass	2986
30	1000	0.1	RMS	992.295	-63.49	-25	Pass	9700
1000	2550	1	RMS	2515	-50.25	-25	Pass	1551
2550	2640	1	RMS	2588.25	19.34	60	Pass	401
2640	3000	1	RMS	2945.1	-49.55	-25	Pass	401
3000	12000	1	RMS	11609	-52.87	-25	Pass	9001
12000	26500	1	RMS	25898	-40.15	-25	Pass	14501




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-25	Pass	2986
30	1000	0.1	RMS	871.915	-63.57	-25	Pass	9700
1000	2550	1	RMS	2543	-50.26	-25	Pass	1551
2550	2640	1	RMS	2588.025	17.6	60	Pass	401
2640	3000	1	RMS	2949.6	-49.58	-25	Pass	401
3000	12000	1	RMS	7372.534	-51.84	-25	Pass	9001
12000	26500	1	RMS	25897	-40.2	-25	Pass	14501




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-25	Pass	2986
30	1000	0.1	RMS	869.714	-63.42	-25	Pass	9700
1000	2550	1	RMS	2525	-50.31	-25	Pass	1551
2550	2640	1	RMS	2605.575	19.82	60	Pass	401
2640	3000	1	RMS	2950.5	-49.54	-25	Pass	401
3000	12000	1	RMS	11597	-52.77	-25	Pass	9001
12000	26500	1	RMS	25891	-40.2	-25	Pass	14501




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-25	Pass	2986
30	1000	0.1	RMS	882.422	-63.54	-25	Pass	9700
1000	2550	1	RMS	2545	-50.27	-25	Pass	1551
2550	2640	1	RMS	2605.8	18.56	60	Pass	401
2640	3000	1	RMS	2951.4	-49.52	-25	Pass	401
3000	12000	1	RMS	11599	-52.81	-25	Pass	9001
12000	26500	1	RMS	25903	-40.22	-25	Pass	14501




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-25	Pass	2986
30	1000	0.1	RMS	873.516	-63.55	-25	Pass	9700
1000	2550	1	RMS	2550	-48.82	-25	Pass	1551
2550	2640	1	RMS	2571.15	19.08	60	Pass	401
2640	3000	1	RMS	2950.5	-49.55	-25	Pass	401
3000	12000	1	RMS	11577	-52.84	-25	Pass	9001
12000	26500	1	RMS	25899	-40.14	-25	Pass	14501




**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-25	Pass	2986
30	1000	0.1	RMS	896.732	-63.6	-25	Pass	9700
1000	2550	1	RMS	2550	-49.2	-25	Pass	1551
2550	2640	1	RMS	2571.15	18.07	60	Pass	401
2640	3000	1	RMS	2948.7	-49.54	-25	Pass	401
3000	12000	1	RMS	11595	-52.86	-25	Pass	9001
12000	26500	1	RMS	25899	-40.14	-25	Pass	14501




**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.89	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.1	-25	Pass	2986
30	1000	0.1	RMS	878.119	-63.52	-25	Pass	9700
1000	2550	1	RMS	2517	-50.29	-25	Pass	1551
2550	2640	1	RMS	2586	19.52	60	Pass	401
2640	3000	1	RMS	2948.7	-49.55	-25	Pass	401
3000	12000	1	RMS	7357.532	-51.52	-25	Pass	9001
12000	26500	1	RMS	25907	-40.13	-25	Pass	14501




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.5	-25	Pass	2986
30	1000	0.1	RMS	890.527	-63.46	-25	Pass	9700
1000	2550	1	RMS	2550	-50.1	-25	Pass	1551
2550	2640	1	RMS	2586	18.32	60	Pass	401
2640	3000	1	RMS	2950.5	-49.53	-25	Pass	401
3000	12000	1	RMS	11600	-52.84	-25	Pass	9001
12000	26500	1	RMS	25901	-40.12	-25	Pass	14501




**16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.56	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.56	-25	Pass	2986
30	1000	0.1	RMS	878.119	-63.54	-25	Pass	9700
1000	2550	1	RMS	2515	-50.26	-25	Pass	1551
2550	2640	1	RMS	2600.85	19.76	60	Pass	401
2640	3000	1	RMS	2952.3	-49.53	-25	Pass	401
3000	12000	1	RMS	11521	-52.84	-25	Pass	9001
12000	26500	1	RMS	25891	-40.07	-25	Pass	14501



**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.9	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-25	Pass	2986
30	1000	0.1	RMS	883.923	-63.44	-25	Pass	9700
1000	2550	1	RMS	2519	-50.27	-25	Pass	1551
2550	2640	1	RMS	2601.075	17.93	60	Pass	401
2640	3000	1	RMS	2949.6	-49.54	-25	Pass	401
3000	12000	1	RMS	11610	-52.83	-25	Pass	9001
12000	26500	1	RMS	25904	-40.08	-25	Pass	14501



17. LTE_Band41 full


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-25	Pass	2986
30	1000	0.1	RMS	845.099	-62.08	-25	Pass	9700
1000	2476	1	RMS	2476	-50.81	-25	Pass	1477
2476	2710	1	RMS	2495.89	18.14	60	Pass	401
2710	3000	1	RMS	2949.25	-49.47	-25	Pass	401
3000	12000	1	RMS	7275.522	-50.69	-25	Pass	9001
12000	27000	1	RMS	25901	-39.9	-25	Pass	15001




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.73	-25	Pass	2986
30	1000	0.1	RMS	892.729	-63.39	-25	Pass	9700
1000	2476	1	RMS	2475	-50.9	-25	Pass	1477
2476	2710	1	RMS	2495.89	16.03	60	Pass	401
2710	3000	1	RMS	2948.525	-49.54	-25	Pass	401
3000	12000	1	RMS	7283.523	-51.24	-25	Pass	9001
12000	27000	1	RMS	25880	-40.05	-25	Pass	15001




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.62	-25	Pass	2986
30	1000	0.1	RMS	866.411	-63.56	-25	Pass	9700
1000	2476	1	RMS	2476	-50.8	-25	Pass	1477
2476	2710	1	RMS	2590.66	18.53	60	Pass	401
2710	3000	1	RMS	2950.7	-49.59	-25	Pass	401
3000	12000	1	RMS	11606	-52.84	-25	Pass	9001
12000	27000	1	RMS	25898	-40.07	-25	Pass	15001




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.27	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-25	Pass	2986
30	1000	0.1	RMS	474.754	-63.61	-25	Pass	9700
1000	2476	1	RMS	2473	-50.93	-25	Pass	1477
2476	2710	1	RMS	2590.66	17.18	60	Pass	401
2710	3000	1	RMS	2947.8	-49.63	-25	Pass	401
3000	12000	1	RMS	11611	-52.8	-25	Pass	9001
12000	27000	1	RMS	25872	-40.14	-25	Pass	15001




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.77	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-25	Pass	2986
30	1000	0.1	RMS	854.103	-63.62	-25	Pass	9700
1000	2476	1	RMS	2475	-50.98	-25	Pass	1477
2476	2710	1	RMS	2684.845	18.29	60	Pass	401
2710	3000	1	RMS	2950.7	-49.6	-25	Pass	401
3000	12000	1	RMS	10740.945	-50.98	-25	Pass	9001
12000	27000	1	RMS	25902	-40.05	-25	Pass	15001




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.87	-25	Pass	2986
30	1000	0.1	RMS	884.323	-63.7	-25	Pass	9700
1000	2476	1	RMS	2475	-51.11	-25	Pass	1477
2476	2710	1	RMS	2684.845	15.9	60	Pass	401
2710	3000	1	RMS	2950.7	-49.67	-25	Pass	401
3000	12000	1	RMS	7343.53	-51.81	-25	Pass	9001
12000	27000	1	RMS	25892	-40.12	-25	Pass	15001




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-25	Pass	2986
30	1000	0.1	RMS	873.316	-63.72	-25	Pass	9700
1000	2476	1	RMS	2476	-51.06	-25	Pass	1477
2476	2710	1	RMS	2496.475	18.09	60	Pass	401
2710	3000	1	RMS	2947.075	-49.68	-25	Pass	401
3000	12000	1	RMS	11601	-52.96	-25	Pass	9001
12000	27000	1	RMS	25898	-40.11	-25	Pass	15001




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.77	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.61	-25	Pass	2986
30	1000	0.1	RMS	891.828	-63.64	-25	Pass	9700
1000	2476	1	RMS	2472	-51.07	-25	Pass	1477
2476	2710	1	RMS	2496.475	16.43	60	Pass	401
2710	3000	1	RMS	2952.15	-49.7	-25	Pass	401
3000	12000	1	RMS	11611	-52.89	-25	Pass	9001
12000	27000	1	RMS	25898	-40.19	-25	Pass	15001




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.38	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-25	Pass	2986
30	1000	0.1	RMS	873.416	-63.62	-25	Pass	9700
1000	2476	1	RMS	2475	-51.09	-25	Pass	1477
2476	2710	1	RMS	2588.32	18.36	60	Pass	401
2710	3000	1	RMS	2947.8	-49.67	-25	Pass	401
3000	12000	1	RMS	11602	-52.75	-25	Pass	9001
12000	27000	1	RMS	25898	-40.04	-25	Pass	15001




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-25	Pass	2986
30	1000	0.1	RMS	890.227	-63.67	-25	Pass	9700
1000	2476	1	RMS	2476	-51.1	-25	Pass	1477
2476	2710	1	RMS	2588.32	16.81	60	Pass	401
2710	3000	1	RMS	2948.525	-49.7	-25	Pass	401
3000	12000	1	RMS	7318.527	-51.17	-25	Pass	9001
12000	27000	1	RMS	25900	-40.16	-25	Pass	15001




**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.82	-25	Pass	401
0.15	30	0.01	RMS	0.52	-72.37	-25	Pass	2986
30	1000	0.1	RMS	857.005	-63.76	-25	Pass	9700
1000	2476	1	RMS	2475	-51.11	-25	Pass	1477
2476	2710	1	RMS	2680.165	17.14	60	Pass	401
2710	3000	1	RMS	2950.7	-49.68	-25	Pass	401
3000	12000	1	RMS	10721.943	-51.62	-25	Pass	9001
12000	27000	1	RMS	25898	-40.09	-25	Pass	15001




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.35	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.04	-25	Pass	2986
30	1000	0.1	RMS	876.518	-63.54	-25	Pass	9700
1000	2476	1	RMS	2476	-51.15	-25	Pass	1477
2476	2710	1	RMS	2680.165	15.51	60	Pass	401
2710	3000	1	RMS	2940.55	-49.71	-25	Pass	401
3000	12000	1	RMS	10722.943	-52.5	-25	Pass	9001
12000	27000	1	RMS	25903	-40.09	-25	Pass	15001




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-25	Pass	2986
30	1000	0.1	RMS	874.717	-63.7	-25	Pass	9700
1000	2476	1	RMS	2472	-51.13	-25	Pass	1477
2476	2710	1	RMS	2496.475	17.35	60	Pass	401
2710	3000	1	RMS	2948.525	-49.71	-25	Pass	401
3000	12000	1	RMS	11595	-52.83	-25	Pass	9001
12000	27000	1	RMS	25886	-40.22	-25	Pass	15001




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.97	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-25	Pass	2986
30	1000	0.1	RMS	883.423	-63.52	-25	Pass	9700
1000	2476	1	RMS	2476	-50.95	-25	Pass	1477
2476	2710	1	RMS	2496.475	15.43	60	Pass	401
2710	3000	1	RMS	2949.25	-49.64	-25	Pass	401
3000	12000	1	RMS	7294.524	-50.94	-25	Pass	9001
12000	27000	1	RMS	25904	-40.05	-25	Pass	15001




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.82	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.62	-25	Pass	2986
30	1000	0.1	RMS	889.227	-63.43	-25	Pass	9700
1000	2476	1	RMS	2475	-51.08	-25	Pass	1477
2476	2710	1	RMS	2585.98	17.36	60	Pass	401
2710	3000	1	RMS	2949.25	-49.65	-25	Pass	401
3000	12000	1	RMS	11600	-52.89	-25	Pass	9001
12000	27000	1	RMS	25888	-40.13	-25	Pass	15001




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.58	-25	Pass	2986
30	1000	0.1	RMS	882.222	-63.63	-25	Pass	9700
1000	2476	1	RMS	2472	-51.13	-25	Pass	1477
2476	2710	1	RMS	2585.98	16.8	60	Pass	401
2710	3000	1	RMS	2944.9	-49.68	-25	Pass	401
3000	12000	1	RMS	11523	-52.9	-25	Pass	9001
12000	27000	1	RMS	25902	-40.2	-25	Pass	15001




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.07	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.54	-25	Pass	2986
30	1000	0.1	RMS	883.923	-63.54	-25	Pass	9700
1000	2476	1	RMS	2476	-51.06	-25	Pass	1477
2476	2710	1	RMS	2675.485	18.55	60	Pass	401
2710	3000	1	RMS	2946.35	-49.69	-25	Pass	401
3000	12000	1	RMS	10702.94	-52.7	-25	Pass	9001
12000	27000	1	RMS	25898	-40.11	-25	Pass	15001




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-25	Pass	2986
30	1000	0.1	RMS	983.289	-63.58	-25	Pass	9700
1000	2476	1	RMS	2476	-51.02	-25	Pass	1477
2476	2710	1	RMS	2675.485	16.34	60	Pass	401
2710	3000	1	RMS	2947.075	-49.65	-25	Pass	401
3000	12000	1	RMS	7310.526	-51.28	-25	Pass	9001
12000	27000	1	RMS	25892	-40.18	-25	Pass	15001




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-25	Pass	2986
30	1000	0.1	RMS	889.126	-63.54	-25	Pass	9700
1000	2476	1	RMS	2476	-50.97	-25	Pass	1477
2476	2710	1	RMS	2497.06	17.67	60	Pass	401
2710	3000	1	RMS	2944.175	-49.67	-25	Pass	401
3000	12000	1	RMS	11515	-53	-25	Pass	9001
12000	27000	1	RMS	25899	-40.15	-25	Pass	15001




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-25	Pass	2986
30	1000	0.1	RMS	888.026	-63.71	-25	Pass	9700
1000	2476	1	RMS	2476	-51	-25	Pass	1477
2476	2710	1	RMS	2497.06	15.74	60	Pass	401
2710	3000	1	RMS	2948.525	-49.67	-25	Pass	401
3000	12000	1	RMS	11601	-52.88	-25	Pass	9001
12000	27000	1	RMS	25907	-40.1	-25	Pass	15001




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.73	-25	Pass	2986
30	1000	0.1	RMS	985.29	-63.64	-25	Pass	9700
1000	2476	1	RMS	2475	-51.07	-25	Pass	1477
2476	2710	1	RMS	2583.64	17.06	60	Pass	401
2710	3000	1	RMS	2950.7	-49.66	-25	Pass	401
3000	12000	1	RMS	7296.524	-51.13	-25	Pass	9001
12000	27000	1	RMS	25903	-40.05	-25	Pass	15001




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.94	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.82	-25	Pass	2986
30	1000	0.1	RMS	838.999	-63.54	-25	Pass	9700
1000	2476	1	RMS	2468	-51.11	-25	Pass	1477
2476	2710	1	RMS	2583.64	16.83	60	Pass	401
2710	3000	1	RMS	2951.425	-49.68	-25	Pass	401
3000	12000	1	RMS	11604	-52.99	-25	Pass	9001
12000	27000	1	RMS	25893	-40.07	-25	Pass	15001




**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.55	-25	Pass	2986
30	1000	0.1	RMS	883.723	-63.65	-25	Pass	9700
1000	2476	1	RMS	2474	-51.01	-25	Pass	1477
2476	2710	1	RMS	2670.805	17.11	60	Pass	401
2710	3000	1	RMS	2950.7	-49.65	-25	Pass	401
3000	12000	1	RMS	11593	-52.9	-25	Pass	9001
12000	27000	1	RMS	25898	-40.08	-25	Pass	15001



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.14	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.24	-25	Pass	2986
30	1000	0.1	RMS	876.018	-63.41	-25	Pass	9700
1000	2476	1	RMS	2476	-51.06	-25	Pass	1477
2476	2710	1	RMS	2670.805	15.64	60	Pass	401
2710	3000	1	RMS	2953.6	-49.67	-25	Pass	401
3000	12000	1	RMS	10683.938	-52.53	-25	Pass	9001
12000	27000	1	RMS	25901	-40.13	-25	Pass	15001



18. LTE_Band66


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.22	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.37	-13	Pass	2986
30	1000	0.1	RMS	900.634	-63.37	-13	Pass	9700
1000	1700	1	RMS	1700	-49.08	-13	Pass	701
1700	1790	1	RMS	1710.125	22.72	60	Pass	401
1790	3000	1	RMS	2947	-49.38	-13	Pass	1211
3000	12000	1	RMS	7184.511	-41.43	-13	Pass	9001
12000	20000	1	RMS	19709	-34.96	-13	Pass	8001




18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.73	-13	Pass	2986
30	1000	0.1	RMS	861.608	-63.36	-13	Pass	9700
1000	1700	1	RMS	1700	-52.2	-13	Pass	701
1700	1790	1	RMS	1710.125	21.22	60	Pass	401
1790	3000	1	RMS	2947	-49.4	-13	Pass	1211
3000	12000	1	RMS	11891	-43.01	-13	Pass	9001
12000	20000	1	RMS	19801	-36.16	-13	Pass	8001




18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2986
30	1000	0.1	RMS	986.391	-63.31	-13	Pass	9700
1000	1700	1	RMS	1700	-52.56	-13	Pass	701
1700	1790	1	RMS	1744.325	22.57	60	Pass	401
1790	3000	1	RMS	2948	-49.36	-13	Pass	1211
3000	12000	1	RMS	11438	-43.01	-13	Pass	9001
12000	20000	1	RMS	19796	-36.21	-13	Pass	8001




**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	Pass	2986
30	1000	0.1	RMS	870.614	-63.44	-13	Pass	9700
1000	1700	1	RMS	1698	-52.6	-13	Pass	701
1700	1790	1	RMS	1744.55	21.08	60	Pass	401
1790	3000	1	RMS	2921	-49.41	-13	Pass	1211
3000	12000	1	RMS	11430	-42.93	-13	Pass	9001
12000	20000	1	RMS	19805	-36.21	-13	Pass	8001




18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	1000	0.1	RMS	863.309	-63.38	-13	Pass	9700
1000	1700	1	RMS	1693	-52.6	-13	Pass	701
1700	1790	1	RMS	1778.75	22.83	60	Pass	401
1790	3000	1	RMS	2950	-49.36	-13	Pass	1211
3000	12000	1	RMS	11431	-42.81	-13	Pass	9001
12000	20000	1	RMS	19802	-36.22	-13	Pass	8001




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2986
30	1000	0.1	RMS	864.51	-63.29	-13	Pass	9700
1000	1700	1	RMS	1694	-52.59	-13	Pass	701
1700	1790	1	RMS	1778.75	21.41	60	Pass	401
1790	3000	1	RMS	2839	-49.4	-13	Pass	1211
3000	12000	1	RMS	7209.514	-41.17	-13	Pass	9001
12000	20000	1	RMS	19804	-36.2	-13	Pass	8001




**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	Pass	2986
30	1000	0.1	RMS	863.71	-63.5	-13	Pass	9700
1000	1700	1	RMS	1700	-51.71	-13	Pass	701
1700	1790	1	RMS	1710.125	22.7	60	Pass	401
1790	3000	1	RMS	2955	-49.55	-13	Pass	1211
3000	12000	1	RMS	7209.514	-41.66	-13	Pass	9001
12000	20000	1	RMS	19715	-35.17	-13	Pass	8001




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-13	Pass	2986
30	1000	0.1	RMS	992.495	-63.56	-13	Pass	9700
1000	1700	1	RMS	1700	-51.95	-13	Pass	701
1700	1790	1	RMS	1710.125	21.31	60	Pass	401
1790	3000	1	RMS	2849	-49.56	-13	Pass	1211
3000	12000	1	RMS	11421	-43.06	-13	Pass	9001
12000	20000	1	RMS	19801	-36.22	-13	Pass	8001




**18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.9	-13	Pass	2986
30	1000	0.1	RMS	861.108	-63.32	-13	Pass	9700
1000	1700	1	RMS	1700	-52.55	-13	Pass	701
1700	1790	1	RMS	1743.65	22.62	60	Pass	401
1790	3000	1	RMS	2941	-49.55	-13	Pass	1211
3000	12000	1	RMS	11439	-43.04	-13	Pass	9001
12000	20000	1	RMS	19797	-36.29	-13	Pass	8001




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.85	-13	Pass	2986
30	1000	0.1	RMS	918.046	-63.56	-13	Pass	9700
1000	1700	1	RMS	1696	-52.77	-13	Pass	701
1700	1790	1	RMS	1743.65	21.15	60	Pass	401
1790	3000	1	RMS	2846	-49.52	-13	Pass	1211
3000	12000	1	RMS	11432	-43.14	-13	Pass	9001
12000	20000	1	RMS	19803	-36.31	-13	Pass	8001




18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-13	Pass	2986
30	1000	0.1	RMS	865.01	-63.47	-13	Pass	9700
1000	1700	1	RMS	1699	-52.72	-13	Pass	701
1700	1790	1	RMS	1777.175	22.74	60	Pass	401
1790	3000	1	RMS	2950	-49.5	-13	Pass	1211
3000	12000	1	RMS	11442	-43.11	-13	Pass	9001
12000	20000	1	RMS	19791	-36.31	-13	Pass	8001




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2986
30	1000	0.1	RMS	885.924	-63.5	-13	Pass	9700
1000	1700	1	RMS	1699	-52.76	-13	Pass	701
1700	1790	1	RMS	1777.175	21.32	60	Pass	401
1790	3000	1	RMS	2946	-49.51	-13	Pass	1211
3000	12000	1	RMS	7214.514	-41.99	-13	Pass	9001
12000	20000	1	RMS	19806	-36.25	-13	Pass	8001




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	Pass	2986
30	1000	0.1	RMS	888.726	-63.49	-13	Pass	9700
1000	1700	1	RMS	1700	-51.72	-13	Pass	701
1700	1790	1	RMS	1710.125	22.82	60	Pass	401
1790	3000	1	RMS	2945	-49.44	-13	Pass	1211
3000	12000	1	RMS	11429	-43.04	-13	Pass	9001
12000	20000	1	RMS	19721	-34.98	-13	Pass	8001




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.18	-13	Pass	2986
30	1000	0.1	RMS	869.413	-63.49	-13	Pass	9700
1000	1700	1	RMS	1700	-52.05	-13	Pass	701
1700	1790	1	RMS	1710.125	21.32	60	Pass	401
1790	3000	1	RMS	2947	-49.45	-13	Pass	1211
3000	12000	1	RMS	11430	-43.05	-13	Pass	9001
12000	20000	1	RMS	19794	-36.32	-13	Pass	8001




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	Pass	2986
30	1000	0.1	RMS	853.403	-63.47	-13	Pass	9700
1000	1700	1	RMS	1695	-52.72	-13	Pass	701
1700	1790	1	RMS	1742.75	22.86	60	Pass	401
1790	3000	1	RMS	2948	-49.54	-13	Pass	1211
3000	12000	1	RMS	11435	-43.05	-13	Pass	9001
12000	20000	1	RMS	19803	-36.29	-13	Pass	8001




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-13	Pass	2986
30	1000	0.1	RMS	876.618	-63.54	-13	Pass	9700
1000	1700	1	RMS	1699	-52.73	-13	Pass	701
1700	1790	1	RMS	1742.75	21.52	60	Pass	401
1790	3000	1	RMS	2949	-49.5	-13	Pass	1211
3000	12000	1	RMS	11425	-43.12	-13	Pass	9001
12000	20000	1	RMS	19788	-36.27	-13	Pass	8001




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	1000	0.1	RMS	871.315	-63.46	-13	Pass	9700
1000	1700	1	RMS	1700	-52.74	-13	Pass	701
1700	1790	1	RMS	1775.15	22.93	60	Pass	401
1790	3000	1	RMS	2948	-49.45	-13	Pass	1211
3000	12000	1	RMS	7190.512	-41.58	-13	Pass	9001
12000	20000	1	RMS	19791	-36.29	-13	Pass	8001




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.87	-13	Pass	2986
30	1000	0.1	RMS	900.834	-63.42	-13	Pass	9700
1000	1700	1	RMS	1700	-52.78	-13	Pass	701
1700	1790	1	RMS	1775.15	21.66	60	Pass	401
1790	3000	1	RMS	2950	-49.42	-13	Pass	1211
3000	12000	1	RMS	11438	-43.03	-13	Pass	9001
12000	20000	1	RMS	19804	-36.21	-13	Pass	8001




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2986
30	1000	0.1	RMS	987.792	-63.5	-13	Pass	9700
1000	1700	1	RMS	1700	-48.99	-13	Pass	701
1700	1790	1	RMS	1710.575	22.92	60	Pass	401
1790	3000	1	RMS	2949	-49.47	-13	Pass	1211
3000	12000	1	RMS	11454	-43.04	-13	Pass	9001
12000	20000	1	RMS	19699	-35.39	-13	Pass	8001




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2986
30	1000	0.1	RMS	878.219	-63.46	-13	Pass	9700
1000	1700	1	RMS	1700	-49.83	-13	Pass	701
1700	1790	1	RMS	1710.575	21.57	60	Pass	401
1790	3000	1	RMS	2953	-49.5	-13	Pass	1211
3000	12000	1	RMS	11453	-43.07	-13	Pass	9001
12000	20000	1	RMS	19797	-36.3	-13	Pass	8001




18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.31	-13	Pass	2986
30	1000	0.1	RMS	864.51	-63.47	-13	Pass	9700
1000	1700	1	RMS	1700	-52.72	-13	Pass	701
1700	1790	1	RMS	1740.5	23	60	Pass	401
1790	3000	1	RMS	2948	-49.5	-13	Pass	1211
3000	12000	1	RMS	11430	-43.05	-13	Pass	9001
12000	20000	1	RMS	19801	-36.25	-13	Pass	8001




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.97	-13	Pass	2986
30	1000	0.1	RMS	982.989	-63.62	-13	Pass	9700
1000	1700	1	RMS	1699	-52.72	-13	Pass	701
1700	1790	1	RMS	1740.5	21.47	60	Pass	401
1790	3000	1	RMS	2951	-49.44	-13	Pass	1211
3000	12000	1	RMS	7207.514	-41.4	-13	Pass	9001
12000	20000	1	RMS	19804	-36.31	-13	Pass	8001




**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.91	-13	Pass	2986
30	1000	0.1	RMS	857.005	-63.54	-13	Pass	9700
1000	1700	1	RMS	1699	-52.75	-13	Pass	701
1700	1790	1	RMS	1770.425	23.11	60	Pass	401
1790	3000	1	RMS	2852	-49.48	-13	Pass	1211
3000	12000	1	RMS	11456	-43	-13	Pass	9001
12000	20000	1	RMS	19799	-36.32	-13	Pass	8001




**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2986
30	1000	0.1	RMS	897.832	-63.39	-13	Pass	9700
1000	1700	1	RMS	1692	-52.79	-13	Pass	701
1700	1790	1	RMS	1770.425	21.63	60	Pass	401
1790	3000	1	RMS	2842	-49.48	-13	Pass	1211
3000	12000	1	RMS	11433	-43.08	-13	Pass	9001
12000	20000	1	RMS	19802	-36.29	-13	Pass	8001




**18.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	Pass	2986
30	1000	0.1	RMS	871.615	-63.46	-13	Pass	9700
1000	1700	1	RMS	1700	-41.98	-13	Pass	701
1700	1790	1	RMS	1710.8	22.97	60	Pass	401
1790	3000	1	RMS	2947	-49.51	-13	Pass	1211
3000	12000	1	RMS	11456	-43.07	-13	Pass	9001
12000	20000	1	RMS	19710	-35.02	-13	Pass	8001




**18.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.26	-13	Pass	2986
30	1000	0.1	RMS	878.92	-63.42	-13	Pass	9700
1000	1700	1	RMS	1700	-44.6	-13	Pass	701
1700	1790	1	RMS	1710.8	21.62	60	Pass	401
1790	3000	1	RMS	2853	-49.52	-13	Pass	1211
3000	12000	1	RMS	11433	-43.11	-13	Pass	9001
12000	20000	1	RMS	19799	-36.25	-13	Pass	8001




**18.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.55	-13	Pass	9700
1000	1700	1	RMS	1697	-52.73	-13	Pass	701
1700	1790	1	RMS	1738.25	22.95	60	Pass	401
1790	3000	1	RMS	2949	-49.43	-13	Pass	1211
3000	12000	1	RMS	7211.514	-41.51	-13	Pass	9001
12000	20000	1	RMS	19806	-36.22	-13	Pass	8001




**18.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.75	-13	Pass	2986
30	1000	0.1	RMS	889.827	-63.43	-13	Pass	9700
1000	1700	1	RMS	1700	-52.78	-13	Pass	701
1700	1790	1	RMS	1738.25	21.44	60	Pass	401
1790	3000	1	RMS	2952	-49.5	-13	Pass	1211
3000	12000	1	RMS	11340	-43.12	-13	Pass	9001
12000	20000	1	RMS	19801	-36.32	-13	Pass	8001




**18.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2986
30	1000	0.1	RMS	855.504	-63.53	-13	Pass	9700
1000	1700	1	RMS	1699	-52.71	-13	Pass	701
1700	1790	1	RMS	1765.7	23.05	60	Pass	401
1790	3000	1	RMS	1790	-42.71	-13	Pass	1211
3000	12000	1	RMS	11427	-42.99	-13	Pass	9001
12000	20000	1	RMS	19798	-36.25	-13	Pass	8001




**18.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.18	-13	Pass	2986
30	1000	0.1	RMS	841.399	-63.43	-13	Pass	9700
1000	1700	1	RMS	1699	-52.58	-13	Pass	701
1700	1790	1	RMS	1765.7	21.66	60	Pass	401
1790	3000	1	RMS	1790	-43.12	-13	Pass	1211
3000	12000	1	RMS	11424	-43.05	-13	Pass	9001
12000	20000	1	RMS	19793	-36.31	-13	Pass	8001




18.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.57	-13	Pass	2986
30	1000	0.1	RMS	998.599	-63.47	-13	Pass	9700
1000	1700	1	RMS	1700	-42.99	-13	Pass	701
1700	1790	1	RMS	1711.025	23.03	60	Pass	401
1790	3000	1	RMS	2839	-49.52	-13	Pass	1211
3000	12000	1	RMS	11764	-43.02	-13	Pass	9001
12000	20000	1	RMS	19756	-34.85	-13	Pass	8001




**18.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	1000	0.1	RMS	879.72	-63.38	-13	Pass	9700
1000	1700	1	RMS	1700	-45.5	-13	Pass	701
1700	1790	1	RMS	1711.025	21.62	60	Pass	401
1790	3000	1	RMS	2951	-49.5	-13	Pass	1211
3000	12000	1	RMS	7256.52	-41.92	-13	Pass	9001
12000	20000	1	RMS	19799	-36.2	-13	Pass	8001




**18.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	Pass	2986
30	1000	0.1	RMS	857.205	-63.42	-13	Pass	9700
1000	1700	1	RMS	1700	-50.29	-13	Pass	701
1700	1790	1	RMS	1736	22.92	60	Pass	401
1790	3000	1	RMS	2848	-49.51	-13	Pass	1211
3000	12000	1	RMS	11436	-43.06	-13	Pass	9001
12000	20000	1	RMS	19803	-36.3	-13	Pass	8001




**18.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.31	-13	Pass	2986
30	1000	0.1	RMS	889.927	-63.41	-13	Pass	9700
1000	1700	1	RMS	1700	-51.44	-13	Pass	701
1700	1790	1	RMS	1736	21.43	60	Pass	401
1790	3000	1	RMS	2945	-49.5	-13	Pass	1211
3000	12000	1	RMS	11444	-43.11	-13	Pass	9001
12000	20000	1	RMS	19796	-36.3	-13	Pass	8001




18.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.84	-13	Pass	2986
30	1000	0.1	RMS	905.537	-63.61	-13	Pass	9700
1000	1700	1	RMS	1698	-52.78	-13	Pass	701
1700	1790	1	RMS	1760.975	22.99	60	Pass	401
1790	3000	1	RMS	1792	-40.11	-13	Pass	1211
3000	12000	1	RMS	11434	-43.04	-13	Pass	9001
12000	20000	1	RMS	19801	-36.17	-13	Pass	8001



**18.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-13	Pass	2986
30	1000	0.1	RMS	879.82	-63.53	-13	Pass	9700
1000	1700	1	RMS	1699	-52.58	-13	Pass	701
1700	1790	1	RMS	1760.975	21.59	60	Pass	401
1790	3000	1	RMS	1792	-40.86	-13	Pass	1211
3000	12000	1	RMS	11442	-43	-13	Pass	9001
12000	20000	1	RMS	19802	-36.23	-13	Pass	8001



CA

19. CA_7C


19.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.1	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.17	-25	Pass	2986
30	1000	0.1	RMS	899.633	-63.75	-25	Pass	9700
1000	2490	1	RMS	2488	-47.81	-25	Pass	1491
2490	2580	1	RMS	2518.8	18.49	60	Pass	401
2580	3000	1	RMS	2950	-49.64	-25	Pass	421
3000	12000	1	RMS	11583	-52.98	-25	Pass	9001
12000	26000	1	RMS	25901	-40.26	-25	Pass	14001




**19.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-25	Pass	2986
30	1000	0.1	RMS	985.49	-63.84	-25	Pass	9700
1000	2490	1	RMS	2488	-47.84	-25	Pass	1491
2490	2580	1	RMS	2519.925	18.38	60	Pass	401
2580	3000	1	RMS	2950	-49.62	-25	Pass	421
3000	12000	1	RMS	11600	-52.99	-25	Pass	9001
12000	26000	1	RMS	25885	-40.16	-25	Pass	14001




**19.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.05	-25	Pass	2986
30	1000	0.1	RMS	891.828	-63.8	-25	Pass	9700
1000	2490	1	RMS	2488	-50.41	-25	Pass	1491
2490	2580	1	RMS	2539.05	18.48	60	Pass	401
2580	3000	1	RMS	2584	-49.59	-25	Pass	421
3000	12000	1	RMS	11582	-53.04	-25	Pass	9001
12000	26000	1	RMS	25894	-40.23	-25	Pass	14001




**19.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.22	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.14	-25	Pass	2986
30	1000	0.1	RMS	852.402	-63.67	-25	Pass	9700
1000	2490	1	RMS	2487	-50.45	-25	Pass	1491
2490	2580	1	RMS	2539.05	18.41	60	Pass	401
2580	3000	1	RMS	2583	-49.43	-25	Pass	421
3000	12000	1	RMS	11588	-52.92	-25	Pass	9001
12000	26000	1	RMS	25897	-40.12	-25	Pass	14001




**19.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-25	Pass	2986
30	1000	0.1	RMS	895.13	-63.73	-25	Pass	9700
1000	2490	1	RMS	2490	-50.68	-25	Pass	1491
2490	2580	1	RMS	2559.075	18.63	60	Pass	401
2580	3000	1	RMS	2580	-46.85	-25	Pass	421
3000	12000	1	RMS	11597	-52.94	-25	Pass	9001
12000	26000	1	RMS	25880	-40.24	-25	Pass	14001




**19.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.82	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.83	-25	Pass	2986
30	1000	0.1	RMS	884.423	-63.6	-25	Pass	9700
1000	2490	1	RMS	2489	-50.78	-25	Pass	1491
2490	2580	1	RMS	2558.85	18.65	60	Pass	401
2580	3000	1	RMS	2580	-46.54	-25	Pass	421
3000	12000	1	RMS	11603	-52.96	-25	Pass	9001
12000	26000	1	RMS	25889	-40.22	-25	Pass	14001




**19.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.78	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.78	-25	Pass	2986
30	1000	0.1	RMS	843.799	-63.76	-25	Pass	9700
1000	2490	1	RMS	2488	-47.5	-25	Pass	1491
2490	2580	1	RMS	2520.825	18.5	60	Pass	401
2580	3000	1	RMS	2948	-49.61	-25	Pass	421
3000	12000	1	RMS	11518	-52.87	-25	Pass	9001
12000	26000	1	RMS	25905	-40.26	-25	Pass	14001




**19.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.86	-25	Pass	2986
30	1000	0.1	RMS	903.736	-63.75	-25	Pass	9700
1000	2490	1	RMS	2488	-47.71	-25	Pass	1491
2490	2580	1	RMS	2520.825	18.4	60	Pass	401
2580	3000	1	RMS	2949	-49.61	-25	Pass	421
3000	12000	1	RMS	11607	-52.84	-25	Pass	9001
12000	26000	1	RMS	25897	-40.22	-25	Pass	14001




**19.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.63	-25	Pass	2986
30	1000	0.1	RMS	862.409	-63.8	-25	Pass	9700
1000	2490	1	RMS	2490	-50.58	-25	Pass	1491
2490	2580	1	RMS	2533.875	18.43	60	Pass	401
2580	3000	1	RMS	2587	-47.87	-25	Pass	421
3000	12000	1	RMS	11605	-53.02	-25	Pass	9001
12000	26000	1	RMS	25896	-40.24	-25	Pass	14001




**19.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.5	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.37	-25	Pass	2986
30	1000	0.1	RMS	883.223	-63.75	-25	Pass	9700
1000	2490	1	RMS	2489	-50.6	-25	Pass	1491
2490	2580	1	RMS	2533.875	18.34	60	Pass	401
2580	3000	1	RMS	2587	-47.89	-25	Pass	421
3000	12000	1	RMS	11603	-52.89	-25	Pass	9001
12000	26000	1	RMS	25899	-40.27	-25	Pass	14001




**19.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.89	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.75	-25	Pass	2986
30	1000	0.1	RMS	864.01	-63.68	-25	Pass	9700
1000	2490	1	RMS	2488	-50.77	-25	Pass	1491
2490	2580	1	RMS	2550.975	18.49	60	Pass	401
2580	3000	1	RMS	2581	-42.66	-25	Pass	421
3000	12000	1	RMS	11608	-53.01	-25	Pass	9001
12000	26000	1	RMS	25865	-40.25	-25	Pass	14001



**19.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.22	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.18	-25	Pass	2986
30	1000	0.1	RMS	883.823	-63.72	-25	Pass	9700
1000	2490	1	RMS	2490	-50.68	-25	Pass	1491
2490	2580	1	RMS	2548.95	18.45	60	Pass	401
2580	3000	1	RMS	2581	-42.41	-25	Pass	421
3000	12000	1	RMS	11608	-52.85	-25	Pass	9001
12000	26000	1	RMS	25900	-40.14	-25	Pass	14001



20. CA_38C


20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-25	Pass	2986
30	1000	0.1	RMS	888.826	-64.06	-25	Pass	9700
1000	2560	1	RMS	2515	-50.69	-25	Pass	1561
2560	2630	1	RMS	2583.975	-13.4	60	Pass	401
2630	3000	1	RMS	2945.425	-49.89	-25	Pass	401
3000	12000	1	RMS	11587	-53.24	-25	Pass	9001
12000	26500	1	RMS	25902	-40.36	-25	Pass	14501




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.55	-25	Pass	2986
30	1000	0.1	RMS	883.323	-64.2	-25	Pass	9700
1000	2560	1	RMS	2535	-50.63	-25	Pass	1561
2560	2630	1	RMS	2583.975	-14.33	60	Pass	401
2630	3000	1	RMS	2949.125	-49.91	-25	Pass	401
3000	12000	1	RMS	11520	-53.16	-25	Pass	9001
12000	26500	1	RMS	25901	-40.35	-25	Pass	14501




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.58	-25	Pass	2986
30	1000	0.1	RMS	860.207	-64.12	-25	Pass	9700
1000	2560	1	RMS	2515	-50.63	-25	Pass	1561
2560	2630	1	RMS	2594.125	-13.09	60	Pass	401
2630	3000	1	RMS	2952.825	-49.87	-25	Pass	401
3000	12000	1	RMS	11609	-53.3	-25	Pass	9001
12000	26500	1	RMS	25866	-40.32	-25	Pass	14501




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.55	-25	Pass	2986
30	1000	0.1	RMS	876.218	-63.98	-25	Pass	9700
1000	2560	1	RMS	2560	-50.67	-25	Pass	1561
2560	2630	1	RMS	2595.7	-14.22	60	Pass	401
2630	3000	1	RMS	2947.275	-49.87	-25	Pass	401
3000	12000	1	RMS	11585	-53.23	-25	Pass	9001
12000	26500	1	RMS	25880	-40.31	-25	Pass	14501




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-25	Pass	2986
30	1000	0.1	RMS	864.11	-63.93	-25	Pass	9700
1000	2560	1	RMS	2512	-50.7	-25	Pass	1561
2560	2630	1	RMS	2604.1	-12.34	60	Pass	401
2630	3000	1	RMS	2950.05	-49.91	-25	Pass	401
3000	12000	1	RMS	11520	-53.24	-25	Pass	9001
12000	26500	1	RMS	25902	-40.3	-25	Pass	14501




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.18	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.03	-25	Pass	2986
30	1000	0.1	RMS	866.511	-64.07	-25	Pass	9700
1000	2560	1	RMS	2525	-50.68	-25	Pass	1561
2560	2630	1	RMS	2605.675	-13.61	60	Pass	401
2630	3000	1	RMS	2845.525	-49.92	-25	Pass	401
3000	12000	1	RMS	11522	-53.32	-25	Pass	9001
12000	26500	1	RMS	25897	-40.2	-25	Pass	14501




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-25	Pass	2986
30	1000	0.1	RMS	985.09	-63.53	-25	Pass	9700
1000	2560	1	RMS	2558	-42.57	-25	Pass	1561
2560	2630	1	RMS	2588.875	15.89	60	Pass	401
2630	3000	1	RMS	2642.025	-46.6	-25	Pass	401
3000	12000	1	RMS	11520	-53.1	-25	Pass	9001
12000	26500	1	RMS	25878	-40.23	-25	Pass	14501




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.27	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72	-25	Pass	2986
30	1000	0.1	RMS	866.211	-63.62	-25	Pass	9700
1000	2560	1	RMS	2558	-39.77	-25	Pass	1561
2560	2630	1	RMS	2588.875	17.86	60	Pass	401
2630	3000	1	RMS	2638.325	-49.45	-25	Pass	401
3000	12000	1	RMS	11597	-53.12	-25	Pass	9001
12000	26500	1	RMS	25898	-40.3	-25	Pass	14501




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-25	Pass	2986
30	1000	0.1	RMS	864.01	-63.72	-25	Pass	9700
1000	2560	1	RMS	2542	-44.18	-25	Pass	1561
2560	2630	1	RMS	2593.775	19.05	60	Pass	401
2630	3000	1	RMS	2632.775	-43.1	-25	Pass	401
3000	12000	1	RMS	10375.9	-52.79	-25	Pass	9001
12000	26500	1	RMS	25886	-40.35	-25	Pass	14501




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.69	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-25	Pass	2986
30	1000	0.1	RMS	882.422	-63.58	-25	Pass	9700
1000	2560	1	RMS	2542	-47.23	-25	Pass	1561
2560	2630	1	RMS	2593.95	17.91	60	Pass	401
2630	3000	1	RMS	2632.775	-43.15	-25	Pass	401
3000	12000	1	RMS	10375.9	-53.09	-25	Pass	9001
12000	26500	1	RMS	25898	-40.28	-25	Pass	14501




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.64	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.99	-25	Pass	2986
30	1000	0.1	RMS	993.696	-63.67	-25	Pass	9700
1000	2560	1	RMS	2547	-44.14	-25	Pass	1561
2560	2630	1	RMS	2598.85	18.96	60	Pass	401
2630	3000	1	RMS	2638.325	-42.19	-25	Pass	401
3000	12000	1	RMS	7314.527	-51.63	-25	Pass	9001
12000	26500	1	RMS	25900	-40.32	-25	Pass	14501



**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.32	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.42	-25	Pass	2986
30	1000	0.1	RMS	884.623	-63.67	-25	Pass	9700
1000	2560	1	RMS	2547	-45.72	-25	Pass	1561
2560	2630	1	RMS	2599.025	18.29	60	Pass	401
2630	3000	1	RMS	2638.325	-43.37	-25	Pass	401
3000	12000	1	RMS	10396.903	-52.97	-25	Pass	9001
12000	26500	1	RMS	25893	-40.25	-25	Pass	14501



21. CA_41C_full


21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.89	-25	Pass	2986
30	1000	0.1	RMS	865.911	-63.53	-25	Pass	9700
1000	2486	1	RMS	2485	-46.58	-25	Pass	1487
2486	2700	1	RMS	2514.89	16.58	60	Pass	401
2700	3000	1	RMS	2950.5	-49.58	-25	Pass	401
3000	12000	1	RMS	11610	-52.85	-25	Pass	9001
12000	27000	1	RMS	25902	-40.13	-25	Pass	15001




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-25	Pass	2986
30	1000	0.1	RMS	895.231	-63.74	-25	Pass	9700
1000	2486	1	RMS	2485	-46.67	-25	Pass	1487
2486	2700	1	RMS	2514.89	16.12	60	Pass	401
2700	3000	1	RMS	2951.25	-49.57	-25	Pass	401
3000	12000	1	RMS	11608	-52.94	-25	Pass	9001
12000	27000	1	RMS	25898	-40.14	-25	Pass	15001




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-25	Pass	401
0.15	30	0.01	RMS	0.34	-72.13	-25	Pass	2986
30	1000	0.1	RMS	859.107	-63.61	-25	Pass	9700
1000	2486	1	RMS	2483	-50.74	-25	Pass	1487
2486	2700	1	RMS	2599.955	16.28	60	Pass	401
2700	3000	1	RMS	2949.75	-49.57	-25	Pass	401
3000	12000	1	RMS	11525	-52.98	-25	Pass	9001
12000	27000	1	RMS	25891	-40.25	-25	Pass	15001




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.41	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.67	-25	Pass	2986
30	1000	0.1	RMS	879.92	-63.65	-25	Pass	9700
1000	2486	1	RMS	2486	-50.75	-25	Pass	1487
2486	2700	1	RMS	2599.42	16.85	60	Pass	401
2700	3000	1	RMS	2951.25	-49.61	-25	Pass	401
3000	12000	1	RMS	11596	-53.01	-25	Pass	9001
12000	27000	1	RMS	25879	-40.13	-25	Pass	15001




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.39	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-25	Pass	2986
30	1000	0.1	RMS	879.42	-63.65	-25	Pass	9700
1000	2486	1	RMS	2486	-50.77	-25	Pass	1487
2486	2700	1	RMS	2683.95	16.15	60	Pass	401
2700	3000	1	RMS	2700.75	-44.04	-25	Pass	401
3000	12000	1	RMS	11608	-52.92	-25	Pass	9001
12000	27000	1	RMS	25879	-40.06	-25	Pass	15001




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-25	Pass	2986
30	1000	0.1	RMS	886.124	-63.66	-25	Pass	9700
1000	2486	1	RMS	2485	-50.63	-25	Pass	1487
2486	2700	1	RMS	2683.95	15.92	60	Pass	401
2700	3000	1	RMS	2700	-46.24	-25	Pass	401
3000	12000	1	RMS	11604	-52.65	-25	Pass	9001
12000	27000	1	RMS	25884	-40.09	-25	Pass	15001




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-25	Pass	2986
30	1000	0.1	RMS	874.517	-63.77	-25	Pass	9700
1000	2486	1	RMS	2484	-46.23	-25	Pass	1487
2486	2700	1	RMS	2514.89	14.8	60	Pass	401
2700	3000	1	RMS	2947.5	-49.57	-25	Pass	401
3000	12000	1	RMS	11609	-52.98	-25	Pass	9001
12000	27000	1	RMS	25898	-40.22	-25	Pass	15001




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.95	-25	Pass	2986
30	1000	0.1	RMS	976.284	-63.48	-25	Pass	9700
1000	2486	1	RMS	2484	-44.83	-25	Pass	1487
2486	2700	1	RMS	2514.89	13.64	60	Pass	401
2700	3000	1	RMS	2943.75	-49.35	-25	Pass	401
3000	12000	1	RMS	11617	-52.72	-25	Pass	9001
12000	27000	1	RMS	25898	-40.04	-25	Pass	15001




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.37	-25	Pass	401
0.15	30	0.01	RMS	5.42	-70.22	-25	Pass	2986
30	1000	0.1	RMS	919.146	-61.43	-25	Pass	9700
1000	2486	1	RMS	2485	-50.48	-25	Pass	1487
2486	2700	1	RMS	2591.93	15.25	60	Pass	401
2700	3000	1	RMS	2950.5	-49.29	-25	Pass	401
3000	12000	1	RMS	11600	-52.65	-25	Pass	9001
12000	27000	1	RMS	25891	-40.04	-25	Pass	15001




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.55	-25	Pass	401
0.15	30	0.01	RMS	0.73	-70.19	-25	Pass	2986
30	1000	0.1	RMS	878.019	-61.12	-25	Pass	9700
1000	2486	1	RMS	2481	-50.53	-25	Pass	1487
2486	2700	1	RMS	2591.93	14.35	60	Pass	401
2700	3000	1	RMS	2950.5	-49.32	-25	Pass	401
3000	12000	1	RMS	11522	-52.72	-25	Pass	9001
12000	27000	1	RMS	25898	-40.01	-25	Pass	15001




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-25	Pass	2986
30	1000	0.1	RMS	877.119	-63.57	-25	Pass	9700
1000	2486	1	RMS	2481	-50.63	-25	Pass	1487
2486	2700	1	RMS	2668.97	15.65	60	Pass	401
2700	3000	1	RMS	2701.5	-44.33	-25	Pass	401
3000	12000	1	RMS	11604	-52.87	-25	Pass	9001
12000	27000	1	RMS	25895	-40.22	-25	Pass	15001



**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.7	-25	Pass	401
0.15	30	0.01	RMS	0.5	-72.36	-25	Pass	2986
30	1000	0.1	RMS	883.723	-63.65	-25	Pass	9700
1000	2486	1	RMS	2483	-50.88	-25	Pass	1487
2486	2700	1	RMS	2668.97	14.41	60	Pass	401
2700	3000	1	RMS	2701.5	-45.15	-25	Pass	401
3000	12000	1	RMS	7148.506	-50.77	-25	Pass	9001
12000	27000	1	RMS	25896	-40.06	-25	Pass	15001



END