


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-55.72	-13	Pass	401
0.15	30	0.01	Peak	0.24	-54.4	-13	Pass	2986
30	500	0.1	Peak	300.4	-44.12	-13	Pass	4701
500	1000	0.1	Peak	824.2	32.73	-13	N/A	5001
1000	10000	1	Peak	7994.854	-22.37	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.8	-13	Pass	401
0.15	30	0.01	Peak	0.16	-54.87	-13	Pass	2986
30	500	0.1	Peak	472	-44.14	-13	Pass	4701
500	1000	0.1	Peak	836.6	32.89	-13	N/A	5001
1000	10000	1	Peak	9458	-22.52	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-56.17	-13	Pass	401
0.15	30	0.01	Peak	0.22	-54.56	-13	Pass	2986
30	500	0.1	Peak	267.4	-44.19	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.78	-13	N/A	5001
1000	10000	1	Peak	8831.956	-22.46	-13	Pass	9001



2. GSM_PCS


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.2	-13	Pass	401
0.15	30	0.01	Peak	0.51	-59.14	-13	Pass	2986
30	1000	0.1	Peak	483.655	-47.83	-13	Pass	9700
1000	3000	1	Peak	1850	28.69	-13	N/A	2001
3000	20000	1	Peak	19116.967	-20.79	-13	Pass	17001




2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-59.98	-13	Pass	401
0.15	30	0.01	Peak	0.21	-59.86	-13	Pass	2986
30	1000	0.1	Peak	712.883	-49.37	-13	Pass	9700
1000	3000	1	Peak	1880	29.15	-13	N/A	2001
3000	20000	1	Peak	19789	-20.51	-13	Pass	17001



2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.92	-13	Pass	401
0.15	30	0.01	Peak	0.45	-60.41	-13	Pass	2986
30	1000	0.1	Peak	829.098	-49.64	-13	Pass	9700
1000	3000	1	Peak	1910	29.27	-13	N/A	2001
3000	20000	1	Peak	19277.987	-20.77	-13	Pass	17001




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-54.82	-13	Pass	401
0.15	30	0.01	Peak	0.19	-53.39	-13	Pass	2986
30	500	0.1	Peak	440.4	-43.69	-13	Pass	4701
500	1000	0.1	Peak	824.2	27.49	-13	N/A	5001
1000	10000	1	Peak	7110.746	-22.49	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-55.1	-13	Pass	401
0.15	30	0.01	Peak	0.2	-54.15	-13	Pass	2986
30	500	0.1	Peak	367	-44.3	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.67	-13	N/A	5001
1000	10000	1	Peak	8028.858	-22.59	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-55.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.72	-13	Pass	2986
30	500	0.1	Peak	344.9	-43.9	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.42	-13	N/A	5001
1000	10000	1	Peak	7998.854	-21.79	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.57	-13	Pass	401
0.15	30	0.01	Peak	1.36	-59.16	-13	Pass	2986
30	1000	0.1	Peak	705.282	-48.3	-13	Pass	9700
1000	3000	1	Peak	1850	27.5	-13	N/A	2001
3000	20000	1	Peak	19759	-20.57	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-60.65	-13	Pass	401
0.15	30	0.01	Peak	1.91	-59.52	-13	Pass	2986
30	1000	0.1	Peak	937.859	-47.73	-13	Pass	9700
1000	3000	1	Peak	1880	27.42	-13	N/A	2001
3000	20000	1	Peak	19781	-21.12	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-62.05	-13	Pass	401
0.15	30	0.01	Peak	0.37	-60.12	-13	Pass	2986
30	1000	0.1	Peak	849.8	-48.29	-13	Pass	9700
1000	3000	1	Peak	1910	27.23	-13	N/A	2001
3000	20000	1	Peak	19702	-20.01	-13	Pass	17001




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.06	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.64	-13	Pass	2986
30	1000	0.1	Peak	535.862	-54.26	-13	Pass	9700
1000	3000	1	Peak	1854	23.57	-13	N/A	2001
3000	20000	1	Peak	19796	-25.67	-13	Pass	17001




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.68	-13	Pass	401
0.15	30	0.01	Peak	0.22	-65.23	-13	Pass	2986
30	1000	0.1	Peak	749.588	-54.23	-13	Pass	9700
1000	3000	1	Peak	1881	23.46	-13	N/A	2001
3000	20000	1	Peak	19859	-25.29	-13	Pass	17001



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.67	-13	Pass	2986
30	1000	0.1	Peak	840.999	-53.84	-13	Pass	9700
1000	3000	1	Peak	1906	22.95	-13	N/A	2001
3000	20000	1	Peak	19120.968	-25.7	-13	Pass	17001



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.64	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.5	-13	Pass	2986
30	1000	0.1	Peak	949.867	-53.85	-13	Pass	9700
1000	3000	1	Peak	1714	23.45	-13	N/A	2001
3000	20000	1	Peak	19356.997	-24.88	-13	Pass	17001




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.73	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.54	-13	Pass	2986
30	1000	0.1	Peak	874.016	-53.73	-13	Pass	9700
1000	3000	1	Peak	1734	23.22	-13	N/A	2001
3000	20000	1	Peak	19470	-24.86	-13	Pass	17001



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.3	-13	Pass	2986
30	1000	0.1	Peak	751.588	-53.68	-13	Pass	9700
1000	3000	1	Peak	1754	23.33	-13	N/A	2001
3000	20000	1	Peak	19603	-25.75	-13	Pass	17001



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.05	-13	Pass	401
0.15	30	0.01	Peak	0.18	-62.3	-13	Pass	2986
30	500	0.1	Peak	456.4	-53.9	-13	Pass	4701
500	1000	0.1	Peak	827.1	18.12	-13	N/A	5001
1000	10000	1	Peak	7693.817	-32.76	-13	Pass	9001




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.6	-13	Pass	401
0.15	30	0.01	Peak	0.48	-63.48	-13	Pass	2986
30	500	0.1	Peak	470.3	-53.56	-13	Pass	4701
500	1000	0.1	Peak	837.1	18	-13	N/A	5001
1000	10000	1	Peak	9684	-32.72	-13	Pass	9001



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.2	-13	Pass	401
0.15	30	0.01	Peak	0.25	-64.39	-13	Pass	2986
30	500	0.1	Peak	470.3	-54.14	-13	Pass	4701
500	1000	0.1	Peak	847.2	18.05	-13	N/A	5001
1000	10000	1	Peak	7021.735	-32.64	-13	Pass	9001




LTE

8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.81	-13	Pass	2985
30	1000	0.1	RMS	979.373	-65.69	-13	Pass	9699
1000	1840	1	RMS	1806.961	-53.68	-13	Pass	840
1840	1920	1	RMS	1850.2	3.75	60	Pass	401
1920	3000	1	RMS	2952.956	-50.51	-13	Pass	1080
3000	12000	1	RMS	11015.979	-44.3	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.87	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	873.332	-65.66	-13	Pass	9699
1000	1840	1	RMS	1819.976	-53.61	-13	Pass	840
1840	1920	1	RMS	1850.2	2.84	60	Pass	401
1920	3000	1	RMS	2952.956	-50.39	-13	Pass	1080
3000	12000	1	RMS	11124.992	-44.38	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.87	-13	Pass	8000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	Pass	2985
30	1000	0.1	RMS	999.7	-65.66	-13	Pass	9699
1000	1840	1	RMS	1807.962	-53.57	-13	Pass	840
1840	1920	1	RMS	1879.4	2.71	60	Pass	401
1920	3000	1	RMS	2954.958	-50.4	-13	Pass	1080
3000	12000	1	RMS	11015.979	-44.31	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.87	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	Pass	2985
30	1000	0.1	RMS	877.838	-65.74	-13	Pass	9699
1000	1840	1	RMS	1803.957	-53.66	-13	Pass	840
1840	1920	1	RMS	1879.4	1.89	60	Pass	401
1920	3000	1	RMS	2951.956	-50.47	-13	Pass	1080
3000	12000	1	RMS	11009.978	-44.36	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.82	-13	Pass	8000




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.34	-13	Pass	2985
30	1000	0.1	RMS	894.46	-65.67	-13	Pass	9699
1000	1840	1	RMS	1804.958	-53.64	-13	Pass	840
1840	1920	1	RMS	1908.8	-3.97	60	Pass	401
1920	3000	1	RMS	2951.956	-50.51	-13	Pass	1080
3000	12000	1	RMS	11009.978	-44.2	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.84	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	Pass	2985
30	1000	0.1	RMS	993.091	-65.55	-13	Pass	9699
1000	1840	1	RMS	1800.954	-53.57	-13	Pass	840
1840	1920	1	RMS	1908.8	-4.74	60	Pass	401
1920	3000	1	RMS	2954.958	-50.51	-13	Pass	1080
3000	12000	1	RMS	11014.978	-44.32	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.8	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	Pass	2985
30	1000	0.1	RMS	878.138	-65.67	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.66	-13	Pass	840
1840	1920	1	RMS	1850.2	2	60	Pass	401
1920	3000	1	RMS	2946.951	-50.51	-13	Pass	1080
3000	12000	1	RMS	11011.978	-44.29	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.8	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2985
30	1000	0.1	RMS	878.138	-65.53	-13	Pass	9699
1000	1840	1	RMS	1814.97	-53.69	-13	Pass	840
1840	1920	1	RMS	1850.2	1.22	60	Pass	401
1920	3000	1	RMS	2953.957	-50.55	-13	Pass	1080
3000	12000	1	RMS	11872.843	-44.31	-13	Pass	9000
12000	20000	1	RMS	19807.976	-36.86	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2985
30	1000	0.1	RMS	901.269	-65.79	-13	Pass	9699
1000	1840	1	RMS	1805.959	-53.63	-13	Pass	840
1840	1920	1	RMS	1878.6	2.83	60	Pass	401
1920	3000	1	RMS	2943.948	-50.52	-13	Pass	1080
3000	12000	1	RMS	11128.992	-44.35	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.85	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.36	-13	Pass	2985
30	1000	0.1	RMS	867.424	-65.71	-13	Pass	9699
1000	1840	1	RMS	1822.98	-53.6	-13	Pass	840
1840	1920	1	RMS	1878.6	2.02	60	Pass	401
1920	3000	1	RMS	2948.953	-50.5	-13	Pass	1080
3000	12000	1	RMS	11022.979	-44.24	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.83	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	Pass	2985
30	1000	0.1	RMS	875.735	-65.63	-13	Pass	9699
1000	1840	1	RMS	1832.992	-53.69	-13	Pass	840
1840	1920	1	RMS	1907.2	-2.57	60	Pass	401
1920	3000	1	RMS	2952.956	-50.55	-13	Pass	1080
3000	12000	1	RMS	11126.992	-44.38	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.82	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.38	-72.01	-13	Pass	2985
30	1000	0.1	RMS	894.66	-65.66	-13	Pass	9699
1000	1840	1	RMS	1785.936	-53.62	-13	Pass	840
1840	1920	1	RMS	1907.2	-3.14	60	Pass	401
1920	3000	1	RMS	2955.959	-50.45	-13	Pass	1080
3000	12000	1	RMS	11016.979	-44.37	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.76	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2985
30	1000	0.1	RMS	878.939	-65.68	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.66	-13	Pass	840
1840	1920	1	RMS	1850.2	2.15	60	Pass	401
1920	3000	1	RMS	2949.954	-50.44	-13	Pass	1080
3000	12000	1	RMS	11116.991	-44.31	-13	Pass	9000
12000	20000	1	RMS	19810.976	-36.82	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.36	-72.45	-13	Pass	2985
30	1000	0.1	RMS	875.935	-65.68	-13	Pass	9699
1000	1840	1	RMS	1806.961	-53.64	-13	Pass	840
1840	1920	1	RMS	1850.2	1.32	60	Pass	401
1920	3000	1	RMS	2845.857	-50.49	-13	Pass	1080
3000	12000	1	RMS	11126.992	-44.33	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.86	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2985
30	1000	0.1	RMS	726.485	-65.69	-13	Pass	9699
1000	1840	1	RMS	1798.951	-53.57	-13	Pass	840
1840	1920	1	RMS	1877.8	2.92	60	Pass	401
1920	3000	1	RMS	2947.952	-50.47	-13	Pass	1080
3000	12000	1	RMS	11125.992	-44.28	-13	Pass	9000
12000	20000	1	RMS	19807.976	-36.87	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2985
30	1000	0.1	RMS	857.211	-65.73	-13	Pass	9699
1000	1840	1	RMS	1802.956	-53.58	-13	Pass	840
1840	1920	1	RMS	1877.8	2.16	60	Pass	401
1920	3000	1	RMS	2959.963	-50.47	-13	Pass	1080
3000	12000	1	RMS	11012.978	-44.28	-13	Pass	9000
12000	20000	1	RMS	19788.974	-36.81	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.13	-13	Pass	2985
30	1000	0.1	RMS	871.73	-65.61	-13	Pass	9699
1000	1840	1	RMS	1827.986	-53.67	-13	Pass	840
1840	1920	1	RMS	1905.2	-0.73	60	Pass	401
1920	3000	1	RMS	2961.965	-50.52	-13	Pass	1080
3000	12000	1	RMS	11860.828	-44.35	-13	Pass	9000
12000	20000	1	RMS	19807.976	-36.76	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2985
30	1000	0.1	RMS	847.2	-65.56	-13	Pass	9699
1000	1840	1	RMS	1796.949	-53.59	-13	Pass	840
1840	1920	1	RMS	1905.2	-1.48	60	Pass	401
1920	3000	1	RMS	2949.954	-50.44	-13	Pass	1080
3000	12000	1	RMS	11124.992	-44.36	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.77	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	1000	0.1	RMS	976.969	-65.55	-13	Pass	9699
1000	1840	1	RMS	1792.944	-53.64	-13	Pass	840
1840	1920	1	RMS	1850.4	2.54	60	Pass	401
1920	3000	1	RMS	2952.956	-50.45	-13	Pass	1080
3000	12000	1	RMS	11341.185	-44.31	-13	Pass	9000
12000	20000	1	RMS	19814.977	-36.89	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2985
30	1000	0.1	RMS	856.309	-65.47	-13	Pass	9699
1000	1840	1	RMS	1805.959	-53.59	-13	Pass	840
1840	1920	1	RMS	1850.4	1.8	60	Pass	401
1920	3000	1	RMS	2951.956	-50.51	-13	Pass	1080
3000	12000	1	RMS	11640.555	-44.33	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.77	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	861.516	-65.63	-13	Pass	9699
1000	1840	1	RMS	1811.967	-53.48	-13	Pass	840
1840	1920	1	RMS	1875.4	3.19	60	Pass	401
1920	3000	1	RMS	2947.952	-50.46	-13	Pass	1080
3000	12000	1	RMS	11009.978	-44.3	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.84	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	Pass	2985
30	1000	0.1	RMS	883.145	-65.13	-13	Pass	9699
1000	1840	1	RMS	1828.987	-53.59	-13	Pass	840
1840	1920	1	RMS	1875.4	2.24	60	Pass	401
1920	3000	1	RMS	2953.957	-50.48	-13	Pass	1080
3000	12000	1	RMS	11014.978	-44.3	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.86	-13	Pass	8000




8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2985
30	1000	0.1	RMS	1000	-65.71	-13	Pass	9699
1000	1840	1	RMS	1794.946	-53.61	-13	Pass	840
1840	1920	1	RMS	1900.4	-0.55	60	Pass	401
1920	3000	1	RMS	2950.955	-50.57	-13	Pass	1080
3000	12000	1	RMS	11125.992	-44.38	-13	Pass	9000
12000	20000	1	RMS	19791.974	-36.85	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	1000	0.1	RMS	884.847	-65.59	-13	Pass	9699
1000	1840	1	RMS	1800.954	-53.63	-13	Pass	840
1840	1920	1	RMS	1900.4	-1.31	60	Pass	401
1920	3000	1	RMS	2950.955	-50.51	-13	Pass	1080
3000	12000	1	RMS	11122.992	-44.32	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.86	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-13	Pass	2985
30	1000	0.1	RMS	919.093	-65.78	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.39	-13	Pass	840
1840	1920	1	RMS	1850.8	3.69	60	Pass	401
1920	3000	1	RMS	2947.952	-50.44	-13	Pass	1080
3000	12000	1	RMS	11012.978	-44.27	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.89	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	Pass	2985
30	1000	0.1	RMS	876.236	-65.66	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.57	-13	Pass	840
1840	1920	1	RMS	1850.8	2.86	60	Pass	401
1920	3000	1	RMS	2944.949	-50.49	-13	Pass	1080
3000	12000	1	RMS	11125.992	-44.28	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.85	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.3	-71.93	-13	Pass	2985
30	1000	0.1	RMS	994.593	-65.31	-13	Pass	9699
1000	1840	1	RMS	1817.974	-53.57	-13	Pass	840
1840	1920	1	RMS	1873.2	3.43	60	Pass	401
1920	3000	1	RMS	2949.954	-50.46	-13	Pass	1080
3000	12000	1	RMS	11009.978	-44.29	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.84	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	Pass	2985
30	1000	0.1	RMS	861.216	-65.26	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.45	-13	Pass	840
1840	1920	1	RMS	1873.2	21.64	60	Pass	401
1920	3000	1	RMS	2956.96	-50.44	-13	Pass	1080
3000	12000	1	RMS	11120.991	-44.22	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.8	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2985
30	1000	0.1	RMS	884.647	-65.12	-13	Pass	9699
1000	1840	1	RMS	1806.961	-53.49	-13	Pass	840
1840	1920	1	RMS	1895.8	21.53	60	Pass	401
1920	3000	1	RMS	2947.952	-50.39	-13	Pass	1080
3000	12000	1	RMS	11126.992	-44.23	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.81	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.18	-13	Pass	2985
30	1000	0.1	RMS	993.692	-65.3	-13	Pass	9699
1000	1840	1	RMS	1810.965	-53.42	-13	Pass	840
1840	1920	1	RMS	1895.8	20.76	60	Pass	401
1920	3000	1	RMS	2949.954	-50.45	-13	Pass	1080
3000	12000	1	RMS	11878.85	-44.23	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.75	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.11	-13	Pass	2985
30	1000	0.1	RMS	869.727	-65.3	-13	Pass	9699
1000	1840	1	RMS	1840	-44.22	-13	Pass	840
1840	1920	1	RMS	1851	22.27	60	Pass	401
1920	3000	1	RMS	2946.951	-50.34	-13	Pass	1080
3000	12000	1	RMS	11637.551	-44.25	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.8	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2985
30	1000	0.1	RMS	888.552	-65.16	-13	Pass	9699
1000	1840	1	RMS	1840	-49.86	-13	Pass	840
1840	1920	1	RMS	1851	21.49	60	Pass	401
1920	3000	1	RMS	2951.956	-50.33	-13	Pass	1080
3000	12000	1	RMS	11127.992	-44.22	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.82	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.2	-13	Pass	2985
30	1000	0.1	RMS	872.13	-65.16	-13	Pass	9699
1000	1840	1	RMS	1840	-53.24	-13	Pass	840
1840	1920	1	RMS	1871	22.56	60	Pass	401
1920	3000	1	RMS	2946.951	-50.38	-13	Pass	1080
3000	12000	1	RMS	11009.978	-44.12	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.76	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	Pass	2985
30	1000	0.1	RMS	997.497	-65.01	-13	Pass	9699
1000	1840	1	RMS	1840	-53.41	-13	Pass	840
1840	1920	1	RMS	1871	21.93	60	Pass	401
1920	3000	1	RMS	2948.953	-50.41	-13	Pass	1080
3000	12000	1	RMS	11876.848	-44.18	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.81	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-13	Pass	2985
30	1000	0.1	RMS	867.024	-64.83	-13	Pass	9699
1000	1840	1	RMS	1816.973	-53.32	-13	Pass	840
1840	1920	1	RMS	1891	22.38	60	Pass	401
1920	3000	1	RMS	2948.953	-50.32	-13	Pass	1080
3000	12000	1	RMS	11013.978	-44.22	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.78	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.74	-13	Pass	2985
30	1000	0.1	RMS	992.891	-65.24	-13	Pass	9699
1000	1840	1	RMS	1802.956	-53.43	-13	Pass	840
1840	1920	1	RMS	1891	21.49	60	Pass	401
1920	3000	1	RMS	2950.955	-50.39	-13	Pass	1080
3000	12000	1	RMS	11123.992	-44.12	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.81	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2985
30	1000	0.1	RMS	869.126	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-50.24	-13	Pass	700
1700	1765	1	RMS	1710.238	22.89	60	Pass	401
1765	3000	1	RMS	2943.955	-50.23	-13	Pass	1235
3000	12000	1	RMS	11015.979	-44.07	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.78	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.3	-13	Pass	2985
30	1000	0.1	RMS	880.542	-64.69	-13	Pass	9699
1000	1700	1	RMS	1700	-50.74	-13	Pass	700
1700	1765	1	RMS	1710.238	21.96	60	Pass	401
1765	3000	1	RMS	2950.96	-50.31	-13	Pass	1235
3000	12000	1	RMS	11639.554	-44.13	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.76	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.83	-13	Pass	2985
30	1000	0.1	RMS	881.843	-64.7	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.59	-13	Pass	700
1700	1765	1	RMS	1732.013	22.93	60	Pass	401
1765	3000	1	RMS	2956.965	-50.32	-13	Pass	1235
3000	12000	1	RMS	11010.978	-44.06	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.69	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-13	Pass	2985
30	1000	0.1	RMS	984.479	-64.88	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.57	-13	Pass	700
1700	1765	1	RMS	1732.013	21.96	60	Pass	401
1765	3000	1	RMS	2949.959	-50.26	-13	Pass	1235
3000	12000	1	RMS	11874.845	-44.11	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.77	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2985
30	1000	0.1	RMS	986.582	-64.73	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.66	-13	Pass	700
1700	1765	1	RMS	1753.788	22.88	60	Pass	401
1765	3000	1	RMS	2950.96	-50.25	-13	Pass	1235
3000	12000	1	RMS	11015.979	-44.13	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.77	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	Pass	2985
30	1000	0.1	RMS	862.518	-64.86	-13	Pass	9699
1000	1700	1	RMS	1700	-53.65	-13	Pass	700
1700	1765	1	RMS	1753.788	22.04	60	Pass	401
1765	3000	1	RMS	2949.959	-50.31	-13	Pass	1235
3000	12000	1	RMS	11127.992	-44.13	-13	Pass	9000
12000	20000	1	RMS	19791.974	-36.75	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.72	-13	Pass	2985
30	1000	0.1	RMS	867.524	-64.63	-13	Pass	9699
1000	1700	1	RMS	1700	-50.27	-13	Pass	700
1700	1765	1	RMS	1710.238	22.92	60	Pass	401
1765	3000	1	RMS	2956.965	-50.25	-13	Pass	1235
3000	12000	1	RMS	11011.978	-44.03	-13	Pass	9000
12000	20000	1	RMS	19810.976	-36.8	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.01	-13	Pass	2985
30	1000	0.1	RMS	1000	-64.74	-13	Pass	9699
1000	1700	1	RMS	1700	-50.64	-13	Pass	700
1700	1765	1	RMS	1710.075	22.17	60	Pass	401
1765	3000	1	RMS	2947.958	-50.29	-13	Pass	1235
3000	12000	1	RMS	11880.853	-44.12	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.82	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.96	-13	Pass	2985
30	1000	0.1	RMS	973.465	-64.88	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.58	-13	Pass	700
1700	1765	1	RMS	1731.2	22.98	60	Pass	401
1765	3000	1	RMS	2950.96	-50.34	-13	Pass	1235
3000	12000	1	RMS	11017.979	-44.06	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.7	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2985
30	1000	0.1	RMS	882.644	-64.82	-13	Pass	9699
1000	1700	1	RMS	1700	-53.52	-13	Pass	700
1700	1765	1	RMS	1731.2	22	60	Pass	401
1765	3000	1	RMS	2953.963	-50.34	-13	Pass	1235
3000	12000	1	RMS	11129.992	-44.16	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.72	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2985
30	1000	0.1	RMS	876.737	-64.66	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.62	-13	Pass	700
1700	1765	1	RMS	1752.163	23.03	60	Pass	401
1765	3000	1	RMS	2955.964	-50.29	-13	Pass	1235
3000	12000	1	RMS	11018.979	-44.12	-13	Pass	9000
12000	20000	1	RMS	19805.976	-36.76	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-13	Pass	2985
30	1000	0.1	RMS	892.157	-64.43	-13	Pass	9699
1000	1700	1	RMS	1700	-53.56	-13	Pass	700
1700	1765	1	RMS	1752.163	22.27	60	Pass	401
1765	3000	1	RMS	2952.962	-50.27	-13	Pass	1235
3000	12000	1	RMS	11129.992	-44.03	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.74	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.78	-13	Pass	2985
30	1000	0.1	RMS	857.211	-64.7	-13	Pass	9699
1000	1700	1	RMS	1700	-50.19	-13	Pass	700
1700	1765	1	RMS	1710.238	22.99	60	Pass	401
1765	3000	1	RMS	2947.958	-50.24	-13	Pass	1235
3000	12000	1	RMS	11128.992	-44.08	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.76	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.32	-13	Pass	2985
30	1000	0.1	RMS	866.823	-64.96	-13	Pass	9699
1000	1700	1	RMS	1700	-50.25	-13	Pass	700
1700	1765	1	RMS	1710.238	22.14	60	Pass	401
1765	3000	1	RMS	2951.961	-50.33	-13	Pass	1235
3000	12000	1	RMS	11015.979	-44.07	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.74	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	Pass	2985
30	1000	0.1	RMS	980.674	-64.82	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.48	-13	Pass	700
1700	1765	1	RMS	1730.225	22.92	60	Pass	401
1765	3000	1	RMS	2949.959	-50.26	-13	Pass	1235
3000	12000	1	RMS	11013.978	-44.15	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.72	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2985
30	1000	0.1	RMS	832.198	-64.54	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.59	-13	Pass	700
1700	1765	1	RMS	1730.225	22.17	60	Pass	401
1765	3000	1	RMS	2953.963	-50.25	-13	Pass	1235
3000	12000	1	RMS	11128.992	-44.09	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.74	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2985
30	1000	0.1	RMS	892.157	-64.71	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.55	-13	Pass	700
1700	1765	1	RMS	1750.213	22.96	60	Pass	401
1765	3000	1	RMS	2946.957	-50.27	-13	Pass	1235
3000	12000	1	RMS	11008.978	-44.03	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.84	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	1000	0.1	RMS	878.138	-64.69	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.52	-13	Pass	700
1700	1765	1	RMS	1750.213	22.29	60	Pass	401
1765	3000	1	RMS	2951.961	-50.31	-13	Pass	1235
3000	12000	1	RMS	11015.979	-44.02	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.67	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	Pass	2985
30	1000	0.1	RMS	887.951	-64.33	-13	Pass	9699
1000	1700	1	RMS	1700	-49.96	-13	Pass	700
1700	1765	1	RMS	1710.563	22.78	60	Pass	401
1765	3000	1	RMS	2954.964	-50.24	-13	Pass	1235
3000	12000	1	RMS	11009.978	-43.98	-13	Pass	9000
12000	20000	1	RMS	19807.976	-36.73	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2985
30	1000	0.1	RMS	884.347	-64.54	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.01	-13	Pass	700
1700	1765	1	RMS	1710.563	22.27	60	Pass	401
1765	3000	1	RMS	2949.959	-50.23	-13	Pass	1235
3000	12000	1	RMS	11008.978	-43.91	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.71	-13	Pass	8000




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.49	-13	Pass	2985
30	1000	0.1	RMS	873.933	-64.16	-13	Pass	9699
1000	1700	1	RMS	1700	-53.31	-13	Pass	700
1700	1765	1	RMS	1727.95	22.94	60	Pass	401
1765	3000	1	RMS	2949.959	-50.26	-13	Pass	1235
3000	12000	1	RMS	11639.554	-44.08	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.74	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2985
30	1000	0.1	RMS	897.965	-64.49	-13	Pass	9699
1000	1700	1	RMS	1700	-53.48	-13	Pass	700
1700	1765	1	RMS	1728.113	22.26	60	Pass	401
1765	3000	1	RMS	2951.961	-50.27	-13	Pass	1235
3000	12000	1	RMS	11014.978	-44.01	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.75	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.92	-13	Pass	2985
30	1000	0.1	RMS	905.875	-64.68	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.55	-13	Pass	700
1700	1765	1	RMS	1745.5	23.11	60	Pass	401
1765	3000	1	RMS	2951.961	-50.22	-13	Pass	1235
3000	12000	1	RMS	11128.992	-43.97	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36.82	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	Pass	2985
30	1000	0.1	RMS	892.457	-64.48	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.58	-13	Pass	700
1700	1765	1	RMS	1745.5	22.19	60	Pass	401
1765	3000	1	RMS	2945.956	-50.22	-13	Pass	1235
3000	12000	1	RMS	11016.979	-44.08	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36.74	-13	Pass	8000




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.02	-13	Pass	2985
30	1000	0.1	RMS	976.068	-64.67	-13	Pass	9699
1000	1700	1	RMS	1697.997	-31.25	-13	Pass	700
1700	1765	1	RMS	1710.725	23.14	60	Pass	401
1765	3000	1	RMS	2948.959	-50.24	-13	Pass	1235
3000	12000	1	RMS	11030.98	-44.06	-13	Pass	9000
12000	20000	1	RMS	19809.976	-36.79	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-13	Pass	2985
30	1000	0.1	RMS	870.628	-64.63	-13	Pass	9699
1000	1700	1	RMS	1697.997	-32.28	-13	Pass	700
1700	1765	1	RMS	1710.725	22.26	60	Pass	401
1765	3000	1	RMS	2951.961	-50.29	-13	Pass	1235
3000	12000	1	RMS	11011.978	-43.94	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.66	-13	Pass	8000




9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	877.437	-64.4	-13	Pass	9699
1000	1700	1	RMS	1698.999	-48.32	-13	Pass	700
1700	1765	1	RMS	1725.838	23.02	60	Pass	401
1765	3000	1	RMS	2951.961	-50.21	-13	Pass	1235
3000	12000	1	RMS	11121.991	-44.15	-13	Pass	9000
12000	20000	1	RMS	19812.977	-36.74	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	1000	0.1	RMS	878.539	-64.39	-13	Pass	9699
1000	1700	1	RMS	1698.999	-49.79	-13	Pass	700
1700	1765	1	RMS	1725.675	22.28	60	Pass	401
1765	3000	1	RMS	2956.965	-50.19	-13	Pass	1235
3000	12000	1	RMS	11018.979	-44.09	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.76	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2985
30	1000	0.1	RMS	895.161	-64.64	-13	Pass	9699
1000	1700	1	RMS	1700	-53.54	-13	Pass	700
1700	1765	1	RMS	1740.788	23.1	60	Pass	401
1765	3000	1	RMS	1767.002	-43.55	-13	Pass	1235
3000	12000	1	RMS	11016.979	-44.14	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.72	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.61	-13	Pass	2985
30	1000	0.1	RMS	882.945	-64.53	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.54	-13	Pass	700
1700	1765	1	RMS	1740.788	22.37	60	Pass	401
1765	3000	1	RMS	1767.002	-44.13	-13	Pass	1235
3000	12000	1	RMS	11009.978	-44.09	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.8	-13	Pass	8000




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2985
30	1000	0.1	RMS	857.211	-64.75	-13	Pass	9699
1000	1700	1	RMS	1692.99	-32.32	-13	Pass	700
1700	1765	1	RMS	1711.05	23.04	60	Pass	401
1765	3000	1	RMS	2956.965	-50.35	-13	Pass	1235
3000	12000	1	RMS	11873.844	-44.08	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.8	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2985
30	1000	0.1	RMS	736.386	-64.86	-13	Pass	9699
1000	1700	1	RMS	1692.99	-33.37	-13	Pass	700
1700	1765	1	RMS	1711.05	22.38	60	Pass	401
1765	3000	1	RMS	2956.965	-50.26	-13	Pass	1235
3000	12000	1	RMS	11126.992	-44.1	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.76	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.89	-13	Pass	2985
30	1000	0.1	RMS	868.425	-64.68	-13	Pass	9699
1000	1700	1	RMS	1687.983	-52.67	-13	Pass	700
1700	1765	1	RMS	1723.563	23.08	60	Pass	401
1765	3000	1	RMS	2952.962	-50.33	-13	Pass	1235
3000	12000	1	RMS	11009.978	-44.08	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.81	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.4	-13	Pass	2985
30	1000	0.1	RMS	882.044	-64.48	-13	Pass	9699
1000	1700	1	RMS	1687.983	-52.94	-13	Pass	700
1700	1765	1	RMS	1723.563	22.33	60	Pass	401
1765	3000	1	RMS	2949.959	-50.25	-13	Pass	1235
3000	12000	1	RMS	11013.978	-43.92	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.67	-13	Pass	8000




9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2985
30	1000	0.1	RMS	838.699	-64.72	-13	Pass	9699
1000	1700	1	RMS	1700	-49.99	-13	Pass	700
1700	1765	1	RMS	1736.075	22.99	60	Pass	401
1765	3000	1	RMS	1772.006	-43.57	-13	Pass	1235
3000	12000	1	RMS	11015.979	-44.08	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.78	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2985
30	1000	0.1	RMS	885.748	-64.54	-13	Pass	9699
1000	1700	1	RMS	1700	-50.7	-13	Pass	700
1700	1765	1	RMS	1736.075	22.12	60	Pass	401
1765	3000	1	RMS	1772.006	-43.86	-13	Pass	1235
3000	12000	1	RMS	11009.978	-44.02	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.82	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.18	-13	Pass	7840
814	860	0.1	RMS	824.222	20.6	60	Pass	460
860	1000	0.1	RMS	989.492	-64.52	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.47	-13	Pass	2000
3000	10000	1	RMS	9991.999	-44.82	-13	Pass	7000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.62	-13	Pass	7840
814	860	0.1	RMS	824.222	19.47	60	Pass	460
860	1000	0.1	RMS	881.215	-64.55	-13	Pass	1400
1000	3000	1	RMS	1648.324	-50.23	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.8	-13	Pass	7000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	Pass	2985
30	814	0.1	RMS	631.877	-64.85	-13	Pass	7840
814	860	0.1	RMS	836.048	20.74	60	Pass	460
860	1000	0.1	RMS	868.206	-64.77	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.9	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.85	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.7	-13	Pass	7840
814	860	0.1	RMS	836.048	19.82	60	Pass	460
860	1000	0.1	RMS	874.911	-64.54	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.89	-13	Pass	2000
3000	10000	1	RMS	8002.715	-44.74	-13	Pass	7000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	814	0.1	RMS	809.899	-64.86	-13	Pass	7840
814	860	0.1	RMS	847.874	20.52	60	Pass	460
860	1000	0.1	RMS	900.029	-64.75	-13	Pass	1400
1000	3000	1	RMS	1695.348	-49.03	-13	Pass	2000
3000	10000	1	RMS	7105.587	-44.9	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.44	-13	Pass	2985
30	814	0.1	RMS	740.891	-64.93	-13	Pass	7840
814	860	0.1	RMS	847.874	19.76	60	Pass	460
860	1000	0.1	RMS	997.798	-64.86	-13	Pass	1400
1000	3000	1	RMS	1695.348	-49.65	-13	Pass	2000
3000	10000	1	RMS	9990.999	-44.83	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.95	-13	Pass	7840
814	860	0.1	RMS	824.222	20.8	60	Pass	460
860	1000	0.1	RMS	980.686	-64.79	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.37	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.83	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.3	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.39	-13	Pass	7840
814	860	0.1	RMS	824.222	19.96	60	Pass	460
860	1000	0.1	RMS	979.485	-64.35	-13	Pass	1400
1000	3000	1	RMS	1648.324	-50.01	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.76	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	Pass	2985
30	814	0.1	RMS	478.257	-64.88	-13	Pass	7840
814	860	0.1	RMS	835.246	20.82	60	Pass	460
860	1000	0.1	RMS	903.131	-64.73	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.2	-13	Pass	2000
3000	10000	1	RMS	9390.913	-44.82	-13	Pass	7000




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2985
30	814	0.1	RMS	472.156	-64.81	-13	Pass	7840
814	860	0.1	RMS	835.246	19.97	60	Pass	460
860	1000	0.1	RMS	990.193	-64.61	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.99	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.83	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.95	-13	Pass	2985
30	814	0.1	RMS	808.799	-64.9	-13	Pass	7840
814	860	0.1	RMS	846.27	20.55	60	Pass	460
860	1000	0.1	RMS	890.021	-64.73	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.3	-13	Pass	2000
3000	10000	1	RMS	7113.588	-44.83	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.72	-13	Pass	2985
30	814	0.1	RMS	735.59	-65.03	-13	Pass	7840
814	860	0.1	RMS	846.27	19.76	60	Pass	460
860	1000	0.1	RMS	871.508	-64.68	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.95	-13	Pass	2000
3000	10000	1	RMS	9989.999	-44.84	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.27	-13	Pass	7840
814	860	0.1	RMS	824.322	20.8	60	Pass	460
860	1000	0.1	RMS	880.615	-64.7	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.79	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.82	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.69	-13	Pass	7840
814	860	0.1	RMS	824.322	19.95	60	Pass	460
860	1000	0.1	RMS	897.427	-64.67	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.53	-13	Pass	2000
3000	10000	1	RMS	8792.828	-44.83	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	814	0.1	RMS	811.6	-65.04	-13	Pass	7840
814	860	0.1	RMS	834.344	20.86	60	Pass	460
860	1000	0.1	RMS	875.811	-64.86	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.68	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.78	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2985
30	814	0.1	RMS	737.59	-65.1	-13	Pass	7840
814	860	0.1	RMS	834.344	20.05	60	Pass	460
860	1000	0.1	RMS	998.799	-64.73	-13	Pass	1400
1000	3000	1	RMS	1668.334	-49.15	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.73	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	Pass	2985
30	814	0.1	RMS	475.357	-65.09	-13	Pass	7840
814	860	0.1	RMS	844.366	20.37	60	Pass	460
860	1000	0.1	RMS	884.017	-64.47	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.77	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.79	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.55	-13	Pass	2985
30	814	0.1	RMS	740.891	-64.73	-13	Pass	7840
814	860	0.1	RMS	844.366	20	60	Pass	460
860	1000	0.1	RMS	880.515	-64.47	-13	Pass	1400
1000	3000	1	RMS	1688.344	-49.34	-13	Pass	2000
3000	10000	1	RMS	9991.999	-44.82	-13	Pass	7000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.57	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.67	-13	Pass	7840
814	860	0.1	RMS	824.623	20.48	60	Pass	460
860	1000	0.1	RMS	883.517	-64.63	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.42	-13	Pass	2000
3000	10000	1	RMS	9986.998	-44.79	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	Pass	2985
30	814	0.1	RMS	813.9	-63	-13	Pass	7840
814	860	0.1	RMS	824.623	19.69	60	Pass	460
860	1000	0.1	RMS	864.803	-64.75	-13	Pass	1400
1000	3000	1	RMS	1648.324	-50	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.77	-13	Pass	7000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	Pass	2985
30	814	0.1	RMS	731.79	-64.96	-13	Pass	7840
814	860	0.1	RMS	832.139	20.14	60	Pass	460
860	1000	0.1	RMS	991.494	-64.86	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.26	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.76	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.63	-13	Pass	2985
30	814	0.1	RMS	739.691	-64.75	-13	Pass	7840
814	860	0.1	RMS	832.139	19.09	60	Pass	460
860	1000	0.1	RMS	879.814	-64.49	-13	Pass	1400
1000	3000	1	RMS	1663.332	-50.16	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.84	-13	Pass	7000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2985
30	814	0.1	RMS	730.589	-65.06	-13	Pass	7840
814	860	0.1	RMS	839.556	20.55	60	Pass	460
860	1000	0.1	RMS	904.532	-64.75	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.9	-13	Pass	2000
3000	10000	1	RMS	9991.999	-44.79	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.03	-13	Pass	2985
30	814	0.1	RMS	713.087	-64.77	-13	Pass	7840
814	860	0.1	RMS	839.556	19.6	60	Pass	460
860	1000	0.1	RMS	879.014	-64.65	-13	Pass	1400
1000	3000	1	RMS	1678.339	-49.74	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.79	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-25	Pass	2985
30	1000	0.1	RMS	846.7	-64.68	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.37	-25	Pass	1480
2480	2590	1	RMS	2500.075	21.77	60	Pass	401
2590	3000	1	RMS	2947.873	-50.24	-25	Pass	410
3000	12000	1	RMS	11580.481	-53.59	-25	Pass	9000
12000	26000	1	RMS	25893.982	-40.55	-25	Pass	14000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-25	Pass	2985
30	1000	0.1	RMS	863.219	-64.44	-25	Pass	9699
1000	2480	1	RMS	2480	-51.41	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.01	60	Pass	401
2590	3000	1	RMS	2949.878	-50.28	-25	Pass	410
3000	12000	1	RMS	11581.482	-53.7	-25	Pass	9000
12000	26000	1	RMS	25890.981	-40.54	-25	Pass	14000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.88	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-25	Pass	2985
30	1000	0.1	RMS	883.646	-64.24	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.35	-25	Pass	1480
2480	2590	1	RMS	2532.8	22.08	60	Pass	401
2590	3000	1	RMS	2946.87	-50.3	-25	Pass	410
3000	12000	1	RMS	11583.485	-53.69	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.52	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.15	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.45	-25	Pass	2985
30	1000	0.1	RMS	850.602	-64.33	-25	Pass	9699
1000	2480	1	RMS	2480	-51.29	-25	Pass	1480
2480	2590	1	RMS	2532.8	21.39	60	Pass	401
2590	3000	1	RMS	2949.878	-50.23	-25	Pass	410
3000	12000	1	RMS	11570.468	-53.8	-25	Pass	9000
12000	26000	1	RMS	25904.984	-40.54	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-25	Pass	2985
30	1000	0.1	RMS	851.904	-64.37	-25	Pass	9699
1000	2480	1	RMS	2480	-51.24	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.84	60	Pass	401
2590	3000	1	RMS	2951.883	-50.24	-25	Pass	410
3000	12000	1	RMS	11581.482	-53.53	-25	Pass	9000
12000	26000	1	RMS	25880.98	-40.64	-25	Pass	14000



**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-25	Pass	2985
30	1000	0.1	RMS	864.62	-64.21	-25	Pass	9699
1000	2480	1	RMS	2480	-51.32	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.18	60	Pass	401
2590	3000	1	RMS	2952.885	-50.28	-25	Pass	410
3000	12000	1	RMS	11585.487	-53.66	-25	Pass	9000
12000	26000	1	RMS	25906.984	-40.56	-25	Pass	14000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.93	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-25	Pass	2985
30	1000	0.1	RMS	899.867	-64.42	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.36	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.91	60	Pass	401
2590	3000	1	RMS	2952.885	-50.24	-25	Pass	410
3000	12000	1	RMS	11579.48	-53.74	-25	Pass	9000
12000	26000	1	RMS	25895.982	-40.53	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-25	Pass	2985
30	1000	0.1	RMS	885.148	-64.39	-25	Pass	9699
1000	2480	1	RMS	2480	-51.38	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.2	60	Pass	401
2590	3000	1	RMS	2949.878	-50.27	-25	Pass	410
3000	12000	1	RMS	11592.496	-53.71	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.65	-25	Pass	14000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.18	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-25	Pass	2985
30	1000	0.1	RMS	898.565	-64.13	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.36	-25	Pass	1480
2480	2590	1	RMS	2530.325	22.07	60	Pass	401
2590	3000	1	RMS	2950.88	-50.21	-25	Pass	410
3000	12000	1	RMS	11582.483	-53.68	-25	Pass	9000
12000	26000	1	RMS	25883.98	-40.54	-25	Pass	14000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-25	Pass	2985
30	1000	0.1	RMS	870.929	-64.2	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.34	-25	Pass	1480
2480	2590	1	RMS	2530.6	21.21	60	Pass	401
2590	3000	1	RMS	2952.885	-50.27	-25	Pass	410
3000	12000	1	RMS	11587.489	-53.83	-25	Pass	9000
12000	26000	1	RMS	25893.982	-40.63	-25	Pass	14000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.26	-25	Pass	2985
30	1000	0.1	RMS	863.519	-64.43	-25	Pass	9699
1000	2480	1	RMS	2480	-51.41	-25	Pass	1480
2480	2590	1	RMS	2560.575	21.62	60	Pass	401
2590	3000	1	RMS	2951.883	-50.25	-25	Pass	410
3000	12000	1	RMS	11588.491	-53.71	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.56	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.17	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.43	-25	Pass	2985
30	1000	0.1	RMS	991.489	-64.45	-25	Pass	9699
1000	2480	1	RMS	2480	-51.34	-25	Pass	1480
2480	2590	1	RMS	2560.575	20.9	60	Pass	401
2590	3000	1	RMS	2952.885	-50.23	-25	Pass	410
3000	12000	1	RMS	11582.483	-53.63	-25	Pass	9000
12000	26000	1	RMS	25893.982	-40.64	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-25	Pass	2985
30	1000	0.1	RMS	864.921	-64.52	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.23	-25	Pass	1480
2480	2590	1	RMS	2500.625	22.12	60	Pass	401
2590	3000	1	RMS	2951.883	-50.27	-25	Pass	410
3000	12000	1	RMS	11578.478	-53.67	-25	Pass	9000
12000	26000	1	RMS	25896.982	-40.59	-25	Pass	14000



**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-25	Pass	2985
30	1000	0.1	RMS	879.54	-64.44	-25	Pass	9699
1000	2480	1	RMS	2473.996	-51.36	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.28	60	Pass	401
2590	3000	1	RMS	2951.883	-50.26	-25	Pass	410
3000	12000	1	RMS	11578.478	-53.78	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.56	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-25	Pass	2985
30	1000	0.1	RMS	866.623	-64.55	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.36	-25	Pass	1480
2480	2590	1	RMS	2528.125	22.26	60	Pass	401
2590	3000	1	RMS	2949.878	-50.31	-25	Pass	410
3000	12000	1	RMS	11580.481	-53.76	-25	Pass	9000
12000	26000	1	RMS	25903.983	-40.52	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-25	Pass	2985
30	1000	0.1	RMS	843.099	-64.51	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.36	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.41	60	Pass	401
2590	3000	1	RMS	2949.878	-50.23	-25	Pass	410
3000	12000	1	RMS	11577.477	-53.87	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.45	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-25	Pass	2985
30	1000	0.1	RMS	878.138	-64.4	-25	Pass	9699
1000	2480	1	RMS	2480	-51.29	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.93	60	Pass	401
2590	3000	1	RMS	2947.873	-50.25	-25	Pass	410
3000	12000	1	RMS	11576.476	-53.72	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.54	-25	Pass	14000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.92	-25	Pass	2985
30	1000	0.1	RMS	861.917	-64.31	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.28	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.17	60	Pass	401
2590	3000	1	RMS	2951.883	-50.2	-25	Pass	410
3000	12000	1	RMS	11577.477	-53.76	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.52	-25	Pass	14000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-25	Pass	2985
30	1000	0.1	RMS	857.611	-64.14	-25	Pass	9699
1000	2480	1	RMS	2480	-51.32	-25	Pass	1480
2480	2590	1	RMS	2500.9	22.19	60	Pass	401
2590	3000	1	RMS	2949.878	-50.21	-25	Pass	410
3000	12000	1	RMS	11578.478	-53.75	-25	Pass	9000
12000	26000	1	RMS	25894.982	-40.6	-25	Pass	14000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.45	-25	Pass	2985
30	1000	0.1	RMS	732.786	-64.44	-25	Pass	9699
1000	2480	1	RMS	2480	-51.37	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.37	60	Pass	401
2590	3000	1	RMS	2952.885	-50.26	-25	Pass	410
3000	12000	1	RMS	11579.48	-53.81	-25	Pass	9000
12000	26000	1	RMS	25883.98	-40.58	-25	Pass	14000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.2	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-25	Pass	2985
30	1000	0.1	RMS	858.913	-64.42	-25	Pass	9699
1000	2480	1	RMS	2480	-51.35	-25	Pass	1480
2480	2590	1	RMS	2525.925	22.3	60	Pass	401
2590	3000	1	RMS	2948.875	-50.21	-25	Pass	410
3000	12000	1	RMS	11589.492	-53.82	-25	Pass	9000
12000	26000	1	RMS	25894.982	-40.46	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.79	-25	Pass	2985
30	1000	0.1	RMS	860.315	-64.45	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.42	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.36	60	Pass	401
2590	3000	1	RMS	2948.875	-50.26	-25	Pass	410
3000	12000	1	RMS	11574.473	-53.73	-25	Pass	9000
12000	26000	1	RMS	25908.984	-40.5	-25	Pass	14000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.91	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.76	-25	Pass	2985
30	1000	0.1	RMS	990.087	-64.53	-25	Pass	9699
1000	2480	1	RMS	2480	-51.41	-25	Pass	1480
2480	2590	1	RMS	2550.95	22.07	60	Pass	401
2590	3000	1	RMS	2949.878	-50.23	-25	Pass	410
3000	12000	1	RMS	11579.48	-53.82	-25	Pass	9000
12000	26000	1	RMS	25901.983	-40.61	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.93	-25	Pass	2985
30	1000	0.1	RMS	986.682	-64.73	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.36	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.31	60	Pass	401
2590	3000	1	RMS	2945.868	-50.33	-25	Pass	410
3000	12000	1	RMS	11578.478	-53.7	-25	Pass	9000
12000	26000	1	RMS	25895.982	-40.47	-25	Pass	14000



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2985
30	689	0.1	RMS	688.6	-63.65	-13	Pass	6590
689	726	0.1	RMS	699.268	20.76	60	Pass	401
726	1000	0.1	RMS	998.9	-64.06	-13	Pass	2740
1000	3000	1	RMS	2947.974	-50.23	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.69	-13	Pass	7000




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	Pass	2985
30	689	0.1	RMS	688.5	-63.95	-13	Pass	6590
689	726	0.1	RMS	699.268	19.78	60	Pass	401
726	1000	0.1	RMS	882.657	-64.29	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.21	-13	Pass	2000
3000	10000	1	RMS	9986.998	-44.71	-13	Pass	7000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	Pass	2985
30	689	0.1	RMS	472.567	-64.52	-13	Pass	6590
689	726	0.1	RMS	707.038	20.76	60	Pass	401
726	1000	0.1	RMS	990.897	-64.15	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.24	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.63	-13	Pass	7000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-13	Pass	2985
30	689	0.1	RMS	485.469	-64.79	-13	Pass	6590
689	726	0.1	RMS	707.038	19.85	60	Pass	401
726	1000	0.1	RMS	864.451	-64.18	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.3	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.82	-13	Pass	7000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2985
30	689	0.1	RMS	476.868	-64.82	-13	Pass	6590
689	726	0.1	RMS	714.808	20.26	60	Pass	401
726	1000	0.1	RMS	832.939	-64.41	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.29	-13	Pass	2000
3000	10000	1	RMS	9991.999	-44.75	-13	Pass	7000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2985
30	689	0.1	RMS	488.57	-64.76	-13	Pass	6590
689	726	0.1	RMS	714.808	19.32	60	Pass	401
726	1000	0.1	RMS	895.162	-64.07	-13	Pass	2740
1000	3000	1	RMS	2947.974	-50.26	-13	Pass	2000
3000	10000	1	RMS	7111.587	-44.64	-13	Pass	7000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.66	-13	Pass	2985
30	689	0.1	RMS	688.5	-63.21	-13	Pass	6590
689	726	0.1	RMS	699.268	20.67	60	Pass	401
726	1000	0.1	RMS	892.661	-64.27	-13	Pass	2740
1000	3000	1	RMS	2951.976	-50.18	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.71	-13	Pass	7000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	Pass	2985
30	689	0.1	RMS	688.5	-63.49	-13	Pass	6590
689	726	0.1	RMS	699.268	19.93	60	Pass	401
726	1000	0.1	RMS	879.156	-64	-13	Pass	2740
1000	3000	1	RMS	2951.976	-50.19	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.76	-13	Pass	7000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2985
30	689	0.1	RMS	482.269	-64.55	-13	Pass	6590
689	726	0.1	RMS	706.205	20.53	60	Pass	401
726	1000	0.1	RMS	990.196	-64.25	-13	Pass	2740
1000	3000	1	RMS	1412.206	-50.22	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.72	-13	Pass	7000




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.79	-13	Pass	2985
30	689	0.1	RMS	484.769	-64.97	-13	Pass	6590
689	726	0.1	RMS	706.205	19.75	60	Pass	401
726	1000	0.1	RMS	996.499	-64.2	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.3	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.8	-13	Pass	7000




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.74	-13	Pass	2985
30	689	0.1	RMS	481.869	-64.75	-13	Pass	6590
689	726	0.1	RMS	713.235	20.91	60	Pass	401
726	1000	0.1	RMS	996.099	-64.17	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.26	-13	Pass	2000
3000	10000	1	RMS	8791.827	-44.8	-13	Pass	7000




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.65	-13	Pass	2985
30	689	0.1	RMS	480.768	-64.81	-13	Pass	6590
689	726	0.1	RMS	713.235	20.07	60	Pass	401
726	1000	0.1	RMS	998.8	-64.22	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.21	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.78	-13	Pass	7000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2985
30	689	0.1	RMS	688.6	-63.3	-13	Pass	6590
689	726	0.1	RMS	699.36	20.69	60	Pass	401
726	1000	0.1	RMS	869.452	-64.14	-13	Pass	2740
1000	3000	1	RMS	2955.978	-50.2	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.78	-13	Pass	7000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.73	-13	Pass	2985
30	689	0.1	RMS	688.6	-63.63	-13	Pass	6590
689	726	0.1	RMS	699.36	20.08	60	Pass	401
726	1000	0.1	RMS	853.046	-63.87	-13	Pass	2740
1000	3000	1	RMS	2953.977	-50.22	-13	Pass	2000
3000	10000	1	RMS	9989.999	-44.78	-13	Pass	7000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.49	-13	Pass	2985
30	689	0.1	RMS	477.768	-64.56	-13	Pass	6590
689	726	0.1	RMS	705.373	20.57	60	Pass	401
726	1000	0.1	RMS	894.061	-64.14	-13	Pass	2740
1000	3000	1	RMS	1410.205	-50.07	-13	Pass	2000
3000	10000	1	RMS	7103.586	-44.74	-13	Pass	7000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	Pass	2985
30	689	0.1	RMS	486.369	-64.51	-13	Pass	6590
689	726	0.1	RMS	705.373	19.77	60	Pass	401
726	1000	0.1	RMS	857.748	-63.65	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.21	-13	Pass	2000
3000	10000	1	RMS	8003.715	-44.71	-13	Pass	7000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.42	-13	Pass	2985
30	689	0.1	RMS	472.967	-64.66	-13	Pass	6590
689	726	0.1	RMS	711.293	20.29	60	Pass	401
726	1000	0.1	RMS	873.954	-64.07	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.22	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.62	-13	Pass	7000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.32	-72.73	-13	Pass	2985
30	689	0.1	RMS	473.967	-64.5	-13	Pass	6590
689	726	0.1	RMS	711.385	19.54	60	Pass	401
726	1000	0.1	RMS	887.559	-64	-13	Pass	2740
1000	3000	1	RMS	2951.976	-50.21	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.68	-13	Pass	7000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.55	-13	Pass	2985
30	689	0.1	RMS	688.9	-63.03	-13	Pass	6590
689	726	0.1	RMS	699.638	20.28	60	Pass	401
726	1000	0.1	RMS	732.402	-64.09	-13	Pass	2740
1000	3000	1	RMS	2957.979	-50.24	-13	Pass	2000
3000	10000	1	RMS	9990.999	-44.64	-13	Pass	7000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2985
30	689	0.1	RMS	688.9	-63.44	-13	Pass	6590
689	726	0.1	RMS	699.545	19.46	60	Pass	401
726	1000	0.1	RMS	873.354	-63.85	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.22	-13	Pass	2000
3000	10000	1	RMS	8017.717	-44.76	-13	Pass	7000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.18	-13	Pass	2985
30	689	0.1	RMS	467.466	-64.65	-13	Pass	6590
689	726	0.1	RMS	703.06	20.62	60	Pass	401
726	1000	0.1	RMS	882.757	-64.27	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.23	-13	Pass	2000
3000	10000	1	RMS	9991.999	-44.71	-13	Pass	7000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2985
30	689	0.1	RMS	483.169	-64.61	-13	Pass	6590
689	726	0.1	RMS	703.06	19.76	60	Pass	401
726	1000	0.1	RMS	871.453	-64.08	-13	Pass	2740
1000	3000	1	RMS	2948.974	-50.22	-13	Pass	2000
3000	10000	1	RMS	9991.999	-44.68	-13	Pass	7000




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.22	-13	Pass	2985
30	689	0.1	RMS	465.266	-64.67	-13	Pass	6590
689	726	0.1	RMS	706.575	20.98	60	Pass	401
726	1000	0.1	RMS	997.299	-64.07	-13	Pass	2740
1000	3000	1	RMS	2952.976	-50.28	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.72	-13	Pass	7000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.1	-13	Pass	2985
30	689	0.1	RMS	469.767	-64.83	-13	Pass	6590
689	726	0.1	RMS	706.575	20	60	Pass	401
726	1000	0.1	RMS	853.847	-63.87	-13	Pass	2740
1000	3000	1	RMS	2952.976	-50.25	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.67	-13	Pass	7000



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.7	-13	Pass	2985
30	694	0.1	RMS	693.6	-62.99	-13	Pass	6640
694	726	0.1	RMS	704.32	20.79	60	Pass	401
726	1000	0.1	RMS	851.746	-64.27	-13	Pass	2740
1000	3000	1	RMS	2954.977	-50.22	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.73	-13	Pass	7000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	Pass	2985
30	694	0.1	RMS	693.6	-63.39	-13	Pass	6640
694	726	0.1	RMS	704.32	19.88	60	Pass	401
726	1000	0.1	RMS	825.936	-64.44	-13	Pass	2740
1000	3000	1	RMS	2947.974	-50.24	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.79	-13	Pass	7000




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	694	0.1	RMS	693.2	-64.68	-13	Pass	6640
694	726	0.1	RMS	707.84	20.93	60	Pass	401
726	1000	0.1	RMS	888.959	-64.16	-13	Pass	2740
1000	3000	1	RMS	1415.208	-50.02	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.78	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2985
30	694	0.1	RMS	479.968	-64.86	-13	Pass	6640
694	726	0.1	RMS	707.84	20.12	60	Pass	401
726	1000	0.1	RMS	824.036	-64.19	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.25	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.74	-13	Pass	7000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-13	Pass	2985
30	694	0.1	RMS	691.2	-64.66	-13	Pass	6640
694	726	0.1	RMS	711.36	20.69	60	Pass	401
726	1000	0.1	RMS	869.052	-64.26	-13	Pass	2740
1000	3000	1	RMS	2948.974	-50.23	-13	Pass	2000
3000	10000	1	RMS	8801.829	-44.78	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.48	-13	Pass	2985
30	694	0.1	RMS	691.2	-64.46	-13	Pass	6640
694	726	0.1	RMS	711.36	20.17	60	Pass	401
726	1000	0.1	RMS	865.151	-64.16	-13	Pass	2740
1000	3000	1	RMS	2947.974	-50.31	-13	Pass	2000
3000	10000	1	RMS	9989.999	-44.73	-13	Pass	7000




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.14	-13	Pass	2985
30	694	0.1	RMS	693.9	-62.69	-13	Pass	6640
694	726	0.1	RMS	704.56	20.88	60	Pass	401
726	1000	0.1	RMS	876.955	-64.22	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.25	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.75	-13	Pass	7000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.47	-13	Pass	2985
30	694	0.1	RMS	693.9	-62.96	-13	Pass	6640
694	726	0.1	RMS	704.56	19.93	60	Pass	401
726	1000	0.1	RMS	881.057	-64.19	-13	Pass	2740
1000	3000	1	RMS	2946.973	-50.24	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.84	-13	Pass	7000




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2985
30	694	0.1	RMS	692.5	-64.12	-13	Pass	6640
694	726	0.1	RMS	705.6	20.92	60	Pass	401
726	1000	0.1	RMS	867.352	-64.43	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.3	-13	Pass	2000
3000	10000	1	RMS	9988.998	-44.76	-13	Pass	7000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.98	-13	Pass	2985
30	694	0.1	RMS	692.8	-64.41	-13	Pass	6640
694	726	0.1	RMS	705.6	20.04	60	Pass	401
726	1000	0.1	RMS	875.755	-64.09	-13	Pass	2740
1000	3000	1	RMS	2956.978	-50.25	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.76	-13	Pass	7000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.44	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.58	-13	Pass	2985
30	694	0.1	RMS	693.6	-64.03	-13	Pass	6640
694	726	0.1	RMS	706.56	20.93	60	Pass	401
726	1000	0.1	RMS	883.558	-64.26	-13	Pass	2740
1000	3000	1	RMS	2953.977	-50.24	-13	Pass	2000
3000	10000	1	RMS	8006.715	-44.7	-13	Pass	7000



**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.7	-13	Pass	2985
30	694	0.1	RMS	693.8	-64.46	-13	Pass	6640
694	726	0.1	RMS	706.56	19.89	60	Pass	401
726	1000	0.1	RMS	985.395	-63.99	-13	Pass	2740
1000	3000	1	RMS	2947.974	-50.24	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.71	-13	Pass	7000



14. LTE_Band26(part22)


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.76	-13	Pass	7840
814	860	0.1	RMS	824.222	20.69	60	Pass	460
860	1000	0.1	RMS	896.526	-64.23	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.25	-13	Pass	2000
3000	10000	1	RMS	9989.999	-44.64	-13	Pass	7000




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.98	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.05	-13	Pass	7840
814	860	0.1	RMS	824.222	19.75	60	Pass	460
860	1000	0.1	RMS	885.418	-64.36	-13	Pass	1400
1000	3000	1	RMS	1648.324	-50	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.57	-13	Pass	7000




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	Pass	2985
30	814	0.1	RMS	808.299	-64.42	-13	Pass	7840
814	860	0.1	RMS	836.048	20.93	60	Pass	460
860	1000	0.1	RMS	902.63	-64.42	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.65	-13	Pass	2000
3000	10000	1	RMS	9990.999	-44.78	-13	Pass	7000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.34	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.34	-13	Pass	7840
814	860	0.1	RMS	836.048	20	60	Pass	460
860	1000	0.1	RMS	880.815	-64.2	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.33	-13	Pass	2000
3000	10000	1	RMS	9987.998	-44.75	-13	Pass	7000




14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2985
30	814	0.1	RMS	712.787	-64.55	-13	Pass	7840
814	860	0.1	RMS	847.874	20.7	60	Pass	460
860	1000	0.1	RMS	884.417	-64.18	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.77	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.7	-13	Pass	7000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	Pass	2985
30	814	0.1	RMS	601.173	-64.57	-13	Pass	7840
814	860	0.1	RMS	847.874	19.71	60	Pass	460
860	1000	0.1	RMS	871.608	-64.16	-13	Pass	1400
1000	3000	1	RMS	1695.348	-49.43	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.69	-13	Pass	7000




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.82	-13	Pass	7840
814	860	0.1	RMS	824.222	20.78	60	Pass	460
860	1000	0.1	RMS	982.487	-64.46	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.38	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.79	-13	Pass	7000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.02	-13	Pass	7840
814	860	0.1	RMS	824.222	20.08	60	Pass	460
860	1000	0.1	RMS	987.591	-64.4	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.74	-13	Pass	2000
3000	10000	1	RMS	9987.998	-44.72	-13	Pass	7000




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2985
30	814	0.1	RMS	814	-64.67	-13	Pass	7840
814	860	0.1	RMS	835.246	20.93	60	Pass	460
860	1000	0.1	RMS	881.515	-64.36	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49	-13	Pass	2000
3000	10000	1	RMS	9987.998	-44.71	-13	Pass	7000




14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	Pass	2985
30	814	0.1	RMS	472.656	-64.51	-13	Pass	7840
814	860	0.1	RMS	835.246	20.02	60	Pass	460
860	1000	0.1	RMS	993.695	-64.39	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.69	-13	Pass	2000
3000	10000	1	RMS	9990.999	-44.78	-13	Pass	7000




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	Pass	2985
30	814	0.1	RMS	741.091	-64.41	-13	Pass	7840
814	860	0.1	RMS	846.27	20.74	60	Pass	460
860	1000	0.1	RMS	871.208	-64.24	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.13	-13	Pass	2000
3000	10000	1	RMS	9994.999	-44.69	-13	Pass	7000




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.86	-13	Pass	2985
30	814	0.1	RMS	810.6	-64.26	-13	Pass	7840
814	860	0.1	RMS	846.27	19.82	60	Pass	460
860	1000	0.1	RMS	880.915	-64.48	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.75	-13	Pass	2000
3000	10000	1	RMS	9987.998	-44.68	-13	Pass	7000




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.71	-13	Pass	7840
814	860	0.1	RMS	824.322	20.7	60	Pass	460
860	1000	0.1	RMS	989.392	-64.53	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.82	-13	Pass	2000
3000	10000	1	RMS	9991.999	-44.78	-13	Pass	7000




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.22	-13	Pass	7840
814	860	0.1	RMS	824.322	20.01	60	Pass	460
860	1000	0.1	RMS	876.412	-64.07	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.58	-13	Pass	2000
3000	10000	1	RMS	9989.999	-44.54	-13	Pass	7000




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2985
30	814	0.1	RMS	806.399	-64.39	-13	Pass	7840
814	860	0.1	RMS	834.344	20.97	60	Pass	460
860	1000	0.1	RMS	897.427	-64.22	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.44	-13	Pass	2000
3000	10000	1	RMS	9988.998	-44.54	-13	Pass	7000




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2985
30	814	0.1	RMS	465.156	-64.64	-13	Pass	7840
814	860	0.1	RMS	834.344	20.13	60	Pass	460
860	1000	0.1	RMS	876.212	-64.22	-13	Pass	1400
1000	3000	1	RMS	1668.334	-49.1	-13	Pass	2000
3000	10000	1	RMS	9990.999	-44.81	-13	Pass	7000




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2985
30	814	0.1	RMS	806.399	-64.77	-13	Pass	7840
814	860	0.1	RMS	844.366	20.57	60	Pass	460
860	1000	0.1	RMS	890.021	-64.45	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.48	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.68	-13	Pass	7000




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2985
30	814	0.1	RMS	731.89	-64.73	-13	Pass	7840
814	860	0.1	RMS	844.366	20.29	60	Pass	460
860	1000	0.1	RMS	862.001	-64.36	-13	Pass	1400
1000	3000	1	RMS	1688.344	-49.06	-13	Pass	2000
3000	10000	1	RMS	9989.999	-44.67	-13	Pass	7000




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.06	-13	Pass	7840
814	860	0.1	RMS	824.623	20.87	60	Pass	460
860	1000	0.1	RMS	890.222	-64.42	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.35	-13	Pass	2000
3000	10000	1	RMS	9989.999	-44.73	-13	Pass	7000




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.54	-13	Pass	7840
814	860	0.1	RMS	824.623	19.97	60	Pass	460
860	1000	0.1	RMS	879.314	-64.31	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.64	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.78	-13	Pass	7000




14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	Pass	2985
30	814	0.1	RMS	812.4	-64.58	-13	Pass	7840
814	860	0.1	RMS	832.139	20.26	60	Pass	460
860	1000	0.1	RMS	982.788	-64.46	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.03	-13	Pass	2000
3000	10000	1	RMS	9989.999	-44.64	-13	Pass	7000




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.89	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.25	-13	Pass	7840
814	860	0.1	RMS	832.139	19.31	60	Pass	460
860	1000	0.1	RMS	877.813	-64.17	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.75	-13	Pass	2000
3000	10000	1	RMS	8005.715	-44.73	-13	Pass	7000




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-13	Pass	2985
30	814	0.1	RMS	733.29	-64.5	-13	Pass	7840
814	860	0.1	RMS	839.556	20.75	60	Pass	460
860	1000	0.1	RMS	991.794	-64.04	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.88	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.65	-13	Pass	7000




**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.85	-13	Pass	2985
30	814	0.1	RMS	749.092	-64.55	-13	Pass	7840
814	860	0.1	RMS	839.556	19.6	60	Pass	460
860	1000	0.1	RMS	896.626	-64.21	-13	Pass	1400
1000	3000	1	RMS	1678.339	-49.72	-13	Pass	2000
3000	10000	1	RMS	9989.999	-44.66	-13	Pass	7000




14.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	Pass	2985
30	814	0.1	RMS	810.7	-62.48	-13	Pass	7840
814	860	0.1	RMS	824.824	20.66	60	Pass	460
860	1000	0.1	RMS	904.632	-64.17	-13	Pass	1400
1000	3000	1	RMS	1649.325	-48.85	-13	Pass	2000
3000	10000	1	RMS	9991.999	-44.68	-13	Pass	7000




**14.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-13	Pass	2985
30	814	0.1	RMS	810.8	-59.32	-13	Pass	7840
814	860	0.1	RMS	824.824	19.85	60	Pass	460
860	1000	0.1	RMS	873.109	-64.34	-13	Pass	1400
1000	3000	1	RMS	1649.325	-49.53	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.75	-13	Pass	7000




**14.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2985
30	814	0.1	RMS	812.9	-64.32	-13	Pass	7840
814	860	0.1	RMS	829.834	20.94	60	Pass	460
860	1000	0.1	RMS	999.7	-64.15	-13	Pass	1400
1000	3000	1	RMS	1659.33	-48.63	-13	Pass	2000
3000	10000	1	RMS	8798.828	-44.75	-13	Pass	7000




**14.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2985
30	814	0.1	RMS	811.2	-64.04	-13	Pass	7840
814	860	0.1	RMS	829.834	19.79	60	Pass	460
860	1000	0.1	RMS	990.593	-64.05	-13	Pass	1400
1000	3000	1	RMS	1659.33	-49.38	-13	Pass	2000
3000	10000	1	RMS	8800.829	-44.71	-13	Pass	7000




**14.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2985
30	814	0.1	RMS	725.189	-64.32	-13	Pass	7840
814	860	0.1	RMS	834.845	20.9	60	Pass	460
860	1000	0.1	RMS	860.801	-64.14	-13	Pass	1400
1000	3000	1	RMS	1669.335	-48.43	-13	Pass	2000
3000	10000	1	RMS	9997	-44.61	-13	Pass	7000



**14.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2985
30	814	0.1	RMS	810.6	-64.02	-13	Pass	7840
814	860	0.1	RMS	834.845	20.19	60	Pass	460
860	1000	0.1	RMS	981.787	-64.23	-13	Pass	1400
1000	3000	1	RMS	1669.335	-49.16	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.68	-13	Pass	7000



15. LTE_Band26(part90)


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.41	-13	Pass	401
0.15	30	0.01	Peak	0.28	-64.41	-13	Pass	2985
30	809	0.1	Peak	807.8	-52	-13	Pass	7790
809	829	0.1	Peak	814.2	25.6	60	Pass	401
829	1000	0.1	Peak	883.032	-53.63	-13	Pass	1710
1000	3000	1	Peak	2633.817	-38.64	-13	Pass	2000
3000	10000	1	Peak	9988.998	-32.3	-13	Pass	7000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.46	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.75	-13	Pass	2985
30	809	0.1	Peak	805.5	-51.49	-13	Pass	7790
809	829	0.1	Peak	814.3	26.29	60	Pass	401
829	1000	0.1	Peak	904.644	-53.53	-13	Pass	1710
1000	3000	1	Peak	2954.977	-38.75	-13	Pass	2000
3000	10000	1	Peak	9854.979	-32.94	-13	Pass	7000




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.31	-13	Pass	2985
30	809	0.1	Peak	808.3	-50.21	-13	Pass	7790
809	829	0.1	Peak	818.5	25.49	60	Pass	401
829	1000	0.1	Peak	831.201	-46.19	-13	Pass	1710
1000	3000	1	Peak	2622.811	-38.24	-13	Pass	2000
3000	10000	1	Peak	9010.859	-32.87	-13	Pass	7000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-65.99	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.48	-13	Pass	2985
30	809	0.1	Peak	611.875	-53.53	-13	Pass	7790
809	829	0.1	Peak	818.55	25.89	60	Pass	401
829	1000	0.1	Peak	830.901	-51.46	-13	Pass	1710
1000	3000	1	Peak	2806.903	-37.95	-13	Pass	2000
3000	10000	1	Peak	9472.925	-32.48	-13	Pass	7000




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.73	-13	Pass	401
0.15	30	0.01	Peak	0.38	-64.4	-13	Pass	2985
30	809	0.1	Peak	761.494	-53.55	-13	Pass	7790
809	829	0.1	Peak	822.9	25.47	60	Pass	401
829	1000	0.1	Peak	832.502	-49.86	-13	Pass	1710
1000	3000	1	Peak	2625.813	-38.41	-13	Pass	2000
3000	10000	1	Peak	7394.628	-32.67	-13	Pass	7000




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.25	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.84	-13	Pass	2985
30	809	0.1	Peak	622.276	-54.03	-13	Pass	7790
809	829	0.1	Peak	822.85	26.19	60	Pass	401
829	1000	0.1	Peak	829.3	-44.1	-13	Pass	1710
1000	3000	1	Peak	1645.323	-38.2	-13	Pass	2000
3000	10000	1	Peak	9215.888	-32.76	-13	Pass	7000




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.08	-13	Pass	401
0.15	30	0.01	Peak	0.38	-64.11	-13	Pass	2985
30	809	0.1	Peak	807.5	-46.19	-13	Pass	7790
809	829	0.1	Peak	814.3	25.61	60	Pass	401
829	1000	0.1	Peak	837.205	-53.22	-13	Pass	1710
1000	3000	1	Peak	2864.932	-38.08	-13	Pass	2000
3000	10000	1	Peak	7493.642	-32.23	-13	Pass	7000




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.81	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.34	-13	Pass	2985
30	809	0.1	Peak	808.2	-44.78	-13	Pass	7790
809	829	0.1	Peak	814.2	26.23	60	Pass	401
829	1000	0.1	Peak	829.8	-53.72	-13	Pass	1710
1000	3000	1	Peak	2931.966	-38.56	-13	Pass	2000
3000	10000	1	Peak	7432.633	-21.41	-13	Pass	7000




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.74	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.88	-13	Pass	2985
30	809	0.1	Peak	806.7	-48.79	-13	Pass	7790
809	829	0.1	Peak	817.75	25.63	60	Pass	401
829	1000	0.1	Peak	829.6	-48.72	-13	Pass	1710
1000	3000	1	Peak	2958.979	-37.88	-13	Pass	2000
3000	10000	1	Peak	7188.598	-32.29	-13	Pass	7000




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.73	-13	Pass	2985
30	809	0.1	Peak	743.092	-53.75	-13	Pass	7790
809	829	0.1	Peak	817.75	26.02	60	Pass	401
829	1000	0.1	Peak	829	-52.63	-13	Pass	1710
1000	3000	1	Peak	1635.318	-38.44	-13	Pass	2000
3000	10000	1	Peak	7982.712	-32.61	-13	Pass	7000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.51	-13	Pass	401
0.15	30	0.01	Peak	0.26	-63.44	-13	Pass	2985
30	809	0.1	Peak	481.458	-54.03	-13	Pass	7790
809	829	0.1	Peak	821.25	25.63	60	Pass	401
829	1000	0.1	Peak	832.602	-49.59	-13	Pass	1710
1000	3000	1	Peak	1642.321	-38.41	-13	Pass	2000
3000	10000	1	Peak	7786.684	-32.65	-13	Pass	7000




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.5	-13	Pass	401
0.15	30	0.01	Peak	0.82	-64.77	-13	Pass	2985
30	809	0.1	Peak	808.7	-49.7	-13	Pass	7790
809	829	0.1	Peak	821.25	26.18	60	Pass	401
829	1000	0.1	Peak	829.3	-46.47	-13	Pass	1710
1000	3000	1	Peak	2875.938	-38.09	-13	Pass	2000
3000	10000	1	Peak	8193.742	-32.68	-13	Pass	7000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.09	-13	Pass	401
0.15	30	0.01	Peak	0.26	-64.59	-13	Pass	2985
30	809	0.1	Peak	808.6	-46.42	-13	Pass	7790
809	829	0.1	Peak	814.3	25.83	60	Pass	401
829	1000	0.1	Peak	992.696	-53.65	-13	Pass	1710
1000	3000	1	Peak	2983.992	-38.49	-13	Pass	2000
3000	10000	1	Peak	7086.584	-32.82	-13	Pass	7000




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.54	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.85	-13	Pass	2985
30	809	0.1	Peak	805.8	-48.38	-13	Pass	7790
809	829	0.1	Peak	814.3	26.43	60	Pass	401
829	1000	0.1	Peak	836.404	-52.47	-13	Pass	1710
1000	3000	1	Peak	2936.968	-38.87	-13	Pass	2000
3000	10000	1	Peak	8979.854	-32.3	-13	Pass	7000




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.13	-13	Pass	401
0.15	30	0.01	Peak	0.23	-65.04	-13	Pass	2985
30	809	0.1	Peak	808.7	-46.37	-13	Pass	7790
809	829	0.1	Peak	816.85	25.84	60	Pass	401
829	1000	0.1	Peak	830.801	-52.17	-13	Pass	1710
1000	3000	1	Peak	2797.899	-38.65	-13	Pass	2000
3000	10000	1	Peak	8940.849	-32.74	-13	Pass	7000




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.19	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.39	-13	Pass	2985
30	809	0.1	Peak	806.6	-47.25	-13	Pass	7790
809	829	0.1	Peak	816.8	26.13	60	Pass	401
829	1000	0.1	Peak	999.7	-53.98	-13	Pass	1710
1000	3000	1	Peak	2923.962	-37.96	-13	Pass	2000
3000	10000	1	Peak	8810.83	-32.45	-13	Pass	7000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.86	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.84	-13	Pass	2985
30	809	0.1	Peak	806.4	-52.39	-13	Pass	7790
809	829	0.1	Peak	819.35	25.54	60	Pass	401
829	1000	0.1	Peak	834.903	-51.05	-13	Pass	1710
1000	3000	1	Peak	2851.926	-38.3	-13	Pass	2000
3000	10000	1	Peak	9693.956	-32.53	-13	Pass	7000




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.94	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.59	-13	Pass	2985
30	809	0.1	Peak	807.2	-52.67	-13	Pass	7790
809	829	0.1	Peak	819.3	26.2	60	Pass	401
829	1000	0.1	Peak	829	-45.22	-13	Pass	1710
1000	3000	1	Peak	2765.883	-38.02	-13	Pass	2000
3000	10000	1	Peak	8788.827	-32.65	-13	Pass	7000




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.93	-13	Pass	401
0.15	30	0.01	Peak	0.17	-62.68	-13	Pass	2985
30	809	0.1	Peak	808.3	-45.15	-13	Pass	7790
809	829	0.1	Peak	814.55	26.1	60	Pass	401
829	1000	0.1	Peak	903.043	-54.14	-13	Pass	1710
1000	3000	1	Peak	2992.996	-38.33	-13	Pass	2000
3000	10000	1	Peak	9989.999	-32.85	-13	Pass	7000




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.09	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.64	-13	Pass	2985
30	809	0.1	Peak	808.5	-35.18	-13	Pass	7790
809	829	0.1	Peak	814.55	26.18	60	Pass	401
829	1000	0.1	Peak	950.571	-53.38	-13	Pass	1710
1000	3000	1	Peak	2949.975	-38.61	-13	Pass	2000
3000	10000	1	Peak	8735.819	-32.76	-13	Pass	7000




15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.59	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.16	-13	Pass	2985
30	809	0.1	Peak	806.1	-44.4	-13	Pass	7790
809	829	0.1	Peak	814.85	25.43	60	Pass	401
829	1000	0.1	Peak	829	-38.71	-13	Pass	1710
1000	3000	1	Peak	1629.315	-37.66	-13	Pass	2000
3000	10000	1	Peak	7804.686	-32.78	-13	Pass	7000



**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.82	-13	Pass	401
0.15	30	0.01	Peak	0.39	-64.88	-13	Pass	2985
30	809	0.1	Peak	806.1	-35.54	-13	Pass	7790
809	829	0.1	Peak	814.85	26.09	60	Pass	401
829	1000	0.1	Peak	829	-41.2	-13	Pass	1710
1000	3000	1	Peak	1629.315	-38.18	-13	Pass	2000
3000	10000	1	Peak	9688.956	-32.99	-13	Pass	7000



16. LTE_Band38


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-25	Pass	2985
30	1000	0.1	RMS	883.546	-65.27	-25	Pass	9699
1000	2550	1	RMS	2550	-50.89	-25	Pass	1550
2550	2640	1	RMS	2570.025	17.98	60	Pass	401
2640	3000	1	RMS	2950.5	-50.39	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.87	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.63	-25	Pass	14500




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.79	-25	Pass	2985
30	1000	0.1	RMS	892.758	-65.5	-25	Pass	9699
1000	2550	1	RMS	2545.997	-50.91	-25	Pass	1550
2550	2640	1	RMS	2570.025	17.47	60	Pass	401
2640	3000	1	RMS	2958.6	-50.5	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.96	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.58	-25	Pass	14500




**16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.86	-25	Pass	2985
30	1000	0.1	RMS	840.699	-65.3	-25	Pass	9699
1000	2550	1	RMS	2512.976	-50.99	-25	Pass	1550
2550	2640	1	RMS	2592.525	18.1	60	Pass	401
2640	3000	1	RMS	2953.2	-50.48	-25	Pass	401
3000	12000	1	RMS	11576.476	-54.04	-25	Pass	9000
12000	26500	1	RMS	25889.903	-40.57	-25	Pass	14500




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-25	Pass	2985
30	1000	0.1	RMS	862.518	-65.34	-25	Pass	9699
1000	2550	1	RMS	2539.994	-51.08	-25	Pass	1550
2550	2640	1	RMS	2592.75	17.94	60	Pass	401
2640	3000	1	RMS	2954.1	-50.44	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.98	-25	Pass	9000
12000	26500	1	RMS	25897.905	-40.64	-25	Pass	14500




**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.91	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.83	-25	Pass	2985
30	1000	0.1	RMS	868.025	-65.39	-25	Pass	9699
1000	2550	1	RMS	2508.974	-51.01	-25	Pass	1550
2550	2640	1	RMS	2615.025	18.74	60	Pass	401
2640	3000	1	RMS	2943.3	-50.52	-25	Pass	401
3000	12000	1	RMS	11584.486	-53.94	-25	Pass	9000
12000	26500	1	RMS	25894.904	-40.58	-25	Pass	14500




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.88	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-25	Pass	2985
30	1000	0.1	RMS	873.933	-65.29	-25	Pass	9699
1000	2550	1	RMS	2508.974	-50.98	-25	Pass	1550
2550	2640	1	RMS	2615.25	17.85	60	Pass	401
2640	3000	1	RMS	2951.4	-50.45	-25	Pass	401
3000	12000	1	RMS	11575.475	-53.9	-25	Pass	9000
12000	26500	1	RMS	25888.903	-40.61	-25	Pass	14500




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.33	-25	Pass	2985
30	1000	0.1	RMS	996.195	-65.24	-25	Pass	9699
1000	2550	1	RMS	2545.997	-50.6	-25	Pass	1550
2550	2640	1	RMS	2570.475	18.72	60	Pass	401
2640	3000	1	RMS	2952.3	-50.44	-25	Pass	401
3000	12000	1	RMS	11575.475	-53.97	-25	Pass	9000
12000	26500	1	RMS	25887.903	-40.56	-25	Pass	14500




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-25	Pass	2985
30	1000	0.1	RMS	869.227	-65.31	-25	Pass	9699
1000	2550	1	RMS	2545.997	-50.53	-25	Pass	1550
2550	2640	1	RMS	2570.475	17.7	60	Pass	401
2640	3000	1	RMS	2951.4	-50.45	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.09	-25	Pass	9000
12000	26500	1	RMS	25898.905	-40.6	-25	Pass	14500




16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.87	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.7	-25	Pass	2985
30	1000	0.1	RMS	887.551	-65.16	-25	Pass	9699
1000	2550	1	RMS	2521.982	-51.04	-25	Pass	1550
2550	2640	1	RMS	2590.5	18.6	60	Pass	401
2640	3000	1	RMS	2949.6	-50.42	-25	Pass	401
3000	12000	1	RMS	11574.473	-54.03	-25	Pass	9000
12000	26500	1	RMS	25881.902	-40.66	-25	Pass	14500




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-25	Pass	2985
30	1000	0.1	RMS	832.098	-65.29	-25	Pass	9699
1000	2550	1	RMS	2511.975	-50.92	-25	Pass	1550
2550	2640	1	RMS	2590.275	17.17	60	Pass	401
2640	3000	1	RMS	2949.6	-50.44	-25	Pass	401
3000	12000	1	RMS	11578.478	-54.04	-25	Pass	9000
12000	26500	1	RMS	25892.904	-40.51	-25	Pass	14500




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.77	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.18	-25	Pass	2985
30	1000	0.1	RMS	905.174	-65.31	-25	Pass	9699
1000	2550	1	RMS	2515.978	-51.08	-25	Pass	1550
2550	2640	1	RMS	2610.3	18.97	60	Pass	401
2640	3000	1	RMS	2950.5	-50.39	-25	Pass	401
3000	12000	1	RMS	11578.478	-54.05	-25	Pass	9000
12000	26500	1	RMS	25889.903	-40.6	-25	Pass	14500




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-25	Pass	2985
30	1000	0.1	RMS	867.825	-65.35	-25	Pass	9699
1000	2550	1	RMS	2511.975	-51.03	-25	Pass	1550
2550	2640	1	RMS	2610.525	17.76	60	Pass	401
2640	3000	1	RMS	2956.8	-50.52	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.98	-25	Pass	9000
12000	26500	1	RMS	25904.906	-40.53	-25	Pass	14500




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.18	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.16	-25	Pass	2985
30	1000	0.1	RMS	896.162	-65.35	-25	Pass	9699
1000	2550	1	RMS	2550	-50.39	-25	Pass	1550
2550	2640	1	RMS	2570.925	18.51	60	Pass	401
2640	3000	1	RMS	2951.4	-50.42	-25	Pass	401
3000	12000	1	RMS	11585.487	-54.02	-25	Pass	9000
12000	26500	1	RMS	25883.902	-40.64	-25	Pass	14500




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-25	Pass	2985
30	1000	0.1	RMS	903.071	-65.4	-25	Pass	9699
1000	2550	1	RMS	2544.997	-50.73	-25	Pass	1550
2550	2640	1	RMS	2570.925	17.51	60	Pass	401
2640	3000	1	RMS	2949.6	-50.44	-25	Pass	401
3000	12000	1	RMS	11583.485	-54.01	-25	Pass	9000
12000	26500	1	RMS	25903.906	-40.61	-25	Pass	14500




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.52	-25	Pass	2985
30	1000	0.1	RMS	863.419	-65.6	-25	Pass	9699
1000	2550	1	RMS	2509.974	-51.04	-25	Pass	1550
2550	2640	1	RMS	2588.25	18.51	60	Pass	401
2640	3000	1	RMS	2950.5	-50.46	-25	Pass	401
3000	12000	1	RMS	11583.485	-54.08	-25	Pass	9000
12000	26500	1	RMS	25886.903	-40.61	-25	Pass	14500




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-25	Pass	2985
30	1000	0.1	RMS	995.294	-65.57	-25	Pass	9699
1000	2550	1	RMS	2509.974	-50.95	-25	Pass	1550
2550	2640	1	RMS	2588.25	17.27	60	Pass	401
2640	3000	1	RMS	2948.7	-50.44	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.95	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.52	-25	Pass	14500




16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.83	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-25	Pass	2985
30	1000	0.1	RMS	988.785	-65.57	-25	Pass	9699
1000	2550	1	RMS	2509.974	-51	-25	Pass	1550
2550	2640	1	RMS	2605.8	18.57	60	Pass	401
2640	3000	1	RMS	2954.1	-50.35	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.93	-25	Pass	9000
12000	26500	1	RMS	25898.905	-40.63	-25	Pass	14500




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.86	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72	-25	Pass	2985
30	1000	0.1	RMS	975.768	-65.55	-25	Pass	9699
1000	2550	1	RMS	2521.982	-51.07	-25	Pass	1550
2550	2640	1	RMS	2605.575	17.83	60	Pass	401
2640	3000	1	RMS	2948.7	-50.42	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.94	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.54	-25	Pass	14500




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.46	-25	Pass	2985
30	1000	0.1	RMS	991.789	-65.33	-25	Pass	9699
1000	2550	1	RMS	2544.997	-50.46	-25	Pass	1550
2550	2640	1	RMS	2570.925	18.02	60	Pass	401
2640	3000	1	RMS	2953.2	-50.42	-25	Pass	401
3000	12000	1	RMS	11584.486	-53.92	-25	Pass	9000
12000	26500	1	RMS	25903.906	-40.61	-25	Pass	14500




**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.29	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.86	-25	Pass	2985
30	1000	0.1	RMS	991.589	-65.46	-25	Pass	9699
1000	2550	1	RMS	2548.999	-50.4	-25	Pass	1550
2550	2640	1	RMS	2571.15	17.87	60	Pass	401
2640	3000	1	RMS	2947.8	-50.39	-25	Pass	401
3000	12000	1	RMS	11584.486	-53.95	-25	Pass	9000
12000	26500	1	RMS	25885.903	-40.64	-25	Pass	14500




**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.69	-25	Pass	2985
30	1000	0.1	RMS	475.454	-65.49	-25	Pass	9699
1000	2550	1	RMS	2520.981	-50.96	-25	Pass	1550
2550	2640	1	RMS	2585.775	18.53	60	Pass	401
2640	3000	1	RMS	2951.4	-50.37	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.91	-25	Pass	9000
12000	26500	1	RMS	25875.901	-40.64	-25	Pass	14500




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-25	Pass	2985
30	1000	0.1	RMS	891.957	-65.57	-25	Pass	9699
1000	2550	1	RMS	2546.998	-51.01	-25	Pass	1550
2550	2640	1	RMS	2586	17.88	60	Pass	401
2640	3000	1	RMS	2950.5	-50.32	-25	Pass	401
3000	12000	1	RMS	11585.487	-53.93	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.61	-25	Pass	14500




**16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.87	-25	Pass	2985
30	1000	0.1	RMS	875.935	-65.43	-25	Pass	9699
1000	2550	1	RMS	2510.975	-51.02	-25	Pass	1550
2550	2640	1	RMS	2600.85	18.25	60	Pass	401
2640	3000	1	RMS	2948.7	-50.33	-25	Pass	401
3000	12000	1	RMS	11578.478	-53.93	-25	Pass	9000
12000	26500	1	RMS	25889.903	-40.59	-25	Pass	14500



**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-25	Pass	2985
30	1000	0.1	RMS	871.029	-65.42	-25	Pass	9699
1000	2550	1	RMS	2512.976	-50.9	-25	Pass	1550
2550	2640	1	RMS	2601.075	17.45	60	Pass	401
2640	3000	1	RMS	2949.6	-50.4	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.93	-25	Pass	9000
12000	26500	1	RMS	25897.905	-40.38	-25	Pass	14500



17. LTE_Band41 full


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-25	Pass	2985
30	1000	0.1	RMS	865.321	-62.96	-25	Pass	9699
1000	2476	1	RMS	2474.999	-50.9	-25	Pass	1476
2476	2710	1	RMS	2495.89	18.15	60	Pass	401
2710	3000	1	RMS	2952.15	-49.87	-25	Pass	401
3000	12000	1	RMS	11580.481	-52.98	-25	Pass	9000
12000	27000	1	RMS	25890.837	-40.45	-25	Pass	15000




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-25	Pass	401
0.15	30	0.01	RMS	4.972	-69.69	-25	Pass	2985
30	1000	0.1	RMS	480.355	-60.17	-25	Pass	9699
1000	2476	1	RMS	2474.999	-50.76	-25	Pass	1476
2476	2710	1	RMS	2495.89	16.25	60	Pass	401
2710	3000	1	RMS	2952.15	-49.73	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.27	-25	Pass	9000
12000	27000	1	RMS	25898.838	-40.56	-25	Pass	15000




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-25	Pass	401
0.15	30	0.01	RMS	0.82	-72.66	-25	Pass	2985
30	1000	0.1	RMS	872.231	-62.99	-25	Pass	9699
1000	2476	1	RMS	2476	-50.78	-25	Pass	1476
2476	2710	1	RMS	2590.66	16.89	60	Pass	401
2710	3000	1	RMS	2949.25	-49.83	-25	Pass	401
3000	12000	1	RMS	11578.478	-53.24	-25	Pass	9000
12000	27000	1	RMS	25863.833	-40.57	-25	Pass	15000




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-25	Pass	2985
30	1000	0.1	RMS	881.643	-62.97	-25	Pass	9699
1000	2476	1	RMS	2474.999	-50.89	-25	Pass	1476
2476	2710	1	RMS	2590.66	16.19	60	Pass	401
2710	3000	1	RMS	2847.025	-49.75	-25	Pass	401
3000	12000	1	RMS	11578.478	-52.95	-25	Pass	9000
12000	27000	1	RMS	25900.839	-40.44	-25	Pass	15000




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-25	Pass	401
0.15	30	0.01	RMS	11.594	-69.06	-25	Pass	2985
30	1000	0.1	RMS	993.391	-60.18	-25	Pass	9699
1000	2476	1	RMS	2473.999	-50.73	-25	Pass	1476
2476	2710	1	RMS	2685.43	17.42	60	Pass	401
2710	3000	1	RMS	2950.7	-49.64	-25	Pass	401
3000	12000	1	RMS	11578.478	-53.02	-25	Pass	9000
12000	27000	1	RMS	25908.84	-40.4	-25	Pass	15000




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-25	Pass	401
0.15	30	0.01	RMS	0.8	-72.22	-25	Pass	2985
30	1000	0.1	RMS	875.535	-62.96	-25	Pass	9699
1000	2476	1	RMS	2474.999	-50.94	-25	Pass	1476
2476	2710	1	RMS	2684.845	17.22	60	Pass	401
2710	3000	1	RMS	2949.975	-49.88	-25	Pass	401
3000	12000	1	RMS	11577.477	-53.23	-25	Pass	9000
12000	27000	1	RMS	25889.837	-40.55	-25	Pass	15000




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.57	-72.42	-25	Pass	2985
30	1000	0.1	RMS	980.274	-62.88	-25	Pass	9699
1000	2476	1	RMS	2476	-50.86	-25	Pass	1476
2476	2710	1	RMS	2496.475	18.53	60	Pass	401
2710	3000	1	RMS	2947.8	-49.91	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.23	-25	Pass	9000
12000	27000	1	RMS	25897.838	-40.54	-25	Pass	15000




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.54	-72.27	-25	Pass	2985
30	1000	0.1	RMS	855.308	-62.95	-25	Pass	9699
1000	2476	1	RMS	2476	-50.84	-25	Pass	1476
2476	2710	1	RMS	2496.475	17.04	60	Pass	401
2710	3000	1	RMS	2948.525	-49.83	-25	Pass	401
3000	12000	1	RMS	11577.477	-53.04	-25	Pass	9000
12000	27000	1	RMS	25893.838	-40.37	-25	Pass	15000




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.66	-25	Pass	401
0.15	30	0.01	RMS	1.16	-72.3	-25	Pass	2985
30	1000	0.1	RMS	877.738	-62.87	-25	Pass	9699
1000	2476	1	RMS	2473.999	-50.97	-25	Pass	1476
2476	2710	1	RMS	2588.32	18.36	60	Pass	401
2710	3000	1	RMS	2949.25	-49.84	-25	Pass	401
3000	12000	1	RMS	11583.485	-53.15	-25	Pass	9000
12000	27000	1	RMS	25898.838	-40.35	-25	Pass	15000




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.09	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.53	-25	Pass	2985
30	1000	0.1	RMS	884.447	-60.1	-25	Pass	9699
1000	2476	1	RMS	2476	-50.63	-25	Pass	1476
2476	2710	1	RMS	2588.32	16.56	60	Pass	401
2710	3000	1	RMS	2947.8	-49.61	-25	Pass	401
3000	12000	1	RMS	11582.483	-52.98	-25	Pass	9000
12000	27000	1	RMS	25884.836	-40.43	-25	Pass	15000




17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.42	-72.33	-25	Pass	2985
30	1000	0.1	RMS	899.266	-62.96	-25	Pass	9699
1000	2476	1	RMS	2474.999	-50.92	-25	Pass	1476
2476	2710	1	RMS	2680.165	18.68	60	Pass	401
2710	3000	1	RMS	2951.425	-49.83	-25	Pass	401
3000	12000	1	RMS	11577.477	-53.29	-25	Pass	9000
12000	27000	1	RMS	25895.838	-40.57	-25	Pass	15000




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-25	Pass	401
0.15	30	0.01	RMS	0.64	-72.61	-25	Pass	2985
30	1000	0.1	RMS	995.194	-62.84	-25	Pass	9699
1000	2476	1	RMS	2476	-50.99	-25	Pass	1476
2476	2710	1	RMS	2680.165	17.96	60	Pass	401
2710	3000	1	RMS	2950.7	-49.88	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.25	-25	Pass	9000
12000	27000	1	RMS	25894.838	-40.59	-25	Pass	15000




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.13	-25	Pass	401
0.15	30	0.01	RMS	0.47	-72.75	-25	Pass	2985
30	1000	0.1	RMS	879.54	-62.89	-25	Pass	9699
1000	2476	1	RMS	2474.999	-50.86	-25	Pass	1476
2476	2710	1	RMS	2496.475	18.12	60	Pass	401
2710	3000	1	RMS	2949.975	-49.87	-25	Pass	401
3000	12000	1	RMS	11578.478	-53.18	-25	Pass	9000
12000	27000	1	RMS	25894.838	-40.53	-25	Pass	15000




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-25	Pass	401
0.15	30	0.01	RMS	0.53	-72.21	-25	Pass	2985
30	1000	0.1	RMS	850.301	-62.88	-25	Pass	9699
1000	2476	1	RMS	2474.999	-50.62	-25	Pass	1476
2476	2710	1	RMS	2496.475	16.69	60	Pass	401
2710	3000	1	RMS	2949.25	-49.58	-25	Pass	401
3000	12000	1	RMS	11579.48	-52.89	-25	Pass	9000
12000	27000	1	RMS	25884.836	-40.51	-25	Pass	15000




17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.63	-72.77	-25	Pass	2985
30	1000	0.1	RMS	881.042	-62.9	-25	Pass	9699
1000	2476	1	RMS	2473.999	-50.91	-25	Pass	1476
2476	2710	1	RMS	2585.98	18.02	60	Pass	401
2710	3000	1	RMS	2949.975	-49.7	-25	Pass	401
3000	12000	1	RMS	11577.477	-53.03	-25	Pass	9000
12000	27000	1	RMS	25897.838	-40.45	-25	Pass	15000




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-25	Pass	2985
30	1000	0.1	RMS	982.577	-60.1	-25	Pass	9699
1000	2476	1	RMS	2476	-50.67	-25	Pass	1476
2476	2710	1	RMS	2585.98	16.24	60	Pass	401
2710	3000	1	RMS	2949.975	-49.61	-25	Pass	401
3000	12000	1	RMS	11583.485	-52.95	-25	Pass	9000
12000	27000	1	RMS	25886.836	-40.32	-25	Pass	15000




17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-25	Pass	2985
30	1000	0.1	RMS	854.107	-60.17	-25	Pass	9699
1000	2476	1	RMS	2476	-50.64	-25	Pass	1476
2476	2710	1	RMS	2675.485	17.63	60	Pass	401
2710	3000	1	RMS	2952.15	-49.62	-25	Pass	401
3000	12000	1	RMS	11581.482	-52.88	-25	Pass	9000
12000	27000	1	RMS	25899.838	-40.39	-25	Pass	15000




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.62	-25	Pass	401
0.15	30	0.01	RMS	1.13	-72.68	-25	Pass	2985
30	1000	0.1	RMS	320.235	-62.84	-25	Pass	9699
1000	2476	1	RMS	2474.999	-50.75	-25	Pass	1476
2476	2710	1	RMS	2675.485	17.86	60	Pass	401
2710	3000	1	RMS	2956.5	-49.63	-25	Pass	401
3000	12000	1	RMS	11581.482	-52.94	-25	Pass	9000
12000	27000	1	RMS	25899.838	-40.38	-25	Pass	15000




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-25	Pass	401
0.15	30	0.01	RMS	1.26	-72.69	-25	Pass	2985
30	1000	0.1	RMS	892.157	-62.94	-25	Pass	9699
1000	2476	1	RMS	2476	-50.35	-25	Pass	1476
2476	2710	1	RMS	2497.06	17.39	60	Pass	401
2710	3000	1	RMS	2953.6	-49.68	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.01	-25	Pass	9000
12000	27000	1	RMS	25879.835	-40.46	-25	Pass	15000




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-25	Pass	2985
30	1000	0.1	RMS	981.375	-62.92	-25	Pass	9699
1000	2476	1	RMS	2476	-50.8	-25	Pass	1476
2476	2710	1	RMS	2497.06	17.15	60	Pass	401
2710	3000	1	RMS	2951.425	-49.89	-25	Pass	401
3000	12000	1	RMS	11577.477	-53.28	-25	Pass	9000
12000	27000	1	RMS	25899.838	-40.48	-25	Pass	15000




17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-25	Pass	401
0.15	30	0.01	RMS	1.26	-72.48	-25	Pass	2985
30	1000	0.1	RMS	879.24	-62.87	-25	Pass	9699
1000	2476	1	RMS	2468.995	-51.03	-25	Pass	1476
2476	2710	1	RMS	2583.64	18.44	60	Pass	401
2710	3000	1	RMS	2955.05	-49.89	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.23	-25	Pass	9000
12000	27000	1	RMS	25899.838	-40.54	-25	Pass	15000




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.34	-25	Pass	401
0.15	30	0.01	RMS	0.53	-72.31	-25	Pass	2985
30	1000	0.1	RMS	883.546	-62.75	-25	Pass	9699
1000	2476	1	RMS	2476	-50.96	-25	Pass	1476
2476	2710	1	RMS	2583.64	17.18	60	Pass	401
2710	3000	1	RMS	2949.25	-49.87	-25	Pass	401
3000	12000	1	RMS	11577.477	-53.26	-25	Pass	9000
12000	27000	1	RMS	25897.838	-40.59	-25	Pass	15000




**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.7	-25	Pass	401
0.15	30	0.01	RMS	1.57	-72.57	-25	Pass	2985
30	1000	0.1	RMS	876.737	-62.89	-25	Pass	9699
1000	2476	1	RMS	2474.999	-50.96	-25	Pass	1476
2476	2710	1	RMS	2670.805	18.61	60	Pass	401
2710	3000	1	RMS	2949.25	-49.86	-25	Pass	401
3000	12000	1	RMS	11587.489	-53.24	-25	Pass	9000
12000	27000	1	RMS	25889.837	-40.59	-25	Pass	15000



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.21	-25	Pass	401
0.15	30	0.01	RMS	4.371	-69.18	-25	Pass	2985
30	1000	0.1	RMS	856.91	-62.89	-25	Pass	9699
1000	2476	1	RMS	2476	-50.85	-25	Pass	1476
2476	2710	1	RMS	2670.805	16.67	60	Pass	401
2710	3000	1	RMS	2952.875	-49.66	-25	Pass	401
3000	12000	1	RMS	11581.482	-52.99	-25	Pass	9000
12000	27000	1	RMS	25893.838	-40.42	-25	Pass	15000



18. LTE_Band66


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.45	-72.26	-13	Pass	2985
30	1000	0.1	RMS	990.688	-63.09	-13	Pass	9699
1000	1700	1	RMS	1700	-49.67	-13	Pass	700
1700	1790	1	RMS	1710.125	22.9	60	Pass	401
1790	3000	1	RMS	2950.959	-49.9	-13	Pass	1210
3000	12000	1	RMS	11007.978	-43.55	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.44	-13	Pass	8000




18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.49	-72.58	-13	Pass	2985
30	1000	0.1	RMS	857.511	-62.83	-13	Pass	9699
1000	1700	1	RMS	1698.999	-49.98	-13	Pass	700
1700	1790	1	RMS	1710.125	22.07	60	Pass	401
1790	3000	1	RMS	2951.96	-49.88	-13	Pass	1210
3000	12000	1	RMS	11125.992	-43.54	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.52	-13	Pass	8000




18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.84	-72.53	-13	Pass	2985
30	1000	0.1	RMS	994.092	-62.98	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.02	-13	Pass	700
1700	1790	1	RMS	1744.55	22.8	60	Pass	401
1790	3000	1	RMS	2950.959	-49.85	-13	Pass	1210
3000	12000	1	RMS	11129.992	-43.54	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.51	-13	Pass	8000




18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.34	-72.72	-13	Pass	2985
30	1000	0.1	RMS	851.103	-63.19	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.04	-13	Pass	700
1700	1790	1	RMS	1744.55	21.94	60	Pass	401
1790	3000	1	RMS	2953.962	-49.88	-13	Pass	1210
3000	12000	1	RMS	11009.978	-43.46	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.48	-13	Pass	8000




18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	Pass	2985
30	1000	0.1	RMS	978.772	-62.92	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.1	-13	Pass	700
1700	1790	1	RMS	1778.75	22.84	60	Pass	401
1790	3000	1	RMS	2948.958	-49.91	-13	Pass	1210
3000	12000	1	RMS	11008.978	-43.52	-13	Pass	9000
12000	20000	1	RMS	19789.974	-36.48	-13	Pass	8000




18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.56	-72.24	-13	Pass	2985
30	1000	0.1	RMS	874.233	-63.1	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.12	-13	Pass	700
1700	1790	1	RMS	1778.75	22.15	60	Pass	401
1790	3000	1	RMS	2951.96	-49.9	-13	Pass	1210
3000	12000	1	RMS	11008.978	-43.48	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.47	-13	Pass	8000




18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.63	-71.94	-13	Pass	2985
30	1000	0.1	RMS	907.177	-63.11	-13	Pass	9699
1000	1700	1	RMS	1700	-49	-13	Pass	700
1700	1790	1	RMS	1710.125	23.01	60	Pass	401
1790	3000	1	RMS	2954.963	-49.85	-13	Pass	1210
3000	12000	1	RMS	11009.978	-43.58	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.55	-13	Pass	8000




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.76	-13	Pass	2985
30	1000	0.1	RMS	991.989	-63	-13	Pass	9699
1000	1700	1	RMS	1700	-49.71	-13	Pass	700
1700	1790	1	RMS	1710.125	22.28	60	Pass	401
1790	3000	1	RMS	2949.959	-49.88	-13	Pass	1210
3000	12000	1	RMS	11011.978	-43.55	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.54	-13	Pass	8000




18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.67	-72.08	-13	Pass	2985
30	1000	0.1	RMS	898.966	-63.09	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.98	-13	Pass	700
1700	1790	1	RMS	1743.65	22.95	60	Pass	401
1790	3000	1	RMS	2950.959	-49.94	-13	Pass	1210
3000	12000	1	RMS	11010.978	-43.49	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.48	-13	Pass	8000




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.6	-72.73	-13	Pass	2985
30	1000	0.1	RMS	997.096	-63.17	-13	Pass	9699
1000	1700	1	RMS	1700	-52.94	-13	Pass	700
1700	1790	1	RMS	1743.65	22.14	60	Pass	401
1790	3000	1	RMS	2952.961	-49.76	-13	Pass	1210
3000	12000	1	RMS	11871.841	-43.4	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.33	-13	Pass	8000




18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.87	-13	Pass	401
0.15	30	0.01	RMS	19.386	-68.88	-13	Pass	2985
30	1000	0.1	RMS	749.788	-60.48	-13	Pass	9699
1000	1700	1	RMS	1692.99	-52.76	-13	Pass	700
1700	1790	1	RMS	1777.175	23.01	60	Pass	401
1790	3000	1	RMS	2949.959	-49.65	-13	Pass	1210
3000	12000	1	RMS	11019.979	-43.38	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.51	-13	Pass	8000




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.88	-72.43	-13	Pass	2985
30	1000	0.1	RMS	979.072	-63.14	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.81	-13	Pass	700
1700	1790	1	RMS	1777.175	22.37	60	Pass	401
1790	3000	1	RMS	2944.955	-49.65	-13	Pass	1210
3000	12000	1	RMS	11009.978	-43.21	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.29	-13	Pass	8000




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	Pass	2985
30	1000	0.1	RMS	898.666	-63.14	-13	Pass	9699
1000	1700	1	RMS	1700	-49.48	-13	Pass	700
1700	1790	1	RMS	1710.125	22.91	60	Pass	401
1790	3000	1	RMS	2954.963	-49.76	-13	Pass	1210
3000	12000	1	RMS	11130.993	-43.41	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.53	-13	Pass	8000




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.87	-13	Pass	2985
30	1000	0.1	RMS	860.315	-63.21	-13	Pass	9699
1000	1700	1	RMS	1700	-49.99	-13	Pass	700
1700	1790	1	RMS	1710.125	21.95	60	Pass	401
1790	3000	1	RMS	2949.959	-49.84	-13	Pass	1210
3000	12000	1	RMS	11011.978	-43.52	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.49	-13	Pass	8000




18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2985
30	1000	0.1	RMS	896.663	-63.07	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.03	-13	Pass	700
1700	1790	1	RMS	1742.75	22.95	60	Pass	401
1790	3000	1	RMS	2950.959	-49.87	-13	Pass	1210
3000	12000	1	RMS	11012.978	-43.49	-13	Pass	9000
12000	20000	1	RMS	19790.974	-36.54	-13	Pass	8000




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	Pass	2985
30	1000	0.1	RMS	879.841	-63.04	-13	Pass	9699
1000	1700	1	RMS	1700	-52.93	-13	Pass	700
1700	1790	1	RMS	1742.75	22.2	60	Pass	401
1790	3000	1	RMS	2949.959	-49.91	-13	Pass	1210
3000	12000	1	RMS	11015.979	-43.56	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.41	-13	Pass	8000




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	1000	0.1	RMS	880.041	-63.09	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.09	-13	Pass	700
1700	1790	1	RMS	1775.15	22.93	60	Pass	401
1790	3000	1	RMS	2950.959	-49.9	-13	Pass	1210
3000	12000	1	RMS	11126.992	-43.57	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.54	-13	Pass	8000




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.96	-72.66	-13	Pass	2985
30	1000	0.1	RMS	888.652	-63.14	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.09	-13	Pass	700
1700	1790	1	RMS	1775.15	22.04	60	Pass	401
1790	3000	1	RMS	2950.959	-49.9	-13	Pass	1210
3000	12000	1	RMS	11128.992	-43.55	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.51	-13	Pass	8000




18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.95	-13	Pass	401
0.15	30	0.01	RMS	0.55	-72.69	-13	Pass	2985
30	1000	0.1	RMS	888.752	-63.17	-13	Pass	9699
1000	1700	1	RMS	1692.99	-46.29	-13	Pass	700
1700	1790	1	RMS	1710.575	22.95	60	Pass	401
1790	3000	1	RMS	2947.957	-49.83	-13	Pass	1210
3000	12000	1	RMS	11126.992	-43.52	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.57	-13	Pass	8000




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2985
30	1000	0.1	RMS	879.54	-63.06	-13	Pass	9699
1000	1700	1	RMS	1692.99	-47.58	-13	Pass	700
1700	1790	1	RMS	1710.575	22.18	60	Pass	401
1790	3000	1	RMS	2949.959	-49.86	-13	Pass	1210
3000	12000	1	RMS	11126.992	-43.48	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.53	-13	Pass	8000




18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.95	-13	Pass	401
0.15	30	0.01	RMS	0.65	-72.34	-13	Pass	2985
30	1000	0.1	RMS	871.429	-63.02	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.91	-13	Pass	700
1700	1790	1	RMS	1740.5	23.04	60	Pass	401
1790	3000	1	RMS	2950.959	-49.85	-13	Pass	1210
3000	12000	1	RMS	11011.978	-43.52	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.43	-13	Pass	8000




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-13	Pass	2985
30	1000	0.1	RMS	857.611	-63.11	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.01	-13	Pass	700
1700	1790	1	RMS	1740.5	22.27	60	Pass	401
1790	3000	1	RMS	2950.959	-49.88	-13	Pass	1210
3000	12000	1	RMS	11011.978	-43.41	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.5	-13	Pass	8000




18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2985
30	1000	0.1	RMS	881.142	-63.01	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.04	-13	Pass	700
1700	1790	1	RMS	1770.425	23.11	60	Pass	401
1790	3000	1	RMS	2948.958	-49.93	-13	Pass	1210
3000	12000	1	RMS	11128.992	-43.52	-13	Pass	9000
12000	20000	1	RMS	19805.976	-36.5	-13	Pass	8000




**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2985
30	1000	0.1	RMS	875.735	-63.1	-13	Pass	9699
1000	1700	1	RMS	1700	-53.04	-13	Pass	700
1700	1790	1	RMS	1770.425	22.24	60	Pass	401
1790	3000	1	RMS	2957.965	-49.89	-13	Pass	1210
3000	12000	1	RMS	11009.978	-43.52	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.49	-13	Pass	8000




18.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.49	-72.56	-13	Pass	2985
30	1000	0.1	RMS	870.328	-63.03	-13	Pass	9699
1000	1700	1	RMS	1697.997	-25.97	-13	Pass	700
1700	1790	1	RMS	1710.8	22.87	60	Pass	401
1790	3000	1	RMS	2949.959	-49.83	-13	Pass	1210
3000	12000	1	RMS	11015.979	-43.51	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.55	-13	Pass	8000




**18.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.09	-13	Pass	2985
30	1000	0.1	RMS	891.056	-63.07	-13	Pass	9699
1000	1700	1	RMS	1697.997	-26.63	-13	Pass	700
1700	1790	1	RMS	1710.8	22.29	60	Pass	401
1790	3000	1	RMS	2948.958	-49.9	-13	Pass	1210
3000	12000	1	RMS	11129.992	-43.48	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.56	-13	Pass	8000




18.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.95	-13	Pass	401
0.15	30	0.01	RMS	1.18	-72.63	-13	Pass	2985
30	1000	0.1	RMS	852.905	-63.13	-13	Pass	9699
1000	1700	1	RMS	1700	-52.97	-13	Pass	700
1700	1790	1	RMS	1738.25	22.96	60	Pass	401
1790	3000	1	RMS	2947.957	-49.86	-13	Pass	1210
3000	12000	1	RMS	11011.978	-43.49	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.46	-13	Pass	8000




18.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-13	Pass	2985
30	1000	0.1	RMS	875.335	-63.15	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.06	-13	Pass	700
1700	1790	1	RMS	1738.25	22.1	60	Pass	401
1790	3000	1	RMS	2955.964	-49.93	-13	Pass	1210
3000	12000	1	RMS	11005.977	-43.58	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.47	-13	Pass	8000




18.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2985
30	1000	0.1	RMS	984.98	-63.13	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.08	-13	Pass	700
1700	1790	1	RMS	1765.7	23.03	60	Pass	401
1790	3000	1	RMS	2945.955	-49.9	-13	Pass	1210
3000	12000	1	RMS	11009.978	-43.56	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.48	-13	Pass	8000




18.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.92	-13	Pass	401
0.15	30	0.01	RMS	1.14	-72.71	-13	Pass	2985
30	1000	0.1	RMS	996.295	-63.08	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.1	-13	Pass	700
1700	1790	1	RMS	1765.7	22.41	60	Pass	401
1790	3000	1	RMS	2949.959	-49.9	-13	Pass	1210
3000	12000	1	RMS	11011.978	-43.44	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.46	-13	Pass	8000




18.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	1000	0.1	RMS	875.235	-63.07	-13	Pass	9699
1000	1700	1	RMS	1692.99	-26.66	-13	Pass	700
1700	1790	1	RMS	1711.025	23.09	60	Pass	401
1790	3000	1	RMS	2949.959	-49.82	-13	Pass	1210
3000	12000	1	RMS	11010.978	-43.52	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.52	-13	Pass	8000




18.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2985
30	1000	0.1	RMS	876.737	-63.07	-13	Pass	9699
1000	1700	1	RMS	1692.99	-27.4	-13	Pass	700
1700	1790	1	RMS	1711.025	22.43	60	Pass	401
1790	3000	1	RMS	2944.955	-49.88	-13	Pass	1210
3000	12000	1	RMS	11015.979	-43.54	-13	Pass	9000
12000	20000	1	RMS	19810.976	-36.51	-13	Pass	8000




18.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2985
30	1000	0.1	RMS	876.636	-63.05	-13	Pass	9699
1000	1700	1	RMS	1700	-49.61	-13	Pass	700
1700	1790	1	RMS	1736	23.01	60	Pass	401
1790	3000	1	RMS	2954.963	-49.89	-13	Pass	1210
3000	12000	1	RMS	11122.992	-43.5	-13	Pass	9000
12000	20000	1	RMS	19807.976	-36.57	-13	Pass	8000




**18.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2985
30	1000	0.1	RMS	879.841	-63.11	-13	Pass	9699
1000	1700	1	RMS	1700	-50.63	-13	Pass	700
1700	1790	1	RMS	1736	22.06	60	Pass	401
1790	3000	1	RMS	2950.959	-49.94	-13	Pass	1210
3000	12000	1	RMS	11120.991	-43.55	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.48	-13	Pass	8000




18.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.49	-72.39	-13	Pass	2985
30	1000	0.1	RMS	869.227	-62.99	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.13	-13	Pass	700
1700	1790	1	RMS	1760.975	23.05	60	Pass	401
1790	3000	1	RMS	2953.962	-49.93	-13	Pass	1210
3000	12000	1	RMS	11009.978	-43.54	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.41	-13	Pass	8000



18.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	1000	0.1	RMS	845.2	-63.18	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.11	-13	Pass	700
1700	1790	1	RMS	1760.975	22.29	60	Pass	401
1790	3000	1	RMS	2951.96	-49.91	-13	Pass	1210
3000	12000	1	RMS	11007.978	-43.56	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.52	-13	Pass	8000



CA

19. CA_7C


19.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.27	-25	Pass	2985
30	1000	0.1	RMS	890.755	-63.65	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.94	-25	Pass	1490
2490	2580	1	RMS	2519.925	19.28	60	Pass	401
2580	3000	1	RMS	2948.878	-50.2	-25	Pass	420
3000	12000	1	RMS	11584.486	-53.61	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.64	-25	Pass	14000




**19.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.37	-25	Pass	2985
30	1000	0.1	RMS	875.835	-63.72	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.93	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.25	60	Pass	401
2580	3000	1	RMS	2951.885	-50.17	-25	Pass	420
3000	12000	1	RMS	11582.483	-53.57	-25	Pass	9000
12000	26000	1	RMS	25901.983	-40.51	-25	Pass	14000




**19.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-25	Pass	2985
30	1000	0.1	RMS	882.644	-63.63	-25	Pass	9699
1000	2490	1	RMS	2490	-51.03	-25	Pass	1490
2490	2580	1	RMS	2538.825	21.25	60	Pass	401
2580	3000	1	RMS	2949.881	-50.15	-25	Pass	420
3000	12000	1	RMS	11580.481	-53.69	-25	Pass	9000
12000	26000	1	RMS	25903.983	-40.58	-25	Pass	14000




**19.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-25	Pass	2985
30	1000	0.1	RMS	979.973	-63.77	-25	Pass	9699
1000	2490	1	RMS	2490	-51.11	-25	Pass	1490
2490	2580	1	RMS	2539.05	21.05	60	Pass	401
2580	3000	1	RMS	2944.869	-50.19	-25	Pass	420
3000	12000	1	RMS	11575.475	-53.61	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.62	-25	Pass	14000




**19.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-25	Pass	2985
30	1000	0.1	RMS	879.841	-63.45	-25	Pass	9699
1000	2490	1	RMS	2490	-50.99	-25	Pass	1490
2490	2580	1	RMS	2558.85	20.97	60	Pass	401
2580	3000	1	RMS	2950.883	-50.17	-25	Pass	420
3000	12000	1	RMS	11574.473	-53.61	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.64	-25	Pass	14000




**19.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.45	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.06	-25	Pass	2985
30	1000	0.1	RMS	879.24	-63.71	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.11	-25	Pass	1490
2490	2580	1	RMS	2558.85	19.84	60	Pass	401
2580	3000	1	RMS	2951.885	-50.12	-25	Pass	420
3000	12000	1	RMS	11580.481	-53.67	-25	Pass	9000
12000	26000	1	RMS	25890.981	-40.58	-25	Pass	14000



**19.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.97	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.98	-25	Pass	2985
30	1000	0.1	RMS	845.2	-63.83	-25	Pass	9699
1000	2490	1	RMS	2490	-50.99	-25	Pass	1490
2490	2580	1	RMS	2518.8	21.4	60	Pass	401
2580	3000	1	RMS	2950.883	-50.19	-25	Pass	420
3000	12000	1	RMS	11578.478	-53.65	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.69	-25	Pass	14000




**19.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.09	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-25	Pass	2985
30	1000	0.1	RMS	863.519	-63.54	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.99	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.46	60	Pass	401
2580	3000	1	RMS	2953.89	-50.15	-25	Pass	420
3000	12000	1	RMS	11577.477	-53.58	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.6	-25	Pass	14000




**19.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.14	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-25	Pass	2985
30	1000	0.1	RMS	997.797	-63.8	-25	Pass	9699
1000	2490	1	RMS	2490	-51	-25	Pass	1490
2490	2580	1	RMS	2533.875	21.43	60	Pass	401
2580	3000	1	RMS	2952.888	-50.19	-25	Pass	420
3000	12000	1	RMS	11582.483	-53.64	-25	Pass	9000
12000	26000	1	RMS	25890.981	-40.72	-25	Pass	14000




**19.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-25	Pass	2985
30	1000	0.1	RMS	871.53	-63.85	-25	Pass	9699
1000	2490	1	RMS	2490	-51.09	-25	Pass	1490
2490	2580	1	RMS	2533.875	20.47	60	Pass	401
2580	3000	1	RMS	2950.883	-50.14	-25	Pass	420
3000	12000	1	RMS	11591.494	-53.7	-25	Pass	9000
12000	26000	1	RMS	25909.985	-40.66	-25	Pass	14000



**19.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.17	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.38	-25	Pass	2985
30	1000	0.1	RMS	882.044	-63.98	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.1	-25	Pass	1490
2490	2580	1	RMS	2548.95	21.12	60	Pass	401
2580	3000	1	RMS	2949.881	-50.21	-25	Pass	420
3000	12000	1	RMS	11574.473	-53.66	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.65	-25	Pass	14000



**19.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.36	-25	Pass	2985
30	1000	0.1	RMS	901.67	-64.07	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.13	-25	Pass	1490
2490	2580	1	RMS	2548.95	20.15	60	Pass	401
2580	3000	1	RMS	2950.883	-50.18	-25	Pass	420
3000	12000	1	RMS	11576.476	-53.67	-25	Pass	9000
12000	26000	1	RMS	25902.983	-40.61	-25	Pass	14000



20. CA_38C


20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-25	Pass	2985
30	1000	0.1	RMS	871.83	-63.44	-25	Pass	9699
1000	2560	1	RMS	2560	-50.01	-25	Pass	1560
2560	2630	1	RMS	2585.725	17.17	60	Pass	401
2630	3000	1	RMS	2946.35	-50.18	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.61	-25	Pass	9000
12000	26500	1	RMS	25896.904	-40.66	-25	Pass	14500




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-25	Pass	2985
30	1000	0.1	RMS	878.739	-63.61	-25	Pass	9699
1000	2560	1	RMS	2555.997	-50.49	-25	Pass	1560
2560	2630	1	RMS	2584.15	18.27	60	Pass	401
2630	3000	1	RMS	2950.05	-50.18	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.59	-25	Pass	9000
12000	26500	1	RMS	25893.904	-40.63	-25	Pass	14500




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.64	-25	Pass	2985
30	1000	0.1	RMS	855.208	-63.49	-25	Pass	9699
1000	2560	1	RMS	2512.97	-50.66	-25	Pass	1560
2560	2630	1	RMS	2594.125	18.85	60	Pass	401
2630	3000	1	RMS	2949.125	-50.12	-25	Pass	401
3000	12000	1	RMS	11584.486	-53.5	-25	Pass	9000
12000	26500	1	RMS	25880.902	-40.69	-25	Pass	14500




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-25	Pass	2985
30	1000	0.1	RMS	906.576	-63.49	-25	Pass	9699
1000	2560	1	RMS	2517.973	-50.65	-25	Pass	1560
2560	2630	1	RMS	2594.125	18.25	60	Pass	401
2630	3000	1	RMS	2950.975	-50.14	-25	Pass	401
3000	12000	1	RMS	11583.485	-53.6	-25	Pass	9000
12000	26500	1	RMS	25891.904	-40.62	-25	Pass	14500




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.88	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.45	-25	Pass	2985
30	1000	0.1	RMS	888.052	-63.46	-25	Pass	9699
1000	2560	1	RMS	2513.97	-50.66	-25	Pass	1560
2560	2630	1	RMS	2603.925	19.04	60	Pass	401
2630	3000	1	RMS	2950.05	-50.13	-25	Pass	401
3000	12000	1	RMS	11589.492	-53.55	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.7	-25	Pass	14500




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.4	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.92	-25	Pass	2985
30	1000	0.1	RMS	878.038	-63.49	-25	Pass	9699
1000	2560	1	RMS	2513.97	-50.66	-25	Pass	1560
2560	2630	1	RMS	2604.1	18.18	60	Pass	401
2630	3000	1	RMS	2951.9	-50.17	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.47	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.63	-25	Pass	14500




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.74	-25	Pass	2985
30	1000	0.1	RMS	878.138	-63.31	-25	Pass	9699
1000	2560	1	RMS	2551.995	-50.54	-25	Pass	1560
2560	2630	1	RMS	2588.7	18.72	60	Pass	401
2630	3000	1	RMS	2956.525	-50.1	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.48	-25	Pass	9000
12000	26500	1	RMS	25887.903	-40.51	-25	Pass	14500




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-25	Pass	2985
30	1000	0.1	RMS	859.113	-63.32	-25	Pass	9699
1000	2560	1	RMS	2549.994	-50.57	-25	Pass	1560
2560	2630	1	RMS	2588.7	17.14	60	Pass	401
2630	3000	1	RMS	2950.05	-50.06	-25	Pass	401
3000	12000	1	RMS	11576.476	-53.52	-25	Pass	9000
12000	26500	1	RMS	25907.906	-40.6	-25	Pass	14500




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.61	-25	Pass	2985
30	1000	0.1	RMS	876.436	-63.35	-25	Pass	9699
1000	2560	1	RMS	2516.972	-50.55	-25	Pass	1560
2560	2630	1	RMS	2593.95	16.46	60	Pass	401
2630	3000	1	RMS	2950.05	-50.05	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.5	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.56	-25	Pass	14500




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-25	Pass	2985
30	1000	0.1	RMS	890.455	-63.4	-25	Pass	9699
1000	2560	1	RMS	2550.994	-50.59	-25	Pass	1560
2560	2630	1	RMS	2593.95	17.17	60	Pass	401
2630	3000	1	RMS	2952.825	-50.13	-25	Pass	401
3000	12000	1	RMS	11576.476	-53.53	-25	Pass	9000
12000	26500	1	RMS	25887.903	-40.61	-25	Pass	14500




20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-25	Pass	2985
30	1000	0.1	RMS	856.009	-63.47	-25	Pass	9699
1000	2560	1	RMS	2540.988	-50.58	-25	Pass	1560
2560	2630	1	RMS	2599.025	18.15	60	Pass	401
2630	3000	1	RMS	2956.525	-50.06	-25	Pass	401
3000	12000	1	RMS	11585.487	-53.5	-25	Pass	9000
12000	26500	1	RMS	25903.906	-40.59	-25	Pass	14500



**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-25	Pass	2985
30	1000	0.1	RMS	853.506	-63.38	-25	Pass	9699
1000	2560	1	RMS	2517.973	-50.6	-25	Pass	1560
2560	2630	1	RMS	2598.85	17.13	60	Pass	401
2630	3000	1	RMS	2950.05	-50.12	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.45	-25	Pass	9000
12000	26500	1	RMS	25892.904	-40.54	-25	Pass	14500



21. CA_41C_full


21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.47	-25	Pass	401
0.15	30	0.01	RMS	0.32	-72.6	-25	Pass	2985
30	1000	0.1	RMS	864.52	-63.32	-25	Pass	9699
1000	2486	1	RMS	2486	-50.93	-25	Pass	1486
2486	2700	1	RMS	2514.355	13.63	60	Pass	401
2700	3000	1	RMS	2951.25	-50.05	-25	Pass	401
3000	12000	1	RMS	11583.485	-53.54	-25	Pass	9000
12000	27000	1	RMS	25900.839	-40.56	-25	Pass	15000




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.72	-25	Pass	2985
30	1000	0.1	RMS	860.014	-63.91	-25	Pass	9699
1000	2486	1	RMS	2484.999	-51.07	-25	Pass	1486
2486	2700	1	RMS	2514.89	12.19	60	Pass	401
2700	3000	1	RMS	2951.25	-50.13	-25	Pass	401
3000	12000	1	RMS	11583.485	-53.41	-25	Pass	9000
12000	27000	1	RMS	25893.838	-40.45	-25	Pass	15000




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-25	Pass	2985
30	1000	0.1	RMS	870.228	-64.1	-25	Pass	9699
1000	2486	1	RMS	2480.997	-51.24	-25	Pass	1486
2486	2700	1	RMS	2598.885	13.62	60	Pass	401
2700	3000	1	RMS	2949.75	-50.2	-25	Pass	401
3000	12000	1	RMS	11576.476	-53.55	-25	Pass	9000
12000	27000	1	RMS	25870.834	-40.49	-25	Pass	15000




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.52	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-25	Pass	2985
30	1000	0.1	RMS	867.624	-64.02	-25	Pass	9699
1000	2486	1	RMS	2483.999	-51.18	-25	Pass	1486
2486	2700	1	RMS	2598.885	12.68	60	Pass	401
2700	3000	1	RMS	2949	-50.15	-25	Pass	401
3000	12000	1	RMS	7123.503	-52.45	-25	Pass	9000
12000	27000	1	RMS	25900.839	-40.39	-25	Pass	15000




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-25	Pass	2985
30	1000	0.1	RMS	872.431	-64.02	-25	Pass	9699
1000	2486	1	RMS	2481.997	-51.15	-25	Pass	1486
2486	2700	1	RMS	2683.415	13.19	60	Pass	401
2700	3000	1	RMS	2953.5	-50.18	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.63	-25	Pass	9000
12000	27000	1	RMS	25885.836	-40.46	-25	Pass	15000




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-25	Pass	2985
30	1000	0.1	RMS	870.628	-64.2	-25	Pass	9699
1000	2486	1	RMS	2484.999	-51.17	-25	Pass	1486
2486	2700	1	RMS	2683.415	12.33	60	Pass	401
2700	3000	1	RMS	2949	-50.13	-25	Pass	401
3000	12000	1	RMS	11578.478	-53.6	-25	Pass	9000
12000	27000	1	RMS	25900.839	-40.46	-25	Pass	15000




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-25	Pass	2985
30	1000	0.1	RMS	879.54	-63.95	-25	Pass	9699
1000	2486	1	RMS	2484.999	-51.04	-25	Pass	1486
2486	2700	1	RMS	2514.89	17.35	60	Pass	401
2700	3000	1	RMS	2952.75	-50.19	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.64	-25	Pass	9000
12000	27000	1	RMS	25899.838	-40.44	-25	Pass	15000




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	Pass	2985
30	1000	0.1	RMS	877.037	-64.08	-25	Pass	9699
1000	2486	1	RMS	2486	-51.01	-25	Pass	1486
2486	2700	1	RMS	2514.355	16.91	60	Pass	401
2700	3000	1	RMS	2950.5	-50.2	-25	Pass	401
3000	12000	1	RMS	7135.505	-53.26	-25	Pass	9000
12000	27000	1	RMS	25886.836	-40.57	-25	Pass	15000




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-25	Pass	2985
30	1000	0.1	RMS	868.826	-63.98	-25	Pass	9699
1000	2486	1	RMS	2483.999	-51.24	-25	Pass	1486
2486	2700	1	RMS	2591.395	17.12	60	Pass	401
2700	3000	1	RMS	2950.5	-50.19	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.58	-25	Pass	9000
12000	27000	1	RMS	25901.839	-40.46	-25	Pass	15000




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-25	Pass	2985
30	1000	0.1	RMS	878.239	-63.82	-25	Pass	9699
1000	2486	1	RMS	2486	-51.13	-25	Pass	1486
2486	2700	1	RMS	2591.93	16.95	60	Pass	401
2700	3000	1	RMS	2949	-50.15	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.51	-25	Pass	9000
12000	27000	1	RMS	25876.835	-40.41	-25	Pass	15000




21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-25	Pass	2985
30	1000	0.1	RMS	888.652	-64.12	-25	Pass	9699
1000	2486	1	RMS	2486	-51.11	-25	Pass	1486
2486	2700	1	RMS	2668.97	17.38	60	Pass	401
2700	3000	1	RMS	2949.75	-50.17	-25	Pass	401
3000	12000	1	RMS	7112.502	-52.76	-25	Pass	9000
12000	27000	1	RMS	25900.839	-40.35	-25	Pass	15000



**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-25	Pass	2985
30	1000	0.1	RMS	868.425	-64.17	-25	Pass	9699
1000	2486	1	RMS	2486	-51.14	-25	Pass	1486
2486	2700	1	RMS	2668.97	17.49	60	Pass	401
2700	3000	1	RMS	2950.5	-50.19	-25	Pass	401
3000	12000	1	RMS	11575.475	-53.6	-25	Pass	9000
12000	27000	1	RMS	25902.839	-40.46	-25	Pass	15000




NR

22. n7 15kHz


22.1. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-74.73	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.89	-13	Pass	2985
30	1000	0.1	RMS	912.384	-78.6	-13	Pass	9699
1000	2490	1	RMS	2490	-48.75	-13	Pass	1490
2490	2580	1	RMS	2502.375	20.64	60	Pass	401
2580	2700	1	RMS	2699.1	-50.25	-13	Pass	401
2700	3000	1	RMS	2871	-64.99	-13	Pass	401
3000	6500	1	RMS	6054.873	-60.12	-13	Pass	3500
6500	27000	1	RMS	25510.638	-47.34	-13	Pass	20500




**22.2. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-74.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.74	-13	Pass	2985
30	1000	0.1	RMS	930.207	-79.12	-13	Pass	9699
1000	2490	1	RMS	2490	-49.1	-13	Pass	1490
2490	2580	1	RMS	2502.375	19.45	60	Pass	401
2580	2700	1	RMS	2693.7	-50.19	-13	Pass	401
2700	3000	1	RMS	2870.25	-65.08	-13	Pass	401
3000	6500	1	RMS	6195.913	-60.21	-13	Pass	3500
6500	27000	1	RMS	25163.554	-47.28	-13	Pass	20500




**22.3. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.49	-13	Pass	2985
30	1000	0.1	RMS	877.538	-79.34	-13	Pass	9699
1000	2490	1	RMS	2490	-57.24	-13	Pass	1490
2490	2580	1	RMS	2535	20.69	60	Pass	401
2580	2700	1	RMS	2693.7	-50.21	-13	Pass	401
2700	3000	1	RMS	2868	-65.07	-13	Pass	401
3000	6500	1	RMS	6055.873	-60.21	-13	Pass	3500
6500	27000	1	RMS	25870.726	-46.79	-13	Pass	20500




**22.4. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.82	-13	Pass	2985
30	1000	0.1	RMS	891.056	-79.36	-13	Pass	9699
1000	2490	1	RMS	2490	-57.03	-13	Pass	1490
2490	2580	1	RMS	2534.775	19.74	60	Pass	401
2580	2700	1	RMS	2695.5	-50.25	-13	Pass	401
2700	3000	1	RMS	2867.25	-65.07	-13	Pass	401
3000	6500	1	RMS	6052.872	-60.05	-13	Pass	3500
6500	27000	1	RMS	25193.561	-47.22	-13	Pass	20500




**22.5. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2985
30	1000	0.1	RMS	901.469	-79.21	-13	Pass	9699
1000	2490	1	RMS	2490	-57.62	-13	Pass	1490
2490	2580	1	RMS	2567.4	20.65	60	Pass	401
2580	2700	1	RMS	2580	-47.1	-13	Pass	401
2700	3000	1	RMS	2868	-65.08	-13	Pass	401
3000	6500	1	RMS	6143.898	-60.11	-13	Pass	3500
6500	27000	1	RMS	25187.56	-47.13	-13	Pass	20500




**22.6. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-13	Pass	2985
30	1000	0.1	RMS	876.636	-79.43	-13	Pass	9699
1000	2490	1	RMS	2490	-57.25	-13	Pass	1490
2490	2580	1	RMS	2567.4	19.7	60	Pass	401
2580	2700	1	RMS	2580	-47.01	-13	Pass	401
2700	3000	1	RMS	2865.75	-65.05	-13	Pass	401
3000	6500	1	RMS	6060.875	-60.12	-13	Pass	3500
6500	27000	1	RMS	25221.568	-47.23	-13	Pass	20500




**22.7. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-75.08	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.25	-13	Pass	2985
30	1000	0.1	RMS	988.585	-78.78	-13	Pass	9699
1000	2490	1	RMS	2490	-45.25	-13	Pass	1490
2490	2580	1	RMS	2508.45	16.1	60	Pass	401
2580	2700	1	RMS	2700	-50.22	-13	Pass	401
2700	3000	1	RMS	2872.5	-65.01	-13	Pass	401
3000	6500	1	RMS	6180.909	-60.2	-13	Pass	3500
6500	27000	1	RMS	25495.635	-46.66	-13	Pass	20500




**22.8. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.25	-13	Pass	2985
30	1000	0.1	RMS	897.564	-79.57	-13	Pass	9699
1000	2490	1	RMS	2490	-46.35	-13	Pass	1490
2490	2580	1	RMS	2507.325	15.16	60	Pass	401
2580	2700	1	RMS	2695.2	-50.22	-13	Pass	401
2700	3000	1	RMS	2865.75	-65.05	-13	Pass	401
3000	6500	1	RMS	6154.901	-60.15	-13	Pass	3500
6500	27000	1	RMS	25208.565	-47.12	-13	Pass	20500




**22.9. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-13	Pass	2985
30	1000	0.1	RMS	962.05	-78.76	-13	Pass	9699
1000	2490	1	RMS	2490	-56.94	-13	Pass	1490
2490	2580	1	RMS	2533.875	16.19	60	Pass	401
2580	2700	1	RMS	2697.3	-50.19	-13	Pass	401
2700	3000	1	RMS	2868	-65.02	-13	Pass	401
3000	6500	1	RMS	6069.877	-60.2	-13	Pass	3500
6500	27000	1	RMS	25464.627	-47.23	-13	Pass	20500




**22.10. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.68	-13	Pass	2985
30	1000	0.1	RMS	990.187	-79.75	-13	Pass	9699
1000	2490	1	RMS	2490	-57.16	-13	Pass	1490
2490	2580	1	RMS	2534.775	15.32	60	Pass	401
2580	2700	1	RMS	2696.7	-50.23	-13	Pass	401
2700	3000	1	RMS	2871	-65.01	-13	Pass	401
3000	6500	1	RMS	6060.875	-60.26	-13	Pass	3500
6500	27000	1	RMS	25470.628	-47.1	-13	Pass	20500




22.11. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.93	-13	Pass	2985
30	1000	0.1	RMS	919.093	-78.67	-13	Pass	9699
1000	2490	1	RMS	2490	-57.18	-13	Pass	1490
2490	2580	1	RMS	2561.325	16.25	60	Pass	401
2580	2700	1	RMS	2580	-44.55	-13	Pass	401
2700	3000	1	RMS	2874.75	-65.06	-13	Pass	401
3000	6500	1	RMS	6183.91	-60.14	-13	Pass	3500
6500	27000	1	RMS	25523.641	-47.23	-13	Pass	20500




22.12. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.93	-13	Pass	2985
30	1000	0.1	RMS	982.977	-79.56	-13	Pass	9699
1000	2490	1	RMS	2490	-56.95	-13	Pass	1490
2490	2580	1	RMS	2562.45	15.32	60	Pass	401
2580	2700	1	RMS	2580	-45.42	-13	Pass	401
2700	3000	1	RMS	2868	-65.02	-13	Pass	401
3000	6500	1	RMS	6053.873	-60.09	-13	Pass	3500
6500	27000	1	RMS	25536.644	-47.05	-13	Pass	20500




**22.13. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-13	Pass	2985
30	1000	0.1	RMS	886.55	-78.84	-13	Pass	9699
1000	2490	1	RMS	2490	-43.29	-13	Pass	1490
2490	2580	1	RMS	2509.575	14.85	60	Pass	401
2580	2700	1	RMS	2693.7	-50.21	-13	Pass	401
2700	3000	1	RMS	2868.75	-65.07	-13	Pass	401
3000	6500	1	RMS	6175.907	-60.19	-13	Pass	3500
6500	27000	1	RMS	25529.643	-47.05	-13	Pass	20500




22.14. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-75.42	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.54	-13	Pass	2985
30	1000	0.1	RMS	889.654	-79.19	-13	Pass	9699
1000	2490	1	RMS	2490	-44.96	-13	Pass	1490
2490	2580	1	RMS	2507.325	13.77	60	Pass	401
2580	2700	1	RMS	2690.1	-50.22	-13	Pass	401
2700	3000	1	RMS	2868.75	-65	-13	Pass	401
3000	6500	1	RMS	6058.874	-60.1	-13	Pass	3500
6500	27000	1	RMS	25786.705	-47.27	-13	Pass	20500




22.15. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-74.1	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.08	-13	Pass	2985
30	1000	0.1	RMS	988.785	-79.45	-13	Pass	9699
1000	2490	1	RMS	2490	-56.91	-13	Pass	1490
2490	2580	1	RMS	2534.325	14.97	60	Pass	401
2580	2700	1	RMS	2697	-50.22	-13	Pass	401
2700	3000	1	RMS	2869.5	-64.99	-13	Pass	401
3000	6500	1	RMS	6149.9	-60.06	-13	Pass	3500
6500	27000	1	RMS	25186.559	-47.3	-13	Pass	20500




**22.16. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-70.78	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.56	-13	Pass	2985
30	1000	0.1	RMS	914.787	-78.55	-13	Pass	9699
1000	2490	1	RMS	2490	-57.08	-13	Pass	1490
2490	2580	1	RMS	2535.225	13.83	60	Pass	401
2580	2700	1	RMS	2700	-50.22	-13	Pass	401
2700	3000	1	RMS	2874.75	-65.04	-13	Pass	401
3000	6500	1	RMS	6056.873	-60.16	-13	Pass	3500
6500	27000	1	RMS	25182.558	-46.88	-13	Pass	20500




**22.17. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.2	-13	Pass	2985
30	1000	0.1	RMS	898.565	-79.3	-13	Pass	9699
1000	2490	1	RMS	2490	-57.03	-13	Pass	1490
2490	2580	1	RMS	2559.3	14.95	60	Pass	401
2580	2700	1	RMS	2580	-41.61	-13	Pass	401
2700	3000	1	RMS	2870.25	-65.08	-13	Pass	401
3000	6500	1	RMS	6057.874	-60.23	-13	Pass	3500
6500	27000	1	RMS	25207.565	-46.92	-13	Pass	20500



22.18. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.36	-13	Pass	2985
30	1000	0.1	RMS	693.081	-79.72	-13	Pass	9699
1000	2490	1	RMS	2490	-57.24	-13	Pass	1490
2490	2580	1	RMS	2559.975	13.87	60	Pass	401
2580	2700	1	RMS	2580	-43.83	-13	Pass	401
2700	3000	1	RMS	2869.5	-64.97	-13	Pass	401
3000	6500	1	RMS	6048.871	-60.18	-13	Pass	3500
6500	27000	1	RMS	25499.635	-47.29	-13	Pass	20500



23. n41 30kHz


23.1. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.15	-13	Pass	2985
30	1000	0.1	RMS	887.851	-79.65	-13	Pass	9699
1000	2486	1	RMS	2486	-39.74	-13	Pass	1486
2486	2700	1	RMS	2509.005	15.52	60	Pass	401
2700	3000	1	RMS	2700	-64.18	-13	Pass	401
3000	6500	1	RMS	6057.874	-60.31	-13	Pass	3500
6500	27000	1	RMS	25204.564	-47.12	-13	Pass	20500




**23.2. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72	-13	Pass	2985
30	1000	0.1	RMS	995.995	-78.99	-13	Pass	9699
1000	2486	1	RMS	2486	-42.04	-13	Pass	1486
2486	2700	1	RMS	2506.33	14.28	60	Pass	401
2700	3000	1	RMS	2700.75	-64.23	-13	Pass	401
3000	6500	1	RMS	6059.874	-60.15	-13	Pass	3500
6500	27000	1	RMS	25819.713	-47.02	-13	Pass	20500




**23.3. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.6	-13	Pass	2985
30	1000	0.1	RMS	983.078	-79.27	-13	Pass	9699
1000	2486	1	RMS	2486	-64.77	-13	Pass	1486
2486	2700	1	RMS	2594.07	15.27	60	Pass	401
2700	3000	1	RMS	2700	-64.08	-13	Pass	401
3000	6500	1	RMS	6053.873	-60.14	-13	Pass	3500
6500	27000	1	RMS	25862.724	-46.64	-13	Pass	20500




**23.4. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.49	-13	Pass	2985
30	1000	0.1	RMS	986.182	-79.05	-13	Pass	9699
1000	2486	1	RMS	2486	-64.76	-13	Pass	1486
2486	2700	1	RMS	2593	14.41	60	Pass	401
2700	3000	1	RMS	2700	-64.17	-13	Pass	401
3000	6500	1	RMS	6061.875	-60.13	-13	Pass	3500
6500	27000	1	RMS	25192.561	-47.26	-13	Pass	20500




**23.5. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.52	-13	Pass	2985
30	1000	0.1	RMS	983.979	-79.06	-13	Pass	9699
1000	2486	1	RMS	1727.49	-59.63	-13	Pass	1486
2486	2700	1	RMS	2682.88	15.3	60	Pass	401
2700	3000	1	RMS	2700	-39.56	-13	Pass	401
3000	6500	1	RMS	6138.897	-60.23	-13	Pass	3500
6500	27000	1	RMS	25197.562	-46.89	-13	Pass	20500




**23.6. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	Pass	2985
30	1000	0.1	RMS	744.087	-79.05	-13	Pass	9699
1000	2486	1	RMS	2483.999	-65.09	-13	Pass	1486
2486	2700	1	RMS	2679.67	14.29	60	Pass	401
2700	3000	1	RMS	2700	-41.52	-13	Pass	401
3000	6500	1	RMS	6074.879	-60.08	-13	Pass	3500
6500	27000	1	RMS	25513.639	-46.75	-13	Pass	20500




**23.7. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-67.35	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.49	-13	Pass	2985
30	1000	0.1	RMS	994.593	-79.3	-13	Pass	9699
1000	2486	1	RMS	2486	-36.66	-13	Pass	1486
2486	2700	1	RMS	2532.545	10.53	60	Pass	401
2700	3000	1	RMS	2700.75	-63.85	-13	Pass	401
3000	6500	1	RMS	6056.873	-60.19	-13	Pass	3500
6500	27000	1	RMS	25499.635	-47.15	-13	Pass	20500




**23.8. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	Pass	2985
30	1000	0.1	RMS	876.636	-78.81	-13	Pass	9699
1000	2486	1	RMS	2486	-38.76	-13	Pass	1486
2486	2700	1	RMS	2528.8	9.52	60	Pass	401
2700	3000	1	RMS	2700.75	-63.95	-13	Pass	401
3000	6500	1	RMS	6079.88	-60.24	-13	Pass	3500
6500	27000	1	RMS	25183.559	-47.25	-13	Pass	20500




**23.9. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.76	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.72	-13	Pass	2985
30	1000	0.1	RMS	949.934	-78.8	-13	Pass	9699
1000	2486	1	RMS	2483.999	-59.98	-13	Pass	1486
2486	2700	1	RMS	2599.42	10.45	60	Pass	401
2700	3000	1	RMS	2700	-57.57	-13	Pass	401
3000	6500	1	RMS	6140.897	-60.26	-13	Pass	3500
6500	27000	1	RMS	25503.636	-47.22	-13	Pass	20500




23.10. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.087	-67.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-75.29	-13	Pass	2985
30	1000	0.1	RMS	951.836	-78.83	-13	Pass	9699
1000	2486	1	RMS	2486	-60.51	-13	Pass	1486
2486	2700	1	RMS	2603.165	9.38	60	Pass	401
2700	3000	1	RMS	2700	-58.47	-13	Pass	401
3000	6500	1	RMS	6055.873	-60.22	-13	Pass	3500
6500	27000	1	RMS	25188.56	-47.11	-13	Pass	20500




23.11. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.078	-65.41	-13	Pass	401
0.15	30	0.01	RMS	0.18	-74.23	-13	Pass	2985
30	1000	0.1	RMS	911.783	-79.57	-13	Pass	9699
1000	2486	1	RMS	2484.999	-64.91	-13	Pass	1486
2486	2700	1	RMS	2658.27	10.42	60	Pass	401
2700	3000	1	RMS	2700	-36.91	-13	Pass	401
3000	6500	1	RMS	6189.911	-60.17	-13	Pass	3500
6500	27000	1	RMS	25521.641	-47.17	-13	Pass	20500




23.12. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.39	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.13	-13	Pass	2985
30	1000	0.1	RMS	894.961	-79.06	-13	Pass	9699
1000	2486	1	RMS	2486	-64.89	-13	Pass	1486
2486	2700	1	RMS	2652.92	9.42	60	Pass	401
2700	3000	1	RMS	2700	-39.18	-13	Pass	401
3000	6500	1	RMS	6055.873	-60.16	-13	Pass	3500
6500	27000	1	RMS	25200.563	-47.29	-13	Pass	20500




**23.13. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-65.17	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.1	-13	Pass	2985
30	1000	0.1	RMS	898.866	-78.9	-13	Pass	9699
1000	2486	1	RMS	2484.999	-32.57	-13	Pass	1486
2486	2700	1	RMS	2532.01	8.29	60	Pass	401
2700	3000	1	RMS	2700	-55.43	-13	Pass	401
3000	6500	1	RMS	6059.874	-60.18	-13	Pass	3500
6500	27000	1	RMS	25495.635	-46.85	-13	Pass	20500




**23.14. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	Pass	2985
30	1000	0.1	RMS	868.325	-79.17	-13	Pass	9699
1000	2486	1	RMS	2486	-34.87	-13	Pass	1486
2486	2700	1	RMS	2532.01	7.31	60	Pass	401
2700	3000	1	RMS	2700	-58.15	-13	Pass	401
3000	6500	1	RMS	6149.9	-60.15	-13	Pass	3500
6500	27000	1	RMS	25490.633	-47.18	-13	Pass	20500




**23.15. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-65.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.88	-13	Pass	2985
30	1000	0.1	RMS	963.752	-78.94	-13	Pass	9699
1000	2486	1	RMS	2481.997	-50.74	-13	Pass	1486
2486	2700	1	RMS	2610.12	8.65	60	Pass	401
2700	3000	1	RMS	2700	-45.64	-13	Pass	401
3000	6500	1	RMS	6078.88	-60.21	-13	Pass	3500
6500	27000	1	RMS	25204.564	-47.09	-13	Pass	20500




**23.16. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-63.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-76.1	-13	Pass	2985
30	1000	0.1	RMS	889.353	-79.28	-13	Pass	9699
1000	2486	1	RMS	2486	-52	-13	Pass	1486
2486	2700	1	RMS	2609.05	7.63	60	Pass	401
2700	3000	1	RMS	2700	-48.41	-13	Pass	401
3000	6500	1	RMS	6057.874	-60.16	-13	Pass	3500
6500	27000	1	RMS	25556.649	-47.05	-13	Pass	20500




**23.17. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.075	-65.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-74.37	-13	Pass	2985
30	1000	0.1	RMS	886.149	-78.75	-13	Pass	9699
1000	2486	1	RMS	2486	-56.4	-13	Pass	1486
2486	2700	1	RMS	2651.85	8.27	60	Pass	401
2700	3000	1	RMS	2700	-35.03	-13	Pass	401
3000	6500	1	RMS	6180.909	-60.22	-13	Pass	3500
6500	27000	1	RMS	25495.635	-47.22	-13	Pass	20500



**23.18. SA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.075	-65.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.53	-13	Pass	2985
30	1000	0.1	RMS	908.779	-79.11	-13	Pass	9699
1000	2486	1	RMS	2486	-58.39	-13	Pass	1486
2486	2700	1	RMS	2644.895	7.46	60	Pass	401
2700	3000	1	RMS	2700	-37.43	-13	Pass	401
3000	6500	1	RMS	6055.873	-60.18	-13	Pass	3500
6500	27000	1	RMS	25873.726	-47.18	-13	Pass	20500



24. DC_7A_n5A_SCS15_5M_L_Inner Full(QPSK)

24.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.97	-13	Pass	401
0.15	30	0.01	RMS	1.05	-56.19	-13	Pass	2985
30	814	0.1	RMS	813.8	-64.32	-13	Pass	7840
814	859	0.1	RMS	826.127	10.85	60	Pass	450
859	1000	0.1	RMS	931.652	-80.47	-13	Pass	1410
1000	3000	1	RMS	2478.739	-21.82	-13	Pass	2000
3000	10000	1	RMS	8429.776	-53.32	-13	Pass	7000



24. DC_7A_n5A_SCS15_5M_L_Inner Full(16QAM)

24.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.25	-13	Pass	401
0.15	30	0.01	RMS	1.05	-57.71	-13	Pass	2985
30	814	0.1	RMS	813.4	-63.72	-13	Pass	7840
814	859	0.1	RMS	826.428	10.29	60	Pass	450
859	1000	0.1	RMS	931.752	-79.63	-13	Pass	1410
1000	3000	1	RMS	2478.739	-21.37	-13	Pass	2000
3000	10000	1	RMS	8425.775	-53.42	-13	Pass	7000



24. DC_7A_n5A_SCS15_5M_M_Inner Full(QPSK)

24.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.65	-13	Pass	401
0.15	30	0.01	RMS	1.05	-57.65	-13	Pass	2985
30	814	0.1	RMS	813.2	-73.54	-13	Pass	7840
814	859	0.1	RMS	836.149	10.55	60	Pass	450
859	1000	0.1	RMS	966.877	-80.58	-13	Pass	1410
1000	3000	1	RMS	2508.754	-22.96	-13	Pass	2000
3000	10000	1	RMS	8434.776	-53.66	-13	Pass	7000



24. DC_7A_n5A_SCS15_5M_M_Inner Full(16QAM)

24.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75	-13	Pass	401
0.15	30	0.01	RMS	1.05	-58.72	-13	Pass	2985
30	814	0.1	RMS	813.2	-74.64	-13	Pass	7840
814	859	0.1	RMS	835.448	10.36	60	Pass	450
859	1000	0.1	RMS	966.776	-80.64	-13	Pass	1410
1000	3000	1	RMS	2508.754	-21.93	-13	Pass	2000
3000	10000	1	RMS	8407.773	-53.64	-13	Pass	7000



24. DC_7A_n5A_SCS15_5M_H_Inner Full(QPSK)

24.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.4	-13	Pass	401
0.15	30	0.01	RMS	1.05	-58.99	-13	Pass	2985
30	814	0.1	RMS	813.2	-74.9	-13	Pass	7840
814	859	0.1	RMS	846.171	10.47	60	Pass	450
859	1000	0.1	RMS	859.5	-80.77	-13	Pass	1410
1000	3000	1	RMS	2539.77	-23	-13	Pass	2000
3000	10000	1	RMS	8404.772	-53.23	-13	Pass	7000



24. DC_7A_n5A_SCS15_5M_H_Inner Full(16QAM)

24.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.03	-13	Pass	401
0.15	30	0.01	RMS	1.05	-60.09	-13	Pass	2985
30	814	0.1	RMS	812.5	-75.83	-13	Pass	7840
814	859	0.1	RMS	845.47	10.32	60	Pass	450
859	1000	0.1	RMS	862.102	-80.76	-13	Pass	1410
1000	3000	1	RMS	2538.769	-21.37	-13	Pass	2000
3000	10000	1	RMS	8441.777	-53.78	-13	Pass	7000



24. DC_7A_n5A_SCS15_15M_L_Inner Full(QPSK)

24.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.38	-13	Pass	401
0.15	30	0.01	RMS	1.801	-64.42	-13	Pass	2985
30	814	0.1	RMS	812.9	-49.35	-13	Pass	7840
814	859	0.1	RMS	830.637	6.09	60	Pass	450
859	1000	0.1	RMS	986.691	-81.23	-13	Pass	1410
1000	3000	1	RMS	2491.746	-27.11	-13	Pass	2000
3000	10000	1	RMS	8427.775	-53.6	-13	Pass	7000



24. DC_7A_n5A_SCS15_15M_L_Inner Full(16QAM)

24.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.33	-13	Pass	401
0.15	30	0.01	RMS	5.422	-65.9	-13	Pass	2985
30	814	0.1	RMS	813.9	-49.83	-13	Pass	7840
814	859	0.1	RMS	831.339	5.88	60	Pass	450
859	1000	0.1	RMS	944.861	-81	-13	Pass	1410
1000	3000	1	RMS	2492.746	-25.01	-13	Pass	2000
3000	10000	1	RMS	8430.776	-53.57	-13	Pass	7000



24. DC_7A_n5A_SCS15_15M_M_Inner Full(QPSK)

24.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.59	-13	Pass	401
0.15	30	0.01	RMS	1.801	-65.41	-13	Pass	2985
30	814	0.1	RMS	813.8	-55.75	-13	Pass	7840
814	859	0.1	RMS	835.548	6.09	60	Pass	450
859	1000	0.1	RMS	859.4	-78.11	-13	Pass	1410
1000	3000	1	RMS	2507.754	-27.25	-13	Pass	2000
3000	10000	1	RMS	8425.775	-53.83	-13	Pass	7000



24. DC_7A_n5A_SCS15_15M_M_Inner Full(16QAM)

24.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.65	-13	Pass	401
0.15	30	0.01	RMS	1.801	-65.49	-13	Pass	2985
30	814	0.1	RMS	813.7	-53.97	-13	Pass	7840
814	859	0.1	RMS	833.143	5.93	60	Pass	450
859	1000	0.1	RMS	859.4	-77.66	-13	Pass	1410
1000	3000	1	RMS	2506.753	-25.06	-13	Pass	2000
3000	10000	1	RMS	8432.776	-53.48	-13	Pass	7000



24. DC_7A_n5A_SCS15_15M_H_Inner Full(QPSK)

24.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.12	-13	Pass	401
0.15	30	0.01	RMS	1.801	-66.18	-13	Pass	2985
30	814	0.1	RMS	813.6	-59.93	-13	Pass	7840
814	859	0.1	RMS	842.964	5.97	60	Pass	450
859	1000	0.1	RMS	859.4	-74.97	-13	Pass	1410
1000	3000	1	RMS	2521.761	-26.9	-13	Pass	2000
3000	10000	1	RMS	8388.77	-53.64	-13	Pass	7000



24. DC_7A_n5A_SCS15_15M_H_Inner Full(16QAM)

24.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.39	-13	Pass	401
0.15	30	0.01	RMS	1.801	-66.35	-13	Pass	2985
30	814	0.1	RMS	813.1	-59.07	-13	Pass	7840
814	859	0.1	RMS	838.154	6.08	60	Pass	450
859	1000	0.1	RMS	859.4	-74.72	-13	Pass	1410
1000	3000	1	RMS	2521.761	-25.29	-13	Pass	2000
3000	10000	1	RMS	8426.775	-53.77	-13	Pass	7000



24. DC_7A_n5A_SCS15_20M_L_Inner Full(QPSK)

24.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.58	-13	Pass	401
0.15	30	0.01	RMS	6.842	-62.49	-13	Pass	2985
30	814	0.1	RMS	813.5	-47.48	-13	Pass	7840
814	859	0.1	RMS	831.84	4.83	60	Pass	450
859	1000	0.1	RMS	860.301	-79.4	-13	Pass	1410
1000	3000	1	RMS	2501.751	-29.13	-13	Pass	2000
3000	10000	1	RMS	8431.776	-53.71	-13	Pass	7000



24. DC_7A_n5A_SCS15_20M_L_Inner Full(16AQM)

24.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.59	-13	Pass	401
0.15	30	0.01	RMS	6.842	-63.1	-13	Pass	2985
30	814	0.1	RMS	813.7	-48.99	-13	Pass	7840
814	859	0.1	RMS	833.744	4.38	60	Pass	450
859	1000	0.1	RMS	860.401	-78.94	-13	Pass	1410
1000	3000	1	RMS	2501.751	-27.12	-13	Pass	2000
3000	10000	1	RMS	8417.774	-53.64	-13	Pass	7000



24. DC_7A_n5A_SCS15_20M_M_Inner Full(QPSK)

24.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.8	-13	Pass	401
0.15	30	0.01	RMS	6.842	-63.03	-13	Pass	2985
30	814	0.1	RMS	811.6	-50.38	-13	Pass	7840
814	859	0.1	RMS	834.345	4.75	60	Pass	450
859	1000	0.1	RMS	860.101	-79.92	-13	Pass	1410
1000	3000	1	RMS	2506.753	-29.32	-13	Pass	2000
3000	10000	1	RMS	8424.775	-53.02	-13	Pass	7000



24. DC_7A_n5A_SCS15_20M_M_Inner Full(16AQM)

24.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.83	-13	Pass	401
0.15	30	0.01	RMS	6.842	-63.03	-13	Pass	2985
30	814	0.1	RMS	811.6	-50.29	-13	Pass	7840
814	859	0.1	RMS	832.14	4.39	60	Pass	450
859	1000	0.1	RMS	860.301	-78.41	-13	Pass	1410
1000	3000	1	RMS	2506.753	-26.67	-13	Pass	2000
3000	10000	1	RMS	8437.777	-53.66	-13	Pass	7000



24. DC_7A_n5A_SCS15_20M_H_Inner Full(QPSK)

24.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.73	-13	Pass	401
0.15	30	0.01	RMS	6.842	-63.46	-13	Pass	2985
30	814	0.1	RMS	810.5	-51.69	-13	Pass	7840
814	859	0.1	RMS	835.849	4.74	60	Pass	450
859	1000	0.1	RMS	859.4	-78.86	-13	Pass	1410
1000	3000	1	RMS	2514.757	-29.56	-13	Pass	2000
3000	10000	1	RMS	8416.774	-53.48	-13	Pass	7000



24. DC_7A_n5A_SCS15_20M_H_Inner Full(16AQM)

24.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.08	-13	Pass	401
0.15	30	0.01	RMS	6.842	-63.82	-13	Pass	2985
30	814	0.1	RMS	813.6	-52.55	-13	Pass	7840
814	859	0.1	RMS	838.855	4.21	60	Pass	450
859	1000	0.1	RMS	859.4	-76.75	-13	Pass	1410
1000	3000	1	RMS	2514.757	-26.88	-13	Pass	2000
3000	10000	1	RMS	8418.774	-53.71	-13	Pass	7000



END