



**20.33. CA Band Edge(NTNV)(Subtest:19, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	8.28	30	Pass	401
2570	2571	1	RMS	2570	-42.89	-10	Pass	2
2571	2575	1	RMS	2571.01	-50.53	-10	Pass	401
2575	2610	1	RMS	2575	-50.74	-13	Pass	401
2610	2615	1	RMS	2611.725	-51.05	-25	Pass	401




**20.34. CA Band Edge(NTNV)(Subtest:20, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	11.04	30	Pass	401
2570	2571	1	RMS	2570	-26.36	-10	Pass	2
2571	2575	1	RMS	2571	-45.8	-10	Pass	401
2575	2610	1	RMS	2588.738	-40.16	-13	Pass	401
2610	2615	1	RMS	2610.013	-51.68	-25	Pass	401




**20.35. CA Band Edge(NTNV)(Subtest:21, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2548.9	-3.18	30	Pass	401
2570	2571	1	RMS	2570	-32.57	-10	Pass	2
2571	2575	1	RMS	2571.64	-33.87	-10	Pass	401
2575	2610	1	RMS	2575.175	-34.5	-13	Pass	401
2610	2615	1	RMS	2610.413	-51.07	-25	Pass	401




**20.36. CA Band Edge(NTNV)(Subtest:22, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	10.89	30	Pass	401
2570	2571	1	RMS	2570	-42.41	-10	Pass	2
2571	2575	1	RMS	2571.01	-50.44	-10	Pass	401
2575	2610	1	RMS	2575.175	-50.67	-13	Pass	401
2610	2615	1	RMS	2610.413	-51.07	-25	Pass	401




**20.37. CA Band Edge(NTNV)(Subtest:23, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.1	13.11	30	Pass	401
2570	2571	1	RMS	2570	-42.39	-10	Pass	2
2571	2575	1	RMS	2571.03	-50.38	-10	Pass	401
2575	2610	1	RMS	2588.3	-50.33	-13	Pass	401
2610	2615	1	RMS	2613.45	-51.12	-25	Pass	401




**20.38. CA Band Edge(NTNV)(Subtest:22, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.4	8.71	30	Pass	401
2570	2571	1	RMS	2570	-42.81	-10	Pass	2
2571	2575	1	RMS	2571	-50.54	-10	Pass	401
2575	2610	1	RMS	2582.263	-50.71	-13	Pass	401
2610	2615	1	RMS	2610.95	-51.1	-25	Pass	401




**20.39. CA Band Edge(NTNV)(Subtest:23, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549	10.81	30	Pass	401
2570	2571	1	RMS	2570	-42.72	-10	Pass	2
2571	2575	1	RMS	2571.01	-50.43	-10	Pass	401
2575	2610	1	RMS	2575.088	-50.71	-13	Pass	401
2610	2615	1	RMS	2613.9	-51.11	-25	Pass	401



**20.40. CA Band Edge(NTNV)(Subtest:24, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2548	-5.35	30	Pass	401
2570	2571	1	RMS	2570	-33.99	-10	Pass	2
2571	2575	1	RMS	2571.05	-35.14	-10	Pass	401
2575	2610	1	RMS	2575	-35.87	-13	Pass	401
2610	2615	1	RMS	2614.813	-51.11	-25	Pass	401






## 21. CA\_38C


21.1. CA Band Edge(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2540	-38.81	-25	Pass	401
2540	2565	1	RMS	2555.688	-25.47	-13	Pass	401
2565	2569	1	RMS	2568.99	-36.56	-10	Pass	401
2569	2570	1	RMS	2570	-20.25	-10	Pass	2
2570	2600	0.1	RMS	2570.825	10.31	30	Pass	401




**21.2. CA Band Edge(NTNV)(Subtest:2, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2525.263	-47.77	-25	Pass	401
2540	2565	1	RMS	2542.625	-35.13	-13	Pass	401
2565	2569	1	RMS	2569	-36.63	-10	Pass	401
2569	2570	1	RMS	2570	-20.57	-10	Pass	2
2570	2600	0.1	RMS	2570.825	10.45	30	Pass	401




**21.3. CA Band Edge(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:2+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.775	-47.73	-25	Pass	401
2540	2565	1	RMS	2555.938	-38.5	-13	Pass	401
2565	2569	1	RMS	2568.99	-36.91	-10	Pass	401
2569	2570	1	RMS	2570	-20.64	-10	Pass	2
2570	2600	0.1	RMS	2570.9	10.32	30	Pass	401




**21.4. CA Band Edge(NTNV)(Subtest:2, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2525.675	-47.74	-25	Pass	401
2540	2565	1	RMS	2542.5	-38.08	-13	Pass	401
2565	2569	1	RMS	2568.99	-39.36	-10	Pass	401
2569	2570	1	RMS	2570	-23.19	-10	Pass	2
2570	2600	0.1	RMS	2570.9	8.13	30	Pass	401




**21.5. CA Band Edge(NTNV)(Subtest:3, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2540	-42.24	-25	Pass	401
2540	2565	1	RMS	2563.938	-31.14	-13	Pass	401
2565	2569	1	RMS	2568.01	-29.89	-10	Pass	401
2569	2570	1	RMS	2570	-25.73	-10	Pass	2
2570	2600	0.1	RMS	2580.125	-1.6	30	Pass	401




**21.6. CA Band Edge(NTNV)(Subtest:4, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.925	-47.66	-25	Pass	401
2540	2565	1	RMS	2555.688	-35.24	-13	Pass	401
2565	2569	1	RMS	2568.99	-34.15	-10	Pass	401
2569	2570	1	RMS	2570	-18.2	-10	Pass	2
2570	2600	0.1	RMS	2570.825	12.95	30	Pass	401




**21.7. CA Band Edge(NTNV)(Subtest:5, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2536.588	-47.76	-25	Pass	401
2540	2565	1	RMS	2542.625	-35.65	-13	Pass	401
2565	2569	1	RMS	2568.99	-36.97	-10	Pass	401
2569	2570	1	RMS	2570	-20.68	-10	Pass	2
2570	2600	0.1	RMS	2570.825	10.4	30	Pass	401



**21.8. CA Band Edge(NTNV)(Subtest:4, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:2+1, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.55	-47.73	-25	Pass	401
2540	2565	1	RMS	2555.938	-38.62	-13	Pass	401
2565	2569	1	RMS	2568.99	-36.83	-10	Pass	401
2569	2570	1	RMS	2570	-21.47	-10	Pass	2
2570	2600	0.1	RMS	2570.975	10.83	30	Pass	401






**21.9. CA Band Edge(NTNV)(Subtest:5, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2525.263	-47.76	-25	Pass	401
2540	2565	1	RMS	2542.813	-38.72	-13	Pass	401
2565	2569	1	RMS	2569	-38.78	-10	Pass	401
2569	2570	1	RMS	2570	-24.02	-10	Pass	2
2570	2600	0.1	RMS	2570.975	7.8	30	Pass	401




**21.10. CA Band Edge(NTNV)(Subtest:6, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2540	-43.51	-25	Pass	401
2540	2565	1	RMS	2564.563	-32.52	-13	Pass	401
2565	2569	1	RMS	2567.26	-32.05	-10	Pass	401
2569	2570	1	RMS	2570	-28.92	-10	Pass	2
2570	2600	0.1	RMS	2579.675	-3.29	30	Pass	401




**21.11. CA Band Edge(NTNV)(Subtest:7, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.9	9.99	30	Pass	401
2620	2621	1	RMS	2620	-38.43	-10	Pass	2
2621	2625	1	RMS	2621	-47.27	-10	Pass	401
2625	2650	1	RMS	2647.438	-47.21	-13	Pass	401
2650	2665	1	RMS	2663.613	-48.03	-25	Pass	401




**21.12. CA Band Edge(NTNV)(Subtest:8, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.175	12.83	30	Pass	401
2620	2621	1	RMS	2620	-38.32	-10	Pass	2
2621	2625	1	RMS	2621.01	-47.23	-10	Pass	401
2625	2650	1	RMS	2633.75	-47.45	-13	Pass	401
2650	2665	1	RMS	2664.138	-48.06	-25	Pass	401




**21.13. CA Band Edge(NTNV)(Subtest:7, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.9	8.61	30	Pass	401
2620	2621	1	RMS	2620	-39.61	-10	Pass	2
2621	2625	1	RMS	2621	-47.37	-10	Pass	401
2625	2650	1	RMS	2647.25	-47.73	-13	Pass	401
2650	2665	1	RMS	2655.138	-48.02	-25	Pass	401




**21.14. CA Band Edge(NTNV)(Subtest:8, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:2+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.025	11.02	30	Pass	401
2620	2621	1	RMS	2620	-39.53	-10	Pass	2
2621	2625	1	RMS	2621	-47.36	-10	Pass	401
2625	2650	1	RMS	2634.125	-47.89	-13	Pass	401
2650	2665	1	RMS	2661.55	-48.04	-25	Pass	401




**21.15. CA Band Edge(NTNV)(Subtest:9, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2600.725	-1.72	30	Pass	401
2620	2621	1	RMS	2620	-31.73	-10	Pass	2
2621	2625	1	RMS	2621.05	-33.66	-10	Pass	401
2625	2650	1	RMS	2625.188	-34.27	-13	Pass	401
2650	2665	1	RMS	2650.075	-45.82	-25	Pass	401



**21.16. CA Band Edge(NTNV)(Subtest:10, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB Position:Low+High)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.825	10.44	30	Pass	401
2620	2621	1	RMS	2620	-39.2	-10	Pass	2
2621	2625	1	RMS	2621.01	-47.42	-10	Pass	401
2625	2650	1	RMS	2647.188	-47.04	-13	Pass	401
2650	2665	1	RMS	2660.613	-48.03	-25	Pass	401






**21.17. CA Band Edge(NTNV)(Subtest:11, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.1	12.83	30	Pass	401
2620	2621	1	RMS	2620	-39.06	-10	Pass	2
2621	2625	1	RMS	2621	-47.21	-10	Pass	401
2625	2650	1	RMS	2633.875	-47.21	-13	Pass	401
2650	2665	1	RMS	2659.525	-48.03	-25	Pass	401




**21.18. CA Band Edge(NTNV)(Subtest:10, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.9	8.31	30	Pass	401
2620	2621	1	RMS	2620	-38.94	-10	Pass	2
2621	2625	1	RMS	2621	-47.38	-10	Pass	401
2625	2650	1	RMS	2647.25	-47.57	-13	Pass	401
2650	2665	1	RMS	2660.5	-48	-25	Pass	401




**21.19. CA Band Edge(NTNV)(Subtest:11, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:2+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.1	10.47	30	Pass	401
2620	2621	1	RMS	2620	-38.83	-10	Pass	2
2621	2625	1	RMS	2621	-47.25	-10	Pass	401
2625	2650	1	RMS	2634.375	-47.84	-13	Pass	401
2650	2665	1	RMS	2663.238	-48.04	-25	Pass	401




**21.20. CA Band Edge(NTNV)(Subtest:12, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2602.825	-3.37	30	Pass	401
2620	2621	1	RMS	2620	-31.65	-10	Pass	2
2621	2625	1	RMS	2621.06	-34.45	-10	Pass	401
2625	2650	1	RMS	2625	-35.39	-13	Pass	401
2650	2665	1	RMS	2650.038	-46.11	-25	Pass	401




**21.21. CA Band Edge(NTNV)(Subtest:13, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.988	-46.48	-25	Pass	401
2530	2565	1	RMS	2551.088	-24.5	-13	Pass	401
2565	2569	1	RMS	2568.99	-42.88	-10	Pass	401
2569	2570	1	RMS	2570	-25.9	-10	Pass	2
2570	2610	0.1	RMS	2571.1	10.86	30	Pass	401




**21.22. CA Band Edge(NTNV)(Subtest:14, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2526.55	-47.83	-25	Pass	401
2530	2565	1	RMS	2533.5	-34.64	-13	Pass	401
2565	2569	1	RMS	2569	-43.14	-10	Pass	401
2569	2570	1	RMS	2570	-26.08	-10	Pass	2
2570	2610	0.1	RMS	2571.1	10.3	30	Pass	401




**21.23. CA Band Edge(NTNV)(Subtest:13, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2525.9	-47.78	-25	Pass	401
2530	2565	1	RMS	2551.438	-37.77	-13	Pass	401
2565	2569	1	RMS	2568.99	-41.73	-10	Pass	401
2569	2570	1	RMS	2570	-26.13	-10	Pass	2
2570	2610	0.1	RMS	2571.2	10.32	30	Pass	401



**21.24. CA Band Edge(NTNV)(Subtest:14, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:Low+High)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2525.813	-47.85	-25	Pass	401
2530	2565	1	RMS	2533.588	-37.81	-13	Pass	401
2565	2569	1	RMS	2568.99	-43.8	-10	Pass	401
2569	2570	1	RMS	2570	-28.65	-10	Pass	2
2570	2610	0.1	RMS	2571.1	7.79	30	Pass	401






**21.25. CA Band Edge(NTNV)(Subtest:15, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.788	-42.93	-25	Pass	401
2530	2565	1	RMS	2564.913	-31.95	-13	Pass	401
2565	2569	1	RMS	2568.99	-30.99	-10	Pass	401
2569	2570	1	RMS	2570	-29.72	-10	Pass	2
2570	2610	0.1	RMS	2588.7	-2.54	30	Pass	401




**21.26. CA Band Edge(NTNV)(Subtest:16, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2525.075	-47.77	-25	Pass	401
2530	2565	1	RMS	2551.175	-34.84	-13	Pass	401
2565	2569	1	RMS	2568.99	-40.81	-10	Pass	401
2569	2570	1	RMS	2570	-23.65	-10	Pass	2
2570	2610	0.1	RMS	2571.1	12.82	30	Pass	401




**21.27. CA Band Edge(NTNV)(Subtest:17, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2525.363	-47.8	-25	Pass	401
2530	2565	1	RMS	2533.413	-34.5	-13	Pass	401
2565	2569	1	RMS	2569	-42.67	-10	Pass	401
2569	2570	1	RMS	2570	-26.15	-10	Pass	2
2570	2610	0.1	RMS	2571.1	11.04	30	Pass	401




**21.28. CA Band Edge(NTNV)(Subtest:16, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2526.413	-47.78	-25	Pass	401
2530	2565	1	RMS	2551.35	-38.33	-13	Pass	401
2565	2569	1	RMS	2568.92	-40.9	-10	Pass	401
2569	2570	1	RMS	2570	-26.82	-10	Pass	2
2570	2610	0.1	RMS	2571.2	10.39	30	Pass	401




**21.29. CA Band Edge(NTNV)(Subtest:17, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2525.163	-47.76	-25	Pass	401
2530	2565	1	RMS	2533.675	-38.21	-13	Pass	401
2565	2569	1	RMS	2568.98	-44.05	-10	Pass	401
2569	2570	1	RMS	2570	-29.32	-10	Pass	2
2570	2610	0.1	RMS	2571.2	8.18	30	Pass	401




**21.30. CA Band Edge(NTNV)(Subtest:18, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.988	-44.1	-25	Pass	401
2530	2565	1	RMS	2565	-33.66	-13	Pass	401
2565	2569	1	RMS	2567.72	-33.79	-10	Pass	401
2569	2570	1	RMS	2570	-32.04	-10	Pass	2
2570	2610	0.1	RMS	2587.1	-4.5	30	Pass	401




**21.31. CA Band Edge(NTNV)(Subtest:19, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	10.33	30	Pass	401
2620	2621	1	RMS	2620	-42.65	-10	Pass	2
2621	2625	1	RMS	2621.02	-47.81	-10	Pass	401
2625	2660	1	RMS	2656.413	-47.31	-13	Pass	401
2660	2665	1	RMS	2663.413	-48.05	-25	Pass	401



**21.32. CA Band Edge(NTNV)(Subtest:20, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:High+High)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.1	12.93	30	Pass	401
2620	2621	1	RMS	2620	-42.84	-10	Pass	2
2621	2625	1	RMS	2621	-47.71	-10	Pass	401
2625	2660	1	RMS	2638.563	-47.5	-13	Pass	401
2660	2665	1	RMS	2664.4	-48.01	-25	Pass	401






**21.33. CA Band Edge(NTNV)(Subtest:19, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	8.54	30	Pass	401
2620	2621	1	RMS	2620	-44.02	-10	Pass	2
2621	2625	1	RMS	2621.01	-47.86	-10	Pass	401
2625	2660	1	RMS	2656.325	-47.7	-13	Pass	401
2660	2665	1	RMS	2663.163	-48.04	-25	Pass	401



**21.34. CA Band Edge(NTNV)(Subtest:20, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2598.9	10.2	30	Pass	401
2620	2621	1	RMS	2620	-44.03	-10	Pass	2
2621	2625	1	RMS	2621.18	-47.77	-10	Pass	401
2625	2660	1	RMS	2638.65	-47.87	-13	Pass	401
2660	2665	1	RMS	2662.325	-48	-25	Pass	401




**21.35. CA Band Edge(NTNV)(Subtest:21, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2594.9	-2.74	30	Pass	401
2620	2621	1	RMS	2620	-33.72	-10	Pass	2
2621	2625	1	RMS	2621.01	-34.56	-10	Pass	401
2625	2660	1	RMS	2625	-35.36	-13	Pass	401
2660	2665	1	RMS	2660.113	-46.13	-25	Pass	401




**21.36. CA Band Edge(NTNV)(Subtest:22, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	10.17	30	Pass	401
2620	2621	1	RMS	2620	-43.25	-10	Pass	2
2621	2625	1	RMS	2621	-47.78	-10	Pass	401
2625	2660	1	RMS	2656.325	-47.19	-13	Pass	401
2660	2665	1	RMS	2662.763	-48	-25	Pass	401




**21.37. CA Band Edge(NTNV)(Subtest:23, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.1	12.45	30	Pass	401
2620	2621	1	RMS	2620	-43.29	-10	Pass	2
2621	2625	1	RMS	2621.06	-47.61	-10	Pass	401
2625	2660	1	RMS	2638.563	-47.26	-13	Pass	401
2660	2665	1	RMS	2663.025	-47.97	-25	Pass	401




**21.38. CA Band Edge(NTNV)(Subtest:22, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.4	8.46	30	Pass	401
2620	2621	1	RMS	2620	-44.16	-10	Pass	2
2621	2625	1	RMS	2621.81	-47.9	-10	Pass	401
2625	2660	1	RMS	2656.325	-47.55	-13	Pass	401
2660	2665	1	RMS	2661.813	-48.04	-25	Pass	401




**21.39. CA Band Edge(NTNV)(Subtest:23, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.1	10.7	30	Pass	401
2620	2621	1	RMS	2620	-44	-10	Pass	2
2621	2625	1	RMS	2621.01	-47.75	-10	Pass	401
2625	2660	1	RMS	2638.65	-47.9	-13	Pass	401
2660	2665	1	RMS	2663.875	-48.04	-25	Pass	401



**21.40. CA Band Edge(NTNV)(Subtest:24, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2597.9	-4.92	30	Pass	401
2620	2621	1	RMS	2620	-34.57	-10	Pass	2
2621	2625	1	RMS	2621.01	-35.55	-10	Pass	401
2625	2660	1	RMS	2625.175	-36.75	-13	Pass	401
2660	2665	1	RMS	2660.063	-46.51	-25	Pass	401






## 22. CA\_41C\_full


22.1. CA Band Edge(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.525	-37.65	-25	Pass	401
2490	2495	1	RMS	2495	-45.44	-13	Pass	6
2495	2496	0.3	RMS	2495.995	-38.38	-13	Pass	401
2496	2521	0.1	RMS	2497.125	11.01	30	Pass	401




**22.2. CA Band Edge(NTNV)(Subtest:2, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475	-44.78	-25	Pass	401
2490	2495	1	RMS	2495	-45.5	-13	Pass	6
2495	2496	0.3	RMS	2495.993	-38.65	-13	Pass	401
2496	2521	0.1	RMS	2497.125	10.54	30	Pass	401




**22.3. CA Band Edge(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:2+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.75	-40.19	-25	Pass	401
2490	2495	1	RMS	2495	-45.65	-13	Pass	6
2495	2496	0.3	RMS	2496	-38.76	-13	Pass	401
2496	2521	0.1	RMS	2497.188	8.06	30	Pass	401




**22.4. CA Band Edge(NTNV)(Subtest:2, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475	-45.68	-25	Pass	401
2490	2495	1	RMS	2495	-45.66	-13	Pass	6
2495	2496	0.3	RMS	2495.998	-38.46	-13	Pass	401
2496	2521	0.1	RMS	2497.188	8.3	30	Pass	401




**22.5. CA Band Edge(NTNV)(Subtest:3, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.37	-25	Pass	401
2490	2495	1	RMS	2495	-30.34	-13	Pass	6
2495	2496	0.3	RMS	2495.993	-33.62	-13	Pass	401
2496	2521	0.1	RMS	2507	-1.83	30	Pass	401




**22.6. CA Band Edge(NTNV)(Subtest:4, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.563	-37.41	-25	Pass	401
2490	2495	1	RMS	2495	-44.92	-13	Pass	6
2495	2496	0.3	RMS	2495.998	-38.31	-13	Pass	401
2496	2521	0.1	RMS	2497.125	10.56	30	Pass	401




**22.7. CA Band Edge(NTNV)(Subtest:5, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475	-44.64	-25	Pass	401
2490	2495	1	RMS	2495	-45.15	-13	Pass	6
2495	2496	0.3	RMS	2495.998	-38.15	-13	Pass	401
2496	2521	0.1	RMS	2497.125	10.45	30	Pass	401



**22.8. CA Band Edge(NTNV)(Subtest:4, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:2+1, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.75	-40.52	-25	Pass	401
2490	2495	1	RMS	2495	-45.44	-13	Pass	6
2495	2496	0.3	RMS	2495.995	-39.82	-13	Pass	401
2496	2521	0.1	RMS	2497.125	8.45	30	Pass	401






**22.9. CA Band Edge(NTNV)(Subtest:5, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475	-45.49	-25	Pass	401
2490	2495	1	RMS	2495	-45.57	-13	Pass	6
2495	2496	0.3	RMS	2495.998	-40.13	-13	Pass	401
2496	2521	0.1	RMS	2497.188	9.02	30	Pass	401




**22.10. CA Band Edge(NTNV)(Subtest:6, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-33.96	-25	Pass	401
2490	2495	1	RMS	2495	-31.82	-13	Pass	6
2495	2496	0.3	RMS	2495.99	-35.29	-13	Pass	401
2496	2521	0.1	RMS	2509.375	-3.33	30	Pass	401




**22.11. CA Band Edge(NTNV)(Subtest:7, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.125	10.8	30	Pass	401
2690	2691	0.51	RMS	2690.033	-50.25	-10	Pass	401
2691	2695	1	RMS	2691	-47.76	-10	Pass	5
2695	2715	3	RMS	2711.05	-43.47	-13	Pass	401
2715	2735	1	RMS	2734.15	-47.94	-25	Pass	401




**22.12. CA Band Edge(NTNV)(Subtest:8, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.938	14.92	30	Pass	401
2690	2691	0.51	RMS	2690.095	-48.51	-10	Pass	401
2691	2695	1	RMS	2694	-45.69	-10	Pass	5
2695	2715	3	RMS	2695.05	-42.32	-13	Pass	401
2715	2735	1	RMS	2734.75	-47.91	-25	Pass	401




**22.13. CA Band Edge(NTNV)(Subtest:7, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.188	7.92	30	Pass	401
2690	2691	0.51	RMS	2690.148	-50.54	-10	Pass	401
2691	2695	1	RMS	2692	-47.77	-10	Pass	5
2695	2715	3	RMS	2696.05	-43.68	-13	Pass	401
2715	2735	1	RMS	2734.95	-47.88	-25	Pass	401




**22.14. CA Band Edge(NTNV)(Subtest:8, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:2+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.813	12.24	30	Pass	401
2690	2691	0.51	RMS	2690	-48.42	-10	Pass	401
2691	2695	1	RMS	2694	-46.32	-10	Pass	5
2695	2715	3	RMS	2695.05	-42.49	-13	Pass	401
2715	2735	1	RMS	2734.45	-47.92	-25	Pass	401




**22.15. CA Band Edge(NTNV)(Subtest:9, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2674	-2.43	30	Pass	401
2690	2691	0.51	RMS	2690.965	-35.09	-10	Pass	401
2691	2695	1	RMS	2692	-32.94	-10	Pass	5
2695	2715	3	RMS	2695.05	-27.94	-13	Pass	401
2715	2735	1	RMS	2715.05	-46.56	-25	Pass	401



**22.16. CA Band Edge(NTNV)(Subtest:10, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB Position:Low+High)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.063	10.76	30	Pass	401
2690	2691	0.51	RMS	2690	-50.29	-10	Pass	401
2691	2695	1	RMS	2695	-47.78	-10	Pass	5
2695	2715	3	RMS	2711.15	-43.35	-13	Pass	401
2715	2735	1	RMS	2733.85	-47.92	-25	Pass	401






**22.17. CA Band Edge(NTNV)(Subtest:11, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.875	14.71	30	Pass	401
2690	2691	0.51	RMS	2690.19	-48.27	-10	Pass	401
2691	2695	1	RMS	2694	-45.09	-10	Pass	5
2695	2715	3	RMS	2695	-41.94	-13	Pass	401
2715	2735	1	RMS	2733.9	-47.89	-25	Pass	401




**22.18. CA Band Edge(NTNV)(Subtest:10, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.125	7.98	30	Pass	401
2690	2691	0.51	RMS	2690.095	-50.41	-10	Pass	401
2691	2695	1	RMS	2693	-47.6	-10	Pass	5
2695	2715	3	RMS	2695.9	-43.67	-13	Pass	401
2715	2735	1	RMS	2733.95	-47.88	-25	Pass	401




**22.19. CA Band Edge(NTNV)(Subtest:11, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:2+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.875	12.1	30	Pass	401
2690	2691	0.51	RMS	2690.25	-48.63	-10	Pass	401
2691	2695	1	RMS	2694	-46.01	-10	Pass	5
2695	2715	3	RMS	2695.55	-42.25	-13	Pass	401
2715	2735	1	RMS	2734.75	-47.83	-25	Pass	401




**22.20. CA Band Edge(NTNV)(Subtest:12, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2674.25	-4.02	30	Pass	401
2690	2691	0.51	RMS	2690.623	-34.39	-10	Pass	401
2691	2695	1	RMS	2691	-32.48	-10	Pass	5
2695	2715	3	RMS	2695.05	-27.52	-13	Pass	401
2715	2735	1	RMS	2715	-46.74	-25	Pass	401




**22.21. CA Band Edge(NTNV)(Subtest:13, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.175	-37.16	-25	Pass	401
2490	2495	1	RMS	2495	-43.99	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-28.41	-13	Pass	401
2496	2536	0.1	RMS	2497.1	13.24	30	Pass	401




**22.22. CA Band Edge(NTNV)(Subtest:14, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.513	-47.58	-25	Pass	401
2490	2495	1	RMS	2495	-45.56	-13	Pass	6
2495	2496	0.51	RMS	2495.995	-31.3	-13	Pass	401
2496	2536	0.1	RMS	2497.1	10.05	30	Pass	401




**22.23. CA Band Edge(NTNV)(Subtest:13, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.438	-39.73	-25	Pass	401
2490	2495	1	RMS	2495	-44.57	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-30.08	-13	Pass	401
2496	2536	0.1	RMS	2497.2	10.46	30	Pass	401



**22.24. CA Band Edge(NTNV)(Subtest:14, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:Low+High)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.813	-47.51	-25	Pass	401
2490	2495	1	RMS	2495	-45.84	-13	Pass	6
2495	2496	0.51	RMS	2495.995	-32.46	-13	Pass	401
2496	2536	0.1	RMS	2497.1	7.99	30	Pass	401






**22.25. CA Band Edge(NTNV)(Subtest:15, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-31.41	-25	Pass	401
2490	2495	1	RMS	2495	-31.25	-13	Pass	6
2495	2496	0.51	RMS	2495.995	-32.21	-13	Pass	401
2496	2536	0.1	RMS	2510.7	-2.06	30	Pass	401




**22.26. CA Band Edge(NTNV)(Subtest:16, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.288	-37.85	-25	Pass	401
2490	2495	1	RMS	2495	-43.77	-13	Pass	6
2495	2496	0.51	RMS	2495.995	-28.6	-13	Pass	401
2496	2536	0.1	RMS	2497.1	13.09	30	Pass	401




**22.27. CA Band Edge(NTNV)(Subtest:17, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.438	-47.51	-25	Pass	401
2490	2495	1	RMS	2495	-45.15	-13	Pass	6
2495	2496	0.51	RMS	2496	-30.97	-13	Pass	401
2496	2536	0.1	RMS	2497.1	10.51	30	Pass	401




**22.28. CA Band Edge(NTNV)(Subtest:16, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.438	-40.24	-25	Pass	401
2490	2495	1	RMS	2495	-44.36	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-30.88	-13	Pass	401
2496	2536	0.1	RMS	2497.1	10.96	30	Pass	401




**22.29. CA Band Edge(NTNV)(Subtest:17, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.663	-47.47	-25	Pass	401
2490	2495	1	RMS	2495	-45.62	-13	Pass	6
2495	2496	0.51	RMS	2496	-33.87	-13	Pass	401
2496	2536	0.1	RMS	2497.2	8.54	30	Pass	401




**22.30. CA Band Edge(NTNV)(Subtest:18, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.55	-33.69	-25	Pass	401
2490	2495	1	RMS	2495	-32.91	-13	Pass	6
2495	2496	0.51	RMS	2495.995	-33.61	-13	Pass	401
2496	2536	0.1	RMS	2508.9	-4.11	30	Pass	401




**22.31. CA Band Edge(NTNV)(Subtest:19, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	10.02	30	Pass	401
2690	2691	1	RMS	2690	-17.86	-10	Pass	401
2691	2695	1	RMS	2693	-47.62	-10	Pass	5
2695	2730	3	RMS	2695.525	-43.71	-13	Pass	401
2730	2735	1	RMS	2734.625	-47.89	-25	Pass	401



**22.32. CA Band Edge(NTNV)(Subtest:20, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:High+High)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	12.56	30	Pass	401
2690	2691	1	RMS	2690.003	-18.34	-10	Pass	401
2691	2695	1	RMS	2691	-47.48	-10	Pass	5
2695	2730	3	RMS	2708.3	-43.45	-13	Pass	401
2730	2735	1	RMS	2734.313	-47.87	-25	Pass	401






**22.33. CA Band Edge(NTNV)(Subtest:19, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	8	30	Pass	401
2690	2691	1	RMS	2690	-19.23	-10	Pass	401
2691	2695	1	RMS	2692	-47.68	-10	Pass	5
2695	2730	3	RMS	2695	-43.71	-13	Pass	401
2730	2735	1	RMS	2734.963	-47.84	-25	Pass	401




**22.34. CA Band Edge(NTNV)(Subtest:20, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669	10.38	30	Pass	401
2690	2691	1	RMS	2690.003	-20.16	-10	Pass	401
2691	2695	1	RMS	2692	-47.51	-10	Pass	5
2695	2730	3	RMS	2695.35	-43.61	-13	Pass	401
2730	2735	1	RMS	2734.525	-47.86	-25	Pass	401




**22.35. CA Band Edge(NTNV)(Subtest:21, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2661.2	-3.81	30	Pass	401
2690	2691	1	RMS	2690.003	-18.89	-10	Pass	401
2691	2695	1	RMS	2692	-33.94	-10	Pass	5
2695	2730	3	RMS	2695	-28.95	-13	Pass	401
2730	2735	1	RMS	2734.738	-47.87	-25	Pass	401




**22.36. CA Band Edge(NTNV)(Subtest:22, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	10.11	30	Pass	401
2690	2691	1	RMS	2690.003	-19.65	-10	Pass	401
2691	2695	1	RMS	2692	-47.63	-10	Pass	5
2695	2730	3	RMS	2730	-43.72	-13	Pass	401
2730	2735	1	RMS	2734.888	-47.85	-25	Pass	401




**22.37. CA Band Edge(NTNV)(Subtest:23, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	12.39	30	Pass	401
2690	2691	1	RMS	2690	-19.85	-10	Pass	401
2691	2695	1	RMS	2691	-47.43	-10	Pass	5
2695	2730	3	RMS	2708.3	-43.32	-13	Pass	401
2730	2735	1	RMS	2734.963	-47.91	-25	Pass	401




**22.38. CA Band Edge(NTNV)(Subtest:22, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	7.92	30	Pass	401
2690	2691	1	RMS	2690.003	-19.89	-10	Pass	401
2691	2695	1	RMS	2692	-47.82	-10	Pass	5
2695	2730	3	RMS	2728.688	-43.73	-13	Pass	401
2730	2735	1	RMS	2734.5	-47.88	-25	Pass	401




**22.39. CA Band Edge(NTNV)(Subtest:23, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669	11.16	30	Pass	401
2690	2691	1	RMS	2690.003	-19.63	-10	Pass	401
2691	2695	1	RMS	2691	-47.51	-10	Pass	5
2695	2730	3	RMS	2696.138	-43.63	-13	Pass	401
2730	2735	1	RMS	2734.775	-47.89	-25	Pass	401



**22.40. CA Band Edge(NTNV)(Subtest:24, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2663.6	-5.61	30	Pass	401
2690	2691	1	RMS	2690.003	-19.63	-10	Pass	401
2691	2695	1	RMS	2691	-34.57	-10	Pass	5
2695	2730	3	RMS	2695.088	-29.97	-13	Pass	401
2730	2735	1	RMS	2733.988	-47.86	-25	Pass	401






# NR

## 23. n7 15kHz


23.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-43.09	-25	Pass	401
2494	2496	1	RMS	2494.155	-41.96	-13	Pass	401
2496	2499	1	RMS	2499	-35.74	-10	Pass	4
2499	2500	0.051	RMS	2499.995	-15.34	-10	Pass	401
2500	2520	1	RMS	2500.35	22.34	30	Pass	401




**23.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-35.83	-25	Pass	401
2494	2496	1	RMS	2495.995	-32.41	-13	Pass	401
2496	2499	1	RMS	2499	-30.2	-10	Pass	4
2499	2500	0.1	RMS	2500	-25.95	-10	Pass	401
2500	2520	1	RMS	2503.5	16.48	30	Pass	401



**23.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-44.89	-25	Pass	401
2494	2496	1	RMS	2494.295	-43.96	-13	Pass	401
2496	2499	1	RMS	2499	-35.18	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-16.21	-10	Pass	401
2500	2520	1	RMS	2500.3	21.83	30	Pass	401




**23.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-35.99	-25	Pass	401
2494	2496	1	RMS	2495.975	-32.38	-13	Pass	401
2496	2499	1	RMS	2499	-29.63	-10	Pass	4
2499	2500	0.1	RMS	2500	-27.44	-10	Pass	401
2500	2520	1	RMS	2502.75	15.44	30	Pass	401




**23.5. Band Edge for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.7	22.26	30	Pass	401
2570	2571	0.051	RMS	2570	-15.59	-10	Pass	401
2571	2575	1	RMS	2571	-36.23	-10	Pass	5
2575	2576	1	RMS	2575.603	-42.34	-13	Pass	401
2576	2595	1	RMS	2576	-43.7	-25	Pass	401




**23.6. Band Edge for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.15	16.35	30	Pass	401
2570	2571	0.1	RMS	2570.008	-25.76	-10	Pass	401
2571	2575	1	RMS	2571	-24.56	-10	Pass	5
2575	2576	1	RMS	2575.01	-33.75	-13	Pass	401
2576	2595	1	RMS	2576.095	-34.76	-25	Pass	401




**23.7. Band Edge for SA(NTNV)(Subtest:7, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	21.67	30	Pass	401
2570	2571	0.051	RMS	2570	-19.16	-10	Pass	401
2571	2575	1	RMS	2571	-37.48	-10	Pass	5
2575	2576	1	RMS	2575.565	-43.42	-13	Pass	401
2576	2595	1	RMS	2576	-45.32	-25	Pass	401



**23.8. Band Edge for SA(NTNV)(Subtest:8, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.6	15.42	30	Pass	401
2570	2571	0.1	RMS	2570	-26.3	-10	Pass	401
2571	2575	1	RMS	2571	-26.75	-10	Pass	5
2575	2576	1	RMS	2575.028	-34.86	-13	Pass	401
2576	2595	1	RMS	2576	-36.12	-25	Pass	401






**23.9. Band Edge for SA(NTNV)(Subtest:9, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.875	-50.28	-25	Pass	401
2485	2496	1	RMS	2494.598	-42.11	-13	Pass	401
2496	2499	1	RMS	2499	-34.92	-10	Pass	4
2499	2500	0.051	RMS	2499.995	-20.96	-10	Pass	401
2500	2520	1	RMS	2500.45	22.65	30	Pass	401




**23.10. Band Edge for SA(NTNV)(Subtest:10, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-47.16	-25	Pass	401
2485	2496	1	RMS	2496	-32.11	-13	Pass	401
2496	2499	1	RMS	2499	-30.36	-10	Pass	4
2499	2500	0.3	RMS	2500	-22.49	-10	Pass	401
2500	2520	1	RMS	2513	12.1	30	Pass	401




**23.11. Band Edge for SA(NTNV)(Subtest:11, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.475	-50.33	-25	Pass	401
2485	2496	1	RMS	2494.543	-42.86	-13	Pass	401
2496	2499	1	RMS	2499	-35.77	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-21.28	-10	Pass	401
2500	2520	1	RMS	2500.5	21.99	30	Pass	401




**23.12. Band Edge for SA(NTNV)(Subtest:12, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-46.25	-25	Pass	401
2485	2496	1	RMS	2496	-32.56	-13	Pass	401
2496	2499	1	RMS	2499	-31.3	-10	Pass	4
2499	2500	0.3	RMS	2500	-23.24	-10	Pass	401
2500	2520	1	RMS	2512.9	11.17	30	Pass	401




**23.13. Band Edge for SA(NTNV)(Subtest:13, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	22.36	30	Pass	401
2570	2571	0.051	RMS	2570	-21.67	-10	Pass	401
2571	2575	1	RMS	2571	-35.97	-10	Pass	5
2575	2585	1	RMS	2575.55	-41.66	-13	Pass	401
2585	2595	1	RMS	2585.025	-49.93	-25	Pass	401




**23.14. Band Edge for SA(NTNV)(Subtest:14, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.8	11.7	30	Pass	401
2570	2571	0.3	RMS	2570.058	-33.8	-10	Pass	401
2571	2575	1	RMS	2571	-31.07	-10	Pass	5
2575	2585	1	RMS	2575.05	-33.13	-13	Pass	401
2585	2595	1	RMS	2585	-43.43	-25	Pass	401




**23.15. Band Edge for SA(NTNV)(Subtest:15, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.77	30	Pass	401
2570	2571	0.051	RMS	2570.003	-21.84	-10	Pass	401
2571	2575	1	RMS	2571	-36.87	-10	Pass	5
2575	2585	1	RMS	2575.5	-42.35	-13	Pass	401
2585	2595	1	RMS	2585.025	-50.16	-25	Pass	401



**23.16. Band Edge for SA(NTNV)(Subtest:16, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2564.5	10.72	30	Pass	401
2570	2571	0.3	RMS	2570	-33.33	-10	Pass	401
2571	2575	1	RMS	2571	-31.07	-10	Pass	5
2575	2585	1	RMS	2575.15	-32.93	-13	Pass	401
2585	2595	1	RMS	2585	-42.2	-25	Pass	401






**23.17. Band Edge for SA(NTNV)(Subtest:17, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2478.275	-50.85	-25	Pass	401
2480	2496	1	RMS	2483.36	-50.4	-13	Pass	401
2496	2499	1	RMS	2499	-37.38	-10	Pass	4
2499	2500	0.051	RMS	2499.975	-21.69	-10	Pass	401
2500	2520	1	RMS	2500.5	22.55	30	Pass	401




**23.18. Band Edge for SA(NTNV)(Subtest:18, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.95	-50.47	-25	Pass	401
2480	2496	1	RMS	2495.88	-29.47	-13	Pass	401
2496	2499	1	RMS	2499	-26.47	-10	Pass	4
2499	2500	0.5	RMS	2500	-28.89	-10	Pass	3
2500	2520	1	RMS	2508.35	10.95	30	Pass	401




**23.19. Band Edge for SA(NTNV)(Subtest:19, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.913	-50.86	-25	Pass	401
2480	2496	1	RMS	2495.16	-34.18	-13	Pass	401
2496	2499	1	RMS	2499	-37.41	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-24.39	-10	Pass	401
2500	2520	1	RMS	2500.5	22	30	Pass	401




**23.20. Band Edge for SA(NTNV)(Subtest:20, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.988	-50.5	-25	Pass	401
2480	2496	1	RMS	2495.92	-31.18	-13	Pass	401
2496	2499	1	RMS	2499	-28.82	-10	Pass	4
2499	2500	0.5	RMS	2500	-30.92	-10	Pass	3
2500	2520	1	RMS	2510.85	9.99	30	Pass	401




**23.21. Band Edge for SA(NTNV)(Subtest:21, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	22.42	30	Pass	401
2570	2571	0.051	RMS	2570	-24.7	-10	Pass	401
2571	2575	1	RMS	2571	-37.49	-10	Pass	5
2575	2590	1	RMS	2575.488	-41.65	-13	Pass	401
2590	2595	1	RMS	2590.625	-50.55	-25	Pass	401




**23.22. Band Edge for SA(NTNV)(Subtest:22, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2558.45	10.63	30	Pass	401
2570	2571	0.51	RMS	2570.078	-29.41	-10	Pass	401
2571	2575	1	RMS	2571	-29	-10	Pass	5
2575	2590	1	RMS	2575.075	-30.28	-13	Pass	401
2590	2595	1	RMS	2590.075	-49.39	-25	Pass	401




**23.23. Band Edge for SA(NTNV)(Subtest:23, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	21.89	30	Pass	401
2570	2571	0.051	RMS	2570.003	-24.89	-10	Pass	401
2571	2575	1	RMS	2571	-37.43	-10	Pass	5
2575	2590	1	RMS	2575.338	-42.31	-13	Pass	401
2590	2595	1	RMS	2591.238	-50.58	-25	Pass	401



**23.24. Band Edge for SA(NTNV)(Subtest:24, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2560.7	9.69	30	Pass	401
2570	2571	0.51	RMS	2570.008	-30.12	-10	Pass	401
2571	2575	1	RMS	2571	-29.27	-10	Pass	5
2575	2590	1	RMS	2575	-30.71	-13	Pass	401
2590	2595	1	RMS	2590.138	-49.38	-25	Pass	401






## 24. n41 30kHz


24.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2487.278	-44.3	-25	Pass	401
2490	2495	1	RMS	2495	-26.76	-13	Pass	401
2495	2496	0.051	RMS	2495.988	-26.04	-10	Pass	401
2496	2596	1	RMS	2497	22.48	30	Pass	401




**24.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-28.89	-25	Pass	401
2490	2495	1	RMS	2494.975	-25.71	-13	Pass	401
2495	2496	1	RMS	2496	-23.33	-10	Pass	2
2496	2596	1	RMS	2510.25	10.98	30	Pass	401




**24.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2487.773	-44.43	-25	Pass	401
2490	2495	1	RMS	2495	-27.9	-13	Pass	401
2495	2496	0.051	RMS	2495.905	-26.89	-10	Pass	401
2496	2596	1	RMS	2497	21.71	30	Pass	401




**24.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-28.99	-25	Pass	401
2490	2495	1	RMS	2494.9	-26.05	-13	Pass	401
2495	2496	1	RMS	2496	-24.35	-10	Pass	2
2496	2596	1	RMS	2511	9.97	30	Pass	401




**24.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.04	30	Pass	401
2690	2691	0.1	RMS	2690.005	-22.67	-10	Pass	401
2691	2695	1	RMS	2691.01	-27.2	-10	Pass	401
2695	2710	1	RMS	2697.775	-43.59	-13	Pass	401
2710	2795	1	RMS	2774.813	-49.95	-25	Pass	401




**24.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2680.25	10.29	30	Pass	401
2690	2691	1	RMS	2690	-22.48	-10	Pass	2
2691	2695	1	RMS	2691.05	-22.2	-10	Pass	401
2695	2710	1	RMS	2695.038	-24.55	-13	Pass	401
2710	2715	1	RMS	2710.213	-43.35	-25	Pass	401
2715	2795	1	RMS	2715	-47.25	-25	Pass	401




**24.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2688.75	20.79	30	Pass	401
2690	2691	0.1	RMS	2690	-26.16	-10	Pass	401
2691	2695	1	RMS	2691	-30.11	-10	Pass	401
2695	2710	1	RMS	2697.775	-43.15	-13	Pass	401
2710	2795	1	RMS	2710	-49.85	-25	Pass	401



**24.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2672.25	8.97	30	Pass	401
2690	2691	1	RMS	2690	-24.62	-10	Pass	2
2691	2695	1	RMS	2691.23	-23.85	-10	Pass	401
2695	2710	1	RMS	2695.038	-25.87	-13	Pass	401
2710	2715	1	RMS	2710	-44.69	-25	Pass	401
2715	2795	1	RMS	2715	-48.04	-25	Pass	401






**24.9. Band Edge for SA(NTNV)(Subtest:9, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2484.308	-37.74	-25	Pass	401
2490	2495	1	RMS	2495	-27.22	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-26.36	-10	Pass	401
2496	2596	1	RMS	2497	22.36	30	Pass	401




**24.10. Band Edge for SA(NTNV)(Subtest:10, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.763	-33.97	-25	Pass	401
2490	2495	1	RMS	2494.675	-31.17	-13	Pass	401
2495	2496	1	RMS	2496	-30.05	-10	Pass	2
2496	2596	1	RMS	2528.75	6.22	30	Pass	401




**24.11. Band Edge for SA(NTNV)(Subtest:11, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2484.06	-38.64	-25	Pass	401
2490	2495	1	RMS	2495	-27.89	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-27.03	-10	Pass	401
2496	2596	1	RMS	2497	21.69	30	Pass	401




**24.12. Band Edge for SA(NTNV)(Subtest:12, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-34.84	-25	Pass	401
2490	2495	1	RMS	2493.675	-31.91	-13	Pass	401
2495	2496	1	RMS	2496	-31.13	-10	Pass	2
2496	2596	1	RMS	2531	5.07	30	Pass	401




**24.13. Band Edge for SA(NTNV)(Subtest:13, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.01	30	Pass	401
2690	2691	0.1	RMS	2690	-24.83	-10	Pass	401
2691	2695	1	RMS	2691	-28.91	-10	Pass	401
2695	2750	1	RMS	2696.375	-36.03	-13	Pass	401
2750	2795	1	RMS	2785.438	-49.9	-25	Pass	401




**24.14. Band Edge for SA(NTNV)(Subtest:14, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2653.25	5.88	30	Pass	401
2690	2691	1	RMS	2690	-27.87	-10	Pass	2
2691	2695	1	RMS	2692.41	-27.63	-10	Pass	401
2695	2750	1	RMS	2695	-29.13	-13	Pass	401
2750	2795	1	RMS	2769.575	-49.89	-25	Pass	401




**24.15. Band Edge for SA(NTNV)(Subtest:15, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.05	30	Pass	401
2690	2691	0.1	RMS	2690	-26.76	-10	Pass	401
2691	2695	1	RMS	2691	-30.49	-10	Pass	401
2695	2750	1	RMS	2696.375	-37.53	-13	Pass	401
2750	2795	1	RMS	2775.65	-49.91	-25	Pass	401



**24.16. Band Edge for SA(NTNV)(Subtest:16, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2644.25	5.04	30	Pass	401
2690	2691	1	RMS	2690	-28.46	-10	Pass	2
2691	2695	1	RMS	2692.32	-29.02	-10	Pass	401
2695	2750	1	RMS	2695.138	-30.71	-13	Pass	401
2750	2795	1	RMS	2787.688	-49.84	-25	Pass	401






**24.17. Band Edge for SA(NTNV)(Subtest:17, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2487.278	-45.81	-25	Pass	401
2490	2495	1	RMS	2495	-27.8	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-27.21	-10	Pass	401
2496	2596	1	RMS	2497	22.55	30	Pass	401




**24.18. Band Edge for SA(NTNV)(Subtest:18, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-33.66	-25	Pass	401
2490	2495	1	RMS	2490	-33.62	-13	Pass	401
2495	2496	1	RMS	2496	-32.34	-13	Pass	2
2496	2596	1	RMS	2560	3.72	30	Pass	401




**24.19. Band Edge for SA(NTNV)(Subtest:19, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.515	-44.14	-25	Pass	401
2490	2495	1	RMS	2495	-28.08	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-27.14	-10	Pass	401
2496	2596	1	RMS	2497	21.64	30	Pass	401




**24.20. Band Edge for SA(NTNV)(Subtest:20, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-36.14	-25	Pass	401
2490	2495	1	RMS	2491.1	-35.69	-13	Pass	401
2495	2496	1	RMS	2496	-33.85	-13	Pass	2
2496	2596	1	RMS	2550.75	2.76	30	Pass	401




**24.21. Band Edge for SA(NTNV)(Subtest:21, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.99	30	Pass	401
2690	2691	0.1	RMS	2690	-24.87	-10	Pass	401
2691	2695	1	RMS	2691	-28.91	-10	Pass	401
2695	2790	1	RMS	2696.9	-44.34	-13	Pass	401
2790	2795	1	RMS	2791.313	-49.92	-25	Pass	401




**24.22. Band Edge for SA(NTNV)(Subtest:22, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2640.25	3.97	30	Pass	401
2690	2691	1	RMS	2691	-32.27	-10	Pass	2
2691	2695	1	RMS	2694.63	-30.85	-10	Pass	401
2695	2790	1	RMS	2696.425	-30.67	-13	Pass	401
2790	2795	1	RMS	2791	-49.99	-25	Pass	401




**24.23. Band Edge for SA(NTNV)(Subtest:23, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.97	30	Pass	401
2690	2691	0.1	RMS	2690	-26.31	-10	Pass	401
2691	2695	1	RMS	2691	-30.33	-10	Pass	401
2695	2790	1	RMS	2697.613	-45.29	-13	Pass	401
2790	2795	1	RMS	2790.15	-49.93	-25	Pass	401



**24.24. Band Edge for SA(NTNV)(Subtest:24, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2644.75	3.17	30	Pass	401
2690	2691	1	RMS	2690	-34.2	-10	Pass	2
2691	2695	1	RMS	2693.83	-32.72	-10	Pass	401
2695	2790	1	RMS	2695.475	-32.79	-13	Pass	401
2790	2795	1	RMS	2792.263	-50.02	-25	Pass	401






## 25. DC\_5A\_n7A\_SCS15\_5M\_L\_Edge\_1RB\_Left(QPSK)

### 25.1. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-45.53	-25	Pass	401
2494	2496	1	RMS	2495.96	-44.45	-13	Pass	401
2496	2499	1	RMS	2499	-36.33	-10	Pass	4
2499	2500	0.1	RMS	2500	-13.08	-10	Pass	401
2500	2520	1	RMS	2500.35	22.51	30	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_5M\_L\_Outer Full(QPSK)

### 25.2. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-38.06	-25	Pass	401
2494	2496	1	RMS	2495.995	-33.28	-13	Pass	401
2496	2499	1	RMS	2499	-26.87	-10	Pass	4
2499	2500	0.1	RMS	2500	-25.56	-10	Pass	401
2500	2520	1	RMS	2503	16.47	30	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_5M\_L\_Edge\_1RB\_Left(16QAM)

### 25.3. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.715	-46.6	-25	Pass	401
2494	2496	1	RMS	2495.995	-45.07	-13	Pass	401
2496	2499	1	RMS	2499	-36.99	-10	Pass	4
2499	2500	0.1	RMS	2500	-15.23	-10	Pass	401
2500	2520	1	RMS	2500.3	21.57	30	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_5M\_L\_Outer Full(16QAM)

### 25.4. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-38.56	-25	Pass	401
2494	2496	1	RMS	2495.99	-34.38	-13	Pass	401
2496	2499	1	RMS	2499	-27	-10	Pass	4
2499	2500	0.1	RMS	2499.993	-27.26	-10	Pass	401
2500	2520	1	RMS	2502.85	15.39	30	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_5M\_H\_Edge\_1RB\_Right(QPSK)

### 25.5. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	22.23	30	Pass	401
2570	2571	0.051	RMS	2570.003	-17.53	-10	Pass	401
2571	2575	1	RMS	2571	-36.91	-10	Pass	5
2575	2576	1	RMS	2575.38	-45.42	-13	Pass	401
2576	2595	1	RMS	2577.283	-46.85	-25	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_5M\_H\_Outer Full(QPSK)

### 25.6. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.7	16.18	30	Pass	401
2570	2571	0.1	RMS	2570.003	-26.89	-10	Pass	401
2571	2575	1	RMS	2571	-30.94	-10	Pass	5
2575	2576	1	RMS	2575.08	-37.65	-13	Pass	401
2576	2595	1	RMS	2576.048	-37.78	-25	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_5M\_H\_Edge\_1RB\_Right(16QAM)

### 25.7. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	21.43	30	Pass	401
2570	2571	0.051	RMS	2570	-16.07	-10	Pass	401
2571	2575	1	RMS	2571	-33.06	-10	Pass	5
2575	2576	1	RMS	2575.2	-46.53	-13	Pass	401
2576	2595	1	RMS	2577.14	-47.21	-25	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_5M\_H\_Outer Full(16QAM)

### 25.8. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.65	15.16	30	Pass	401
2570	2571	0.1	RMS	2570.003	-28.37	-10	Pass	401
2571	2575	1	RMS	2571	-31.65	-10	Pass	5
2575	2576	1	RMS	2575.018	-37.44	-13	Pass	401
2576	2595	1	RMS	2576.095	-38.58	-25	Pass	401






## 25. DC\_5A\_n7A\_SCS15\_15M\_L\_Edge\_1RB\_Left(QPSK)

### 25.9. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.925	-50.41	-25	Pass	401
2485	2496	1	RMS	2495.56	-44.46	-13	Pass	401
2496	2499	1	RMS	2499	-35	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.24	-10	Pass	401
2500	2520	1	RMS	2500.5	22.55	30	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_15M\_L\_Outer Full(QPSK)

### 25.10. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-49.77	-25	Pass	401
2485	2496	1	RMS	2495.973	-32.57	-13	Pass	401
2496	2499	1	RMS	2499	-30.26	-10	Pass	4
2499	2500	0.3	RMS	2500	-22.16	-10	Pass	401
2500	2520	1	RMS	2512.85	11.9	30	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_15M\_L\_Edge\_1RB\_Left(16QAM)

### 25.11. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-50.53	-25	Pass	401
2485	2496	1	RMS	2493.003	-38.14	-13	Pass	401
2496	2499	1	RMS	2499	-35.57	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-21.92	-10	Pass	401
2500	2520	1	RMS	2500.55	21.66	30	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_15M\_L\_Outer Full(16QAM)

### 25.12. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-49.4	-25	Pass	401
2485	2496	1	RMS	2495.973	-32.8	-13	Pass	401
2496	2499	1	RMS	2499	-30.73	-10	Pass	4
2499	2500	0.3	RMS	2500	-23.38	-10	Pass	401
2500	2520	1	RMS	2512	10.82	30	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_15M\_H\_Edge\_1RB\_Right(QPSK)

### 25.13. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	22.41	30	Pass	401
2570	2571	0.051	RMS	2570	-22.37	-10	Pass	401
2571	2575	1	RMS	2571	-36.98	-10	Pass	5
2575	2585	1	RMS	2575.4	-34.87	-13	Pass	401
2585	2595	1	RMS	2585.425	-49.38	-25	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_15M\_H\_Outer Full(QPSK)

### 25.14. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.5	11.75	30	Pass	401
2570	2571	0.3	RMS	2570.088	-33.94	-10	Pass	401
2571	2575	1	RMS	2571	-32.04	-10	Pass	5
2575	2585	1	RMS	2575.625	-33.3	-13	Pass	401
2585	2595	1	RMS	2587.925	-43.39	-25	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_15M\_H\_Edge\_1RB\_Right(16QAM)

### 25.15. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.55	21.63	30	Pass	401
2570	2571	0.051	RMS	2570	-21.29	-10	Pass	401
2571	2575	1	RMS	2571	-30.88	-10	Pass	5
2575	2585	1	RMS	2577.95	-43.42	-13	Pass	401
2585	2595	1	RMS	2585.8	-49.36	-25	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_15M\_H\_Outer Full(16QAM)

### 25.16. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.1	10.62	30	Pass	401
2570	2571	0.3	RMS	2570.05	-35.04	-10	Pass	401
2571	2575	1	RMS	2571	-33.12	-10	Pass	5
2575	2585	1	RMS	2576.725	-34.34	-13	Pass	401
2585	2595	1	RMS	2585.125	-43.12	-25	Pass	401






## 25. DC\_5A\_n7A\_SCS15\_20M\_L\_Edge\_1RB\_Left(QPSK)

### 25.17. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2478.938	-50.67	-25	Pass	401
2480	2496	1	RMS	2494.6	-40.55	-13	Pass	401
2496	2499	1	RMS	2499	-37.66	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.81	-10	Pass	401
2500	2520	1	RMS	2500.55	22.72	30	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_20M\_L\_Outer Full(QPSK)

### 25.18. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.85	-50.64	-25	Pass	401
2480	2496	1	RMS	2496	-33.41	-13	Pass	401
2496	2499	1	RMS	2499	-31.19	-10	Pass	4
2499	2500	0.5	RMS	2500	-31.09	-10	Pass	3
2500	2520	1	RMS	2508.45	10.62	30	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_20M\_L\_Edge\_1RB\_Left(16QAM)

### 25.19. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.313	-50.67	-25	Pass	401
2480	2496	1	RMS	2496	-44.63	-13	Pass	401
2496	2499	1	RMS	2499	-38.4	-10	Pass	4
2499	2500	0.051	RMS	2500	-28.16	-10	Pass	401
2500	2520	1	RMS	2500.55	21.64	30	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_20M\_L\_Outer Full(16AQM)

### 25.20. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2476.913	-50.71	-25	Pass	401
2480	2496	1	RMS	2496	-33.29	-13	Pass	401
2496	2499	1	RMS	2499	-31.36	-10	Pass	4
2499	2500	0.5	RMS	2500	-31.13	-10	Pass	3
2500	2520	1	RMS	2509	9.67	30	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_20M\_H\_Edge\_1RB\_Right(QPSK)

### 25.21. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	22.39	30	Pass	401
2570	2571	0.051	RMS	2570	-26.01	-10	Pass	401
2571	2575	1	RMS	2571	-36.05	-10	Pass	5
2575	2590	1	RMS	2575	-45.58	-13	Pass	401
2590	2595	1	RMS	2590.413	-50.09	-25	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_20M\_H\_Outer Full(QPSK)

### 25.22. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2558.6	10.47	30	Pass	401
2570	2571	0.51	RMS	2570.033	-33.84	-10	Pass	401
2571	2575	1	RMS	2571	-33.01	-10	Pass	5
2575	2590	1	RMS	2575.038	-34.88	-13	Pass	401
2590	2595	1	RMS	2590.013	-45.79	-25	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_20M\_H\_Edge\_1RB\_Right(16AQM)

### 25.23. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	21.51	30	Pass	401
2570	2571	0.051	RMS	2570	-25.38	-10	Pass	401
2571	2575	1	RMS	2571	-35.86	-10	Pass	5
2575	2590	1	RMS	2575.075	-45.63	-13	Pass	401
2590	2595	1	RMS	2590	-50.1	-25	Pass	401



## 25. DC\_5A\_n7A\_SCS15\_20M\_H\_Outer Full(16AQM)

### 25.24. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2558.95	9.53	30	Pass	401
2570	2571	0.51	RMS	2570.048	-32.78	-10	Pass	401
2571	2575	1	RMS	2571	-32.58	-10	Pass	5
2575	2590	1	RMS	2575.075	-34.78	-13	Pass	401
2590	2595	1	RMS	2590.013	-45.76	-25	Pass	401






## 26. DC\_7A\_n5A\_SCS15\_5M\_L\_Edge\_1RB\_Left(QPSK)

### 26.1. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.1	-51.04	-13	Pass	401
823	824	0.051	RMS	823.99	-17.54	-13	Pass	401
824	844	0.1	RMS	824.35	20.56	30	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_5M\_L\_Outer Full(QPSK)

### 26.2. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-36.1	-13	Pass	401
823	824	0.051	RMS	823.995	-29.83	-13	Pass	401
824	844	0.1	RMS	825.25	7.85	30	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_5M\_L\_Edge\_1RB\_Left(16QAM)

### 26.3. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-50.9	-13	Pass	401
823	824	0.051	RMS	823.988	-16.37	-13	Pass	401
824	844	0.1	RMS	824.35	19.62	30	Pass	401



## 26 DC\_7A\_n5A\_SCS15\_5M\_L\_Outer Full(16QAM)

### 26.4. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.64	-33.68	-13	Pass	401
823	824	0.051	RMS	823.943	-29.62	-13	Pass	401
824	844	0.1	RMS	825.2	6.72	30	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_5M\_H\_Edge\_1RB\_Right(QPSK)

### 26.5. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20.17	30	Pass	401
849	850	0.051	RMS	849	-17.86	-13	Pass	401
850	874	0.1	RMS	850.78	-48.54	-13	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_5M\_H\_Outer Full(QPSK)

### 26.6. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	846.15	7.04	30	Pass	401
849	850	0.051	RMS	849	-28.2	-13	Pass	401
850	874	0.1	RMS	850.06	-32.18	-13	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_5M\_H\_Edge\_1RB\_Right(16QAM)

### 26.7. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	19.04	30	Pass	401
849	850	0.051	RMS	849.003	-16.13	-13	Pass	401
850	874	0.1	RMS	850.84	-48.61	-13	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_5M\_H\_Outer Full(16QAM)

### 26.8. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	844.4	6.34	30	Pass	401
849	850	0.051	RMS	849	-28.09	-13	Pass	401
850	874	0.1	RMS	850.36	-32.95	-13	Pass	401






## 26. DC\_7A\_n5A\_SCS15\_15M\_L\_Edge\_1RB\_Left(QPSK)

### 26.9. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.56	-37.27	-13	Pass	401
823	824	0.15	RMS	823	-63.49	-13	Pass	8
824	844	0.1	RMS	824.45	20.64	30	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_15M\_L\_Outer Full(QPSK)

### 26.10. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-27.78	-13	Pass	401
823	824	0.15	RMS	823.53	-23.97	-13	Pass	401
824	844	0.1	RMS	825.1	3.62	30	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_15M\_L\_Edge\_1RB\_Left(16QAM)

### 26.11. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.7	-32.74	-13	Pass	401
823	824	0.15	RMS	823.988	-16.17	-13	Pass	401
824	844	0.1	RMS	824.5	19.58	30	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_15M\_L\_Outer Full(16QAM)

### 26.12. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-30.06	-13	Pass	401
823	824	0.15	RMS	824	-25.48	-13	Pass	401
824	844	0.1	RMS	824.5	2.67	30	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_15M\_H\_Edge\_1RB\_Right(QPSK)

### 26.13. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	20.37	30	Pass	401
849	850	0.15	RMS	850	-63.24	-13	Pass	8
850	874	0.1	RMS	850.96	-36.16	-13	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_15M\_H\_Outer Full(QPSK)

### 26.14. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841	3.28	30	Pass	401
849	850	0.15	RMS	849.888	-30.06	-13	Pass	401
850	874	0.1	RMS	850	-32.22	-13	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_15M\_H\_Edge\_1RB\_Right(16QAM)

### 26.15. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.55	19.2	30	Pass	401
849	850	0.15	RMS	849.003	-16.85	-13	Pass	401
850	874	0.1	RMS	852.04	-49.14	-13	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_15M\_H\_Outer Full(16QAM)

### 26.16. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.1	2.28	30	Pass	401
849	850	0.15	RMS	849.005	-31.31	-13	Pass	401
850	874	0.1	RMS	850	-33.22	-13	Pass	401






## 26. DC\_7A\_n5A\_SCS15\_20M\_L\_Edge\_1RB\_Left(QPSK)

### 26.17. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.02	-40.35	-13	Pass	401
823	824	0.2	RMS	824	-18.5	-13	Pass	401
824	844	0.1	RMS	824.55	20.72	30	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_20M\_L\_Outer Full(QPSK)

### 26.18. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.64	-28.61	-13	Pass	401
823	824	0.2	RMS	823.43	-25.42	-13	Pass	401
824	844	0.1	RMS	840.45	2.08	30	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_20M\_L\_Edge\_1RB\_Left(16QAM)

### 26.19. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-31.95	-13	Pass	401
823	824	0.2	RMS	823.998	-18.42	-13	Pass	401
824	844	0.1	RMS	824.55	19.47	30	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_20M\_L\_Outer Full(16AQM)

### 26.20. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.82	-29.67	-13	Pass	401
823	824	0.2	RMS	823.52	-26.38	-13	Pass	401
824	844	0.1	RMS	839.6	0.93	30	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_20M\_H\_Edge\_1RB\_Right(QPSK)

### 26.21. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.29	30	Pass	401
849	850	0.2	RMS	849	-19.43	-13	Pass	401
850	874	0.1	RMS	851.92	-45.61	-13	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_20M\_H\_Outer Full(QPSK)

### 26.22. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.65	2.19	30	Pass	401
849	850	0.2	RMS	849.465	-30.63	-13	Pass	401
850	874	0.1	RMS	850.12	-33.94	-13	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_20M\_H\_Edge\_1RB\_Right(16AQM)

### 26.23. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.24	30	Pass	401
849	850	0.2	RMS	849.003	-18.51	-13	Pass	401
850	874	0.1	RMS	851.62	-39.64	-13	Pass	401



## 26. DC\_7A\_n5A\_SCS15\_20M\_H\_Outer Full(16AQM)

### 26.24. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	837.95	1.41	30	Pass	401
849	850	0.2	RMS	849.615	-32.43	-13	Pass	401
850	874	0.1	RMS	850.24	-35.84	-13	Pass	401





END