


# **Annex A.5 Spurious Emission at Antenna Terminals**

# GSM

## 1. GSM\_GSM850


### 1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.2	-13	Pass	401
0.15	30	0.01	Peak	0.24	-54.55	-13	Pass	2985
30	500	0.1	Peak	480.596	-44.76	-13	Pass	4700
500	1000	0.1	Peak	824.165	33.29	-13	N/A	5000
1000	10000	1	Peak	7170.753	-22.13	-13	Pass	9000




## 1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.14	-13	Pass	401
0.15	30	0.01	Peak	0.23	-54.03	-13	Pass	2985
30	500	0.1	Peak	478.095	-44.17	-13	Pass	4700
500	1000	0.1	Peak	836.567	33.33	-13	N/A	5000
1000	10000	1	Peak	6956.727	-22.27	-13	Pass	9000



### 1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.66	-13	Pass	2985
30	500	0.1	Peak	494.799	-44.41	-13	Pass	4700
500	1000	0.1	Peak	848.77	33.11	-13	N/A	5000
1000	10000	1	Peak	7613.807	-22.43	-13	Pass	9000



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.03	-13	Pass	401
0.15	30	0.01	Peak	0.41	-59.85	-13	Pass	2985
30	1000	0.1	Peak	445.451	-49.65	-13	Pass	9699
1000	3000	1	Peak	1850.425	28.33	-13	N/A	2000
3000	20000	1	Peak	19748.592	-44.92	-13	Pass	17000




## 2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.37	-13	Pass	401
0.15	30	0.01	Peak	0.19	-61.41	-13	Pass	2985
30	1000	0.1	Peak	884.347	-50.07	-13	Pass	9699
1000	3000	1	Peak	1879.44	29.81	-13	N/A	2000
3000	20000	1	Peak	19151.972	-44.92	-13	Pass	17000



### 2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.54	-13	Pass	401
0.15	30	0.01	Peak	0.29	-61.08	-13	Pass	2985
30	1000	0.1	Peak	933.712	-48.49	-13	Pass	9699
1000	3000	1	Peak	1910.455	28.65	-13	N/A	2000
3000	20000	1	Peak	19885.815	-45.22	-13	Pass	17000




# EGPRS

## 3. EGPRS\_GSM850

### 3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.33	-13	Pass	401
0.15	30	0.01	Peak	0.26	-54.5	-13	Pass	2985
30	500	0.1	Peak	493.899	-43.91	-13	Pass	4700
500	1000	0.1	Peak	824.265	29.16	-13	N/A	5000
1000	10000	1	Peak	8693.939	-22.55	-13	Pass	9000






### 3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.17	-13	Pass	401
0.15	30	0.01	Peak	0.2	-54.55	-13	Pass	2985
30	500	0.1	Peak	472.594	-44.11	-13	Pass	4700
500	1000	0.1	Peak	836.567	29.31	-13	N/A	5000
1000	10000	1	Peak	7542.799	-22.17	-13	Pass	9000



### 3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.12	-13	Pass	401
0.15	30	0.01	Peak	0.18	-55.2	-13	Pass	2985
30	500	0.1	Peak	491.798	-44.42	-13	Pass	4700
500	1000	0.1	Peak	848.77	29.24	-13	N/A	5000
1000	10000	1	Peak	7366.777	-22.8	-13	Pass	9000



## 4. EGPRS\_PCS


### 4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.73	-13	Pass	401
0.15	30	0.01	Peak	0.36	-60.98	-13	Pass	2985
30	1000	0.1	Peak	488.956	-49.48	-13	Pass	9699
1000	3000	1	Peak	1850.425	24.17	-13	N/A	2000
3000	20000	1	Peak	19801.678	-44.78	-13	Pass	17000




## 4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.62	-13	Pass	401
0.15	30	0.01	Peak	0.42	-59.65	-13	Pass	2985
30	1000	0.1	Peak	507.458	-48.75	-13	Pass	9699
1000	3000	1	Peak	1879.44	26.82	-13	N/A	2000
3000	20000	1	Peak	19729.561	-44.66	-13	Pass	17000



### 4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.4	-13	Pass	401
0.15	30	0.01	Peak	0.23	-60.22	-13	Pass	2985
30	1000	0.1	Peak	791.293	-49.83	-13	Pass	9699
1000	3000	1	Peak	1910.455	27.27	-13	N/A	2000
3000	20000	1	Peak	19788.657	-44.78	-13	Pass	17000




## WCDMA

### 5. WCDMA\_Band2


#### 5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.92	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.52	-13	Pass	2985
30	1000	0.1	Peak	812.796	-52.82	-13	Pass	9699
1000	3000	1	Peak	1853.427	23.17	-13	N/A	2000
3000	20000	1	Peak	19656.442	-24.28	-13	Pass	17000




## 5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.69	-13	Pass	401
0.15	30	0.01	Peak	0.2	-65.52	-13	Pass	2985
30	1000	0.1	Peak	921.696	-53.7	-13	Pass	9699
1000	3000	1	Peak	1878.439	23.2	-13	N/A	2000
3000	20000	1	Peak	19668.462	-24.15	-13	Pass	17000



### 5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.82	-13	Pass	401
0.15	30	0.01	Peak	0.42	-64.66	-13	Pass	2985
30	1000	0.1	Peak	880.742	-53.91	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.24	-13	N/A	2000
3000	20000	1	Peak	19617.379	-24.12	-13	Pass	17000






## 6. WCDMA\_Band4


### 6.1. WCDMA Spurious Emission at Antenna Terminals(NTLV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.9	-13	Pass	2985
30	1000	0.1	Peak	752.888	-53.81	-13	Pass	9699
1000	3000	1	Peak	1713.357	23.17	-13	N/A	2000
3000	20000	1	Peak	19625.392	-24.59	-13	Pass	17000




## 6.2. WCDMA Spurious Emission at Antenna Terminals(NTLV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.29	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.29	-13	Pass	2985
30	1000	0.1	Peak	648.676	-53.48	-13	Pass	9699
1000	3000	1	Peak	1733.367	23.12	-13	N/A	2000
3000	20000	1	Peak	19684.488	-24.45	-13	Pass	17000



### 6.3. WCDMA Spurious Emission at Antenna Terminals(NTLV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.01	-13	Pass	401
0.15	30	0.01	Peak	0.41	-65.44	-13	Pass	2985
30	1000	0.1	Peak	871.83	-54.17	-13	Pass	9699
1000	3000	1	Peak	1751.376	22.86	-13	N/A	2000
3000	20000	1	Peak	19690.498	-23.84	-13	Pass	17000



## 7. WCDMA\_Band5


### 7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.26	-13	Pass	401
0.15	30	0.01	Peak	0.24	-65.55	-13	Pass	2985
30	500	0.1	Peak	468.993	-54.64	-13	Pass	4700
500	1000	0.1	Peak	827.666	17.96	-13	N/A	5000
1000	10000	1	Peak	6695.695	-32.88	-13	Pass	9000




## 7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.53	-13	Pass	401
0.15	30	0.01	Peak	0.38	-64.56	-13	Pass	2985
30	500	0.1	Peak	488.197	-54.49	-13	Pass	4700
500	1000	0.1	Peak	837.668	18.44	-13	N/A	5000
1000	10000	1	Peak	6974.729	-31.97	-13	Pass	9000



### 7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.77	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.84	-13	Pass	2985
30	500	0.1	Peak	404.28	-54.65	-13	Pass	4700
500	1000	0.1	Peak	847.269	17.87	-13	N/A	5000
1000	10000	1	Peak	7770.827	-31.79	-13	Pass	9000




# LTE

## 8. LTE\_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.35	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-13	Pass	2985
30	1000	0.1	RMS	849.4	-64.89	-13	Pass	9699
1000	1840	1	RMS	1838.999	-49.9	-13	Pass	840
1840	1920	1	RMS	1850.2	22.44	60	Pass	401
1920	3000	1	RMS	2946.951	-49.9	-13	Pass	1080
3000	12000	1	RMS	5550.311	-41.28	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.14	-13	Pass	8000



**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.15	-13	Pass	2985
30	1000	0.1	RMS	845.4	-64.97	-13	Pass	9699
1000	1840	1	RMS	1840	-50.41	-13	Pass	840
1840	1920	1	RMS	1850.2	21.46	60	Pass	401
1920	3000	1	RMS	2950.955	-49.84	-13	Pass	1080
3000	12000	1	RMS	5550.311	-42.33	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.17	-13	Pass	8000






**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2985
30	1000	0.1	RMS	833.198	-64.83	-13	Pass	9699
1000	1840	1	RMS	1840	-53.19	-13	Pass	840
1840	1920	1	RMS	1879.4	22.51	60	Pass	401
1920	3000	1	RMS	2948.953	-49.9	-13	Pass	1080
3000	12000	1	RMS	5638.322	-39.91	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.19	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.6	-13	Pass	2985
30	1000	0.1	RMS	827.297	-64.97	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.27	-13	Pass	840
1840	1920	1	RMS	1879.4	21.53	60	Pass	401
1920	3000	1	RMS	2949.954	-49.9	-13	Pass	1080
3000	12000	1	RMS	5638.322	-40.94	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.16	-13	Pass	8000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.01	-13	Pass	2985
30	1000	0.1	RMS	857.411	-64.85	-13	Pass	9699
1000	1840	1	RMS	1840	-53.33	-13	Pass	840
1840	1920	1	RMS	1908.8	22.52	60	Pass	401
1920	3000	1	RMS	2944.949	-49.91	-13	Pass	1080
3000	12000	1	RMS	5726.333	-37.73	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.1	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	Pass	2985
30	1000	0.1	RMS	854.307	-64.97	-13	Pass	9699
1000	1840	1	RMS	1840	-53.36	-13	Pass	840
1840	1920	1	RMS	1908.8	21.63	60	Pass	401
1920	3000	1	RMS	2947.952	-49.92	-13	Pass	1080
3000	12000	1	RMS	5726.333	-38.84	-13	Pass	9000
12000	20000	1	RMS	19686.961	-35.18	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2985
30	1000	0.1	RMS	832.898	-64.94	-13	Pass	9699
1000	1840	1	RMS	1840	-48.91	-13	Pass	840
1840	1920	1	RMS	1850.2	22.5	60	Pass	401
1920	3000	1	RMS	2950.955	-49.89	-13	Pass	1080
3000	12000	1	RMS	5550.311	-41.2	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.16	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2985
30	1000	0.1	RMS	837.799	-64.9	-13	Pass	9699
1000	1840	1	RMS	1838.999	-50.5	-13	Pass	840
1840	1920	1	RMS	1850.2	21.69	60	Pass	401
1920	3000	1	RMS	2948.953	-49.93	-13	Pass	1080
3000	12000	1	RMS	5550.311	-41.92	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.09	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.91	-13	Pass	2985
30	1000	0.1	RMS	849.4	-64.88	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.2	-13	Pass	840
1840	1920	1	RMS	1878.6	22.43	60	Pass	401
1920	3000	1	RMS	2943.948	-49.87	-13	Pass	1080
3000	12000	1	RMS	5636.322	-39.87	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.12	-13	Pass	8000



**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2985
30	1000	0.1	RMS	846.3	-64.9	-13	Pass	9699
1000	1840	1	RMS	1840	-53.26	-13	Pass	840
1840	1920	1	RMS	1878.6	21.57	60	Pass	401
1920	3000	1	RMS	2944.949	-49.88	-13	Pass	1080
3000	12000	1	RMS	5636.322	-40.59	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.11	-13	Pass	8000






**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	Pass	2985
30	1000	0.1	RMS	835.898	-64.96	-13	Pass	9699
1000	1840	1	RMS	1840	-53.34	-13	Pass	840
1840	1920	1	RMS	1907.2	22.51	60	Pass	401
1920	3000	1	RMS	2946.951	-49.9	-13	Pass	1080
3000	12000	1	RMS	5721.332	-38.43	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.18	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.73	-13	Pass	2985
30	1000	0.1	RMS	834.198	-64.93	-13	Pass	9699
1000	1840	1	RMS	1835.995	-53.36	-13	Pass	840
1840	1920	1	RMS	1907.2	21.79	60	Pass	401
1920	3000	1	RMS	2949.954	-49.8	-13	Pass	1080
3000	12000	1	RMS	5721.332	-38.95	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.18	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2985
30	1000	0.1	RMS	853.005	-64.91	-13	Pass	9699
1000	1840	1	RMS	1840	-49.86	-13	Pass	840
1840	1920	1	RMS	1850.2	22.48	60	Pass	401
1920	3000	1	RMS	2945.95	-49.87	-13	Pass	1080
3000	12000	1	RMS	5551.311	-40.91	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.2	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.71	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.45	-13	Pass	2985
30	1000	0.1	RMS	837.199	-64.9	-13	Pass	9699
1000	1840	1	RMS	1840	-50.33	-13	Pass	840
1840	1920	1	RMS	1850.2	21.68	60	Pass	401
1920	3000	1	RMS	2943.948	-49.91	-13	Pass	1080
3000	12000	1	RMS	5551.311	-41.68	-13	Pass	9000
12000	20000	1	RMS	19685.961	-35.22	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-13	Pass	2985
30	1000	0.1	RMS	830.698	-64.94	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.18	-13	Pass	840
1840	1920	1	RMS	1877.8	22.45	60	Pass	401
1920	3000	1	RMS	2944.949	-49.91	-13	Pass	1080
3000	12000	1	RMS	5633.321	-40.56	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.1	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.19	-13	Pass	2985
30	1000	0.1	RMS	837.799	-64.84	-13	Pass	9699
1000	1840	1	RMS	1840	-53.11	-13	Pass	840
1840	1920	1	RMS	1877.8	21.8	60	Pass	401
1920	3000	1	RMS	2949.954	-49.85	-13	Pass	1080
3000	12000	1	RMS	5633.321	-41.42	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.11	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	Pass	2985
30	1000	0.1	RMS	841.299	-64.79	-13	Pass	9699
1000	1840	1	RMS	1840	-53.32	-13	Pass	840
1840	1920	1	RMS	1905.2	22.55	60	Pass	401
1920	3000	1	RMS	2948.953	-49.91	-13	Pass	1080
3000	12000	1	RMS	5716.332	-38.89	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.18	-13	Pass	8000



**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2985
30	1000	0.1	RMS	857.511	-64.84	-13	Pass	9699
1000	1840	1	RMS	1840	-53.32	-13	Pass	840
1840	1920	1	RMS	1905.2	21.84	60	Pass	401
1920	3000	1	RMS	2951.956	-49.89	-13	Pass	1080
3000	12000	1	RMS	5716.332	-39.89	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.1	-13	Pass	8000






**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	Pass	2985
30	1000	0.1	RMS	849.901	-64.83	-13	Pass	9699
1000	1840	1	RMS	1840	-49.48	-13	Pass	840
1840	1920	1	RMS	1850.4	22.45	60	Pass	401
1920	3000	1	RMS	2950.955	-49.88	-13	Pass	1080
3000	12000	1	RMS	5551.311	-41.82	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.16	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.24	-13	Pass	2985
30	1000	0.1	RMS	844.299	-64.92	-13	Pass	9699
1000	1840	1	RMS	1838.999	-49.6	-13	Pass	840
1840	1920	1	RMS	1850.4	21.73	60	Pass	401
1920	3000	1	RMS	2947.952	-49.92	-13	Pass	1080
3000	12000	1	RMS	5551.311	-42.26	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.14	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.8	-13	Pass	401
0.15	30	0.01	RMS	0.33	-72.88	-13	Pass	2985
30	1000	0.1	RMS	842.099	-64.83	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.06	-13	Pass	840
1840	1920	1	RMS	1875.4	22.42	60	Pass	401
1920	3000	1	RMS	2949.954	-49.89	-13	Pass	1080
3000	12000	1	RMS	5626.321	-42.67	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.12	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.06	-13	Pass	2985
30	1000	0.1	RMS	845.3	-64.91	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.1	-13	Pass	840
1840	1920	1	RMS	1875.6	21.52	60	Pass	401
1920	3000	1	RMS	2949.954	-49.91	-13	Pass	1080
3000	12000	1	RMS	5626.321	-43.18	-13	Pass	9000
12000	20000	1	RMS	19687.961	-35.14	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	Pass	2985
30	1000	0.1	RMS	836.698	-64.98	-13	Pass	9699
1000	1840	1	RMS	1840	-53.05	-13	Pass	840
1840	1920	1	RMS	1900.4	22.55	60	Pass	401
1920	3000	1	RMS	2949.954	-49.81	-13	Pass	1080
3000	12000	1	RMS	5701.33	-41.46	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.16	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	Pass	2985
30	1000	0.1	RMS	855.608	-64.97	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.12	-13	Pass	840
1840	1920	1	RMS	1900.4	21.73	60	Pass	401
1920	3000	1	RMS	2953.957	-49.93	-13	Pass	1080
3000	12000	1	RMS	5701.33	-42.29	-13	Pass	9000
12000	20000	1	RMS	19675.959	-35.18	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2985
30	1000	0.1	RMS	828.597	-64.91	-13	Pass	9699
1000	1840	1	RMS	1837.998	-33.27	-13	Pass	840
1840	1920	1	RMS	1850.8	22.46	60	Pass	401
1920	3000	1	RMS	2945.95	-49.91	-13	Pass	1080
3000	12000	1	RMS	5552.312	-40.29	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.17	-13	Pass	8000



**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	Pass	2985
30	1000	0.1	RMS	830.098	-64.74	-13	Pass	9699
1000	1840	1	RMS	1837.998	-34.12	-13	Pass	840
1840	1920	1	RMS	1850.8	21.64	60	Pass	401
1920	3000	1	RMS	2943.948	-49.83	-13	Pass	1080
3000	12000	1	RMS	5552.312	-40.95	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.07	-13	Pass	8000






**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2985
30	1000	0.1	RMS	842.199	-64.85	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.89	-13	Pass	840
1840	1920	1	RMS	1873.2	22.54	60	Pass	401
1920	3000	1	RMS	2948.953	-49.9	-13	Pass	1080
3000	12000	1	RMS	5620.32	-41.84	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.11	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	Pass	2985
30	1000	0.1	RMS	842.899	-64.89	-13	Pass	9699
1000	1840	1	RMS	1840	-53.02	-13	Pass	840
1840	1920	1	RMS	1873.2	21.68	60	Pass	401
1920	3000	1	RMS	2946.951	-49.84	-13	Pass	1080
3000	12000	1	RMS	5620.32	-42.26	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.05	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2985
30	1000	0.1	RMS	849.3	-64.89	-13	Pass	9699
1000	1840	1	RMS	1835.995	-53.22	-13	Pass	840
1840	1920	1	RMS	1895.8	22.57	60	Pass	401
1920	3000	1	RMS	2947.952	-49.88	-13	Pass	1080
3000	12000	1	RMS	5687.328	-40.17	-13	Pass	9000
12000	20000	1	RMS	19685.961	-35.16	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.13	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-13	Pass	2985
30	1000	0.1	RMS	865.722	-64.89	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.25	-13	Pass	840
1840	1920	1	RMS	1895.8	21.74	60	Pass	401
1920	3000	1	RMS	2942.947	-49.89	-13	Pass	1080
3000	12000	1	RMS	5687.328	-41.24	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.2	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.25	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-13	Pass	2985
30	1000	0.1	RMS	849.2	-64.84	-13	Pass	9699
1000	1840	1	RMS	1837.998	-49.43	-13	Pass	840
1840	1920	1	RMS	1851	22.58	60	Pass	401
1920	3000	1	RMS	2943.948	-49.84	-13	Pass	1080
3000	12000	1	RMS	5553.312	-38.91	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.14	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.74	-13	Pass	2985
30	1000	0.1	RMS	853.906	-64.76	-13	Pass	9699
1000	1840	1	RMS	1836.996	-50.06	-13	Pass	840
1840	1920	1	RMS	1851	21.9	60	Pass	401
1920	3000	1	RMS	2945.95	-49.88	-13	Pass	1080
3000	12000	1	RMS	5553.312	-39.55	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.14	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	Pass	2985
30	1000	0.1	RMS	830.598	-64.7	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.92	-13	Pass	840
1840	1920	1	RMS	1871	22.59	60	Pass	401
1920	3000	1	RMS	2949.954	-49.87	-13	Pass	1080
3000	12000	1	RMS	5613.319	-41.02	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.15	-13	Pass	8000



**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.24	-13	Pass	2985
30	1000	0.1	RMS	846.4	-64.88	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.99	-13	Pass	840
1840	1920	1	RMS	1871	21.59	60	Pass	401
1920	3000	1	RMS	2948.953	-49.9	-13	Pass	1080
3000	12000	1	RMS	5613.319	-41.84	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.09	-13	Pass	8000






**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.05	-13	Pass	2985
30	1000	0.1	RMS	951.836	-64.9	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.18	-13	Pass	840
1840	1920	1	RMS	1891	22.59	60	Pass	401
1920	3000	1	RMS	2948.953	-49.88	-13	Pass	1080
3000	12000	1	RMS	5673.326	-37.56	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.14	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2985
30	1000	0.1	RMS	857.811	-65.01	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.25	-13	Pass	840
1840	1920	1	RMS	1891	21.6	60	Pass	401
1920	3000	1	RMS	2946.951	-49.85	-13	Pass	1080
3000	12000	1	RMS	5673.326	-38.6	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.15	-13	Pass	8000



## 9. LTE\_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.89	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.23	-13	Pass	2985
30	1000	0.1	RMS	845.099	-64.94	-13	Pass	9699
1000	1700	1	RMS	1700	-50.66	-13	Pass	700
1700	1765	1	RMS	1710.238	22.2	60	Pass	401
1765	3000	1	RMS	2947.958	-49.89	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.4	-13	Pass	9000
12000	20000	1	RMS	19685.961	-35.15	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.63	-13	Pass	2985
30	1000	0.1	RMS	849.1	-64.98	-13	Pass	9699
1000	1700	1	RMS	1700	-51.34	-13	Pass	700
1700	1765	1	RMS	1710.238	21.26	60	Pass	401
1765	3000	1	RMS	2946.957	-49.87	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.43	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.14	-13	Pass	8000




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	Pass	2985
30	1000	0.1	RMS	845.9	-64.95	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.59	-13	Pass	700
1700	1765	1	RMS	1732.013	22.05	60	Pass	401
1765	3000	1	RMS	2946.957	-49.86	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.4	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.11	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	840.599	-64.88	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.64	-13	Pass	700
1700	1765	1	RMS	1732.013	21.24	60	Pass	401
1765	3000	1	RMS	2953.963	-49.89	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.46	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.11	-13	Pass	8000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	Pass	2985
30	1000	0.1	RMS	866.423	-64.88	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.75	-13	Pass	700
1700	1765	1	RMS	1753.788	22	60	Pass	401
1765	3000	1	RMS	1765	-49.81	-13	Pass	1235
3000	12000	1	RMS	12000	-43.45	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.1	-13	Pass	8000



**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.73	-13	Pass	2985
30	1000	0.1	RMS	858.512	-64.91	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.68	-13	Pass	700
1700	1765	1	RMS	1753.788	21.25	60	Pass	401
1765	3000	1	RMS	2953.963	-49.93	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.43	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.12	-13	Pass	8000






**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	Pass	2985
30	1000	0.1	RMS	853.105	-64.9	-13	Pass	9699
1000	1700	1	RMS	1700	-50.97	-13	Pass	700
1700	1765	1	RMS	1710.238	22.19	60	Pass	401
1765	3000	1	RMS	2941.953	-49.87	-13	Pass	1235
3000	12000	1	RMS	12000	-43.41	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.04	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.25	-13	Pass	2985
30	1000	0.1	RMS	833.698	-64.93	-13	Pass	9699
1000	1700	1	RMS	1697.997	-51.59	-13	Pass	700
1700	1765	1	RMS	1710.238	21.41	60	Pass	401
1765	3000	1	RMS	2950.96	-49.86	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.37	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.16	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2985
30	1000	0.1	RMS	842.999	-64.91	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.55	-13	Pass	700
1700	1765	1	RMS	1731.2	21.98	60	Pass	401
1765	3000	1	RMS	2951.961	-49.85	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.4	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.1	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.22	-73.04	-13	Pass	2985
30	1000	0.1	RMS	841.299	-64.96	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.62	-13	Pass	700
1700	1765	1	RMS	1731.2	21.28	60	Pass	401
1765	3000	1	RMS	2950.96	-49.88	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.46	-13	Pass	9000
12000	20000	1	RMS	19685.961	-35.16	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-13	Pass	2985
30	1000	0.1	RMS	849.5	-64.87	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.7	-13	Pass	700
1700	1765	1	RMS	1752.163	22.27	60	Pass	401
1765	3000	1	RMS	2948.959	-49.83	-13	Pass	1235
3000	12000	1	RMS	12000	-43.46	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.16	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.05	-13	Pass	2985
30	1000	0.1	RMS	841.299	-64.83	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.73	-13	Pass	700
1700	1765	1	RMS	1752.163	21.28	60	Pass	401
1765	3000	1	RMS	2947.958	-49.91	-13	Pass	1235
3000	12000	1	RMS	12000	-43.41	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.14	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	Pass	2985
30	1000	0.1	RMS	865.522	-64.95	-13	Pass	9699
1000	1700	1	RMS	1700	-51.14	-13	Pass	700
1700	1765	1	RMS	1710.238	22.39	60	Pass	401
1765	3000	1	RMS	2950.96	-49.86	-13	Pass	1235
3000	12000	1	RMS	12000	-43.48	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.16	-13	Pass	8000



**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2985
30	1000	0.1	RMS	840.099	-64.84	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.5	-13	Pass	700
1700	1765	1	RMS	1710.238	21.5	60	Pass	401
1765	3000	1	RMS	2946.957	-49.88	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.55	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.17	-13	Pass	8000






**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.68	-13	Pass	2985
30	1000	0.1	RMS	840.199	-64.86	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.58	-13	Pass	700
1700	1765	1	RMS	1730.225	22.2	60	Pass	401
1765	3000	1	RMS	2945.956	-49.86	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.36	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.15	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.01	-13	Pass	2985
30	1000	0.1	RMS	842.799	-64.86	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.66	-13	Pass	700
1700	1765	1	RMS	1730.225	21.39	60	Pass	401
1765	3000	1	RMS	2949.959	-49.92	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.42	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.11	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.36	-13	Pass	2985
30	1000	0.1	RMS	842.999	-64.8	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.71	-13	Pass	700
1700	1765	1	RMS	1750.213	22.04	60	Pass	401
1765	3000	1	RMS	2948.959	-49.84	-13	Pass	1235
3000	12000	1	RMS	12000	-43.35	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.11	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	1000	0.1	RMS	844.099	-64.93	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.72	-13	Pass	700
1700	1765	1	RMS	1750.375	21.58	60	Pass	401
1765	3000	1	RMS	2951.961	-49.95	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.43	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.18	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-13	Pass	2985
30	1000	0.1	RMS	877.237	-64.88	-13	Pass	9699
1000	1700	1	RMS	1700	-50.52	-13	Pass	700
1700	1765	1	RMS	1710.563	22.25	60	Pass	401
1765	3000	1	RMS	2944.955	-49.9	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.52	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.14	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	1000	0.1	RMS	850.702	-64.87	-13	Pass	9699
1000	1700	1	RMS	1700	-51.25	-13	Pass	700
1700	1765	1	RMS	1710.563	21.56	60	Pass	401
1765	3000	1	RMS	2951.961	-49.91	-13	Pass	1235
3000	12000	1	RMS	12000	-43.57	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.1	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2985
30	1000	0.1	RMS	844.999	-64.68	-13	Pass	9699
1000	1700	1	RMS	1700	-53.46	-13	Pass	700
1700	1765	1	RMS	1727.95	22.21	60	Pass	401
1765	3000	1	RMS	2952.962	-49.93	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.52	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.16	-13	Pass	8000



**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	Pass	2985
30	1000	0.1	RMS	845.6	-64.95	-13	Pass	9699
1000	1700	1	RMS	1700	-53.53	-13	Pass	700
1700	1765	1	RMS	1727.95	21.33	60	Pass	401
1765	3000	1	RMS	2946.957	-49.89	-13	Pass	1235
3000	12000	1	RMS	12000	-43.41	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.14	-13	Pass	8000






**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.77	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.27	-13	Pass	2985
30	1000	0.1	RMS	842.999	-64.92	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.73	-13	Pass	700
1700	1765	1	RMS	1745.5	22.29	60	Pass	401
1765	3000	1	RMS	2946.957	-49.95	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.43	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.11	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	Pass	2985
30	1000	0.1	RMS	843.099	-65.02	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.72	-13	Pass	700
1700	1765	1	RMS	1745.5	21.24	60	Pass	401
1765	3000	1	RMS	2950.96	-49.9	-13	Pass	1235
3000	12000	1	RMS	12000	-43.51	-13	Pass	9000
12000	20000	1	RMS	19686.961	-35.21	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.12	-13	Pass	2985
30	1000	0.1	RMS	821.597	-64.92	-13	Pass	9699
1000	1700	1	RMS	1697.997	-35.1	-13	Pass	700
1700	1765	1	RMS	1710.725	22.35	60	Pass	401
1765	3000	1	RMS	2949.959	-49.88	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.42	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.17	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.59	-13	Pass	2985
30	1000	0.1	RMS	833.898	-64.93	-13	Pass	9699
1000	1700	1	RMS	1697.997	-36.11	-13	Pass	700
1700	1765	1	RMS	1710.725	21.59	60	Pass	401
1765	3000	1	RMS	2947.958	-49.88	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.45	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.22	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	Pass	2985
30	1000	0.1	RMS	851.904	-64.92	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.44	-13	Pass	700
1700	1765	1	RMS	1725.838	22.2	60	Pass	401
1765	3000	1	RMS	2948.959	-49.89	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.51	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.15	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.29	-13	Pass	2985
30	1000	0.1	RMS	836.798	-64.99	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.78	-13	Pass	700
1700	1765	1	RMS	1725.675	21.53	60	Pass	401
1765	3000	1	RMS	2948.959	-49.94	-13	Pass	1235
3000	12000	1	RMS	12000	-43.43	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.15	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,  
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	Pass	2985
30	1000	0.1	RMS	831.298	-64.89	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.68	-13	Pass	700
1700	1765	1	RMS	1740.788	22.2	60	Pass	401
1765	3000	1	RMS	1767.002	-47.01	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.38	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.14	-13	Pass	8000



**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.6	-13	Pass	2985
30	1000	0.1	RMS	830.098	-64.87	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.71	-13	Pass	700
1700	1765	1	RMS	1740.788	21.47	60	Pass	401
1765	3000	1	RMS	1767.002	-47.27	-13	Pass	1235
3000	12000	1	RMS	12000	-43.45	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.14	-13	Pass	8000






**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-13	Pass	2985
30	1000	0.1	RMS	834.898	-64.92	-13	Pass	9699
1000	1700	1	RMS	1692.99	-33.94	-13	Pass	700
1700	1765	1	RMS	1711.05	22.41	60	Pass	401
1765	3000	1	RMS	2946.957	-49.91	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.51	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.06	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-13	Pass	2985
30	1000	0.1	RMS	829.098	-64.96	-13	Pass	9699
1000	1700	1	RMS	1692.99	-35.2	-13	Pass	700
1700	1765	1	RMS	1711.05	21.55	60	Pass	401
1765	3000	1	RMS	2950.96	-49.93	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.46	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.15	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,  
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.26	-13	Pass	2985
30	1000	0.1	RMS	822.297	-64.98	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.17	-13	Pass	700
1700	1765	1	RMS	1723.563	22.17	60	Pass	401
1765	3000	1	RMS	2948.959	-49.92	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.5	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.14	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2985
30	1000	0.1	RMS	834.098	-64.96	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.34	-13	Pass	700
1700	1765	1	RMS	1723.563	21.33	60	Pass	401
1765	3000	1	RMS	2950.96	-49.95	-13	Pass	1235
3000	12000	1	RMS	12000	-43.38	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.18	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.64	-13	Pass	2985
30	1000	0.1	RMS	841.699	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-52.62	-13	Pass	700
1700	1765	1	RMS	1736.075	22.28	60	Pass	401
1765	3000	1	RMS	1772.006	-46.63	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.49	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.24	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2985
30	1000	0.1	RMS	846.1	-64.78	-13	Pass	9699
1000	1700	1	RMS	1700	-52.9	-13	Pass	700
1700	1765	1	RMS	1736.075	21.54	60	Pass	401
1765	3000	1	RMS	1772.006	-47.29	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.48	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.15	-13	Pass	8000



## 10. LTE\_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.96	-13	Pass	7840
814	860	0.1	RMS	824.222	19.53	60	Pass	460
860	1000	0.1	RMS	862.302	-65.1	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.67	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.12	-13	Pass	7000



**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.91	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.42	-13	Pass	7840
814	860	0.1	RMS	824.222	19.67	60	Pass	460
860	1000	0.1	RMS	991.194	-65.11	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.33	-13	Pass	2000
3000	10000	1	RMS	6967.567	-44.12	-13	Pass	7000






**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	Pass	2985
30	814	0.1	RMS	810.6	-65	-13	Pass	7840
814	860	0.1	RMS	836.048	19.75	60	Pass	460
860	1000	0.1	RMS	860.901	-65.02	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.26	-13	Pass	2000
3000	10000	1	RMS	6966.567	-44.17	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.25	-13	Pass	2985
30	814	0.1	RMS	813	-65.13	-13	Pass	7840
814	860	0.1	RMS	836.048	19.84	60	Pass	460
860	1000	0.1	RMS	862.302	-65.15	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.75	-13	Pass	2000
3000	10000	1	RMS	6956.565	-44.18	-13	Pass	7000




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2985
30	814	0.1	RMS	811.7	-65.07	-13	Pass	7840
814	860	0.1	RMS	847.874	19.41	60	Pass	460
860	1000	0.1	RMS	877.513	-65.05	-13	Pass	1400
1000	3000	1	RMS	1695.348	-49.18	-13	Pass	2000
3000	10000	1	RMS	6968.567	-44.17	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.96	-13	Pass	2985
30	814	0.1	RMS	811	-65.07	-13	Pass	7840
814	860	0.1	RMS	847.874	19.69	60	Pass	460
860	1000	0.1	RMS	966.176	-65.06	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.42	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.16	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.14	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.34	-13	Pass	7840
814	860	0.1	RMS	824.222	19.74	60	Pass	460
860	1000	0.1	RMS	979.485	-64.95	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.65	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.12	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.24	-13	Pass	7840
814	860	0.1	RMS	824.222	19.89	60	Pass	460
860	1000	0.1	RMS	862.602	-64.99	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.94	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.17	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.25	-73.48	-13	Pass	2985
30	814	0.1	RMS	813.6	-65.09	-13	Pass	7840
814	860	0.1	RMS	835.246	19.83	60	Pass	460
860	1000	0.1	RMS	861.101	-65.02	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.61	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.16	-13	Pass	7000



**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.33	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.96	-13	Pass	2985
30	814	0.1	RMS	813.8	-65.02	-13	Pass	7840
814	860	0.1	RMS	835.246	19.9	60	Pass	460
860	1000	0.1	RMS	964.274	-65.07	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.26	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.13	-13	Pass	7000






**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-13	Pass	2985
30	814	0.1	RMS	807.499	-65.14	-13	Pass	7840
814	860	0.1	RMS	846.27	19.78	60	Pass	460
860	1000	0.1	RMS	861.701	-64.97	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.87	-13	Pass	2000
3000	10000	1	RMS	6966.567	-44.13	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.59	-13	Pass	2985
30	814	0.1	RMS	811.7	-65.17	-13	Pass	7840
814	860	0.1	RMS	846.27	19.65	60	Pass	460
860	1000	0.1	RMS	868.006	-65.09	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.1	-13	Pass	2000
3000	10000	1	RMS	6955.565	-44.21	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.03	-13	Pass	2985
30	814	0.1	RMS	813.7	-63.73	-13	Pass	7840
814	860	0.1	RMS	824.322	19.74	60	Pass	460
860	1000	0.1	RMS	860	-64.98	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.94	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.08	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.3	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.18	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.37	-13	Pass	7840
814	860	0.1	RMS	824.322	19.83	60	Pass	460
860	1000	0.1	RMS	862.102	-64.77	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.36	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.15	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	814	0.1	RMS	813.8	-64.97	-13	Pass	7840
814	860	0.1	RMS	834.344	19.94	60	Pass	460
860	1000	0.1	RMS	860.2	-65.14	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.94	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.13	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2985
30	814	0.1	RMS	811	-65.01	-13	Pass	7840
814	860	0.1	RMS	834.344	20	60	Pass	460
860	1000	0.1	RMS	954.367	-65.15	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.12	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.16	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2985
30	814	0.1	RMS	811.5	-65.07	-13	Pass	7840
814	860	0.1	RMS	844.366	19.44	60	Pass	460
860	1000	0.1	RMS	865.504	-65.09	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.95	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.18	-13	Pass	7000



**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-13	Pass	2985
30	814	0.1	RMS	813.6	-65.07	-13	Pass	7840
814	860	0.1	RMS	844.366	19.78	60	Pass	460
860	1000	0.1	RMS	877.012	-64.98	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.46	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.08	-13	Pass	7000






**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.85	-13	Pass	7840
814	860	0.1	RMS	824.623	19.36	60	Pass	460
860	1000	0.1	RMS	860.3	-64.97	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.68	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.15	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.85	-13	Pass	7840
814	860	0.1	RMS	824.623	19.78	60	Pass	460
860	1000	0.1	RMS	876.912	-65.09	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.96	-13	Pass	2000
3000	10000	1	RMS	6957.565	-44.18	-13	Pass	7000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	Pass	2985
30	814	0.1	RMS	813.4	-64.7	-13	Pass	7840
814	860	0.1	RMS	832.139	19.05	60	Pass	460
860	1000	0.1	RMS	861.301	-65.03	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.65	-13	Pass	2000
3000	10000	1	RMS	7203.601	-44.11	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.97	-13	Pass	2985
30	814	0.1	RMS	812.7	-64.7	-13	Pass	7840
814	860	0.1	RMS	832.139	19.02	60	Pass	460
860	1000	0.1	RMS	883.417	-65.06	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.26	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.13	-13	Pass	7000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.62	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.73	-13	Pass	2985
30	814	0.1	RMS	811.4	-65.19	-13	Pass	7840
814	860	0.1	RMS	839.556	19.46	60	Pass	460
860	1000	0.1	RMS	862.001	-65.02	-13	Pass	1400
1000	3000	1	RMS	1678.339	-49.35	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.15	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.76	-13	Pass	2985
30	814	0.1	RMS	813.2	-65.09	-13	Pass	7840
814	860	0.1	RMS	839.556	19.49	60	Pass	460
860	1000	0.1	RMS	987.291	-65.16	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.66	-13	Pass	2000
3000	10000	1	RMS	7216.602	-44.15	-13	Pass	7000



## 11. LTE\_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.19	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.98	-25	Pass	2985
30	1000	0.1	RMS	838.599	-64.95	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.91	-25	Pass	1480
2480	2590	1	RMS	2500.075	21.86	60	Pass	401
2590	3000	1	RMS	2947.873	-49.91	-25	Pass	410
3000	12000	1	RMS	11814.771	-53.97	-25	Pass	9000
12000	26000	1	RMS	26000	-39.38	-25	Pass	14000



**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.27	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.83	-25	Pass	2985
30	1000	0.1	RMS	841.599	-64.87	-25	Pass	9699
1000	2480	1	RMS	2480	-51.93	-25	Pass	1480
2480	2590	1	RMS	2500.075	21.02	60	Pass	401
2590	3000	1	RMS	2946.87	-49.96	-25	Pass	410
3000	12000	1	RMS	11799.752	-53.98	-25	Pass	9000
12000	26000	1	RMS	25991.999	-39.38	-25	Pass	14000






**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.65	-25	Pass	2985
30	1000	0.1	RMS	572.166	-64.58	-25	Pass	9699
1000	2480	1	RMS	2480	-51.96	-25	Pass	1480
2480	2590	1	RMS	2532.8	22.14	60	Pass	401
2590	3000	1	RMS	2949.878	-49.92	-25	Pass	410
3000	12000	1	RMS	11812.768	-53.95	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.41	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.09	-25	Pass	2985
30	1000	0.1	RMS	572.166	-64.65	-25	Pass	9699
1000	2480	1	RMS	2480	-51.91	-25	Pass	1480
2480	2590	1	RMS	2532.8	21.35	60	Pass	401
2590	3000	1	RMS	2948.875	-49.97	-25	Pass	410
3000	12000	1	RMS	11812.768	-53.96	-25	Pass	9000
12000	26000	1	RMS	25987.998	-39.35	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.41	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.74	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.93	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.94	-25	Pass	1480
2480	2590	1	RMS	2565.25	22.16	60	Pass	401
2590	3000	1	RMS	2946.87	-49.94	-25	Pass	410
3000	12000	1	RMS	11800.753	-53.91	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.46	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.57	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-25	Pass	2985
30	1000	0.1	RMS	604.67	-63.28	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.92	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.3	60	Pass	401
2590	3000	1	RMS	2949.878	-49.94	-25	Pass	410
3000	12000	1	RMS	11811.767	-53.93	-25	Pass	9000
12000	26000	1	RMS	25998	-39.28	-25	Pass	14000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.76	-25	Pass	2985
30	1000	0.1	RMS	853.906	-64.89	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.9	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.81	60	Pass	401
2590	3000	1	RMS	2947.873	-49.93	-25	Pass	410
3000	12000	1	RMS	5001.244	-53.9	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.43	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.8	-25	Pass	2985
30	1000	0.1	RMS	834.498	-64.85	-25	Pass	9699
1000	2480	1	RMS	2480	-51.97	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.2	60	Pass	401
2590	3000	1	RMS	2946.87	-49.95	-25	Pass	410
3000	12000	1	RMS	11808.763	-53.93	-25	Pass	9000
12000	26000	1	RMS	25998	-39.41	-25	Pass	14000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.03	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.73	-25	Pass	2985
30	1000	0.1	RMS	569.866	-64.31	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.9	-25	Pass	1480
2480	2590	1	RMS	2530.325	22.08	60	Pass	401
2590	3000	1	RMS	2949.878	-49.9	-25	Pass	410
3000	12000	1	RMS	11817.774	-53.94	-25	Pass	9000
12000	26000	1	RMS	26000	-39.36	-25	Pass	14000



**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-25	Pass	2985
30	1000	0.1	RMS	851.904	-64.89	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.92	-25	Pass	1480
2480	2590	1	RMS	2530.325	21.13	60	Pass	401
2590	3000	1	RMS	2947.873	-49.91	-25	Pass	410
3000	12000	1	RMS	11811.767	-53.86	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.33	-25	Pass	14000






**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.91	-25	Pass	401
0.15	30	0.01	RMS	0.2	-73.21	-25	Pass	2985
30	1000	0.1	RMS	599.87	-62.27	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.9	-25	Pass	1480
2480	2590	1	RMS	2560.575	22.05	60	Pass	401
2590	3000	1	RMS	2949.878	-49.93	-25	Pass	410
3000	12000	1	RMS	11810.766	-53.92	-25	Pass	9000
12000	26000	1	RMS	25976.996	-39.41	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.16	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.95	-25	Pass	2985
30	1000	0.1	RMS	599.87	-63.42	-25	Pass	9699
1000	2480	1	RMS	2474.997	-51.93	-25	Pass	1480
2480	2590	1	RMS	2560.575	21.2	60	Pass	401
2590	3000	1	RMS	2946.87	-49.92	-25	Pass	410
3000	12000	1	RMS	11812.768	-53.79	-25	Pass	9000
12000	26000	1	RMS	26000	-39.39	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.15	-25	Pass	401
0.15	30	0.01	RMS	0.19	-73.27	-25	Pass	2985
30	1000	0.1	RMS	842.699	-64.94	-25	Pass	9699
1000	2480	1	RMS	2480	-51.9	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.96	60	Pass	401
2590	3000	1	RMS	2948.875	-49.89	-25	Pass	410
3000	12000	1	RMS	11817.774	-53.94	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.35	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-25	Pass	2985
30	1000	0.1	RMS	826.697	-64.87	-25	Pass	9699
1000	2480	1	RMS	2473.996	-51.91	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.23	60	Pass	401
2590	3000	1	RMS	2946.87	-49.88	-25	Pass	410
3000	12000	1	RMS	11803.757	-53.94	-25	Pass	9000
12000	26000	1	RMS	25999	-39.32	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-25	Pass	2985
30	1000	0.1	RMS	850.902	-64.96	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.81	-25	Pass	1480
2480	2590	1	RMS	2528.125	22.23	60	Pass	401
2590	3000	1	RMS	2952.885	-49.92	-25	Pass	410
3000	12000	1	RMS	11820.778	-53.94	-25	Pass	9000
12000	26000	1	RMS	25984.997	-39.34	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.91	-25	Pass	401
0.15	30	0.01	RMS	0.21	-73.05	-25	Pass	2985
30	1000	0.1	RMS	858.913	-64.9	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.94	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.39	60	Pass	401
2590	3000	1	RMS	2946.87	-49.91	-25	Pass	410
3000	12000	1	RMS	11799.752	-53.91	-25	Pass	9000
12000	26000	1	RMS	26000	-39.31	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.8	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.7	-25	Pass	2985
30	1000	0.1	RMS	595.169	-62.35	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.88	-25	Pass	1480
2480	2590	1	RMS	2555.625	22.19	60	Pass	401
2590	3000	1	RMS	2946.87	-49.91	-25	Pass	410
3000	12000	1	RMS	11801.755	-53.92	-25	Pass	9000
12000	26000	1	RMS	25998	-39.23	-25	Pass	14000



**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.38	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.33	-25	Pass	2985
30	1000	0.1	RMS	595.169	-62.98	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.9	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.49	60	Pass	401
2590	3000	1	RMS	2949.878	-49.9	-25	Pass	410
3000	12000	1	RMS	11800.753	-53.87	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.26	-25	Pass	14000






**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.69	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.88	-25	Pass	2985
30	1000	0.1	RMS	832.098	-64.98	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.9	-25	Pass	1480
2480	2590	1	RMS	2500.9	22.09	60	Pass	401
2590	3000	1	RMS	2949.878	-49.9	-25	Pass	410
3000	12000	1	RMS	5002.244	-53.88	-25	Pass	9000
12000	26000	1	RMS	26000	-39.31	-25	Pass	14000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.78	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.97	-25	Pass	2985
30	1000	0.1	RMS	866.823	-64.78	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.84	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.38	60	Pass	401
2590	3000	1	RMS	2949.878	-49.93	-25	Pass	410
3000	12000	1	RMS	11808.763	-53.84	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.34	-25	Pass	14000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-25	Pass	401
0.15	30	0.01	RMS	0.18	-73.27	-25	Pass	2985
30	1000	0.1	RMS	837.899	-64.92	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.93	-25	Pass	1480
2480	2590	1	RMS	2525.925	22.1	60	Pass	401
2590	3000	1	RMS	2949.878	-49.93	-25	Pass	410
3000	12000	1	RMS	11793.745	-53.9	-25	Pass	9000
12000	26000	1	RMS	25998	-39.3	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-25	Pass	2985
30	1000	0.1	RMS	835.398	-64.92	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.95	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.49	60	Pass	401
2590	3000	1	RMS	2948.875	-49.94	-25	Pass	410
3000	12000	1	RMS	11815.772	-53.91	-25	Pass	9000
12000	26000	1	RMS	25988.998	-39.31	-25	Pass	14000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.84	-25	Pass	2985
30	1000	0.1	RMS	590.368	-62.59	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.93	-25	Pass	1480
2480	2590	1	RMS	2550.95	22.29	60	Pass	401
2590	3000	1	RMS	2948.875	-49.9	-25	Pass	410
3000	12000	1	RMS	11806.761	-53.9	-25	Pass	9000
12000	26000	1	RMS	26000	-39.35	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.66	-25	Pass	401
0.15	30	0.01	RMS	0.33	-73.09	-25	Pass	2985
30	1000	0.1	RMS	590.368	-62.96	-25	Pass	9699
1000	2480	1	RMS	2480	-51.83	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.42	60	Pass	401
2590	3000	1	RMS	2950.88	-49.91	-25	Pass	410
3000	12000	1	RMS	11813.77	-53.87	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.32	-25	Pass	14000



## 12. LTE\_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.25	-13	Pass	401
0.15	30	0.01	RMS	0.24	-73.18	-13	Pass	2985
30	689	0.1	RMS	688.6	-64.38	-13	Pass	6590
689	726	0.1	RMS	699.268	19.77	60	Pass	401
726	1000	0.1	RMS	847.844	-64.69	-13	Pass	2740
1000	3000	1	RMS	2945.973	-49.92	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.09	-13	Pass	7000



**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.89	-13	Pass	2985
30	689	0.1	RMS	688.5	-64.4	-13	Pass	6590
689	726	0.1	RMS	699.268	19.75	60	Pass	401
726	1000	0.1	RMS	836.64	-64.65	-13	Pass	2740
1000	3000	1	RMS	1398.199	-49.4	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.21	-13	Pass	7000






**12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	Pass	2985
30	689	0.1	RMS	514.374	-65.56	-13	Pass	6590
689	726	0.1	RMS	707.038	19.74	60	Pass	401
726	1000	0.1	RMS	839.942	-64.67	-13	Pass	2740
1000	3000	1	RMS	1413.207	-49.87	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.16	-13	Pass	7000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.19	-13	Pass	2985
30	689	0.1	RMS	490.87	-65.53	-13	Pass	6590
689	726	0.1	RMS	707.038	19.7	60	Pass	401
726	1000	0.1	RMS	869.552	-64.76	-13	Pass	2740
1000	3000	1	RMS	1413.207	-49.4	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.09	-13	Pass	7000




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.47	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.22	-13	Pass	2985
30	689	0.1	RMS	486.269	-65.47	-13	Pass	6590
689	726	0.1	RMS	714.808	19.17	60	Pass	401
726	1000	0.1	RMS	847.544	-64.7	-13	Pass	2740
1000	3000	1	RMS	1429.215	-49.17	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.07	-13	Pass	7000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.25	-13	Pass	2985
30	689	0.1	RMS	486.169	-65.57	-13	Pass	6590
689	726	0.1	RMS	714.808	19.41	60	Pass	401
726	1000	0.1	RMS	832.839	-64.8	-13	Pass	2740
1000	3000	1	RMS	1429.215	-48.26	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.09	-13	Pass	7000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.84	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.43	-13	Pass	2985
30	689	0.1	RMS	688.5	-64.15	-13	Pass	6590
689	726	0.1	RMS	699.268	19.66	60	Pass	401
726	1000	0.1	RMS	853.246	-64.61	-13	Pass	2740
1000	3000	1	RMS	2950.975	-49.89	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.18	-13	Pass	7000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.13	-13	Pass	2985
30	689	0.1	RMS	688.6	-63.96	-13	Pass	6590
689	726	0.1	RMS	699.268	19.98	60	Pass	401
726	1000	0.1	RMS	834.54	-64.54	-13	Pass	2740
1000	3000	1	RMS	1398.199	-48.99	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.17	-13	Pass	7000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.16	-13	Pass	2985
30	689	0.1	RMS	484.069	-65.54	-13	Pass	6590
689	726	0.1	RMS	706.205	19.47	60	Pass	401
726	1000	0.1	RMS	854.047	-64.76	-13	Pass	2740
1000	3000	1	RMS	1412.206	-49.17	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.15	-13	Pass	7000



**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.24	-73.02	-13	Pass	2985
30	689	0.1	RMS	503.672	-65.47	-13	Pass	6590
689	726	0.1	RMS	706.205	19.62	60	Pass	401
726	1000	0.1	RMS	846.844	-64.62	-13	Pass	2740
1000	3000	1	RMS	1412.206	-48.64	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.18	-13	Pass	7000






**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.39	-13	Pass	2985
30	689	0.1	RMS	485.969	-65.53	-13	Pass	6590
689	726	0.1	RMS	713.235	19.9	60	Pass	401
726	1000	0.1	RMS	845.744	-64.6	-13	Pass	2740
1000	3000	1	RMS	1426.213	-49.37	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.12	-13	Pass	7000




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.09	-13	Pass	2985
30	689	0.1	RMS	488.17	-65.49	-13	Pass	6590
689	726	0.1	RMS	713.235	20.02	60	Pass	401
726	1000	0.1	RMS	840.442	-64.66	-13	Pass	2740
1000	3000	1	RMS	1426.213	-47.66	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.14	-13	Pass	7000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.35	-73.46	-13	Pass	2985
30	689	0.1	RMS	688.6	-64.27	-13	Pass	6590
689	726	0.1	RMS	699.36	19.7	60	Pass	401
726	1000	0.1	RMS	910.267	-64.81	-13	Pass	2740
1000	3000	1	RMS	1398.199	-49.51	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.11	-13	Pass	7000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.07	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.97	-13	Pass	2985
30	689	0.1	RMS	688.6	-64.1	-13	Pass	6590
689	726	0.1	RMS	699.36	20.13	60	Pass	401
726	1000	0.1	RMS	832.439	-64.74	-13	Pass	2740
1000	3000	1	RMS	1398.199	-48.81	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.15	-13	Pass	7000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.59	-13	Pass	2985
30	689	0.1	RMS	688.4	-65.52	-13	Pass	6590
689	726	0.1	RMS	705.373	19.52	60	Pass	401
726	1000	0.1	RMS	867.952	-64.66	-13	Pass	2740
1000	3000	1	RMS	1410.205	-48.78	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.12	-13	Pass	7000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2985
30	689	0.1	RMS	494.27	-65.47	-13	Pass	6590
689	726	0.1	RMS	705.373	19.85	60	Pass	401
726	1000	0.1	RMS	837.741	-64.82	-13	Pass	2740
1000	3000	1	RMS	1410.205	-48.08	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.15	-13	Pass	7000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.87	-13	Pass	2985
30	689	0.1	RMS	483.769	-65.53	-13	Pass	6590
689	726	0.1	RMS	711.293	19.28	60	Pass	401
726	1000	0.1	RMS	849.845	-64.73	-13	Pass	2740
1000	3000	1	RMS	1422.211	-49.46	-13	Pass	2000
3000	10000	1	RMS	6966.567	-44.19	-13	Pass	7000



**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.9	-13	Pass	2985
30	689	0.1	RMS	495.671	-65.44	-13	Pass	6590
689	726	0.1	RMS	711.293	19.46	60	Pass	401
726	1000	0.1	RMS	840.442	-64.55	-13	Pass	2740
1000	3000	1	RMS	1422.211	-48.38	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.12	-13	Pass	7000






**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.46	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.08	-13	Pass	2985
30	689	0.1	RMS	688.9	-64.01	-13	Pass	6590
689	726	0.1	RMS	699.545	19.2	60	Pass	401
726	1000	0.1	RMS	824.036	-64.78	-13	Pass	2740
1000	3000	1	RMS	2947.974	-49.88	-13	Pass	2000
3000	10000	1	RMS	6967.567	-44.14	-13	Pass	7000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.18	-13	Pass	2985
30	689	0.1	RMS	688.9	-63.85	-13	Pass	6590
689	726	0.1	RMS	699.545	19.41	60	Pass	401
726	1000	0.1	RMS	836.54	-64.77	-13	Pass	2740
1000	3000	1	RMS	2940.97	-49.9	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.16	-13	Pass	7000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.84	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.23	-13	Pass	2985
30	689	0.1	RMS	688.7	-64.97	-13	Pass	6590
689	726	0.1	RMS	703.06	19.49	60	Pass	401
726	1000	0.1	RMS	851.346	-64.65	-13	Pass	2740
1000	3000	1	RMS	2949.975	-49.89	-13	Pass	2000
3000	10000	1	RMS	6966.567	-44.14	-13	Pass	7000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.88	-13	Pass	2985
30	689	0.1	RMS	689	-65	-13	Pass	6590
689	726	0.1	RMS	703.06	19.72	60	Pass	401
726	1000	0.1	RMS	846.944	-64.54	-13	Pass	2740
1000	3000	1	RMS	1405.203	-49.65	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.18	-13	Pass	7000




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.1	-13	Pass	2985
30	689	0.1	RMS	494.47	-65.57	-13	Pass	6590
689	726	0.1	RMS	706.575	19.75	60	Pass	401
726	1000	0.1	RMS	867.051	-64.77	-13	Pass	2740
1000	3000	1	RMS	2949.975	-49.87	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.2	-13	Pass	7000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.31	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.96	-13	Pass	2985
30	689	0.1	RMS	483.769	-65.47	-13	Pass	6590
689	726	0.1	RMS	706.575	20	60	Pass	401
726	1000	0.1	RMS	869.152	-64.59	-13	Pass	2740
1000	3000	1	RMS	1412.206	-49.54	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.13	-13	Pass	7000



### 13. LTE\_Band13


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.77	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.5	-13	Pass	2985
30	767	0.1	RMS	766.6	-64.14	-13	Pass	7370
767	797	0.1	RMS	777.35	19.62	60	Pass	401
797	1000	0.1	RMS	840.321	-64.77	-13	Pass	2030
1000	3000	1	RMS	1554.277	-49.03	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.17	-13	Pass	7000



**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.6	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.25	-13	Pass	2985
30	767	0.1	RMS	766.6	-64.41	-13	Pass	7370
767	797	0.1	RMS	777.35	19.52	60	Pass	401
797	1000	0.1	RMS	845.124	-64.86	-13	Pass	2030
1000	3000	1	RMS	1554.277	-48.92	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.13	-13	Pass	7000






**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	767	0.1	RMS	756.099	-65.34	-13	Pass	7370
767	797	0.1	RMS	779.825	19.68	60	Pass	401
797	1000	0.1	RMS	845.024	-64.81	-13	Pass	2030
1000	3000	1	RMS	1559.28	-49.23	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.12	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	Pass	2985
30	767	0.1	RMS	736.896	-65.26	-13	Pass	7370
767	797	0.1	RMS	779.825	19.35	60	Pass	401
797	1000	0.1	RMS	830.316	-64.91	-13	Pass	2030
1000	3000	1	RMS	1559.28	-49.37	-13	Pass	2000
3000	10000	1	RMS	6956.565	-44.15	-13	Pass	7000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-13	Pass	2985
30	767	0.1	RMS	493.263	-65.27	-13	Pass	7370
767	797	0.1	RMS	782.375	19.55	60	Pass	401
797	1000	0.1	RMS	842.222	-64.92	-13	Pass	2030
1000	3000	1	RMS	1564.282	-48.89	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.13	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.17	-13	Pass	2985
30	767	0.1	RMS	720.594	-65.33	-13	Pass	7370
767	797	0.1	RMS	782.375	19.22	60	Pass	401
797	1000	0.1	RMS	841.122	-64.79	-13	Pass	2030
1000	3000	1	RMS	1564.282	-48.88	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.12	-13	Pass	7000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.47	-13	Pass	2985
30	767	0.1	RMS	766.9	-63.38	-13	Pass	7370
767	797	0.1	RMS	777.575	19.83	60	Pass	401
797	1000	0.1	RMS	832.618	-64.78	-13	Pass	2030
1000	3000	1	RMS	2950.975	-49.88	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.14	-13	Pass	7000



**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.98	-13	Pass	2985
30	767	0.1	RMS	766.9	-63.65	-13	Pass	7370
767	797	0.1	RMS	777.575	19.54	60	Pass	401
797	1000	0.1	RMS	849.226	-64.9	-13	Pass	2030
1000	3000	1	RMS	1554.277	-49.89	-13	Pass	2000
3000	10000	1	RMS	6966.567	-44.12	-13	Pass	7000



## 14. LTE\_Band17


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	Pass	2985
30	694	0.1	RMS	691.1	-61.32	-13	Pass	6640
694	726	0.1	RMS	704.32	19.5	60	Pass	401
726	1000	0.1	RMS	853.647	-64.66	-13	Pass	2740
1000	3000	1	RMS	1408.204	-48.76	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.11	-13	Pass	7000



**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.1	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.72	-13	Pass	2985
30	694	0.1	RMS	691.1	-61.47	-13	Pass	6640
694	726	0.1	RMS	704.32	19.7	60	Pass	401
726	1000	0.1	RMS	947.281	-64.78	-13	Pass	2740
1000	3000	1	RMS	1408.204	-47.94	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.15	-13	Pass	7000






**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.44	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.85	-13	Pass	2985
30	694	0.1	RMS	694	-62.6	-13	Pass	6640
694	726	0.1	RMS	707.84	19.81	60	Pass	401
726	1000	0.1	RMS	846.044	-64.68	-13	Pass	2740
1000	3000	1	RMS	1415.208	-49.15	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.16	-13	Pass	7000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.69	-13	Pass	401
0.15	30	0.01	RMS	0.27	-73.02	-13	Pass	2985
30	694	0.1	RMS	694	-62.92	-13	Pass	6640
694	726	0.1	RMS	707.84	20.04	60	Pass	401
726	1000	0.1	RMS	859.349	-64.85	-13	Pass	2740
1000	3000	1	RMS	1415.208	-48.28	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.14	-13	Pass	7000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.74	-13	Pass	2985
30	694	0.1	RMS	693.8	-65.13	-13	Pass	6640
694	726	0.1	RMS	711.36	19.53	60	Pass	401
726	1000	0.1	RMS	835.04	-64.76	-13	Pass	2740
1000	3000	1	RMS	1422.211	-49.24	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.11	-13	Pass	7000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.83	-13	Pass	401
0.15	30	0.01	RMS	0.22	-73.38	-13	Pass	2985
30	694	0.1	RMS	692.4	-65.11	-13	Pass	6640
694	726	0.1	RMS	711.36	19.98	60	Pass	401
726	1000	0.1	RMS	836.34	-64.67	-13	Pass	2740
1000	3000	1	RMS	1422.211	-48.35	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.07	-13	Pass	7000




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.36	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.32	-13	Pass	2985
30	694	0.1	RMS	691.4	-62.05	-13	Pass	6640
694	726	0.1	RMS	704.56	19.54	60	Pass	401
726	1000	0.1	RMS	822.235	-64.69	-13	Pass	2740
1000	3000	1	RMS	2949.975	-49.88	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.12	-13	Pass	7000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	Pass	2985
30	694	0.1	RMS	691.4	-63	-13	Pass	6640
694	726	0.1	RMS	704.56	19.75	60	Pass	401
726	1000	0.1	RMS	842.342	-64.21	-13	Pass	2740
1000	3000	1	RMS	1408.204	-49.31	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.18	-13	Pass	7000




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.65	-13	Pass	2985
30	694	0.1	RMS	692.4	-60.99	-13	Pass	6640
694	726	0.1	RMS	705.6	19.75	60	Pass	401
726	1000	0.1	RMS	875.655	-64.67	-13	Pass	2740
1000	3000	1	RMS	1410.205	-49.88	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.15	-13	Pass	7000



**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.69	-13	Pass	401
0.15	30	0.01	RMS	0.35	-73.37	-13	Pass	2985
30	694	0.1	RMS	692.4	-61.97	-13	Pass	6640
694	726	0.1	RMS	705.6	20.01	60	Pass	401
726	1000	0.1	RMS	845.744	-64.64	-13	Pass	2740
1000	3000	1	RMS	1410.205	-49.49	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.18	-13	Pass	7000






**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.41	-13	Pass	2985
30	694	0.1	RMS	693.3	-60.61	-13	Pass	6640
694	726	0.1	RMS	706.56	19.52	60	Pass	401
726	1000	0.1	RMS	853.747	-64.56	-13	Pass	2740
1000	3000	1	RMS	2945.973	-49.9	-13	Pass	2000
3000	10000	1	RMS	7210.602	-44.09	-13	Pass	7000



**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	694	0.1	RMS	693.5	-61.62	-13	Pass	6640
694	726	0.1	RMS	706.56	19.69	60	Pass	401
726	1000	0.1	RMS	825.636	-64.69	-13	Pass	2740
1000	3000	1	RMS	1412.206	-49.34	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.11	-13	Pass	7000



## 15. LTE\_Band25


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-13	Pass	2985
30	1000	0.1	RMS	856.41	-64.87	-13	Pass	9699
1000	1840	1	RMS	1840	-49.47	-13	Pass	840
1840	1925	1	RMS	1850.2	21.99	60	Pass	401
1925	3000	1	RMS	2945.95	-49.94	-13	Pass	1075
3000	12000	1	RMS	5550.311	-41.86	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.08	-13	Pass	8000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-13	Pass	2985
30	1000	0.1	RMS	841.099	-65	-13	Pass	9699
1000	1840	1	RMS	1840	-50.65	-13	Pass	840
1840	1925	1	RMS	1850.2	21.02	60	Pass	401
1925	3000	1	RMS	2945.95	-49.9	-13	Pass	1075
3000	12000	1	RMS	5550.311	-43.22	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.12	-13	Pass	8000




**15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.91	-13	Pass	2985
30	1000	0.1	RMS	861.016	-64.94	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.23	-13	Pass	840
1840	1925	1	RMS	1881.863	21.98	60	Pass	401
1925	3000	1	RMS	2950.954	-49.88	-13	Pass	1075
3000	12000	1	RMS	5646.323	-40.45	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.12	-13	Pass	8000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.11	-13	Pass	2985
30	1000	0.1	RMS	839.299	-64.9	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.3	-13	Pass	840
1840	1925	1	RMS	1881.863	21.2	60	Pass	401
1925	3000	1	RMS	2950.954	-49.91	-13	Pass	1075
3000	12000	1	RMS	5646.323	-41	-13	Pass	9000
12000	20000	1	RMS	19672.959	-35.22	-13	Pass	8000




**15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.53	-13	Pass	2985
30	1000	0.1	RMS	853.005	-64.92	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.36	-13	Pass	840
1840	1925	1	RMS	1913.738	21.96	60	Pass	401
1925	3000	1	RMS	2956.96	-49.93	-13	Pass	1075
3000	12000	1	RMS	5741.335	-39.73	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.17	-13	Pass	8000



**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	Pass	2985
30	1000	0.1	RMS	839.599	-64.94	-13	Pass	9699
1000	1840	1	RMS	1840	-53.34	-13	Pass	840
1840	1925	1	RMS	1913.738	21.16	60	Pass	401
1925	3000	1	RMS	2948.953	-49.86	-13	Pass	1075
3000	12000	1	RMS	5741.335	-40.62	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.17	-13	Pass	8000






**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-13	Pass	2985
30	1000	0.1	RMS	831.998	-64.83	-13	Pass	9699
1000	1840	1	RMS	1836.996	-49.85	-13	Pass	840
1840	1925	1	RMS	1850.2	22.13	60	Pass	401
1925	3000	1	RMS	2947.952	-49.85	-13	Pass	1075
3000	12000	1	RMS	5550.311	-41.91	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.13	-13	Pass	8000




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	Pass	2985
30	1000	0.1	RMS	844.299	-64.82	-13	Pass	9699
1000	1840	1	RMS	1837.998	-49.91	-13	Pass	840
1840	1925	1	RMS	1850.2	21.27	60	Pass	401
1925	3000	1	RMS	2947.952	-49.81	-13	Pass	1075
3000	12000	1	RMS	5550.311	-42.6	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.13	-13	Pass	8000




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.81	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.73	-13	Pass	2985
30	1000	0.1	RMS	849.801	-64.81	-13	Pass	9699
1000	1840	1	RMS	1840	-53.24	-13	Pass	840
1840	1925	1	RMS	1881.225	21.98	60	Pass	401
1925	3000	1	RMS	2944.949	-49.88	-13	Pass	1075
3000	12000	1	RMS	5643.323	-41.37	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.18	-13	Pass	8000




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.25	-13	Pass	2985
30	1000	0.1	RMS	837.399	-64.73	-13	Pass	9699
1000	1840	1	RMS	1840	-53.19	-13	Pass	840
1840	1925	1	RMS	1881.225	21.1	60	Pass	401
1925	3000	1	RMS	2948.953	-49.86	-13	Pass	1075
3000	12000	1	RMS	5643.323	-42.13	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.01	-13	Pass	8000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	Pass	2985
30	1000	0.1	RMS	842.499	-64.84	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.29	-13	Pass	840
1840	1925	1	RMS	1912.038	22.09	60	Pass	401
1925	3000	1	RMS	2948.953	-49.88	-13	Pass	1075
3000	12000	1	RMS	5736.334	-40.27	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.15	-13	Pass	8000




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.25	-13	Pass	2985
30	1000	0.1	RMS	825.097	-64.89	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.35	-13	Pass	840
1840	1925	1	RMS	1912.038	21.45	60	Pass	401
1925	3000	1	RMS	2946.951	-49.86	-13	Pass	1075
3000	12000	1	RMS	5736.334	-41.3	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.16	-13	Pass	8000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.93	-13	Pass	2985
30	1000	0.1	RMS	843.399	-64.9	-13	Pass	9699
1000	1840	1	RMS	1840	-48.95	-13	Pass	840
1840	1925	1	RMS	1850.2	22.17	60	Pass	401
1925	3000	1	RMS	2949.953	-49.89	-13	Pass	1075
3000	12000	1	RMS	5551.311	-41.43	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.14	-13	Pass	8000



**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.87	-13	Pass	2985
30	1000	0.1	RMS	847.4	-64.72	-13	Pass	9699
1000	1840	1	RMS	1837.998	-49.7	-13	Pass	840
1840	1925	1	RMS	1850.2	21.27	60	Pass	401
1925	3000	1	RMS	2950.954	-49.87	-13	Pass	1075
3000	12000	1	RMS	5551.311	-42.54	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.05	-13	Pass	8000






**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.91	-13	Pass	2985
30	1000	0.1	RMS	853.706	-64.9	-13	Pass	9699
1000	1840	1	RMS	1840	-53.15	-13	Pass	840
1840	1925	1	RMS	1880.163	22.07	60	Pass	401
1925	3000	1	RMS	2947.952	-49.85	-13	Pass	1075
3000	12000	1	RMS	5641.322	-40.92	-13	Pass	9000
12000	20000	1	RMS	19687.961	-35.17	-13	Pass	8000




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	Pass	2985
30	1000	0.1	RMS	845.7	-65	-13	Pass	9699
1000	1840	1	RMS	1840	-53.16	-13	Pass	840
1840	1925	1	RMS	1880.163	21.37	60	Pass	401
1925	3000	1	RMS	2948.953	-49.79	-13	Pass	1075
3000	12000	1	RMS	5641.322	-41.82	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.11	-13	Pass	8000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.64	-13	Pass	2985
30	1000	0.1	RMS	860.215	-64.95	-13	Pass	9699
1000	1840	1	RMS	1840	-53.34	-13	Pass	840
1840	1925	1	RMS	1910.125	22.14	60	Pass	401
1925	3000	1	RMS	2949.953	-49.84	-13	Pass	1075
3000	12000	1	RMS	5731.333	-38.9	-13	Pass	9000
12000	20000	1	RMS	19686.961	-35.18	-13	Pass	8000




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.86	-13	Pass	2985
30	1000	0.1	RMS	836.898	-64.77	-13	Pass	9699
1000	1840	1	RMS	1840	-53.29	-13	Pass	840
1840	1925	1	RMS	1910.125	21.5	60	Pass	401
1925	3000	1	RMS	2949.953	-49.85	-13	Pass	1075
3000	12000	1	RMS	5731.333	-39.56	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.11	-13	Pass	8000




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.94	-13	Pass	2985
30	1000	0.1	RMS	834.198	-64.92	-13	Pass	9699
1000	1840	1	RMS	1840	-50.06	-13	Pass	840
1840	1925	1	RMS	1850.413	22.22	60	Pass	401
1925	3000	1	RMS	2947.952	-49.79	-13	Pass	1075
3000	12000	1	RMS	5551.311	-42.53	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.05	-13	Pass	8000




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.99	-13	Pass	2985
30	1000	0.1	RMS	841.699	-64.87	-13	Pass	9699
1000	1840	1	RMS	1840	-50.51	-13	Pass	840
1840	1925	1	RMS	1850.413	21.45	60	Pass	401
1925	3000	1	RMS	2948.953	-49.83	-13	Pass	1075
3000	12000	1	RMS	5551.311	-42.74	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.14	-13	Pass	8000




**15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-13	Pass	2985
30	1000	0.1	RMS	835.698	-64.94	-13	Pass	9699
1000	1840	1	RMS	1840	-52.91	-13	Pass	840
1840	1925	1	RMS	1878.038	22.24	60	Pass	401
1925	3000	1	RMS	2947.952	-49.84	-13	Pass	1075
3000	12000	1	RMS	5634.322	-41.17	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.13	-13	Pass	8000



**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.08	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-13	Pass	2985
30	1000	0.1	RMS	831.898	-64.61	-13	Pass	9699
1000	1840	1	RMS	1840	-53.06	-13	Pass	840
1840	1925	1	RMS	1878.038	21.35	60	Pass	401
1925	3000	1	RMS	2947.952	-49.86	-13	Pass	1075
3000	12000	1	RMS	5634.322	-42.13	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.13	-13	Pass	8000






**15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.86	-13	Pass	2985
30	1000	0.1	RMS	835.498	-64.87	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.06	-13	Pass	840
1840	1925	1	RMS	1905.45	22.03	60	Pass	401
1925	3000	1	RMS	2950.954	-49.82	-13	Pass	1075
3000	12000	1	RMS	5716.332	-39.86	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.02	-13	Pass	8000




**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.97	-13	Pass	2985
30	1000	0.1	RMS	860.615	-64.87	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.11	-13	Pass	840
1840	1925	1	RMS	1905.45	21.31	60	Pass	401
1925	3000	1	RMS	2950.954	-49.84	-13	Pass	1075
3000	12000	1	RMS	5716.332	-40.49	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.14	-13	Pass	8000




**15.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-13	Pass	2985
30	1000	0.1	RMS	860.415	-64.89	-13	Pass	9699
1000	1840	1	RMS	1837.998	-33.83	-13	Pass	840
1840	1925	1	RMS	1850.838	21.98	60	Pass	401
1925	3000	1	RMS	2950.954	-49.88	-13	Pass	1075
3000	12000	1	RMS	5552.312	-41.25	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.09	-13	Pass	8000




**15.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	Pass	2985
30	1000	0.1	RMS	845.2	-64.8	-13	Pass	9699
1000	1840	1	RMS	1837.998	-35.03	-13	Pass	840
1840	1925	1	RMS	1850.625	21.24	60	Pass	401
1925	3000	1	RMS	2945.95	-49.83	-13	Pass	1075
3000	12000	1	RMS	5552.312	-41.49	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.15	-13	Pass	8000




**15.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2985
30	1000	0.1	RMS	825.097	-64.62	-13	Pass	9699
1000	1840	1	RMS	1840	-53	-13	Pass	840
1840	1925	1	RMS	1875.7	22.3	60	Pass	401
1925	3000	1	RMS	2949.953	-49.8	-13	Pass	1075
3000	12000	1	RMS	5627.321	-41.61	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.13	-13	Pass	8000




**15.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	Pass	2985
30	1000	0.1	RMS	845.7	-64.83	-13	Pass	9699
1000	1840	1	RMS	1840	-53.04	-13	Pass	840
1840	1925	1	RMS	1875.7	21.47	60	Pass	401
1925	3000	1	RMS	2948.953	-49.87	-13	Pass	1075
3000	12000	1	RMS	5627.321	-42.37	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.09	-13	Pass	8000




**15.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.88	-13	Pass	2985
30	1000	0.1	RMS	839.599	-64.91	-13	Pass	9699
1000	1840	1	RMS	1840	-53.25	-13	Pass	840
1840	1925	1	RMS	1900.775	22.25	60	Pass	401
1925	3000	1	RMS	2949.953	-49.78	-13	Pass	1075
3000	12000	1	RMS	5702.33	-40.71	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.07	-13	Pass	8000



**15.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.12	-13	Pass	2985
30	1000	0.1	RMS	824.697	-64.86	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.18	-13	Pass	840
1840	1925	1	RMS	1900.775	21.33	60	Pass	401
1925	3000	1	RMS	2948.953	-49.84	-13	Pass	1075
3000	12000	1	RMS	5702.33	-41.43	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.14	-13	Pass	8000






**15.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	Pass	2985
30	1000	0.1	RMS	847.8	-64.9	-13	Pass	9699
1000	1840	1	RMS	1840	-49.79	-13	Pass	840
1840	1925	1	RMS	1851.05	22.18	60	Pass	401
1925	3000	1	RMS	2949.953	-49.84	-13	Pass	1075
3000	12000	1	RMS	5553.312	-40.26	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.09	-13	Pass	8000




**15.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.67	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.94	-13	Pass	2985
30	1000	0.1	RMS	847.9	-64.84	-13	Pass	9699
1000	1840	1	RMS	1837.998	-49.97	-13	Pass	840
1840	1925	1	RMS	1851.05	21.35	60	Pass	401
1925	3000	1	RMS	2951.955	-49.76	-13	Pass	1075
3000	12000	1	RMS	5553.312	-40.91	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.1	-13	Pass	8000




**15.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	Pass	2985
30	1000	0.1	RMS	852.304	-64.84	-13	Pass	9699
1000	1840	1	RMS	1840	-52.9	-13	Pass	840
1840	1925	1	RMS	1873.575	22.14	60	Pass	401
1925	3000	1	RMS	2950.954	-49.86	-13	Pass	1075
3000	12000	1	RMS	5620.32	-42.28	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.07	-13	Pass	8000




**15.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	Pass	2985
30	1000	0.1	RMS	845.8	-64.8	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.94	-13	Pass	840
1840	1925	1	RMS	1873.575	21.23	60	Pass	401
1925	3000	1	RMS	2945.95	-49.77	-13	Pass	1075
3000	12000	1	RMS	11998.999	-43.34	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.08	-13	Pass	8000




**15.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2985
30	1000	0.1	RMS	834.498	-64.82	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.24	-13	Pass	840
1840	1925	1	RMS	1895.888	22.06	60	Pass	401
1925	3000	1	RMS	2944.949	-49.81	-13	Pass	1075
3000	12000	1	RMS	5688.328	-41.49	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.16	-13	Pass	8000



**15.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2985
30	1000	0.1	RMS	840.199	-64.77	-13	Pass	9699
1000	1840	1	RMS	1840	-53.26	-13	Pass	840
1840	1925	1	RMS	1895.888	21.23	60	Pass	401
1925	3000	1	RMS	2954.958	-49.91	-13	Pass	1075
3000	12000	1	RMS	5688.328	-42.38	-13	Pass	9000
12000	20000	1	RMS	19689.961	-35.12	-13	Pass	8000



## 16. LTE\_Band26(part22)


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.48	-13	Pass	7840
814	860	0.1	RMS	824.222	19.45	60	Pass	460
860	1000	0.1	RMS	860.801	-65.15	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.73	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.17	-13	Pass	7000



**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.93	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.06	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.01	-13	Pass	7840
814	860	0.1	RMS	824.222	18.33	60	Pass	460
860	1000	0.1	RMS	955.468	-65.19	-13	Pass	1400
1000	3000	1	RMS	2953.977	-49.91	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.13	-13	Pass	7000






**16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.06	-13	Pass	2985
30	814	0.1	RMS	812.3	-65.11	-13	Pass	7840
814	860	0.1	RMS	836.048	19.81	60	Pass	460
860	1000	0.1	RMS	861.501	-65.02	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.3	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.13	-13	Pass	7000




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.14	-13	Pass	2985
30	814	0.1	RMS	811.2	-65.07	-13	Pass	7840
814	860	0.1	RMS	836.048	18.76	60	Pass	460
860	1000	0.1	RMS	863.202	-64.99	-13	Pass	1400
1000	3000	1	RMS	2948.974	-49.89	-13	Pass	2000
3000	10000	1	RMS	6966.567	-44.18	-13	Pass	7000




**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	Pass	2985
30	814	0.1	RMS	813.8	-65.08	-13	Pass	7840
814	860	0.1	RMS	847.874	19.59	60	Pass	460
860	1000	0.1	RMS	860.801	-65.01	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.92	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.14	-13	Pass	7000




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.17	-13	Pass	2985
30	814	0.1	RMS	813.3	-65.12	-13	Pass	7840
814	860	0.1	RMS	847.874	18.68	60	Pass	460
860	1000	0.1	RMS	860	-65.08	-13	Pass	1400
1000	3000	1	RMS	1695.348	-49.67	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.13	-13	Pass	7000




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.77	-13	Pass	7840
814	860	0.1	RMS	824.222	19.65	60	Pass	460
860	1000	0.1	RMS	951.165	-65.13	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.64	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.08	-13	Pass	7000




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.7	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.93	-13	Pass	7840
814	860	0.1	RMS	824.222	18.98	60	Pass	460
860	1000	0.1	RMS	866.605	-64.98	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.88	-13	Pass	2000
3000	10000	1	RMS	7206.601	-44.12	-13	Pass	7000




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.94	-13	Pass	7840
814	860	0.1	RMS	835.246	19.92	60	Pass	460
860	1000	0.1	RMS	869.107	-64.89	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.84	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.18	-13	Pass	7000



**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.96	-13	Pass	2985
30	814	0.1	RMS	813.5	-65.17	-13	Pass	7840
814	860	0.1	RMS	835.246	18.94	60	Pass	460
860	1000	0.1	RMS	871.008	-65.11	-13	Pass	1400
1000	3000	1	RMS	2950.975	-49.86	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.12	-13	Pass	7000






**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.93	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.5	-13	Pass	2985
30	814	0.1	RMS	807.699	-65.02	-13	Pass	7840
814	860	0.1	RMS	846.27	19.64	60	Pass	460
860	1000	0.1	RMS	866.705	-64.77	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.75	-13	Pass	2000
3000	10000	1	RMS	7199.6	-44.15	-13	Pass	7000




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.69	-13	Pass	2985
30	814	0.1	RMS	812	-65	-13	Pass	7840
814	860	0.1	RMS	846.27	18.9	60	Pass	460
860	1000	0.1	RMS	862.202	-65.05	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.88	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.13	-13	Pass	7000




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73	-13	Pass	2985
30	814	0.1	RMS	813.7	-63.74	-13	Pass	7840
814	860	0.1	RMS	824.322	19.64	60	Pass	460
860	1000	0.1	RMS	862.802	-64.79	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.21	-13	Pass	2000
3000	10000	1	RMS	7206.601	-44.19	-13	Pass	7000




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.16	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.62	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.81	-13	Pass	7840
814	860	0.1	RMS	824.322	18.83	60	Pass	460
860	1000	0.1	RMS	968.177	-64.9	-13	Pass	1400
1000	3000	1	RMS	2948.974	-49.9	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.09	-13	Pass	7000




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-13	Pass	2985
30	814	0.1	RMS	798.998	-65.05	-13	Pass	7840
814	860	0.1	RMS	834.344	19.83	60	Pass	460
860	1000	0.1	RMS	860.3	-65.06	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.79	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.06	-13	Pass	7000




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.96	-13	Pass	401
0.15	30	0.01	RMS	0.23	-73.6	-13	Pass	2985
30	814	0.1	RMS	813.5	-65.03	-13	Pass	7840
814	860	0.1	RMS	834.344	19.12	60	Pass	460
860	1000	0.1	RMS	959.471	-65.04	-13	Pass	1400
1000	3000	1	RMS	1668.334	-49.33	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.15	-13	Pass	7000




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	814	0.1	RMS	802.899	-65.18	-13	Pass	7840
814	860	0.1	RMS	844.366	19.37	60	Pass	460
860	1000	0.1	RMS	860.1	-65.03	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.54	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.11	-13	Pass	7000



**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.2	-13	Pass	2985
30	814	0.1	RMS	806.899	-65.24	-13	Pass	7840
814	860	0.1	RMS	844.366	18.96	60	Pass	460
860	1000	0.1	RMS	862.402	-64.88	-13	Pass	1400
1000	3000	1	RMS	1688.344	-49.24	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.16	-13	Pass	7000






**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.59	-13	Pass	7840
814	860	0.1	RMS	824.623	19.45	60	Pass	460
860	1000	0.1	RMS	860.4	-65.12	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.46	-13	Pass	2000
3000	10000	1	RMS	6968.567	-44.17	-13	Pass	7000




**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.56	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.4	-13	Pass	7840
814	860	0.1	RMS	824.623	18.91	60	Pass	460
860	1000	0.1	RMS	874.11	-65.06	-13	Pass	1400
1000	3000	1	RMS	2946.973	-49.85	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.07	-13	Pass	7000




**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.1	-13	Pass	401
0.15	30	0.01	RMS	0.28	-73.08	-13	Pass	2985
30	814	0.1	RMS	812.9	-64.94	-13	Pass	7840
814	860	0.1	RMS	832.139	19.14	60	Pass	460
860	1000	0.1	RMS	864.103	-65.11	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.61	-13	Pass	2000
3000	10000	1	RMS	6969.567	-44.21	-13	Pass	7000




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.06	-13	Pass	2985
30	814	0.1	RMS	811.5	-64.94	-13	Pass	7840
814	860	0.1	RMS	832.139	18.33	60	Pass	460
860	1000	0.1	RMS	974.582	-65.13	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.88	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.15	-13	Pass	7000




**16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.1	-13	Pass	2985
30	814	0.1	RMS	813.4	-65.15	-13	Pass	7840
814	860	0.1	RMS	839.556	19.59	60	Pass	460
860	1000	0.1	RMS	869.607	-65.13	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.98	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.17	-13	Pass	7000




**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.33	-13	Pass	2985
30	814	0.1	RMS	807.799	-65.31	-13	Pass	7840
814	860	0.1	RMS	839.556	18.7	60	Pass	460
860	1000	0.1	RMS	864.904	-65	-13	Pass	1400
1000	3000	1	RMS	1678.339	-49.86	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.17	-13	Pass	7000




**16.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.04	-13	Pass	2985
30	814	0.1	RMS	810.6	-62.73	-13	Pass	7840
814	860	0.1	RMS	824.824	19.77	60	Pass	460
860	1000	0.1	RMS	860.801	-65.03	-13	Pass	1400
1000	3000	1	RMS	1649.325	-49.1	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.17	-13	Pass	7000



**16.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.87	-13	Pass	2985
30	814	0.1	RMS	813.3	-64.17	-13	Pass	7840
814	860	0.1	RMS	824.824	18.72	60	Pass	460
860	1000	0.1	RMS	997.898	-65.11	-13	Pass	1400
1000	3000	1	RMS	1649.325	-49.67	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.11	-13	Pass	7000






**16.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.74	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.73	-13	Pass	2985
30	814	0.1	RMS	813.3	-64.69	-13	Pass	7840
814	860	0.1	RMS	829.834	19.75	60	Pass	460
860	1000	0.1	RMS	862.302	-65.04	-13	Pass	1400
1000	3000	1	RMS	1659.33	-49.08	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.16	-13	Pass	7000




**16.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.01	-13	Pass	2985
30	814	0.1	RMS	812.8	-64.78	-13	Pass	7840
814	860	0.1	RMS	829.834	18.71	60	Pass	460
860	1000	0.1	RMS	868.306	-65.08	-13	Pass	1400
1000	3000	1	RMS	2948.974	-49.93	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.13	-13	Pass	7000




**16.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.87	-13	Pass	2985
30	814	0.1	RMS	812.7	-64.83	-13	Pass	7840
814	860	0.1	RMS	834.845	19.71	60	Pass	460
860	1000	0.1	RMS	977.884	-65.09	-13	Pass	1400
1000	3000	1	RMS	1669.335	-49.04	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.2	-13	Pass	7000



**16.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.87	-13	Pass	2985
30	814	0.1	RMS	813.7	-64.96	-13	Pass	7840
814	860	0.1	RMS	834.845	19.09	60	Pass	460
860	1000	0.1	RMS	940.958	-65.15	-13	Pass	1400
1000	3000	1	RMS	1669.335	-49.66	-13	Pass	2000
3000	10000	1	RMS	6957.565	-44.09	-13	Pass	7000



## 17. LTE\_Band26(part90)


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.66	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.89	-13	Pass	2985
30	809	0.1	Peak	808.9	-53.06	-13	Pass	7790
809	829	0.1	Peak	814.3	24.22	60	Pass	401
829	1000	0.1	Peak	890.736	-53.03	-13	Pass	1710
1000	3000	1	Peak	2944.972	-39.02	-13	Pass	2000
3000	10000	1	Peak	7409.63	-32.17	-13	Pass	7000




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.58	-13	Pass	401
0.15	30	0.01	Peak	0.21	-65.05	-13	Pass	2985
30	809	0.1	Peak	807.9	-53.34	-13	Pass	7790
809	829	0.1	Peak	814.2	25.09	60	Pass	401
829	1000	0.1	Peak	834.103	-52.43	-13	Pass	1710
1000	3000	1	Peak	2952.976	-38.48	-13	Pass	2000
3000	10000	1	Peak	7261.609	-32.31	-13	Pass	7000




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.28	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.86	-13	Pass	2985
30	809	0.1	Peak	807.7	-51.93	-13	Pass	7790
809	829	0.1	Peak	818.5	24.04	60	Pass	401
829	1000	0.1	Peak	829.6	-51.02	-13	Pass	1710
1000	3000	1	Peak	2820.91	-38.52	-13	Pass	2000
3000	10000	1	Peak	7208.601	-32.4	-13	Pass	7000



**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.33	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.44	-13	Pass	2985
30	809	0.1	Peak	570.969	-54.09	-13	Pass	7790
809	829	0.1	Peak	818.6	24.47	60	Pass	401
829	1000	0.1	Peak	831.001	-49.72	-13	Pass	1710
1000	3000	1	Peak	2981.991	-38.36	-13	Pass	2000
3000	10000	1	Peak	6968.567	-32.61	-13	Pass	7000






**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.66	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.52	-13	Pass	2985
30	809	0.1	Peak	787.397	-53.5	-13	Pass	7790
809	829	0.1	Peak	822.9	24.24	60	Pass	401
829	1000	0.1	Peak	829.8	-47.12	-13	Pass	1710
1000	3000	1	Peak	2964.982	-38.26	-13	Pass	2000
3000	10000	1	Peak	7216.602	-32.43	-13	Pass	7000




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.48	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.89	-13	Pass	2985
30	809	0.1	Peak	808.5	-53.46	-13	Pass	7790
809	829	0.1	Peak	822.85	24.63	60	Pass	401
829	1000	0.1	Peak	832.902	-48.31	-13	Pass	1710
1000	3000	1	Peak	2907.954	-38.85	-13	Pass	2000
3000	10000	1	Peak	7023.575	-32.21	-13	Pass	7000




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.41	-13	Pass	401
0.15	30	0.01	Peak	0.45	-65.14	-13	Pass	2985
30	809	0.1	Peak	808.7	-51.81	-13	Pass	7790
809	829	0.1	Peak	814.2	24.3	60	Pass	401
829	1000	0.1	Peak	973.084	-53.08	-13	Pass	1710
1000	3000	1	Peak	2960.98	-38.33	-13	Pass	2000
3000	10000	1	Peak	6696.528	-32.07	-13	Pass	7000




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.17	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.71	-13	Pass	2985
30	809	0.1	Peak	808.8	-47.69	-13	Pass	7790
809	829	0.1	Peak	814.2	25.13	60	Pass	401
829	1000	0.1	Peak	841.507	-53.69	-13	Pass	1710
1000	3000	1	Peak	1628.314	-38.54	-13	Pass	2000
3000	10000	1	Peak	7728.676	-33.01	-13	Pass	7000




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.27	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.96	-13	Pass	2985
30	809	0.1	Peak	808.1	-49.54	-13	Pass	7790
809	829	0.1	Peak	817.7	24.28	60	Pass	401
829	1000	0.1	Peak	830.101	-48.4	-13	Pass	1710
1000	3000	1	Peak	2870.935	-38.66	-13	Pass	2000
3000	10000	1	Peak	7522.646	-32.69	-13	Pass	7000




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.6	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.88	-13	Pass	2985
30	809	0.1	Peak	808.7	-47.87	-13	Pass	7790
809	829	0.1	Peak	817.8	24.49	60	Pass	401
829	1000	0.1	Peak	831.401	-35.48	-13	Pass	1710
1000	3000	1	Peak	2949.975	-38.32	-13	Pass	2000
3000	10000	1	Peak	7208.601	-32.59	-13	Pass	7000




**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.17	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.72	-13	Pass	2985
30	809	0.1	Peak	808.4	-53.8	-13	Pass	7790
809	829	0.1	Peak	821.3	24.18	60	Pass	401
829	1000	0.1	Peak	829.901	-46.7	-13	Pass	1710
1000	3000	1	Peak	2927.964	-38.16	-13	Pass	2000
3000	10000	1	Peak	7626.661	-33.05	-13	Pass	7000



**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.7	-13	Pass	401
0.15	30	0.01	Peak	0.27	-65.53	-13	Pass	2985
30	809	0.1	Peak	718.488	-54.16	-13	Pass	7790
809	829	0.1	Peak	821.25	24.68	60	Pass	401
829	1000	0.1	Peak	829.1	-43	-13	Pass	1710
1000	3000	1	Peak	2949.975	-38.66	-13	Pass	2000
3000	10000	1	Peak	7304.615	-32.41	-13	Pass	7000






**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.37	-13	Pass	401
0.15	30	0.01	Peak	0.2	-65.23	-13	Pass	2985
30	809	0.1	Peak	808.2	-50.72	-13	Pass	7790
809	829	0.1	Peak	814.3	24.46	60	Pass	401
829	1000	0.1	Peak	829.6	-50.89	-13	Pass	1710
1000	3000	1	Peak	2926.963	-38.48	-13	Pass	2000
3000	10000	1	Peak	6985.569	-32.81	-13	Pass	7000




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.83	-13	Pass	401
0.15	30	0.01	Peak	0.23	-65.44	-13	Pass	2985
30	809	0.1	Peak	807.6	-48.77	-13	Pass	7790
809	829	0.1	Peak	814.3	25.47	60	Pass	401
829	1000	0.1	Peak	829.6	-53.06	-13	Pass	1710
1000	3000	1	Peak	2946.973	-38.73	-13	Pass	2000
3000	10000	1	Peak	7354.622	-32.57	-13	Pass	7000




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.19	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65	-13	Pass	2985
30	809	0.1	Peak	808	-44.44	-13	Pass	7790
809	829	0.1	Peak	816.85	24.34	60	Pass	401
829	1000	0.1	Peak	831.802	-50.14	-13	Pass	1710
1000	3000	1	Peak	2950.975	-37.92	-13	Pass	2000
3000	10000	1	Peak	7199.6	-32.58	-13	Pass	7000




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.31	-13	Pass	401
0.15	30	0.01	Peak	0.35	-64.15	-13	Pass	2985
30	809	0.1	Peak	808.6	-53.28	-13	Pass	7790
809	829	0.1	Peak	816.8	25.16	60	Pass	401
829	1000	0.1	Peak	829.7	-48.11	-13	Pass	1710
1000	3000	1	Peak	2964.982	-38.69	-13	Pass	2000
3000	10000	1	Peak	7393.628	-32.9	-13	Pass	7000




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.54	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.94	-13	Pass	2985
30	809	0.1	Peak	808	-52.25	-13	Pass	7790
809	829	0.1	Peak	819.3	24.28	60	Pass	401
829	1000	0.1	Peak	829.901	-47.05	-13	Pass	1710
1000	3000	1	Peak	2935.968	-38.16	-13	Pass	2000
3000	10000	1	Peak	6968.567	-32.86	-13	Pass	7000




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.63	-13	Pass	401
0.15	30	0.01	Peak	0.33	-65.55	-13	Pass	2985
30	809	0.1	Peak	807.7	-51.71	-13	Pass	7790
809	829	0.1	Peak	819.3	24.71	60	Pass	401
829	1000	0.1	Peak	833.303	-50.79	-13	Pass	1710
1000	3000	1	Peak	2962.981	-38.22	-13	Pass	2000
3000	10000	1	Peak	7048.578	-32.47	-13	Pass	7000




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.06	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.1	-13	Pass	2985
30	809	0.1	Peak	808	-50.5	-13	Pass	7790
809	829	0.1	Peak	814.6	24.21	60	Pass	401
829	1000	0.1	Peak	830.101	-52.99	-13	Pass	1710
1000	3000	1	Peak	2947.974	-38.24	-13	Pass	2000
3000	10000	1	Peak	7227.604	-32.53	-13	Pass	7000



**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.16	-13	Pass	401
0.15	30	0.01	Peak	0.24	-65.56	-13	Pass	2985
30	809	0.1	Peak	808.6	-50.86	-13	Pass	7790
809	829	0.1	Peak	814.55	24.88	60	Pass	401
829	1000	0.1	Peak	841.507	-52.9	-13	Pass	1710
1000	3000	1	Peak	2913.957	-38.8	-13	Pass	2000
3000	10000	1	Peak	6995.571	-32.3	-13	Pass	7000






## 18. LTE\_Band38


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.96	-25	Pass	2985
30	1000	0.1	RMS	609.571	-62.52	-25	Pass	9699
1000	2550	1	RMS	2550	-49.51	-25	Pass	1550
2550	2640	1	RMS	2570.25	20.84	60	Pass	401
2640	3000	1	RMS	2946	-47.94	-25	Pass	401
3000	12000	1	RMS	11788.739	-51.86	-25	Pass	9000
12000	26500	1	RMS	25994.92	-37.32	-25	Pass	14500




**18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.06	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.37	-25	Pass	2985
30	1000	0.1	RMS	839.099	-62.61	-25	Pass	9699
1000	2550	1	RMS	2550	-48.95	-25	Pass	1550
2550	2640	1	RMS	2570.025	20.22	60	Pass	401
2640	3000	1	RMS	2949.6	-47.95	-25	Pass	401
3000	12000	1	RMS	11803.757	-51.93	-25	Pass	9000
12000	26500	1	RMS	26002.921	-37.37	-25	Pass	14500




**18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.79	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.28	-25	Pass	2985
30	1000	0.1	RMS	850.502	-62.69	-25	Pass	9699
1000	2550	1	RMS	2524.984	-49.69	-25	Pass	1550
2550	2640	1	RMS	2592.525	20.38	60	Pass	401
2640	3000	1	RMS	2949.6	-47.96	-25	Pass	401
3000	12000	1	RMS	11796.748	-51.86	-25	Pass	9000
12000	26500	1	RMS	25995.92	-37.37	-25	Pass	14500




**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.05	-25	Pass	2985
30	1000	0.1	RMS	855.508	-62.92	-25	Pass	9699
1000	2550	1	RMS	2481.956	-49.72	-25	Pass	1550
2550	2640	1	RMS	2592.75	20.3	60	Pass	401
2640	3000	1	RMS	2947.8	-47.96	-25	Pass	401
3000	12000	1	RMS	11813.77	-51.85	-25	Pass	9000
12000	26500	1	RMS	26017.924	-37.35	-25	Pass	14500




**18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-25	Pass	2985
30	1000	0.1	RMS	852.905	-62.8	-25	Pass	9699
1000	2550	1	RMS	2489.961	-49.66	-25	Pass	1550
2550	2640	1	RMS	2615.25	20.71	60	Pass	401
2640	3000	1	RMS	2948.7	-47.95	-25	Pass	401
3000	12000	1	RMS	11824.783	-51.95	-25	Pass	9000
12000	26500	1	RMS	25989.919	-37.32	-25	Pass	14500




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.71	-25	Pass	2985
30	1000	0.1	RMS	856.209	-62.79	-25	Pass	9699
1000	2550	1	RMS	2524.984	-49.7	-25	Pass	1550
2550	2640	1	RMS	2615.475	19.65	60	Pass	401
2640	3000	1	RMS	2948.7	-47.97	-25	Pass	401
3000	12000	1	RMS	11810.766	-51.92	-25	Pass	9000
12000	26500	1	RMS	26001.921	-37.27	-25	Pass	14500




**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-25	Pass	401
0.15	30	0.01	RMS	0.33	-71.13	-25	Pass	2985
30	1000	0.1	RMS	849	-62.83	-25	Pass	9699
1000	2550	1	RMS	2550	-48.91	-25	Pass	1550
2550	2640	1	RMS	2570.475	20.1	60	Pass	401
2640	3000	1	RMS	2948.7	-47.96	-25	Pass	401
3000	12000	1	RMS	11814.771	-51.95	-25	Pass	9000
12000	26500	1	RMS	26003.921	-37.4	-25	Pass	14500



**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.89	-25	Pass	2985
30	1000	0.1	RMS	609.871	-61.66	-25	Pass	9699
1000	2550	1	RMS	2550	-49.14	-25	Pass	1550
2550	2640	1	RMS	2570.475	19.81	60	Pass	401
2640	3000	1	RMS	2945.1	-47.94	-25	Pass	401
3000	12000	1	RMS	11797.75	-51.91	-25	Pass	9000
12000	26500	1	RMS	25999.921	-37.33	-25	Pass	14500






**18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.77	-25	Pass	2985
30	1000	0.1	RMS	837.299	-62.83	-25	Pass	9699
1000	2550	1	RMS	2529.987	-49.58	-25	Pass	1550
2550	2640	1	RMS	2590.5	20.45	60	Pass	401
2640	3000	1	RMS	2949.6	-47.95	-25	Pass	401
3000	12000	1	RMS	11802.756	-51.82	-25	Pass	9000
12000	26500	1	RMS	25998.921	-37.34	-25	Pass	14500




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.23	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.43	-25	Pass	2985
30	1000	0.1	RMS	843.799	-62.92	-25	Pass	9699
1000	2550	1	RMS	2546.998	-49.58	-25	Pass	1550
2550	2640	1	RMS	2590.5	19.99	60	Pass	401
2640	3000	1	RMS	2945.1	-47.98	-25	Pass	401
3000	12000	1	RMS	11802.756	-51.88	-25	Pass	9000
12000	26500	1	RMS	26003.921	-37.35	-25	Pass	14500




**18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.08	-25	Pass	2985
30	1000	0.1	RMS	854.607	-62.67	-25	Pass	9699
1000	2550	1	RMS	2528.986	-49.7	-25	Pass	1550
2550	2640	1	RMS	2610.525	20	60	Pass	401
2640	3000	1	RMS	2946.9	-47.96	-25	Pass	401
3000	12000	1	RMS	11815.772	-51.94	-25	Pass	9000
12000	26500	1	RMS	26000.921	-37.36	-25	Pass	14500




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-25	Pass	2985
30	1000	0.1	RMS	844.699	-62.77	-25	Pass	9699
1000	2550	1	RMS	2487.96	-49.71	-25	Pass	1550
2550	2640	1	RMS	2610.525	19.97	60	Pass	401
2640	3000	1	RMS	2944.2	-47.95	-25	Pass	401
3000	12000	1	RMS	11816.773	-51.95	-25	Pass	9000
12000	26500	1	RMS	26004.922	-37.36	-25	Pass	14500




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.95	-25	Pass	2985
30	1000	0.1	RMS	847.4	-62.61	-25	Pass	9699
1000	2550	1	RMS	2548.999	-48.22	-25	Pass	1550
2550	2640	1	RMS	2570.7	20.22	60	Pass	401
2640	3000	1	RMS	2952.3	-47.95	-25	Pass	401
3000	12000	1	RMS	11812.768	-51.92	-25	Pass	9000
12000	26500	1	RMS	25997.92	-37.32	-25	Pass	14500




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.24	-25	Pass	2985
30	1000	0.1	RMS	827.197	-62.83	-25	Pass	9699
1000	2550	1	RMS	2550	-48.76	-25	Pass	1550
2550	2640	1	RMS	2570.7	20.57	60	Pass	401
2640	3000	1	RMS	2952.3	-47.96	-25	Pass	401
3000	12000	1	RMS	11793.745	-51.9	-25	Pass	9000
12000	26500	1	RMS	26034.926	-37.35	-25	Pass	14500




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.82	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.4	-25	Pass	2985
30	1000	0.1	RMS	828.397	-62.86	-25	Pass	9699
1000	2550	1	RMS	2548.999	-49.3	-25	Pass	1550
2550	2640	1	RMS	2588.25	20.61	60	Pass	401
2640	3000	1	RMS	2948.7	-47.95	-25	Pass	401
3000	12000	1	RMS	11815.772	-51.87	-25	Pass	9000
12000	26500	1	RMS	26020.924	-37.33	-25	Pass	14500



**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-25	Pass	2985
30	1000	0.1	RMS	842.799	-62.84	-25	Pass	9699
1000	2550	1	RMS	2550	-49.3	-25	Pass	1550
2550	2640	1	RMS	2588.25	19.79	60	Pass	401
2640	3000	1	RMS	2951.4	-47.96	-25	Pass	401
3000	12000	1	RMS	8250.641	-51.88	-25	Pass	9000
12000	26500	1	RMS	26013.923	-37.22	-25	Pass	14500






**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.5	-25	Pass	2985
30	1000	0.1	RMS	840.999	-62.87	-25	Pass	9699
1000	2550	1	RMS	2526.985	-49.73	-25	Pass	1550
2550	2640	1	RMS	2605.575	20.31	60	Pass	401
2640	3000	1	RMS	2946	-47.95	-25	Pass	401
3000	12000	1	RMS	11806.761	-51.87	-25	Pass	9000
12000	26500	1	RMS	25992.92	-37.36	-25	Pass	14500




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.95	-25	Pass	2985
30	1000	0.1	RMS	855.208	-62.83	-25	Pass	9699
1000	2550	1	RMS	2499.968	-49.76	-25	Pass	1550
2550	2640	1	RMS	2605.8	19.9	60	Pass	401
2640	3000	1	RMS	2944.2	-47.97	-25	Pass	401
3000	12000	1	RMS	11808.763	-51.9	-25	Pass	9000
12000	26500	1	RMS	26027.925	-37.31	-25	Pass	14500




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.05	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.35	-25	Pass	2985
30	1000	0.1	RMS	828.197	-62.76	-25	Pass	9699
1000	2550	1	RMS	2548.999	-48.6	-25	Pass	1550
2550	2640	1	RMS	2571.15	20.45	60	Pass	401
2640	3000	1	RMS	2953.2	-47.99	-25	Pass	401
3000	12000	1	RMS	11816.773	-51.88	-25	Pass	9000
12000	26500	1	RMS	25997.92	-37.35	-25	Pass	14500




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.53	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.39	-25	Pass	2985
30	1000	0.1	RMS	861.016	-62.69	-25	Pass	9699
1000	2550	1	RMS	2550	-48.63	-25	Pass	1550
2550	2640	1	RMS	2570.925	20.76	60	Pass	401
2640	3000	1	RMS	2944.2	-47.94	-25	Pass	401
3000	12000	1	RMS	11806.761	-51.89	-25	Pass	9000
12000	26500	1	RMS	25996.92	-37.3	-25	Pass	14500




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.97	-25	Pass	2985
30	1000	0.1	RMS	842.899	-62.8	-25	Pass	9699
1000	2550	1	RMS	2548.999	-49.13	-25	Pass	1550
2550	2640	1	RMS	2585.775	20.46	60	Pass	401
2640	3000	1	RMS	2950.5	-47.96	-25	Pass	401
3000	12000	1	RMS	11799.752	-51.94	-25	Pass	9000
12000	26500	1	RMS	26036.927	-37.31	-25	Pass	14500




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.49	-25	Pass	2985
30	1000	0.1	RMS	812.896	-62.79	-25	Pass	9699
1000	2550	1	RMS	2547.999	-49.21	-25	Pass	1550
2550	2640	1	RMS	2586	19.92	60	Pass	401
2640	3000	1	RMS	2944.2	-47.99	-25	Pass	401
3000	12000	1	RMS	11794.746	-51.92	-25	Pass	9000
12000	26500	1	RMS	25999.921	-37.37	-25	Pass	14500




**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.11	-25	Pass	2985
30	1000	0.1	RMS	835.698	-62.79	-25	Pass	9699
1000	2550	1	RMS	2546.998	-49.52	-25	Pass	1550
2550	2640	1	RMS	2601.075	19.99	60	Pass	401
2640	3000	1	RMS	2952.3	-47.98	-25	Pass	401
3000	12000	1	RMS	11815.772	-51.94	-25	Pass	9000
12000	26500	1	RMS	25997.92	-37.27	-25	Pass	14500



**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.56	-25	Pass	2985
30	1000	0.1	RMS	845.099	-62.83	-25	Pass	9699
1000	2550	1	RMS	2542.995	-49.71	-25	Pass	1550
2550	2640	1	RMS	2600.85	20.06	60	Pass	401
2640	3000	1	RMS	2946.9	-47.99	-25	Pass	401
3000	12000	1	RMS	11822.781	-51.91	-25	Pass	9000
12000	26500	1	RMS	25990.919	-37.36	-25	Pass	14500






## 19. LTE\_Band41 full


19.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.39	-25	Pass	2985
30	1000	0.1	RMS	842.199	-62.8	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.67	-25	Pass	1476
2476	2710	1	RMS	2495.89	21.97	60	Pass	401
2710	3000	1	RMS	2943.45	-47.97	-25	Pass	401
3000	12000	1	RMS	11810.766	-51.88	-25	Pass	9000
12000	27000	1	RMS	25992.852	-37.3	-25	Pass	15000




**19.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-25	Pass	2985
30	1000	0.1	RMS	838.199	-62.87	-25	Pass	9699
1000	2476	1	RMS	2476	-49.58	-25	Pass	1476
2476	2710	1	RMS	2495.89	20.85	60	Pass	401
2710	3000	1	RMS	2949.25	-47.96	-25	Pass	401
3000	12000	1	RMS	6961.484	-51.91	-25	Pass	9000
12000	27000	1	RMS	25997.853	-37.36	-25	Pass	15000




**19.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.87	-25	Pass	401
0.15	30	0.01	RMS	0.25	-70.67	-25	Pass	2985
30	1000	0.1	RMS	844.199	-62.64	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.93	-25	Pass	1476
2476	2710	1	RMS	2590.66	21.56	60	Pass	401
2710	3000	1	RMS	2949.25	-47.98	-25	Pass	401
3000	12000	1	RMS	11801.755	-51.91	-25	Pass	9000
12000	27000	1	RMS	26001.853	-37.36	-25	Pass	15000




**19.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.59	-25	Pass	2985
30	1000	0.1	RMS	857.01	-62.82	-25	Pass	9699
1000	2476	1	RMS	2471.997	-49.94	-25	Pass	1476
2476	2710	1	RMS	2590.66	22.03	60	Pass	401
2710	3000	1	RMS	2947.075	-47.96	-25	Pass	401
3000	12000	1	RMS	11799.752	-51.92	-25	Pass	9000
12000	27000	1	RMS	26005.854	-37.35	-25	Pass	15000




**19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-25	Pass	2985
30	1000	0.1	RMS	724.585	-61.12	-25	Pass	9699
1000	2476	1	RMS	2472.998	-49.9	-25	Pass	1476
2476	2710	1	RMS	2684.845	21.07	60	Pass	401
2710	3000	1	RMS	2950.7	-47.98	-25	Pass	401
3000	12000	1	RMS	11805.76	-51.85	-25	Pass	9000
12000	27000	1	RMS	26002.854	-37.36	-25	Pass	15000




**19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.26	-70.84	-25	Pass	2985
30	1000	0.1	RMS	724.685	-60.54	-25	Pass	9699
1000	2476	1	RMS	2476	-49.89	-25	Pass	1476
2476	2710	1	RMS	2684.845	21.73	60	Pass	401
2710	3000	1	RMS	2943.45	-47.93	-25	Pass	401
3000	12000	1	RMS	11787.737	-51.92	-25	Pass	9000
12000	27000	1	RMS	25998.853	-37.39	-25	Pass	15000




**19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-25	Pass	2985
30	1000	0.1	RMS	841.699	-62.9	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.7	-25	Pass	1476
2476	2710	1	RMS	2496.475	21.49	60	Pass	401
2710	3000	1	RMS	2949.975	-47.93	-25	Pass	401
3000	12000	1	RMS	12000	-51.88	-25	Pass	9000
12000	27000	1	RMS	25994.852	-37.37	-25	Pass	15000



**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.05	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.06	-25	Pass	2985
30	1000	0.1	RMS	837.899	-62.84	-25	Pass	9699
1000	2476	1	RMS	2476	-49.52	-25	Pass	1476
2476	2710	1	RMS	2496.475	20.33	60	Pass	401
2710	3000	1	RMS	2950.7	-47.94	-25	Pass	401
3000	12000	1	RMS	11800.753	-51.94	-25	Pass	9000
12000	27000	1	RMS	26005.854	-37.36	-25	Pass	15000






**19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-25	Pass	2985
30	1000	0.1	RMS	627.873	-62.49	-25	Pass	9699
1000	2476	1	RMS	2476	-49.84	-25	Pass	1476
2476	2710	1	RMS	2588.32	22.37	60	Pass	401
2710	3000	1	RMS	2947.8	-47.97	-25	Pass	401
3000	12000	1	RMS	11790.741	-51.83	-25	Pass	9000
12000	27000	1	RMS	25998.853	-37.26	-25	Pass	15000




**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.18	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.29	-25	Pass	2985
30	1000	0.1	RMS	852.805	-62.9	-25	Pass	9699
1000	2476	1	RMS	2476	-49.9	-25	Pass	1476
2476	2710	1	RMS	2588.32	20.63	60	Pass	401
2710	3000	1	RMS	2950.7	-47.94	-25	Pass	401
3000	12000	1	RMS	11823.782	-51.91	-25	Pass	9000
12000	27000	1	RMS	25992.852	-37.38	-25	Pass	15000




**19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.02	-25	Pass	2985
30	1000	0.1	RMS	719.884	-62.43	-25	Pass	9699
1000	2476	1	RMS	2476	-49.87	-25	Pass	1476
2476	2710	1	RMS	2680.165	22.43	60	Pass	401
2710	3000	1	RMS	2948.525	-47.98	-25	Pass	401
3000	12000	1	RMS	11821.779	-51.88	-25	Pass	9000
12000	27000	1	RMS	25989.852	-37.38	-25	Pass	15000




**19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-25	Pass	2985
30	1000	0.1	RMS	719.984	-62.4	-25	Pass	9699
1000	2476	1	RMS	2476	-49.95	-25	Pass	1476
2476	2710	1	RMS	2680.165	21.81	60	Pass	401
2710	3000	1	RMS	2942	-47.97	-25	Pass	401
3000	12000	1	RMS	11812.768	-51.89	-25	Pass	9000
12000	27000	1	RMS	25999.853	-37.28	-25	Pass	15000




**19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-25	Pass	2985
30	1000	0.1	RMS	847.5	-62.82	-25	Pass	9699
1000	2476	1	RMS	2476	-49.2	-25	Pass	1476
2476	2710	1	RMS	2496.475	21.05	60	Pass	401
2710	3000	1	RMS	2949.25	-47.93	-25	Pass	401
3000	12000	1	RMS	11805.76	-51.88	-25	Pass	9000
12000	27000	1	RMS	25993.852	-37.35	-25	Pass	15000




**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.93	-25	Pass	2985
30	1000	0.1	RMS	843.499	-62.69	-25	Pass	9699
1000	2476	1	RMS	2476	-49.48	-25	Pass	1476
2476	2710	1	RMS	2496.475	21.27	60	Pass	401
2710	3000	1	RMS	2952.15	-47.97	-25	Pass	401
3000	12000	1	RMS	11816.773	-51.85	-25	Pass	9000
12000	27000	1	RMS	25999.853	-37.38	-25	Pass	15000




**19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-25	Pass	2985
30	1000	0.1	RMS	625.673	-62.54	-25	Pass	9699
1000	2476	1	RMS	2476	-49.92	-25	Pass	1476
2476	2710	1	RMS	2585.98	21.94	60	Pass	401
2710	3000	1	RMS	2949.975	-47.93	-25	Pass	401
3000	12000	1	RMS	11808.763	-51.88	-25	Pass	9000
12000	27000	1	RMS	26007.854	-37.4	-25	Pass	15000



**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-25	Pass	2985
30	1000	0.1	RMS	839.299	-62.83	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.9	-25	Pass	1476
2476	2710	1	RMS	2585.98	20.49	60	Pass	401
2710	3000	1	RMS	2947.075	-47.95	-25	Pass	401
3000	12000	1	RMS	11803.757	-51.9	-25	Pass	9000
12000	27000	1	RMS	26009.855	-37.31	-25	Pass	15000






**19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.52	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.05	-25	Pass	2985
30	1000	0.1	RMS	715.084	-61.67	-25	Pass	9699
1000	2476	1	RMS	2459.989	-49.89	-25	Pass	1476
2476	2710	1	RMS	2675.485	22.43	60	Pass	401
2710	3000	1	RMS	2945.625	-47.95	-25	Pass	401
3000	12000	1	RMS	11825.784	-51.92	-25	Pass	9000
12000	27000	1	RMS	26007.854	-37.33	-25	Pass	15000




**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.94	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.06	-25	Pass	2985
30	1000	0.1	RMS	715.184	-61.69	-25	Pass	9699
1000	2476	1	RMS	2476	-49.88	-25	Pass	1476
2476	2710	1	RMS	2675.485	20.94	60	Pass	401
2710	3000	1	RMS	2949.25	-47.92	-25	Pass	401
3000	12000	1	RMS	11794.746	-51.84	-25	Pass	9000
12000	27000	1	RMS	25996.853	-37.32	-25	Pass	15000




**19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.11	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.16	-25	Pass	2985
30	1000	0.1	RMS	851.503	-62.74	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.65	-25	Pass	1476
2476	2710	1	RMS	2497.06	21.02	60	Pass	401
2710	3000	1	RMS	2948.525	-47.92	-25	Pass	401
3000	12000	1	RMS	11810.766	-51.82	-25	Pass	9000
12000	27000	1	RMS	26012.855	-37.26	-25	Pass	15000




**19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.02	-25	Pass	2985
30	1000	0.1	RMS	844.199	-62.83	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.56	-25	Pass	1476
2476	2710	1	RMS	2497.06	21.44	60	Pass	401
2710	3000	1	RMS	2945.625	-47.96	-25	Pass	401
3000	12000	1	RMS	11800.753	-51.84	-25	Pass	9000
12000	27000	1	RMS	26005.854	-37.35	-25	Pass	15000




**19.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.49	-25	Pass	2985
30	1000	0.1	RMS	623.372	-61.7	-25	Pass	9699
1000	2476	1	RMS	2472.998	-49.89	-25	Pass	1476
2476	2710	1	RMS	2583.64	21.79	60	Pass	401
2710	3000	1	RMS	2950.7	-47.9	-25	Pass	401
3000	12000	1	RMS	11823.782	-51.9	-25	Pass	9000
12000	27000	1	RMS	26013.855	-37.3	-25	Pass	15000




**19.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.3	-71.46	-25	Pass	2985
30	1000	0.1	RMS	623.372	-62.29	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.82	-25	Pass	1476
2476	2710	1	RMS	2584.225	20.57	60	Pass	401
2710	3000	1	RMS	2950.7	-47.93	-25	Pass	401
3000	12000	1	RMS	11820.778	-51.84	-25	Pass	9000
12000	27000	1	RMS	25997.853	-37.34	-25	Pass	15000




**19.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.57	-25	Pass	2985
30	1000	0.1	RMS	710.383	-62.08	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.86	-25	Pass	1476
2476	2710	1	RMS	2670.805	21.64	60	Pass	401
2710	3000	1	RMS	2949.975	-47.92	-25	Pass	401
3000	12000	1	RMS	11808.763	-51.9	-25	Pass	9000
12000	27000	1	RMS	26002.854	-37.39	-25	Pass	15000



**19.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.24	-25	Pass	2985
30	1000	0.1	RMS	710.383	-62.57	-25	Pass	9699
1000	2476	1	RMS	2476	-49.83	-25	Pass	1476
2476	2710	1	RMS	2670.805	21.83	60	Pass	401
2710	3000	1	RMS	2949.25	-47.92	-25	Pass	401
3000	12000	1	RMS	11810.766	-51.86	-25	Pass	9000
12000	27000	1	RMS	26003.854	-37.33	-25	Pass	15000






## 20. LTE\_Band66


20.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.6	-13	Pass	2985
30	1000	0.1	RMS	839.799	-64.81	-13	Pass	9699
1000	1700	1	RMS	1700	-51.31	-13	Pass	700
1700	1790	1	RMS	1710.125	22.16	60	Pass	401
1790	3000	1	RMS	2944.955	-49.81	-13	Pass	1210
3000	12000	1	RMS	11989.988	-43.44	-13	Pass	9000
12000	20000	1	RMS	19688.961	-35.07	-13	Pass	8000




**20.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-13	Pass	2985
30	1000	0.1	RMS	846.1	-64.91	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.79	-13	Pass	700
1700	1790	1	RMS	1710.125	21.22	60	Pass	401
1790	3000	1	RMS	2948.958	-49.86	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.42	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.11	-13	Pass	8000



**20.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2985
30	1000	0.1	RMS	841.199	-64.84	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.67	-13	Pass	700
1700	1790	1	RMS	1744.325	21.88	60	Pass	401
1790	3000	1	RMS	2945.955	-49.85	-13	Pass	1210
3000	12000	1	RMS	12000	-43.42	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.13	-13	Pass	8000



**20.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.9	-13	Pass	2985
30	1000	0.1	RMS	852.905	-64.88	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.67	-13	Pass	700
1700	1790	1	RMS	1744.55	20.88	60	Pass	401
1790	3000	1	RMS	2942.953	-49.85	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.48	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.12	-13	Pass	8000

