



**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2985
30	1000	0.1	RMS	834.598	-64.99	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.81	-13	Pass	700
1700	1790	1	RMS	1775.15	23.13	60	Pass	401
1790	3000	1	RMS	2949.959	-49.92	-13	Pass	1210
3000	12000	1	RMS	12000	-43.4	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.16	-13	Pass	8000




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2985
30	1000	0.1	RMS	850.802	-64.81	-13	Pass	9699
1000	1700	1	RMS	1700	-51.41	-13	Pass	700
1700	1790	1	RMS	1710.575	23.1	60	Pass	401
1790	3000	1	RMS	2947.957	-49.89	-13	Pass	1210
3000	12000	1	RMS	12000	-43.52	-13	Pass	9000
12000	20000	1	RMS	19689.961	-35.26	-13	Pass	8000




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2985
30	1000	0.1	RMS	831.898	-64.61	-13	Pass	9699
1000	1700	1	RMS	1700	-51.32	-13	Pass	700
1700	1790	1	RMS	1710.575	23.14	60	Pass	401
1790	3000	1	RMS	2948.958	-49.9	-13	Pass	1210
3000	12000	1	RMS	11995.995	-43.44	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.17	-13	Pass	8000




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.63	-13	Pass	2985
30	1000	0.1	RMS	834.698	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-53.22	-13	Pass	700
1700	1790	1	RMS	1740.5	22.92	60	Pass	401
1790	3000	1	RMS	2943.954	-49.93	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.41	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.16	-13	Pass	8000




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	Pass	2985
30	1000	0.1	RMS	866.523	-64.88	-13	Pass	9699
1000	1700	1	RMS	1700	-53.33	-13	Pass	700
1700	1790	1	RMS	1740.5	22.73	60	Pass	401
1790	3000	1	RMS	2947.957	-49.94	-13	Pass	1210
3000	12000	1	RMS	12000	-43.34	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.22	-13	Pass	8000




18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	Pass	2985
30	1000	0.1	RMS	838.699	-64.96	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.61	-13	Pass	700
1700	1790	1	RMS	1770.425	23.19	60	Pass	401
1790	3000	1	RMS	2950.959	-49.79	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.43	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.18	-13	Pass	8000




**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2985
30	1000	0.1	RMS	834.198	-64.94	-13	Pass	9699
1000	1700	1	RMS	1700	-53.65	-13	Pass	700
1700	1790	1	RMS	1770.425	23.16	60	Pass	401
1790	3000	1	RMS	2944.955	-49.9	-13	Pass	1210
3000	12000	1	RMS	12000	-43.51	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.06	-13	Pass	8000




18.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-13	Pass	2985
30	1000	0.1	RMS	849	-64.96	-13	Pass	9699
1000	1700	1	RMS	1700	-51.11	-13	Pass	700
1700	1790	1	RMS	1710.8	23.18	60	Pass	401
1790	3000	1	RMS	2949.959	-49.87	-13	Pass	1210
3000	12000	1	RMS	11995.995	-43.4	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.21	-13	Pass	8000




**18.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-13	Pass	2985
30	1000	0.1	RMS	822.597	-65	-13	Pass	9699
1000	1700	1	RMS	1696.996	-50.61	-13	Pass	700
1700	1790	1	RMS	1710.8	23.2	60	Pass	401
1790	3000	1	RMS	2951.96	-49.92	-13	Pass	1210
3000	12000	1	RMS	12000	-43.33	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.23	-13	Pass	8000




**18.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	Pass	2985
30	1000	0.1	RMS	844.199	-64.92	-13	Pass	9699
1000	1700	1	RMS	1700	-53.13	-13	Pass	700
1700	1790	1	RMS	1738.25	22.84	60	Pass	401
1790	3000	1	RMS	2949.959	-49.83	-13	Pass	1210
3000	12000	1	RMS	12000	-43.48	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.21	-13	Pass	8000




**18.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.39	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.23	-13	Pass	2985
30	1000	0.1	RMS	837.199	-64.92	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.23	-13	Pass	700
1700	1790	1	RMS	1738.25	22.61	60	Pass	401
1790	3000	1	RMS	2945.955	-49.87	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.49	-13	Pass	9000
12000	20000	1	RMS	19685.961	-35.16	-13	Pass	8000




**18.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2985
30	1000	0.1	RMS	847.2	-64.91	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.43	-13	Pass	700
1700	1790	1	RMS	1765.7	23.28	60	Pass	401
1790	3000	1	RMS	2949.959	-49.88	-13	Pass	1210
3000	12000	1	RMS	11993.993	-43.46	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.25	-13	Pass	8000




**18.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2985
30	1000	0.1	RMS	854.507	-64.88	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.56	-13	Pass	700
1700	1790	1	RMS	1765.7	23.1	60	Pass	401
1790	3000	1	RMS	2946.956	-49.87	-13	Pass	1210
3000	12000	1	RMS	12000	-43.47	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.22	-13	Pass	8000




18.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2985
30	1000	0.1	RMS	847	-64.9	-13	Pass	9699
1000	1700	1	RMS	1700	-50.77	-13	Pass	700
1700	1790	1	RMS	1711.025	23.24	60	Pass	401
1790	3000	1	RMS	2951.96	-49.9	-13	Pass	1210
3000	12000	1	RMS	12000	-43.5	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.17	-13	Pass	8000




**18.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2985
30	1000	0.1	RMS	841.099	-64.86	-13	Pass	9699
1000	1700	1	RMS	1700	-48.42	-13	Pass	700
1700	1790	1	RMS	1711.025	23.31	60	Pass	401
1790	3000	1	RMS	2950.959	-49.88	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.31	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.18	-13	Pass	8000




18.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	Pass	2985
30	1000	0.1	RMS	847.4	-64.82	-13	Pass	9699
1000	1700	1	RMS	1700	-53.03	-13	Pass	700
1700	1790	1	RMS	1736	22.85	60	Pass	401
1790	3000	1	RMS	2949.959	-49.9	-13	Pass	1210
3000	12000	1	RMS	12000	-43.4	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.19	-13	Pass	8000




**18.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2985
30	1000	0.1	RMS	851.904	-64.94	-13	Pass	9699
1000	1700	1	RMS	1700	-53.23	-13	Pass	700
1700	1790	1	RMS	1736	22.63	60	Pass	401
1790	3000	1	RMS	2945.955	-49.9	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.38	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.2	-13	Pass	8000




18.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-13	Pass	2985
30	1000	0.1	RMS	849.2	-64.91	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.36	-13	Pass	700
1700	1790	1	RMS	1760.975	23.15	60	Pass	401
1790	3000	1	RMS	2945.955	-49.91	-13	Pass	1210
3000	12000	1	RMS	12000	-43.51	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.17	-13	Pass	8000



**18.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	Pass	2985
30	1000	0.1	RMS	828.097	-64.99	-13	Pass	9699
1000	1700	1	RMS	1700	-53.35	-13	Pass	700
1700	1790	1	RMS	1760.975	22.89	60	Pass	401
1790	3000	1	RMS	2946.956	-49.85	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.39	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.07	-13	Pass	8000



19. CA_7C


19.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.9	-25	Pass	401
0.15	30	0.01	RMS	1.08	-71.92	-25	Pass	2985
30	1000	0.1	RMS	858.412	-64.89	-25	Pass	9699
1000	2490	1	RMS	2490	-51.37	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.93	60	Pass	401
2580	3000	1	RMS	2950.883	-49.86	-25	Pass	420
3000	12000	1	RMS	11819.777	-53.93	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.43	-25	Pass	14000




**19.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.85	-25	Pass	401
0.15	30	0.01	RMS	0.19	-73.11	-25	Pass	2985
30	1000	0.1	RMS	840.299	-64.56	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.46	-25	Pass	1490
2490	2580	1	RMS	2519.7	19.97	60	Pass	401
2580	3000	1	RMS	2949.881	-49.84	-25	Pass	420
3000	12000	1	RMS	11794.746	-53.85	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.35	-25	Pass	14000




**19.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.52	-25	Pass	401
0.15	30	0.01	RMS	1.08	-71.96	-25	Pass	2985
30	1000	0.1	RMS	578.867	-62.34	-25	Pass	9699
1000	2490	1	RMS	2490	-51.58	-25	Pass	1490
2490	2580	1	RMS	2539.95	20.98	60	Pass	401
2580	3000	1	RMS	2944.869	-49.86	-25	Pass	420
3000	12000	1	RMS	11817.774	-53.94	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.4	-25	Pass	14000




**19.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-25	Pass	401
0.15	30	0.01	RMS	0.24	-73.05	-25	Pass	2985
30	1000	0.1	RMS	578.867	-63.11	-25	Pass	9699
1000	2490	1	RMS	2490	-51.62	-25	Pass	1490
2490	2580	1	RMS	2539.05	19.94	60	Pass	401
2580	3000	1	RMS	2947.876	-49.83	-25	Pass	420
3000	12000	1	RMS	11796.748	-53.88	-25	Pass	9000
12000	26000	1	RMS	25981.997	-39.43	-25	Pass	14000




**19.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-25	Pass	401
0.15	30	0.01	RMS	1.06	-72.5	-25	Pass	2985
30	1000	0.1	RMS	598.869	-60.75	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.64	-25	Pass	1490
2490	2580	1	RMS	2559.975	21.06	60	Pass	401
2580	3000	1	RMS	2949.881	-49.84	-25	Pass	420
3000	12000	1	RMS	11807.762	-53.87	-25	Pass	9000
12000	26000	1	RMS	25999	-39.42	-25	Pass	14000




**19.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.39	-25	Pass	401
0.15	30	0.01	RMS	1.08	-72.77	-25	Pass	2985
30	1000	0.1	RMS	598.869	-61.85	-25	Pass	9699
1000	2490	1	RMS	2490	-51.57	-25	Pass	1490
2490	2580	1	RMS	2559.075	20.08	60	Pass	401
2580	3000	1	RMS	2948.878	-49.88	-25	Pass	420
3000	12000	1	RMS	11806.761	-53.89	-25	Pass	9000
12000	26000	1	RMS	25985.998	-39.47	-25	Pass	14000




**19.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.13	-25	Pass	401
0.15	30	0.01	RMS	2.001	-72.35	-25	Pass	2985
30	1000	0.1	RMS	834.798	-64.91	-25	Pass	9699
1000	2490	1	RMS	2490	-50.68	-25	Pass	1490
2490	2580	1	RMS	2520.825	20.83	60	Pass	401
2580	3000	1	RMS	2947.876	-49.86	-25	Pass	420
3000	12000	1	RMS	11816.773	-53.89	-25	Pass	9000
12000	26000	1	RMS	26000	-39.39	-25	Pass	14000




**19.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-25	Pass	2985
30	1000	0.1	RMS	850.802	-64.85	-25	Pass	9699
1000	2490	1	RMS	2490	-51.18	-25	Pass	1490
2490	2580	1	RMS	2518.8	19.86	60	Pass	401
2580	3000	1	RMS	2950.883	-49.87	-25	Pass	420
3000	12000	1	RMS	11798.751	-53.86	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.45	-25	Pass	14000




**19.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-25	Pass	2985
30	1000	0.1	RMS	574.266	-62.84	-25	Pass	9699
1000	2490	1	RMS	2490	-51.46	-25	Pass	1490
2490	2580	1	RMS	2535.9	20.92	60	Pass	401
2580	3000	1	RMS	2949.881	-49.85	-25	Pass	420
3000	12000	1	RMS	11798.751	-53.85	-25	Pass	9000
12000	26000	1	RMS	25999	-39.29	-25	Pass	14000




**19.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-25	Pass	2985
30	1000	0.1	RMS	574.266	-63.96	-25	Pass	9699
1000	2490	1	RMS	2490	-51.59	-25	Pass	1490
2490	2580	1	RMS	2535.9	19.86	60	Pass	401
2580	3000	1	RMS	2951.885	-49.86	-25	Pass	420
3000	12000	1	RMS	8249.641	-53.89	-25	Pass	9000
12000	26000	1	RMS	25999	-39.41	-25	Pass	14000




**19.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.63	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-25	Pass	2985
30	1000	0.1	RMS	589.368	-61.07	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.54	-25	Pass	1490
2490	2580	1	RMS	2548.95	20.9	60	Pass	401
2580	3000	1	RMS	2944.869	-49.84	-25	Pass	420
3000	12000	1	RMS	11814.771	-53.83	-25	Pass	9000
12000	26000	1	RMS	25999	-39.36	-25	Pass	14000



**19.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.82	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.85	-25	Pass	2985
30	1000	0.1	RMS	589.368	-62.03	-25	Pass	9699
1000	2490	1	RMS	2490	-51.65	-25	Pass	1490
2490	2580	1	RMS	2548.95	19.95	60	Pass	401
2580	3000	1	RMS	2945.871	-49.88	-25	Pass	420
3000	12000	1	RMS	11804.758	-53.88	-25	Pass	9000
12000	26000	1	RMS	25999	-39.41	-25	Pass	14000



20. CA_38C


20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.97	-25	Pass	2985
30	1000	0.1	RMS	624.273	-60.03	-25	Pass	9699
1000	2560	1	RMS	2558.999	-43.75	-25	Pass	1560
2560	2630	1	RMS	2584.15	21.64	60	Pass	401
2630	3000	1	RMS	2951.9	-45.94	-25	Pass	401
3000	12000	1	RMS	11805.76	-53.86	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.29	-25	Pass	14500




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-25	Pass	2985
30	1000	0.1	RMS	850.702	-60.84	-25	Pass	9699
1000	2560	1	RMS	2560	-45.14	-25	Pass	1560
2560	2630	1	RMS	2585.725	20.58	60	Pass	401
2630	3000	1	RMS	2948.2	-45.88	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.89	-25	Pass	9000
12000	26500	1	RMS	26006.922	-39.36	-25	Pass	14500




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.04	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.99	-25	Pass	2985
30	1000	0.1	RMS	848.9	-60.83	-25	Pass	9699
1000	2560	1	RMS	2549.994	-46.42	-25	Pass	1560
2560	2630	1	RMS	2594.125	21.26	60	Pass	401
2630	3000	1	RMS	2950.05	-45.95	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.8	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.27	-25	Pass	14500




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.64	-25	Pass	2985
30	1000	0.1	RMS	832.698	-60.63	-25	Pass	9699
1000	2560	1	RMS	2560	-47	-25	Pass	1560
2560	2630	1	RMS	2594.125	20.7	60	Pass	401
2630	3000	1	RMS	2948.2	-45.94	-25	Pass	401
3000	12000	1	RMS	11810.766	-53.83	-25	Pass	9000
12000	26500	1	RMS	26011.923	-39.25	-25	Pass	14500




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.69	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.87	-25	Pass	2985
30	1000	0.1	RMS	833.398	-60.86	-25	Pass	9699
1000	2560	1	RMS	2556.998	-46.42	-25	Pass	1560
2560	2630	1	RMS	2605.675	22.18	60	Pass	401
2630	3000	1	RMS	2630.925	-44.4	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.82	-25	Pass	9000
12000	26500	1	RMS	26006.922	-39.33	-25	Pass	14500




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.51	-25	Pass	2985
30	1000	0.1	RMS	854.307	-60.7	-25	Pass	9699
1000	2560	1	RMS	2553.996	-47.02	-25	Pass	1560
2560	2630	1	RMS	2604.1	20.75	60	Pass	401
2630	3000	1	RMS	2630.925	-45.68	-25	Pass	401
3000	12000	1	RMS	11784.734	-53.86	-25	Pass	9000
12000	26500	1	RMS	26004.922	-39.3	-25	Pass	14500




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.57	-25	Pass	2985
30	1000	0.1	RMS	629.173	-60.13	-25	Pass	9699
1000	2560	1	RMS	2556.998	-45.95	-25	Pass	1560
2560	2630	1	RMS	2590.8	22.03	60	Pass	401
2630	3000	1	RMS	2948.2	-45.94	-25	Pass	401
3000	12000	1	RMS	11789.74	-53.85	-25	Pass	9000
12000	26500	1	RMS	26022.924	-39.3	-25	Pass	14500




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.59	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.18	-25	Pass	2985
30	1000	0.1	RMS	629.173	-60.71	-25	Pass	9699
1000	2560	1	RMS	2558.999	-44.62	-25	Pass	1560
2560	2630	1	RMS	2588.7	21.06	60	Pass	401
2630	3000	1	RMS	2950.05	-45.89	-25	Pass	401
3000	12000	1	RMS	11796.748	-53.89	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.34	-25	Pass	14500




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.27	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.91	-25	Pass	2985
30	1000	0.1	RMS	849.701	-60.67	-25	Pass	9699
1000	2560	1	RMS	2557.999	-46.45	-25	Pass	1560
2560	2630	1	RMS	2595.875	21.6	60	Pass	401
2630	3000	1	RMS	2945.425	-45.95	-25	Pass	401
3000	12000	1	RMS	11807.762	-53.87	-25	Pass	9000
12000	26500	1	RMS	26004.922	-39.27	-25	Pass	14500




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.44	-25	Pass	2985
30	1000	0.1	RMS	839.699	-60.86	-25	Pass	9699
1000	2560	1	RMS	2555.997	-46	-25	Pass	1560
2560	2630	1	RMS	2593.95	20.63	60	Pass	401
2630	3000	1	RMS	2948.2	-45.92	-25	Pass	401
3000	12000	1	RMS	11792.743	-53.86	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.31	-25	Pass	14500




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.36	-25	Pass	2985
30	1000	0.1	RMS	858.512	-60.63	-25	Pass	9699
1000	2560	1	RMS	2556.998	-46.91	-25	Pass	1560
2560	2630	1	RMS	2601.125	21.31	60	Pass	401
2630	3000	1	RMS	2630	-45.64	-25	Pass	401
3000	12000	1	RMS	11807.762	-53.88	-25	Pass	9000
12000	26500	1	RMS	26024.925	-39.29	-25	Pass	14500



**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.29	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.25	-25	Pass	2985
30	1000	0.1	RMS	833.898	-60.83	-25	Pass	9699
1000	2560	1	RMS	2560	-46.08	-25	Pass	1560
2560	2630	1	RMS	2600.95	20.51	60	Pass	401
2630	3000	1	RMS	2630	-45.45	-25	Pass	401
3000	12000	1	RMS	11820.778	-53.86	-25	Pass	9000
12000	26500	1	RMS	26003.921	-39.28	-25	Pass	14500



21. CA_41C_full


21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.5	-25	Pass	2985
30	1000	0.1	RMS	860.415	-60.87	-25	Pass	9699
1000	2486	1	RMS	2483.999	-46.01	-25	Pass	1486
2486	2700	1	RMS	2514.89	23.36	60	Pass	401
2700	3000	1	RMS	2951.25	-45.93	-25	Pass	401
3000	12000	1	RMS	11820.778	-53.89	-25	Pass	9000
12000	27000	1	RMS	26000.853	-39.28	-25	Pass	15000




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.75	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.94	-25	Pass	2985
30	1000	0.1	RMS	843.599	-60.81	-25	Pass	9699
1000	2486	1	RMS	2483.999	-46.54	-25	Pass	1486
2486	2700	1	RMS	2514.89	22.54	60	Pass	401
2700	3000	1	RMS	2945.25	-45.94	-25	Pass	401
3000	12000	1	RMS	11826.786	-53.87	-25	Pass	9000
12000	27000	1	RMS	25998.853	-39.35	-25	Pass	15000




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.72	-25	Pass	2985
30	1000	0.1	RMS	846.8	-60.78	-25	Pass	9699
1000	2486	1	RMS	2486	-47.69	-25	Pass	1486
2486	2700	1	RMS	2599.42	22.43	60	Pass	401
2700	3000	1	RMS	2948.25	-45.94	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.89	-25	Pass	9000
12000	27000	1	RMS	26005.854	-39.29	-25	Pass	15000




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.82	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.73	-25	Pass	2985
30	1000	0.1	RMS	842.599	-60.71	-25	Pass	9699
1000	2486	1	RMS	2486	-47.62	-25	Pass	1486
2486	2700	1	RMS	2599.42	21.5	60	Pass	401
2700	3000	1	RMS	2947.5	-45.9	-25	Pass	401
3000	12000	1	RMS	11820.778	-53.88	-25	Pass	9000
12000	27000	1	RMS	26024.857	-39.29	-25	Pass	15000




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.14	-25	Pass	401
0.15	30	0.01	RMS	0.38	-69.07	-25	Pass	2985
30	1000	0.1	RMS	723.585	-59.56	-25	Pass	9699
1000	2486	1	RMS	2483.999	-47.77	-25	Pass	1486
2486	2700	1	RMS	2683.95	23.21	60	Pass	401
2700	3000	1	RMS	2701.5	-44.52	-25	Pass	401
3000	12000	1	RMS	11817.774	-53.86	-25	Pass	9000
12000	27000	1	RMS	25999.853	-39.21	-25	Pass	15000




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.03	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.84	-25	Pass	2985
30	1000	0.1	RMS	723.585	-59.95	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.76	-25	Pass	1486
2486	2700	1	RMS	2683.95	21.41	60	Pass	401
2700	3000	1	RMS	2700	-45.73	-25	Pass	401
3000	12000	1	RMS	11823.782	-53.86	-25	Pass	9000
12000	27000	1	RMS	25999.853	-39.24	-25	Pass	15000




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.92	-25	Pass	2985
30	1000	0.1	RMS	844.699	-60.73	-25	Pass	9699
1000	2486	1	RMS	2483.999	-46.17	-25	Pass	1486
2486	2700	1	RMS	2514.89	21.3	60	Pass	401
2700	3000	1	RMS	2949.75	-45.92	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.9	-25	Pass	9000
12000	27000	1	RMS	25977.85	-39.25	-25	Pass	15000




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.64	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.47	-25	Pass	2985
30	1000	0.1	RMS	841.399	-60.77	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.1	-25	Pass	1486
2486	2700	1	RMS	2516.495	19.93	60	Pass	401
2700	3000	1	RMS	2948.25	-45.93	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.87	-25	Pass	9000
12000	27000	1	RMS	25997.853	-39.33	-25	Pass	15000




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.9	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.22	-25	Pass	2985
30	1000	0.1	RMS	854.307	-60.76	-25	Pass	9699
1000	2486	1	RMS	2486	-47.62	-25	Pass	1486
2486	2700	1	RMS	2593.535	20.76	60	Pass	401
2700	3000	1	RMS	2948.25	-45.91	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.81	-25	Pass	9000
12000	27000	1	RMS	25980.85	-39.29	-25	Pass	15000




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.93	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.16	-25	Pass	2985
30	1000	0.1	RMS	840.599	-60.74	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.68	-25	Pass	1486
2486	2700	1	RMS	2591.93	20.29	60	Pass	401
2700	3000	1	RMS	2949.75	-45.92	-25	Pass	401
3000	12000	1	RMS	11820.778	-53.87	-25	Pass	9000
12000	27000	1	RMS	25987.851	-39.36	-25	Pass	15000




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.13	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.46	-25	Pass	2985
30	1000	0.1	RMS	835.998	-60.85	-25	Pass	9699
1000	2486	1	RMS	2486	-47.71	-25	Pass	1486
2486	2700	1	RMS	2668.97	21.74	60	Pass	401
2700	3000	1	RMS	2950.5	-45.93	-25	Pass	401
3000	12000	1	RMS	11815.772	-53.85	-25	Pass	9000
12000	27000	1	RMS	26016.856	-39.27	-25	Pass	15000



**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.63	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.86	-25	Pass	2985
30	1000	0.1	RMS	851.303	-60.78	-25	Pass	9699
1000	2486	1	RMS	2482.998	-47.71	-25	Pass	1486
2486	2700	1	RMS	2668.97	20.33	60	Pass	401
2700	3000	1	RMS	2949.75	-45.94	-25	Pass	401
3000	12000	1	RMS	11823.782	-53.82	-25	Pass	9000
12000	27000	1	RMS	26014.855	-39.31	-25	Pass	15000



22. n5 15kHz


22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.24	-31.38	-13	Pass	2986
30	814	0.1	RMS	528	-63.19	-13	Pass	7841
814	859	0.1	RMS	825.5	11.39	60	Pass	451
859	1000	0.1	RMS	996.2	-62.5	-13	Pass	1411
1000	3000	1	RMS	1652	-50.27	-13	Pass	2001
3000	10000	1	RMS	5927	-59.18	-13	Pass	7001




22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-43.38	-13	Pass	401
0.15	30	0.01	RMS	0.23	-44.69	-13	Pass	2986
30	814	0.1	RMS	528	-63.69	-13	Pass	7841
814	859	0.1	RMS	825.6	10.44	60	Pass	451
859	1000	0.1	RMS	996.2	-62.85	-13	Pass	1411
1000	3000	1	RMS	2994	-50.32	-13	Pass	2001
3000	10000	1	RMS	5928	-59.15	-13	Pass	7001




22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.37	-13	Pass	401
0.15	30	0.01	RMS	0.3	-57.85	-13	Pass	2986
30	814	0.1	RMS	528	-63.85	-13	Pass	7841
814	859	0.1	RMS	835.5	11.31	60	Pass	451
859	1000	0.1	RMS	996.2	-62.82	-13	Pass	1411
1000	3000	1	RMS	1672	-50.23	-13	Pass	2001
3000	10000	1	RMS	5933	-59.16	-13	Pass	7001




22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.51	-13	Pass	401
0.15	30	0.01	RMS	0.31	-58.14	-13	Pass	2986
30	814	0.1	RMS	528	-63.91	-13	Pass	7841
814	859	0.1	RMS	836.4	10.35	60	Pass	451
859	1000	0.1	RMS	996.1	-62.85	-13	Pass	1411
1000	3000	1	RMS	2989	-50.33	-13	Pass	2001
3000	10000	1	RMS	5935	-59.09	-13	Pass	7001




22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.62	-13	Pass	401
0.15	30	0.01	RMS	0.24	-40.58	-13	Pass	2986
30	814	0.1	RMS	528	-63.57	-13	Pass	7841
814	859	0.1	RMS	845.5	11.3	60	Pass	451
859	1000	0.1	RMS	996	-63.09	-13	Pass	1411
1000	3000	1	RMS	2988	-50.33	-13	Pass	2001
3000	10000	1	RMS	5926	-59.22	-13	Pass	7001




**22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-59.03	-13	Pass	401
0.15	30	0.01	RMS	0.25	-49.75	-13	Pass	2986
30	814	0.1	RMS	528	-63.83	-13	Pass	7841
814	859	0.1	RMS	845.6	10.31	60	Pass	451
859	1000	0.1	RMS	996	-62.92	-13	Pass	1411
1000	3000	1	RMS	2981	-50.37	-13	Pass	2001
3000	10000	1	RMS	5930	-59.14	-13	Pass	7001




22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.3	-45.3	-13	Pass	2986
30	814	0.1	RMS	812	-50.68	-13	Pass	7841
814	859	0.1	RMS	828.2	6.24	60	Pass	451
859	1000	0.1	RMS	996	-63.13	-13	Pass	1411
1000	3000	1	RMS	2973	-50.36	-13	Pass	2001
3000	10000	1	RMS	5931	-59.12	-13	Pass	7001




22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.13	-13	Pass	2986
30	814	0.1	RMS	813.2	-50.4	-13	Pass	7841
814	859	0.1	RMS	828	5.66	60	Pass	451
859	1000	0.1	RMS	998.5	-62.35	-13	Pass	1411
1000	3000	1	RMS	2958	-50.32	-13	Pass	2001
3000	10000	1	RMS	5929	-59.18	-13	Pass	7001




22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-41.9	-13	Pass	401
0.15	30	0.01	RMS	0.34	-24.93	-13	Pass	2986
30	814	0.1	RMS	53.1	-54.63	-13	Pass	7841
814	859	0.1	RMS	838.9	6.8	60	Pass	451
859	1000	0.1	RMS	995.9	-62.99	-13	Pass	1411
1000	3000	1	RMS	2989	-50.32	-13	Pass	2001
3000	10000	1	RMS	5930	-59.18	-13	Pass	7001




22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-41.66	-13	Pass	401
0.15	30	0.01	RMS	0.33	-27.08	-13	Pass	2986
30	814	0.1	RMS	53.4	-54.55	-13	Pass	7841
814	859	0.1	RMS	838.3	5.83	60	Pass	451
859	1000	0.1	RMS	995.9	-63.09	-13	Pass	1411
1000	3000	1	RMS	2963	-50.36	-13	Pass	2001
3000	10000	1	RMS	5926	-59.18	-13	Pass	7001




22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-41.22	-13	Pass	401
0.15	30	0.01	RMS	0.38	-28.48	-13	Pass	2986
30	814	0.1	RMS	52.9	-54.54	-13	Pass	7841
814	859	0.1	RMS	839.1	6.31	60	Pass	451
859	1000	0.1	RMS	996	-62.75	-13	Pass	1411
1000	3000	1	RMS	2988	-50.37	-13	Pass	2001
3000	10000	1	RMS	5929	-59.17	-13	Pass	7001




22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.18	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.01	-13	Pass	7841
814	859	0.1	RMS	839.8	5.9	60	Pass	451
859	1000	0.1	RMS	998.4	-62.59	-13	Pass	1411
1000	3000	1	RMS	2988	-50.36	-13	Pass	2001
3000	10000	1	RMS	5940	-59.17	-13	Pass	7001




22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-40.75	-13	Pass	401
0.15	30	0.01	RMS	0.38	-28.08	-13	Pass	2986
30	814	0.1	RMS	813.8	-51.73	-13	Pass	7841
814	859	0.1	RMS	836.7	5.79	60	Pass	451
859	1000	0.1	RMS	995.9	-63.04	-13	Pass	1411
1000	3000	1	RMS	2390	-50.36	-13	Pass	2001
3000	10000	1	RMS	5931	-59.18	-13	Pass	7001




22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.15	-13	Pass	2986
30	814	0.1	RMS	814	-48.56	-13	Pass	7841
814	859	0.1	RMS	836.6	4.16	60	Pass	451
859	1000	0.1	RMS	998.4	-62.79	-13	Pass	1411
1000	3000	1	RMS	2999	-50.32	-13	Pass	2001
3000	10000	1	RMS	5936	-59.12	-13	Pass	7001




22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-41.9	-13	Pass	401
0.15	30	0.01	RMS	0.35	-24.21	-13	Pass	2986
30	814	0.1	RMS	813.6	-53.41	-13	Pass	7841
814	859	0.1	RMS	839.2	5.79	60	Pass	451
859	1000	0.1	RMS	995.9	-63.03	-13	Pass	1411
1000	3000	1	RMS	2963	-50.34	-13	Pass	2001
3000	10000	1	RMS	5933	-59.2	-13	Pass	7001




22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-41	-13	Pass	401
0.15	30	0.01	RMS	0.38	-23.51	-13	Pass	2986
30	814	0.1	RMS	813	-53.66	-13	Pass	7841
814	859	0.1	RMS	839.1	4.36	60	Pass	451
859	1000	0.1	RMS	900.4	-45.3	-13	Pass	1411
1000	3000	1	RMS	2973	-50.34	-13	Pass	2001
3000	10000	1	RMS	5929	-59.19	-13	Pass	7001




22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-41.26	-13	Pass	401
0.15	30	0.01	RMS	0.38	-24.95	-13	Pass	2986
30	814	0.1	RMS	52.9	-53.79	-13	Pass	7841
814	859	0.1	RMS	838.4	5.35	60	Pass	451
859	1000	0.1	RMS	996	-63.17	-13	Pass	1411
1000	3000	1	RMS	2980	-50.37	-13	Pass	2001
3000	10000	1	RMS	5933	-59.12	-13	Pass	7001



22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.077	-41.73	-13	Pass	401
0.15	30	0.01	RMS	0.31	-25.95	-13	Pass	2986
30	814	0.1	RMS	53.8	-54.01	-13	Pass	7841
814	859	0.1	RMS	839.2	4.35	60	Pass	451
859	1000	0.1	RMS	996	-63.07	-13	Pass	1411
1000	3000	1	RMS	2987	-50.36	-13	Pass	2001
3000	10000	1	RMS	5927	-59.15	-13	Pass	7001



23. n7 15kHz


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.81	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.97	-25	Pass	2985
30	1000	0.1	RMS	899.567	-63.81	-25	Pass	9699
1000	2490	1	RMS	2490	-49.94	-25	Pass	1490
2490	2580	1	RMS	2502.375	20.12	60	Pass	401
2580	3000	1	RMS	2871.695	-48.68	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.89	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.4	-25	Pass	19500




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-25	Pass	2985
30	1000	0.1	RMS	918.392	-63.84	-25	Pass	9699
1000	2490	1	RMS	2490	-50.22	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.06	60	Pass	401
2580	3000	1	RMS	2878.711	-48.71	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.88	-25	Pass	3500
6500	26000	1	RMS	25493.838	-44.45	-25	Pass	19500




23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-25	Pass	2985
30	1000	0.1	RMS	890.955	-63.81	-25	Pass	9699
1000	2490	1	RMS	2490	-50.51	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.89	60	Pass	401
2580	3000	1	RMS	2875.704	-48.69	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.87	-25	Pass	3500
6500	26000	1	RMS	25503.84 1	-44.43	-25	Pass	19500




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.31	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.35	-25	Pass	2985
30	1000	0.1	RMS	916.589	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-50.62	-25	Pass	1490
2490	2580	1	RMS	2534.775	18.81	60	Pass	401
2580	3000	1	RMS	2872.697	-48.68	-25	Pass	420
3000	6500	1	RMS	6216.919	-63.83	-25	Pass	3500
6500	26000	1	RMS	25505.841	-44.5	-25	Pass	19500




23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.86	-25	Pass	2985
30	1000	0.1	RMS	897.063	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-50.55	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.87	60	Pass	401
2580	3000	1	RMS	2872.697	-48.69	-25	Pass	420
3000	6500	1	RMS	6221.921	-63.92	-25	Pass	3500
6500	26000	1	RMS	25494.838	-44.5	-25	Pass	19500




23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.43	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.74	-25	Pass	2985
30	1000	0.1	RMS	895.061	-63.85	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.58	-25	Pass	1490
2490	2580	1	RMS	2567.4	18.88	60	Pass	401
2580	3000	1	RMS	2876.706	-48.73	-25	Pass	420
3000	6500	1	RMS	6216.919	-63.82	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.47	-25	Pass	19500




23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.34	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.72	-25	Pass	2985
30	1000	0.1	RMS	996.495	-63.78	-25	Pass	9699
1000	2490	1	RMS	2490	-45.72	-25	Pass	1490
2490	2580	1	RMS	2508	15.62	60	Pass	401
2580	3000	1	RMS	2875.704	-48.74	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.88	-25	Pass	3500
6500	26000	1	RMS	25492.837	-44.52	-25	Pass	19500




23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-25	Pass	2985
30	1000	0.1	RMS	891.857	-63.78	-25	Pass	9699
1000	2490	1	RMS	2490	-45.5	-25	Pass	1490
2490	2580	1	RMS	2509.125	14.73	60	Pass	401
2580	3000	1	RMS	2873.699	-48.7	-25	Pass	420
3000	6500	1	RMS	6213.918	-63.89	-25	Pass	3500
6500	26000	1	RMS	25506.84 2	-44.47	-25	Pass	19500




23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.88	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.11	-25	Pass	2985
30	1000	0.1	RMS	892.758	-63.85	-25	Pass	9699
1000	2490	1	RMS	2459.98	-50.38	-25	Pass	1490
2490	2580	1	RMS	2535.45	15.28	60	Pass	401
2580	3000	1	RMS	2869.69	-48.72	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.91	-25	Pass	3500
6500	26000	1	RMS	25503.84 1	-44.48	-25	Pass	19500




23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-25	Pass	2985
30	1000	0.1	RMS	900.067	-63.78	-25	Pass	9699
1000	2490	1	RMS	2469.987	-50.65	-25	Pass	1490
2490	2580	1	RMS	2536.575	14.29	60	Pass	401
2580	3000	1	RMS	2873.699	-48.72	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.88	-25	Pass	3500
6500	26000	1	RMS	25519.846	-44.49	-25	Pass	19500




23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-68.95	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.3	-25	Pass	2985
30	1000	0.1	RMS	886.349	-63.74	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.65	-25	Pass	1490
2490	2580	1	RMS	2559.75	15.32	60	Pass	401
2580	3000	1	RMS	2580	-42.52	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.8	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.49	-25	Pass	19500




23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-25	Pass	2985
30	1000	0.1	RMS	910.581	-63.76	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.54	-25	Pass	1490
2490	2580	1	RMS	2559.75	14.34	60	Pass	401
2580	3000	1	RMS	2580	-43.15	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.9	-25	Pass	3500
6500	26000	1	RMS	25490.837	-44.49	-25	Pass	19500




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-25	Pass	2985
30	1000	0.1	RMS	912.284	-63.85	-25	Pass	9699
1000	2490	1	RMS	2490	-44.23	-25	Pass	1490
2490	2580	1	RMS	2512.725	14.18	60	Pass	401
2580	3000	1	RMS	2879.714	-48.67	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.88	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.44	-25	Pass	19500




23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.51	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.18	-25	Pass	2985
30	1000	0.1	RMS	882.144	-63.83	-25	Pass	9699
1000	2490	1	RMS	2490	-44.38	-25	Pass	1490
2490	2580	1	RMS	2512.725	13.17	60	Pass	401
2580	3000	1	RMS	2865.68	-48.71	-25	Pass	420
3000	6500	1	RMS	6215.919	-63.88	-25	Pass	3500
6500	26000	1	RMS	25490.837	-44.44	-25	Pass	19500




23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.85	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.17	-25	Pass	2985
30	1000	0.1	RMS	892.758	-63.77	-25	Pass	9699
1000	2490	1	RMS	2490	-50.23	-25	Pass	1490
2490	2580	1	RMS	2537.7	13.89	60	Pass	401
2580	3000	1	RMS	2869.69	-48.72	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.92	-25	Pass	3500
6500	26000	1	RMS	25901.969	-44.57	-25	Pass	19500




23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.53	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.87	-25	Pass	2985
30	1000	0.1	RMS	900.568	-63.83	-25	Pass	9699
1000	2490	1	RMS	2490	-50.31	-25	Pass	1490
2490	2580	1	RMS	2537.7	12.88	60	Pass	401
2580	3000	1	RMS	2873.699	-48.71	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.86	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.47	-25	Pass	19500




23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.11	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.02	-25	Pass	2985
30	1000	0.1	RMS	881.443	-63.76	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.55	-25	Pass	1490
2490	2580	1	RMS	2559.525	14	60	Pass	401
2580	3000	1	RMS	2580	-40.71	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.9	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.48	-25	Pass	19500



23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-25	Pass	2985
30	1000	0.1	RMS	890.054	-63.83	-25	Pass	9699
1000	2490	1	RMS	2490	-50.59	-25	Pass	1490
2490	2580	1	RMS	2555.925	13	60	Pass	401
2580	3000	1	RMS	2580	-41.94	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.85	-25	Pass	3500
6500	26000	1	RMS	25507.84 2	-44.42	-25	Pass	19500



24. n38 30kHz_PC3


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.76	-25	Pass	401
0.15	30	0.01	RMS	0.39	-69.28	-25	Pass	2985
30	1000	0.1	RMS	891.857	-61.62	-25	Pass	9699
1000	2560	1	RMS	2560	-38.94	-25	Pass	1560
2560	2630	1	RMS	2576.8	13.98	60	Pass	401
2630	3000	1	RMS	2876.975	-48.65	-25	Pass	401
3000	6500	1	RMS	6059.874	-63.68	-25	Pass	3500
6500	27000	1	RMS	25515.639	-43.54	-25	Pass	20500




24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.9	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.9	-25	Pass	2985
30	1000	0.1	RMS	974.166	-61.32	-25	Pass	9699
1000	2560	1	RMS	2560	-39.44	-25	Pass	1560
2560	2630	1	RMS	2583.1	12.89	60	Pass	401
2630	3000	1	RMS	2874.2	-48.69	-25	Pass	401
3000	6500	1	RMS	6222.921	-63.67	-25	Pass	3500
6500	27000	1	RMS	25195.562	-43.63	-25	Pass	20500




24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.09	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.51	-25	Pass	2985
30	1000	0.1	RMS	889.954	-61.35	-25	Pass	9699
1000	2560	1	RMS	2560	-48.52	-25	Pass	1560
2560	2630	1	RMS	2597.975	14.05	60	Pass	401
2630	3000	1	RMS	2630	-47.64	-25	Pass	401
3000	6500	1	RMS	6206.916	-63.7	-25	Pass	3500
6500	27000	1	RMS	26215.809	-43.3	-25	Pass	20500




24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.86	-25	Pass	401
0.15	30	0.01	RMS	0.34	-69.83	-25	Pass	2985
30	1000	0.1	RMS	467.253	-61.36	-25	Pass	9699
1000	2560	1	RMS	2560	-48.88	-25	Pass	1560
2560	2630	1	RMS	2593.25	12.84	60	Pass	401
2630	3000	1	RMS	2630	-48.17	-25	Pass	401
3000	6500	1	RMS	6217.919	-63.47	-25	Pass	3500
6500	27000	1	RMS	25791.706	-43.03	-25	Pass	20500




24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-25	Pass	2985
30	1000	0.1	RMS	758.989	-61.1	-25	Pass	9699
1000	2560	1	RMS	2560	-50.17	-25	Pass	1560
2560	2630	1	RMS	2613.025	13.89	60	Pass	401
2630	3000	1	RMS	2630	-36.19	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.63	-25	Pass	3500
6500	27000	1	RMS	25502.636	-43.29	-25	Pass	20500




24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.62	-25	Pass	2985
30	1000	0.1	RMS	457.952	-61.01	-25	Pass	9699
1000	2560	1	RMS	2520.975	-50.11	-25	Pass	1560
2560	2630	1	RMS	2613.025	13	60	Pass	401
2630	3000	1	RMS	2630	-37.41	-25	Pass	401
3000	6500	1	RMS	6076.879	-63.65	-25	Pass	3500
6500	27000	1	RMS	26988.997	-43.58	-25	Pass	20500




24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.21	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.59	-25	Pass	2985
30	1000	0.1	RMS	457.752	-61.35	-25	Pass	9699
1000	2560	1	RMS	2555.997	-40.15	-25	Pass	1560
2560	2630	1	RMS	2580.65	12.38	60	Pass	401
2630	3000	1	RMS	2630	-46.08	-25	Pass	401
3000	6500	1	RMS	6228.923	-63.68	-25	Pass	3500
6500	27000	1	RMS	25843.719	-43.55	-25	Pass	20500




24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.34	-25	Pass	2985
30	1000	0.1	RMS	883.746	-60.88	-25	Pass	9699
1000	2560	1	RMS	2560	-38.72	-25	Pass	1560
2560	2630	1	RMS	2588.7	11.45	60	Pass	401
2630	3000	1	RMS	2630	-47	-25	Pass	401
3000	6500	1	RMS	6210.917	-63.67	-25	Pass	3500
6500	27000	1	RMS	25191.561	-43.46	-25	Pass	20500




24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.28	-25	Pass	401
0.15	30	0.01	RMS	0.45	-70.13	-25	Pass	2985
30	1000	0.1	RMS	742.787	-61.4	-25	Pass	9699
1000	2560	1	RMS	2560	-42.53	-25	Pass	1560
2560	2630	1	RMS	2590.8	12.34	60	Pass	401
2630	3000	1	RMS	2630	-40.47	-25	Pass	401
3000	6500	1	RMS	6222.921	-63.72	-25	Pass	3500
6500	27000	1	RMS	25479.631	-43.54	-25	Pass	20500




24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.13	-25	Pass	401
0.15	30	0.01	RMS	0.34	-71.12	-25	Pass	2985
30	1000	0.1	RMS	868.125	-61.42	-25	Pass	9699
1000	2560	1	RMS	2560	-42.99	-25	Pass	1560
2560	2630	1	RMS	2598.5	11.59	60	Pass	401
2630	3000	1	RMS	2630	-41.4	-25	Pass	401
3000	6500	1	RMS	6073.878	-63.59	-25	Pass	3500
6500	27000	1	RMS	25480.631	-43.51	-25	Pass	20500




24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.69	-25	Pass	401
0.15	30	0.01	RMS	0.28	-69.29	-25	Pass	2985
30	1000	0.1	RMS	871.029	-61.66	-25	Pass	9699
1000	2560	1	RMS	2560	-47.77	-25	Pass	1560
2560	2630	1	RMS	2607.95	12.44	60	Pass	401
2630	3000	1	RMS	2632.775	-37.34	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.61	-25	Pass	3500
6500	27000	1	RMS	25498.635	-43.37	-25	Pass	20500




24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.55	-25	Pass	401
0.15	30	0.01	RMS	0.3	-69.45	-25	Pass	2985
30	1000	0.1	RMS	819.896	-61.5	-25	Pass	9699
1000	2560	1	RMS	2560	-48.18	-25	Pass	1560
2560	2630	1	RMS	2608.3	11.59	60	Pass	401
2630	3000	1	RMS	2630	-37.29	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.75	-25	Pass	3500
6500	27000	1	RMS	25858.723	-43.41	-25	Pass	20500




24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.27	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.62	-25	Pass	2985
30	1000	0.1	RMS	785.992	-60.66	-25	Pass	9699
1000	2560	1	RMS	2549.994	-40.93	-25	Pass	1560
2560	2630	1	RMS	2581.525	11.02	60	Pass	401
2630	3000	1	RMS	2630.925	-39.05	-25	Pass	401
3000	6500	1	RMS	6215.919	-63.54	-25	Pass	3500
6500	27000	1	RMS	25509.638	-43.65	-25	Pass	20500




24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.28	-25	Pass	401
0.15	30	0.01	RMS	0.28	-70.1	-25	Pass	2985
30	1000	0.1	RMS	931.109	-61.38	-25	Pass	9699
1000	2560	1	RMS	2560	-40.28	-25	Pass	1560
2560	2630	1	RMS	2582.05	10.01	60	Pass	401
2630	3000	1	RMS	2630	-40.55	-25	Pass	401
3000	6500	1	RMS	6213.918	-63.53	-25	Pass	3500
6500	27000	1	RMS	25872.726	-42.99	-25	Pass	20500




24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.6	-25	Pass	401
0.15	30	0.01	RMS	0.64	-70.27	-25	Pass	2985
30	1000	0.1	RMS	706.983	-61.62	-25	Pass	9699
1000	2560	1	RMS	2554.997	-40.94	-25	Pass	1560
2560	2630	1	RMS	2600.425	11.02	60	Pass	401
2630	3000	1	RMS	2632.775	-38.37	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.58	-25	Pass	3500
6500	27000	1	RMS	25856.72 2	-43.6	-25	Pass	20500




24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.14	-25	Pass	401
0.15	30	0.01	RMS	0.27	-70.55	-25	Pass	2985
30	1000	0.1	RMS	814.596	-61.5	-25	Pass	9699
1000	2560	1	RMS	2558.999	-41.08	-25	Pass	1560
2560	2630	1	RMS	2600.425	10	60	Pass	401
2630	3000	1	RMS	2632.775	-38.99	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.44	-25	Pass	3500
6500	27000	1	RMS	25825.715	-43.45	-25	Pass	20500




24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.45	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.34	-25	Pass	2985
30	1000	0.1	RMS	993.291	-61.5	-25	Pass	9699
1000	2560	1	RMS	2560	-40.85	-25	Pass	1560
2560	2630	1	RMS	2605.5	11.05	60	Pass	401
2630	3000	1	RMS	2638.325	-38.43	-25	Pass	401
3000	6500	1	RMS	6215.919	-63.7	-25	Pass	3500
6500	27000	1	RMS	25899.733	-42.94	-25	Pass	20500



24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.52	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.78	-25	Pass	2985
30	1000	0.1	RMS	997.597	-61.4	-25	Pass	9699
1000	2560	1	RMS	2560	-41.38	-25	Pass	1560
2560	2630	1	RMS	2605.325	10.05	60	Pass	401
2630	3000	1	RMS	2630.925	-38.45	-25	Pass	401
3000	6500	1	RMS	6360.96	-63.55	-25	Pass	3500
6500	27000	1	RMS	26880.971	-43.19	-25	Pass	20500



25. n41 30kHz


25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.07	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.46	-25	Pass	2985
30	1000	0.1	RMS	903.973	-61.56	-25	Pass	9699
1000	2486	1	RMS	2486	-40.88	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.54	60	Pass	401
2700	3000	1	RMS	2868.75	-48.66	-25	Pass	401
3000	6500	1	RMS	6208.917	-63.63	-25	Pass	3500
6500	27000	1	RMS	26897.975	-43.43	-25	Pass	20500




25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.45	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.26	-25	Pass	2985
30	1000	0.1	RMS	849.2	-61.11	-25	Pass	9699
1000	2486	1	RMS	2486	-42.63	-25	Pass	1486
2486	2700	1	RMS	2509.005	13.34	60	Pass	401
2700	3000	1	RMS	2877.75	-48.61	-25	Pass	401
3000	6500	1	RMS	6217.919	-63.73	-25	Pass	3500
6500	27000	1	RMS	25486.63 2	-43.5	-25	Pass	20500




25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.35	-25	Pass	401
0.15	30	0.01	RMS	0.51	-70.74	-25	Pass	2985
30	1000	0.1	RMS	956.442	-61.5	-25	Pass	9699
1000	2486	1	RMS	2481.997	-50.61	-25	Pass	1486
2486	2700	1	RMS	2596.21	14.16	60	Pass	401
2700	3000	1	RMS	2867.25	-48.67	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.55	-25	Pass	3500
6500	27000	1	RMS	25891.73 1	-43.21	-25	Pass	20500




25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.94	-25	Pass	2985
30	1000	0.1	RMS	808.095	-61.46	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.54	-25	Pass	1486
2486	2700	1	RMS	2591.395	12.91	60	Pass	401
2700	3000	1	RMS	2864.25	-48.6	-25	Pass	401
3000	6500	1	RMS	6217.919	-63.69	-25	Pass	3500
6500	27000	1	RMS	25877.727	-43.26	-25	Pass	20500




25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.51	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.03	-25	Pass	2985
30	1000	0.1	RMS	904.974	-61.3	-25	Pass	9699
1000	2486	1	RMS	2480.997	-50.71	-25	Pass	1486
2486	2700	1	RMS	2676.995	13.72	60	Pass	401
2700	3000	1	RMS	2700	-42.37	-25	Pass	401
3000	6500	1	RMS	6083.881	-63.51	-25	Pass	3500
6500	27000	1	RMS	25974.751	-43.45	-25	Pass	20500




25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.96	-25	Pass	401
0.15	30	0.01	RMS	0.59	-70.93	-25	Pass	2985
30	1000	0.1	RMS	771.09	-61.83	-25	Pass	9699
1000	2486	1	RMS	2461.984	-50.6	-25	Pass	1486
2486	2700	1	RMS	2676.46	12.67	60	Pass	401
2700	3000	1	RMS	2700	-43.95	-25	Pass	401
3000	6500	1	RMS	6212.918	-63.66	-25	Pass	3500
6500	27000	1	RMS	25806.71	-43.46	-25	Pass	20500




25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.59	-25	Pass	401
0.15	30	0.01	RMS	0.27	-70.13	-25	Pass	2985
30	1000	0.1	RMS	911.382	-61.64	-25	Pass	9699
1000	2486	1	RMS	2486	-34.36	-25	Pass	1486
2486	2700	1	RMS	2532.01	9.23	60	Pass	401
2700	3000	1	RMS	2880	-48.66	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.68	-25	Pass	3500
6500	27000	1	RMS	25511.638	-43.04	-25	Pass	20500




25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.14	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.02	-25	Pass	2985
30	1000	0.1	RMS	902.671	-61.3	-25	Pass	9699
1000	2486	1	RMS	2486	-37.51	-25	Pass	1486
2486	2700	1	RMS	2530.94	8.19	60	Pass	401
2700	3000	1	RMS	2881.5	-48.64	-25	Pass	401
3000	6500	1	RMS	6221.921	-63.63	-25	Pass	3500
6500	27000	1	RMS	25817.713	-43.52	-25	Pass	20500




25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.95	-25	Pass	401
0.15	30	0.01	RMS	0.73	-70.44	-25	Pass	2985
30	1000	0.1	RMS	770.49	-61.27	-25	Pass	9699
1000	2486	1	RMS	2481.997	-50.41	-25	Pass	1486
2486	2700	1	RMS	2599.42	9.21	60	Pass	401
2700	3000	1	RMS	2865.75	-48.6	-25	Pass	401
3000	6500	1	RMS	6030.866	-63.39	-25	Pass	3500
6500	27000	1	RMS	26936.985	-43.6	-25	Pass	20500




25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.17	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.57	-25	Pass	2985
30	1000	0.1	RMS	915.688	-61.01	-25	Pass	9699
1000	2486	1	RMS	2454.979	-50.66	-25	Pass	1486
2486	2700	1	RMS	2597.28	8.22	60	Pass	401
2700	3000	1	RMS	2873.25	-48.64	-25	Pass	401
3000	6500	1	RMS	6039.869	-63.81	-25	Pass	3500
6500	27000	1	RMS	26615.907	-43.34	-25	Pass	20500




25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-65.85	-25	Pass	401
0.15	30	0.01	RMS	0.39	-69.94	-25	Pass	2985
30	1000	0.1	RMS	804.595	-61.33	-25	Pass	9699
1000	2486	1	RMS	2481.997	-50.57	-25	Pass	1486
2486	2700	1	RMS	2646.5	9.27	60	Pass	401
2700	3000	1	RMS	2700	-33.34	-25	Pass	401
3000	6500	1	RMS	6221.921	-63.64	-25	Pass	3500
6500	27000	1	RMS	25522.641	-42.97	-25	Pass	20500




25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.63	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.39	-25	Pass	2985
30	1000	0.1	RMS	877.137	-61.4	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.59	-25	Pass	1486
2486	2700	1	RMS	2647.035	8.38	60	Pass	401
2700	3000	1	RMS	2700	-36.43	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.61	-25	Pass	3500
6500	27000	1	RMS	25890.73	-43.68	-25	Pass	20500




25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.32	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.95	-25	Pass	2985
30	1000	0.1	RMS	950.334	-61.26	-25	Pass	9699
1000	2486	1	RMS	2484.999	-36.05	-25	Pass	1486
2486	2700	1	RMS	2532.01	6.64	60	Pass	401
2700	3000	1	RMS	2878.5	-48.66	-25	Pass	401
3000	6500	1	RMS	6081.881	-63.58	-25	Pass	3500
6500	27000	1	RMS	26856.965	-43.19	-25	Pass	20500




25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.56	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.37	-25	Pass	2985
30	1000	0.1	RMS	895.662	-61.44	-25	Pass	9699
1000	2486	1	RMS	2486	-38.45	-25	Pass	1486
2486	2700	1	RMS	2529.87	5.66	60	Pass	401
2700	3000	1	RMS	2879.25	-48.72	-25	Pass	401
3000	6500	1	RMS	6222.921	-63.38	-25	Pass	3500
6500	27000	1	RMS	25866.725	-43.17	-25	Pass	20500




25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.31	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.25	-25	Pass	2985
30	1000	0.1	RMS	811.395	-61.38	-25	Pass	9699
1000	2486	1	RMS	2486	-48.33	-25	Pass	1486
2486	2700	1	RMS	2579.09	6.84	60	Pass	401
2700	3000	1	RMS	2701.5	-48.33	-25	Pass	401
3000	6500	1	RMS	6213.918	-63.67	-25	Pass	3500
6500	27000	1	RMS	25483.632	-43.58	-25	Pass	20500




25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.17	-25	Pass	401
0.15	30	0.01	RMS	0.76	-70.28	-25	Pass	2985
30	1000	0.1	RMS	893.058	-61.25	-25	Pass	9699
1000	2486	1	RMS	2486	-49.05	-25	Pass	1486
2486	2700	1	RMS	2576.95	5.8	60	Pass	401
2700	3000	1	RMS	2700	-48.62	-25	Pass	401
3000	6500	1	RMS	6080.88	-63.65	-25	Pass	3500
6500	27000	1	RMS	25504.637	-43.48	-25	Pass	20500




25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.61	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.42	-25	Pass	2985
30	1000	0.1	RMS	891.456	-61.41	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.27	-25	Pass	1486
2486	2700	1	RMS	2626.17	6.88	60	Pass	401
2700	3000	1	RMS	2700	-33.89	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.42	-25	Pass	3500
6500	27000	1	RMS	25515.639	-43.48	-25	Pass	20500



25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:135, RB Position:67)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.44	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.92	-25	Pass	2985
30	1000	0.1	RMS	477.455	-61.23	-25	Pass	9699
1000	2486	1	RMS	2486	-50.33	-25	Pass	1486
2486	2700	1	RMS	2624.03	5.83	60	Pass	401
2700	3000	1	RMS	2700.75	-37.48	-25	Pass	401
3000	6500	1	RMS	6073.878	-63.61	-25	Pass	3500
6500	27000	1	RMS	25194.561	-43.27	-25	Pass	20500



26. DC_5A_n7A_SCS15


26.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.48	-25	Pass	2985
30	1000	0.1	RMS	910.381	-64.02	-25	Pass	9699
1000	2490	1	RMS	2490	-50.59	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.9	60	Pass	401
2580	3000	1	RMS	2867.685	-49.09	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.39	-25	Pass	3500
6500	26000	1	RMS	25509.843	-45.03	-25	Pass	19500




26.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-25	Pass	2985
30	1000	0.1	RMS	832.698	-63.91	-25	Pass	9699
1000	2490	1	RMS	2458.979	-50.29	-25	Pass	1490
2490	2580	1	RMS	2502.375	18.97	60	Pass	401
2580	3000	1	RMS	2875.704	-49.08	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.35	-25	Pass	3500
6500	26000	1	RMS	25497.839	-45	-25	Pass	19500




26.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-25	Pass	2985
30	1000	0.1	RMS	839.399	-63.66	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.87	-25	Pass	1490
2490	2580	1	RMS	2535	19.65	60	Pass	401
2580	3000	1	RMS	2873.699	-49.06	-25	Pass	420
3000	6500	1	RMS	6079.88	-64.39	-25	Pass	3500
6500	26000	1	RMS	25507.842	-45.05	-25	Pass	19500




26.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-25	Pass	2985
30	1000	0.1	RMS	839.299	-63.73	-25	Pass	9699
1000	2490	1	RMS	2469.987	-50.34	-25	Pass	1490
2490	2580	1	RMS	2534.775	18.68	60	Pass	401
2580	3000	1	RMS	2880.716	-49.08	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.46	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.98	-25	Pass	19500




26.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-25	Pass	2985
30	1000	0.1	RMS	846.7	-63.42	-25	Pass	9699
1000	2490	1	RMS	2490	-50.89	-25	Pass	1490
2490	2580	1	RMS	2567.4	19.66	60	Pass	401
2580	3000	1	RMS	2882.721	-49.06	-25	Pass	420
3000	6500	1	RMS	5134.61	-63.95	-25	Pass	3500
6500	26000	1	RMS	25495.838	-45.02	-25	Pass	19500




26.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-25	Pass	2985
30	1000	0.1	RMS	844.899	-63.44	-25	Pass	9699
1000	2490	1	RMS	2490	-50.96	-25	Pass	1490
2490	2580	1	RMS	2567.175	18.64	60	Pass	401
2580	3000	1	RMS	2873.699	-49.07	-25	Pass	420
3000	6500	1	RMS	5134.61	-64.13	-25	Pass	3500
6500	26000	1	RMS	25499.839	-45	-25	Pass	19500




26.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-25	Pass	2985
30	1000	0.1	RMS	980.674	-63.95	-25	Pass	9699
1000	2490	1	RMS	2490	-44.69	-25	Pass	1490
2490	2580	1	RMS	2508	15.31	60	Pass	401
2580	3000	1	RMS	2870.692	-49.05	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.39	-25	Pass	3500
6500	26000	1	RMS	25500.84	-45.04	-25	Pass	19500




26.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-25	Pass	2985
30	1000	0.1	RMS	825.997	-63.99	-25	Pass	9699
1000	2490	1	RMS	2490	-44.46	-25	Pass	1490
2490	2580	1	RMS	2509.125	14.42	60	Pass	401
2580	3000	1	RMS	2868.687	-49.09	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.4	-25	Pass	3500
6500	26000	1	RMS	25492.837	-45.03	-25	Pass	19500




26.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.34	-25	Pass	2985
30	1000	0.1	RMS	840.499	-63.48	-25	Pass	9699
1000	2490	1	RMS	2460.981	-49.23	-25	Pass	1490
2490	2580	1	RMS	2535.225	15.15	60	Pass	401
2580	3000	1	RMS	2872.697	-49.05	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.35	-25	Pass	3500
6500	26000	1	RMS	25496.839	-45.03	-25	Pass	19500




26.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.85	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72	-25	Pass	2985
30	1000	0.1	RMS	840.799	-63.54	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.89	-25	Pass	1490
2490	2580	1	RMS	2536.575	14.24	60	Pass	401
2580	3000	1	RMS	2866.683	-49.06	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.44	-25	Pass	3500
6500	26000	1	RMS	25495.838	-45.03	-25	Pass	19500




26.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.75	-25	Pass	2985
30	1000	0.1	RMS	848.3	-63.11	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.87	-25	Pass	1490
2490	2580	1	RMS	2562.9	15.05	60	Pass	401
2580	3000	1	RMS	2580	-44.9	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.43	-25	Pass	3500
6500	26000	1	RMS	25503.841	-44.95	-25	Pass	19500




26.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.47	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.72	-25	Pass	2985
30	1000	0.1	RMS	847.7	-63.31	-25	Pass	9699
1000	2490	1	RMS	2460.981	-50.76	-25	Pass	1490
2490	2580	1	RMS	2563.8	14.15	60	Pass	401
2580	3000	1	RMS	2580	-45.95	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.36	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.92	-25	Pass	19500




26.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.22	-25	Pass	2985
30	1000	0.1	RMS	897.364	-63.98	-25	Pass	9699
1000	2490	1	RMS	2490	-40.37	-25	Pass	1490
2490	2580	1	RMS	2512.725	13.96	60	Pass	401
2580	3000	1	RMS	2877.709	-49.06	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.38	-25	Pass	3500
6500	26000	1	RMS	25506.842	-45.03	-25	Pass	19500




26.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.29	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.95	-25	Pass	2985
30	1000	0.1	RMS	831.698	-63.87	-25	Pass	9699
1000	2490	1	RMS	2490	-42	-25	Pass	1490
2490	2580	1	RMS	2512.725	13.04	60	Pass	401
2580	3000	1	RMS	2873.699	-49.09	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.31	-25	Pass	3500
6500	26000	1	RMS	25506.842	-45.04	-25	Pass	19500




26.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.91	-25	Pass	2985
30	1000	0.1	RMS	839.899	-63.49	-25	Pass	9699
1000	2490	1	RMS	2490	-50.77	-25	Pass	1490
2490	2580	1	RMS	2537.7	13.74	60	Pass	401
2580	3000	1	RMS	2872.697	-49.05	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.4	-25	Pass	3500
6500	26000	1	RMS	25862.956	-45.04	-25	Pass	19500




26.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.53	-25	Pass	2985
30	1000	0.1	RMS	838.499	-63.84	-25	Pass	9699
1000	2490	1	RMS	2490	-50.85	-25	Pass	1490
2490	2580	1	RMS	2537.7	12.79	60	Pass	401
2580	3000	1	RMS	2882.721	-49.09	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.4	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.89	-25	Pass	19500




26.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.35	-25	Pass	2985
30	1000	0.1	RMS	847.6	-63.18	-25	Pass	9699
1000	2490	1	RMS	2485.997	-50.9	-25	Pass	1490
2490	2580	1	RMS	2562.675	13.77	60	Pass	401
2580	3000	1	RMS	2580	-42.12	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.41	-25	Pass	3500
6500	26000	1	RMS	25501.84	-45.04	-25	Pass	19500



26.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.88	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.27	-25	Pass	2985
30	1000	0.1	RMS	845.7	-63.14	-25	Pass	9699
1000	2490	1	RMS	2462.982	-50.39	-25	Pass	1490
2490	2580	1	RMS	2555.925	12.71	60	Pass	401
2580	3000	1	RMS	2580	-43.6	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.4	-25	Pass	3500
6500	26000	1	RMS	25507.842	-44.97	-25	Pass	19500



27. DC_7A_n5A_SCS15


27.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.74	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.65	-13	Pass	7840
814	859	0.1	RMS	825.526	10.55	60	Pass	450
859	1000	0.1	RMS	895.926	-63.94	-13	Pass	1410
1000	3000	1	RMS	2874.937	-48.69	-13	Pass	2000
3000	10000	1	RMS	8388.77	-59.97	-13	Pass	7000




27.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.21	-13	Pass	2985
30	814	0.1	RMS	813.2	-63.81	-13	Pass	7840
814	859	0.1	RMS	825.626	10.43	60	Pass	450
859	1000	0.1	RMS	896.026	-63.75	-13	Pass	1410
1000	3000	1	RMS	2878.939	-48.67	-13	Pass	2000
3000	10000	1	RMS	8400.772	-59.98	-13	Pass	7000




27.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.13	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.54	-13	Pass	2985
30	814	0.1	RMS	729.389	-64.1	-13	Pass	7840
814	859	0.1	RMS	837.352	10.28	60	Pass	450
859	1000	0.1	RMS	902.231	-63.8	-13	Pass	1410
1000	3000	1	RMS	2872.936	-48.63	-13	Pass	2000
3000	10000	1	RMS	8404.772	-59.96	-13	Pass	7000




27.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2985
30	814	0.1	RMS	743.591	-64.04	-13	Pass	7840
814	859	0.1	RMS	837.352	10.23	60	Pass	450
859	1000	0.1	RMS	902.831	-63.87	-13	Pass	1410
1000	3000	1	RMS	2877.939	-48.71	-13	Pass	2000
3000	10000	1	RMS	8412.773	-59.99	-13	Pass	7000




27.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.73	-13	Pass	2985
30	814	0.1	RMS	748.792	-64.09	-13	Pass	7840
814	859	0.1	RMS	845.47	10.4	60	Pass	450
859	1000	0.1	RMS	891.523	-63.74	-13	Pass	1410
1000	3000	1	RMS	2875.938	-48.69	-13	Pass	2000
3000	10000	1	RMS	8405.772	-59.98	-13	Pass	7000




27.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.9	-13	Pass	2985
30	814	0.1	RMS	729.289	-64.07	-13	Pass	7840
814	859	0.1	RMS	845.67	10.13	60	Pass	450
859	1000	0.1	RMS	907.534	-63.85	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.68	-13	Pass	2000
3000	10000	1	RMS	8400.772	-59.98	-13	Pass	7000




27.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2985
30	814	0.1	RMS	812	-51.2	-13	Pass	7840
814	859	0.1	RMS	831.94	5.9	60	Pass	450
859	1000	0.1	RMS	879.014	-63.87	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.68	-13	Pass	2000
3000	10000	1	RMS	8399.771	-59.95	-13	Pass	7000




27.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.73	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	Pass	2985
30	814	0.1	RMS	813.2	-50.52	-13	Pass	7840
814	859	0.1	RMS	828.633	5.65	60	Pass	450
859	1000	0.1	RMS	888.621	-63.83	-13	Pass	1410
1000	3000	1	RMS	2866.933	-48.69	-13	Pass	2000
3000	10000	1	RMS	8401.772	-59.99	-13	Pass	7000




27.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.47	-13	Pass	401
0.15	30	0.01	RMS	0.39	-71.8	-13	Pass	2985
30	814	0.1	RMS	813.7	-57.62	-13	Pass	7840
814	859	0.1	RMS	838.955	6.04	60	Pass	450
859	1000	0.1	RMS	899.729	-63.68	-13	Pass	1410
1000	3000	1	RMS	2872.936	-48.67	-13	Pass	2000
3000	10000	1	RMS	8412.773	-60.02	-13	Pass	7000




27.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2985
30	814	0.1	RMS	813.7	-56.55	-13	Pass	7840
814	859	0.1	RMS	838.254	6.11	60	Pass	450
859	1000	0.1	RMS	907.634	-63.81	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.63	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.05	-13	Pass	7000




27.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.13	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.53	-13	Pass	2985
30	814	0.1	RMS	813.3	-61.94	-13	Pass	7840
814	859	0.1	RMS	841.962	6	60	Pass	450
859	1000	0.1	RMS	895.726	-63.79	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.69	-13	Pass	2000
3000	10000	1	RMS	8412.773	-59.98	-13	Pass	7000




27.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2985
30	814	0.1	RMS	813.3	-61.93	-13	Pass	7840
814	859	0.1	RMS	843.265	5.75	60	Pass	450
859	1000	0.1	RMS	991.694	-63.85	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.66	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60	-13	Pass	7000




27.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-13	Pass	2985
30	814	0.1	RMS	813.9	-47.47	-13	Pass	7840
814	859	0.1	RMS	836.65	4.51	60	Pass	450
859	1000	0.1	RMS	894.625	-63.69	-13	Pass	1410
1000	3000	1	RMS	2871.936	-48.68	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60	-13	Pass	7000




27.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.34	-13	Pass	2985
30	814	0.1	RMS	813.9	-48.51	-13	Pass	7840
814	859	0.1	RMS	829.434	4.03	60	Pass	450
859	1000	0.1	RMS	888.921	-63.74	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.68	-13	Pass	2000
3000	10000	1	RMS	8407.773	-60.02	-13	Pass	7000




27.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	Pass	2985
30	814	0.1	RMS	813.6	-51.16	-13	Pass	7840
814	859	0.1	RMS	839.156	4.73	60	Pass	450
859	1000	0.1	RMS	992.595	-63.78	-13	Pass	1410
1000	3000	1	RMS	2871.936	-48.68	-13	Pass	2000
3000	10000	1	RMS	8400.772	-59.96	-13	Pass	7000




27.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	814	0.1	RMS	812.9	-51.65	-13	Pass	7840
814	859	0.1	RMS	839.457	4.33	60	Pass	450
859	1000	0.1	RMS	999.9	-63.83	-13	Pass	1410
1000	3000	1	RMS	2879.94	-48.69	-13	Pass	2000
3000	10000	1	RMS	8398.771	-59.96	-13	Pass	7000




27.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	Pass	2985
30	814	0.1	RMS	813.5	-54.66	-13	Pass	7840
814	859	0.1	RMS	841.661	4.86	60	Pass	450
859	1000	0.1	RMS	900.329	-63.84	-13	Pass	1410
1000	3000	1	RMS	2876.938	-48.63	-13	Pass	2000
3000	10000	1	RMS	8420.774	-59.99	-13	Pass	7000



27.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.67	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.49	-13	Pass	2985
30	814	0.1	RMS	813.5	-54.55	-13	Pass	7840
814	859	0.1	RMS	841.661	4.47	60	Pass	450
859	1000	0.1	RMS	899.729	-63.88	-13	Pass	1410
1000	3000	1	RMS	2876.938	-48.67	-13	Pass	2000
3000	10000	1	RMS	8404.772	-59.94	-13	Pass	7000



28. DC_26A_n41A_SCS30


28.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-25	Pass	401
0.15	30	0.01	RMS	0.66	-69.62	-25	Pass	2985
30	1000	0.1	RMS	890.054	-61.53	-25	Pass	9699
1000	2486	1	RMS	2486	-41.97	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.25	60	Pass	401
2700	3000	1	RMS	2869.5	-48.98	-25	Pass	401
3000	6500	1	RMS	6205.916	-64.25	-25	Pass	3500
6500	27000	1	RMS	25925.739	-44	-25	Pass	20500




28.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.44	-70.93	-25	Pass	2985
30	1000	0.1	RMS	743.487	-61.67	-25	Pass	9699
1000	2486	1	RMS	2486	-43.05	-25	Pass	1486
2486	2700	1	RMS	2509.005	13.13	60	Pass	401
2700	3000	1	RMS	2877.75	-48.95	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.98	-25	Pass	3500
6500	27000	1	RMS	25208.565	-44.1	-25	Pass	20500




28.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.47	-25	Pass	401
0.15	30	0.01	RMS	0.32	-70.07	-25	Pass	2985
30	1000	0.1	RMS	984.98	-61.38	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.81	-25	Pass	1486
2486	2700	1	RMS	2596.21	13.99	60	Pass	401
2700	3000	1	RMS	2875.5	-48.96	-25	Pass	401
3000	6500	1	RMS	6223.921	-64.17	-25	Pass	3500
6500	27000	1	RMS	26949.988	-44.18	-25	Pass	20500




28.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.35	-25	Pass	2985
30	1000	0.1	RMS	882.444	-61.06	-25	Pass	9699
1000	2486	1	RMS	2476.994	-50.87	-25	Pass	1486
2486	2700	1	RMS	2593.535	12.8	60	Pass	401
2700	3000	1	RMS	2879.25	-48.95	-25	Pass	401
3000	6500	1	RMS	6083.881	-64.22	-25	Pass	3500
6500	27000	1	RMS	26683.923	-43.82	-25	Pass	20500




28.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.83	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.27	-25	Pass	2985
30	1000	0.1	RMS	839.599	-61.53	-25	Pass	9699
1000	2486	1	RMS	2486	-50.73	-25	Pass	1486
2486	2700	1	RMS	2676.46	13.43	60	Pass	401
2700	3000	1	RMS	2700	-40.36	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.17	-25	Pass	3500
6500	27000	1	RMS	26991.998	-44.24	-25	Pass	20500




28.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.34	-25	Pass	2985
30	1000	0.1	RMS	891.056	-61.27	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.79	-25	Pass	1486
2486	2700	1	RMS	2676.46	12.47	60	Pass	401
2700	3000	1	RMS	2700	-41.7	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.07	-25	Pass	3500
6500	27000	1	RMS	25489.633	-43.72	-25	Pass	20500




28.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.95	-25	Pass	401
0.15	30	0.01	RMS	0.27	-70.06	-25	Pass	2985
30	1000	0.1	RMS	839.899	-61.46	-25	Pass	9699
1000	2486	1	RMS	2486	-39.76	-25	Pass	1486
2486	2700	1	RMS	2532.545	9.14	60	Pass	401
2700	3000	1	RMS	2880.75	-48.94	-25	Pass	401
3000	6500	1	RMS	6204.916	-64.03	-25	Pass	3500
6500	27000	1	RMS	25801.709	-43.41	-25	Pass	20500




28.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-25	Pass	401
0.15	30	0.01	RMS	0.28	-69.56	-25	Pass	2985
30	1000	0.1	RMS	893.559	-61.26	-25	Pass	9699
1000	2486	1	RMS	2486	-41.57	-25	Pass	1486
2486	2700	1	RMS	2530.94	8.12	60	Pass	401
2700	3000	1	RMS	2874	-48.99	-25	Pass	401
3000	6500	1	RMS	6217.919	-64.2	-25	Pass	3500
6500	27000	1	RMS	25473.629	-44.1	-25	Pass	20500




28.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.28	-70.69	-25	Pass	2985
30	1000	0.1	RMS	801.994	-61.92	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.28	-25	Pass	1486
2486	2700	1	RMS	2599.42	9.02	60	Pass	401
2700	3000	1	RMS	2877.75	-48.95	-25	Pass	401
3000	6500	1	RMS	6217.919	-64.06	-25	Pass	3500
6500	27000	1	RMS	25502.636	-43.87	-25	Pass	20500




28.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75 @0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.79	-25	Pass	401
0.15	30	0.01	RMS	0.33	-69.59	-25	Pass	2985
30	1000	0.1	RMS	754.388	-61.58	-25	Pass	9699
1000	2486	1	RMS	2460.983	-49.41	-25	Pass	1486
2486	2700	1	RMS	2597.815	8.1	60	Pass	401
2700	3000	1	RMS	2881.5	-48.94	-25	Pass	401
3000	6500	1	RMS	6080.88	-63.95	-25	Pass	3500
6500	27000	1	RMS	25943.743	-43.92	-25	Pass	20500




28.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.99	-25	Pass	2985
30	1000	0.1	RMS	899.967	-61.6	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.85	-25	Pass	1486
2486	2700	1	RMS	2666.295	8.76	60	Pass	401
2700	3000	1	RMS	2700	-40.5	-25	Pass	401
3000	6500	1	RMS	6072.878	-64.13	-25	Pass	3500
6500	27000	1	RMS	25887.73	-43.81	-25	Pass	20500




28.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75 @0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.46	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70	-25	Pass	2985
30	1000	0.1	RMS	877.938	-61.48	-25	Pass	9699
1000	2486	1	RMS	2467.988	-49.76	-25	Pass	1486
2486	2700	1	RMS	2658.805	7.77	60	Pass	401
2700	3000	1	RMS	2700	-41.62	-25	Pass	401
3000	6500	1	RMS	6221.921	-64.06	-25	Pass	3500
6500	27000	1	RMS	26977.995	-44.11	-25	Pass	20500




28.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-25	Pass	401
0.15	30	0.01	RMS	0.29	-69.65	-25	Pass	2985
30	1000	0.1	RMS	902.771	-61.16	-25	Pass	9699
1000	2486	1	RMS	2486	-38.45	-25	Pass	1486
2486	2700	1	RMS	2558.225	6.48	60	Pass	401
2700	3000	1	RMS	2873.25	-48.99	-25	Pass	401
3000	6500	1	RMS	6202.915	-64.32	-25	Pass	3500
6500	27000	1	RMS	25498.635	-43.9	-25	Pass	20500




28.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.17	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.25	-25	Pass	2985
30	1000	0.1	RMS	956.743	-61.29	-25	Pass	9699
1000	2486	1	RMS	2486	-41.03	-25	Pass	1486
2486	2700	1	RMS	2557.69	5.62	60	Pass	401
2700	3000	1	RMS	2872.5	-48.97	-25	Pass	401
3000	6500	1	RMS	6217.919	-64.06	-25	Pass	3500
6500	27000	1	RMS	25501.636	-43.9	-25	Pass	20500




28.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.12	-25	Pass	401
0.15	30	0.01	RMS	0.46	-70.62	-25	Pass	2985
30	1000	0.1	RMS	918.993	-61.58	-25	Pass	9699
1000	2486	1	RMS	2486	-47.09	-25	Pass	1486
2486	2700	1	RMS	2579.09	6.59	60	Pass	401
2700	3000	1	RMS	2700	-45.15	-25	Pass	401
3000	6500	1	RMS	6212.918	-64.01	-25	Pass	3500
6500	27000	1	RMS	25524.642	-43.72	-25	Pass	20500




28.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.66	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.29	-25	Pass	2985
30	1000	0.1	RMS	926.102	-61.26	-25	Pass	9699
1000	2486	1	RMS	2486	-47.78	-25	Pass	1486
2486	2700	1	RMS	2576.95	5.81	60	Pass	401
2700	3000	1	RMS	2705.25	-46.91	-25	Pass	401
3000	6500	1	RMS	6209.917	-64.05	-25	Pass	3500
6500	27000	1	RMS	26919.981	-44.06	-25	Pass	20500




28.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-25	Pass	401
0.15	30	0.01	RMS	1	-70.36	-25	Pass	2985
30	1000	0.1	RMS	915.888	-61.58	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.12	-25	Pass	1486
2486	2700	1	RMS	2626.17	6.83	60	Pass	401
2700	3000	1	RMS	2700	-37.73	-25	Pass	401
3000	6500	1	RMS	6215.919	-64.05	-25	Pass	3500
6500	27000	1	RMS	25800.709	-43.88	-25	Pass	20500



28.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.9	-25	Pass	2985
30	1000	0.1	RMS	463.453	-61.54	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.45	-25	Pass	1486
2486	2700	1	RMS	2624.03	5.92	60	Pass	401
2700	3000	1	RMS	2700	-39.73	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.06	-25	Pass	3500
6500	27000	1	RMS	25509.638	-43.67	-25	Pass	20500



29. DC_66A_n7A_SCS15


29.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.05	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-25	Pass	2985
30	1000	0.1	RMS	873.833	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-50.52	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.89	60	Pass	401
2580	3000	1	RMS	2878.711	-49.05	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.35	-25	Pass	3500
6500	26000	1	RMS	25484.835	-45	-25	Pass	19500




29.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.04	-25	Pass	2985
30	1000	0.1	RMS	888.252	-64.05	-25	Pass	9699
1000	2490	1	RMS	2490	-50.57	-25	Pass	1490
2490	2580	1	RMS	2502.375	18.91	60	Pass	401
2580	3000	1	RMS	2873.699	-49.04	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.42	-25	Pass	3500
6500	26000	1	RMS	25495.838	-45.01	-25	Pass	19500




29.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-25	Pass	2985
30	1000	0.1	RMS	892.057	-63.95	-25	Pass	9699
1000	2490	1	RMS	2490	-50.93	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.82	60	Pass	401
2580	3000	1	RMS	2869.69	-49.08	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.31	-25	Pass	3500
6500	26000	1	RMS	25499.839	-45.04	-25	Pass	19500




29.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-25	Pass	2985
30	1000	0.1	RMS	863.619	-64.07	-25	Pass	9699
1000	2490	1	RMS	2490	-50.86	-25	Pass	1490
2490	2580	1	RMS	2534.775	18.66	60	Pass	401
2580	3000	1	RMS	2868.687	-49.04	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.4	-25	Pass	3500
6500	26000	1	RMS	25503.841	-45.02	-25	Pass	19500




29.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.39	-71.97	-25	Pass	2985
30	1000	0.1	RMS	879.14	-63.89	-25	Pass	9699
1000	2490	1	RMS	2458.979	-50.46	-25	Pass	1490
2490	2580	1	RMS	2567.4	19.71	60	Pass	401
2580	3000	1	RMS	2877.709	-49.05	-25	Pass	420
3000	6500	1	RMS	5134.61	-64.01	-25	Pass	3500
6500	26000	1	RMS	25500.84	-45.03	-25	Pass	19500




29.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-25	Pass	2985
30	1000	0.1	RMS	998.298	-63.98	-25	Pass	9699
1000	2490	1	RMS	2490	-50.65	-25	Pass	1490
2490	2580	1	RMS	2567.175	18.69	60	Pass	401
2580	3000	1	RMS	2872.697	-49.04	-25	Pass	420
3000	6500	1	RMS	5134.61	-64.13	-25	Pass	3500
6500	26000	1	RMS	25494.838	-45.04	-25	Pass	19500




29.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.91	-25	Pass	2985
30	1000	0.1	RMS	896.663	-64	-25	Pass	9699
1000	2490	1	RMS	2490	-44.7	-25	Pass	1490
2490	2580	1	RMS	2508	15.32	60	Pass	401
2580	3000	1	RMS	2868.687	-49.07	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.42	-25	Pass	3500
6500	26000	1	RMS	25487.836	-44.98	-25	Pass	19500




29.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.51	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.81	-25	Pass	2985
30	1000	0.1	RMS	901.169	-64.03	-25	Pass	9699
1000	2490	1	RMS	2490	-44.5	-25	Pass	1490
2490	2580	1	RMS	2509.125	14.51	60	Pass	401
2580	3000	1	RMS	2873.699	-49.07	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.41	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.92	-25	Pass	19500




29.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-25	Pass	2985
30	1000	0.1	RMS	905.475	-63.99	-25	Pass	9699
1000	2490	1	RMS	2490	-50.94	-25	Pass	1490
2490	2580	1	RMS	2535.45	15.15	60	Pass	401
2580	3000	1	RMS	2871.695	-49.06	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.42	-25	Pass	3500
6500	26000	1	RMS	25503.841	-45.04	-25	Pass	19500




29.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.18	-25	Pass	2985
30	1000	0.1	RMS	898.465	-63.9	-25	Pass	9699
1000	2490	1	RMS	2490	-50.87	-25	Pass	1490
2490	2580	1	RMS	2536.575	14.26	60	Pass	401
2580	3000	1	RMS	2866.683	-49.06	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.4	-25	Pass	3500
6500	26000	1	RMS	25504.841	-45.04	-25	Pass	19500




29.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-25	Pass	2985
30	1000	0.1	RMS	913.185	-63.94	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.8	-25	Pass	1490
2490	2580	1	RMS	2563.125	15.11	60	Pass	401
2580	3000	1	RMS	2580	-44.81	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.42	-25	Pass	3500
6500	26000	1	RMS	25499.839	-45.02	-25	Pass	19500




29.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.68	-25	Pass	2985
30	1000	0.1	RMS	905.375	-63.94	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.82	-25	Pass	1490
2490	2580	1	RMS	2564.025	14.18	60	Pass	401
2580	3000	1	RMS	2580	-46.04	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.42	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.91	-25	Pass	19500




29.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.73	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.64	-25	Pass	2985
30	1000	0.1	RMS	902.971	-63.94	-25	Pass	9699
1000	2490	1	RMS	2490	-40.41	-25	Pass	1490
2490	2580	1	RMS	2512.725	13.97	60	Pass	401
2580	3000	1	RMS	2881.718	-49.1	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.41	-25	Pass	3500
6500	26000	1	RMS	25505.841	-44.98	-25	Pass	19500




29.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.91	-25	Pass	2985
30	1000	0.1	RMS	895.361	-63.84	-25	Pass	9699
1000	2490	1	RMS	2490	-42.06	-25	Pass	1490
2490	2580	1	RMS	2512.725	13.11	60	Pass	401
2580	3000	1	RMS	2876.706	-49.08	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.37	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.99	-25	Pass	19500




29.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-25	Pass	2985
30	1000	0.1	RMS	903.873	-64.04	-25	Pass	9699
1000	2490	1	RMS	2490	-50.82	-25	Pass	1490
2490	2580	1	RMS	2537.7	13.77	60	Pass	401
2580	3000	1	RMS	2869.69	-49.07	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.44	-25	Pass	3500
6500	26000	1	RMS	25826.944	-45.02	-25	Pass	19500




29.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.7	-25	Pass	2985
30	1000	0.1	RMS	874.734	-63.89	-25	Pass	9699
1000	2490	1	RMS	2490	-50.81	-25	Pass	1490
2490	2580	1	RMS	2537.7	12.81	60	Pass	401
2580	3000	1	RMS	2870.692	-49.06	-25	Pass	420
3000	6500	1	RMS	6221.921	-64.4	-25	Pass	3500
6500	26000	1	RMS	25499.839	-45.03	-25	Pass	19500




29.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.55	-25	Pass	2985
30	1000	0.1	RMS	901.87	-63.93	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.92	-25	Pass	1490
2490	2580	1	RMS	2562.45	13.68	60	Pass	401
2580	3000	1	RMS	2580	-41.95	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.35	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.97	-25	Pass	19500



29.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-25	Pass	2985
30	1000	0.1	RMS	895.862	-63.92	-25	Pass	9699
1000	2490	1	RMS	2490	-50.89	-25	Pass	1490
2490	2580	1	RMS	2562.675	12.77	60	Pass	401
2580	3000	1	RMS	2580	-43.67	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.42	-25	Pass	3500
6500	26000	1	RMS	25495.838	-45.03	-25	Pass	19500



END