


A.6. Band Edge

1. GSM_GSM850


1.1. GSM Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.708	-45.26	-13	Pass	401
823	824	0.003	RMS	823.999	-18.33	-13	Pass	700
824	824.5	0.01	RMS	824.193	22.17	35	Pass	401



1.2. GSM Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.78	21.76	35	Pass	401
849	850	0.003	RMS	849.021	-18.55	-13	Pass	700
850	855	0.1	RMS	850.25	-45.08	-13	Pass	401



2. GSM_PCS


2.1. GSM Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-34.93	-13	Pass	41
1849	1850	0.003	RMS	1849.997	-20.94	-13	Pass	700
1850	1851	0.01	RMS	1850.193	18.8	35	Pass	401



2.2. GSM Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.785	19.21	35	Pass	401
1910	1911	0.003	RMS	1910.026	-22.33	-13	Pass	700
1911	1915	1	RMS	1911.1	-34.93	-13	Pass	41



3. EGPRS_GSM850


3.1. EGPRS Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.873	-45.36	-13	Pass	401
823	824	0.003	RMS	823.996	-24.15	-13	Pass	700
824	824.5	0.01	RMS	824.168	16.59	35	Pass	401



3.2. EGPRS Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.798	15.47	35	Pass	401
849	850	0.003	RMS	849.023	-28.84	-13	Pass	700
850	855	0.1	RMS	850.013	-45.63	-13	Pass	401



4. EGPRS_PCS


4.1. EGPRS Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-35.06	-13	Pass	41
1849	1850	0.003	RMS	1849.966	-28.63	-13	Pass	700
1850	1851	0.01	RMS	1850.193	15.06	35	Pass	401



4.2. EGPRS Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.84	14.16	35	Pass	401
1910	1911	0.003	RMS	1910.027	-28.45	-13	Pass	700
1911	1915	1	RMS	1911.1	-35.18	-13	Pass	41



5. WCDMA_Band2


5.1. WCDMA Band Edge(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-25.23	-13	Pass	41
1849	1850	0.051	RMS	1850	-26.26	-13	Pass	401
1850	1855	0.1	RMS	1851.55	8.4	35	Pass	401



5.2. WCDMA Band Edge(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.713	8.58	35	Pass	401
1910	1911	0.051	RMS	1910	-23.84	-13	Pass	401
1911	1915	1	RMS	1911.1	-26.31	-13	Pass	41



6. WCDMA_Band4


6.1. WCDMA Band Edge(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-25.89	-13	Pass	41
1709	1710	0.051	RMS	1710	-25.67	-13	Pass	401
1710	1715	0.1	RMS	1713.763	7.89	35	Pass	401



6.2. WCDMA Band Edge(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.713	8.51	35	Pass	401
1755	1756	0.051	RMS	1755	-23.53	-13	Pass	401
1756	1760	1	RMS	1756.1	-25.35	-13	Pass	41



7. WCDMA_Band5


7.1. WCDMA Band Edge(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.948	-36.86	-13	Pass	401
823	824	0.051	RMS	824	-25.48	-13	Pass	401
824	829	0.1	RMS	825.5	8.57	35	Pass	401



7.2. WCDMA Band Edge(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.725	8.4	35	Pass	401
849	850	0.051	RMS	849	-25.79	-13	Pass	401
850	855	0.1	RMS	850.3	-40.97	-13	Pass	401



8. LTE_Band2


8.1. LTE Band Edge(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.9	-13	Pass	401
1848	1849	1	RMS	1849	-36.56	-13	Pass	2
1849	1850	0.02	RMS	1850	-33.7	-13	Pass	401
1850	1852	0.1	RMS	1850.245	21.22	30	Pass	401




8.2. LTE Band Edge(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-36.47	-13	Pass	401
1848	1849	1	RMS	1849	-28.28	-13	Pass	2
1849	1850	0.02	RMS	1849.978	-35.94	-13	Pass	401
1850	1852	0.1	RMS	1851.07	12.76	30	Pass	401




8.3. LTE Band Edge(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.43	-13	Pass	401
1848	1849	1	RMS	1849	-36.8	-13	Pass	2
1849	1850	0.02	RMS	1849.988	-33.7	-13	Pass	401
1850	1852	0.1	RMS	1850.25	20.41	30	Pass	401




8.4. LTE Band Edge(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.35	-13	Pass	401
1848	1849	1	RMS	1849	-31.21	-13	Pass	2
1849	1850	0.02	RMS	1849.975	-38	-13	Pass	401
1850	1852	0.1	RMS	1850.915	12.5	30	Pass	401




8.5. LTE Band Edge(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.745	21.22	30	Pass	401
1910	1911	0.02	RMS	1910.02	-29.76	-13	Pass	401
1911	1912	1	RMS	1911	-25.47	-13	Pass	2
1912	1920	1	RMS	1912	-44.8	-13	Pass	401




8.6. LTE Band Edge(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.43	12.81	30	Pass	401
1910	1911	0.02	RMS	1910.078	-33.73	-13	Pass	401
1911	1912	1	RMS	1911	-19.58	-13	Pass	2
1912	1920	1	RMS	1912	-29.33	-13	Pass	401




8.7. LTE Band Edge(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.755	20.31	30	Pass	401
1910	1911	0.02	RMS	1910.013	-26.2	-13	Pass	401
1911	1912	1	RMS	1911	-24.1	-13	Pass	2
1912	1920	1	RMS	1912.04	-43.76	-13	Pass	401




8.8. LTE Band Edge(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.335	11.86	30	Pass	401
1910	1911	0.02	RMS	1910.065	-35.21	-13	Pass	401
1911	1912	1	RMS	1911	-22.52	-13	Pass	2
1912	1920	1	RMS	1912	-34.29	-13	Pass	401




8.9. LTE Band Edge(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.36	-13	Pass	401
1848	1849	1	RMS	1849	-34.77	-13	Pass	2
1849	1850	0.03	RMS	1849.998	-20.24	-13	Pass	401
1850	1853	0.1	RMS	1850.225	21.37	30	Pass	401




8.10. LTE Band Edge(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.36	-13	Pass	401
1848	1849	1	RMS	1849	-24.49	-13	Pass	2
1849	1850	0.03	RMS	1850	-26.79	-13	Pass	401
1850	1853	0.1	RMS	1852.708	8.92	30	Pass	401




8.11. LTE Band Edge(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-40.04	-13	Pass	401
1848	1849	1	RMS	1849	-32.62	-13	Pass	2
1849	1850	0.03	RMS	1850	-20.58	-13	Pass	401
1850	1853	0.1	RMS	1850.248	20.48	30	Pass	401




8.12. LTE Band Edge(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.23	-13	Pass	401
1848	1849	1	RMS	1849	-26.51	-13	Pass	2
1849	1850	0.03	RMS	1850	-28.76	-13	Pass	401
1850	1853	0.1	RMS	1852.415	7.99	30	Pass	401



8.13. LTE Band Edge(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.768	21.26	30	Pass	401
1910	1911	0.03	RMS	1910.029	-22.47	-13	Pass	35
1911	1912	1	RMS	1911	-32.23	-13	Pass	2
1912	1920	1	RMS	1912	-37.45	-13	Pass	401




8.14. LTE Band Edge(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.08	9.04	30	Pass	401
1910	1911	0.03	RMS	1910	-26.59	-13	Pass	401
1911	1912	1	RMS	1911	-20.43	-13	Pass	2
1912	1920	1	RMS	1912.04	-22.78	-13	Pass	401



8.15. LTE Band Edge(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.753	20.21	30	Pass	401
1910	1911	0.03	RMS	1910	-18.53	-13	Pass	401
1911	1912	1	RMS	1911	-20.22	-13	Pass	2
1912	1920	1	RMS	1912.06	-38.7	-13	Pass	401




8.16. LTE Band Edge(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.638	7.97	30	Pass	401
1910	1911	0.03	RMS	1910	-26.65	-13	Pass	401
1911	1912	1	RMS	1911	-20.57	-13	Pass	2
1912	1920	1	RMS	1912.02	-24.62	-13	Pass	401




8.17. LTE Band Edge(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.35	-13	Pass	401
1848	1849	1	RMS	1849	-39.11	-13	Pass	2
1849	1850	0.051	RMS	1850	-22.98	-13	Pass	401
1850	1855	0.1	RMS	1850.325	21.1	30	Pass	401




8.18. LTE Band Edge(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-27.28	-13	Pass	401
1848	1849	1	RMS	1849	-24.34	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-30.05	-13	Pass	401
1850	1855	0.1	RMS	1851.663	6.64	30	Pass	401




8.19. LTE Band Edge(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.17	-13	Pass	401
1848	1849	1	RMS	1849	-35.71	-13	Pass	2
1849	1850	0.051	RMS	1850	-22.64	-13	Pass	401
1850	1855	0.1	RMS	1850.375	20.29	30	Pass	401




8.20. LTE Band Edge(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-29.66	-13	Pass	401
1848	1849	1	RMS	1849	-26.74	-13	Pass	2
1849	1850	0.051	RMS	1850	-31.38	-13	Pass	401
1850	1855	0.1	RMS	1853.3	5.78	30	Pass	401



8.21. LTE Band Edge(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	21.06	30	Pass	401
1910	1911	0.051	RMS	1910	-20.69	-13	Pass	401
1911	1912	1	RMS	1911	-26.06	-13	Pass	2
1912	1920	1	RMS	1912.04	-34.72	-13	Pass	401




8.22. LTE Band Edge(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1908.275	6.77	30	Pass	401
1910	1911	0.051	RMS	1910	-28.58	-13	Pass	401
1911	1912	1	RMS	1911	-22.6	-13	Pass	2
1912	1920	1	RMS	1912	-25.1	-13	Pass	9



8.23. LTE Band Edge(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	20.17	30	Pass	401
1910	1911	0.051	RMS	1910	-20.89	-13	Pass	401
1911	1912	1	RMS	1911	-23.66	-13	Pass	2
1912	1920	1	RMS	1912.02	-35.22	-13	Pass	401




8.24. LTE Band Edge(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.238	5.86	30	Pass	401
1910	1911	0.051	RMS	1910	-29.38	-13	Pass	401
1911	1912	1	RMS	1911	-22.92	-13	Pass	2
1912	1920	1	RMS	1912.02	-25.76	-13	Pass	401




8.25. LTE Band Edge(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846.1	-36.18	-13	Pass	401
1848	1849	1	RMS	1849	-41.44	-13	Pass	2
1849	1850	0.1	RMS	1850	-32.42	-13	Pass	401
1850	1860	0.1	RMS	1850.575	21.22	30	Pass	401




8.26. LTE Band Edge(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-27.66	-13	Pass	401
1848	1849	1	RMS	1849	-26.15	-13	Pass	2
1849	1850	0.1	RMS	1850	-32.07	-13	Pass	401
1850	1860	0.1	RMS	1851.95	3.61	30	Pass	401




8.27. LTE Band Edge(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846.24	-36.48	-13	Pass	401
1848	1849	1	RMS	1849	-36.99	-13	Pass	2
1849	1850	0.1	RMS	1849.98	-30.93	-13	Pass	401
1850	1860	0.1	RMS	1850.575	20.49	30	Pass	401




8.28. LTE Band Edge(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.78	-29.67	-13	Pass	401
1848	1849	1	RMS	1849	-28.44	-13	Pass	2
1849	1850	0.1	RMS	1850	-34.08	-13	Pass	401
1850	1860	0.1	RMS	1857.725	2.58	30	Pass	401




8.29. LTE Band Edge(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	21.11	30	Pass	401
1910	1911	0.1	RMS	1910	-30.52	-13	Pass	401
1911	1912	1	RMS	1911	-32.02	-13	Pass	2
1912	1920	1	RMS	1915.56	-43.25	-13	Pass	401




8.30. LTE Band Edge(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1907.575	4.03	30	Pass	401
1910	1911	0.1	RMS	1910	-30.98	-13	Pass	401
1911	1912	1	RMS	1911	-24.26	-13	Pass	2
1912	1920	1	RMS	1912	-26.33	-13	Pass	401




8.31. LTE Band Edge(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	20.05	30	Pass	401
1910	1911	0.1	RMS	1910	-31.07	-13	Pass	401
1911	1912	1	RMS	1911	-31.86	-13	Pass	2
1912	1920	1	RMS	1912	-45.29	-13	Pass	401




8.32. LTE Band Edge(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1908.825	2.96	30	Pass	401
1910	1911	0.1	RMS	1910.005	-32.7	-13	Pass	401
1911	1912	1	RMS	1911	-26.97	-13	Pass	2
1912	1920	1	RMS	1912.04	-28.15	-13	Pass	401




8.33. LTE Band Edge(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1844.18	-35.38	-13	Pass	401
1848	1849	1	RMS	1848	-35.53	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-31.43	-13	Pass	401
1850	1865	0.1	RMS	1850.825	20.93	30	Pass	401




8.34. LTE Band Edge(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.62	-13	Pass	401
1848	1849	1	RMS	1849	-25.95	-13	Pass	2
1849	1850	0.15	RMS	1849.395	-33.15	-13	Pass	401
1850	1865	0.1	RMS	1854.575	1.77	30	Pass	401




8.35. LTE Band Edge(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1844.14	-36.2	-13	Pass	401
1848	1849	1	RMS	1848	-36.71	-13	Pass	2
1849	1850	0.15	RMS	1850	-30.98	-13	Pass	401
1850	1865	0.1	RMS	1850.825	20.11	30	Pass	401




8.36. LTE Band Edge(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.16	-30.05	-13	Pass	401
1848	1849	1	RMS	1849	-28.84	-13	Pass	2
1849	1850	0.15	RMS	1850	-35.84	-13	Pass	401
1850	1865	0.1	RMS	1852.063	0.78	30	Pass	401




8.37. LTE Band Edge(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	21.08	30	Pass	401
1910	1911	0.15	RMS	1910	-30	-13	Pass	401
1911	1912	1	RMS	1911	-34.23	-13	Pass	2
1912	1920	1	RMS	1912.14	-44.94	-13	Pass	401




8.38. LTE Band Edge(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.863	2.26	30	Pass	401
1910	1911	0.15	RMS	1910.008	-29.71	-13	Pass	401
1911	1912	1	RMS	1911	-22.9	-13	Pass	2
1912	1920	1	RMS	1912.04	-22.65	-13	Pass	401




8.39. LTE Band Edge(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	19.89	30	Pass	401
1910	1911	0.15	RMS	1910	-30.74	-13	Pass	401
1911	1912	1	RMS	1911	-33.78	-13	Pass	2
1912	1920	1	RMS	1912.32	-45.59	-13	Pass	401




8.40. LTE Band Edge(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.938	1.29	30	Pass	401
1910	1911	0.15	RMS	1910.003	-33.07	-13	Pass	401
1911	1912	1	RMS	1911	-27.76	-13	Pass	2
1912	1920	1	RMS	1912.02	-28.21	-13	Pass	401




8.41. LTE Band Edge(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.48	-42.91	-13	Pass	401
1848	1849	1	RMS	1849	-43.91	-13	Pass	2
1849	1850	0.2	RMS	1850	-32.24	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.87	30	Pass	401




8.42. LTE Band Edge(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.6	-13	Pass	401
1848	1849	1	RMS	1849	-28.23	-13	Pass	2
1849	1850	0.2	RMS	1849.993	-33.77	-13	Pass	401
1850	1870	0.1	RMS	1856.65	0.48	30	Pass	401




8.43. LTE Band Edge(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-46.48	-13	Pass	401
1848	1849	1	RMS	1849	-42.09	-13	Pass	2
1849	1850	0.2	RMS	1850	-32.19	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.15	30	Pass	401




8.44. LTE Band Edge(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-30.97	-13	Pass	401
1848	1849	1	RMS	1849	-29.74	-13	Pass	2
1849	1850	0.2	RMS	1849.983	-34.99	-13	Pass	401
1850	1870	0.1	RMS	1855	-0.38	30	Pass	401




8.45. LTE Band Edge(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.94	30	Pass	401
1910	1911	0.2	RMS	1910	-30.53	-13	Pass	401
1911	1912	1	RMS	1911	-35.76	-13	Pass	2
1912	1920	1	RMS	1912	-44.56	-13	Pass	401




8.46. LTE Band Edge(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1891.4	1.2	30	Pass	401
1910	1911	0.2	RMS	1910	-30.01	-13	Pass	401
1911	1912	1	RMS	1911	-24.71	-13	Pass	2
1912	1920	1	RMS	1912	-25.47	-13	Pass	401




8.47. LTE Band Edge(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.85	30	Pass	401
1910	1911	0.2	RMS	1910	-32.01	-13	Pass	401
1911	1912	1	RMS	1911	-36.34	-13	Pass	2
1912	1920	1	RMS	1912.06	-45.64	-13	Pass	401



8.48. LTE Band Edge(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1892.1	0.07	30	Pass	401
1910	1911	0.2	RMS	1910.015	-31.65	-13	Pass	401
1911	1912	1	RMS	1911	-25.94	-13	Pass	2
1912	1920	1	RMS	1912	-27.46	-13	Pass	401



9. LTE_Band4


9.1. LTE Band Edge(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.07	-13	Pass	401
1708	1709	1	RMS	1709	-36.7	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-22.46	-13	Pass	401
1710	1712	0.1	RMS	1710.255	20.37	30	Pass	401




9.2. LTE Band Edge(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.78	-13	Pass	401
1708	1709	1	RMS	1709	-27.9	-13	Pass	2
1709	1710	0.02	RMS	1709.995	-35.39	-13	Pass	401
1710	1712	0.1	RMS	1711.005	12.67	30	Pass	401




9.3. LTE Band Edge(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.74	-13	Pass	401
1708	1709	1	RMS	1709	-35.98	-13	Pass	2
1709	1710	0.02	RMS	1709.98	-31.83	-13	Pass	401
1710	1712	0.1	RMS	1710.255	20.21	30	Pass	401




9.4. LTE Band Edge(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-37.96	-13	Pass	401
1708	1709	1	RMS	1709	-30.86	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-37.28	-13	Pass	401
1710	1712	0.1	RMS	1710.42	12.57	30	Pass	401




9.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.745	21.05	30	Pass	401
1755	1756	0.02	RMS	1755.005	-33.47	-13	Pass	401
1756	1757	1	RMS	1756	-29.41	-13	Pass	2
1757	1765	1	RMS	1757	-45.85	-13	Pass	401




9.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.04	13.24	30	Pass	401
1755	1756	0.02	RMS	1755	-34.02	-13	Pass	401
1756	1757	1	RMS	1756	-22.24	-13	Pass	2
1757	1765	1	RMS	1757.04	-36.61	-13	Pass	401




9.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.745	20.15	30	Pass	401
1755	1756	0.02	RMS	1755.008	-36.5	-13	Pass	401
1756	1757	1	RMS	1756	-37.5	-13	Pass	2
1757	1765	1	RMS	1757	-46.13	-13	Pass	401




9.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.595	12.53	30	Pass	401
1755	1756	0.02	RMS	1755	-36.03	-13	Pass	401
1756	1757	1	RMS	1756	-23.05	-13	Pass	2
1757	1765	1	RMS	1757	-38.43	-13	Pass	401




9.9. LTE Band Edge(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-42.34	-13	Pass	401
1708	1709	1	RMS	1709	-35.53	-13	Pass	2
1709	1710	0.03	RMS	1710	-16.87	-13	Pass	401
1710	1713	0.1	RMS	1710.24	20.61	30	Pass	401




9.10. LTE Band Edge(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-25.12	-13	Pass	401
1708	1709	1	RMS	1709	-22.28	-13	Pass	2
1709	1710	0.03	RMS	1710	-25.71	-13	Pass	401
1710	1713	0.1	RMS	1712.333	9.03	30	Pass	401




9.11. LTE Band Edge(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-41.16	-13	Pass	401
1708	1709	1	RMS	1709	-33.28	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.69	-13	Pass	401
1710	1713	0.1	RMS	1710.255	20.28	30	Pass	401




9.12. LTE Band Edge(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-26.54	-13	Pass	401
1708	1709	1	RMS	1709	-22.94	-13	Pass	2
1709	1710	0.03	RMS	1710	-26.49	-13	Pass	401
1710	1713	0.1	RMS	1712.715	8.03	30	Pass	401




9.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	20.99	30	Pass	401
1755	1756	0.03	RMS	1755	-17.98	-13	Pass	401
1756	1757	1	RMS	1756	-22.21	-13	Pass	2
1757	1765	1	RMS	1757.04	-39.73	-13	Pass	401




9.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.693	8.86	30	Pass	401
1755	1756	0.03	RMS	1755	-26.32	-13	Pass	401
1756	1757	1	RMS	1756	-20.77	-13	Pass	2
1757	1765	1	RMS	1757.06	-25.12	-13	Pass	401



9.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.745	20.25	30	Pass	401
1755	1756	0.03	RMS	1755	-19.47	-13	Pass	401
1756	1757	1	RMS	1756	-25.72	-13	Pass	2
1757	1765	1	RMS	1757	-39.4	-13	Pass	401




9.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.415	7.89	30	Pass	401
1755	1756	0.03	RMS	1755	-27.64	-13	Pass	401
1756	1757	1	RMS	1756	-21.95	-13	Pass	2
1757	1765	1	RMS	1757	-26.92	-13	Pass	401




9.17. LTE Band Edge(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.44	-38.75	-13	Pass	401
1708	1709	1	RMS	1709	-37.01	-13	Pass	2
1709	1710	0.051	RMS	1710	-20.46	-13	Pass	401
1710	1715	0.1	RMS	1710.325	20.52	30	Pass	401




9.18. LTE Band Edge(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.88	-13	Pass	401
1708	1709	1	RMS	1709	-25.55	-13	Pass	2
1709	1710	0.051	RMS	1709.995	-29.53	-13	Pass	401
1710	1715	0.1	RMS	1714.275	6.89	30	Pass	401




9.19. LTE Band Edge(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-37.1	-13	Pass	401
1708	1709	1	RMS	1709	-35.9	-13	Pass	2
1709	1710	0.051	RMS	1710	-21.81	-13	Pass	401
1710	1715	0.1	RMS	1710.363	20.36	30	Pass	401




9.20. LTE Band Edge(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-29.96	-13	Pass	401
1708	1709	1	RMS	1709	-27.43	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-30.99	-13	Pass	401
1710	1715	0.1	RMS	1713.775	5.77	30	Pass	401




9.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	20.93	30	Pass	401
1755	1756	0.051	RMS	1755	-21.21	-13	Pass	401
1756	1757	1	RMS	1756	-29.81	-13	Pass	2
1757	1765	1	RMS	1757	-36.03	-13	Pass	401




9.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.675	6.63	30	Pass	401
1755	1756	0.051	RMS	1755	-29.38	-13	Pass	401
1756	1757	1	RMS	1756	-25.89	-13	Pass	2
1757	1765	1	RMS	1757	-30.52	-13	Pass	9



9.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	20.3	30	Pass	401
1755	1756	0.051	RMS	1755	-22.78	-13	Pass	401
1756	1757	1	RMS	1756	-28.61	-13	Pass	2
1757	1765	1	RMS	1757.02	-36.35	-13	Pass	401




9.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.688	5.66	30	Pass	401
1755	1756	0.051	RMS	1755.003	-30.65	-13	Pass	401
1756	1757	1	RMS	1756	-27.36	-13	Pass	2
1757	1765	1	RMS	1757	-32.27	-13	Pass	9




9.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.2	-41.56	-13	Pass	401
1708	1709	1	RMS	1709	-40.14	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-31.14	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.75	30	Pass	401




9.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.41	-13	Pass	401
1708	1709	1	RMS	1709	-25.22	-13	Pass	2
1709	1710	0.1	RMS	1710	-30.52	-13	Pass	401
1710	1720	0.1	RMS	1715.525	3.67	30	Pass	401




9.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.18	-38.44	-13	Pass	401
1708	1709	1	RMS	1709	-39.3	-13	Pass	2
1709	1710	0.1	RMS	1710	-30.94	-13	Pass	401
1710	1720	0.1	RMS	1710.575	20.41	30	Pass	401




9.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-28.33	-13	Pass	401
1708	1709	1	RMS	1709	-27.28	-13	Pass	2
1709	1710	0.1	RMS	1710	-32.7	-13	Pass	401
1710	1720	0.1	RMS	1719.1	2.88	30	Pass	401




9.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	20.93	30	Pass	401
1755	1756	0.1	RMS	1755	-32.38	-13	Pass	401
1756	1757	1	RMS	1756	-35.58	-13	Pass	2
1757	1765	1	RMS	1758.88	-35.83	-13	Pass	401




9.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1747.6	3.55	30	Pass	401
1755	1756	0.1	RMS	1755	-33.16	-13	Pass	401
1756	1757	1	RMS	1756	-27.47	-13	Pass	2
1757	1765	1	RMS	1757	-30.27	-13	Pass	401



9.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	20.16	30	Pass	401
1755	1756	0.1	RMS	1755	-31.11	-13	Pass	401
1756	1757	1	RMS	1756	-32.39	-13	Pass	2
1757	1765	1	RMS	1758.82	-36.56	-13	Pass	401




9.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1746.325	2.54	30	Pass	401
1755	1756	0.1	RMS	1755	-34.49	-13	Pass	401
1756	1757	1	RMS	1756	-29.58	-13	Pass	2
1757	1765	1	RMS	1757.02	-32.18	-13	Pass	401




9.33. LTE Band Edge(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.16	-41.42	-13	Pass	401
1708	1709	1	RMS	1708	-41.63	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-31.54	-13	Pass	401
1710	1725	0.1	RMS	1710.863	20.72	30	Pass	401




9.34. LTE Band Edge(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.03	-13	Pass	401
1708	1709	1	RMS	1709	-28.06	-13	Pass	2
1709	1710	0.15	RMS	1710	-32.56	-13	Pass	401
1710	1725	0.1	RMS	1721.363	1.83	30	Pass	401




9.35. LTE Band Edge(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.1	-39.21	-13	Pass	401
1708	1709	1	RMS	1708	-39.93	-13	Pass	2
1709	1710	0.15	RMS	1710	-31.15	-13	Pass	401
1710	1725	0.1	RMS	1710.863	20.21	30	Pass	401




9.36. LTE Band Edge(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-30.28	-13	Pass	401
1708	1709	1	RMS	1709	-29.75	-13	Pass	2
1709	1710	0.15	RMS	1709.993	-35.09	-13	Pass	401
1710	1725	0.1	RMS	1724.1	0.88	30	Pass	401




9.37. LTE Band Edge(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	20.8	30	Pass	401
1755	1756	0.15	RMS	1755	-31.29	-13	Pass	401
1756	1757	1	RMS	1756	-36.27	-13	Pass	2
1757	1765	1	RMS	1760.78	-37.09	-13	Pass	401




9.38. LTE Band Edge(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1744.575	1.61	30	Pass	401
1755	1756	0.15	RMS	1755	-35	-13	Pass	401
1756	1757	1	RMS	1756	-30.29	-13	Pass	2
1757	1765	1	RMS	1757.14	-30.26	-13	Pass	401




9.39. LTE Band Edge(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	19.97	30	Pass	401
1755	1756	0.15	RMS	1755.005	-31.04	-13	Pass	401
1756	1757	1	RMS	1756	-35.14	-13	Pass	2
1757	1765	1	RMS	1760.84	-37.7	-13	Pass	401




9.40. LTE Band Edge(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1742.025	0.63	30	Pass	401
1755	1756	0.15	RMS	1755	-36.67	-13	Pass	401
1756	1757	1	RMS	1756	-31.14	-13	Pass	2
1757	1765	1	RMS	1757	-30.93	-13	Pass	401




9.41. LTE Band Edge(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.08	-39.52	-13	Pass	401
1708	1709	1	RMS	1709	-44.57	-13	Pass	2
1709	1710	0.2	RMS	1710	-32.42	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.86	30	Pass	401




9.42. LTE Band Edge(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-33.36	-13	Pass	401
1708	1709	1	RMS	1709	-32.51	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-35.43	-13	Pass	401
1710	1730	0.1	RMS	1727.6	0.58	30	Pass	401




9.43. LTE Band Edge(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.16	-40.04	-13	Pass	401
1708	1709	1	RMS	1709	-43.26	-13	Pass	2
1709	1710	0.2	RMS	1710	-31.72	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.2	30	Pass	401




9.44. LTE Band Edge(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-34.4	-13	Pass	401
1708	1709	1	RMS	1709	-33.42	-13	Pass	2
1709	1710	0.2	RMS	1710	-37.01	-13	Pass	401
1710	1730	0.1	RMS	1723	-0.37	30	Pass	401




9.45. LTE Band Edge(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.7	30	Pass	401
1755	1756	0.2	RMS	1755	-32.23	-13	Pass	401
1756	1757	1	RMS	1756	-38.46	-13	Pass	2
1757	1765	1	RMS	1762.78	-38.07	-13	Pass	401




9.46. LTE Band Edge(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1741.25	0.49	30	Pass	401
1755	1756	0.2	RMS	1755	-34.61	-13	Pass	401
1756	1757	1	RMS	1756	-29.49	-13	Pass	2
1757	1765	1	RMS	1757	-30.68	-13	Pass	401




9.47. LTE Band Edge(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.87	30	Pass	401
1755	1756	0.2	RMS	1755.005	-32.38	-13	Pass	401
1756	1757	1	RMS	1756	-37.46	-13	Pass	2
1757	1765	1	RMS	1762.9	-39.28	-13	Pass	401



9.48. LTE Band Edge(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1748.7	-0.44	30	Pass	401
1755	1756	0.2	RMS	1755	-35.94	-13	Pass	401
1756	1757	1	RMS	1756	-30.4	-13	Pass	2
1757	1765	1	RMS	1757.02	-31.86	-13	Pass	401



10. LTE_Band5


10.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.29	-13	Pass	401
823	824	0.02	RMS	823.998	-34.93	-13	Pass	401
824	826	0.1	RMS	824.245	21.59	30	Pass	401




10.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.86	-37.69	-13	Pass	401
823	824	0.02	RMS	824	-37.18	-13	Pass	401
824	826	0.1	RMS	825.085	13.13	30	Pass	401




10.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-53.19	-13	Pass	401
823	824	0.02	RMS	824	-35.06	-13	Pass	401
824	826	0.1	RMS	824.27	20.49	30	Pass	401




10.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.79	-13	Pass	401
823	824	0.02	RMS	823.97	-36	-13	Pass	401
824	826	0.1	RMS	825.12	12.21	30	Pass	401




10.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	21.18	30	Pass	401
849	850	0.02	RMS	849	-32.95	-13	Pass	401
850	860	0.1	RMS	850	-52.7	-13	Pass	401




10.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.465	12.83	30	Pass	401
849	850	0.02	RMS	849.028	-37.79	-13	Pass	401
850	860	0.1	RMS	850	-38.31	-13	Pass	401




10.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.76	20.33	30	Pass	401
849	850	0.02	RMS	849.003	-34.92	-13	Pass	401
850	860	0.1	RMS	850	-52.97	-13	Pass	401




10.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.34	11.88	30	Pass	401
849	850	0.02	RMS	849.003	-35.89	-13	Pass	401
850	860	0.1	RMS	850.05	-37.46	-13	Pass	401




10.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-40.32	-13	Pass	401
823	824	0.02	RMS	824	-21.25	-13	Pass	401
824	827	0.1	RMS	824.24	21.58	30	Pass	401




10.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-36.03	-13	Pass	401
823	824	0.03	RMS	824	-26.29	-13	Pass	401
824	827	0.1	RMS	825.793	9.32	30	Pass	401




10.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-41.54	-13	Pass	401
823	824	0.03	RMS	824	-21.32	-13	Pass	401
824	827	0.1	RMS	824.233	20.71	30	Pass	401




10.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.05	-13	Pass	401
823	824	0.03	RMS	824	-27.97	-13	Pass	401
824	827	0.1	RMS	826.43	8.53	30	Pass	401




10.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	21.39	30	Pass	401
849	850	0.03	RMS	849	-19.8	-13	Pass	401
850	860	0.1	RMS	850.025	-44.13	-13	Pass	401




10.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.255	9.13	30	Pass	401
849	850	0.03	RMS	849	-28.12	-13	Pass	401
850	860	0.1	RMS	850.1	-39.27	-13	Pass	401




10.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	20.34	30	Pass	401
849	850	0.03	RMS	849	-21.26	-13	Pass	401
850	860	0.1	RMS	850	-44.66	-13	Pass	401




10.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.623	8.08	30	Pass	401
849	850	0.03	RMS	849	-28.47	-13	Pass	401
850	860	0.1	RMS	850	-37	-13	Pass	401




10.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-38.53	-13	Pass	401
823	824	0.051	RMS	824	-22.64	-13	Pass	401
824	829	0.1	RMS	824.325	21.43	30	Pass	401




10.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.51	-13	Pass	401
823	824	0.051	RMS	824	-29.98	-13	Pass	401
824	829	0.1	RMS	825.663	7.21	30	Pass	401




10.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-39.87	-13	Pass	401
823	824	0.051	RMS	824	-23.9	-13	Pass	401
824	829	0.1	RMS	824.338	20.66	30	Pass	401




10.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.13	-13	Pass	401
823	824	0.051	RMS	824	-30.95	-13	Pass	401
824	829	0.1	RMS	825.688	6.23	30	Pass	401




10.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.28	30	Pass	401
849	850	0.051	RMS	849	-23.14	-13	Pass	401
850	860	0.1	RMS	850	-52.25	-13	Pass	401




10.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.85	6.96	30	Pass	401
849	850	0.051	RMS	849	-30.12	-13	Pass	401
850	860	0.1	RMS	850	-38.78	-13	Pass	401




10.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.42	30	Pass	401
849	850	0.051	RMS	849	-23.21	-13	Pass	401
850	860	0.1	RMS	850	-50.21	-13	Pass	401




10.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.588	6.04	30	Pass	401
849	850	0.051	RMS	849	-31.53	-13	Pass	401
850	860	0.1	RMS	850.05	-38.81	-13	Pass	401




10.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-53.76	-13	Pass	401
823	824	0.1	RMS	824	-31.72	-13	Pass	401
824	834	0.1	RMS	824.575	21.42	30	Pass	401




10.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-39.5	-13	Pass	401
823	824	0.1	RMS	824	-32.67	-13	Pass	401
824	834	0.1	RMS	825.95	4.61	30	Pass	401




10.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-51.02	-13	Pass	401
823	824	0.1	RMS	824	-31.61	-13	Pass	401
824	834	0.1	RMS	824.575	20.7	30	Pass	401




10.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-42.07	-13	Pass	401
823	824	0.1	RMS	824	-34.71	-13	Pass	401
824	834	0.1	RMS	826.1	3.49	30	Pass	401



10.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.18	30	Pass	401
849	850	0.1	RMS	849	-31.22	-13	Pass	401
850	860	0.1	RMS	850.025	-53.36	-13	Pass	401




10.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.475	4.18	30	Pass	401
849	850	0.1	RMS	849	-34.94	-13	Pass	401
850	860	0.1	RMS	850.15	-41.04	-13	Pass	401




10.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.36	30	Pass	401
849	850	0.1	RMS	849	-33.38	-13	Pass	401
850	860	0.1	RMS	850	-53.53	-13	Pass	401



10.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.5	3.21	30	Pass	401
849	850	0.1	RMS	849	-36.09	-13	Pass	401
850	860	0.1	RMS	850.35	-41.19	-13	Pass	401



11. LTE_Band7


11.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.62	-45.74	-25	Pass	401
2494	2496	1	RMS	2494	-46.37	-13	Pass	401
2496	2499	1	RMS	2499	-35.38	-10	Pass	4
2499	2500	0.1	RMS	2500	-18.78	-10	Pass	401
2500	2505	0.1	RMS	2500.325	20.26	30	Pass	401




11.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-35.22	-25	Pass	401
2494	2496	1	RMS	2496	-32.77	-13	Pass	401
2496	2499	1	RMS	2499	-28.4	-10	Pass	4
2499	2500	0.1	RMS	2500	-28.03	-10	Pass	401
2500	2505	0.1	RMS	2504.275	6.17	30	Pass	401




11.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.668	-46.34	-25	Pass	401
2494	2496	1	RMS	2494	-46.83	-13	Pass	401
2496	2499	1	RMS	2499	-36.19	-10	Pass	4
2499	2500	0.1	RMS	2500	-20	-10	Pass	401
2500	2505	0.1	RMS	2500.338	19.69	30	Pass	401




11.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-35.34	-25	Pass	401
2494	2496	1	RMS	2496	-32.53	-13	Pass	401
2496	2499	1	RMS	2499	-27.9	-10	Pass	4
2499	2500	0.1	RMS	2500	-28.7	-10	Pass	401
2500	2505	0.1	RMS	2504.275	5.21	30	Pass	401




11.5. LTE Band Edge(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.65	20.41	30	Pass	401
2570	2571	0.1	RMS	2570	-18.25	-10	Pass	401
2571	2575	1	RMS	2571	-20.98	-10	Pass	5
2575	2576	1	RMS	2575.998	-47.46	-13	Pass	401
2576	2595	1	RMS	2576	-47.49	-25	Pass	401




11.6. LTE Band Edge(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.85	6.07	30	Pass	401
2570	2571	0.1	RMS	2570	-26.42	-10	Pass	401
2571	2575	1	RMS	2571	-21.77	-10	Pass	5
2575	2576	1	RMS	2575.008	-31.54	-13	Pass	401
2576	2595	1	RMS	2576	-34.12	-25	Pass	401




11.7. LTE Band Edge(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	19.43	30	Pass	401
2570	2571	0.1	RMS	2570	-18.59	-10	Pass	401
2571	2575	1	RMS	2571	-20.98	-10	Pass	5
2575	2576	1	RMS	2575.985	-47.65	-13	Pass	401
2576	2595	1	RMS	2576.238	-47.51	-25	Pass	401




11.8. LTE Band Edge(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2567.25	5.05	30	Pass	401
2570	2571	0.1	RMS	2570	-27.7	-10	Pass	401
2571	2575	1	RMS	2571	-23.64	-10	Pass	5
2575	2576	1	RMS	2575.008	-34.85	-13	Pass	401
2576	2595	1	RMS	2576	-36.61	-25	Pass	401




11.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-50.16	-25	Pass	401
2490	2496	1	RMS	2493.945	-46.24	-13	Pass	401
2496	2499	1	RMS	2499	-38.58	-10	Pass	4
2499	2500	0.2	RMS	2500	-22.75	-10	Pass	401
2500	2510	0.1	RMS	2500.575	20.36	30	Pass	401




11.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-39.81	-25	Pass	401
2490	2496	1	RMS	2495.97	-30.89	-13	Pass	401
2496	2499	1	RMS	2499	-26.63	-10	Pass	4
2499	2500	0.2	RMS	2500	-28.87	-10	Pass	401
2500	2510	0.1	RMS	2509.35	3.4	30	Pass	401




11.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-50.36	-25	Pass	401
2490	2496	1	RMS	2493.915	-46.94	-13	Pass	401
2496	2499	1	RMS	2499	-39.04	-10	Pass	4
2499	2500	0.2	RMS	2499.998	-23.55	-10	Pass	401
2500	2510	0.1	RMS	2500.6	19.59	30	Pass	401




11.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.75	-25	Pass	401
2490	2496	1	RMS	2495.79	-31.56	-13	Pass	401
2496	2499	1	RMS	2499	-28.43	-10	Pass	4
2499	2500	0.2	RMS	2500	-30.63	-10	Pass	401
2500	2510	0.1	RMS	2508.375	2.37	30	Pass	401




11.13. LTE Band Edge(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.425	20.42	30	Pass	401
2570	2571	0.2	RMS	2570	-20.67	-10	Pass	401
2571	2575	1	RMS	2571	-27.66	-10	Pass	5
2575	2580	1	RMS	2575.625	-42.14	-13	Pass	401
2580	2595	1	RMS	2580.113	-51.41	-25	Pass	401




11.14. LTE Band Edge(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2562.425	3.01	30	Pass	401
2570	2571	0.2	RMS	2570.005	-27.37	-10	Pass	401
2571	2575	1	RMS	2571	-22.28	-10	Pass	5
2575	2580	1	RMS	2575.138	-28.72	-13	Pass	401
2580	2595	1	RMS	2580.075	-39.37	-25	Pass	401



11.15. LTE Band Edge(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	19.26	30	Pass	401
2570	2571	0.2	RMS	2570	-22.47	-10	Pass	401
2571	2575	1	RMS	2571	-28.21	-10	Pass	5
2575	2580	1	RMS	2576.063	-46.32	-13	Pass	401
2580	2595	1	RMS	2580.15	-51.49	-25	Pass	401




11.16. LTE Band Edge(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2561.225	2.04	30	Pass	401
2570	2571	0.2	RMS	2570	-28.98	-10	Pass	401
2571	2575	1	RMS	2571	-24.13	-10	Pass	5
2575	2580	1	RMS	2575	-30.71	-13	Pass	401
2580	2595	1	RMS	2580	-40.35	-25	Pass	401




11.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.538	-50.21	-25	Pass	401
2490	2496	1	RMS	2493.87	-43.57	-13	Pass	401
2496	2499	1	RMS	2499	-40.7	-10	Pass	4
2499	2500	0.3	RMS	2500	-24.42	-10	Pass	401
2500	2515	0.1	RMS	2500.825	20.15	30	Pass	401




11.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-37.62	-25	Pass	401
2490	2496	1	RMS	2495.985	-27.66	-13	Pass	401
2496	2499	1	RMS	2499	-25.99	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-28.79	-10	Pass	401
2500	2515	0.1	RMS	2511.4	1.44	30	Pass	401




11.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-50.51	-25	Pass	401
2490	2496	1	RMS	2493.975	-44.12	-13	Pass	401
2496	2499	1	RMS	2499	-40.82	-10	Pass	4
2499	2500	0.3	RMS	2499.993	-25.2	-10	Pass	401
2500	2515	0.1	RMS	2500.863	19.46	30	Pass	401




11.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-38.11	-25	Pass	401
2490	2496	1	RMS	2496	-29.23	-13	Pass	401
2496	2499	1	RMS	2499	-27.28	-10	Pass	4
2499	2500	0.3	RMS	2500	-30.43	-10	Pass	401
2500	2515	0.1	RMS	2511.7	0.51	30	Pass	401




11.21. LTE Band Edge(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	20.21	30	Pass	401
2570	2571	0.3	RMS	2570	-23.42	-10	Pass	401
2571	2575	1	RMS	2571	-33.98	-10	Pass	5
2575	2585	1	RMS	2575.875	-44.36	-13	Pass	401
2585	2595	1	RMS	2594.95	-51.77	-25	Pass	401




11.22. LTE Band Edge(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2555.863	1.27	30	Pass	401
2570	2571	0.3	RMS	2570.005	-28.59	-10	Pass	401
2571	2575	1	RMS	2571	-24.43	-10	Pass	5
2575	2585	1	RMS	2575.025	-30.86	-13	Pass	401
2585	2595	1	RMS	2585	-48.82	-25	Pass	401



11.23. LTE Band Edge(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	19.35	30	Pass	401
2570	2571	0.3	RMS	2570.003	-23.95	-10	Pass	401
2571	2575	1	RMS	2571	-34.07	-10	Pass	5
2575	2585	1	RMS	2575.95	-44.46	-13	Pass	401
2585	2595	1	RMS	2585.425	-51.8	-25	Pass	401




11.24. LTE Band Edge(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2557.25	0.23	30	Pass	401
2570	2571	0.3	RMS	2570.005	-30.77	-10	Pass	401
2571	2575	1	RMS	2571	-26.89	-10	Pass	5
2575	2585	1	RMS	2575.775	-31.74	-13	Pass	401
2585	2595	1	RMS	2585	-48.74	-25	Pass	401




11.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-50.09	-25	Pass	401
2490	2496	1	RMS	2494.08	-43.7	-13	Pass	401
2496	2499	1	RMS	2499	-41.69	-10	Pass	4
2499	2500	0.51	RMS	2500	-22.46	-10	Pass	401
2500	2520	0.1	RMS	2501.1	20.22	30	Pass	401




11.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-34.31	-25	Pass	401
2490	2496	1	RMS	2495.985	-28.34	-13	Pass	401
2496	2499	1	RMS	2499	-25.8	-10	Pass	4
2499	2500	0.51	RMS	2499.998	-26.4	-10	Pass	401
2500	2520	0.1	RMS	2512.8	0.11	30	Pass	401




11.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2486.063	-50.56	-25	Pass	401
2490	2496	1	RMS	2494.125	-44.07	-13	Pass	401
2496	2499	1	RMS	2499	-42.09	-10	Pass	4
2499	2500	0.51	RMS	2500	-22.18	-10	Pass	401
2500	2520	0.1	RMS	2501.1	19.4	30	Pass	401




11.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.94	-25	Pass	401
2490	2496	1	RMS	2495.955	-30.25	-13	Pass	401
2496	2499	1	RMS	2499	-27.41	-10	Pass	4
2499	2500	0.51	RMS	2499.998	-28.08	-10	Pass	401
2500	2520	0.1	RMS	2513.3	-0.78	30	Pass	401




11.29. LTE Band Edge(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.14	30	Pass	401
2570	2571	0.51	RMS	2570.005	-21.89	-10	Pass	401
2571	2575	1	RMS	2571	-37.96	-10	Pass	5
2575	2590	1	RMS	2575.675	-44.12	-13	Pass	401
2590	2595	1	RMS	2590.863	-51.77	-25	Pass	401




11.30. LTE Band Edge(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2552.8	0.06	30	Pass	401
2570	2571	0.51	RMS	2570	-26.64	-10	Pass	401
2571	2575	1	RMS	2571	-25.51	-10	Pass	5
2575	2590	1	RMS	2575.038	-30.65	-13	Pass	401
2590	2595	1	RMS	2590.15	-51.63	-25	Pass	401




11.31. LTE Band Edge(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	19.21	30	Pass	401
2570	2571	0.51	RMS	2570	-22.37	-10	Pass	401
2571	2575	1	RMS	2571	-38.55	-10	Pass	5
2575	2590	1	RMS	2575.788	-44.43	-13	Pass	401
2590	2595	1	RMS	2594.088	-51.8	-25	Pass	401



11.32. LTE Band Edge(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2552.35	-0.96	30	Pass	401
2570	2571	0.51	RMS	2570.01	-28.9	-10	Pass	401
2571	2575	1	RMS	2571	-27.24	-10	Pass	5
2575	2590	1	RMS	2575.188	-32.04	-13	Pass	401
2590	2595	1	RMS	2590.063	-51.57	-25	Pass	401



12. LTE_Band12


12.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.29	-13	Pass	401
698.9	699	0.03	RMS	699	-29.35	-13	Pass	401
699	701	0.1	RMS	699.245	21.42	30	Pass	401




12.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.833	-29.84	-13	Pass	401
698.9	699	0.03	RMS	698.991	-33.69	-13	Pass	401
699	701	0.1	RMS	700.105	12.99	30	Pass	401




12.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.41	-13	Pass	401
698.9	699	0.03	RMS	699	-28.37	-13	Pass	401
699	701	0.1	RMS	699.25	20.34	30	Pass	401




12.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.02	-13	Pass	401
698.9	699	0.03	RMS	698.977	-31.92	-13	Pass	401
699	701	0.1	RMS	700.11	12.08	30	Pass	401




12.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.755	21.21	30	Pass	401
716	716.1	0.03	RMS	716.004	-30.19	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.18	-13	Pass	401




12.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.965	13.35	30	Pass	401
716	716.1	0.03	RMS	716.029	-32.75	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.55	-13	Pass	401



12.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.765	20.32	30	Pass	401
716	716.1	0.03	RMS	716.002	-28.36	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.54	-13	Pass	401




12.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.975	12.02	30	Pass	401
716	716.1	0.03	RMS	716.01	-32.1	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.84	-13	Pass	401




12.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-22.76	-13	Pass	401
698.9	699	0.03	RMS	699	-19.7	-13	Pass	5
699	702	0.1	RMS	699.24	21.47	30	Pass	401




12.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.44	-13	Pass	401
698.9	699	0.03	RMS	698.999	-26.3	-13	Pass	401
699	702	0.1	RMS	701.693	9.29	30	Pass	401




12.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.91	-13	Pass	401
698.9	699	0.03	RMS	699	-20.9	-13	Pass	5
699	702	0.1	RMS	699.255	20.71	30	Pass	401




12.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.45	-13	Pass	401
698.9	699	0.03	RMS	699	-28.12	-13	Pass	401
699	702	0.1	RMS	701.415	8.48	30	Pass	401




12.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	21.35	30	Pass	401
716	716.1	0.03	RMS	716.025	-22.94	-13	Pass	5
716.1	725	0.1	RMS	716.1	-23.16	-13	Pass	401




12.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.255	9.18	30	Pass	401
716	716.1	0.03	RMS	716.001	-28.16	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.68	-13	Pass	401



12.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.753	20.38	30	Pass	401
716	716.1	0.03	RMS	716	-23.77	-13	Pass	5
716.1	725	0.1	RMS	716.1	-24.46	-13	Pass	401




12.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.683	8.28	30	Pass	401
716	716.1	0.03	RMS	716.001	-27.98	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.07	-13	Pass	401




12.17. LTE Band Edge(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.09	-13	Pass	401
698.9	699	0.03	RMS	698.999	-25.09	-13	Pass	401
699	704	0.1	RMS	699.338	21.12	30	Pass	401




12.18. LTE Band Edge(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.23	-13	Pass	401
698.9	699	0.03	RMS	699	-32.57	-13	Pass	401
699	704	0.1	RMS	703.313	7.09	30	Pass	401




12.19. LTE Band Edge(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.51	-13	Pass	401
698.9	699	0.03	RMS	699	-25.72	-13	Pass	401
699	704	0.1	RMS	699.325	20.56	30	Pass	401




12.20. LTE Band Edge(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.73	-13	Pass	401
698.9	699	0.03	RMS	698.998	-33.25	-13	Pass	401
699	704	0.1	RMS	702.725	6.13	30	Pass	401



12.21. LTE Band Edge(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	21.28	30	Pass	401
716	716.1	0.03	RMS	716	-25.63	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.34	-13	Pass	401




12.22. LTE Band Edge(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.875	6.96	30	Pass	401
716	716.1	0.03	RMS	716.001	-32.96	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.24	-13	Pass	401




12.23. LTE Band Edge(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.37	30	Pass	401
716	716.1	0.03	RMS	716	-25.54	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.75	-13	Pass	401




12.24. LTE Band Edge(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.263	5.97	30	Pass	401
716	716.1	0.03	RMS	716	-33.27	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.86	-13	Pass	401



12.25. LTE Band Edge(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-35.66	-13	Pass	90
698.9	699	0.03	RMS	698.999	-35.31	-13	Pass	401
699	709	0.1	RMS	699.6	21.42	30	Pass	401




12.26. LTE Band Edge(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-35.94	-13	Pass	401
698.9	699	0.03	RMS	698.99	-38.65	-13	Pass	401
699	709	0.1	RMS	703.25	4.2	30	Pass	401




12.27. LTE Band Edge(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-36.93	-13	Pass	401
698.9	699	0.03	RMS	699	-36.86	-13	Pass	401
699	709	0.1	RMS	699.575	20.65	30	Pass	401




12.28. LTE Band Edge(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.53	-13	Pass	401
698.9	699	0.03	RMS	698.981	-37.72	-13	Pass	401
699	709	0.1	RMS	705.625	3.08	30	Pass	401



12.29. LTE Band Edge(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	21.28	30	Pass	401
716	716.1	0.03	RMS	716.001	-35.46	-13	Pass	401
716.1	725	0.1	RMS	716.1	-35.93	-13	Pass	401




12.30. LTE Band Edge(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	708.425	4.25	30	Pass	401
716	716.1	0.03	RMS	716.036	-37.81	-13	Pass	401
716.1	725	0.1	RMS	716.1	-33.3	-13	Pass	401



12.31. LTE Band Edge(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.34	30	Pass	401
716	716.1	0.03	RMS	716.001	-37.93	-13	Pass	401
716.1	725	0.1	RMS	716.1	-38.13	-13	Pass	401



12.32. LTE Band Edge(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	708.525	3.25	30	Pass	401
716	716.1	0.03	RMS	716.012	-38.04	-13	Pass	401
716.1	725	0.1	RMS	716.1	-33.78	-13	Pass	401



13. LTE_Band17

13.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.01	-13	Pass	140
703.9	704	0.03	RMS	704	-24.8	-13	Pass	5
704	709	0.1	RMS	704.325	21.28	30	Pass	401




13.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-32.84	-13	Pass	401
703.9	704	0.03	RMS	703.999	-32.48	-13	Pass	401
704	709	0.1	RMS	705.675	7.05	30	Pass	401




13.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.8	-13	Pass	401
703.9	704	0.03	RMS	703.998	-25.26	-13	Pass	401
704	709	0.1	RMS	704.363	20.43	30	Pass	401




13.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.76	-13	Pass	401
703.9	704	0.03	RMS	704	-32.75	-13	Pass	401
704	709	0.1	RMS	707.3	6.02	30	Pass	401




13.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.675	21.28	30	Pass	401
716	716.1	0.03	RMS	716	-25.58	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.2	-13	Pass	401




13.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.725	7.04	30	Pass	401
716	716.1	0.03	RMS	716.001	-32.97	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.31	-13	Pass	401




13.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.48	30	Pass	401
716	716.1	0.03	RMS	716.001	-25.57	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.52	-13	Pass	401




13.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	711.6	6.08	30	Pass	401
716	716.1	0.03	RMS	716.001	-33.25	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.08	-13	Pass	401




13.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-34.8	-13	Pass	401
703.9	704	0.03	RMS	704	-35.03	-13	Pass	401
704	714	0.1	RMS	704.6	21.29	30	Pass	401




13.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-34.5	-13	Pass	401
703.9	704	0.03	RMS	704	-37.99	-13	Pass	401
704	714	0.1	RMS	706.625	4.15	30	Pass	401



13.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-36.46	-13	Pass	401
703.9	704	0.03	RMS	704	-36.34	-13	Pass	401
704	714	0.1	RMS	704.6	20.88	30	Pass	401




13.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-33.73	-13	Pass	401
703.9	704	0.03	RMS	703.999	-37.82	-13	Pass	401
704	714	0.1	RMS	707.3	3.09	30	Pass	401




13.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	21.13	30	Pass	401
716	716.1	0.03	RMS	716.003	-35.71	-13	Pass	401
716.1	725	0.1	RMS	716.1	-36.26	-13	Pass	401




13.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	708.15	4.18	30	Pass	401
716	716.1	0.03	RMS	716.002	-37.81	-13	Pass	401
716.1	725	0.1	RMS	716.1	-33.47	-13	Pass	401




13.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.2	30	Pass	401
716	716.1	0.03	RMS	716.001	-37.97	-13	Pass	401
716.1	725	0.1	RMS	716.1	-37.8	-13	Pass	401



13.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	708.5	3.2	30	Pass	401
716	716.1	0.03	RMS	716.005	-37.91	-13	Pass	401
716.1	725	0.1	RMS	716.1	-34.18	-13	Pass	401



14. LTE_Band26(part22)


14.1. LTE Band Edge(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.91	-13	Pass	401
823	824	0.02	RMS	823.998	-34.4	-13	Pass	401
824	826	0.1	RMS	824.25	21.43	30	Pass	401




14.2. LTE Band Edge(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.84	-37.65	-13	Pass	401
823	824	0.02	RMS	823.925	-40.42	-13	Pass	401
824	826	0.1	RMS	825.13	13.13	30	Pass	401




14.3. LTE Band Edge(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-53.17	-13	Pass	401
823	824	0.02	RMS	824	-33.54	-13	Pass	401
824	826	0.1	RMS	824.235	20.46	30	Pass	401




14.4. LTE Band Edge(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-37.05	-13	Pass	401
823	824	0.02	RMS	823.99	-38.71	-13	Pass	401
824	826	0.1	RMS	825.14	12.2	30	Pass	401




14.5. LTE Band Edge(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	21.28	30	Pass	401
849	850	0.02	RMS	849	-35.44	-13	Pass	401
850	860	0.1	RMS	850.025	-52.58	-13	Pass	401




14.6. LTE Band Edge(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.43	12.81	30	Pass	401
849	850	0.02	RMS	849	-40.78	-13	Pass	401
850	860	0.1	RMS	850.125	-38.11	-13	Pass	401




14.7. LTE Band Edge(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	20.49	30	Pass	401
849	850	0.02	RMS	849	-32.04	-13	Pass	401
850	860	0.1	RMS	850	-51.66	-13	Pass	401




14.8. LTE Band Edge(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.16	11.83	30	Pass	401
849	850	0.02	RMS	849.003	-40.2	-13	Pass	401
850	860	0.1	RMS	850.025	-37.88	-13	Pass	401




14.9. LTE Band Edge(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-51.84	-13	Pass	401
823	824	0.03	RMS	823.998	-19.74	-13	Pass	401
824	827	0.1	RMS	824.233	21.48	30	Pass	401




14.10. LTE Band Edge(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-39.18	-13	Pass	401
823	824	0.03	RMS	824	-26.59	-13	Pass	401
824	827	0.1	RMS	825.785	9.26	30	Pass	401




14.11. LTE Band Edge(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.42	-13	Pass	401
823	824	0.03	RMS	824	-21.19	-13	Pass	401
824	827	0.1	RMS	824.24	20.68	30	Pass	401




14.12. LTE Band Edge(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-37.54	-13	Pass	401
823	824	0.03	RMS	824	-28.32	-13	Pass	401
824	827	0.1	RMS	826.378	8.48	30	Pass	401




14.13. LTE Band Edge(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	21.33	30	Pass	401
849	850	0.03	RMS	849	-19.51	-13	Pass	401
850	860	0.1	RMS	850	-51.81	-13	Pass	401




14.14. LTE Band Edge(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.095	9.09	30	Pass	401
849	850	0.03	RMS	849	-28.26	-13	Pass	401
850	860	0.1	RMS	850.075	-40	-13	Pass	401




14.15. LTE Band Edge(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	20.28	30	Pass	401
849	850	0.03	RMS	849	-21.06	-13	Pass	401
850	860	0.1	RMS	850	-50.41	-13	Pass	401




14.16. LTE Band Edge(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.683	8.03	30	Pass	401
849	850	0.03	RMS	849	-28.89	-13	Pass	401
850	860	0.1	RMS	850.075	-39.7	-13	Pass	401




14.17. LTE Band Edge(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.59	-13	Pass	401
823	824	0.051	RMS	824	-22.81	-13	Pass	401
824	829	0.1	RMS	824.338	21.33	30	Pass	401




14.18. LTE Band Edge(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-39.53	-13	Pass	401
823	824	0.051	RMS	824	-30.27	-13	Pass	401
824	829	0.1	RMS	825.663	7.18	30	Pass	401




14.19. LTE Band Edge(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-53.15	-13	Pass	401
823	824	0.051	RMS	824	-24.08	-13	Pass	401
824	829	0.1	RMS	824.35	20.55	30	Pass	401




14.20. LTE Band Edge(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.88	-39.02	-13	Pass	401
823	824	0.051	RMS	824	-31.34	-13	Pass	401
824	829	0.1	RMS	825.675	6.17	30	Pass	401



14.21. LTE Band Edge(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.2	30	Pass	401
849	850	0.051	RMS	849	-23.21	-13	Pass	401
850	860	0.1	RMS	850	-52.77	-13	Pass	401




14.22. LTE Band Edge(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.85	6.9	30	Pass	401
849	850	0.051	RMS	849	-30.56	-13	Pass	401
850	860	0.1	RMS	850.175	-36.35	-13	Pass	401




14.23. LTE Band Edge(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.675	20.43	30	Pass	401
849	850	0.051	RMS	849	-22.52	-13	Pass	401
850	860	0.1	RMS	850	-50.37	-13	Pass	401




14.24. LTE Band Edge(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.625	6.05	30	Pass	401
849	850	0.051	RMS	849	-31.99	-13	Pass	401
850	860	0.1	RMS	850.05	-41.11	-13	Pass	401




14.25. LTE Band Edge(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-54.34	-13	Pass	401
823	824	0.1	RMS	824	-32.16	-13	Pass	401
824	834	0.1	RMS	824.6	21.44	30	Pass	401




14.26. LTE Band Edge(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-37.55	-13	Pass	401
823	824	0.1	RMS	824	-32.33	-13	Pass	401
824	834	0.1	RMS	825.9	4.5	30	Pass	401




14.27. LTE Band Edge(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-52.14	-13	Pass	401
823	824	0.1	RMS	824	-32.46	-13	Pass	401
824	834	0.1	RMS	824.6	20.77	30	Pass	401




14.28. LTE Band Edge(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.72	-39.75	-13	Pass	401
823	824	0.1	RMS	824	-34.28	-13	Pass	401
824	834	0.1	RMS	825.4	3.44	30	Pass	401



14.29. LTE Band Edge(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	21.17	30	Pass	401
849	850	0.1	RMS	849	-32.17	-13	Pass	401
850	860	0.1	RMS	850	-53.93	-13	Pass	401




14.30. LTE Band Edge(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.175	4.15	30	Pass	401
849	850	0.1	RMS	849	-34.83	-13	Pass	401
850	860	0.1	RMS	850.15	-37.28	-13	Pass	401



14.31. LTE Band Edge(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.4	30	Pass	401
849	850	0.1	RMS	849	-33.5	-13	Pass	401
850	860	0.1	RMS	850	-52.56	-13	Pass	401




14.32. LTE Band Edge(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.475	3.15	30	Pass	401
849	850	0.1	RMS	849	-35.42	-13	Pass	401
850	860	0.1	RMS	850.05	-37.86	-13	Pass	401




14.33. LTE Band Edge(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-53.3	-13	Pass	401
823	824	0.15	RMS	824	-30.95	-13	Pass	401
824	839	0.1	RMS	824.825	21.18	30	Pass	401




14.34. LTE Band Edge(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-30.83	-13	Pass	401
823	824	0.15	RMS	823.015	-29.19	-13	Pass	401
824	839	0.1	RMS	826.1	1.9	30	Pass	401




14.35. LTE Band Edge(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-51.43	-13	Pass	401
823	824	0.15	RMS	824	-31.11	-13	Pass	401
824	839	0.1	RMS	824.863	20.6	30	Pass	401




14.36. LTE Band Edge(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.7	-35.6	-13	Pass	401
823	824	0.15	RMS	823.995	-33.69	-13	Pass	401
824	839	0.1	RMS	826.025	1.7	30	Pass	401



14.37. LTE Band Edge(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	21.04	30	Pass	401
849	850	0.15	RMS	849	-31.27	-13	Pass	401
850	860	0.1	RMS	850	-54.07	-13	Pass	401




14.38. LTE Band Edge(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	840.938	2.38	30	Pass	401
849	850	0.15	RMS	849.998	-32.67	-13	Pass	401
850	860	0.1	RMS	850.275	-34.6	-13	Pass	401



14.39. LTE Band Edge(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.13	30	Pass	401
849	850	0.15	RMS	849.003	-31.51	-13	Pass	401
850	860	0.1	RMS	850	-52.9	-13	Pass	401




14.40. LTE Band Edge(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	843	1.32	30	Pass	401
849	850	0.15	RMS	849.015	-33.95	-13	Pass	401
850	860	0.1	RMS	850.25	-35.88	-13	Pass	401




15. LTE_Band26(part90)

15.1. LTE Band Edge_in-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




15.2. LTE Band Edge_in-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.015	RMS	813.955	-34.94	Pass	401




15.3. LTE Band Edge_in-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.992	-36.58	Pass	1000




15.4. LTE Band Edge_in-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.015	RMS	813.968	-38.54	Pass	401




15.5. LTE Band Edge_in-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.008	-41.9	Pass	1000




15.6. LTE Band Edge_in-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.015	RMS	824.033	-41.71	Pass	401




15.7. LTE Band Edge_in-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.011	-41.35	Pass	1000




15.8. LTE Band Edge_in-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.015	RMS	824.015	-39.83	Pass	401




15.9. LTE Band Edge_in-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.968	-28.75	Pass	1000




15.10. LTE Band Edge_in-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.03	RMS	813.98	-26.72	Pass	401




15.11. LTE Band Edge_in-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.957	-32.88	Pass	1000




15.12. LTE Band Edge_in-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.03	RMS	813.985	-28.67	Pass	401




15.13. LTE Band Edge_in-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.016	-29.79	Pass	1000




15.14. LTE Band Edge_in-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.03	RMS	824.018	-28.95	Pass	401




15.15. LTE Band Edge_in-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.017	-33.53	Pass	1000




15.16. LTE Band Edge_in-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.03	RMS	824.018	-29.08	Pass	401




15.17. LTE Band Edge_in-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.975	-36.91	Pass	1000




15.18. LTE Band Edge_in-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.051	RMS	813.968	-30.69	Pass	401




15.19. LTE Band Edge_in-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.968	-37.2	Pass	1000




15.20. LTE Band Edge_in-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.051	RMS	813.975	-31.72	Pass	401




15.21. LTE Band Edge_in-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.026	-38.8	Pass	1000




15.22. LTE Band Edge_in-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.051	RMS	824.025	-31.64	Pass	401




15.23. LTE Band Edge_in-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.041	-38.85	Pass	1000




15.24. LTE Band Edge_in-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.051	RMS	824.025	-33.34	Pass	401




15.25. LTE Band Edge_in-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.002	RMS	813.997	-47.52	Pass	2000




15.26. LTE Band Edge_in-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.1	RMS	813.995	-30.23	Pass	401




15.27. LTE Band Edge_in-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.002	RMS	813.986	-44.5	Pass	2000




15.28. LTE Band Edge_in-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.1	RMS	813.995	-33.98	Pass	401




15.29. LTE Band Edge_in-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.002	RMS	824.006	-47.03	Pass	2000




15.30. LTE Band Edge_in-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.1	RMS	824	-29.64	Pass	401




15.31. LTE Band Edge_in-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.002	RMS	824.017	-41.75	Pass	2000




15.32. LTE Band Edge_in-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.1	RMS	824.015	-32.69	Pass	401




16. LTE_Band26(part90)

16.1. LTE Band Edge_out-of-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




16.2. LTE Band Edge_out-of-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.925	-29.12	Pass	401




16.3. LTE Band Edge_out-of-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-23.24	Pass	401




16.4. LTE Band Edge_out-of-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.925	-30.77	Pass	401




16.5. LTE Band Edge_out-of-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-28.36	Pass	401




16.6. LTE Band Edge_out-of-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-33.58	Pass	401




16.7. LTE Band Edge_out-of-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-28.52	Pass	401




16.8. LTE Band Edge_out-of-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-31.86	Pass	401




16.9. LTE Band Edge_out-of-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-17.7	Pass	401




16.10. LTE Band Edge_out-of-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-22.49	Pass	401




16.11. LTE Band Edge_out-of-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-16.87	Pass	401




16.12. LTE Band Edge_out-of-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-25.14	Pass	401




16.13. LTE Band Edge_out-of-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-18.12	Pass	401




16.14. LTE Band Edge_out-of-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-26.47	Pass	401




16.15. LTE Band Edge_out-of-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-19.42	Pass	401




16.16. LTE Band Edge_out-of-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-26.65	Pass	401




16.17. LTE Band Edge_out-of-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-23.58	Pass	401




16.18. LTE Band Edge_out-of-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-28.37	Pass	401




16.19. LTE Band Edge_out-of-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-23.06	Pass	401




16.20. LTE Band Edge_out-of-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-29.86	Pass	401




16.21. LTE Band Edge_out-of-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-24.98	Pass	401




16.22. LTE Band Edge_out-of-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-31.5	Pass	401




16.23. LTE Band Edge_out-of-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-25.38	Pass	401




16.24. LTE Band Edge_out-of-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-31.1	Pass	401




16.25. LTE Band Edge_out-of-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-35.31	Pass	401




16.26. LTE Band Edge_out-of-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-30.9	Pass	401




16.27. LTE Band Edge_out-of-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-32.81	Pass	401




16.28. LTE Band Edge_out-of-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-35.2	Pass	401




16.29. LTE Band Edge_out-of-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-36.32	Pass	401




16.30. LTE Band Edge_out-of-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-29.92	Pass	401




16.31. LTE Band Edge_out-of-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.1	-35.83	Pass	401



16.32. LTE Band Edge_out-of-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.075	-33.43	Pass	401



17. LTE_Band38


17.1. LTE Band Edge(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.383	-39.79	-25	Pass	401
2564	2565	1	RMS	2564.98	-38.62	-13	Pass	401
2565	2569	1	RMS	2569	-27.13	-10	Pass	5
2569	2570	0.1	RMS	2570	-15.46	-10	Pass	401
2570	2575	0.1	RMS	2570.313	20.8	30	Pass	401




17.2. LTE Band Edge(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-33.12	-25	Pass	401
2564	2565	1	RMS	2564.97	-31.32	-13	Pass	401
2565	2569	1	RMS	2569	-24.86	-10	Pass	5
2569	2570	0.1	RMS	2570	-25.41	-10	Pass	401
2570	2575	0.1	RMS	2574.238	6.53	30	Pass	401




17.3. LTE Band Edge(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.81	-40.12	-25	Pass	401
2564	2565	1	RMS	2565	-39.72	-13	Pass	2
2565	2569	1	RMS	2569	-27.53	-10	Pass	5
2569	2570	0.1	RMS	2570	-18.11	-10	Pass	401
2570	2575	0.1	RMS	2570.363	20.25	30	Pass	401




17.4. LTE Band Edge(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.953	-36.31	-25	Pass	401
2564	2565	1	RMS	2564.975	-34.84	-13	Pass	401
2565	2569	1	RMS	2569	-28.47	-10	Pass	5
2569	2570	0.1	RMS	2570	-28.38	-10	Pass	401
2570	2575	0.1	RMS	2572.2	5.37	30	Pass	401



17.5. LTE Band Edge(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	20.46	30	Pass	401
2620	2621	0.1	RMS	2620	-15.98	-10	Pass	401
2621	2625	1	RMS	2621	-16.47	-10	Pass	5
2625	2626	1	RMS	2625.443	-38.98	-13	Pass	401
2626	2645	1	RMS	2626.808	-39.31	-25	Pass	401




17.6. LTE Band Edge(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.688	6.19	30	Pass	401
2620	2621	0.1	RMS	2620.003	-26.16	-10	Pass	401
2621	2625	1	RMS	2621	-24.37	-10	Pass	5
2625	2626	1	RMS	2625.045	-34.72	-13	Pass	401
2626	2645	1	RMS	2626	-36.13	-25	Pass	401




17.7. LTE Band Edge(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	19.84	30	Pass	401
2620	2621	0.1	RMS	2620	-16.45	-10	Pass	401
2621	2625	1	RMS	2621	-17.22	-10	Pass	5
2625	2626	1	RMS	2625.008	-39.01	-13	Pass	401
2626	2645	1	RMS	2626.713	-39.49	-25	Pass	401




17.8. LTE Band Edge(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.313	5.35	30	Pass	401
2620	2621	0.1	RMS	2620	-27.08	-10	Pass	401
2621	2625	1	RMS	2621	-24.88	-10	Pass	5
2625	2626	1	RMS	2625.035	-34.33	-13	Pass	401
2626	2645	1	RMS	2626	-35.73	-25	Pass	401




17.9. LTE Band Edge(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.925	-42.24	-25	Pass	401
2560	2565	1	RMS	2563.425	-37.36	-13	Pass	401
2565	2569	1	RMS	2569	-27.17	-10	Pass	5
2569	2570	0.2	RMS	2570	-21.58	-10	Pass	401
2570	2580	0.1	RMS	2570.575	20.67	30	Pass	401




17.10. LTE Band Edge(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.775	-33.22	-25	Pass	401
2560	2565	1	RMS	2564.75	-28.67	-13	Pass	401
2565	2569	1	RMS	2569	-27.73	-10	Pass	5
2569	2570	0.2	RMS	2570	-28.92	-10	Pass	401
2570	2580	0.1	RMS	2572.5	3.42	30	Pass	401



17.11. LTE Band Edge(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.85	-42.69	-25	Pass	401
2560	2565	1	RMS	2564.963	-38.06	-13	Pass	401
2565	2569	1	RMS	2569	-27.57	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-21.76	-10	Pass	401
2570	2580	0.1	RMS	2570.6	19.81	30	Pass	401



17.12. LTE Band Edge(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.7	-37.44	-25	Pass	401
2560	2565	1	RMS	2564.85	-31.5	-13	Pass	401
2565	2569	1	RMS	2569	-30.4	-10	Pass	5
2569	2570	0.2	RMS	2570	-30.36	-10	Pass	401
2570	2580	0.1	RMS	2573.2	2.42	30	Pass	401

