


A.6 Band Edge

1. GSM_GSM850


1.1. GSM Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.715	-45.56	-13	Pass	401
823	824	0.003	RMS	823.999	-16.04	-13	Pass	700
824	824.5	0.01	RMS	824.215	23.38	35	Pass	401



1.2. GSM Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.781	23.61	35	Pass	401
849	850	0.003	RMS	849.02	-18.36	-13	Pass	700
850	855	0.1	RMS	850.013	-45.09	-13	Pass	401



2. GSM_PCS


2.1. GSM Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1848	1	RMS	1847.73	-33.34	-13	Pass	401
1848	1849	1	RMS	1849	-33.57	-13	Pass	11
1849	1850	0.003	RMS	1849.98	-21.33	-13	Pass	700
1850	1851	0.01	RMS	1850.195	20.62	35	Pass	401



2.2. GSM Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.818	21.06	35	Pass	401
1910	1911	0.003	RMS	1910.03	-19.36	-13	Pass	700
1911	1912	1	RMS	1911	-33.34	-13	Pass	11
1912	1915	1	RMS	1912.038	-33.19	-13	Pass	401



3. EGPRS_GSM850


3.1. EGPRS Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.955	-44.93	-13	Pass	401
823	824	0.003	RMS	823.964	-27.19	-13	Pass	700
824	824.5	0.01	RMS	824.203	17.63	35	Pass	401



3.2. EGPRS Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.801	16.8	35	Pass	401
849	850	0.003	RMS	849.004	-29.12	-13	Pass	700
850	855	0.1	RMS	850	-44.63	-13	Pass	401



4. EGPRS_PCS


4.1. EGPRS Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1848	1	RMS	1847.993	-33.32	-13	Pass	401
1848	1849	1	RMS	1849	-33.36	-13	Pass	11
1849	1850	0.003	RMS	1849.991	-26.8	-13	Pass	700
1850	1851	0.01	RMS	1850.238	16.22	35	Pass	401



4.2. EGPRS Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.835	16.61	35	Pass	401
1910	1911	0.003	RMS	1910.033	-28.82	-13	Pass	700
1911	1912	1	RMS	1911	-33.25	-13	Pass	11
1912	1915	1	RMS	1912.053	-33.17	-13	Pass	401



5. WCDMA_Band2


5.1. WCDMA Band Edge(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1848	1	RMS	1847.993	-25.23	-13	Pass	401
1848	1849	1	RMS	1848.2	-25.12	-13	Pass	11
1849	1850	0.051	RMS	1849.883	-26.63	-13	Pass	401
1850	1855	0.1	RMS	1850.875	8.01	35	Pass	401



5.2. WCDMA Band Edge(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.088	8.19	35	Pass	401
1910	1911	0.051	RMS	1910	-25.74	-13	Pass	401
1911	1912	1	RMS	1911.7	-24.37	-13	Pass	11
1912	1915	1	RMS	1912.008	-24.72	-13	Pass	401



6. WCDMA_Band4


6.1. WCDMA Band Edge(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1708.2	-26.3	-13	Pass	41
1709	1710	0.051	RMS	1710	-27.11	-13	Pass	401
1710	1715	0.1	RMS	1710.913	8	35	Pass	401



6.2. WCDMA Band Edge(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.725	8.18	35	Pass	401
1755	1756	0.051	RMS	1755	-26.12	-13	Pass	401
1756	1760	1	RMS	1756.7	-26.14	-13	Pass	41



7. WCDMA_Band5


7.1. WCDMA Band Edge(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	821.995	-32.01	-13	Pass	401
823	824	0.051	RMS	823.865	-25.52	-13	Pass	401
824	829	0.1	RMS	825.513	9.06	35	Pass	401



7.2. WCDMA Band Edge(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.075	9.3	35	Pass	401
849	850	0.051	RMS	849.12	-27.24	-13	Pass	401
850	855	0.1	RMS	850.975	-34.73	-13	Pass	401



8. LTE_Band2


8.1. LTE Band Edge(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.93	-13	Pass	401
1848	1849	1	RMS	1849	-37.32	-13	Pass	2
1849	1850	0.02	RMS	1850	-23.14	-13	Pass	401
1850	1852	0.1	RMS	1850.25	20.7	30	Pass	401




8.2. LTE Band Edge(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.12	-13	Pass	401
1848	1849	1	RMS	1849	-25.99	-13	Pass	2
1849	1850	0.02	RMS	1850	-31.35	-13	Pass	401
1850	1852	0.1	RMS	1850.635	12.27	30	Pass	401




8.3. LTE Band Edge(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.99	-13	Pass	401
1848	1849	1	RMS	1849	-37.98	-13	Pass	2
1849	1850	0.02	RMS	1850	-24.45	-13	Pass	401
1850	1852	0.1	RMS	1850.265	19.58	30	Pass	401




8.4. LTE Band Edge(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.15	-13	Pass	401
1848	1849	1	RMS	1849	-27.6	-13	Pass	2
1849	1850	0.02	RMS	1850	-31.57	-13	Pass	401
1850	1852	0.1	RMS	1850.72	11.39	30	Pass	401




8.5. LTE Band Edge(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.75	20.76	30	Pass	401
1910	1911	0.02	RMS	1910	-19.64	-13	Pass	401
1911	1912	1	RMS	1911	-36.58	-13	Pass	2
1912	1920	1	RMS	1912	-40.21	-13	Pass	401




8.6. LTE Band Edge(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.415	12.46	30	Pass	401
1910	1911	0.02	RMS	1910	-27.7	-13	Pass	401
1911	1912	1	RMS	1911	-21.48	-13	Pass	2
1912	1920	1	RMS	1912	-31.69	-13	Pass	401




8.7. LTE Band Edge(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.74	19.73	30	Pass	401
1910	1911	0.02	RMS	1910	-21.3	-13	Pass	401
1911	1912	1	RMS	1911	-37.46	-13	Pass	2
1912	1920	1	RMS	1912.06	-41.16	-13	Pass	401




8.8. LTE Band Edge(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.32	11.64	30	Pass	401
1910	1911	0.02	RMS	1910	-29.06	-13	Pass	401
1911	1912	1	RMS	1911	-23.56	-13	Pass	2
1912	1920	1	RMS	1912	-32.48	-13	Pass	401




8.9. LTE Band Edge(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-39.34	-13	Pass	401
1848	1849	1	RMS	1849	-36.74	-13	Pass	2
1849	1850	0.03	RMS	1850	-21.81	-13	Pass	401
1850	1853	0.1	RMS	1850.24	20.76	30	Pass	401




8.10. LTE Band Edge(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-24.6	-13	Pass	401
1848	1849	1	RMS	1849	-21.93	-13	Pass	2
1849	1850	0.03	RMS	1850	-31.58	-13	Pass	401
1850	1853	0.1	RMS	1851.433	8.54	30	Pass	401




8.11. LTE Band Edge(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-39.72	-13	Pass	401
1848	1849	1	RMS	1849	-37.75	-13	Pass	2
1849	1850	0.03	RMS	1850	-22.69	-13	Pass	401
1850	1853	0.1	RMS	1850.24	19.91	30	Pass	401




8.12. LTE Band Edge(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.54	-13	Pass	401
1848	1849	1	RMS	1849	-22.54	-13	Pass	2
1849	1850	0.03	RMS	1850	-33.1	-13	Pass	401
1850	1853	0.1	RMS	1851.238	7.54	30	Pass	401



8.13. LTE Band Edge(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.768	20.89	30	Pass	401
1910	1911	0.03	RMS	1910	-17.51	-13	Pass	401
1911	1912	1	RMS	1911	-35.59	-13	Pass	2
1912	1920	1	RMS	1914.76	-37.5	-13	Pass	401




8.14. LTE Band Edge(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.08	8.59	30	Pass	401
1910	1911	0.03	RMS	1910	-29	-13	Pass	401
1911	1912	1	RMS	1911	-19.27	-13	Pass	2
1912	1920	1	RMS	1912.02	-22.99	-13	Pass	401



8.15. LTE Band Edge(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	19.78	30	Pass	401
1910	1911	0.03	RMS	1910	-19.48	-13	Pass	401
1911	1912	1	RMS	1911	-36.69	-13	Pass	2
1912	1920	1	RMS	1914.76	-39.25	-13	Pass	401




8.16. LTE Band Edge(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.62	7.48	30	Pass	401
1910	1911	0.03	RMS	1910	-30.84	-13	Pass	401
1911	1912	1	RMS	1911	-21.03	-13	Pass	2
1912	1920	1	RMS	1912	-25.35	-13	Pass	401




8.17. LTE Band Edge(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.86	-13	Pass	401
1848	1849	1	RMS	1849	-37.25	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-20.28	-13	Pass	401
1850	1855	0.1	RMS	1850.338	20.55	30	Pass	401




8.18. LTE Band Edge(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-25.29	-13	Pass	401
1848	1849	1	RMS	1849	-23.98	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-31.25	-13	Pass	401
1850	1855	0.1	RMS	1851.663	6.2	30	Pass	401




8.19. LTE Band Edge(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.16	-13	Pass	401
1848	1849	1	RMS	1849	-38.1	-13	Pass	2
1849	1850	0.051	RMS	1850	-20.49	-13	Pass	401
1850	1855	0.1	RMS	1850.338	19.71	30	Pass	401




8.20. LTE Band Edge(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-26.51	-13	Pass	401
1848	1849	1	RMS	1849	-24.74	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-32.41	-13	Pass	401
1850	1855	0.1	RMS	1851.7	5.24	30	Pass	401



8.21. LTE Band Edge(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	20.75	30	Pass	401
1910	1911	0.051	RMS	1910	-18.64	-13	Pass	401
1911	1912	1	RMS	1911	-36.68	-13	Pass	2
1912	1920	1	RMS	1912	-39.04	-13	Pass	401




8.22. LTE Band Edge(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.85	6.2	30	Pass	401
1910	1911	0.051	RMS	1910.003	-29.28	-13	Pass	401
1911	1912	1	RMS	1911	-20.56	-13	Pass	2
1912	1920	1	RMS	1912	-22.61	-13	Pass	401




8.23. LTE Band Edge(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	19.76	30	Pass	401
1910	1911	0.051	RMS	1910.003	-18.81	-13	Pass	401
1911	1912	1	RMS	1911	-37.05	-13	Pass	2
1912	1920	1	RMS	1912	-39.45	-13	Pass	401




8.24. LTE Band Edge(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.013	5.31	30	Pass	401
1910	1911	0.051	RMS	1910	-30.87	-13	Pass	401
1911	1912	1	RMS	1911	-22.05	-13	Pass	2
1912	1920	1	RMS	1912.02	-23.63	-13	Pass	401




8.25. LTE Band Edge(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.62	-13	Pass	401
1848	1849	1	RMS	1849	-39.11	-13	Pass	2
1849	1850	0.1	RMS	1850	-23.17	-13	Pass	401
1850	1860	0.1	RMS	1850.6	20.68	30	Pass	401




8.26. LTE Band Edge(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-28.65	-13	Pass	401
1848	1849	1	RMS	1849	-27.59	-13	Pass	2
1849	1850	0.1	RMS	1850	-34.31	-13	Pass	401
1850	1860	0.1	RMS	1851.925	3.32	30	Pass	401




8.27. LTE Band Edge(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.82	-13	Pass	401
1848	1849	1	RMS	1849	-39.32	-13	Pass	2
1849	1850	0.1	RMS	1850	-23.94	-13	Pass	401
1850	1860	0.1	RMS	1850.6	19.81	30	Pass	401




8.28. LTE Band Edge(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-29.3	-13	Pass	401
1848	1849	1	RMS	1849	-28.25	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-35.29	-13	Pass	401
1850	1860	0.1	RMS	1851.9	2.24	30	Pass	401




8.29. LTE Band Edge(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	20.77	30	Pass	401
1910	1911	0.1	RMS	1910	-21.66	-13	Pass	401
1911	1912	1	RMS	1911	-38.46	-13	Pass	2
1912	1920	1	RMS	1913.78	-41.4	-13	Pass	401




8.30. LTE Band Edge(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.075	3.24	30	Pass	401
1910	1911	0.1	RMS	1910.008	-31.72	-13	Pass	401
1911	1912	1	RMS	1911	-24.28	-13	Pass	2
1912	1920	1	RMS	1912	-24.91	-13	Pass	401




8.31. LTE Band Edge(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	19.66	30	Pass	401
1910	1911	0.1	RMS	1910	-23.05	-13	Pass	401
1911	1912	1	RMS	1911	-39.18	-13	Pass	2
1912	1920	1	RMS	1912.02	-41.88	-13	Pass	401




8.32. LTE Band Edge(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1908.8	2.31	30	Pass	401
1910	1911	0.1	RMS	1910.005	-32.66	-13	Pass	401
1911	1912	1	RMS	1911	-25.22	-13	Pass	2
1912	1920	1	RMS	1912	-25.85	-13	Pass	401




8.33. LTE Band Edge(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-41.95	-13	Pass	401
1848	1849	1	RMS	1849	-38.07	-13	Pass	2
1849	1850	0.15	RMS	1850	-23.82	-13	Pass	401
1850	1865	0.1	RMS	1850.825	20.54	30	Pass	401




8.34. LTE Band Edge(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847	-27.58	-13	Pass	9
1848	1849	1	RMS	1849	-26.53	-13	Pass	2
1849	1850	0.15	RMS	1849.405	-33.98	-13	Pass	401
1850	1865	0.1	RMS	1851.838	1.61	30	Pass	401




8.35. LTE Band Edge(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-42.12	-13	Pass	401
1848	1849	1	RMS	1849	-38.18	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-24.07	-13	Pass	401
1850	1865	0.1	RMS	1850.825	19.72	30	Pass	401




8.36. LTE Band Edge(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.46	-28.91	-13	Pass	401
1848	1849	1	RMS	1849	-27.83	-13	Pass	2
1849	1850	0.15	RMS	1849.993	-35.1	-13	Pass	401
1850	1865	0.1	RMS	1852.025	0.7	30	Pass	401




8.37. LTE Band Edge(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	20.7	30	Pass	401
1910	1911	0.15	RMS	1910.005	-23.54	-13	Pass	401
1911	1912	1	RMS	1911	-37.78	-13	Pass	2
1912	1920	1	RMS	1912	-42.27	-13	Pass	401




8.38. LTE Band Edge(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.863	2.08	30	Pass	401
1910	1911	0.15	RMS	1910.333	-31.02	-13	Pass	401
1911	1912	1	RMS	1911	-23.76	-13	Pass	2
1912	1920	1	RMS	1912.88	-24.37	-13	Pass	401




8.39. LTE Band Edge(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	19.59	30	Pass	401
1910	1911	0.15	RMS	1910.003	-24.17	-13	Pass	401
1911	1912	1	RMS	1911	-38.37	-13	Pass	2
1912	1920	1	RMS	1912	-42.32	-13	Pass	401




8.40. LTE Band Edge(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.938	0.97	30	Pass	401
1910	1911	0.15	RMS	1910.265	-33.79	-13	Pass	401
1911	1912	1	RMS	1911	-26.32	-13	Pass	2
1912	1920	1	RMS	1912.82	-26.89	-13	Pass	401




8.41. LTE Band Edge(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-42.75	-13	Pass	401
1848	1849	1	RMS	1849	-40.14	-13	Pass	2
1849	1850	0.2	RMS	1850	-26.98	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.38	30	Pass	401




8.42. LTE Band Edge(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-30.74	-13	Pass	401
1848	1849	1	RMS	1849	-29.93	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-35.57	-13	Pass	401
1850	1870	0.1	RMS	1851.95	0.28	30	Pass	401




8.43. LTE Band Edge(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.71	-13	Pass	401
1848	1849	1	RMS	1849	-39.86	-13	Pass	2
1849	1850	0.2	RMS	1850	-26.78	-13	Pass	401
1850	1870	0.1	RMS	1851.1	19.6	30	Pass	401




8.44. LTE Band Edge(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.12	-13	Pass	401
1848	1849	1	RMS	1849	-30.4	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-35.7	-13	Pass	401
1850	1870	0.1	RMS	1852.45	-0.67	30	Pass	401




8.45. LTE Band Edge(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.46	30	Pass	401
1910	1911	0.2	RMS	1910.003	-26.14	-13	Pass	401
1911	1912	1	RMS	1911	-39.66	-13	Pass	2
1912	1920	1	RMS	1912	-42.7	-13	Pass	401




8.46. LTE Band Edge(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1891.85	1.03	30	Pass	401
1910	1911	0.2	RMS	1910.035	-33.09	-13	Pass	401
1911	1912	1	RMS	1911	-27.05	-13	Pass	2
1912	1920	1	RMS	1912.02	-27.2	-13	Pass	401




8.47. LTE Band Edge(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.42	30	Pass	401
1910	1911	0.2	RMS	1910	-26.48	-13	Pass	401
1911	1912	1	RMS	1911	-39.77	-13	Pass	2
1912	1920	1	RMS	1913.88	-41.75	-13	Pass	401



8.48. LTE Band Edge(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1892.1	0.03	30	Pass	401
1910	1911	0.2	RMS	1910.008	-34.95	-13	Pass	401
1911	1912	1	RMS	1911	-28.82	-13	Pass	2
1912	1920	1	RMS	1912	-28.8	-13	Pass	401



9. LTE_Band4


9.1. LTE Band Edge(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.88	-30.42	-13	Pass	401
1708	1709	1	RMS	1709	-26.3	-13	Pass	2
1709	1710	0.02	RMS	1710	-21.59	-13	Pass	401
1710	1712	0.1	RMS	1710.25	20.33	30	Pass	401




9.2. LTE Band Edge(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.83	-13	Pass	401
1708	1709	1	RMS	1709	-27.81	-13	Pass	2
1709	1710	0.02	RMS	1710	-30.39	-13	Pass	401
1710	1712	0.1	RMS	1710.635	11.94	30	Pass	401




9.3. LTE Band Edge(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-32.17	-13	Pass	401
1708	1709	1	RMS	1709	-28.56	-13	Pass	2
1709	1710	0.02	RMS	1710	-22.67	-13	Pass	401
1710	1712	0.1	RMS	1710.265	19.21	30	Pass	401



9.4. LTE Band Edge(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.85	-13	Pass	401
1708	1709	1	RMS	1709	-29.62	-13	Pass	2
1709	1710	0.02	RMS	1710	-30.23	-13	Pass	401
1710	1712	0.1	RMS	1710.735	11.12	30	Pass	401




9.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.74	20.49	30	Pass	401
1755	1756	0.02	RMS	1755	-21.68	-13	Pass	401
1756	1757	1	RMS	1756	-37.41	-13	Pass	2
1757	1765	1	RMS	1757	-38.88	-13	Pass	401



9.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.445	12.16	30	Pass	401
1755	1756	0.02	RMS	1755	-29.64	-13	Pass	401
1756	1757	1	RMS	1756	-26.7	-13	Pass	2
1757	1765	1	RMS	1757	-34.9	-13	Pass	401




9.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.75	19.47	30	Pass	401
1755	1756	0.02	RMS	1755	-22.7	-13	Pass	401
1756	1757	1	RMS	1756	-37.93	-13	Pass	2
1757	1765	1	RMS	1757	-39.35	-13	Pass	401




9.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.315	11.35	30	Pass	401
1755	1756	0.02	RMS	1755	-31.1	-13	Pass	401
1756	1757	1	RMS	1756	-28.64	-13	Pass	2
1757	1765	1	RMS	1757	-35.93	-13	Pass	401




9.9. LTE Band Edge(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-31.38	-13	Pass	401
1708	1709	1	RMS	1709	-32.48	-13	Pass	2
1709	1710	0.02	RMS	1710	-24.8	-13	Pass	51
1710	1713	0.1	RMS	1710.248	20.34	30	Pass	401




9.10. LTE Band Edge(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.17	-13	Pass	401
1708	1709	1	RMS	1709	-25.66	-13	Pass	2
1709	1710	0.03	RMS	1710	-32.55	-13	Pass	401
1710	1713	0.1	RMS	1711.425	8.14	30	Pass	401




9.11. LTE Band Edge(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.86	-35.08	-13	Pass	401
1708	1709	1	RMS	1709	-37.84	-13	Pass	2
1709	1710	0.03	RMS	1710	-21.5	-13	Pass	401
1710	1713	0.1	RMS	1710.248	19.53	30	Pass	401



9.12. LTE Band Edge(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.92	-13	Pass	401
1708	1709	1	RMS	1709	-26.02	-13	Pass	2
1709	1710	0.03	RMS	1710	-33.9	-13	Pass	401
1710	1713	0.1	RMS	1711.238	7.19	30	Pass	401



9.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.753	20.62	30	Pass	401
1755	1756	0.03	RMS	1755	-20.51	-13	Pass	401
1756	1757	1	RMS	1756	-37.58	-13	Pass	2
1757	1765	1	RMS	1759.84	-39.48	-13	Pass	401




9.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.065	8.32	30	Pass	401
1755	1756	0.03	RMS	1755	-32.64	-13	Pass	401
1756	1757	1	RMS	1756	-24.37	-13	Pass	2
1757	1765	1	RMS	1757.02	-27.3	-13	Pass	401



9.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.753	19.53	30	Pass	401
1755	1756	0.03	RMS	1755	-21.7	-13	Pass	401
1756	1757	1	RMS	1756	-38.46	-13	Pass	2
1757	1765	1	RMS	1759.68	-39.47	-13	Pass	401




9.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.41	7.17	30	Pass	401
1755	1756	0.03	RMS	1755	-33.34	-13	Pass	401
1756	1757	1	RMS	1756	-25.39	-13	Pass	2
1757	1765	1	RMS	1757	-28.76	-13	Pass	401




9.17. LTE Band Edge(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.43	-13	Pass	401
1708	1709	1	RMS	1709	-38.31	-13	Pass	2
1709	1710	0.05	RMS	1710	-21.44	-13	Pass	21
1710	1715	0.1	RMS	1710.338	20.1	30	Pass	401




9.18. LTE Band Edge(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.27	-13	Pass	401
1708	1709	1	RMS	1709	-25.71	-13	Pass	2
1709	1710	0.051	RMS	1710	-31.88	-13	Pass	401
1710	1715	0.1	RMS	1711.663	5.86	30	Pass	401




9.19. LTE Band Edge(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-39.71	-13	Pass	401
1708	1709	1	RMS	1709	-38.98	-13	Pass	2
1709	1710	0.051	RMS	1710	-20.15	-13	Pass	401
1710	1715	0.1	RMS	1710.35	19.33	30	Pass	401




9.20. LTE Band Edge(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.71	-13	Pass	401
1708	1709	1	RMS	1709	-26.38	-13	Pass	2
1709	1710	0.051	RMS	1710	-32.73	-13	Pass	401
1710	1715	0.1	RMS	1713.325	4.85	30	Pass	401




9.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	20.44	30	Pass	401
1755	1756	0.051	RMS	1755	-19.35	-13	Pass	401
1756	1757	1	RMS	1756	-38.28	-13	Pass	2
1757	1765	1	RMS	1757	-39.8	-13	Pass	401




9.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.875	5.99	30	Pass	401
1755	1756	0.051	RMS	1755.003	-32.09	-13	Pass	401
1756	1757	1	RMS	1756	-25.85	-13	Pass	2
1757	1765	1	RMS	1757	-27.12	-13	Pass	401



9.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	19.56	30	Pass	401
1755	1756	0.051	RMS	1755	-19.44	-13	Pass	401
1756	1757	1	RMS	1756	-38.53	-13	Pass	2
1757	1765	1	RMS	1757.02	-40.15	-13	Pass	401




9.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.275	5.04	30	Pass	401
1755	1756	0.051	RMS	1755	-32.97	-13	Pass	401
1756	1757	1	RMS	1756	-26.71	-13	Pass	2
1757	1765	1	RMS	1757	-28.35	-13	Pass	401




9.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-41.91	-13	Pass	401
1708	1709	1	RMS	1709	-40.08	-13	Pass	2
1709	1710	0.1	RMS	1710	-22.94	-13	Pass	401
1710	1720	0.1	RMS	1710.575	20.31	30	Pass	401




9.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.42	-13	Pass	401
1708	1709	1	RMS	1709	-28.16	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-34.84	-13	Pass	401
1710	1720	0.1	RMS	1711.925	3.14	30	Pass	401




9.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.28	-13	Pass	401
1708	1709	1	RMS	1709	-39.96	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-23.95	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.47	30	Pass	401




9.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-29.55	-13	Pass	401
1708	1709	1	RMS	1709	-29.31	-13	Pass	2
1709	1710	0.1	RMS	1710	-36.21	-13	Pass	401
1710	1720	0.1	RMS	1711.4	1.99	30	Pass	401




9.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.425	20.51	30	Pass	401
1755	1756	0.1	RMS	1755	-22.12	-13	Pass	401
1756	1757	1	RMS	1756	-39.87	-13	Pass	2
1757	1765	1	RMS	1758.8	-41.65	-13	Pass	401




9.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1752.575	3.03	30	Pass	401
1755	1756	0.1	RMS	1755	-34.71	-13	Pass	401
1756	1757	1	RMS	1756	-27.12	-13	Pass	2
1757	1765	1	RMS	1757.06	-27.35	-13	Pass	401




9.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.425	19.39	30	Pass	401
1755	1756	0.1	RMS	1755	-23.43	-13	Pass	401
1756	1757	1	RMS	1756	-40.3	-13	Pass	2
1757	1765	1	RMS	1757.02	-42.2	-13	Pass	401




9.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1746.75	2.02	30	Pass	401
1755	1756	0.1	RMS	1755	-35.99	-13	Pass	401
1756	1757	1	RMS	1756	-28.84	-13	Pass	2
1757	1765	1	RMS	1757.04	-29.2	-13	Pass	401




9.33. LTE Band Edge(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.61	-13	Pass	401
1708	1709	1	RMS	1709	-38.61	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-23.73	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.21	30	Pass	401




9.34. LTE Band Edge(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.47	-13	Pass	401
1708	1709	1	RMS	1708	-29.33	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-36.03	-13	Pass	401
1710	1725	0.1	RMS	1724.063	1.29	30	Pass	401




9.35. LTE Band Edge(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.72	-13	Pass	401
1708	1709	1	RMS	1709	-38.88	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-24.15	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.2	30	Pass	401




9.36. LTE Band Edge(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-31.04	-13	Pass	401
1708	1709	1	RMS	1708	-30.9	-13	Pass	2
1709	1710	0.15	RMS	1710	-37.18	-13	Pass	401
1710	1725	0.1	RMS	1724.1	0.32	30	Pass	401




9.37. LTE Band Edge(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	20.45	30	Pass	401
1755	1756	0.15	RMS	1755.003	-23.93	-13	Pass	401
1756	1757	1	RMS	1756	-38.53	-13	Pass	2
1757	1765	1	RMS	1759.2	-42.14	-13	Pass	401




9.38. LTE Band Edge(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1752.638	1.41	30	Pass	401
1755	1756	0.15	RMS	1755.678	-32.08	-13	Pass	401
1756	1757	1	RMS	1756	-25.22	-13	Pass	2
1757	1765	1	RMS	1758.08	-25.5	-13	Pass	401



9.39. LTE Band Edge(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	19.37	30	Pass	401
1755	1756	0.15	RMS	1755.003	-24.48	-13	Pass	401
1756	1757	1	RMS	1756	-38.82	-13	Pass	2
1757	1765	1	RMS	1757	-42.62	-13	Pass	401




9.40. LTE Band Edge(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1752.825	0.48	30	Pass	401
1755	1756	0.15	RMS	1755.003	-35.22	-13	Pass	401
1756	1757	1	RMS	1756	-28.74	-13	Pass	2
1757	1765	1	RMS	1757	-28.83	-13	Pass	401




9.41. LTE Band Edge(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-43.16	-13	Pass	401
1708	1709	1	RMS	1709	-40.57	-13	Pass	2
1709	1710	0.2	RMS	1710	-26.75	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.01	30	Pass	401




9.42. LTE Band Edge(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-35.02	-13	Pass	401
1708	1709	1	RMS	1709	-34.3	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-39.59	-13	Pass	401
1710	1730	0.1	RMS	1727.55	0.14	30	Pass	401




9.43. LTE Band Edge(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-43.32	-13	Pass	401
1708	1709	1	RMS	1709	-40.47	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-26.72	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.27	30	Pass	401




9.44. LTE Band Edge(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.81	-13	Pass	401
1708	1709	1	RMS	1709	-34.07	-13	Pass	2
1709	1710	0.2	RMS	1709.975	-39.3	-13	Pass	401
1710	1730	0.1	RMS	1728.55	-0.8	30	Pass	401




9.45. LTE Band Edge(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.26	30	Pass	401
1755	1756	0.2	RMS	1755	-26.52	-13	Pass	401
1756	1757	1	RMS	1756	-40.51	-13	Pass	2
1757	1765	1	RMS	1762.78	-42.45	-13	Pass	401




9.46. LTE Band Edge(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.45	0.04	30	Pass	401
1755	1756	0.2	RMS	1755.005	-33.36	-13	Pass	401
1756	1757	1	RMS	1756	-27.72	-13	Pass	2
1757	1765	1	RMS	1757.1	-28.13	-13	Pass	401




9.47. LTE Band Edge(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.2	30	Pass	401
1755	1756	0.2	RMS	1755	-26.83	-13	Pass	401
1756	1757	1	RMS	1756	-40.72	-13	Pass	2
1757	1765	1	RMS	1758.72	-40.88	-13	Pass	401



9.48. LTE Band Edge(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1752.7	-0.92	30	Pass	401
1755	1756	0.2	RMS	1755.003	-35.31	-13	Pass	401
1756	1757	1	RMS	1756	-29.46	-13	Pass	2
1757	1765	1	RMS	1757.04	-29.66	-13	Pass	401



10. LTE_Band5


10.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.5	-46.45	-13	Pass	401
823	824	0.02	RMS	824	-22.1	-13	Pass	401
824	826	0.1	RMS	824.25	21.89	30	Pass	401




10.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.86	-13	Pass	401
823	824	0.02	RMS	824	-30.53	-13	Pass	401
824	826	0.1	RMS	824.635	13.48	30	Pass	401




10.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.52	-47.22	-13	Pass	401
823	824	0.02	RMS	824	-22.99	-13	Pass	401
824	826	0.1	RMS	824.245	20.76	30	Pass	401




10.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.46	-13	Pass	401
823	824	0.02	RMS	824	-30.43	-13	Pass	401
824	826	0.1	RMS	824.73	12.58	30	Pass	401




10.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	21.85	30	Pass	401
849	850	0.02	RMS	849	-21.07	-13	Pass	401
850	860	0.1	RMS	850.6	-46.75	-13	Pass	401




10.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.44	13.54	30	Pass	401
849	850	0.02	RMS	849	-29.57	-13	Pass	401
850	860	0.1	RMS	850	-37.79	-13	Pass	401




10.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.86	30	Pass	401
849	850	0.02	RMS	849	-23.08	-13	Pass	401
850	860	0.1	RMS	850.5	-47.59	-13	Pass	401




10.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.3	12.7	30	Pass	401
849	850	0.02	RMS	849	-30.91	-13	Pass	401
850	860	0.1	RMS	850	-38.53	-13	Pass	401




10.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-46.55	-13	Pass	401
823	824	0.03	RMS	824	-21.32	-13	Pass	401
824	827	0.1	RMS	824.24	21.99	30	Pass	401




10.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.66	-36.24	-13	Pass	401
823	824	0.03	RMS	824	-33.44	-13	Pass	401
824	827	0.1	RMS	825.425	9.72	30	Pass	401



10.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.5	-13	Pass	401
823	824	0.03	RMS	824	-22.35	-13	Pass	401
824	827	0.1	RMS	824.24	21.09	30	Pass	401



10.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.42	-13	Pass	401
823	824	0.03	RMS	824	-34.09	-13	Pass	401
824	827	0.1	RMS	825.23	8.7	30	Pass	401

