


A.6 Band Edge

1. GSM_GSM850


1.1. GSM Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.715	-45.56	-13	Pass	401
823	824	0.003	RMS	823.999	-16.04	-13	Pass	700
824	824.5	0.01	RMS	824.215	23.38	35	Pass	401



1.2. GSM Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.781	23.61	35	Pass	401
849	850	0.003	RMS	849.02	-18.36	-13	Pass	700
850	855	0.1	RMS	850.013	-45.09	-13	Pass	401



2. GSM_PCS


2.1. GSM Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1848	1	RMS	1847.73	-33.34	-13	Pass	401
1848	1849	1	RMS	1849	-33.57	-13	Pass	11
1849	1850	0.003	RMS	1849.98	-21.33	-13	Pass	700
1850	1851	0.01	RMS	1850.195	20.62	35	Pass	401



2.2. GSM Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.818	21.06	35	Pass	401
1910	1911	0.003	RMS	1910.03	-19.36	-13	Pass	700
1911	1912	1	RMS	1911	-33.34	-13	Pass	11
1912	1915	1	RMS	1912.038	-33.19	-13	Pass	401



3. EGPRS_GSM850


3.1. EGPRS Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.955	-44.93	-13	Pass	401
823	824	0.003	RMS	823.964	-27.19	-13	Pass	700
824	824.5	0.01	RMS	824.203	17.63	35	Pass	401



3.2. EGPRS Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.801	16.8	35	Pass	401
849	850	0.003	RMS	849.004	-29.12	-13	Pass	700
850	855	0.1	RMS	850	-44.63	-13	Pass	401



4. EGPRS_PCS


4.1. EGPRS Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1848	1	RMS	1847.993	-33.32	-13	Pass	401
1848	1849	1	RMS	1849	-33.36	-13	Pass	11
1849	1850	0.003	RMS	1849.991	-26.8	-13	Pass	700
1850	1851	0.01	RMS	1850.238	16.22	35	Pass	401



4.2. EGPRS Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.835	16.61	35	Pass	401
1910	1911	0.003	RMS	1910.033	-28.82	-13	Pass	700
1911	1912	1	RMS	1911	-33.25	-13	Pass	11
1912	1915	1	RMS	1912.053	-33.17	-13	Pass	401



5. WCDMA_Band2


5.1. WCDMA Band Edge(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1848	1	RMS	1847.993	-25.23	-13	Pass	401
1848	1849	1	RMS	1848.2	-25.12	-13	Pass	11
1849	1850	0.051	RMS	1849.883	-26.63	-13	Pass	401
1850	1855	0.1	RMS	1850.875	8.01	35	Pass	401



5.2. WCDMA Band Edge(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.088	8.19	35	Pass	401
1910	1911	0.051	RMS	1910	-25.74	-13	Pass	401
1911	1912	1	RMS	1911.7	-24.37	-13	Pass	11
1912	1915	1	RMS	1912.008	-24.72	-13	Pass	401



6. WCDMA_Band4


6.1. WCDMA Band Edge(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1708.2	-26.3	-13	Pass	41
1709	1710	0.051	RMS	1710	-27.11	-13	Pass	401
1710	1715	0.1	RMS	1710.913	8	35	Pass	401



6.2. WCDMA Band Edge(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.725	8.18	35	Pass	401
1755	1756	0.051	RMS	1755	-26.12	-13	Pass	401
1756	1760	1	RMS	1756.7	-26.14	-13	Pass	41



7. WCDMA_Band5


7.1. WCDMA Band Edge(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	821.995	-32.01	-13	Pass	401
823	824	0.051	RMS	823.865	-25.52	-13	Pass	401
824	829	0.1	RMS	825.513	9.06	35	Pass	401



7.2. WCDMA Band Edge(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.075	9.3	35	Pass	401
849	850	0.051	RMS	849.12	-27.24	-13	Pass	401
850	855	0.1	RMS	850.975	-34.73	-13	Pass	401



8. LTE_Band2


8.1. LTE Band Edge(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.93	-13	Pass	401
1848	1849	1	RMS	1849	-37.32	-13	Pass	2
1849	1850	0.02	RMS	1850	-23.14	-13	Pass	401
1850	1852	0.1	RMS	1850.25	20.7	30	Pass	401




8.2. LTE Band Edge(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.12	-13	Pass	401
1848	1849	1	RMS	1849	-25.99	-13	Pass	2
1849	1850	0.02	RMS	1850	-31.35	-13	Pass	401
1850	1852	0.1	RMS	1850.635	12.27	30	Pass	401




8.3. LTE Band Edge(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.99	-13	Pass	401
1848	1849	1	RMS	1849	-37.98	-13	Pass	2
1849	1850	0.02	RMS	1850	-24.45	-13	Pass	401
1850	1852	0.1	RMS	1850.265	19.58	30	Pass	401




8.4. LTE Band Edge(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.15	-13	Pass	401
1848	1849	1	RMS	1849	-27.6	-13	Pass	2
1849	1850	0.02	RMS	1850	-31.57	-13	Pass	401
1850	1852	0.1	RMS	1850.72	11.39	30	Pass	401




8.5. LTE Band Edge(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.75	20.76	30	Pass	401
1910	1911	0.02	RMS	1910	-19.64	-13	Pass	401
1911	1912	1	RMS	1911	-36.58	-13	Pass	2
1912	1920	1	RMS	1912	-40.21	-13	Pass	401




8.6. LTE Band Edge(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.415	12.46	30	Pass	401
1910	1911	0.02	RMS	1910	-27.7	-13	Pass	401
1911	1912	1	RMS	1911	-21.48	-13	Pass	2
1912	1920	1	RMS	1912	-31.69	-13	Pass	401




8.7. LTE Band Edge(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.74	19.73	30	Pass	401
1910	1911	0.02	RMS	1910	-21.3	-13	Pass	401
1911	1912	1	RMS	1911	-37.46	-13	Pass	2
1912	1920	1	RMS	1912.06	-41.16	-13	Pass	401




8.8. LTE Band Edge(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.32	11.64	30	Pass	401
1910	1911	0.02	RMS	1910	-29.06	-13	Pass	401
1911	1912	1	RMS	1911	-23.56	-13	Pass	2
1912	1920	1	RMS	1912	-32.48	-13	Pass	401




8.9. LTE Band Edge(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-39.34	-13	Pass	401
1848	1849	1	RMS	1849	-36.74	-13	Pass	2
1849	1850	0.03	RMS	1850	-21.81	-13	Pass	401
1850	1853	0.1	RMS	1850.24	20.76	30	Pass	401




8.10. LTE Band Edge(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-24.6	-13	Pass	401
1848	1849	1	RMS	1849	-21.93	-13	Pass	2
1849	1850	0.03	RMS	1850	-31.58	-13	Pass	401
1850	1853	0.1	RMS	1851.433	8.54	30	Pass	401




8.11. LTE Band Edge(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-39.72	-13	Pass	401
1848	1849	1	RMS	1849	-37.75	-13	Pass	2
1849	1850	0.03	RMS	1850	-22.69	-13	Pass	401
1850	1853	0.1	RMS	1850.24	19.91	30	Pass	401




8.12. LTE Band Edge(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.54	-13	Pass	401
1848	1849	1	RMS	1849	-22.54	-13	Pass	2
1849	1850	0.03	RMS	1850	-33.1	-13	Pass	401
1850	1853	0.1	RMS	1851.238	7.54	30	Pass	401



8.13. LTE Band Edge(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.768	20.89	30	Pass	401
1910	1911	0.03	RMS	1910	-17.51	-13	Pass	401
1911	1912	1	RMS	1911	-35.59	-13	Pass	2
1912	1920	1	RMS	1914.76	-37.5	-13	Pass	401




8.14. LTE Band Edge(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.08	8.59	30	Pass	401
1910	1911	0.03	RMS	1910	-29	-13	Pass	401
1911	1912	1	RMS	1911	-19.27	-13	Pass	2
1912	1920	1	RMS	1912.02	-22.99	-13	Pass	401



8.15. LTE Band Edge(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	19.78	30	Pass	401
1910	1911	0.03	RMS	1910	-19.48	-13	Pass	401
1911	1912	1	RMS	1911	-36.69	-13	Pass	2
1912	1920	1	RMS	1914.76	-39.25	-13	Pass	401




8.16. LTE Band Edge(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.62	7.48	30	Pass	401
1910	1911	0.03	RMS	1910	-30.84	-13	Pass	401
1911	1912	1	RMS	1911	-21.03	-13	Pass	2
1912	1920	1	RMS	1912	-25.35	-13	Pass	401




8.17. LTE Band Edge(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.86	-13	Pass	401
1848	1849	1	RMS	1849	-37.25	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-20.28	-13	Pass	401
1850	1855	0.1	RMS	1850.338	20.55	30	Pass	401




8.18. LTE Band Edge(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-25.29	-13	Pass	401
1848	1849	1	RMS	1849	-23.98	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-31.25	-13	Pass	401
1850	1855	0.1	RMS	1851.663	6.2	30	Pass	401




8.19. LTE Band Edge(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.16	-13	Pass	401
1848	1849	1	RMS	1849	-38.1	-13	Pass	2
1849	1850	0.051	RMS	1850	-20.49	-13	Pass	401
1850	1855	0.1	RMS	1850.338	19.71	30	Pass	401




8.20. LTE Band Edge(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-26.51	-13	Pass	401
1848	1849	1	RMS	1849	-24.74	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-32.41	-13	Pass	401
1850	1855	0.1	RMS	1851.7	5.24	30	Pass	401



8.21. LTE Band Edge(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	20.75	30	Pass	401
1910	1911	0.051	RMS	1910	-18.64	-13	Pass	401
1911	1912	1	RMS	1911	-36.68	-13	Pass	2
1912	1920	1	RMS	1912	-39.04	-13	Pass	401




8.22. LTE Band Edge(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.85	6.2	30	Pass	401
1910	1911	0.051	RMS	1910.003	-29.28	-13	Pass	401
1911	1912	1	RMS	1911	-20.56	-13	Pass	2
1912	1920	1	RMS	1912	-22.61	-13	Pass	401




8.23. LTE Band Edge(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	19.76	30	Pass	401
1910	1911	0.051	RMS	1910.003	-18.81	-13	Pass	401
1911	1912	1	RMS	1911	-37.05	-13	Pass	2
1912	1920	1	RMS	1912	-39.45	-13	Pass	401




8.24. LTE Band Edge(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.013	5.31	30	Pass	401
1910	1911	0.051	RMS	1910	-30.87	-13	Pass	401
1911	1912	1	RMS	1911	-22.05	-13	Pass	2
1912	1920	1	RMS	1912.02	-23.63	-13	Pass	401




8.25. LTE Band Edge(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.62	-13	Pass	401
1848	1849	1	RMS	1849	-39.11	-13	Pass	2
1849	1850	0.1	RMS	1850	-23.17	-13	Pass	401
1850	1860	0.1	RMS	1850.6	20.68	30	Pass	401




8.26. LTE Band Edge(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-28.65	-13	Pass	401
1848	1849	1	RMS	1849	-27.59	-13	Pass	2
1849	1850	0.1	RMS	1850	-34.31	-13	Pass	401
1850	1860	0.1	RMS	1851.925	3.32	30	Pass	401




8.27. LTE Band Edge(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.82	-13	Pass	401
1848	1849	1	RMS	1849	-39.32	-13	Pass	2
1849	1850	0.1	RMS	1850	-23.94	-13	Pass	401
1850	1860	0.1	RMS	1850.6	19.81	30	Pass	401




8.28. LTE Band Edge(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-29.3	-13	Pass	401
1848	1849	1	RMS	1849	-28.25	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-35.29	-13	Pass	401
1850	1860	0.1	RMS	1851.9	2.24	30	Pass	401




8.29. LTE Band Edge(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	20.77	30	Pass	401
1910	1911	0.1	RMS	1910	-21.66	-13	Pass	401
1911	1912	1	RMS	1911	-38.46	-13	Pass	2
1912	1920	1	RMS	1913.78	-41.4	-13	Pass	401




8.30. LTE Band Edge(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.075	3.24	30	Pass	401
1910	1911	0.1	RMS	1910.008	-31.72	-13	Pass	401
1911	1912	1	RMS	1911	-24.28	-13	Pass	2
1912	1920	1	RMS	1912	-24.91	-13	Pass	401




8.31. LTE Band Edge(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	19.66	30	Pass	401
1910	1911	0.1	RMS	1910	-23.05	-13	Pass	401
1911	1912	1	RMS	1911	-39.18	-13	Pass	2
1912	1920	1	RMS	1912.02	-41.88	-13	Pass	401




8.32. LTE Band Edge(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1908.8	2.31	30	Pass	401
1910	1911	0.1	RMS	1910.005	-32.66	-13	Pass	401
1911	1912	1	RMS	1911	-25.22	-13	Pass	2
1912	1920	1	RMS	1912	-25.85	-13	Pass	401




8.33. LTE Band Edge(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-41.95	-13	Pass	401
1848	1849	1	RMS	1849	-38.07	-13	Pass	2
1849	1850	0.15	RMS	1850	-23.82	-13	Pass	401
1850	1865	0.1	RMS	1850.825	20.54	30	Pass	401




8.34. LTE Band Edge(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847	-27.58	-13	Pass	9
1848	1849	1	RMS	1849	-26.53	-13	Pass	2
1849	1850	0.15	RMS	1849.405	-33.98	-13	Pass	401
1850	1865	0.1	RMS	1851.838	1.61	30	Pass	401




8.35. LTE Band Edge(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-42.12	-13	Pass	401
1848	1849	1	RMS	1849	-38.18	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-24.07	-13	Pass	401
1850	1865	0.1	RMS	1850.825	19.72	30	Pass	401




8.36. LTE Band Edge(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.46	-28.91	-13	Pass	401
1848	1849	1	RMS	1849	-27.83	-13	Pass	2
1849	1850	0.15	RMS	1849.993	-35.1	-13	Pass	401
1850	1865	0.1	RMS	1852.025	0.7	30	Pass	401




8.37. LTE Band Edge(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	20.7	30	Pass	401
1910	1911	0.15	RMS	1910.005	-23.54	-13	Pass	401
1911	1912	1	RMS	1911	-37.78	-13	Pass	2
1912	1920	1	RMS	1912	-42.27	-13	Pass	401




8.38. LTE Band Edge(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.863	2.08	30	Pass	401
1910	1911	0.15	RMS	1910.333	-31.02	-13	Pass	401
1911	1912	1	RMS	1911	-23.76	-13	Pass	2
1912	1920	1	RMS	1912.88	-24.37	-13	Pass	401




8.39. LTE Band Edge(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	19.59	30	Pass	401
1910	1911	0.15	RMS	1910.003	-24.17	-13	Pass	401
1911	1912	1	RMS	1911	-38.37	-13	Pass	2
1912	1920	1	RMS	1912	-42.32	-13	Pass	401




8.40. LTE Band Edge(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.938	0.97	30	Pass	401
1910	1911	0.15	RMS	1910.265	-33.79	-13	Pass	401
1911	1912	1	RMS	1911	-26.32	-13	Pass	2
1912	1920	1	RMS	1912.82	-26.89	-13	Pass	401




8.41. LTE Band Edge(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-42.75	-13	Pass	401
1848	1849	1	RMS	1849	-40.14	-13	Pass	2
1849	1850	0.2	RMS	1850	-26.98	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.38	30	Pass	401




8.42. LTE Band Edge(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-30.74	-13	Pass	401
1848	1849	1	RMS	1849	-29.93	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-35.57	-13	Pass	401
1850	1870	0.1	RMS	1851.95	0.28	30	Pass	401




8.43. LTE Band Edge(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.71	-13	Pass	401
1848	1849	1	RMS	1849	-39.86	-13	Pass	2
1849	1850	0.2	RMS	1850	-26.78	-13	Pass	401
1850	1870	0.1	RMS	1851.1	19.6	30	Pass	401




8.44. LTE Band Edge(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.12	-13	Pass	401
1848	1849	1	RMS	1849	-30.4	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-35.7	-13	Pass	401
1850	1870	0.1	RMS	1852.45	-0.67	30	Pass	401




8.45. LTE Band Edge(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.46	30	Pass	401
1910	1911	0.2	RMS	1910.003	-26.14	-13	Pass	401
1911	1912	1	RMS	1911	-39.66	-13	Pass	2
1912	1920	1	RMS	1912	-42.7	-13	Pass	401




8.46. LTE Band Edge(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1891.85	1.03	30	Pass	401
1910	1911	0.2	RMS	1910.035	-33.09	-13	Pass	401
1911	1912	1	RMS	1911	-27.05	-13	Pass	2
1912	1920	1	RMS	1912.02	-27.2	-13	Pass	401




8.47. LTE Band Edge(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.42	30	Pass	401
1910	1911	0.2	RMS	1910	-26.48	-13	Pass	401
1911	1912	1	RMS	1911	-39.77	-13	Pass	2
1912	1920	1	RMS	1913.88	-41.75	-13	Pass	401



8.48. LTE Band Edge(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1892.1	0.03	30	Pass	401
1910	1911	0.2	RMS	1910.008	-34.95	-13	Pass	401
1911	1912	1	RMS	1911	-28.82	-13	Pass	2
1912	1920	1	RMS	1912	-28.8	-13	Pass	401



9. LTE_Band4


9.1. LTE Band Edge(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.88	-30.42	-13	Pass	401
1708	1709	1	RMS	1709	-26.3	-13	Pass	2
1709	1710	0.02	RMS	1710	-21.59	-13	Pass	401
1710	1712	0.1	RMS	1710.25	20.33	30	Pass	401




9.2. LTE Band Edge(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.83	-13	Pass	401
1708	1709	1	RMS	1709	-27.81	-13	Pass	2
1709	1710	0.02	RMS	1710	-30.39	-13	Pass	401
1710	1712	0.1	RMS	1710.635	11.94	30	Pass	401




9.3. LTE Band Edge(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-32.17	-13	Pass	401
1708	1709	1	RMS	1709	-28.56	-13	Pass	2
1709	1710	0.02	RMS	1710	-22.67	-13	Pass	401
1710	1712	0.1	RMS	1710.265	19.21	30	Pass	401




9.4. LTE Band Edge(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.85	-13	Pass	401
1708	1709	1	RMS	1709	-29.62	-13	Pass	2
1709	1710	0.02	RMS	1710	-30.23	-13	Pass	401
1710	1712	0.1	RMS	1710.735	11.12	30	Pass	401




9.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.74	20.49	30	Pass	401
1755	1756	0.02	RMS	1755	-21.68	-13	Pass	401
1756	1757	1	RMS	1756	-37.41	-13	Pass	2
1757	1765	1	RMS	1757	-38.88	-13	Pass	401



9.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.445	12.16	30	Pass	401
1755	1756	0.02	RMS	1755	-29.64	-13	Pass	401
1756	1757	1	RMS	1756	-26.7	-13	Pass	2
1757	1765	1	RMS	1757	-34.9	-13	Pass	401




9.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.75	19.47	30	Pass	401
1755	1756	0.02	RMS	1755	-22.7	-13	Pass	401
1756	1757	1	RMS	1756	-37.93	-13	Pass	2
1757	1765	1	RMS	1757	-39.35	-13	Pass	401




9.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.315	11.35	30	Pass	401
1755	1756	0.02	RMS	1755	-31.1	-13	Pass	401
1756	1757	1	RMS	1756	-28.64	-13	Pass	2
1757	1765	1	RMS	1757	-35.93	-13	Pass	401




9.9. LTE Band Edge(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-31.38	-13	Pass	401
1708	1709	1	RMS	1709	-32.48	-13	Pass	2
1709	1710	0.02	RMS	1710	-24.8	-13	Pass	51
1710	1713	0.1	RMS	1710.248	20.34	30	Pass	401




9.10. LTE Band Edge(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.17	-13	Pass	401
1708	1709	1	RMS	1709	-25.66	-13	Pass	2
1709	1710	0.03	RMS	1710	-32.55	-13	Pass	401
1710	1713	0.1	RMS	1711.425	8.14	30	Pass	401




9.11. LTE Band Edge(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.86	-35.08	-13	Pass	401
1708	1709	1	RMS	1709	-37.84	-13	Pass	2
1709	1710	0.03	RMS	1710	-21.5	-13	Pass	401
1710	1713	0.1	RMS	1710.248	19.53	30	Pass	401




9.12. LTE Band Edge(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.92	-13	Pass	401
1708	1709	1	RMS	1709	-26.02	-13	Pass	2
1709	1710	0.03	RMS	1710	-33.9	-13	Pass	401
1710	1713	0.1	RMS	1711.238	7.19	30	Pass	401



9.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.753	20.62	30	Pass	401
1755	1756	0.03	RMS	1755	-20.51	-13	Pass	401
1756	1757	1	RMS	1756	-37.58	-13	Pass	2
1757	1765	1	RMS	1759.84	-39.48	-13	Pass	401




9.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.065	8.32	30	Pass	401
1755	1756	0.03	RMS	1755	-32.64	-13	Pass	401
1756	1757	1	RMS	1756	-24.37	-13	Pass	2
1757	1765	1	RMS	1757.02	-27.3	-13	Pass	401



9.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.753	19.53	30	Pass	401
1755	1756	0.03	RMS	1755	-21.7	-13	Pass	401
1756	1757	1	RMS	1756	-38.46	-13	Pass	2
1757	1765	1	RMS	1759.68	-39.47	-13	Pass	401




9.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.41	7.17	30	Pass	401
1755	1756	0.03	RMS	1755	-33.34	-13	Pass	401
1756	1757	1	RMS	1756	-25.39	-13	Pass	2
1757	1765	1	RMS	1757	-28.76	-13	Pass	401




9.17. LTE Band Edge(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.43	-13	Pass	401
1708	1709	1	RMS	1709	-38.31	-13	Pass	2
1709	1710	0.05	RMS	1710	-21.44	-13	Pass	21
1710	1715	0.1	RMS	1710.338	20.1	30	Pass	401




9.18. LTE Band Edge(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.27	-13	Pass	401
1708	1709	1	RMS	1709	-25.71	-13	Pass	2
1709	1710	0.051	RMS	1710	-31.88	-13	Pass	401
1710	1715	0.1	RMS	1711.663	5.86	30	Pass	401




9.19. LTE Band Edge(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-39.71	-13	Pass	401
1708	1709	1	RMS	1709	-38.98	-13	Pass	2
1709	1710	0.051	RMS	1710	-20.15	-13	Pass	401
1710	1715	0.1	RMS	1710.35	19.33	30	Pass	401




9.20. LTE Band Edge(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.71	-13	Pass	401
1708	1709	1	RMS	1709	-26.38	-13	Pass	2
1709	1710	0.051	RMS	1710	-32.73	-13	Pass	401
1710	1715	0.1	RMS	1713.325	4.85	30	Pass	401




9.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	20.44	30	Pass	401
1755	1756	0.051	RMS	1755	-19.35	-13	Pass	401
1756	1757	1	RMS	1756	-38.28	-13	Pass	2
1757	1765	1	RMS	1757	-39.8	-13	Pass	401




9.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.875	5.99	30	Pass	401
1755	1756	0.051	RMS	1755.003	-32.09	-13	Pass	401
1756	1757	1	RMS	1756	-25.85	-13	Pass	2
1757	1765	1	RMS	1757	-27.12	-13	Pass	401




9.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	19.56	30	Pass	401
1755	1756	0.051	RMS	1755	-19.44	-13	Pass	401
1756	1757	1	RMS	1756	-38.53	-13	Pass	2
1757	1765	1	RMS	1757.02	-40.15	-13	Pass	401




9.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.275	5.04	30	Pass	401
1755	1756	0.051	RMS	1755	-32.97	-13	Pass	401
1756	1757	1	RMS	1756	-26.71	-13	Pass	2
1757	1765	1	RMS	1757	-28.35	-13	Pass	401




9.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-41.91	-13	Pass	401
1708	1709	1	RMS	1709	-40.08	-13	Pass	2
1709	1710	0.1	RMS	1710	-22.94	-13	Pass	401
1710	1720	0.1	RMS	1710.575	20.31	30	Pass	401




9.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.42	-13	Pass	401
1708	1709	1	RMS	1709	-28.16	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-34.84	-13	Pass	401
1710	1720	0.1	RMS	1711.925	3.14	30	Pass	401




9.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.28	-13	Pass	401
1708	1709	1	RMS	1709	-39.96	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-23.95	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.47	30	Pass	401




9.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-29.55	-13	Pass	401
1708	1709	1	RMS	1709	-29.31	-13	Pass	2
1709	1710	0.1	RMS	1710	-36.21	-13	Pass	401
1710	1720	0.1	RMS	1711.4	1.99	30	Pass	401




9.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.425	20.51	30	Pass	401
1755	1756	0.1	RMS	1755	-22.12	-13	Pass	401
1756	1757	1	RMS	1756	-39.87	-13	Pass	2
1757	1765	1	RMS	1758.8	-41.65	-13	Pass	401




9.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1752.575	3.03	30	Pass	401
1755	1756	0.1	RMS	1755	-34.71	-13	Pass	401
1756	1757	1	RMS	1756	-27.12	-13	Pass	2
1757	1765	1	RMS	1757.06	-27.35	-13	Pass	401




9.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.425	19.39	30	Pass	401
1755	1756	0.1	RMS	1755	-23.43	-13	Pass	401
1756	1757	1	RMS	1756	-40.3	-13	Pass	2
1757	1765	1	RMS	1757.02	-42.2	-13	Pass	401




9.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1746.75	2.02	30	Pass	401
1755	1756	0.1	RMS	1755	-35.99	-13	Pass	401
1756	1757	1	RMS	1756	-28.84	-13	Pass	2
1757	1765	1	RMS	1757.04	-29.2	-13	Pass	401




9.33. LTE Band Edge(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.61	-13	Pass	401
1708	1709	1	RMS	1709	-38.61	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-23.73	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.21	30	Pass	401




9.34. LTE Band Edge(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.47	-13	Pass	401
1708	1709	1	RMS	1708	-29.33	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-36.03	-13	Pass	401
1710	1725	0.1	RMS	1724.063	1.29	30	Pass	401




9.35. LTE Band Edge(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.72	-13	Pass	401
1708	1709	1	RMS	1709	-38.88	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-24.15	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.2	30	Pass	401




9.36. LTE Band Edge(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-31.04	-13	Pass	401
1708	1709	1	RMS	1708	-30.9	-13	Pass	2
1709	1710	0.15	RMS	1710	-37.18	-13	Pass	401
1710	1725	0.1	RMS	1724.1	0.32	30	Pass	401




9.37. LTE Band Edge(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	20.45	30	Pass	401
1755	1756	0.15	RMS	1755.003	-23.93	-13	Pass	401
1756	1757	1	RMS	1756	-38.53	-13	Pass	2
1757	1765	1	RMS	1759.2	-42.14	-13	Pass	401




9.38. LTE Band Edge(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1752.638	1.41	30	Pass	401
1755	1756	0.15	RMS	1755.678	-32.08	-13	Pass	401
1756	1757	1	RMS	1756	-25.22	-13	Pass	2
1757	1765	1	RMS	1758.08	-25.5	-13	Pass	401




9.39. LTE Band Edge(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	19.37	30	Pass	401
1755	1756	0.15	RMS	1755.003	-24.48	-13	Pass	401
1756	1757	1	RMS	1756	-38.82	-13	Pass	2
1757	1765	1	RMS	1757	-42.62	-13	Pass	401




9.40. LTE Band Edge(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1752.825	0.48	30	Pass	401
1755	1756	0.15	RMS	1755.003	-35.22	-13	Pass	401
1756	1757	1	RMS	1756	-28.74	-13	Pass	2
1757	1765	1	RMS	1757	-28.83	-13	Pass	401




9.41. LTE Band Edge(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-43.16	-13	Pass	401
1708	1709	1	RMS	1709	-40.57	-13	Pass	2
1709	1710	0.2	RMS	1710	-26.75	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.01	30	Pass	401




9.42. LTE Band Edge(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-35.02	-13	Pass	401
1708	1709	1	RMS	1709	-34.3	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-39.59	-13	Pass	401
1710	1730	0.1	RMS	1727.55	0.14	30	Pass	401




9.43. LTE Band Edge(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-43.32	-13	Pass	401
1708	1709	1	RMS	1709	-40.47	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-26.72	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.27	30	Pass	401




9.44. LTE Band Edge(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.81	-13	Pass	401
1708	1709	1	RMS	1709	-34.07	-13	Pass	2
1709	1710	0.2	RMS	1709.975	-39.3	-13	Pass	401
1710	1730	0.1	RMS	1728.55	-0.8	30	Pass	401




9.45. LTE Band Edge(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.26	30	Pass	401
1755	1756	0.2	RMS	1755	-26.52	-13	Pass	401
1756	1757	1	RMS	1756	-40.51	-13	Pass	2
1757	1765	1	RMS	1762.78	-42.45	-13	Pass	401




9.46. LTE Band Edge(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.45	0.04	30	Pass	401
1755	1756	0.2	RMS	1755.005	-33.36	-13	Pass	401
1756	1757	1	RMS	1756	-27.72	-13	Pass	2
1757	1765	1	RMS	1757.1	-28.13	-13	Pass	401




9.47. LTE Band Edge(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.2	30	Pass	401
1755	1756	0.2	RMS	1755	-26.83	-13	Pass	401
1756	1757	1	RMS	1756	-40.72	-13	Pass	2
1757	1765	1	RMS	1758.72	-40.88	-13	Pass	401



9.48. LTE Band Edge(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1752.7	-0.92	30	Pass	401
1755	1756	0.2	RMS	1755.003	-35.31	-13	Pass	401
1756	1757	1	RMS	1756	-29.46	-13	Pass	2
1757	1765	1	RMS	1757.04	-29.66	-13	Pass	401



10. LTE_Band5


10.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.5	-46.45	-13	Pass	401
823	824	0.02	RMS	824	-22.1	-13	Pass	401
824	826	0.1	RMS	824.25	21.89	30	Pass	401




10.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.86	-13	Pass	401
823	824	0.02	RMS	824	-30.53	-13	Pass	401
824	826	0.1	RMS	824.635	13.48	30	Pass	401




10.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.52	-47.22	-13	Pass	401
823	824	0.02	RMS	824	-22.99	-13	Pass	401
824	826	0.1	RMS	824.245	20.76	30	Pass	401




10.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.46	-13	Pass	401
823	824	0.02	RMS	824	-30.43	-13	Pass	401
824	826	0.1	RMS	824.73	12.58	30	Pass	401




10.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	21.85	30	Pass	401
849	850	0.02	RMS	849	-21.07	-13	Pass	401
850	860	0.1	RMS	850.6	-46.75	-13	Pass	401




10.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.44	13.54	30	Pass	401
849	850	0.02	RMS	849	-29.57	-13	Pass	401
850	860	0.1	RMS	850	-37.79	-13	Pass	401




10.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.86	30	Pass	401
849	850	0.02	RMS	849	-23.08	-13	Pass	401
850	860	0.1	RMS	850.5	-47.59	-13	Pass	401




10.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.3	12.7	30	Pass	401
849	850	0.02	RMS	849	-30.91	-13	Pass	401
850	860	0.1	RMS	850	-38.53	-13	Pass	401




10.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-46.55	-13	Pass	401
823	824	0.03	RMS	824	-21.32	-13	Pass	401
824	827	0.1	RMS	824.24	21.99	30	Pass	401




10.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.66	-36.24	-13	Pass	401
823	824	0.03	RMS	824	-33.44	-13	Pass	401
824	827	0.1	RMS	825.425	9.72	30	Pass	401




10.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.5	-13	Pass	401
823	824	0.03	RMS	824	-22.35	-13	Pass	401
824	827	0.1	RMS	824.24	21.09	30	Pass	401




10.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.42	-13	Pass	401
823	824	0.03	RMS	824	-34.09	-13	Pass	401
824	827	0.1	RMS	825.23	8.7	30	Pass	401



10.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	21.9	30	Pass	401
849	850	0.03	RMS	849	-20.43	-13	Pass	401
850	860	0.1	RMS	850	-47.06	-13	Pass	401




10.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.065	9.79	30	Pass	401
849	850	0.03	RMS	849	-33.55	-13	Pass	401
850	860	0.1	RMS	850.3	-33.49	-13	Pass	401



10.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	20.89	30	Pass	401
849	850	0.03	RMS	849	-22.22	-13	Pass	401
850	860	0.1	RMS	850.025	-47.45	-13	Pass	401




10.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.953	8.61	30	Pass	401
849	850	0.03	RMS	849	-33.85	-13	Pass	401
850	860	0.1	RMS	850.025	-33.83	-13	Pass	401




10.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.04	-47.07	-13	Pass	401
823	824	0.051	RMS	824	-19.11	-13	Pass	401
824	829	0.1	RMS	824.338	21.71	30	Pass	401




10.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.66	-37.85	-13	Pass	401
823	824	0.051	RMS	823.998	-32.02	-13	Pass	401
824	829	0.1	RMS	825.65	7.38	30	Pass	401




10.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.06	-47.09	-13	Pass	401
823	824	0.051	RMS	824	-19.34	-13	Pass	401
824	829	0.1	RMS	824.35	20.99	30	Pass	401




10.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-37.82	-13	Pass	401
823	824	0.051	RMS	823.998	-32.55	-13	Pass	401
824	829	0.1	RMS	827.313	6.4	30	Pass	401




10.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	21.8	30	Pass	401
849	850	0.051	RMS	849	-19.25	-13	Pass	401
850	860	0.1	RMS	850.85	-48.08	-13	Pass	401




10.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.888	7.5	30	Pass	401
849	850	0.051	RMS	849.003	-32.07	-13	Pass	401
850	860	0.1	RMS	850.025	-34.48	-13	Pass	401



10.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.89	30	Pass	401
849	850	0.051	RMS	849	-19.23	-13	Pass	401
850	860	0.1	RMS	850	-48.08	-13	Pass	401




10.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.575	6.65	30	Pass	401
849	850	0.051	RMS	849	-32.6	-13	Pass	401
850	860	0.1	RMS	850.125	-35.37	-13	Pass	401




10.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-48.46	-13	Pass	401
823	824	0.1	RMS	824	-21.98	-13	Pass	401
824	834	0.1	RMS	824.575	21.83	30	Pass	401




10.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-39.34	-13	Pass	401
823	824	0.1	RMS	823.995	-34.59	-13	Pass	401
824	834	0.1	RMS	825.9	4.41	30	Pass	401




10.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.75	-13	Pass	401
823	824	0.1	RMS	823.995	-22.95	-13	Pass	401
824	834	0.1	RMS	824.575	20.99	30	Pass	401




10.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.76	-39.76	-13	Pass	401
823	824	0.1	RMS	823.995	-35.37	-13	Pass	401
824	834	0.1	RMS	832.375	3.37	30	Pass	401




10.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	21.79	30	Pass	401
849	850	0.1	RMS	849	-21.54	-13	Pass	401
850	860	0.1	RMS	850	-49.44	-13	Pass	401




10.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.475	4.58	30	Pass	401
849	850	0.1	RMS	849	-35.72	-13	Pass	401
850	860	0.1	RMS	850.025	-38.68	-13	Pass	401




10.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	20.74	30	Pass	401
849	850	0.1	RMS	849.003	-22.74	-13	Pass	401
850	860	0.1	RMS	850	-49.61	-13	Pass	401



10.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	840.225	3.66	30	Pass	401
849	850	0.1	RMS	849.003	-36.9	-13	Pass	401
850	860	0.1	RMS	850.15	-40.18	-13	Pass	401



11. LTE_Band7


11.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.72	-41.2	-25	Pass	401
2494	2496	1	RMS	2496	-25.55	-13	Pass	401
2496	2499	1	RMS	2496	-25.37	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-16.26	-10	Pass	401
2500	2505	0.1	RMS	2500.338	20.52	30	Pass	401




11.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-38.4	-25	Pass	401
2494	2496	1	RMS	2496	-32.23	-13	Pass	401
2496	2499	1	RMS	2499	-24.45	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.54	-10	Pass	401
2500	2505	0.1	RMS	2501.688	6.11	30	Pass	401




11.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.578	-43.22	-25	Pass	401
2494	2496	1	RMS	2495.985	-26.93	-13	Pass	401
2496	2499	1	RMS	2496	-26.76	-10	Pass	4
2499	2500	0.1	RMS	2500	-16.67	-10	Pass	401
2500	2505	0.1	RMS	2500.35	19.75	30	Pass	401




11.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-38.44	-25	Pass	401
2494	2496	1	RMS	2495.995	-33.18	-13	Pass	401
2496	2499	1	RMS	2499	-26.52	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-28.22	-10	Pass	401
2500	2505	0.1	RMS	2503.3	5.14	30	Pass	401




11.5. LTE Band Edge(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	20.67	30	Pass	401
2570	2571	0.1	RMS	2570	-16.05	-10	Pass	401
2571	2575	1	RMS	2574	-27.11	-10	Pass	5
2575	2576	1	RMS	2575	-38.78	-13	Pass	401
2576	2595	1	RMS	2578.28	-46.78	-25	Pass	401




11.6. LTE Band Edge(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2568.675	6.22	30	Pass	401
2570	2571	0.1	RMS	2570.003	-26.14	-10	Pass	401
2571	2575	1	RMS	2571	-22.72	-10	Pass	5
2575	2576	1	RMS	2575.003	-34.88	-13	Pass	401
2576	2595	1	RMS	2577.188	-36.23	-25	Pass	401




11.7. LTE Band Edge(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	19.74	30	Pass	401
2570	2571	0.1	RMS	2570	-16.2	-10	Pass	401
2571	2575	1	RMS	2574	-28.16	-10	Pass	5
2575	2576	1	RMS	2575	-39.56	-13	Pass	401
2576	2595	1	RMS	2576	-47.97	-25	Pass	401




11.8. LTE Band Edge(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2568.975	5.25	30	Pass	401
2570	2571	0.1	RMS	2570	-27.37	-10	Pass	401
2571	2575	1	RMS	2571	-24.1	-10	Pass	5
2575	2576	1	RMS	2575.018	-34.69	-13	Pass	401
2576	2595	1	RMS	2576	-36.29	-25	Pass	401




11.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.913	-44.6	-25	Pass	401
2490	2496	1	RMS	2491.77	-32.03	-13	Pass	401
2496	2499	1	RMS	2499	-37.98	-10	Pass	4
2499	2500	0.2	RMS	2500	-18.7	-10	Pass	401
2500	2510	0.1	RMS	2500.575	20.7	30	Pass	401




11.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.56	-25	Pass	401
2490	2496	1	RMS	2495.97	-31.39	-13	Pass	401
2496	2499	1	RMS	2499	-28.89	-10	Pass	4
2499	2500	0.2	RMS	2499.995	-31.04	-10	Pass	401
2500	2510	0.1	RMS	2501.925	3.45	30	Pass	401




11.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.988	-45.57	-25	Pass	401
2490	2496	1	RMS	2491.755	-33.14	-13	Pass	401
2496	2499	1	RMS	2499	-37.99	-10	Pass	4
2499	2500	0.2	RMS	2499.998	-19.77	-10	Pass	401
2500	2510	0.1	RMS	2500.575	19.8	30	Pass	401




11.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-41.12	-25	Pass	401
2490	2496	1	RMS	2496	-32.94	-13	Pass	401
2496	2499	1	RMS	2499	-30.38	-10	Pass	4
2499	2500	0.2	RMS	2500	-32.56	-10	Pass	401
2500	2510	0.1	RMS	2502.075	2.27	30	Pass	401




11.13. LTE Band Edge(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.67	30	Pass	401
2570	2571	0.2	RMS	2570	-18.09	-10	Pass	401
2571	2575	1	RMS	2571	-37.91	-10	Pass	5
2575	2580	1	RMS	2578.238	-33.25	-13	Pass	401
2580	2595	1	RMS	2587.125	-46.6	-25	Pass	401




11.14. LTE Band Edge(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2567.575	3.44	30	Pass	401
2570	2571	0.2	RMS	2570	-30.92	-10	Pass	401
2571	2575	1	RMS	2571	-27.65	-10	Pass	5
2575	2580	1	RMS	2575.013	-30.74	-13	Pass	401
2580	2595	1	RMS	2583.225	-38.03	-25	Pass	401




11.15. LTE Band Edge(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	19.64	30	Pass	401
2570	2571	0.2	RMS	2570	-19.36	-10	Pass	401
2571	2575	1	RMS	2571	-38.32	-10	Pass	5
2575	2580	1	RMS	2578.213	-34.31	-13	Pass	401
2580	2595	1	RMS	2587.125	-46.9	-25	Pass	401




11.16. LTE Band Edge(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2568.825	2.36	30	Pass	401
2570	2571	0.2	RMS	2570	-32.26	-10	Pass	401
2571	2575	1	RMS	2571	-29.43	-10	Pass	5
2575	2580	1	RMS	2575	-32.62	-13	Pass	401
2580	2595	1	RMS	2581.313	-38.04	-25	Pass	401




11.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.525	-36.35	-25	Pass	401
2490	2496	1	RMS	2496	-43.62	-13	Pass	401
2496	2499	1	RMS	2499	-37.24	-10	Pass	4
2499	2500	0.3	RMS	2500	-19.42	-10	Pass	401
2500	2515	0.1	RMS	2500.825	20.51	30	Pass	401




11.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-37.03	-25	Pass	401
2490	2496	1	RMS	2495.97	-32.04	-13	Pass	401
2496	2499	1	RMS	2499	-30.98	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-32.7	-10	Pass	401
2500	2515	0.1	RMS	2513.838	1.65	30	Pass	401




11.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.488	-37.48	-25	Pass	401
2490	2496	1	RMS	2496	-43.97	-13	Pass	401
2496	2499	1	RMS	2499	-37.42	-10	Pass	4
2499	2500	0.3	RMS	2500	-19.91	-10	Pass	401
2500	2515	0.1	RMS	2500.825	19.55	30	Pass	401




11.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.31	-25	Pass	401
2490	2496	1	RMS	2496	-34.38	-13	Pass	401
2496	2499	1	RMS	2499	-32.58	-10	Pass	4
2499	2500	0.3	RMS	2500	-34.11	-10	Pass	401
2500	2515	0.1	RMS	2502.025	0.65	30	Pass	401




11.21. LTE Band Edge(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	20.64	30	Pass	401
2570	2571	0.3	RMS	2570.008	-19.78	-10	Pass	401
2571	2575	1	RMS	2571	-37.4	-10	Pass	5
2575	2585	1	RMS	2582.5	-36.79	-13	Pass	401
2585	2595	1	RMS	2585	-49.78	-25	Pass	401




11.22. LTE Band Edge(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2568.763	1.91	30	Pass	401
2570	2571	0.3	RMS	2570.008	-30.67	-10	Pass	401
2571	2575	1	RMS	2573	-28.11	-10	Pass	5
2575	2585	1	RMS	2575.5	-28.46	-13	Pass	401
2585	2595	1	RMS	2585.2	-37.57	-25	Pass	401




11.23. LTE Band Edge(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	19.58	30	Pass	401
2570	2571	0.3	RMS	2570.008	-20.32	-10	Pass	401
2571	2575	1	RMS	2571	-37.98	-10	Pass	5
2575	2585	1	RMS	2582.475	-38.02	-13	Pass	401
2585	2595	1	RMS	2585	-49.69	-25	Pass	401




11.24. LTE Band Edge(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2567.788	0.83	30	Pass	401
2570	2571	0.3	RMS	2570.008	-32.99	-10	Pass	401
2571	2575	1	RMS	2571	-30.58	-10	Pass	5
2575	2585	1	RMS	2575	-31.34	-13	Pass	401
2585	2595	1	RMS	2585.125	-37.42	-25	Pass	401




11.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.288	-40.56	-25	Pass	401
2490	2496	1	RMS	2495.985	-44.6	-13	Pass	401
2496	2499	1	RMS	2499	-39.06	-10	Pass	4
2499	2500	0.51	RMS	2499.998	-19.85	-10	Pass	401
2500	2520	0.1	RMS	2501.1	20.42	30	Pass	401




11.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.67	-25	Pass	401
2490	2496	1	RMS	2495.985	-35.21	-13	Pass	401
2496	2499	1	RMS	2499	-33.29	-10	Pass	4
2499	2500	0.51	RMS	2499.993	-33.43	-10	Pass	401
2500	2520	0.1	RMS	2518.35	0.5	30	Pass	401




11.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.325	-41.83	-25	Pass	401
2490	2496	1	RMS	2495.985	-44.81	-13	Pass	401
2496	2499	1	RMS	2499	-38.93	-10	Pass	4
2499	2500	0.51	RMS	2499.995	-19.84	-10	Pass	401
2500	2520	0.1	RMS	2501.1	19.64	30	Pass	401




11.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-39.97	-25	Pass	401
2490	2496	1	RMS	2495.985	-35.95	-13	Pass	401
2496	2499	1	RMS	2499	-33.93	-10	Pass	4
2499	2500	0.51	RMS	2499.995	-34.27	-10	Pass	401
2500	2520	0.1	RMS	2518.35	-0.46	30	Pass	401




11.29. LTE Band Edge(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.41	30	Pass	401
2570	2571	0.51	RMS	2570.005	-19.77	-10	Pass	401
2571	2575	1	RMS	2571	-39.12	-10	Pass	5
2575	2590	1	RMS	2586.7	-35.52	-13	Pass	401
2590	2595	1	RMS	2590.025	-50.65	-25	Pass	401




11.30. LTE Band Edge(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.5	0.93	30	Pass	401
2570	2571	0.51	RMS	2570	-31.6	-10	Pass	401
2571	2575	1	RMS	2575	-31	-10	Pass	5
2575	2590	1	RMS	2576.688	-31.23	-13	Pass	401
2590	2595	1	RMS	2590	-43.27	-25	Pass	401




11.31. LTE Band Edge(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	19.39	30	Pass	401
2570	2571	0.51	RMS	2570.008	-20.08	-10	Pass	401
2571	2575	1	RMS	2571	-39.49	-10	Pass	5
2575	2590	1	RMS	2586.738	-36.98	-13	Pass	401
2590	2595	1	RMS	2590.113	-50.63	-25	Pass	401



11.32. LTE Band Edge(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2567.75	-0.09	30	Pass	401
2570	2571	0.51	RMS	2570	-32.79	-10	Pass	401
2571	2575	1	RMS	2571	-32.15	-10	Pass	5
2575	2590	1	RMS	2576.163	-32.39	-13	Pass	401
2590	2595	1	RMS	2590.013	-42.76	-25	Pass	401



12. LTE_Band12


12.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.03	-13	Pass	401
698.9	699	0.03	RMS	699	-20.07	-13	Pass	401
699	701	0.1	RMS	699.255	20.95	30	Pass	401




12.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.36	-13	Pass	401
698.9	699	0.03	RMS	699	-28.38	-13	Pass	401
699	701	0.1	RMS	699.655	12.53	30	Pass	401




12.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.36	-13	Pass	401
698.9	699	0.03	RMS	699	-21.42	-13	Pass	401
699	701	0.1	RMS	699.255	19.83	30	Pass	401




12.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.97	-13	Pass	401
698.9	699	0.03	RMS	699	-28.47	-13	Pass	401
699	701	0.1	RMS	699.72	11.65	30	Pass	401




12.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.745	21.04	30	Pass	401
716	716.1	0.03	RMS	716	-19.47	-13	Pass	5
716.1	725	0.1	RMS	716.1	-24.45	-13	Pass	401




12.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.435	12.69	30	Pass	401
716	716.1	0.03	RMS	716	-28.6	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.72	-13	Pass	401



12.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.74	20.03	30	Pass	401
716	716.1	0.03	RMS	716	-21.41	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.44	-13	Pass	401




12.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.31	11.81	30	Pass	401
716	716.1	0.03	RMS	716	-29.99	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.89	-13	Pass	401




12.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.54	-13	Pass	401
698.9	699	0.03	RMS	699	-20.4	-13	Pass	5
699	702	0.1	RMS	699.24	21.05	30	Pass	401




12.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.24	-13	Pass	401
698.9	699	0.03	RMS	699	-31.5	-13	Pass	401
699	702	0.1	RMS	700.8	8.84	30	Pass	401




12.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.34	-13	Pass	401
698.9	699	0.03	RMS	699	-21.27	-13	Pass	401
699	702	0.1	RMS	699.248	20.09	30	Pass	401




12.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.75	-13	Pass	401
698.9	699	0.03	RMS	699	-34.1	-13	Pass	401
699	702	0.1	RMS	700.988	7.74	30	Pass	401




12.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.753	21.17	30	Pass	401
716	716.1	0.03	RMS	716	-18.81	-13	Pass	5
716.1	725	0.1	RMS	716.1	-22.8	-13	Pass	401




12.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	714.065	8.97	30	Pass	401
716	716.1	0.03	RMS	716.001	-30.13	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.2	-13	Pass	401



12.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	20.06	30	Pass	401
716	716.1	0.03	RMS	716	-21.1	-13	Pass	401
716.1	725	0.1	RMS	716.1	-24.62	-13	Pass	401




12.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.915	7.73	30	Pass	401
716	716.1	0.03	RMS	716.001	-31.86	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.79	-13	Pass	401




12.17. LTE Band Edge(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.85	0.1	RMS	698.85	-17.63	-13	Pass	90
698.9	698.985	0.03	RMS	698.985	-16.97	-13	Pass	4
699	704	0.1	RMS	699.338	20.72	30	Pass	401




12.18. LTE Band Edge(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.28	-13	Pass	401
698.9	699	0.03	RMS	699	-28.99	-13	Pass	401
699	704	0.1	RMS	702.363	6.49	30	Pass	401




12.19. LTE Band Edge(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.85	0.1	RMS	698.85	-17.4	-13	Pass	401
698.9	699	0.03	RMS	699	-16.62	-13	Pass	5
699	704	0.1	RMS	699.35	19.94	30	Pass	401




12.20. LTE Band Edge(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.25	-13	Pass	401
698.9	699	0.03	RMS	699	-29.86	-13	Pass	401
699	704	0.1	RMS	702.325	5.5	30	Pass	401




12.21. LTE Band Edge(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	21.07	30	Pass	401
716.015	716.1	0.03	RMS	716.015	-16.54	-13	Pass	4
716.15	725	0.1	RMS	716.15	-16.55	-13	Pass	401




12.22. LTE Band Edge(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.888	6.56	30	Pass	401
716	716.1	0.03	RMS	716	-29.22	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.98	-13	Pass	401



12.23. LTE Band Edge(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.1	30	Pass	401
716.015	716.1	0.03	RMS	716.015	-16.1	-13	Pass	401
716.15	725	0.1	RMS	716.15	-16.73	-13	Pass	401




12.24. LTE Band Edge(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	711.613	5.54	30	Pass	401
716	716.1	0.03	RMS	716.001	-30.06	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.44	-13	Pass	401




12.25. LTE Band Edge(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-19.39	-13	Pass	401
698.9	699	0.03	RMS	699	-22	-13	Pass	401
699	709	0.1	RMS	699.6	20.92	30	Pass	401




12.26. LTE Band Edge(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.73	-13	Pass	401
698.9	699	0.03	RMS	698.999	-35.44	-13	Pass	401
699	709	0.1	RMS	703.25	3.5	30	Pass	401




12.27. LTE Band Edge(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-20.45	-13	Pass	401
698.9	699	0.03	RMS	699	-23.04	-13	Pass	401
699	709	0.1	RMS	699.6	20.03	30	Pass	401




12.28. LTE Band Edge(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.65	-13	Pass	401
698.9	699	0.03	RMS	698.997	-37.11	-13	Pass	401
699	709	0.1	RMS	704.025	2.44	30	Pass	401




12.29. LTE Band Edge(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	21.03	30	Pass	401
716	716.1	0.03	RMS	716	-21.22	-13	Pass	401
716.1	725	0.1	RMS	716.1	-18.54	-13	Pass	401




12.30. LTE Band Edge(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	708.075	3.59	30	Pass	401
716	716.1	0.03	RMS	716	-36.77	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.44	-13	Pass	401




12.31. LTE Band Edge(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.91	30	Pass	401
716	716.1	0.03	RMS	716.001	-22.59	-13	Pass	401
716.1	725	0.1	RMS	716.1	-20.08	-13	Pass	401



12.32. LTE Band Edge(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	707.75	2.7	30	Pass	401
716	716.1	0.03	RMS	716.003	-37.52	-13	Pass	401
716.1	725	0.1	RMS	716.1	-33.67	-13	Pass	401



13. LTE_Band13


13.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	773.018	-56.94	-35	Pass	1200
775	775.9	0.1	RMS	775.277	-46.87	-13	Pass	401
775.9	776	0.03	RMS	775.954	-50.02	-13	Pass	401
776	788	0.1	RMS	777.35	21.45	30	Pass	401




13.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.74	-42.88	-35	Pass	1200
775	775.9	0.1	RMS	775.869	-31.62	-13	Pass	401
775.9	776	0.03	RMS	775.902	-36.7	-13	Pass	401
776	788	0.1	RMS	778.67	7.2	30	Pass	401




13.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	773.078	-57.27	-35	Pass	1200
775	775.9	0.1	RMS	775.756	-46.65	-13	Pass	401
775.9	776	0.03	RMS	775.95	-47.99	-13	Pass	401
776	788	0.1	RMS	777.35	20.71	30	Pass	401




13.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.86	-45.13	-35	Pass	1200
775	775.9	0.1	RMS	775.835	-34.18	-13	Pass	401
775.9	776	0.03	RMS	775.927	-39.1	-13	Pass	401
776	788	0.1	RMS	780.32	6.19	30	Pass	401




13.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	21.59	30	Pass	401
788	788.1	0.03	RMS	788.076	-52.38	-13	Pass	401
788.1	793	0.1	RMS	788.578	-46.38	-13	Pass	401
793	805	0.01	RMS	793.18	-66.98	-35	Pass	1200




13.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	785.27	7.18	30	Pass	401
788	788.1	0.03	RMS	788.005	-40.01	-13	Pass	401
788.1	793	0.1	RMS	788.21	-35.16	-13	Pass	401
793	805	0.01	RMS	793.23	-54.19	-35	Pass	1200




13.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	20.69	30	Pass	401
788	788.1	0.03	RMS	788.059	-51.87	-13	Pass	401
788.1	793	0.1	RMS	788.137	-47.39	-13	Pass	401
793	805	0.01	RMS	793.01	-66.79	-35	Pass	1200




13.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	784.52	6.19	30	Pass	401
788	788.1	0.03	RMS	788.062	-41.63	-13	Pass	401
788.1	793	0.1	RMS	788.149	-36.72	-13	Pass	401
793	805	0.01	RMS	793.01	-55.08	-35	Pass	1200




13.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	773.188	-57.84	-35	Pass	1200
775	775.9	0.1	RMS	775.601	-47.96	-13	Pass	401
775.9	776	0.03	RMS	775.904	-50.56	-13	Pass	401
776	788	0.1	RMS	777.59	21.68	30	Pass	401




13.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.74	-45.55	-35	Pass	1200
775	775.9	0.1	RMS	775.781	-35.12	-13	Pass	401
775.9	776	0.03	RMS	775.976	-40.27	-13	Pass	401
776	788	0.1	RMS	785.03	4.34	30	Pass	401




13.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	773.168	-58.5	-35	Pass	1200
775	775.9	0.1	RMS	775.583	-48.62	-13	Pass	401
775.9	776	0.03	RMS	775.999	-52.12	-13	Pass	401
776	788	0.1	RMS	777.59	20.82	30	Pass	401




13.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-46.66	-35	Pass	1200
775	775.9	0.1	RMS	775.875	-36.59	-13	Pass	401
775.9	776	0.03	RMS	775.918	-41.34	-13	Pass	401
776	788	0.1	RMS	785.36	3.3	30	Pass	401




13.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	21.63	30	Pass	401
788	788.1	0.03	RMS	788.026	-49.6	-13	Pass	401
788.1	793	0.1	RMS	790.82	-46.82	-13	Pass	401
793	805	0.01	RMS	795.192	-56.91	-35	Pass	1200




13.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	784.61	4.29	30	Pass	401
788	788.1	0.03	RMS	788.002	-39.76	-13	Pass	401
788.1	793	0.1	RMS	788.161	-35.3	-13	Pass	401
793	805	0.01	RMS	793.29	-46.16	-35	Pass	1200




13.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	20.71	30	Pass	401
788	788.1	0.03	RMS	788.05	-49.64	-13	Pass	401
788.1	793	0.1	RMS	790.807	-47.87	-13	Pass	401
793	805	0.01	RMS	795.182	-57.44	-35	Pass	1200




13.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	784.58	3.2	30	Pass	401
788	788.1	0.03	RMS	788.073	-41.76	-13	Pass	401
788.1	793	0.1	RMS	788.125	-37.08	-13	Pass	401
793	805	0.01	RMS	793.36	-49.14	-35	Pass	1200




13.17. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
769	12	0.01	RMS	773.059	-56.08	Pass	2400




13.18. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
769	12	0.01	RMS	774.985	-42.54	Pass	2400




13.19. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
769	12	0.01	RMS	773.019	-56.85	Pass	2400




13.20. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
769	12	0.01	RMS	774.905	-44.85	Pass	2400




13.21. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
799	12	0.01	RMS	793.175	-65.42	Pass	2400




13.22. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
799	12	0.01	RMS	793.025	-53.38	Pass	2400




13.23. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
799	12	0.01	RMS	793	-67.08	Pass	2400




13.24. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
799	12	0.01	RMS	793.1	-54.71	Pass	2400




13.25. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.26. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
769	12	0.01	RMS	774.725	-45.24	Pass	2400



13.27. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.28. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




13.29. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
799	12	0.01	RMS	795.236	-56.72	Pass	2400




13.30. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
799	12	0.01	RMS	793.2	-46.7	Pass	2400




13.31. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
799	12	0.01	RMS	795.246	-57.78	Pass	2400



13.32. LTE Emission Mask (B13&14)-FCC(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
799	12	0.01	RMS	793.45	-48.87	Pass	2400



14. LTE_Band17


14.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.85	0.1	RMS	703.85	-16.68	-13	Pass	401
703.9	703.985	0.03	RMS	703.985	-16.63	-13	Pass	4
704	709	0.1	RMS	704.338	20.98	30	Pass	401




14.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.08	-13	Pass	401
703.9	704	0.03	RMS	704	-28.32	-13	Pass	401
704	709	0.1	RMS	705.688	6.48	30	Pass	401




14.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.85	0.1	RMS	703.85	-17.24	-13	Pass	401
703.9	703.985	0.03	RMS	703.985	-16.82	-13	Pass	401
704	709	0.1	RMS	704.338	20.07	30	Pass	401




14.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-27.59	-13	Pass	401
703.9	704	0.03	RMS	703.999	-29.13	-13	Pass	401
704	709	0.1	RMS	705.675	5.45	30	Pass	401




14.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.638	20.9	30	Pass	401
716.015	716.1	0.03	RMS	716.015	-16.92	-13	Pass	4
716.15	725	0.1	RMS	716.15	-17.14	-13	Pass	401




14.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.863	6.56	30	Pass	401
716	716.1	0.03	RMS	716.001	-28.79	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.16	-13	Pass	401



14.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.23	30	Pass	401
716.015	716.1	0.03	RMS	716.015	-17.59	-13	Pass	4
716.15	725	0.1	RMS	716.15	-17.76	-13	Pass	401




14.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	711.613	5.5	30	Pass	401
716	716.1	0.03	RMS	716	-29.76	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.76	-13	Pass	401




14.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-19.41	-13	Pass	401
703.9	704	0.03	RMS	704	-22.01	-13	Pass	401
704	714	0.1	RMS	704.575	20.92	30	Pass	401




14.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-30.2	-13	Pass	401
703.9	704	0.03	RMS	703.998	-33.64	-13	Pass	401
704	714	0.1	RMS	705.925	3.73	30	Pass	401




14.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-20.45	-13	Pass	401
703.9	704	0.03	RMS	704	-22.86	-13	Pass	401
704	714	0.1	RMS	704.6	20.15	30	Pass	401




14.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-32.1	-13	Pass	401
703.9	704	0.03	RMS	703.999	-35.9	-13	Pass	401
704	714	0.1	RMS	705.4	2.5	30	Pass	401




14.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	20.93	30	Pass	401
716	716.1	0.03	RMS	716	-21.49	-13	Pass	401
716.1	725	0.1	RMS	716.1	-19.03	-13	Pass	401




14.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	708.075	3.52	30	Pass	401
716	716.1	0.03	RMS	716.026	-35.34	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.96	-13	Pass	401




14.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	19.88	30	Pass	401
716	716.1	0.03	RMS	716.001	-22.71	-13	Pass	401
716.1	725	0.1	RMS	716.1	-20.14	-13	Pass	401



14.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	707.725	2.54	30	Pass	401
716	716.1	0.03	RMS	716.005	-36.75	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.88	-13	Pass	401



15. LTE_Band26(part22)


15.1. LTE Band Edge(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-48.99	-13	Pass	401
823	824	0.02	RMS	824	-22.97	-13	Pass	401
824	826	0.1	RMS	824.25	21.49	30	Pass	401




15.2. LTE Band Edge(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.46	-13	Pass	401
823	824	0.02	RMS	824	-30.18	-13	Pass	401
824	826	0.1	RMS	824.63	13.09	30	Pass	401




15.3. LTE Band Edge(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.72	-48.88	-13	Pass	401
823	824	0.02	RMS	824	-23.7	-13	Pass	401
824	826	0.1	RMS	824.26	20.43	30	Pass	401




15.4. LTE Band Edge(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-39.08	-13	Pass	401
823	824	0.02	RMS	824	-29.8	-13	Pass	401
824	826	0.1	RMS	824.735	12.23	30	Pass	401




15.5. LTE Band Edge(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	21.58	30	Pass	401
849	850	0.02	RMS	849	-22.45	-13	Pass	401
850	860	0.1	RMS	850	-49.76	-13	Pass	401




15.6. LTE Band Edge(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.435	13.22	30	Pass	401
849	850	0.02	RMS	849	-30.31	-13	Pass	401
850	860	0.1	RMS	850	-38.22	-13	Pass	401




15.7. LTE Band Edge(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	20.62	30	Pass	401
849	850	0.02	RMS	849	-23.72	-13	Pass	401
850	860	0.1	RMS	850.025	-49.81	-13	Pass	401




15.8. LTE Band Edge(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.325	12.35	30	Pass	401
849	850	0.02	RMS	849	-31.36	-13	Pass	401
850	860	0.1	RMS	850	-39.27	-13	Pass	401




15.9. LTE Band Edge(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.72	-46.71	-13	Pass	401
823	824	0.03	RMS	824	-21.66	-13	Pass	401
824	827	0.1	RMS	824.24	21.57	30	Pass	401




15.10. LTE Band Edge(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.38	-13	Pass	401
823	824	0.03	RMS	824	-33.39	-13	Pass	401
824	827	0.1	RMS	825.433	9.34	30	Pass	401




15.11. LTE Band Edge(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.76	-47.88	-13	Pass	401
823	824	0.03	RMS	824	-22.54	-13	Pass	401
824	827	0.1	RMS	824.248	20.74	30	Pass	401




15.12. LTE Band Edge(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.84	-38.88	-13	Pass	401
823	824	0.03	RMS	824	-34.95	-13	Pass	401
824	827	0.1	RMS	825.2	8.33	30	Pass	401



15.13. LTE Band Edge(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	21.64	30	Pass	401
849	850	0.03	RMS	849	-20.52	-13	Pass	401
850	860	0.1	RMS	850	-46.82	-13	Pass	401




15.14. LTE Band Edge(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.088	9.45	30	Pass	401
849	850	0.03	RMS	849	-34.53	-13	Pass	401
850	860	0.1	RMS	850.05	-35.74	-13	Pass	401




15.15. LTE Band Edge(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	20.61	30	Pass	401
849	850	0.03	RMS	849	-22.12	-13	Pass	401
850	860	0.1	RMS	850	-47.71	-13	Pass	401




15.16. LTE Band Edge(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.945	8.21	30	Pass	401
849	850	0.03	RMS	849	-35.45	-13	Pass	401
850	860	0.1	RMS	850.075	-36.74	-13	Pass	401




15.17. LTE Band Edge(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.02	-46.51	-13	Pass	401
823	824	0.051	RMS	824	-19.62	-13	Pass	401
824	829	0.1	RMS	824.338	21.29	30	Pass	401




15.18. LTE Band Edge(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.2	-13	Pass	401
823	824	0.051	RMS	823.998	-32.02	-13	Pass	401
824	829	0.1	RMS	825.688	7.05	30	Pass	401




15.19. LTE Band Edge(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.04	-47.28	-13	Pass	401
823	824	0.051	RMS	824	-19.78	-13	Pass	401
824	829	0.1	RMS	824.35	20.56	30	Pass	401




15.20. LTE Band Edge(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-39.05	-13	Pass	401
823	824	0.051	RMS	824	-33.14	-13	Pass	401
824	829	0.1	RMS	825.663	6	30	Pass	401




15.21. LTE Band Edge(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	21.52	30	Pass	401
849	850	0.051	RMS	849	-19.65	-13	Pass	401
850	860	0.1	RMS	850	-48.46	-13	Pass	401




15.22. LTE Band Edge(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.85	7.17	30	Pass	401
849	850	0.051	RMS	849	-32.67	-13	Pass	401
850	860	0.1	RMS	850.05	-35.8	-13	Pass	401




15.23. LTE Band Edge(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.6	30	Pass	401
849	850	0.051	RMS	849	-19.5	-13	Pass	401
850	860	0.1	RMS	850.05	-48.45	-13	Pass	401




15.24. LTE Band Edge(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.6	6.2	30	Pass	401
849	850	0.051	RMS	849	-33.75	-13	Pass	401
850	860	0.1	RMS	850	-37.92	-13	Pass	401




15.25. LTE Band Edge(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.57	-13	Pass	401
823	824	0.1	RMS	824	-22.36	-13	Pass	401
824	834	0.1	RMS	824.575	21.41	30	Pass	401




15.26. LTE Band Edge(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.48	-40.72	-13	Pass	401
823	824	0.1	RMS	823.995	-35.49	-13	Pass	401
824	834	0.1	RMS	825.95	4.14	30	Pass	401




15.27. LTE Band Edge(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.72	-47.55	-13	Pass	401
823	824	0.1	RMS	823.998	-23.3	-13	Pass	401
824	834	0.1	RMS	824.575	20.59	30	Pass	401




15.28. LTE Band Edge(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-41.57	-13	Pass	401
823	824	0.1	RMS	824	-36.28	-13	Pass	401
824	834	0.1	RMS	825.875	2.99	30	Pass	401




15.29. LTE Band Edge(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.51	30	Pass	401
849	850	0.1	RMS	849	-21.85	-13	Pass	401
850	860	0.1	RMS	850	-49.59	-13	Pass	401




15.30. LTE Band Edge(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.15	4.21	30	Pass	401
849	850	0.1	RMS	849.003	-36.34	-13	Pass	401
850	860	0.1	RMS	850	-39.7	-13	Pass	401




15.31. LTE Band Edge(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.43	30	Pass	401
849	850	0.1	RMS	849	-22.98	-13	Pass	401
850	860	0.1	RMS	850	-49.69	-13	Pass	401




15.32. LTE Band Edge(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	840.25	3.25	30	Pass	401
849	850	0.1	RMS	849	-38.01	-13	Pass	401
850	860	0.1	RMS	850.05	-41.7	-13	Pass	401




15.33. LTE Band Edge(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-49.61	-13	Pass	401
823	824	0.15	RMS	823.995	-23.14	-13	Pass	401
824	839	0.1	RMS	824.825	21.31	30	Pass	401




15.34. LTE Band Edge(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.84	-40.85	-13	Pass	401
823	824	0.15	RMS	823.998	-36.61	-13	Pass	401
824	839	0.1	RMS	826.775	2.35	30	Pass	401




15.35. LTE Band Edge(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-49.91	-13	Pass	401
823	824	0.15	RMS	824	-23.4	-13	Pass	401
824	839	0.1	RMS	824.825	20.53	30	Pass	401




15.36. LTE Band Edge(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-41.59	-13	Pass	401
823	824	0.15	RMS	823.993	-37.07	-13	Pass	401
824	839	0.1	RMS	826.063	1.29	30	Pass	401




15.37. LTE Band Edge(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	21.42	30	Pass	401
849	850	0.15	RMS	849.003	-23.4	-13	Pass	401
850	860	0.1	RMS	850.125	-50.13	-13	Pass	401




15.38. LTE Band Edge(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	834.863	2.79	30	Pass	401
849	850	0.15	RMS	849	-35.02	-13	Pass	401
850	860	0.1	RMS	851.175	-38.35	-13	Pass	401




15.39. LTE Band Edge(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.41	30	Pass	401
849	850	0.15	RMS	849.005	-23.82	-13	Pass	401
850	860	0.1	RMS	850.15	-50.44	-13	Pass	401




15.40. LTE Band Edge(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	836.625	1.77	30	Pass	401
849	850	0.15	RMS	849.005	-36.04	-13	Pass	401
850	860	0.1	RMS	850.725	-38.86	-13	Pass	401




16. LTE_Band26(part90)

16.1. LTE Band Edge_in-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




16.2. LTE Band Edge_in-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.015	RMS	813.993	-32.35	Pass	401




16.3. LTE Band Edge_in-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.981	-33.53	Pass	1000




16.4. LTE Band Edge_in-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.015	RMS	813.993	-32.48	Pass	401




16.5. LTE Band Edge_in-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.008	-33.52	Pass	1000




16.6. LTE Band Edge_in-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.015	RMS	824.008	-31.56	Pass	401




16.7. LTE Band Edge_in-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.008	-33.63	Pass	1000




16.8. LTE Band Edge_in-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.015	RMS	824.008	-32.71	Pass	401




16.9. LTE Band Edge_in-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.985	-32.68	Pass	1000




16.10. LTE Band Edge_in-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.03	RMS	813.985	-34.45	Pass	401




16.11. LTE Band Edge_in-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.973	-34.14	Pass	1000




16.12. LTE Band Edge_in-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.03	RMS	813.985	-34.91	Pass	401




16.13. LTE Band Edge_in-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.029	-33.68	Pass	1000




16.14. LTE Band Edge_in-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.03	RMS	824.015	-35.87	Pass	401




16.15. LTE Band Edge_in-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.016	-35.24	Pass	1000




16.16. LTE Band Edge_in-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.03	RMS	824.015	-35.79	Pass	401




16.17. LTE Band Edge_in-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.975	-34.37	Pass	1000




16.18. LTE Band Edge_in-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.051	RMS	813.973	-33.63	Pass	401




16.19. LTE Band Edge_in-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.975	-34.79	Pass	1000




16.20. LTE Band Edge_in-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.051	RMS	813.975	-34.2	Pass	401




16.21. LTE Band Edge_in-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.026	-35.01	Pass	1000




16.22. LTE Band Edge_in-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.051	RMS	824.028	-33.68	Pass	401




16.23. LTE Band Edge_in-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.038	-33.93	Pass	1000




16.24. LTE Band Edge_in-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.051	RMS	824.025	-34.19	Pass	401




16.25. LTE Band Edge_in-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.002	RMS	813.998	-37.57	Pass	2000




16.26. LTE Band Edge_in-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.1	RMS	813.995	-35.14	Pass	401




16.27. LTE Band Edge_in-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.002	RMS	813.998	-38.92	Pass	2000




16.28. LTE Band Edge_in-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.1	RMS	813.995	-35.79	Pass	401




16.29. LTE Band Edge_in-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.002	RMS	824.002	-37.5	Pass	2000




16.30. LTE Band Edge_in-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.1	RMS	824	-35.28	Pass	401




16.31. LTE Band Edge_in-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.002	RMS	824.002	-36.21	Pass	2000




16.32. LTE Band Edge_in-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.1	RMS	824	-35.58	Pass	401




17. LTE_Band26(part90)

17.1. LTE Band Edge_out-of-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




17.2. LTE Band Edge_out-of-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-24.81	Pass	401




17.3. LTE Band Edge_out-of-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-18.89	Pass	401




17.4. LTE Band Edge_out-of-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-25.7	Pass	401




17.5. LTE Band Edge_out-of-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-19.45	Pass	401




17.6. LTE Band Edge_out-of-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)




17.7. LTE Band Edge_out-of-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-19.18	Pass	401




17.8. LTE Band Edge_out-of-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-25.43	Pass	401




17.9. LTE Band Edge_out-of-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-18.39	Pass	401




17.10. LTE Band Edge_out-of-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-29.41	Pass	401




17.11. LTE Band Edge_out-of-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-18.77	Pass	401




17.12. LTE Band Edge_out-of-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-30.06	Pass	401




17.13. LTE Band Edge_out-of-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-19.33	Pass	401




17.14. LTE Band Edge_out-of-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-31.48	Pass	401




17.15. LTE Band Edge_out-of-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-20.48	Pass	401




17.16. LTE Band Edge_out-of-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-30.43	Pass	401




17.17. LTE Band Edge_out-of-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-18.57	Pass	401




17.18. LTE Band Edge_out-of-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-30.24	Pass	401




Copyright 2000-2012 Agilent Technologies

17.19. LTE Band Edge_out-of-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)




17.20. LTE Band Edge_out-of-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-31.78	Pass	401




17.21. LTE Band Edge_out-of-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-19.66	Pass	401




17.22. LTE Band Edge_out-of-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-31.6	Pass	401



17.23. LTE Band Edge_out-of-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-19.47	Pass	401



Copyright 2000-2012 Agilent Technologies


17.24. LTE Band Edge_out-of-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-32	Pass	401




17.25. LTE Band Edge_out-of-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-24.5	Pass	401




17.26. LTE Band Edge_out-of-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-36.26	Pass	401




17.27. LTE Band Edge_out-of-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-25.08	Pass	401




17.28. LTE Band Edge_out-of-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-36.22	Pass	401




17.29. LTE Band Edge_out-of-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-24.4	Pass	401




17.30. LTE Band Edge_out-of-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-35.92	Pass	401




17.31. LTE Band Edge_out-of-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-23.71	Pass	401




17.32. LTE Band Edge_out-of-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)



18. LTE_Band38


18.1. LTE Band Edge(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2561.673	-42.51	-25	Pass	401
2564	2565	1	RMS	2564.983	-39.01	-13	Pass	401
2565	2569	1	RMS	2569	-27.79	-10	Pass	5
2569	2570	0.1	RMS	2570	-15.46	-10	Pass	11
2570	2575	0.1	RMS	2570.325	21.64	30	Pass	401




18.2. LTE Band Edge(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2562.67	-36.67	-25	Pass	401
2564	2565	1	RMS	2564.905	-35.34	-13	Pass	401
2565	2569	1	RMS	2569	-23.01	-10	Pass	5
2569	2570	0.1	RMS	2570	-25.81	-10	Pass	401
2570	2575	0.1	RMS	2574.225	7.39	30	Pass	401




18.3. LTE Band Edge(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.953	-42.57	-25	Pass	401
2564	2565	1	RMS	2564.985	-38.92	-13	Pass	401
2565	2569	1	RMS	2569	-28.67	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-15.75	-10	Pass	401
2570	2575	0.1	RMS	2570.35	20.23	30	Pass	401




18.4. LTE Band Edge(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.905	-37.02	-25	Pass	401
2564	2565	1	RMS	2564.945	-35.6	-13	Pass	401
2565	2569	1	RMS	2569	-25.38	-10	Pass	5
2569	2570	0.1	RMS	2570	-29.05	-10	Pass	401
2570	2575	0.1	RMS	2573.05	5.83	30	Pass	401




18.5. LTE Band Edge(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	21.44	30	Pass	401
2620	2621	0.1	RMS	2620	-14.23	-10	Pass	401
2621	2625	1	RMS	2621	-27.06	-10	Pass	5
2625	2626	1	RMS	2625	-39.3	-13	Pass	401
2626	2645	1	RMS	2628.28	-36.74	-25	Pass	401




18.6. LTE Band Edge(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.638	6.59	30	Pass	401
2620	2621	0.1	RMS	2620	-27.13	-10	Pass	401
2621	2625	1	RMS	2621	-26.24	-10	Pass	5
2625	2626	1	RMS	2625.013	-35.38	-13	Pass	401
2626	2645	1	RMS	2627.045	-35.47	-25	Pass	401




18.7. LTE Band Edge(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	21.03	30	Pass	401
2620	2621	0.1	RMS	2620	-14.01	-10	Pass	401
2621	2625	1	RMS	2621	-28	-10	Pass	5
2625	2626	1	RMS	2625.01	-39.81	-13	Pass	401
2626	2645	1	RMS	2628.28	-37.68	-25	Pass	401




18.8. LTE Band Edge(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.638	5.77	30	Pass	401
2620	2621	0.1	RMS	2620	-28.96	-10	Pass	401
2621	2625	1	RMS	2621	-28.32	-10	Pass	5
2625	2626	1	RMS	2625.035	-34.03	-13	Pass	401
2626	2645	1	RMS	2626	-35.65	-25	Pass	401




18.9. LTE Band Edge(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2552.95	-40.11	-25	Pass	401
2560	2565	1	RMS	2564.938	-37.13	-13	Pass	401
2565	2569	1	RMS	2569	-28.92	-10	Pass	5
2569	2570	0.2	RMS	2570	-16.92	-10	Pass	401
2570	2580	0.1	RMS	2570.575	21.44	30	Pass	401




18.10. LTE Band Edge(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2557.3	-39.15	-25	Pass	401
2560	2565	1	RMS	2564.913	-29.42	-13	Pass	401
2565	2569	1	RMS	2569	-25.42	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-29.3	-10	Pass	401
2570	2580	0.1	RMS	2577.55	4.38	30	Pass	401




18.11. LTE Band Edge(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2552.988	-40.91	-25	Pass	401
2560	2565	1	RMS	2561.788	-37.79	-13	Pass	401
2565	2569	1	RMS	2569	-30.96	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-18.1	-10	Pass	401
2570	2580	0.1	RMS	2570.6	20.37	30	Pass	401




18.12. LTE Band Edge(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2558.613	-39.04	-25	Pass	401
2560	2565	1	RMS	2564.988	-30.71	-13	Pass	401
2565	2569	1	RMS	2569	-27.51	-10	Pass	5
2569	2570	0.2	RMS	2569.993	-31.31	-10	Pass	401
2570	2580	0.1	RMS	2577.05	3.36	30	Pass	401




18.13. LTE Band Edge(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	21.77	30	Pass	401
2620	2621	0.2	RMS	2620	-16.11	-10	Pass	401
2621	2625	1	RMS	2621	-30.34	-10	Pass	5
2625	2630	1	RMS	2628.125	-37.47	-13	Pass	401
2630	2645	1	RMS	2637.05	-37.7	-25	Pass	401




18.14. LTE Band Edge(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.825	4.49	30	Pass	401
2620	2621	0.2	RMS	2620.033	-31.18	-10	Pass	401
2621	2625	1	RMS	2621	-28.99	-10	Pass	5
2625	2630	1	RMS	2625.013	-31.68	-13	Pass	401
2630	2645	1	RMS	2632.625	-36.08	-25	Pass	401




18.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	20.79	30	Pass	401
2620	2621	0.2	RMS	2620.003	-17.61	-10	Pass	401
2621	2625	1	RMS	2621	-30.92	-10	Pass	5
2625	2630	1	RMS	2628.163	-37.54	-13	Pass	401
2630	2645	1	RMS	2636.938	-38.31	-25	Pass	401




18.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.275	3.14	30	Pass	401
2620	2621	0.2	RMS	2620	-32.41	-10	Pass	401
2621	2625	1	RMS	2621	-30.92	-10	Pass	5
2625	2630	1	RMS	2625.025	-33.21	-13	Pass	401
2630	2645	1	RMS	2631.05	-37.03	-25	Pass	401




18.17. LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2545	-44.44	-25	Pass	401
2555	2565	1	RMS	2564.95	-39.09	-13	Pass	401
2565	2569	1	RMS	2569	-29.56	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-19.01	-10	Pass	401
2570	2585	0.1	RMS	2570.863	21.1	30	Pass	401




18.18. LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2553.45	-39.03	-25	Pass	401
2555	2565	1	RMS	2565	-28.08	-13	Pass	401
2565	2569	1	RMS	2569	-25.47	-10	Pass	5
2569	2570	0.3	RMS	2569.993	-28.33	-10	Pass	401
2570	2585	0.1	RMS	2582.263	2.67	30	Pass	401




18.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2545	-44.78	-25	Pass	401
2555	2565	1	RMS	2557.525	-39.87	-13	Pass	401
2565	2569	1	RMS	2569	-31.36	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-18.95	-10	Pass	401
2570	2585	0.1	RMS	2570.863	20.56	30	Pass	401




18.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-39.64	-25	Pass	401
2555	2565	1	RMS	2564.875	-30.37	-13	Pass	401
2565	2569	1	RMS	2569	-28.17	-10	Pass	5
2569	2570	0.3	RMS	2569.945	-31.33	-10	Pass	401
2570	2585	0.1	RMS	2583.238	1.52	30	Pass	401




18.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	21.51	30	Pass	401
2620	2621	0.3	RMS	2620.008	-19.45	-10	Pass	401
2621	2625	1	RMS	2621	-31.54	-10	Pass	5
2625	2635	1	RMS	2632.5	-39.28	-13	Pass	401
2635	2645	1	RMS	2644.975	-43.31	-25	Pass	401




18.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.688	2.28	30	Pass	401
2620	2621	0.3	RMS	2620.005	-30.49	-10	Pass	401
2621	2625	1	RMS	2621	-28.15	-10	Pass	5
2625	2635	1	RMS	2625.575	-30.78	-13	Pass	401
2635	2645	1	RMS	2636.175	-39.15	-25	Pass	401




18.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.37	30	Pass	401
2620	2621	0.3	RMS	2620	-20.13	-10	Pass	401
2621	2625	1	RMS	2621	-31.94	-10	Pass	5
2625	2635	1	RMS	2632.475	-39.8	-13	Pass	401
2635	2645	1	RMS	2645	-43.43	-25	Pass	401




18.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2610.363	1.74	30	Pass	401
2620	2621	0.3	RMS	2620.003	-32.34	-10	Pass	401
2621	2625	1	RMS	2621	-30.65	-10	Pass	5
2625	2635	1	RMS	2625.05	-32.77	-13	Pass	401
2635	2645	1	RMS	2635.1	-39.32	-25	Pass	401




18.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-46.34	-25	Pass	401
2550	2565	1	RMS	2564.925	-38.83	-13	Pass	401
2565	2569	1	RMS	2569	-29.11	-10	Pass	5
2569	2570	0.51	RMS	2569.995	-18.77	-10	Pass	401
2570	2590	0.1	RMS	2571.1	20.71	30	Pass	401




18.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.925	-41.92	-25	Pass	401
2550	2565	1	RMS	2564.625	-31.87	-13	Pass	401
2565	2569	1	RMS	2569	-29.5	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-29.74	-10	Pass	401
2570	2590	0.1	RMS	2586.25	1.47	30	Pass	401




18.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.913	-46.35	-25	Pass	401
2550	2565	1	RMS	2565	-39.6	-13	Pass	16
2565	2569	1	RMS	2569	-29.59	-10	Pass	5
2569	2570	0.51	RMS	2570	-17.85	-10	Pass	401
2570	2590	0.1	RMS	2571.1	20.57	30	Pass	401




18.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.988	-41.03	-25	Pass	401
2550	2565	1	RMS	2564.775	-32.91	-13	Pass	401
2565	2569	1	RMS	2569	-31.34	-10	Pass	5
2569	2570	0.51	RMS	2569.993	-31.57	-10	Pass	401
2570	2590	0.1	RMS	2587.05	0.24	30	Pass	401




18.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	21.23	30	Pass	401
2620	2621	0.51	RMS	2620.005	-19.27	-10	Pass	401
2621	2625	1	RMS	2621	-33.94	-10	Pass	5
2625	2640	1	RMS	2637	-39.5	-13	Pass	16
2640	2645	1	RMS	2640.1	-46.33	-25	Pass	401




18.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2614.7	1.06	30	Pass	401
2620	2621	0.51	RMS	2620	-30.64	-10	Pass	401
2621	2625	1	RMS	2621	-30.6	-10	Pass	5
2625	2640	1	RMS	2625.15	-31.13	-13	Pass	401
2640	2645	1	RMS	2644.625	-38.44	-25	Pass	401




18.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	20.26	30	Pass	401
2620	2621	0.51	RMS	2620.005	-18.7	-10	Pass	401
2621	2625	1	RMS	2621	-32.49	-10	Pass	5
2625	2640	1	RMS	2636.7	-40.05	-13	Pass	401
2640	2645	1	RMS	2640.1	-46.43	-25	Pass	401



18.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2603.3	0.52	30	Pass	401
2620	2621	0.51	RMS	2620.003	-31.76	-10	Pass	401
2621	2625	1	RMS	2621	-31.57	-10	Pass	5
2625	2640	1	RMS	2625	-32.17	-13	Pass	401
2640	2645	1	RMS	2640.038	-37.25	-25	Pass	401



19. LTE_Band41 120M OPPO


19.1. LTE Band Edge(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2529	1	RMS	2529	-39.58	-25	Pass	401
2529	2530	1	RMS	2529.988	-36.73	-13	Pass	401
2530	2534	1	RMS	2534	-25.16	-10	Pass	5
2534	2535	0.1	RMS	2535	-14.88	-10	Pass	401
2535	2540	0.1	RMS	2535.325	21.07	30	Pass	401




19.2. LTE Band Edge(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2529	1	RMS	2529	-36.96	-25	Pass	401
2529	2530	1	RMS	2529.875	-34.61	-13	Pass	401
2530	2534	1	RMS	2534	-25.43	-10	Pass	5
2534	2535	0.1	RMS	2535	-28.37	-10	Pass	401
2535	2540	0.1	RMS	2539.425	6.58	30	Pass	401




19.3. LTE Band Edge(NTNV)(Subtest:3, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2529	1	RMS	2528.953	-40.16	-25	Pass	401
2529	2530	1	RMS	2530	-37.13	-13	Pass	401
2530	2534	1	RMS	2534	-25.83	-10	Pass	5
2534	2535	0.1	RMS	2535	-15.53	-10	Pass	401
2535	2540	0.1	RMS	2535.338	20.75	30	Pass	401




19.4. LTE Band Edge(NTNV)(Subtest:4, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2529	1	RMS	2529	-36.86	-25	Pass	401
2529	2530	1	RMS	2529.993	-34.89	-13	Pass	401
2530	2534	1	RMS	2534	-27.82	-10	Pass	5
2534	2535	0.1	RMS	2534.998	-28.56	-10	Pass	401
2535	2540	0.1	RMS	2538.988	6.28	30	Pass	401




19.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.663	21.85	30	Pass	401
2655	2656	0.1	RMS	2655.008	-15.25	-10	Pass	401
2656	2660	1	RMS	2656	-27.5	-10	Pass	5
2660	2661	1	RMS	2660	-37.45	-13	Pass	401
2661	2680	1	RMS	2663.233	-35.27	-25	Pass	401




19.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.225	7.17	30	Pass	401
2655	2656	0.1	RMS	2655	-25.74	-10	Pass	401
2656	2660	1	RMS	2656	-21.34	-10	Pass	5
2660	2661	1	RMS	2660.005	-30.75	-13	Pass	401
2661	2680	1	RMS	2661.048	-32.34	-25	Pass	401



19.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.663	20.79	30	Pass	401
2655	2656	0.1	RMS	2655.005	-15.72	-10	Pass	401
2656	2660	1	RMS	2656	-28.53	-10	Pass	5
2660	2661	1	RMS	2660	-38.3	-13	Pass	401
2661	2680	1	RMS	2663.233	-36.54	-25	Pass	401




19.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2652.2	5.97	30	Pass	401
2655	2656	0.1	RMS	2655	-26.95	-10	Pass	401
2656	2660	1	RMS	2656	-23.35	-10	Pass	5
2660	2661	1	RMS	2660.028	-32.17	-13	Pass	401
2661	2680	1	RMS	2661.048	-34.13	-25	Pass	401




19.9. LTE Band Edge(NTNV)(Subtest:9, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2525	1	RMS	2517.913	-42.36	-25	Pass	401
2525	2530	1	RMS	2529.963	-36.41	-13	Pass	401
2530	2534	1	RMS	2534	-28.77	-10	Pass	5
2534	2535	0.2	RMS	2535	-18.22	-10	Pass	401
2535	2545	0.1	RMS	2535.6	20.88	30	Pass	401




19.10. LTE Band Edge(NTNV)(Subtest:10, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2525	1	RMS	2524.963	-39.49	-25	Pass	401
2525	2530	1	RMS	2529.988	-29.43	-13	Pass	401
2530	2534	1	RMS	2534	-27.74	-10	Pass	5
2534	2535	0.2	RMS	2534.945	-30.77	-10	Pass	401
2535	2545	0.1	RMS	2544.375	4.43	30	Pass	401




19.11. LTE Band Edge(NTNV)(Subtest:11, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2525	1	RMS	2517.838	-43.26	-25	Pass	401
2525	2530	1	RMS	2526.788	-37.38	-13	Pass	401
2530	2534	1	RMS	2534	-30.66	-10	Pass	5
2534	2535	0.2	RMS	2535	-18.56	-10	Pass	401
2535	2545	0.1	RMS	2535.6	20.29	30	Pass	401




19.12. LTE Band Edge(NTNV)(Subtest:12, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2525	1	RMS	2525	-40.04	-25	Pass	401
2525	2530	1	RMS	2529.975	-30.39	-13	Pass	401
2530	2534	1	RMS	2534	-28.39	-10	Pass	5
2534	2535	0.2	RMS	2534.995	-32.15	-10	Pass	401
2535	2545	0.1	RMS	2543.825	3.04	30	Pass	401




19.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.425	21.26	30	Pass	401
2655	2656	0.2	RMS	2655.005	-17.15	-10	Pass	401
2656	2660	1	RMS	2656	-29.22	-10	Pass	5
2660	2665	1	RMS	2663.163	-34.03	-13	Pass	401
2665	2680	1	RMS	2672.05	-38.21	-25	Pass	401




19.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2647.75	4.34	30	Pass	401
2655	2656	0.2	RMS	2655	-28.92	-10	Pass	401
2656	2660	1	RMS	2656	-24.9	-10	Pass	5
2660	2665	1	RMS	2660.05	-27.71	-13	Pass	401
2665	2680	1	RMS	2665.15	-34.19	-25	Pass	401



19.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.425	20.21	30	Pass	401
2655	2656	0.2	RMS	2655	-18.61	-10	Pass	401
2656	2660	1	RMS	2656	-30.48	-10	Pass	5
2660	2665	1	RMS	2663.15	-34.91	-13	Pass	401
2665	2680	1	RMS	2672.088	-39.65	-25	Pass	401




19.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2645.825	3.57	30	Pass	401
2655	2656	0.2	RMS	2655.02	-31.13	-10	Pass	401
2656	2660	1	RMS	2656	-27.73	-10	Pass	5
2660	2665	1	RMS	2660	-30.46	-13	Pass	401
2665	2680	1	RMS	2665.113	-35.11	-25	Pass	401




19.17. LTE Band Edge(NTNV)(Subtest:17, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2520	1	RMS	2519.975	-44.97	-25	Pass	401
2520	2530	1	RMS	2529.2	-37.73	-13	Pass	401
2530	2534	1	RMS	2534	-29.57	-10	Pass	5
2534	2535	0.3	RMS	2534.995	-18.8	-10	Pass	401
2535	2550	0.1	RMS	2535.825	20.83	30	Pass	401




19.18. LTE Band Edge(NTNV)(Subtest:18, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2520	1	RMS	2519.975	-41.43	-25	Pass	401
2520	2530	1	RMS	2529.975	-30.62	-13	Pass	401
2530	2534	1	RMS	2534	-28.42	-10	Pass	5
2534	2535	0.3	RMS	2534.983	-31.16	-10	Pass	401
2535	2550	0.1	RMS	2548.763	2.6	30	Pass	401




19.19. LTE Band Edge(NTNV)(Subtest:19, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2520	1	RMS	2519.95	-45	-25	Pass	401
2520	2530	1	RMS	2529.05	-37.91	-13	Pass	401
2530	2534	1	RMS	2534	-31.36	-10	Pass	5
2534	2535	0.3	RMS	2535	-20	-10	Pass	401
2535	2550	0.1	RMS	2535.863	19.95	30	Pass	401




19.20. LTE Band Edge(NTNV)(Subtest:20, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2520	1	RMS	2520	-42	-25	Pass	401
2520	2530	1	RMS	2529.95	-31.35	-13	Pass	401
2530	2534	1	RMS	2534	-29.46	-10	Pass	5
2534	2535	0.3	RMS	2534.998	-32.52	-10	Pass	401
2535	2550	0.1	RMS	2548.238	1.93	30	Pass	401




19.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2654.175	21.06	30	Pass	401
2655	2656	0.3	RMS	2655.005	-19.39	-10	Pass	401
2656	2660	1	RMS	2656	-30.87	-10	Pass	5
2660	2670	1	RMS	2660.775	-36.5	-13	Pass	401
2670	2680	1	RMS	2680	-44.29	-25	Pass	401




19.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2641.463	3.05	30	Pass	401
2655	2656	0.3	RMS	2655.025	-28.19	-10	Pass	401
2656	2660	1	RMS	2656	-24.55	-10	Pass	5
2660	2670	1	RMS	2660.125	-26.17	-13	Pass	401
2670	2680	1	RMS	2670.2	-34.04	-25	Pass	401




19.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2654.138	20.14	30	Pass	401
2655	2656	0.3	RMS	2655	-20.16	-10	Pass	401
2656	2660	1	RMS	2656	-31.91	-10	Pass	5
2660	2670	1	RMS	2660.775	-37.45	-13	Pass	401
2670	2680	1	RMS	2680	-44.39	-25	Pass	401




19.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2640.938	2.07	30	Pass	401
2655	2656	0.3	RMS	2655.015	-30.68	-10	Pass	401
2656	2660	1	RMS	2656	-28.77	-10	Pass	5
2660	2670	1	RMS	2660.025	-30.36	-13	Pass	401
2670	2680	1	RMS	2670.125	-36.05	-25	Pass	401




19.25. LTE Band Edge(NTNV)(Subtest:25, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2515	1	RMS	2514.838	-46.31	-25	Pass	401
2515	2530	1	RMS	2527.15	-37.55	-13	Pass	401
2530	2534	1	RMS	2534	-29.09	-10	Pass	5
2534	2535	0.51	RMS	2534.993	-18.09	-10	Pass	401
2535	2555	0.1	RMS	2536.1	20.93	30	Pass	401




19.26. LTE Band Edge(NTNV)(Subtest:26, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2515	1	RMS	2515	-44.9	-25	Pass	401
2515	2530	1	RMS	2530	-31.86	-13	Pass	401
2530	2534	1	RMS	2534	-30.02	-10	Pass	5
2534	2535	0.51	RMS	2534.995	-30.39	-10	Pass	401
2535	2555	0.1	RMS	2553.65	1.09	30	Pass	401




19.27. LTE Band Edge(NTNV)(Subtest:27, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2515	1	RMS	2514.925	-46.33	-25	Pass	401
2515	2530	1	RMS	2527.188	-38.02	-13	Pass	401
2530	2534	1	RMS	2534	-29.77	-10	Pass	5
2534	2535	0.51	RMS	2534.998	-17.95	-10	Pass	401
2535	2555	0.1	RMS	2536.1	20.23	30	Pass	401




19.28. LTE Band Edge(NTNV)(Subtest:28, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2515	1	RMS	2514.988	-45.43	-25	Pass	401
2515	2530	1	RMS	2529.963	-33	-13	Pass	401
2530	2534	1	RMS	2534	-30.48	-10	Pass	5
2534	2535	0.51	RMS	2534.975	-31.32	-10	Pass	401
2535	2555	0.1	RMS	2552.1	0.24	30	Pass	401




19.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2653.95	21.13	30	Pass	401
2655	2656	0.51	RMS	2655	-19.16	-10	Pass	401
2656	2660	1	RMS	2656	-33.63	-10	Pass	5
2660	2675	1	RMS	2662.813	-35.63	-13	Pass	401
2675	2680	1	RMS	2675.013	-45.51	-25	Pass	401




19.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2641.3	1.89	30	Pass	401
2655	2656	0.51	RMS	2655	-28.69	-10	Pass	401
2656	2660	1	RMS	2656	-27.96	-10	Pass	5
2660	2675	1	RMS	2660.113	-29.95	-13	Pass	401
2675	2680	1	RMS	2675.038	-37.04	-25	Pass	401




19.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2653.9	20.63	30	Pass	401
2655	2656	0.51	RMS	2655.003	-19.01	-10	Pass	401
2656	2660	1	RMS	2656	-32.55	-10	Pass	5
2660	2675	1	RMS	2662.85	-35.98	-13	Pass	401
2675	2680	1	RMS	2675.013	-45.55	-25	Pass	401



19.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2641	0.25	30	Pass	401
2655	2656	0.51	RMS	2655.008	-30.48	-10	Pass	401
2656	2660	1	RMS	2656	-29.42	-10	Pass	5
2660	2675	1	RMS	2660.075	-30.7	-13	Pass	401
2675	2680	1	RMS	2675.013	-37.12	-25	Pass	401



20. LTE_Band66


20.1. LTE Band Edge(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.27	-13	Pass	401
1708	1709	1	RMS	1709	-36.96	-13	Pass	2
1709	1710	0.02	RMS	1710	-21.76	-13	Pass	401
1710	1712	0.1	RMS	1710.25	20.46	30	Pass	401




20.2. LTE Band Edge(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.65	-13	Pass	401
1708	1709	1	RMS	1709	-27.92	-13	Pass	2
1709	1710	0.02	RMS	1710	-30.18	-13	Pass	401
1710	1712	0.1	RMS	1710.63	12.06	30	Pass	401




20.3. LTE Band Edge(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.96	-13	Pass	401
1708	1709	1	RMS	1709	-37.53	-13	Pass	2
1709	1710	0.02	RMS	1710	-22.7	-13	Pass	401
1710	1712	0.1	RMS	1710.265	19.32	30	Pass	401




20.4. LTE Band Edge(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.61	-13	Pass	401
1708	1709	1	RMS	1709	-29.6	-13	Pass	2
1709	1710	0.02	RMS	1710	-30.04	-13	Pass	401
1710	1712	0.1	RMS	1710.755	11.19	30	Pass	401




20.5. LTE Band Edge(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.74	20.58	30	Pass	401
1780	1781	0.02	RMS	1780	-20.43	-13	Pass	401
1781	1782	1	RMS	1781	-35.92	-13	Pass	2
1782	1790	1	RMS	1782	-36.79	-13	Pass	401




20.6. LTE Band Edge(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.44	12.29	30	Pass	401
1780	1781	0.02	RMS	1780	-28.33	-13	Pass	401
1781	1782	1	RMS	1781	-23.83	-13	Pass	2
1782	1790	1	RMS	1782	-33.77	-13	Pass	401




20.7. LTE Band Edge(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.74	19.53	30	Pass	401
1780	1781	0.02	RMS	1780	-21.87	-13	Pass	401
1781	1782	1	RMS	1781	-36.59	-13	Pass	2
1782	1790	1	RMS	1782	-37.54	-13	Pass	401




20.8. LTE Band Edge(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.32	11.44	30	Pass	401
1780	1781	0.02	RMS	1780	-30.14	-13	Pass	401
1781	1782	1	RMS	1781	-26.43	-13	Pass	2
1782	1790	1	RMS	1782	-34.8	-13	Pass	401




20.9. LTE Band Edge(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1705.28	-40.04	-13	Pass	401
1708	1709	1	RMS	1709	-38.18	-13	Pass	2
1709	1710	0.03	RMS	1710	-21.51	-13	Pass	401
1710	1713	0.1	RMS	1710.248	20.46	30	Pass	401




20.10. LTE Band Edge(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.66	-13	Pass	401
1708	1709	1	RMS	1709	-26.3	-13	Pass	2
1709	1710	0.03	RMS	1710	-32.66	-13	Pass	401
1710	1713	0.1	RMS	1711.433	8.29	30	Pass	401




20.11. LTE Band Edge(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1705.26	-40.26	-13	Pass	401
1708	1709	1	RMS	1709	-39.03	-13	Pass	2
1709	1710	0.03	RMS	1710	-21.97	-13	Pass	401
1710	1713	0.1	RMS	1710.248	19.62	30	Pass	401




20.12. LTE Band Edge(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29	-13	Pass	401
1708	1709	1	RMS	1709	-26.79	-13	Pass	2
1709	1710	0.03	RMS	1710	-34.03	-13	Pass	401
1710	1713	0.1	RMS	1711.208	7.26	30	Pass	401




20.13. LTE Band Edge(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.768	20.65	30	Pass	401
1780	1781	0.03	RMS	1780	-19.37	-13	Pass	401
1781	1782	1	RMS	1781	-37.47	-13	Pass	2
1782	1790	1	RMS	1784.74	-38.35	-13	Pass	401




20.14. LTE Band Edge(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.073	8.42	30	Pass	401
1780	1781	0.03	RMS	1780	-28.42	-13	Pass	401
1781	1782	1	RMS	1781	-19.13	-13	Pass	2
1782	1790	1	RMS	1782.02	-23.61	-13	Pass	401




20.15. LTE Band Edge(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.768	19.55	30	Pass	401
1780	1781	0.03	RMS	1780	-21.21	-13	Pass	401
1781	1782	1	RMS	1781	-38.37	-13	Pass	2
1782	1790	1	RMS	1784.8	-39.16	-13	Pass	401




20.16. LTE Band Edge(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.605	7.19	30	Pass	401
1780	1781	0.03	RMS	1780.003	-30.71	-13	Pass	401
1781	1782	1	RMS	1781	-20.88	-13	Pass	2
1782	1790	1	RMS	1782	-25.39	-13	Pass	401




20.17. LTE Band Edge(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-40.32	-13	Pass	401
1708	1709	1	RMS	1709	-36.52	-13	Pass	2
1709	1710	0.01	RMS	1710	-20.18	-13	Pass	401
1710	1715	0.1	RMS	1710.325	20.19	30	Pass	401




20.18. LTE Band Edge(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-30.51	-13	Pass	401
1708	1709	1	RMS	1709	-29.32	-13	Pass	2
1709	1710	0.051	RMS	1710	-26.31	-13	Pass	401
1710	1715	0.1	RMS	1711.65	5.9	30	Pass	401




20.19. LTE Band Edge(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.06	-40.58	-13	Pass	401
1708	1709	1	RMS	1709	-37.16	-13	Pass	2
1709	1710	0.01	RMS	1710	-21.52	-13	Pass	401
1710	1715	0.1	RMS	1710.35	19.63	30	Pass	401




20.20. LTE Band Edge(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-30.69	-13	Pass	401
1708	1709	1	RMS	1709	-29.24	-13	Pass	2
1709	1710	0.051	RMS	1710	-27.26	-13	Pass	401
1710	1715	0.1	RMS	1713.325	4.93	30	Pass	401



20.21. LTE Band Edge(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	20.3	30	Pass	401
1780	1781	0.01	RMS	1780	-19.73	-13	Pass	401
1781	1782	1	RMS	1781	-35.6	-13	Pass	2
1782	1790	1	RMS	1782.16	-39.13	-13	Pass	401




20.22. LTE Band Edge(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.85	6.02	30	Pass	401
1780	1781	0.051	RMS	1780.005	-25.81	-13	Pass	401
1781	1782	1	RMS	1781	-21.87	-13	Pass	2
1782	1790	1	RMS	1782	-23.8	-13	Pass	401



20.23. LTE Band Edge(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	19.56	30	Pass	401
1780	1781	0.01	RMS	1780	-20.86	-13	Pass	401
1781	1782	1	RMS	1781	-36.48	-13	Pass	2
1782	1790	1	RMS	1782.02	-40.47	-13	Pass	401




20.24. LTE Band Edge(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.513	5.06	30	Pass	401
1780	1781	0.051	RMS	1780	-26.89	-13	Pass	401
1781	1782	1	RMS	1781	-23.79	-13	Pass	2
1782	1790	1	RMS	1782	-25.82	-13	Pass	401




20.25. LTE Band Edge(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.56	-13	Pass	401
1708	1709	1	RMS	1709	-31.03	-13	Pass	2
1709	1710	0.1	RMS	1710	-16.88	-13	Pass	401
1710	1720	0.1	RMS	1710.575	20.41	30	Pass	401




20.26. LTE Band Edge(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-32.19	-13	Pass	401
1708	1709	1	RMS	1709	-31.55	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-30.99	-13	Pass	401
1710	1720	0.1	RMS	1711.925	3.05	30	Pass	401




20.27. LTE Band Edge(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.89	-13	Pass	401
1708	1709	1	RMS	1709	-31.58	-13	Pass	2
1709	1710	0.1	RMS	1710	-17.76	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.54	30	Pass	401




20.28. LTE Band Edge(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.46	-13	Pass	401
1708	1709	1	RMS	1709	-31.36	-13	Pass	2
1709	1710	0.1	RMS	1710	-31.9	-13	Pass	401
1710	1720	0.1	RMS	1718.4	2.03	30	Pass	401




20.29. LTE Band Edge(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	20.5	30	Pass	401
1780	1781	0.1	RMS	1780	-16.01	-13	Pass	401
1781	1782	1	RMS	1781	-30.26	-13	Pass	2
1782	1790	1	RMS	1782	-41.78	-13	Pass	401




20.30. LTE Band Edge(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1777.525	3.19	30	Pass	401
1780	1781	0.1	RMS	1780.005	-30.07	-13	Pass	401
1781	1782	1	RMS	1781	-25.03	-13	Pass	2
1782	1790	1	RMS	1782	-25.59	-13	Pass	401




20.31. LTE Band Edge(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	19.48	30	Pass	401
1780	1781	0.1	RMS	1780	-17.11	-13	Pass	401
1781	1782	1	RMS	1781	-31.13	-13	Pass	2
1782	1790	1	RMS	1782	-42.04	-13	Pass	401




20.32. LTE Band Edge(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1778.575	2.21	30	Pass	401
1780	1781	0.1	RMS	1780.003	-31.47	-13	Pass	401
1781	1782	1	RMS	1781	-26.98	-13	Pass	2
1782	1790	1	RMS	1782	-27.33	-13	Pass	401




20.33. LTE Band Edge(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.35	-13	Pass	401
1708	1709	1	RMS	1709	-27.72	-13	Pass	2
1709	1710	0.15	RMS	1710	-17.67	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.26	30	Pass	401




20.34. LTE Band Edge(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.08	-13	Pass	401
1708	1709	1	RMS	1709	-32.39	-13	Pass	2
1709	1710	0.15	RMS	1710	-33.76	-13	Pass	401
1710	1725	0.1	RMS	1723.388	1.34	30	Pass	401




20.35. LTE Band Edge(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.47	-13	Pass	401
1708	1709	1	RMS	1709	-28.06	-13	Pass	2
1709	1710	0.15	RMS	1710	-18.19	-13	Pass	401
1710	1725	0.1	RMS	1710.863	19.35	30	Pass	401




20.36. LTE Band Edge(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.18	-13	Pass	401
1708	1709	1	RMS	1709	-32.37	-13	Pass	2
1709	1710	0.15	RMS	1710	-33.86	-13	Pass	401
1710	1725	0.1	RMS	1724.1	0.33	30	Pass	401



20.37. LTE Band Edge(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	20.49	30	Pass	401
1780	1781	0.15	RMS	1780	-17.89	-13	Pass	401
1781	1782	1	RMS	1781	-27.89	-13	Pass	2
1782	1790	1	RMS	1782	-41.69	-13	Pass	401




20.38. LTE Band Edge(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1778.688	1.57	30	Pass	401
1780	1781	0.15	RMS	1780	-30.83	-13	Pass	401
1781	1782	1	RMS	1781	-25.06	-13	Pass	2
1782	1790	1	RMS	1782.88	-25.98	-13	Pass	401




20.39. LTE Band Edge(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.138	19.37	30	Pass	401
1780	1781	0.15	RMS	1780.005	-18.57	-13	Pass	401
1781	1782	1	RMS	1781	-28.33	-13	Pass	2
1782	1790	1	RMS	1782	-41.81	-13	Pass	401




20.40. LTE Band Edge(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1777.825	0.73	30	Pass	401
1780	1781	0.15	RMS	1780	-32.2	-13	Pass	401
1781	1782	1	RMS	1781	-28.08	-13	Pass	2
1782	1790	1	RMS	1782.9	-28.69	-13	Pass	401




20.41. LTE Band Edge(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.85	-13	Pass	401
1708	1709	1	RMS	1709	-31.36	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-20.93	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.19	30	Pass	401




20.42. LTE Band Edge(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.03	-13	Pass	401
1708	1709	1	RMS	1709	-34.31	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-36.19	-13	Pass	401
1710	1730	0.1	RMS	1728.4	0.09	30	Pass	401




20.43. LTE Band Edge(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.27	-13	Pass	401
1708	1709	1	RMS	1709	-31.24	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-20.81	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.36	30	Pass	401




20.44. LTE Band Edge(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.67	-13	Pass	401
1708	1709	1	RMS	1709	-34.56	-13	Pass	2
1709	1710	0.2	RMS	1710	-36.82	-13	Pass	401
1710	1730	0.1	RMS	1728.55	-0.9	30	Pass	401




20.45. LTE Band Edge(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.24	30	Pass	401
1780	1781	0.2	RMS	1780.005	-20.7	-13	Pass	401
1781	1782	1	RMS	1781	-31.39	-13	Pass	2
1782	1790	1	RMS	1782.02	-42.5	-13	Pass	401




20.46. LTE Band Edge(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.45	0.26	30	Pass	401
1780	1781	0.2	RMS	1780.008	-33.47	-13	Pass	401
1781	1782	1	RMS	1781	-29.11	-13	Pass	2
1782	1790	1	RMS	1782.04	-29.49	-13	Pass	401




20.47. LTE Band Edge(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.24	30	Pass	401
1780	1781	0.2	RMS	1780	-21.07	-13	Pass	401
1781	1782	1	RMS	1781	-31.57	-13	Pass	2
1782	1790	1	RMS	1782	-42.79	-13	Pass	401



20.48. LTE Band Edge(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1777.75	-0.71	30	Pass	401
1780	1781	0.2	RMS	1780.003	-34.7	-13	Pass	401
1781	1782	1	RMS	1781	-30.01	-13	Pass	2
1782	1790	1	RMS	1782	-30.54	-13	Pass	401



END