


17.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-51.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.56	-25	Pass	2986
30	1000	0.1	RMS	838.4	-59.92	-25	Pass	9701
1000	2486	1	RMS	2486	-46.7	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.12	60	Pass	401
2700	3000	1	RMS	2945.25	-45.14	-25	Pass	401
3000	12000	1	RMS	11850	-46.84	-25	Pass	9002
12000	27000	1	RMS	26033	-33.24	-25	Pass	15002



17.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-51.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.04	-25	Pass	2986
30	1000	0.1	RMS	840.1	-59.87	-25	Pass	9701
1000	2486	1	RMS	2483	-46.74	-25	Pass	1487
2486	2700	1	RMS	2670.575	22.75	60	Pass	401
2700	3000	1	RMS	2703	-44.5	-25	Pass	401
3000	12000	1	RMS	11845	-46.93	-25	Pass	9002
12000	27000	1	RMS	25999	-33.3	-25	Pass	15002



17.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-51.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.7	-25	Pass	2986
30	1000	0.1	RMS	843.7	-59.82	-25	Pass	9701
1000	2486	1	RMS	2483	-46.68	-25	Pass	1487
2486	2700	1	RMS	2670.575	22.34	60	Pass	401
2700	3000	1	RMS	2706	-44.23	-25	Pass	401
3000	12000	1	RMS	11850	-46.9	-25	Pass	9002
12000	27000	1	RMS	26018	-33.23	-25	Pass	15002



18. LTE_Band66


18.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2986
30	1000	0.1	RMS	857.205	-63.87	-13	Pass	9701
1000	1700	1	RMS	1700	-51.94	-13	Pass	701
1700	1790	1	RMS	1710.125	22.95	60	Pass	401
1790	3000	1	RMS	2956	-49.03	-13	Pass	1211
3000	12000	1	RMS	11954	-41.36	-13	Pass	9002
12000	20000	1	RMS	19398	-33.53	-13	Pass	8001




18.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	Pass	2986
30	1000	0.1	RMS	840.4	-63.79	-13	Pass	9701
1000	1700	1	RMS	1700	-52.18	-13	Pass	701
1700	1790	1	RMS	1710.125	22.18	60	Pass	401
1790	3000	1	RMS	2948	-49.08	-13	Pass	1211
3000	12000	1	RMS	11950	-41.38	-13	Pass	9002
12000	20000	1	RMS	19398	-33.58	-13	Pass	8001




18.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	Pass	2986
30	1000	0.1	RMS	858.906	-63.73	-13	Pass	9701
1000	1700	1	RMS	1693	-52.64	-13	Pass	701
1700	1790	1	RMS	1744.325	22.98	60	Pass	401
1790	3000	1	RMS	2932	-49.06	-13	Pass	1211
3000	12000	1	RMS	11851	-41.32	-13	Pass	9002
12000	20000	1	RMS	19401	-33.49	-13	Pass	8001




18.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.75	-13	Pass	2986
30	1000	0.1	RMS	843.5	-63.96	-13	Pass	9701
1000	1700	1	RMS	1690	-52.62	-13	Pass	701
1700	1790	1	RMS	1744.55	22.02	60	Pass	401
1790	3000	1	RMS	2940	-49.1	-13	Pass	1211
3000	12000	1	RMS	11853	-41.37	-13	Pass	9002
12000	20000	1	RMS	19401	-33.56	-13	Pass	8001




18.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2986
30	1000	0.1	RMS	837.5	-63.83	-13	Pass	9701
1000	1700	1	RMS	1695	-52.66	-13	Pass	701
1700	1790	1	RMS	1778.75	23.05	60	Pass	401
1790	3000	1	RMS	2958	-49.08	-13	Pass	1211
3000	12000	1	RMS	11948	-41.39	-13	Pass	9002
12000	20000	1	RMS	19406	-33.54	-13	Pass	8001




18.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.84	-13	Pass	2986
30	1000	0.1	RMS	846.5	-63.84	-13	Pass	9701
1000	1700	1	RMS	1691	-52.68	-13	Pass	701
1700	1790	1	RMS	1778.75	22.18	60	Pass	401
1790	3000	1	RMS	2955	-49.08	-13	Pass	1211
3000	12000	1	RMS	11958	-41.32	-13	Pass	9002
12000	20000	1	RMS	19404	-33.58	-13	Pass	8001




18.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.93	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-51.83	-13	Pass	701
1700	1790	1	RMS	1710.125	23.16	60	Pass	401
1790	3000	1	RMS	2955	-49.08	-13	Pass	1211
3000	12000	1	RMS	11949	-41.38	-13	Pass	9002
12000	20000	1	RMS	19408	-33.52	-13	Pass	8001




18.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	Pass	2986
30	1000	0.1	RMS	843.3	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-51.88	-13	Pass	701
1700	1790	1	RMS	1710.125	22.39	60	Pass	401
1790	3000	1	RMS	2941	-49.1	-13	Pass	1211
3000	12000	1	RMS	11955	-41.34	-13	Pass	9002
12000	20000	1	RMS	19399	-33.52	-13	Pass	8001



18.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-13	Pass	2986
30	1000	0.1	RMS	843.8	-63.92	-13	Pass	9701
1000	1700	1	RMS	1700	-52.65	-13	Pass	701
1700	1790	1	RMS	1743.65	23.07	60	Pass	401
1790	3000	1	RMS	2959	-49.1	-13	Pass	1211
3000	12000	1	RMS	11849	-41.32	-13	Pass	9002
12000	20000	1	RMS	19398	-33.58	-13	Pass	8001



18.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2986
30	1000	0.1	RMS	862.909	-63.97	-13	Pass	9701
1000	1700	1	RMS	1694	-52.7	-13	Pass	701
1700	1790	1	RMS	1743.65	22.29	60	Pass	401
1790	3000	1	RMS	2956	-49.1	-13	Pass	1211
3000	12000	1	RMS	11950	-41.37	-13	Pass	9002
12000	20000	1	RMS	19406	-33.59	-13	Pass	8001



18.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	1000	0.1	RMS	832.1	-63.86	-13	Pass	9701
1000	1700	1	RMS	1694	-52.64	-13	Pass	701
1700	1790	1	RMS	1777.175	23.03	60	Pass	401
1790	3000	1	RMS	2929	-49.08	-13	Pass	1211
3000	12000	1	RMS	11953	-41.38	-13	Pass	9002
12000	20000	1	RMS	19403	-33.58	-13	Pass	8001



18.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2986
30	1000	0.1	RMS	853.203	-63.71	-13	Pass	9701
1000	1700	1	RMS	1698	-52.67	-13	Pass	701
1700	1790	1	RMS	1777.175	22.08	60	Pass	401
1790	3000	1	RMS	2942	-49.11	-13	Pass	1211
3000	12000	1	RMS	11943	-41.38	-13	Pass	9002
12000	20000	1	RMS	19406	-33.48	-13	Pass	8001



18.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.86	-13	Pass	2986
30	1000	0.1	RMS	838.3	-63.89	-13	Pass	9701
1000	1700	1	RMS	1700	-50.93	-13	Pass	701
1700	1790	1	RMS	1710.125	23.08	60	Pass	401
1790	3000	1	RMS	2960	-49.06	-13	Pass	1211
3000	12000	1	RMS	11852	-41.3	-13	Pass	9002
12000	20000	1	RMS	19398	-33.55	-13	Pass	8001



18.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.87	-13	Pass	9701
1000	1700	1	RMS	1700	-51.13	-13	Pass	701
1700	1790	1	RMS	1710.125	22.05	60	Pass	401
1790	3000	1	RMS	2956	-49.11	-13	Pass	1211
3000	12000	1	RMS	11941	-41.4	-13	Pass	9002
12000	20000	1	RMS	19400	-33.54	-13	Pass	8001



18.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	856.305	-63.78	-13	Pass	9701
1000	1700	1	RMS	1700	-52.68	-13	Pass	701
1700	1790	1	RMS	1742.75	23.06	60	Pass	401
1790	3000	1	RMS	2951	-49.12	-13	Pass	1211
3000	12000	1	RMS	11950	-41.29	-13	Pass	9002
12000	20000	1	RMS	19399	-33.51	-13	Pass	8001



18.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.97	-13	Pass	2986
30	1000	0.1	RMS	865.311	-63.9	-13	Pass	9701
1000	1700	1	RMS	1698	-52.69	-13	Pass	701
1700	1790	1	RMS	1742.75	22.25	60	Pass	401
1790	3000	1	RMS	2959	-49.11	-13	Pass	1211
3000	12000	1	RMS	11941	-41.38	-13	Pass	9002
12000	20000	1	RMS	19405	-33.56	-13	Pass	8001



18.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2986
30	1000	0.1	RMS	843.7	-63.84	-13	Pass	9701
1000	1700	1	RMS	1698	-52.66	-13	Pass	701
1700	1790	1	RMS	1775.15	23.05	60	Pass	401
1790	3000	1	RMS	2945	-49.1	-13	Pass	1211
3000	12000	1	RMS	11951	-41.4	-13	Pass	9002
12000	20000	1	RMS	19402	-33.62	-13	Pass	8001



18.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.62	-13	Pass	2986
30	1000	0.1	RMS	838.7	-63.89	-13	Pass	9701
1000	1700	1	RMS	1693	-52.71	-13	Pass	701
1700	1790	1	RMS	1775.15	22.33	60	Pass	401
1790	3000	1	RMS	2938	-49.1	-13	Pass	1211
3000	12000	1	RMS	11948	-41.41	-13	Pass	9002
12000	20000	1	RMS	19404	-33.52	-13	Pass	8001



18.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	1000	0.1	RMS	841.2	-63.88	-13	Pass	9701
1000	1700	1	RMS	1693	-41.49	-13	Pass	701
1700	1790	1	RMS	1710.575	23.03	60	Pass	401
1790	3000	1	RMS	2933	-49.12	-13	Pass	1211
3000	12000	1	RMS	11951	-41.32	-13	Pass	9002
12000	20000	1	RMS	19417	-33.55	-13	Pass	8001



18.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	Pass	2986
30	1000	0.1	RMS	841.5	-63.79	-13	Pass	9701
1000	1700	1	RMS	1693	-42.72	-13	Pass	701
1700	1790	1	RMS	1710.575	22.13	60	Pass	401
1790	3000	1	RMS	2930	-49.1	-13	Pass	1211
3000	12000	1	RMS	11944	-41.31	-13	Pass	9002
12000	20000	1	RMS	19401	-33.54	-13	Pass	8001



18.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.49	-13	Pass	2986
30	1000	0.1	RMS	857.005	-63.93	-13	Pass	9701
1000	1700	1	RMS	1691	-52.69	-13	Pass	701
1700	1790	1	RMS	1740.5	23.05	60	Pass	401
1790	3000	1	RMS	2946	-49.11	-13	Pass	1211
3000	12000	1	RMS	11951	-41.4	-13	Pass	9002
12000	20000	1	RMS	19406	-33.47	-13	Pass	8001



18.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2986
30	1000	0.1	RMS	843.2	-63.85	-13	Pass	9701
1000	1700	1	RMS	1694	-52.72	-13	Pass	701
1700	1790	1	RMS	1740.5	22.11	60	Pass	401
1790	3000	1	RMS	2946	-49.11	-13	Pass	1211
3000	12000	1	RMS	11962	-41.41	-13	Pass	9002
12000	20000	1	RMS	19405	-33.52	-13	Pass	8001



18.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	1000	0.1	RMS	834.2	-63.95	-13	Pass	9701
1000	1700	1	RMS	1697	-52.7	-13	Pass	701
1700	1790	1	RMS	1770.425	23.08	60	Pass	401
1790	3000	1	RMS	2958	-49.18	-13	Pass	1211
3000	12000	1	RMS	11965	-41.43	-13	Pass	9002
12000	20000	1	RMS	19407	-33.55	-13	Pass	8001



18.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	1000	0.1	RMS	845.5	-63.94	-13	Pass	9701
1000	1700	1	RMS	1697	-52.72	-13	Pass	701
1700	1790	1	RMS	1770.425	22.23	60	Pass	401
1790	3000	1	RMS	2959	-49.15	-13	Pass	1211
3000	12000	1	RMS	11948	-41.33	-13	Pass	9002
12000	20000	1	RMS	19409	-33.56	-13	Pass	8001



18.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-13	Pass	2986
30	1000	0.1	RMS	831.9	-63.91	-13	Pass	9701
1000	1700	1	RMS	1698	-47.09	-13	Pass	701
1700	1790	1	RMS	1710.8	23.08	60	Pass	401
1790	3000	1	RMS	2954	-49.08	-13	Pass	1211
3000	12000	1	RMS	11948	-41.39	-13	Pass	9002
12000	20000	1	RMS	19414	-33.63	-13	Pass	8001



18.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2986
30	1000	0.1	RMS	844.5	-63.93	-13	Pass	9701
1000	1700	1	RMS	1698	-47.25	-13	Pass	701
1700	1790	1	RMS	1710.8	22.17	60	Pass	401
1790	3000	1	RMS	2950	-49.12	-13	Pass	1211
3000	12000	1	RMS	11849	-41.44	-13	Pass	9002
12000	20000	1	RMS	19408	-33.62	-13	Pass	8001



18.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	1000	0.1	RMS	859.607	-64.06	-13	Pass	9701
1000	1700	1	RMS	1697	-52.64	-13	Pass	701
1700	1790	1	RMS	1738.25	23.04	60	Pass	401
1790	3000	1	RMS	2961	-49.1	-13	Pass	1211
3000	12000	1	RMS	11968	-41.4	-13	Pass	9002
12000	20000	1	RMS	19397	-33.53	-13	Pass	8001



18.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2986
30	1000	0.1	RMS	849.5	-63.94	-13	Pass	9701
1000	1700	1	RMS	1699	-52.65	-13	Pass	701
1700	1790	1	RMS	1738.25	22	60	Pass	401
1790	3000	1	RMS	2959	-49.1	-13	Pass	1211
3000	12000	1	RMS	11940	-41.37	-13	Pass	9002
12000	20000	1	RMS	19403	-33.6	-13	Pass	8001



18.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	Pass	2986
30	1000	0.1	RMS	849	-63.92	-13	Pass	9701
1000	1700	1	RMS	1699	-52.72	-13	Pass	701
1700	1790	1	RMS	1765.7	23.07	60	Pass	401
1790	3000	1	RMS	1792	-47.17	-13	Pass	1211
3000	12000	1	RMS	11951	-41.4	-13	Pass	9002
12000	20000	1	RMS	19398	-33.59	-13	Pass	8001



18.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2986
30	1000	0.1	RMS	844.8	-63.81	-13	Pass	9701
1000	1700	1	RMS	1687	-52.7	-13	Pass	701
1700	1790	1	RMS	1765.7	22.2	60	Pass	401
1790	3000	1	RMS	1792	-47.5	-13	Pass	1211
3000	12000	1	RMS	11951	-41.39	-13	Pass	9002
12000	20000	1	RMS	19401	-33.5	-13	Pass	8001



18.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2986
30	1000	0.1	RMS	843.9	-63.86	-13	Pass	9701
1000	1700	1	RMS	1693	-46.93	-13	Pass	701
1700	1790	1	RMS	1711.025	23.02	60	Pass	401
1790	3000	1	RMS	2957	-49.1	-13	Pass	1211
3000	12000	1	RMS	11951	-41.23	-13	Pass	9002
12000	20000	1	RMS	19402	-33.62	-13	Pass	8001



18.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	Pass	2986
30	1000	0.1	RMS	838.9	-63.98	-13	Pass	9701
1000	1700	1	RMS	1693	-48.04	-13	Pass	701
1700	1790	1	RMS	1711.025	22.31	60	Pass	401
1790	3000	1	RMS	2955	-49.09	-13	Pass	1211
3000	12000	1	RMS	11948	-41.38	-13	Pass	9002
12000	20000	1	RMS	19402	-33.6	-13	Pass	8001



18.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.45	-13	Pass	2986
30	1000	0.1	RMS	852.602	-63.96	-13	Pass	9701
1000	1700	1	RMS	1700	-45.09	-13	Pass	701
1700	1790	1	RMS	1736	23.01	60	Pass	401
1790	3000	1	RMS	2959	-49.07	-13	Pass	1211
3000	12000	1	RMS	11973	-41.42	-13	Pass	9002
12000	20000	1	RMS	19403	-33.55	-13	Pass	8001



18.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.59	-13	Pass	2986
30	1000	0.1	RMS	851.402	-63.97	-13	Pass	9701
1000	1700	1	RMS	1700	-46.59	-13	Pass	701
1700	1790	1	RMS	1736	22.08	60	Pass	401
1790	3000	1	RMS	2934	-49.18	-13	Pass	1211
3000	12000	1	RMS	11849	-41.41	-13	Pass	9002
12000	20000	1	RMS	19403	-33.6	-13	Pass	8001



18.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	Pass	2986
30	1000	0.1	RMS	834.1	-63.87	-13	Pass	9701
1000	1700	1	RMS	1698	-52.74	-13	Pass	701
1700	1790	1	RMS	1760.975	23.01	60	Pass	401
1790	3000	1	RMS	2955	-49.12	-13	Pass	1211
3000	12000	1	RMS	11959	-41.42	-13	Pass	9002
12000	20000	1	RMS	19405	-33.47	-13	Pass	8001



18.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2986
30	1000	0.1	RMS	855.604	-64.12	-13	Pass	9701
1000	1700	1	RMS	1695	-52.72	-13	Pass	701
1700	1790	1	RMS	1760.975	22.27	60	Pass	401
1790	3000	1	RMS	2956	-49.13	-13	Pass	1211
3000	12000	1	RMS	11952	-41.37	-13	Pass	9002
12000	20000	1	RMS	19403	-33.47	-13	Pass	8001




19. CA_7C

19.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.05	-25	Pass	2986
30	1000	0.1	RMS	839.3	-64.05	-25	Pass	9701
1000	2475	1	RMS	2475	-50.89	-25	Pass	1476
2475	2735	1	RMS	2528.3	10.68	60	Pass	401
2735	3000	1	RMS	2950.313	-49.23	-25	Pass	401
3000	12000	1	RMS	11704	-50.04	-25	Pass	9002
12000	26000	1	RMS	25999	-35.22	-25	Pass	14002



19.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.73	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.99	-25	Pass	2986
30	1000	0.1	RMS	857.706	-63.99	-25	Pass	9701
1000	2475	1	RMS	2461	-50.93	-25	Pass	1476
2475	2735	1	RMS	2523.1	9.03	60	Pass	401
2735	3000	1	RMS	2944.35	-49.26	-25	Pass	401
3000	12000	1	RMS	11705	-50.04	-25	Pass	9002
12000	26000	1	RMS	25997	-35.27	-25	Pass	14002



19.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.89	-25	Pass	2986
30	1000	0.1	RMS	839.7	-64.09	-25	Pass	9701
1000	2475	1	RMS	2474	-50.91	-25	Pass	1476
2475	2735	1	RMS	2528.3	10.64	60	Pass	401
2735	3000	1	RMS	2946.338	-49.26	-25	Pass	401
3000	12000	1	RMS	11710	-50.09	-25	Pass	9002
12000	26000	1	RMS	25977	-35.33	-25	Pass	14002



19.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.68	-25	Pass	2986
30	1000	0.1	RMS	829.6	-64.09	-25	Pass	9701
1000	2475	1	RMS	2468	-50.92	-25	Pass	1476
2475	2735	1	RMS	2521.8	8.02	60	Pass	401
2735	3000	1	RMS	2945.675	-49.23	-25	Pass	401
3000	12000	1	RMS	11999	-50.01	-25	Pass	9002
12000	26000	1	RMS	26000	-35.26	-25	Pass	14002



19.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.11	-25	Pass	2986
30	1000	0.1	RMS	847.1	-64.02	-25	Pass	9701
1000	2475	1	RMS	2463	-50.88	-25	Pass	1476
2475	2735	1	RMS	2548.45	10.76	60	Pass	401
2735	3000	1	RMS	2952.963	-49.26	-25	Pass	401
3000	12000	1	RMS	11702	-49.99	-25	Pass	9002
12000	26000	1	RMS	25996	-35.29	-25	Pass	14002



19.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.99	-25	Pass	401
0.15	30	0.01	RMS	0.23	-73.32	-25	Pass	2986
30	1000	0.1	RMS	990.294	-64.12	-25	Pass	9701
1000	2475	1	RMS	2475	-50.94	-25	Pass	1476
2475	2735	1	RMS	2545.2	9.28	60	Pass	401
2735	3000	1	RMS	2956.938	-49.27	-25	Pass	401
3000	12000	1	RMS	11704	-50.06	-25	Pass	9002
12000	26000	1	RMS	25994	-35.21	-25	Pass	14002



19.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.31	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.85	-25	Pass	2986
30	1000	0.1	RMS	831	-64.04	-25	Pass	9701
1000	2475	1	RMS	2468	-50.96	-25	Pass	1476
2475	2735	1	RMS	2548.45	10.56	60	Pass	401
2735	3000	1	RMS	2958.263	-49.29	-25	Pass	401
3000	12000	1	RMS	11707	-50.04	-25	Pass	9002
12000	26000	1	RMS	25979	-35.3	-25	Pass	14002



19.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.22	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.65	-25	Pass	2986
30	1000	0.1	RMS	842.9	-64.02	-25	Pass	9701
1000	2475	1	RMS	2475	-50.93	-25	Pass	1476
2475	2735	1	RMS	2543.25	8.37	60	Pass	401
2735	3000	1	RMS	2953.625	-49.24	-25	Pass	401
3000	12000	1	RMS	11696	-50.03	-25	Pass	9002
12000	26000	1	RMS	25998	-35.26	-25	Pass	14002



19.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.11	-25	Pass	2986
30	1000	0.1	RMS	839.9	-64.04	-25	Pass	9701
1000	2475	1	RMS	2475	-51	-25	Pass	1476
2475	2735	1	RMS	2540.65	11.02	60	Pass	401
2735	3000	1	RMS	2954.95	-49.26	-25	Pass	401
3000	12000	1	RMS	11697	-50.01	-25	Pass	9002
12000	26000	1	RMS	25999	-35.33	-25	Pass	14002



19.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-25	Pass	2986
30	1000	0.1	RMS	826.7	-64.07	-25	Pass	9701
1000	2475	1	RMS	2474	-50.88	-25	Pass	1476
2475	2735	1	RMS	2561.45	8.48	60	Pass	401
2735	3000	1	RMS	2952.3	-49.26	-25	Pass	401
3000	12000	1	RMS	11702	-50.05	-25	Pass	9002
12000	26000	1	RMS	25992	-35.27	-25	Pass	14002



19.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.77	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.75	-25	Pass	2986
30	1000	0.1	RMS	838.5	-64.05	-25	Pass	9701
1000	2475	1	RMS	2475	-50.92	-25	Pass	1476
2475	2735	1	RMS	2540.65	10.87	60	Pass	401
2735	3000	1	RMS	2949.65	-49.29	-25	Pass	401
3000	12000	1	RMS	11702	-50.03	-25	Pass	9002
12000	26000	1	RMS	25998	-35.21	-25	Pass	14002



19.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.75	-25	Pass	401
0.15	30	0.01	RMS	0.25	-73.17	-25	Pass	2986
30	1000	0.1	RMS	845.1	-64.18	-25	Pass	9701
1000	2475	1	RMS	2471	-50.95	-25	Pass	1476
2475	2735	1	RMS	2563.4	7.77	60	Pass	401
2735	3000	1	RMS	2960.913	-49.29	-25	Pass	401
3000	12000	1	RMS	11702	-50.02	-25	Pass	9002
12000	26000	1	RMS	25999	-35.17	-25	Pass	14002



19.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.09	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.53	-25	Pass	2986
30	1000	0.1	RMS	855.404	-64.03	-25	Pass	9701
1000	2475	1	RMS	2464	-50.92	-25	Pass	1476
2475	2735	1	RMS	2501	10.36	60	Pass	401
2735	3000	1	RMS	2954.288	-49.24	-25	Pass	401
3000	12000	1	RMS	11697	-49.95	-25	Pass	9002
12000	26000	1	RMS	25994	-35.28	-25	Pass	14002



19.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-25	Pass	2986
30	1000	0.1	RMS	841	-63.94	-25	Pass	9701
1000	2475	1	RMS	2469	-50.96	-25	Pass	1476
2475	2735	1	RMS	2511.4	6.2	60	Pass	401
2735	3000	1	RMS	2944.35	-49.28	-25	Pass	401
3000	12000	1	RMS	11699	-50.07	-25	Pass	9002
12000	26000	1	RMS	25990	-35.28	-25	Pass	14002



19.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.96	-25	Pass	401
0.15	30	0.01	RMS	0.22	-73.28	-25	Pass	2986
30	1000	0.1	RMS	843.1	-64.12	-25	Pass	9701
1000	2475	1	RMS	2473	-50.88	-25	Pass	1476
2475	2735	1	RMS	2501	10.28	60	Pass	401
2735	3000	1	RMS	2963.563	-49.29	-25	Pass	401
3000	12000	1	RMS	11707	-50.02	-25	Pass	9002
12000	26000	1	RMS	25997	-35.28	-25	Pass	14002



19.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.57	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.86	-25	Pass	2986
30	1000	0.1	RMS	842.7	-64.06	-25	Pass	9701
1000	2475	1	RMS	2473	-50.89	-25	Pass	1476
2475	2735	1	RMS	2509.45	5.18	60	Pass	401
2735	3000	1	RMS	2966.875	-49.26	-25	Pass	401
3000	12000	1	RMS	11706	-50.01	-25	Pass	9002
12000	26000	1	RMS	25988	-35.28	-25	Pass	14002



19.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.65	-25	Pass	2986
30	1000	0.1	RMS	840.2	-63.92	-25	Pass	9701
1000	2475	1	RMS	2468	-50.94	-25	Pass	1476
2475	2735	1	RMS	2515.95	11.22	60	Pass	401
2735	3000	1	RMS	2956.938	-49.26	-25	Pass	401
3000	12000	1	RMS	11704	-50.05	-25	Pass	9002
12000	26000	1	RMS	25989	-35.35	-25	Pass	14002



19.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.44	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.79	-25	Pass	2986
30	1000	0.1	RMS	850.601	-64.1	-25	Pass	9701
1000	2475	1	RMS	2474	-50.95	-25	Pass	1476
2475	2735	1	RMS	2543.25	6.32	60	Pass	401
2735	3000	1	RMS	2948.325	-49.27	-25	Pass	401
3000	12000	1	RMS	11700	-50	-25	Pass	9002
12000	26000	1	RMS	26000	-35.3	-25	Pass	14002



19.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-25	Pass	401
0.15	30	0.01	RMS	0.33	-73.08	-25	Pass	2986
30	1000	0.1	RMS	848.3	-63.94	-25	Pass	9701
1000	2475	1	RMS	2464	-50.96	-25	Pass	1476
2475	2735	1	RMS	2515.95	11.28	60	Pass	401
2735	3000	1	RMS	2966.875	-49.25	-25	Pass	401
3000	12000	1	RMS	11700	-50	-25	Pass	9002
12000	26000	1	RMS	25996	-35.26	-25	Pass	14002



19.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.7	-25	Pass	2986
30	1000	0.1	RMS	844.8	-64.15	-25	Pass	9701
1000	2475	1	RMS	2474	-50.99	-25	Pass	1476
2475	2735	1	RMS	2543.25	5.41	60	Pass	401
2735	3000	1	RMS	2954.288	-49.28	-25	Pass	401
3000	12000	1	RMS	11711	-49.99	-25	Pass	9002
12000	26000	1	RMS	25999	-35.26	-25	Pass	14002



19.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.09	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.86	-25	Pass	2986
30	1000	0.1	RMS	842.3	-63.95	-25	Pass	9701
1000	2475	1	RMS	2475	-50.96	-25	Pass	1476
2475	2735	1	RMS	2530.9	11.4	60	Pass	401
2735	3000	1	RMS	2956.938	-49.26	-25	Pass	401
3000	12000	1	RMS	11705	-50.02	-25	Pass	9002
12000	26000	1	RMS	25998	-35.31	-25	Pass	14002



19.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-25	Pass	401
0.15	30	0.01	RMS	0.29	-72.89	-25	Pass	2986
30	1000	0.1	RMS	842.6	-63.89	-25	Pass	9701
1000	2475	1	RMS	2475	-50.9	-25	Pass	1476
2475	2735	1	RMS	2545.2	6.52	60	Pass	401
2735	3000	1	RMS	2951.638	-49.26	-25	Pass	401
3000	12000	1	RMS	11699	-49.97	-25	Pass	9002
12000	26000	1	RMS	25995	-35.26	-25	Pass	14002



19.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.13	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.54	-25	Pass	2986
30	1000	0.1	RMS	852.002	-64.03	-25	Pass	9701
1000	2475	1	RMS	2473	-50.89	-25	Pass	1476
2475	2735	1	RMS	2530.9	11.17	60	Pass	401
2735	3000	1	RMS	2951.638	-49.22	-25	Pass	401
3000	12000	1	RMS	11703	-50.05	-25	Pass	9002
12000	26000	1	RMS	25998	-35.25	-25	Pass	14002



19.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.8	-25	Pass	2986
30	1000	0.1	RMS	852.903	-64.11	-25	Pass	9701
1000	2475	1	RMS	2471	-50.87	-25	Pass	1476
2475	2735	1	RMS	2541.95	5.32	60	Pass	401
2735	3000	1	RMS	2954.95	-49.25	-25	Pass	401
3000	12000	1	RMS	11699	-49.97	-25	Pass	9002
12000	26000	1	RMS	25995	-35.29	-25	Pass	14002




20. CA_38C

20.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.89	-25	Pass	2986
30	1000	0.1	RMS	853.203	-60.09	-25	Pass	9701
1000	2525	1	RMS	2515	-44.13	-25	Pass	1526
2525	2665	1	RMS	2570.5	9.7	60	Pass	401
2665	3000	1	RMS	2946.4	-45.23	-25	Pass	401
3000	12000	1	RMS	11699	-50.02	-25	Pass	9002
12000	26500	1	RMS	26004	-35.09	-25	Pass	14502



20.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.95	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.67	-25	Pass	2986
30	1000	0.1	RMS	858.906	-60.09	-25	Pass	9701
1000	2525	1	RMS	2525	-43.56	-25	Pass	1526
2525	2665	1	RMS	2578.2	7.96	60	Pass	401
2665	3000	1	RMS	2953.938	-45.24	-25	Pass	401
3000	12000	1	RMS	11703	-49.99	-25	Pass	9002
12000	26500	1	RMS	26013	-35.22	-25	Pass	14502



20.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.04	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.99	-25	Pass	2986
30	1000	0.1	RMS	836.1	-60.11	-25	Pass	9701
1000	2525	1	RMS	2515	-43.71	-25	Pass	1526
2525	2665	1	RMS	2570.5	9.78	60	Pass	401
2665	3000	1	RMS	2958.125	-45.25	-25	Pass	401
3000	12000	1	RMS	11700	-49.98	-25	Pass	9002
12000	26500	1	RMS	26001	-35.12	-25	Pass	14502



20.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.87	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.8	-25	Pass	2986
30	1000	0.1	RMS	849	-60.05	-25	Pass	9701
1000	2525	1	RMS	2525	-44.39	-25	Pass	1526
2525	2665	1	RMS	2578.9	7.4	60	Pass	401
2665	3000	1	RMS	2953.1	-45.25	-25	Pass	401
3000	12000	1	RMS	11703	-49.97	-25	Pass	9002
12000	26500	1	RMS	26000	-35.15	-25	Pass	14502



20.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.11	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.37	-25	Pass	2986
30	1000	0.1	RMS	845.4	-60.1	-25	Pass	9701
1000	2525	1	RMS	2524	-44.67	-25	Pass	1526
2525	2665	1	RMS	2580.65	9.81	60	Pass	401
2665	3000	1	RMS	2665.838	-45.23	-25	Pass	401
3000	12000	1	RMS	11710	-49.89	-25	Pass	9002
12000	26500	1	RMS	26001	-35.13	-25	Pass	14502



20.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.76	-25	Pass	2986
30	1000	0.1	RMS	852.702	-60.09	-25	Pass	9701
1000	2525	1	RMS	2523	-45.23	-25	Pass	1526
2525	2665	1	RMS	2586.6	8.02	60	Pass	401
2665	3000	1	RMS	2961.475	-45.25	-25	Pass	401
3000	12000	1	RMS	11693	-49.95	-25	Pass	9002
12000	26500	1	RMS	25996	-35.14	-25	Pass	14502



20.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.7	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.67	-25	Pass	2986
30	1000	0.1	RMS	840.7	-60.03	-25	Pass	9701
1000	2525	1	RMS	2525	-44.27	-25	Pass	1526
2525	2665	1	RMS	2580.65	9.41	60	Pass	401
2665	3000	1	RMS	2665	-44.98	-25	Pass	401
3000	12000	1	RMS	11701	-49.97	-25	Pass	9002
12000	26500	1	RMS	26001	-35.11	-25	Pass	14502



20.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.59	-25	Pass	2986
30	1000	0.1	RMS	834.9	-60.02	-25	Pass	9701
1000	2525	1	RMS	2524	-45.7	-25	Pass	1526
2525	2665	1	RMS	2585.55	7.28	60	Pass	401
2665	3000	1	RMS	2946.4	-45.25	-25	Pass	401
3000	12000	1	RMS	11702	-49.98	-25	Pass	9002
12000	26500	1	RMS	26007	-35.15	-25	Pass	14502

