



13.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	708.05	4.51	30	Pass	401
716	716.1	0.03	RMS	716.007	-34.75	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.67	-13	Pass	401




13.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.48	30	Pass	401
716	716.1	0.03	RMS	716	-27.54	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.17	-13	Pass	401



13.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	707.2	3.51	30	Pass	401
716	716.1	0.03	RMS	716.007	-37.14	-13	Pass	401
716.1	725	0.1	RMS	716.122	-33.01	-13	Pass	401



14. LTE_Band26(part22)


14.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-49.08	-13	Pass	401
823	824	0.02	RMS	824	-20.93	-13	Pass	401
824	826	0.1	RMS	824.255	21.91	30	Pass	401




14.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-37.04	-13	Pass	401
823	824	0.02	RMS	824	-29.86	-13	Pass	401
824	826	0.1	RMS	825.11	13.41	30	Pass	401




14.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-48.73	-13	Pass	401
823	824	0.02	RMS	824	-21.85	-13	Pass	401
824	826	0.1	RMS	824.255	20.76	30	Pass	401




14.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.32	-13	Pass	401
823	824	0.02	RMS	824	-30.11	-13	Pass	401
824	826	0.1	RMS	825.12	12.52	30	Pass	401




14.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.76	21.8	30	Pass	401
849	850	0.02	RMS	849	-21.24	-13	Pass	401
850	860	0.1	RMS	850.025	-48.85	-13	Pass	401




14.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.425	13.36	30	Pass	401
849	850	0.02	RMS	849	-28.87	-13	Pass	401
850	860	0.1	RMS	850	-36.52	-13	Pass	401




14.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.9	30	Pass	401
849	850	0.02	RMS	849	-22.34	-13	Pass	401
850	860	0.1	RMS	850	-49.38	-13	Pass	401




14.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.335	12.4	30	Pass	401
849	850	0.02	RMS	849.003	-31.12	-13	Pass	401
850	860	0.1	RMS	850.025	-37.3	-13	Pass	401




14.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.07	-13	Pass	401
823	824	0.03	RMS	824	-19.17	-13	Pass	401
824	827	0.1	RMS	824.24	21.91	30	Pass	401




14.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-36.84	-13	Pass	401
823	824	0.03	RMS	824	-30.99	-13	Pass	401
824	827	0.1	RMS	824.248	9.86	30	Pass	401




14.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.67	-13	Pass	401
823	824	0.03	RMS	824	-19.65	-13	Pass	401
824	827	0.1	RMS	824.255	21	30	Pass	401




14.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.76	-37.73	-13	Pass	401
823	824	0.03	RMS	824	-32.26	-13	Pass	401
824	827	0.1	RMS	824.383	8.71	30	Pass	401




14.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	21.82	30	Pass	401
849	850	0.03	RMS	849	-19.48	-13	Pass	401
850	860	0.1	RMS	850	-48.8	-13	Pass	401




14.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.27	9.77	30	Pass	401
849	850	0.03	RMS	849	-31.85	-13	Pass	401
850	860	0.1	RMS	850.075	-33.21	-13	Pass	401




14.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	20.78	30	Pass	401
849	850	0.03	RMS	849	-20.6	-13	Pass	401
850	860	0.1	RMS	850	-49.47	-13	Pass	401




14.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.405	8.73	30	Pass	401
849	850	0.03	RMS	849.005	-32.64	-13	Pass	401
850	860	0.1	RMS	850.075	-34.36	-13	Pass	401




14.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.1	-47.82	-13	Pass	401
823	824	0.051	RMS	824	-17.37	-13	Pass	401
824	829	0.1	RMS	824.325	21.73	30	Pass	401




14.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.72	-38.45	-13	Pass	401
823	824	0.051	RMS	824	-30.53	-13	Pass	401
824	829	0.1	RMS	825.675	7.46	30	Pass	401




14.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.08	-48.57	-13	Pass	401
823	824	0.051	RMS	824	-17.93	-13	Pass	401
824	829	0.1	RMS	824.35	20.99	30	Pass	401




14.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-38.43	-13	Pass	401
823	824	0.051	RMS	824	-31.68	-13	Pass	401
824	829	0.1	RMS	826.963	6.44	30	Pass	401




14.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.83	30	Pass	401
849	850	0.051	RMS	849	-17.38	-13	Pass	401
850	860	0.1	RMS	850.9	-48.65	-13	Pass	401




14.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.038	7.63	30	Pass	401
849	850	0.051	RMS	849.003	-31.2	-13	Pass	401
850	860	0.1	RMS	850.275	-36.15	-13	Pass	401



14.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.87	30	Pass	401
849	850	0.051	RMS	849	-17.59	-13	Pass	401
850	860	0.1	RMS	850.875	-49.28	-13	Pass	401




14.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.6	6.65	30	Pass	401
849	850	0.051	RMS	849	-31.93	-13	Pass	401
850	860	0.1	RMS	850.7	-36.83	-13	Pass	401




14.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.14	-48.91	-13	Pass	401
823	824	0.1	RMS	824	-21.09	-13	Pass	401
824	834	0.1	RMS	824.6	21.91	30	Pass	401




14.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.61	-13	Pass	401
823	824	0.1	RMS	824	-34.21	-13	Pass	401
824	834	0.1	RMS	833.325	4.47	30	Pass	401




14.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.12	-49.67	-13	Pass	401
823	824	0.1	RMS	824	-21.97	-13	Pass	401
824	834	0.1	RMS	824.6	20.95	30	Pass	401




14.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.88	-40.62	-13	Pass	401
823	824	0.1	RMS	823.998	-35.59	-13	Pass	401
824	834	0.1	RMS	826.825	3.41	30	Pass	401




14.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.82	30	Pass	401
849	850	0.1	RMS	849	-20.76	-13	Pass	401
850	860	0.1	RMS	850.175	-51.15	-13	Pass	401




14.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.775	4.59	30	Pass	401
849	850	0.1	RMS	849.005	-36.17	-13	Pass	401
850	860	0.1	RMS	850.55	-39.85	-13	Pass	401




14.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	20.75	30	Pass	401
849	850	0.1	RMS	849	-21.95	-13	Pass	401
850	860	0.1	RMS	850.1	-51.49	-13	Pass	401




14.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.525	3.51	30	Pass	401
849	850	0.1	RMS	849	-36.9	-13	Pass	401
850	860	0.1	RMS	850.125	-39.31	-13	Pass	401




14.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	818.14	-47.71	-13	Pass	401
823	824	0.15	RMS	823.998	-21.75	-13	Pass	401
824	839	0.1	RMS	824.825	21.87	30	Pass	401




14.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.28	-37.48	-13	Pass	401
823	824	0.15	RMS	823.94	-34.26	-13	Pass	401
824	839	0.1	RMS	828.575	2.69	30	Pass	401




14.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	818.16	-48.58	-13	Pass	401
823	824	0.15	RMS	824	-22.14	-13	Pass	401
824	839	0.1	RMS	824.825	20.91	30	Pass	401




14.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.88	-40.87	-13	Pass	401
823	824	0.15	RMS	823.983	-36.39	-13	Pass	401
824	839	0.1	RMS	826.588	1.62	30	Pass	401




14.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	21.74	30	Pass	401
849	850	0.15	RMS	849.008	-22.55	-13	Pass	401
850	860	0.1	RMS	850	-51.81	-13	Pass	401




14.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	841.013	2.87	30	Pass	401
849	850	0.15	RMS	849.065	-34.75	-13	Pass	401
850	860	0.1	RMS	850.625	-38.48	-13	Pass	401




14.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.64	30	Pass	401
849	850	0.15	RMS	849.008	-22.83	-13	Pass	401
850	860	0.1	RMS	850	-52.26	-13	Pass	401



14.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	841.163	1.86	30	Pass	401
849	850	0.15	RMS	849	-36.93	-13	Pass	401
850	860	0.1	RMS	851.2	-39.48	-13	Pass	401



15. LTE_Band26(part90)


15.1. LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.66	-13	Pass	51
813.9625	814	0.002	RMS	813.999	-29.23	-20	Pass	401
814	819	0.1	RMS	814.25	21.8	30	Pass	401




15.2. LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.19	-13	Pass	401
813.9625	814	0.02	RMS	814	-29.32	-20	Pass	401
814	819	0.1	RMS	814.263	13.39	30	Pass	401




15.3. LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.3	-13	Pass	51
813.9625	814	0.002	RMS	813.995	-29.42	-20	Pass	401
814	819	0.1	RMS	814.263	20.66	30	Pass	401




15.4. LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.5	-13	Pass	401
813.9625	814	0.02	RMS	814	-29.7	-20	Pass	401
814	819	0.1	RMS	815.088	12.35	30	Pass	401




15.5. LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	21.83	30	Pass	401
824	824.0375	0.002	RMS	824.004	-29.76	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-18.15	-13	Pass	51




15.6. LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.888	13.42	30	Pass	401
824	824.0375	0.02	RMS	824	-29.61	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-24.43	-13	Pass	401




15.7. LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.738	20.86	30	Pass	401
824	824.0375	0.002	RMS	824.008	-30.95	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-16.91	-13	Pass	401




15.8. LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.15	12.46	30	Pass	401
824	824.0375	0.02	RMS	824.001	-31.01	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-25.66	-13	Pass	401




15.9. LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.28	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-29	-20	Pass	20
814	819	0.1	RMS	814.238	21.89	30	Pass	401




15.10. LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27	-13	Pass	401
813.9625	814	0.03	RMS	814	-30.53	-20	Pass	401
814	819	0.1	RMS	814.275	9.81	30	Pass	401




15.11. LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.46	-13	Pass	51
813.9625	814	0.002	RMS	814	-29.66	-20	Pass	20
814	819	0.1	RMS	814.25	21.01	30	Pass	401




15.12. LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.61	-13	Pass	401
813.9625	814	0.03	RMS	813.999	-32.37	-20	Pass	401
814	819	0.1	RMS	814.35	8.78	30	Pass	401




15.13. LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.775	21.88	30	Pass	401
824	824.0375	0.002	RMS	824	-30.67	-20	Pass	20
824.0375	829	0.1	RMS	824.038	-17.83	-13	Pass	51




15.14. LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.288	9.65	30	Pass	401
824	824.0375	0.03	RMS	824.001	-32.63	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-29.07	-13	Pass	401




15.15. LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	20.82	30	Pass	401
824	824.0375	0.002	RMS	824.002	-30.9	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-16.87	-13	Pass	401




15.16. LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.488	8.6	30	Pass	401
824	824.0375	0.03	RMS	824	-32.63	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-29.05	-13	Pass	401




15.17. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-16.08	-13	Pass	401
813.9625	814	0.002	RMS	813.99	-30.23	-20	Pass	401
814	819	0.1	RMS	814.325	21.78	30	Pass	401




15.18. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.59	-13	Pass	401
813.9625	814	0.051	RMS	814	-29.28	-20	Pass	401
814	819	0.1	RMS	814.35	7.76	30	Pass	401




15.19. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-16.78	-13	Pass	401
813.9625	814	0.002	RMS	813.989	-31.15	-20	Pass	401
814	819	0.1	RMS	814.363	20.8	30	Pass	401




15.20. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-29.6	-13	Pass	401
813.9625	814	0.051	RMS	813.996	-30.73	-20	Pass	401
814	819	0.1	RMS	814.35	6.67	30	Pass	401




15.21. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	21.86	30	Pass	401
824	824.0375	0.002	RMS	824.002	-30.6	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-16.5	-13	Pass	401




15.22. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820.85	7.4	30	Pass	401
824	824.0375	0.051	RMS	824.002	-30.48	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-30.01	-13	Pass	401




15.23. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	20.97	30	Pass	401
824	824.0375	0.002	RMS	824.011	-29.49	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-16.52	-13	Pass	401




15.24. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.263	6.39	30	Pass	401
824	824.0375	0.051	RMS	824	-31.44	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-30.34	-13	Pass	401




15.25. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.72	-13	Pass	401
813.9625	814	0.02	RMS	813.999	-28.32	-20	Pass	401
814	819	0.1	RMS	814.588	21.79	30	Pass	401




15.26. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-35.84	-13	Pass	401
813.9625	814	0.1	RMS	813.975	-33.57	-20	Pass	401
814	819	0.1	RMS	815.925	4.27	30	Pass	401



15.27. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.14	-13	Pass	401
813.9625	814	0.02	RMS	813.999	-28.79	-20	Pass	401
814	819	0.1	RMS	814.575	21.3	30	Pass	401



15.28. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.96	-13	Pass	401
813.9625	814	0.1	RMS	813.991	-35.37	-20	Pass	401
814	819	0.1	RMS	814.825	3.16	30	Pass	401

