


# A.6 Band Edge

# 1. GSM\_GSM850


## 1.1. GSM Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.693	-44.4	-13	Pass	401
823	824	0.003	RMS	823.976	-16.83	-13	Pass	700
824	824.5	0.01	RMS	824.185	24	35	Pass	401



## 1.2. GSM Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.799	23.23	35	Pass	401
849	850	0.003	RMS	849.023	-17.45	-13	Pass	700
850	855	0.1	RMS	850.25	-44.09	-13	Pass	401



## 2. GSM\_PCS


### 2.1. GSM Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-33.46	-13	Pass	41
1849	1850	0.003	RMS	1849.996	-20.97	-13	Pass	700
1850	1851	0.01	RMS	1850.22	19.77	35	Pass	401



## 2.2. GSM Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.82	19.18	35	Pass	401
1910	1911	0.003	RMS	1910.031	-21.64	-13	Pass	700
1911	1915	1	RMS	1911	-33.24	-13	Pass	41



### 3. EGPRS\_GSM850


#### 3.1. EGPRS Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.873	-44.44	-13	Pass	401
823	824	0.003	RMS	823.994	-26.06	-13	Pass	700
824	824.5	0.01	RMS	824.186	17.27	35	Pass	401



### 3.2. EGPRS Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.789	16.88	35	Pass	401
849	850	0.003	RMS	849.034	-27.23	-13	Pass	700
850	855	0.1	RMS	850.05	-44.24	-13	Pass	401



## 4. EGPRS\_PCS

### 4.1. EGPRS Band Edge(NTNV)(Channel:512)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1848.9	-33.8	-13	Pass	41
1849	1850	0.003	RMS	1849.994	-26.75	-13	Pass	700
1850	1851	0.01	RMS	1850.263	15.44	35	Pass	401





## 4.2. EGPRS Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.785	14.51	35	Pass	401
1910	1911	0.003	RMS	1910.047	-26.61	-13	Pass	700
1911	1915	1	RMS	1911	-34.21	-13	Pass	41



## 5. WCDMA\_Band4


### 5.1. WCDMA Band Edge(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-25.45	-13	Pass	41
1709	1710	0.051	RMS	1710	-24.26	-13	Pass	401
1710	1715	0.1	RMS	1713.763	8.19	35	Pass	401



## 5.2. WCDMA Band Edge(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.725	8.13	35	Pass	401
1755	1756	0.051	RMS	1755	-23.87	-13	Pass	401
1756	1760	1	RMS	1756	-23.08	-13	Pass	41



## 6. WCDMA\_Band5


### 6.1. WCDMA Band Edge(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.88	-32.1	-13	Pass	401
823	824	0.051	RMS	824	-24.38	-13	Pass	401
824	829	0.1	RMS	825.525	8.83	35	Pass	401



## 6.2. WCDMA Band Edge(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.738	8.64	35	Pass	401
849	850	0.051	RMS	849	-25.07	-13	Pass	401
850	855	0.1	RMS	850.25	-38.18	-13	Pass	401



## 7. LTE\_Band4


### 7.1. LTE Band Edge(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.42	-45.27	-13	Pass	401
1708	1709	1	RMS	1709	-39.39	-13	Pass	2
1709	1710	0.02	RMS	1709.993	-37.75	-13	Pass	401
1710	1712	0.1	RMS	1710.25	21.09	30	Pass	401




**7.2. LTE Band Edge(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.43	-13	Pass	401
1708	1709	1	RMS	1709	-31.33	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-38.11	-13	Pass	401
1710	1712	0.1	RMS	1710.91	12.6	30	Pass	401



**7.3. LTE Band Edge(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.67	-13	Pass	401
1708	1709	1	RMS	1709	-37.63	-13	Pass	2
1709	1710	0.02	RMS	1709.983	-30.37	-13	Pass	401
1710	1712	0.1	RMS	1710.27	20.48	30	Pass	401






**7.4. LTE Band Edge(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-38.31	-13	Pass	401
1708	1709	1	RMS	1709	-34.16	-13	Pass	2
1709	1710	0.02	RMS	1710	-40.76	-13	Pass	401
1710	1712	0.1	RMS	1710.6	11.86	30	Pass	401



**7.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.75	21.19	30	Pass	401
1755	1756	0.02	RMS	1755.008	-37.05	-13	Pass	401
1756	1757	1	RMS	1756	-38.84	-13	Pass	2
1757	1765	1	RMS	1760.78	-42.79	-13	Pass	401




**7.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.735	12.74	30	Pass	401
1755	1756	0.02	RMS	1755.003	-40.05	-13	Pass	401
1756	1757	1	RMS	1756	-31.55	-13	Pass	2
1757	1765	1	RMS	1757	-41.38	-13	Pass	401




**7.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.75	20.03	30	Pass	401
1755	1756	0.02	RMS	1755.003	-37.64	-13	Pass	401
1756	1757	1	RMS	1756	-39.64	-13	Pass	2
1757	1765	1	RMS	1760.78	-43.71	-13	Pass	401




**7.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.725	11.79	30	Pass	401
1755	1756	0.02	RMS	1755	-40.2	-13	Pass	401
1756	1757	1	RMS	1756	-33.39	-13	Pass	2
1757	1765	1	RMS	1757	-42.51	-13	Pass	401




**7.9. LTE Band Edge(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.25	-13	Pass	401
1708	1709	1	RMS	1709	-35.04	-13	Pass	2
1709	1710	0.03	RMS	1710	-18.8	-13	Pass	401
1710	1713	0.1	RMS	1710.24	21.09	30	Pass	401




**7.10. LTE Band Edge(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.72	-13	Pass	401
1708	1709	1	RMS	1709	-31.68	-13	Pass	2
1709	1710	0.03	RMS	1710	-26.5	-13	Pass	401
1710	1713	0.1	RMS	1712.318	8.95	30	Pass	401



**7.11. LTE Band Edge(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-41.75	-13	Pass	401
1708	1709	1	RMS	1709	-33.39	-13	Pass	2
1709	1710	0.03	RMS	1710	-21.27	-13	Pass	35
1710	1713	0.1	RMS	1710.248	20.4	30	Pass	401






**7.12. LTE Band Edge(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-36.49	-13	Pass	401
1708	1709	1	RMS	1709	-33.12	-13	Pass	2
1709	1710	0.03	RMS	1710	-27.87	-13	Pass	401
1710	1713	0.1	RMS	1712.415	8.16	30	Pass	401




**7.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	21.29	30	Pass	401
1755	1756	0.03	RMS	1755.003	-18.26	-13	Pass	401
1756	1757	1	RMS	1756	-32.78	-13	Pass	2
1757	1765	1	RMS	1757	-41.95	-13	Pass	401




**7.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.088	8.98	30	Pass	401
1755	1756	0.03	RMS	1755	-27.41	-13	Pass	401
1756	1757	1	RMS	1756	-26.71	-13	Pass	2
1757	1765	1	RMS	1757	-29.66	-13	Pass	401




**7.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.775	20.26	30	Pass	401
1755	1756	0.03	RMS	1755	-20.33	-13	Pass	401
1756	1757	1	RMS	1756	-33.4	-13	Pass	2
1757	1765	1	RMS	1757	-42.73	-13	Pass	401




**7.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.7	7.9	30	Pass	401
1755	1756	0.03	RMS	1755	-27.45	-13	Pass	401
1756	1757	1	RMS	1756	-27.3	-13	Pass	2
1757	1765	1	RMS	1757	-31.36	-13	Pass	401




**7.17. LTE Band Edge(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.74	-13	Pass	401
1708	1709	1	RMS	1708	-36.72	-13	Pass	2
1709	1710	0.051	RMS	1710	-21.88	-13	Pass	401
1710	1715	0.1	RMS	1710.325	21	30	Pass	401




**7.18. LTE Band Edge(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.45	-13	Pass	401
1708	1709	1	RMS	1709	-28.06	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-30.1	-13	Pass	401
1710	1715	0.1	RMS	1713.388	6.81	30	Pass	401



**7.19. LTE Band Edge(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.38	-13	Pass	401
1708	1709	1	RMS	1708	-37.26	-13	Pass	2
1709	1710	0.051	RMS	1710	-22.31	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.2	30	Pass	401






**7.20. LTE Band Edge(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-33.53	-13	Pass	401
1708	1709	1	RMS	1709	-31.31	-13	Pass	2
1709	1710	0.051	RMS	1710	-31.53	-13	Pass	401
1710	1715	0.1	RMS	1713.338	5.83	30	Pass	401



**7.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	21.16	30	Pass	401
1755	1756	0.051	RMS	1755	-21.65	-13	Pass	401
1756	1757	1	RMS	1757	-33.73	-13	Pass	2
1757	1765	1	RMS	1757.04	-34.39	-13	Pass	401




**7.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.438	6.73	30	Pass	401
1755	1756	0.051	RMS	1755	-30.09	-13	Pass	401
1756	1757	1	RMS	1756	-29.62	-13	Pass	2
1757	1765	1	RMS	1757	-31.48	-13	Pass	9




**7.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	20.38	30	Pass	401
1755	1756	0.051	RMS	1755	-22.88	-13	Pass	401
1756	1757	1	RMS	1757	-35.05	-13	Pass	2
1757	1765	1	RMS	1757.02	-35.26	-13	Pass	401




**7.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.225	5.79	30	Pass	401
1755	1756	0.051	RMS	1755.003	-30.99	-13	Pass	401
1756	1757	1	RMS	1756	-29.99	-13	Pass	2
1757	1765	1	RMS	1757	-32.77	-13	Pass	9




**7.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.1	-37.15	-13	Pass	401
1708	1709	1	RMS	1709	-43.61	-13	Pass	2
1709	1710	0.1	RMS	1710	-32.99	-13	Pass	401
1710	1720	0.1	RMS	1710.6	21.12	30	Pass	401




**7.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.41	-13	Pass	401
1708	1709	1	RMS	1709	-28.04	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-32.08	-13	Pass	401
1710	1720	0.1	RMS	1719.35	4.03	30	Pass	401



**7.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.24	-37.82	-13	Pass	401
1708	1709	1	RMS	1709	-39.89	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-32.84	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.43	30	Pass	401






**7.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-31.59	-13	Pass	401
1708	1709	1	RMS	1709	-30.47	-13	Pass	2
1709	1710	0.1	RMS	1710	-34.55	-13	Pass	401
1710	1720	0.1	RMS	1718.425	3.01	30	Pass	401




**7.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	21.16	30	Pass	401
1755	1756	0.1	RMS	1755	-31.78	-13	Pass	401
1756	1757	1	RMS	1756	-42.94	-13	Pass	2
1757	1765	1	RMS	1758.78	-34.84	-13	Pass	401




**7.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1752.55	3.85	30	Pass	401
1755	1756	0.1	RMS	1755	-34.13	-13	Pass	401
1756	1757	1	RMS	1756	-28.54	-13	Pass	2
1757	1765	1	RMS	1757.02	-30.19	-13	Pass	401




**7.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	20.31	30	Pass	401
1755	1756	0.1	RMS	1755	-34.45	-13	Pass	401
1756	1757	1	RMS	1756	-43.77	-13	Pass	2
1757	1765	1	RMS	1758.66	-36.38	-13	Pass	401




**7.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1753.625	2.8	30	Pass	401
1755	1756	0.1	RMS	1755	-34.66	-13	Pass	401
1756	1757	1	RMS	1756	-29.56	-13	Pass	2
1757	1765	1	RMS	1757	-31.06	-13	Pass	401




**7.33. LTE Band Edge(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.24	-36.77	-13	Pass	401
1708	1709	1	RMS	1709	-45.62	-13	Pass	2
1709	1710	0.15	RMS	1710	-30.77	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.71	30	Pass	401




**7.34. LTE Band Edge(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.2	-13	Pass	401
1708	1709	1	RMS	1709	-29.41	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-33.38	-13	Pass	401
1710	1725	0.1	RMS	1723.163	2.26	30	Pass	401



**7.35. LTE Band Edge(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.18	-37.32	-13	Pass	401
1708	1709	1	RMS	1709	-44.28	-13	Pass	2
1709	1710	0.15	RMS	1710	-31.26	-13	Pass	401
1710	1725	0.1	RMS	1710.863	20.12	30	Pass	401






**7.36. LTE Band Edge(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.82	-31.2	-13	Pass	401
1708	1709	1	RMS	1709	-31.12	-13	Pass	2
1709	1710	0.15	RMS	1709.995	-35.65	-13	Pass	401
1710	1725	0.1	RMS	1723.2	1.22	30	Pass	401




**7.37. LTE Band Edge(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	21.02	30	Pass	401
1755	1756	0.15	RMS	1755	-30.61	-13	Pass	401
1756	1757	1	RMS	1756	-44.79	-13	Pass	2
1757	1765	1	RMS	1760.68	-33.77	-13	Pass	401




**7.38. LTE Band Edge(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1751.513	1.95	30	Pass	401
1755	1756	0.15	RMS	1755	-33.52	-13	Pass	401
1756	1757	1	RMS	1756	-28.17	-13	Pass	2
1757	1765	1	RMS	1757.08	-29.07	-13	Pass	401




**7.39. LTE Band Edge(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	20.09	30	Pass	401
1755	1756	0.15	RMS	1755.003	-31.19	-13	Pass	401
1756	1757	1	RMS	1756	-45.68	-13	Pass	2
1757	1765	1	RMS	1760.64	-34.53	-13	Pass	401




**7.40. LTE Band Edge(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1752.788	1.09	30	Pass	401
1755	1756	0.15	RMS	1755	-34.74	-13	Pass	401
1756	1757	1	RMS	1756	-29.27	-13	Pass	2
1757	1765	1	RMS	1757.04	-29.91	-13	Pass	401




**7.41. LTE Band Edge(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.14	-37.5	-13	Pass	401
1708	1709	1	RMS	1709	-46.64	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-32.03	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.87	30	Pass	401




**7.42. LTE Band Edge(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-31.72	-13	Pass	401
1708	1709	1	RMS	1709	-30.94	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-34.74	-13	Pass	401
1710	1730	0.1	RMS	1728.35	0.89	30	Pass	401



**7.43. LTE Band Edge(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.14	-38.56	-13	Pass	401
1708	1709	1	RMS	1709	-46.85	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-31.92	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.03	30	Pass	401






**7.44. LTE Band Edge(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.25	-13	Pass	401
1708	1709	1	RMS	1709	-32.54	-13	Pass	2
1709	1710	0.2	RMS	1710	-36.62	-13	Pass	401
1710	1730	0.1	RMS	1728.6	-0.15	30	Pass	401




**7.45. LTE Band Edge(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.88	30	Pass	401
1755	1756	0.2	RMS	1755.003	-31.38	-13	Pass	401
1756	1757	1	RMS	1756	-45.83	-13	Pass	2
1757	1765	1	RMS	1762.74	-34.48	-13	Pass	401




**7.46. LTE Band Edge(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.45	0.85	30	Pass	401
1755	1756	0.2	RMS	1755.003	-32.43	-13	Pass	401
1756	1757	1	RMS	1756	-26.97	-13	Pass	2
1757	1765	1	RMS	1757	-29.44	-13	Pass	401




**7.47. LTE Band Edge(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.85	30	Pass	401
1755	1756	0.2	RMS	1755	-31.85	-13	Pass	401
1756	1757	1	RMS	1756	-46.6	-13	Pass	2
1757	1765	1	RMS	1762.86	-35.1	-13	Pass	401



**7.48. LTE Band Edge(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1752.8	-0.12	30	Pass	401
1755	1756	0.2	RMS	1755.005	-33.63	-13	Pass	401
1756	1757	1	RMS	1756	-28.26	-13	Pass	2
1757	1765	1	RMS	1757.02	-30.55	-13	Pass	401



## 8. LTE\_Band5


### 8.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.37	-13	Pass	401
823	824	0.02	RMS	824	-34.51	-13	Pass	401
824	826	0.1	RMS	824.245	21.31	30	Pass	401




**8.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-36.21	-13	Pass	401
823	824	0.02	RMS	823.993	-38.11	-13	Pass	401
824	826	0.1	RMS	824.32	12.89	30	Pass	401



**8.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-52.59	-13	Pass	401
823	824	0.02	RMS	823.983	-32.91	-13	Pass	401
824	826	0.1	RMS	824.255	20.44	30	Pass	401






**8.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.65	-13	Pass	401
823	824	0.02	RMS	823.92	-37.86	-13	Pass	401
824	826	0.1	RMS	824.545	11.97	30	Pass	401




**8.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	21.35	30	Pass	401
849	850	0.02	RMS	849.003	-34.4	-13	Pass	401
850	860	0.1	RMS	850.025	-52.28	-13	Pass	401




**8.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.4	12.87	30	Pass	401
849	850	0.02	RMS	849.253	-36.39	-13	Pass	401
850	860	0.1	RMS	850.175	-36.1	-13	Pass	401




**8.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	20.46	30	Pass	401
849	850	0.02	RMS	849.003	-31.75	-13	Pass	401
850	860	0.1	RMS	850	-50.89	-13	Pass	401




**8.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.24	11.95	30	Pass	401
849	850	0.02	RMS	849.035	-36.74	-13	Pass	401
850	860	0.1	RMS	850.075	-36.08	-13	Pass	401




**8.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-40.74	-13	Pass	401
823	824	0.03	RMS	824	-19.72	-13	Pass	35
824	827	0.1	RMS	824.233	21.5	30	Pass	401




**8.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-38.35	-13	Pass	401
823	824	0.03	RMS	824	-26.23	-13	Pass	401
824	827	0.1	RMS	825.823	9.15	30	Pass	401



**8.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-41.1	-13	Pass	401
823	824	0.03	RMS	824	-20.76	-13	Pass	35
824	827	0.1	RMS	824.24	20.68	30	Pass	401






**8.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-37.16	-13	Pass	401
823	824	0.03	RMS	824	-28.03	-13	Pass	401
824	827	0.1	RMS	825.23	8.41	30	Pass	401




**8.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.775	21.37	30	Pass	401
849	850	0.03	RMS	849	-20.09	-13	Pass	35
850	860	0.1	RMS	850.025	-39.67	-13	Pass	401




**8.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.095	9.18	30	Pass	401
849	850	0.03	RMS	849.003	-27.86	-13	Pass	401
850	860	0.1	RMS	850.05	-36.72	-13	Pass	401




**8.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	20.41	30	Pass	401
849	850	0.03	RMS	849	-21.11	-13	Pass	35
850	860	0.1	RMS	850	-40.21	-13	Pass	401




**8.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.653	8.17	30	Pass	401
849	850	0.03	RMS	849	-28.19	-13	Pass	401
850	860	0.1	RMS	850	-36.21	-13	Pass	401




**8.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.16	-39.92	-13	Pass	401
823	824	0.051	RMS	824	-22.65	-13	Pass	401
824	829	0.1	RMS	824.325	21.29	30	Pass	401




**8.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-37.27	-13	Pass	401
823	824	0.051	RMS	823.998	-29.78	-13	Pass	401
824	829	0.1	RMS	825.675	7.19	30	Pass	401



**8.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.2	-41.02	-13	Pass	401
823	824	0.051	RMS	824	-23.28	-13	Pass	401
824	829	0.1	RMS	824.338	20.41	30	Pass	401






**8.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.78	-13	Pass	401
823	824	0.051	RMS	823.998	-30.91	-13	Pass	401
824	829	0.1	RMS	825.713	6.29	30	Pass	401



**8.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.36	30	Pass	401
849	850	0.051	RMS	849	-23.1	-13	Pass	401
850	860	0.1	RMS	850	-51.38	-13	Pass	401




**8.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.888	6.91	30	Pass	401
849	850	0.051	RMS	849	-29.85	-13	Pass	401
850	860	0.1	RMS	850.075	-35.55	-13	Pass	401



**8.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	20.46	30	Pass	401
849	850	0.051	RMS	849	-21.96	-13	Pass	401
850	860	0.1	RMS	850.025	-48.33	-13	Pass	401




**8.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.575	6.07	30	Pass	401
849	850	0.051	RMS	849	-31.46	-13	Pass	401
850	860	0.1	RMS	850	-37.52	-13	Pass	401




**8.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-53.12	-13	Pass	401
823	824	0.1	RMS	824	-31.74	-13	Pass	401
824	834	0.1	RMS	824.6	21.36	30	Pass	401




**8.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-36.54	-13	Pass	401
823	824	0.1	RMS	823.995	-32.54	-13	Pass	401
824	834	0.1	RMS	825.325	4.41	30	Pass	401



**8.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-50.53	-13	Pass	401
823	824	0.1	RMS	823.995	-30.96	-13	Pass	401
824	834	0.1	RMS	824.575	20.8	30	Pass	401






**8.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-36.9	-13	Pass	401
823	824	0.1	RMS	824	-33.56	-13	Pass	401
824	834	0.1	RMS	825.35	3.54	30	Pass	401




**8.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	21.26	30	Pass	401
849	850	0.1	RMS	849	-31.09	-13	Pass	401
850	860	0.1	RMS	850	-52.59	-13	Pass	401




**8.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.775	4.2	30	Pass	401
849	850	0.1	RMS	849.008	-35.06	-13	Pass	401
850	860	0.1	RMS	850.05	-39.4	-13	Pass	401




**8.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.53	30	Pass	401
849	850	0.1	RMS	849	-32.13	-13	Pass	401
850	860	0.1	RMS	850	-51.47	-13	Pass	401



**8.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.525	3.22	30	Pass	401
849	850	0.1	RMS	849	-35.88	-13	Pass	401
850	860	0.1	RMS	850.175	-39.89	-13	Pass	401



## 9. LTE\_Band12


### 9.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.09	-13	Pass	401
698.9	699	0.03	RMS	699	-28.78	-13	Pass	401
699	701	0.1	RMS	699.26	20.46	30	Pass	401




**9.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.76	-13	Pass	401
698.9	699	0.03	RMS	698.969	-36.8	-13	Pass	401
699	701	0.1	RMS	700.115	11.97	30	Pass	401



**9.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.97	-13	Pass	401
698.9	699	0.03	RMS	698.999	-29.09	-13	Pass	401
699	701	0.1	RMS	699.225	19.41	30	Pass	401






**9.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.68	-13	Pass	401
698.9	699	0.03	RMS	698.947	-32.68	-13	Pass	401
699	701	0.1	RMS	700.115	11	30	Pass	401




**9.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.75	20.33	30	Pass	401
716	716.1	0.03	RMS	716	-29.37	-13	Pass	401
716.1	725	0.1	RMS	716.122	-28.15	-13	Pass	401



**9.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.9	11.99	30	Pass	401
716	716.1	0.03	RMS	716.051	-33.45	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.06	-13	Pass	401




**9.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.77	19.56	30	Pass	401
716	716.1	0.03	RMS	716.002	-30.08	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.14	-13	Pass	401




**9.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.97	11.04	30	Pass	401
716	716.1	0.03	RMS	716.004	-32.09	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.17	-13	Pass	401




**9.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.98	-13	Pass	401
698.9	699	0.03	RMS	699	-20.17	-13	Pass	401
699	702	0.1	RMS	699.225	20.49	30	Pass	401




**9.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.24	-13	Pass	401
698.9	699	0.03	RMS	699	-27.22	-13	Pass	401
699	702	0.1	RMS	701.685	8.38	30	Pass	401



**9.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.11	-13	Pass	401
698.9	699	0.03	RMS	699	-21.02	-13	Pass	401
699	702	0.1	RMS	699.24	19.63	30	Pass	401






**9.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.38	-13	Pass	401
698.9	699	0.03	RMS	698.999	-28.88	-13	Pass	401
699	702	0.1	RMS	701.363	7.48	30	Pass	401




**9.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.768	20.5	30	Pass	401
716	716.1	0.03	RMS	716	-20.36	-13	Pass	401
716.1	725	0.1	RMS	716.1	-24.07	-13	Pass	401




**9.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	714.073	8.22	30	Pass	401
716	716.1	0.03	RMS	716.001	-29.16	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.58	-13	Pass	401




**9.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.775	19.5	30	Pass	401
716	716.1	0.03	RMS	716	-22	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.05	-13	Pass	401




**9.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.675	7.24	30	Pass	401
716	716.1	0.03	RMS	716	-28.86	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.18	-13	Pass	401




**9.17. LTE Band Edge(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.1	-13	Pass	401
698.9	699	0.03	RMS	698.999	-26.1	-13	Pass	401
699	704	0.1	RMS	699.338	20.23	30	Pass	401




**9.18. LTE Band Edge(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-35.74	-13	Pass	401
698.9	699	0.03	RMS	699	-34.26	-13	Pass	401
699	704	0.1	RMS	703.575	6.12	30	Pass	401



**9.19. LTE Band Edge(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.42	-13	Pass	401
698.9	699	0.03	RMS	698.999	-26.48	-13	Pass	401
699	704	0.1	RMS	699.35	19.5	30	Pass	401






**9.20. LTE Band Edge(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-34.7	-13	Pass	401
698.9	699	0.03	RMS	699	-34.76	-13	Pass	401
699	704	0.1	RMS	702.338	5.19	30	Pass	401




**9.21. LTE Band Edge(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.675	20.38	30	Pass	401
716	716.1	0.03	RMS	716	-26.36	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.18	-13	Pass	401




**9.22. LTE Band Edge(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.85	6.04	30	Pass	401
716	716.1	0.03	RMS	716.005	-33.91	-13	Pass	401
716.1	725	0.1	RMS	716.1	-33.44	-13	Pass	401




**9.23. LTE Band Edge(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	19.59	30	Pass	401
716	716.1	0.03	RMS	716	-26.43	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.2	-13	Pass	401




**9.24. LTE Band Edge(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	711.6	5.03	30	Pass	401
716	716.1	0.03	RMS	716	-34.22	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.66	-13	Pass	401




**9.25. LTE Band Edge(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-35.85	-13	Pass	401
698.9	699	0.03	RMS	698.998	-35.98	-13	Pass	401
699	709	0.1	RMS	699.6	20.42	30	Pass	401




**9.26. LTE Band Edge(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.856	-32.99	-13	Pass	401
698.9	699	0.03	RMS	698.987	-36.38	-13	Pass	401
699	709	0.1	RMS	705.875	3.2	30	Pass	401



**9.27. LTE Band Edge(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-35.36	-13	Pass	401
698.9	699	0.03	RMS	698.99	-36.72	-13	Pass	401
699	709	0.1	RMS	699.6	19.68	30	Pass	401






**9.28. LTE Band Edge(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-34.22	-13	Pass	401
698.9	699	0.03	RMS	698.971	-38.56	-13	Pass	401
699	709	0.1	RMS	705.575	2.34	30	Pass	401



**9.29. LTE Band Edge(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.38	30	Pass	401
716	716.1	0.03	RMS	716	-35.75	-13	Pass	401
716.1	725	0.1	RMS	716.1	-37.45	-13	Pass	401




**9.30. LTE Band Edge(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	708.15	3.37	30	Pass	401
716	716.1	0.03	RMS	716.017	-36.99	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.5	-13	Pass	401




**9.31. LTE Band Edge(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.43	30	Pass	401
716	716.1	0.03	RMS	716	-38.46	-13	Pass	401
716.1	725	0.1	RMS	716.1	-38.38	-13	Pass	401



**9.32. LTE Band Edge(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	707.725	2.36	30	Pass	401
716	716.1	0.03	RMS	716.011	-38.14	-13	Pass	401
716.1	725	0.1	RMS	716.167	-35.15	-13	Pass	401



## 10. LTE\_Band17


### 10.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.8	-13	Pass	140
703.9	704	0.03	RMS	704	-25.42	-13	Pass	5
704	709	0.1	RMS	704.338	20.3	30	Pass	401




**10.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-30.32	-13	Pass	401
703.9	704	0.03	RMS	703.996	-32.32	-13	Pass	401
704	709	0.1	RMS	705.9	5.94	30	Pass	401



**10.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-27.47	-13	Pass	401
703.9	704	0.03	RMS	704	-26.29	-13	Pass	401
704	709	0.1	RMS	704.325	19.51	30	Pass	401






**10.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.726	-31.01	-13	Pass	401
703.9	704	0.03	RMS	704	-32.63	-13	Pass	401
704	709	0.1	RMS	706.275	4.92	30	Pass	401




**10.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.25	30	Pass	401
716	716.1	0.03	RMS	716.001	-26.59	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.31	-13	Pass	401




**10.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.663	5.89	30	Pass	401
716	716.1	0.03	RMS	716.002	-32.72	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.21	-13	Pass	401




**10.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	19.84	30	Pass	401
716	716.1	0.03	RMS	716.001	-26.99	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.94	-13	Pass	401




**10.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.175	4.95	30	Pass	401
716	716.1	0.03	RMS	716.006	-33.05	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.04	-13	Pass	401



**10.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-36.81	-13	Pass	401
703.9	704	0.03	RMS	704	-36.42	-13	Pass	401
704	714	0.1	RMS	704.6	20.28	30	Pass	401




**10.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-35.9	-13	Pass	401
703.9	704	0.03	RMS	703.992	-37.9	-13	Pass	401
704	714	0.1	RMS	708.225	3.37	30	Pass	401



**10.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-38.08	-13	Pass	401
703.9	704	0.03	RMS	703.999	-37.9	-13	Pass	401
704	714	0.1	RMS	704.6	19.66	30	Pass	401






**10.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-35.15	-13	Pass	401
703.9	704	0.03	RMS	703.986	-38.71	-13	Pass	401
704	714	0.1	RMS	707.775	2.27	30	Pass	401



**10.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.23	30	Pass	401
716	716.1	0.03	RMS	716.001	-36.11	-13	Pass	401
716.1	725	0.1	RMS	716.1	-37.8	-13	Pass	401




**10.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	708.175	3.31	30	Pass	401
716	716.1	0.03	RMS	716.007	-36.55	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.33	-13	Pass	401




**10.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	19.38	30	Pass	401
716	716.1	0.03	RMS	716	-38.74	-13	Pass	401
716.1	725	0.1	RMS	716.1	-39.83	-13	Pass	401



**10.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	708.525	2.32	30	Pass	401
716	716.1	0.03	RMS	716.018	-37.25	-13	Pass	401
716.1	725	0.1	RMS	716.211	-33.51	-13	Pass	401



## 11. LTE\_Band26(part22)


### 11.1. LTE Band Edge(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.1	-13	Pass	401
823	824	0.02	RMS	823.995	-35.46	-13	Pass	401
824	826	0.1	RMS	824.265	21.46	30	Pass	401




**11.2. LTE Band Edge(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.84	-34.36	-13	Pass	401
823	824	0.02	RMS	823.948	-34.48	-13	Pass	401
824	826	0.1	RMS	824.31	13.06	30	Pass	401



**11.3. LTE Band Edge(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-50.28	-13	Pass	401
823	824	0.02	RMS	823.993	-29.94	-13	Pass	401
824	826	0.1	RMS	824.225	20.38	30	Pass	401






**11.4. LTE Band Edge(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-37.95	-13	Pass	401
823	824	0.02	RMS	823.973	-36.38	-13	Pass	401
824	826	0.1	RMS	825.12	12.04	30	Pass	401




**11.5. LTE Band Edge(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	21.36	30	Pass	401
849	850	0.02	RMS	849.005	-35.14	-13	Pass	401
850	860	0.1	RMS	850	-51.56	-13	Pass	401




**11.6. LTE Band Edge(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.445	12.96	30	Pass	401
849	850	0.02	RMS	849.04	-40.24	-13	Pass	401
850	860	0.1	RMS	850.175	-38.25	-13	Pass	401




**11.7. LTE Band Edge(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	20.42	30	Pass	401
849	850	0.02	RMS	849	-34.63	-13	Pass	401
850	860	0.1	RMS	850.025	-52.4	-13	Pass	401




**11.8. LTE Band Edge(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.32	11.99	30	Pass	401
849	850	0.02	RMS	849.003	-39.31	-13	Pass	401
850	860	0.1	RMS	850.125	-37.82	-13	Pass	401




**11.9. LTE Band Edge(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.69	-13	Pass	401
823	824	0.03	RMS	823.998	-19.65	-13	Pass	401
824	827	0.1	RMS	824.248	21.57	30	Pass	401




**11.10. LTE Band Edge(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-33.17	-13	Pass	401
823	824	0.03	RMS	824	-26.21	-13	Pass	401
824	827	0.1	RMS	825.793	9.28	30	Pass	401



**11.11. LTE Band Edge(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-51.09	-13	Pass	401
823	824	0.03	RMS	824	-21.46	-13	Pass	401
824	827	0.1	RMS	824.255	20.74	30	Pass	401






**11.12. LTE Band Edge(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.86	-31.79	-13	Pass	401
823	824	0.03	RMS	824	-27.6	-13	Pass	401
824	827	0.1	RMS	825.215	8.42	30	Pass	401




**11.13. LTE Band Edge(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	21.54	30	Pass	401
849	850	0.03	RMS	849	-19.58	-13	Pass	401
850	860	0.1	RMS	850	-50.2	-13	Pass	401




**11.14. LTE Band Edge(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.095	9.31	30	Pass	401
849	850	0.03	RMS	849.003	-28.39	-13	Pass	401
850	860	0.1	RMS	851.025	-39.87	-13	Pass	401




**11.15. LTE Band Edge(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.745	20.61	30	Pass	401
849	850	0.03	RMS	849	-21.3	-13	Pass	401
850	860	0.1	RMS	850	-50.75	-13	Pass	401




**11.16. LTE Band Edge(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.668	8.22	30	Pass	401
849	850	0.03	RMS	849.005	-28.88	-13	Pass	401
850	860	0.1	RMS	850.075	-39.02	-13	Pass	401




**11.17. LTE Band Edge(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-51.28	-13	Pass	401
823	824	0.051	RMS	824	-22.87	-13	Pass	401
824	829	0.1	RMS	824.338	21.33	30	Pass	401




**11.18. LTE Band Edge(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.8	-38.89	-13	Pass	401
823	824	0.051	RMS	824	-30.35	-13	Pass	401
824	829	0.1	RMS	825.675	7.38	30	Pass	401



**11.19. LTE Band Edge(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.06	-13	Pass	401
823	824	0.051	RMS	824	-23.09	-13	Pass	401
824	829	0.1	RMS	824.338	20.67	30	Pass	401






**11.20. LTE Band Edge(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-38.46	-13	Pass	401
823	824	0.051	RMS	824	-31.2	-13	Pass	401
824	829	0.1	RMS	825.7	6.31	30	Pass	401




**11.21. LTE Band Edge(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.39	30	Pass	401
849	850	0.051	RMS	849	-23.19	-13	Pass	401
850	860	0.1	RMS	850	-51.13	-13	Pass	401




**11.22. LTE Band Edge(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.813	7.11	30	Pass	401
849	850	0.051	RMS	849	-30.9	-13	Pass	401
850	860	0.1	RMS	850.425	-39.69	-13	Pass	401




**11.23. LTE Band Edge(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.63	30	Pass	401
849	850	0.051	RMS	849	-23.38	-13	Pass	401
850	860	0.1	RMS	850	-49.13	-13	Pass	401




**11.24. LTE Band Edge(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.675	6.21	30	Pass	401
849	850	0.051	RMS	849.003	-31.88	-13	Pass	401
850	860	0.1	RMS	850.2	-40.16	-13	Pass	401




**11.25. LTE Band Edge(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	818.34	-51.5	-13	Pass	401
823	824	0.1	RMS	823.998	-31.68	-13	Pass	401
824	834	0.1	RMS	824.575	21.45	30	Pass	401




**11.26. LTE Band Edge(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.86	-35.31	-13	Pass	401
823	824	0.1	RMS	823.993	-31.85	-13	Pass	401
824	834	0.1	RMS	825.925	4.6	30	Pass	401



**11.27. LTE Band Edge(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-53.39	-13	Pass	401
823	824	0.1	RMS	824	-32.99	-13	Pass	401
824	834	0.1	RMS	824.6	20.69	30	Pass	401






**11.28. LTE Band Edge(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-36.11	-13	Pass	401
823	824	0.1	RMS	823.993	-33.26	-13	Pass	401
824	834	0.1	RMS	825.45	3.59	30	Pass	401




**11.29. LTE Band Edge(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.43	30	Pass	401
849	850	0.1	RMS	849	-31.51	-13	Pass	401
850	860	0.1	RMS	850	-52.74	-13	Pass	401




**11.30. LTE Band Edge(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.45	4.34	30	Pass	401
849	850	0.1	RMS	849	-35.17	-13	Pass	401
850	860	0.1	RMS	850.975	-39.34	-13	Pass	401




**11.31. LTE Band Edge(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	20.47	30	Pass	401
849	850	0.1	RMS	849	-34.02	-13	Pass	401
850	860	0.1	RMS	850	-53.95	-13	Pass	401




**11.32. LTE Band Edge(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.5	3.38	30	Pass	401
849	850	0.1	RMS	849	-36.26	-13	Pass	401
850	860	0.1	RMS	850.35	-39.03	-13	Pass	401




**11.33. LTE Band Edge(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	818.48	-54.58	-13	Pass	401
823	824	0.15	RMS	824	-30.15	-13	Pass	401
824	839	0.1	RMS	824.825	21.23	30	Pass	401




**11.34. LTE Band Edge(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-31.98	-13	Pass	401
823	824	0.15	RMS	823.063	-30.34	-13	Pass	401
824	839	0.1	RMS	825.313	2.7	30	Pass	401



**11.35. LTE Band Edge(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-53.29	-13	Pass	401
823	824	0.15	RMS	824	-30.87	-13	Pass	401
824	839	0.1	RMS	824.825	20.5	30	Pass	401






**11.36. LTE Band Edge(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.92	-33.88	-13	Pass	401
823	824	0.15	RMS	823.18	-31.98	-13	Pass	401
824	839	0.1	RMS	826.025	1.81	30	Pass	401



**11.37. LTE Band Edge(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	21.13	30	Pass	401
849	850	0.15	RMS	849.003	-30.85	-13	Pass	401
850	860	0.1	RMS	850	-54.37	-13	Pass	401




**11.38. LTE Band Edge(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	840.825	2.45	30	Pass	401
849	850	0.15	RMS	849.005	-33.37	-13	Pass	401
850	860	0.1	RMS	850.25	-35.48	-13	Pass	401



**11.39. LTE Band Edge(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.12	30	Pass	401
849	850	0.15	RMS	849	-30.66	-13	Pass	401
850	860	0.1	RMS	850.025	-52.99	-13	Pass	401




**11.40. LTE Band Edge(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	842.625	1.41	30	Pass	401
849	850	0.15	RMS	849.368	-34.44	-13	Pass	401
850	860	0.1	RMS	850.175	-36.54	-13	Pass	401




## 12. LTE\_Band26(part90)


### 12.1. LTE Band Edge\_in-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)



**12.2. LTE Band Edge\_in-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**




**12.3. LTE Band Edge\_in-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**







**12.4. LTE Band Edge\_in-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**



**12.5. LTE Band Edge\_in-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**12.6. LTE Band Edge\_in-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**




**12.7. LTE Band Edge\_in-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.017	-35.63	Pass	1000




**12.8. LTE Band Edge\_in-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**




**12.9. LTE Band Edge\_in-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**



**12.10. LTE Band Edge\_in-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**




**12.11. LTE Band Edge\_in-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**






**12.12. LTE Band Edge\_in-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**




**12.13. LTE Band Edge\_in-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.016	-31.1	Pass	1000




**12.14. LTE Band Edge\_in-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**




**12.15. LTE Band Edge\_in-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.031	-31.87	Pass	1000




**12.16. LTE Band Edge\_in-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**




**12.17. LTE Band Edge\_in-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.963	-47.84	Pass	1000



**12.18. LTE Band Edge\_in-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**




**12.19. LTE Band Edge\_in-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**






**12.20. LTE Band Edge\_in-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**




**12.21. LTE Band Edge\_in-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.029	-38.12	Pass	1000




**12.22. LTE Band Edge\_in-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**




**12.23. LTE Band Edge\_in-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.027	-37.24	Pass	1000




**12.24. LTE Band Edge\_in-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**




**12.25. LTE Band Edge\_in-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**



**12.26. LTE Band Edge\_in-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**




**12.27. LTE Band Edge\_in-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**






**12.28. LTE Band Edge\_in-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**




**12.29. LTE Band Edge\_in-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.002	RMS	824.016	-47.31	Pass	2000




**12.30. LTE Band Edge\_in-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**



**12.31. LTE Band Edge\_in-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**12.32. LTE Band Edge\_in-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**




### 13. LTE\_Band26(part90)


#### 13.1. LTE Band Edge\_out-of-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)



**13.2. LTE Band Edge\_out-of-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**




**13.3. LTE Band Edge\_out-of-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**







**13.4. LTE Band Edge\_out-of-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**




**13.5. LTE Band Edge\_out-of-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**13.6. LTE Band Edge\_out-of-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**




**13.7. LTE Band Edge\_out-of-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**



**13.8. LTE Band Edge\_out-of-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**




**13.9. LTE Band Edge\_out-of-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**13.10. LTE Band Edge\_out-of-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-23.2	Pass	401




**13.11. LTE Band Edge\_out-of-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**






**13.12. LTE Band Edge\_out-of-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-24.68	Pass	401




**13.13. LTE Band Edge\_out-of-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-18.01	Pass	401




**13.14. LTE Band Edge\_out-of-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-25.37	Pass	401




**13.15. LTE Band Edge\_out-of-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**13.16. LTE Band Edge\_out-of-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-25.99	Pass	401




**13.17. LTE Band Edge\_out-of-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**13.18. LTE Band Edge\_out-of-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-27.93	Pass	401




**13.19. LTE Band Edge\_out-of-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**






**13.20. LTE Band Edge\_out-of-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-30.35	Pass	401




**13.21. LTE Band Edge\_out-of-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**13.22. LTE Band Edge\_out-of-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-30.25	Pass	401




**13.23. LTE Band Edge\_out-of-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-23.84	Pass	401




**13.24. LTE Band Edge\_out-of-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-30.75	Pass	401




**13.25. LTE Band Edge\_out-of-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**13.26. LTE Band Edge\_out-of-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-33.12	Pass	401




**13.27. LTE Band Edge\_out-of-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**






**13.28. LTE Band Edge\_out-of-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-34.4	Pass	401



**13.29. LTE Band Edge\_out-of-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**13.30. LTE Band Edge\_out-of-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**




**13.31. LTE Band Edge\_out-of-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-36.84	Pass	401



**13.32. LTE Band Edge\_out-of-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-34.56	Pass	401



## 14. LTE\_Band38


### 14.1. LTE Band Edge(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-38.72	-25	Pass	401
2564	2565	1	RMS	2564.508	-38.14	-13	Pass	401
2565	2569	1	RMS	2569	-27.55	-10	Pass	5
2569	2570	0.1	RMS	2570	-16.19	-10	Pass	401
2570	2575	0.1	RMS	2570.338	20.39	30	Pass	401




**14.2. LTE Band Edge(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.763	-38.12	-25	Pass	401
2564	2565	1	RMS	2564.998	-37.54	-13	Pass	401
2565	2569	1	RMS	2569	-29.31	-10	Pass	5
2569	2570	0.1	RMS	2570	-26.82	-10	Pass	401
2570	2575	0.1	RMS	2574.263	6.2	30	Pass	401



**14.3. LTE Band Edge(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.953	-39.11	-25	Pass	401
2564	2565	1	RMS	2564	-39.23	-13	Pass	2
2565	2569	1	RMS	2569	-27.97	-10	Pass	5
2569	2570	0.1	RMS	2570	-18.47	-10	Pass	401
2570	2575	0.1	RMS	2570.35	19.9	30	Pass	401






**14.4. LTE Band Edge(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.953	-38.24	-25	Pass	401
2564	2565	1	RMS	2564.92	-36.96	-13	Pass	401
2565	2569	1	RMS	2569	-29.82	-10	Pass	5
2569	2570	0.1	RMS	2570	-29.01	-10	Pass	401
2570	2575	0.1	RMS	2573.063	4.95	30	Pass	401




**14.5. LTE Band Edge(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.675	20.12	30	Pass	401
2620	2621	0.1	RMS	2620	-16.33	-10	Pass	401
2621	2625	1	RMS	2621	-27.1	-10	Pass	5
2625	2626	1	RMS	2625.65	-37	-13	Pass	401
2626	2645	1	RMS	2626	-37.86	-25	Pass	401




**14.6. LTE Band Edge(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.688	5.97	30	Pass	401
2620	2621	0.1	RMS	2620	-26.64	-10	Pass	401
2621	2625	1	RMS	2621	-29.37	-10	Pass	5
2625	2626	1	RMS	2625.093	-35.76	-13	Pass	401
2626	2645	1	RMS	2627.093	-36.27	-25	Pass	401




**14.7. LTE Band Edge(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.675	19.72	30	Pass	401
2620	2621	0.1	RMS	2620	-17.11	-10	Pass	401
2621	2625	1	RMS	2621	-26.79	-10	Pass	5
2625	2626	1	RMS	2625.63	-37.16	-13	Pass	401
2626	2645	1	RMS	2626	-38.06	-25	Pass	401




**14.8. LTE Band Edge(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.663	5.08	30	Pass	401
2620	2621	0.1	RMS	2620	-27.31	-10	Pass	401
2621	2625	1	RMS	2621	-28.17	-10	Pass	5
2625	2626	1	RMS	2625.015	-34.54	-13	Pass	401
2626	2645	1	RMS	2626.048	-35.72	-25	Pass	401




**14.9. LTE Band Edge(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.925	-42.96	-25	Pass	401
2560	2565	1	RMS	2564.638	-36.81	-13	Pass	401
2565	2569	1	RMS	2569	-28.32	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-22.46	-10	Pass	401
2570	2580	0.1	RMS	2570.6	20.25	30	Pass	401




**14.10. LTE Band Edge(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2554.938	-39.71	-25	Pass	401
2560	2565	1	RMS	2564.963	-34.49	-13	Pass	401
2565	2569	1	RMS	2569	-30.65	-10	Pass	5
2569	2570	0.2	RMS	2570	-29.97	-10	Pass	401
2570	2580	0.1	RMS	2573.35	3.11	30	Pass	401



**14.11. LTE Band Edge(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.925	-42.79	-25	Pass	401
2560	2565	1	RMS	2564.738	-36.96	-13	Pass	401
2565	2569	1	RMS	2569	-28.45	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-23.07	-10	Pass	401
2570	2580	0.1	RMS	2570.6	19.64	30	Pass	401






**14.12. LTE Band Edge(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.625	-40.37	-25	Pass	401
2560	2565	1	RMS	2564.9	-34.98	-13	Pass	401
2565	2569	1	RMS	2569	-32.92	-10	Pass	5
2569	2570	0.2	RMS	2570	-31.98	-10	Pass	401
2570	2580	0.1	RMS	2571.325	2.11	30	Pass	401




**14.13. LTE Band Edge(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	20.43	30	Pass	401
2620	2621	0.2	RMS	2620.003	-21.42	-10	Pass	401
2621	2625	1	RMS	2621	-28.15	-10	Pass	5
2625	2630	1	RMS	2625.363	-35.46	-13	Pass	401
2630	2645	1	RMS	2630	-42.55	-25	Pass	401




**14.14. LTE Band Edge(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2617.525	3.23	30	Pass	401
2620	2621	0.2	RMS	2620	-30.31	-10	Pass	401
2621	2625	1	RMS	2621	-30.59	-10	Pass	5
2625	2630	1	RMS	2625.013	-33.27	-13	Pass	401
2630	2645	1	RMS	2634.65	-37.35	-25	Pass	401



**14.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	19.42	30	Pass	401
2620	2621	0.2	RMS	2620.003	-23.44	-10	Pass	401
2621	2625	1	RMS	2621	-30.32	-10	Pass	5
2625	2630	1	RMS	2625.375	-36.97	-13	Pass	401
2630	2645	1	RMS	2630	-44.1	-25	Pass	401




**14.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2618.775	2.05	30	Pass	401
2620	2621	0.2	RMS	2620	-31.52	-10	Pass	401
2621	2625	1	RMS	2621	-31.07	-10	Pass	5
2625	2630	1	RMS	2625.013	-32.55	-13	Pass	401
2630	2645	1	RMS	2630.113	-37.83	-25	Pass	401




**14.17. LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.9	-45	-25	Pass	401
2555	2565	1	RMS	2565	-35.47	-13	Pass	11
2565	2569	1	RMS	2569	-28.95	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-22.76	-10	Pass	401
2570	2585	0.1	RMS	2570.825	20.01	30	Pass	401




**14.18. LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2550.725	-41.34	-25	Pass	401
2555	2565	1	RMS	2558.875	-37.35	-13	Pass	401
2565	2569	1	RMS	2569	-34.05	-10	Pass	5
2569	2570	0.3	RMS	2570	-32.04	-10	Pass	401
2570	2585	0.1	RMS	2573.6	1.29	30	Pass	401



**14.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.95	-44.75	-25	Pass	401
2555	2565	1	RMS	2565	-35.77	-13	Pass	11
2565	2569	1	RMS	2569	-29.07	-10	Pass	5
2569	2570	0.3	RMS	2570	-23.36	-10	Pass	401
2570	2585	0.1	RMS	2570.825	19.3	30	Pass	401






**14.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.95	-40.69	-25	Pass	401
2555	2565	1	RMS	2563.675	-36.55	-13	Pass	401
2565	2569	1	RMS	2569	-34.84	-10	Pass	5
2569	2570	0.3	RMS	2570	-33.57	-10	Pass	401
2570	2585	0.1	RMS	2574.988	0.25	30	Pass	401




**14.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.07	30	Pass	401
2620	2621	0.3	RMS	2620	-22.83	-10	Pass	401
2621	2625	1	RMS	2621	-29.07	-10	Pass	5
2625	2635	1	RMS	2625	-33.41	-13	Pass	11
2635	2645	1	RMS	2635	-44.35	-25	Pass	401




**14.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.725	1.35	30	Pass	401
2620	2621	0.3	RMS	2620.008	-31.16	-10	Pass	401
2621	2625	1	RMS	2621	-33.52	-10	Pass	5
2625	2635	1	RMS	2628.5	-36.09	-13	Pass	401
2635	2645	1	RMS	2639.2	-38.28	-25	Pass	401




**14.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	18.99	30	Pass	401
2620	2621	0.3	RMS	2620	-24.19	-10	Pass	401
2621	2625	1	RMS	2621	-31.17	-10	Pass	5
2625	2635	1	RMS	2625	-34.54	-13	Pass	11
2635	2645	1	RMS	2637.05	-45.36	-25	Pass	401




**14.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.088	0.28	30	Pass	401
2620	2621	0.3	RMS	2620	-32.73	-10	Pass	401
2621	2625	1	RMS	2621	-33.02	-10	Pass	5
2625	2635	1	RMS	2625.775	-34.96	-13	Pass	401
2635	2645	1	RMS	2635.2	-37.63	-25	Pass	401




**14.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-45.29	-25	Pass	401
2550	2565	1	RMS	2565	-34.87	-13	Pass	16
2565	2569	1	RMS	2569	-28.13	-10	Pass	5
2569	2570	0.51	RMS	2570	-20.47	-10	Pass	401
2570	2590	0.1	RMS	2571.1	20.22	30	Pass	401




**14.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2547.775	-42.59	-25	Pass	401
2550	2565	1	RMS	2564.438	-37.04	-13	Pass	401
2565	2569	1	RMS	2569	-34.9	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-31.63	-10	Pass	401
2570	2590	0.1	RMS	2579	-0.01	30	Pass	401



**14.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-45.31	-25	Pass	401
2550	2565	1	RMS	2565	-35.25	-13	Pass	16
2565	2569	1	RMS	2569	-28.26	-10	Pass	5
2569	2570	0.51	RMS	2570	-19.95	-10	Pass	401
2570	2590	0.1	RMS	2571.1	19.28	30	Pass	401






**14.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.988	-42.03	-25	Pass	401
2550	2565	1	RMS	2563.988	-36.82	-13	Pass	401
2565	2569	1	RMS	2569	-35.97	-10	Pass	5
2569	2570	0.51	RMS	2569.993	-32.95	-10	Pass	401
2570	2590	0.1	RMS	2579.25	-1.01	30	Pass	401




**14.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	19.82	30	Pass	401
2620	2621	0.51	RMS	2620	-21.48	-10	Pass	401
2621	2625	1	RMS	2621	-30.42	-10	Pass	5
2625	2640	1	RMS	2625	-33.38	-13	Pass	16
2640	2645	1	RMS	2640.013	-45.42	-25	Pass	401




**14.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2614.7	0.06	30	Pass	401
2620	2621	0.51	RMS	2620.01	-30.97	-10	Pass	401
2621	2625	1	RMS	2621	-33.04	-10	Pass	5
2625	2640	1	RMS	2625.113	-34.92	-13	Pass	401
2640	2645	1	RMS	2644.55	-39.51	-25	Pass	401




**14.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	18.95	30	Pass	401
2620	2621	0.51	RMS	2620.003	-21.4	-10	Pass	401
2621	2625	1	RMS	2621	-29.58	-10	Pass	5
2625	2640	1	RMS	2625	-33.94	-13	Pass	16
2640	2645	1	RMS	2640.013	-45.23	-25	Pass	401



**14.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2612.85	-1.06	30	Pass	401
2620	2621	0.51	RMS	2620.02	-31.39	-10	Pass	401
2621	2625	1	RMS	2621	-32.68	-10	Pass	5
2625	2640	1	RMS	2625.675	-34.54	-13	Pass	401
2640	2645	1	RMS	2640.9	-39	-25	Pass	401



## 15. LTE\_Band41 full


### 15.1. LTE Band Edge(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.85	-25	Pass	401
2490	2495	1	RMS	2495	-23.17	-13	Pass	6
2495	2495.95	0.1	RMS	2495.95	-18.98	-13	Pass	401
2496	2501	0.1	RMS	2496.35	22.51	30	Pass	401




**15.2. LTE Band Edge(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-31.66	-25	Pass	401
2490	2495	1	RMS	2495	-21.89	-13	Pass	6
2495	2496	0.051	RMS	2496	-27.76	-13	Pass	401
2496	2501	0.1	RMS	2496.575	10.98	30	Pass	401



**15.3. LTE Band Edge(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-38.96	-25	Pass	401
2490	2495	1	RMS	2495	-23.1	-13	Pass	6
2495	2496	0.1	RMS	2496	-16.26	-13	Pass	401
2496	2501	0.1	RMS	2496.363	22.09	30	Pass	401






**15.4. LTE Band Edge(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.39	-25	Pass	401
2490	2495	1	RMS	2495	-21.89	-13	Pass	6
2495	2496	0.051	RMS	2496	-28.27	-13	Pass	401
2496	2501	0.1	RMS	2499.663	7.47	30	Pass	401




**15.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	22.98	30	Pass	401
2690	2691	0.051	RMS	2690	-18.33	-10	Pass	401
2691	2695	1	RMS	2691	-23.73	-10	Pass	5
2695	2696	1	RMS	2695.008	-35.16	-13	Pass	401
2696	2715	1	RMS	2696	-36.11	-25	Pass	401




**15.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.275	8.41	30	Pass	401
2690	2691	0.1	RMS	2690	-24.15	-10	Pass	401
2691	2695	1	RMS	2691	-24.07	-10	Pass	5
2695	2696	1	RMS	2695.01	-32.22	-13	Pass	401
2696	2715	1	RMS	2696	-34.14	-25	Pass	401



**15.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	21.99	30	Pass	401
2690	2691	0.1	RMS	2690	-14.45	-10	Pass	401
2691	2695	1	RMS	2691	-23.95	-10	Pass	5
2695	2696	1	RMS	2695.003	-35.29	-13	Pass	401
2696	2715	1	RMS	2696	-36.14	-25	Pass	401




**15.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.975	7.57	30	Pass	401
2690	2691	0.1	RMS	2690.003	-25.46	-10	Pass	401
2691	2695	1	RMS	2691	-24.07	-10	Pass	5
2695	2696	1	RMS	2695.03	-30.89	-13	Pass	401
2696	2715	1	RMS	2696	-32.59	-25	Pass	401




**15.9. LTE Band Edge(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-38.44	-25	Pass	401
2490	2495	1	RMS	2495	-24.88	-13	Pass	6
2495	2496	0.1	RMS	2496	-20.67	-13	Pass	11
2496	2506	0.1	RMS	2496.6	22.6	30	Pass	401




**15.10. LTE Band Edge(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.63	-25	Pass	16
2490	2495	1	RMS	2495	-23.35	-13	Pass	6
2495	2496	0.1	RMS	2495.995	-29.29	-13	Pass	401
2496	2506	0.1	RMS	2505.325	5.65	30	Pass	401



**15.11. LTE Band Edge(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-37.81	-25	Pass	401
2490	2495	1	RMS	2495	-24.77	-13	Pass	6
2495	2496	0.1	RMS	2496	-20.7	-13	Pass	11
2496	2506	0.1	RMS	2496.6	21.93	30	Pass	401






**15.12. LTE Band Edge(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.95	-25	Pass	16
2490	2495	1	RMS	2495	-24.59	-13	Pass	6
2495	2496	0.1	RMS	2496	-30.81	-13	Pass	401
2496	2506	0.1	RMS	2504.45	4.55	30	Pass	401




**15.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	22.77	30	Pass	401
2690	2691	0.2	RMS	2690	-19.54	-10	Pass	401
2691	2695	1	RMS	2691	-25.77	-10	Pass	5
2695	2700	1	RMS	2695.05	-34.74	-13	Pass	401
2700	2715	1	RMS	2700.038	-40.77	-25	Pass	401




**15.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2687.55	5.72	30	Pass	401
2690	2691	0.2	RMS	2690.005	-26.02	-10	Pass	401
2691	2695	1	RMS	2691	-23.48	-10	Pass	5
2695	2700	1	RMS	2695.263	-25.78	-13	Pass	401
2700	2715	1	RMS	2700	-34.6	-25	Pass	401




**15.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	21.76	30	Pass	401
2690	2691	0.2	RMS	2690	-21.56	-10	Pass	401
2691	2695	1	RMS	2691	-27.82	-10	Pass	5
2695	2700	1	RMS	2695.488	-36.2	-13	Pass	401
2700	2715	1	RMS	2700.038	-42.68	-25	Pass	401




**15.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2688.75	4.59	30	Pass	401
2690	2691	0.2	RMS	2690	-27.07	-10	Pass	401
2691	2695	1	RMS	2691	-23.93	-10	Pass	5
2695	2700	1	RMS	2695.213	-24.11	-13	Pass	401
2700	2715	1	RMS	2700	-33.17	-25	Pass	401




**15.17. LTE Band Edge(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.12	-25	Pass	401
2490	2495	1	RMS	2495	-26.58	-13	Pass	6
2495	2496	0.15	RMS	2496	-24.26	-13	Pass	401
2496	2511	0.1	RMS	2496.825	22.31	30	Pass	401




**15.18. LTE Band Edge(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.04	-25	Pass	401
2490	2495	1	RMS	2495	-23.39	-13	Pass	6
2495	2496	0.15	RMS	2496	-29.17	-13	Pass	401
2496	2511	0.1	RMS	2509.2	3.68	30	Pass	401



**15.19. LTE Band Edge(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-37.97	-25	Pass	401
2490	2495	1	RMS	2495	-26.78	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-24.81	-13	Pass	401
2496	2511	0.1	RMS	2496.825	21.63	30	Pass	401






**15.20. LTE Band Edge(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.5	-25	Pass	16
2490	2495	1	RMS	2495	-24.54	-13	Pass	6
2495	2496	0.15	RMS	2495.99	-30.73	-13	Pass	401
2496	2511	0.1	RMS	2509.238	2.98	30	Pass	401




**15.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	22.7	30	Pass	401
2690	2691	0.3	RMS	2690	-20.12	-10	Pass	401
2691	2695	1	RMS	2691	-26.37	-10	Pass	5
2695	2705	1	RMS	2695.3	-33.25	-13	Pass	401
2705	2715	1	RMS	2705.05	-43.65	-25	Pass	401




**15.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2688.725	3.83	30	Pass	401
2690	2691	0.3	RMS	2690.015	-25.42	-10	Pass	401
2691	2695	1	RMS	2691	-23.87	-10	Pass	5
2695	2705	1	RMS	2695	-26.51	-13	Pass	401
2705	2715	1	RMS	2705	-37.65	-25	Pass	401




**15.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	21.66	30	Pass	401
2690	2691	0.3	RMS	2690	-21.9	-10	Pass	401
2691	2695	1	RMS	2691	-28.53	-10	Pass	5
2695	2705	1	RMS	2695.55	-34.57	-13	Pass	401
2705	2715	1	RMS	2705	-45.16	-25	Pass	401




**15.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2688.088	2.78	30	Pass	401
2690	2691	0.3	RMS	2690.008	-27.45	-10	Pass	401
2691	2695	1	RMS	2691	-25.12	-10	Pass	5
2695	2705	1	RMS	2695.075	-27.21	-13	Pass	401
2705	2715	1	RMS	2705	-36.37	-25	Pass	401




**15.25. LTE Band Edge(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-36.96	-25	Pass	401
2490	2495	1	RMS	2495	-26.1	-13	Pass	6
2495	2496	0.2	RMS	2496	-24.34	-13	Pass	401
2496	2516	0.1	RMS	2497.1	22.47	30	Pass	401




**15.26. LTE Band Edge(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.01	-25	Pass	401
2490	2495	1	RMS	2495	-22.84	-13	Pass	6
2495	2496	0.2	RMS	2495.993	-27.62	-13	Pass	401
2496	2516	0.1	RMS	2513.6	2.42	30	Pass	401



**15.27. LTE Band Edge(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-36.81	-25	Pass	401
2490	2495	1	RMS	2495	-26.19	-13	Pass	6
2495	2496	0.2	RMS	2495.998	-24.14	-13	Pass	401
2496	2516	0.1	RMS	2497.1	21.55	30	Pass	401






**15.28. LTE Band Edge(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.76	-25	Pass	16
2490	2495	1	RMS	2495	-24.3	-13	Pass	6
2495	2496	0.2	RMS	2495.98	-28.98	-13	Pass	401
2496	2516	0.1	RMS	2513.05	1.7	30	Pass	401




**15.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	22.59	30	Pass	401
2690	2691	0.51	RMS	2690	-18.88	-10	Pass	401
2691	2695	1	RMS	2691	-27.76	-10	Pass	5
2695	2710	1	RMS	2695.038	-34.55	-13	Pass	401
2710	2715	1	RMS	2710.013	-45.97	-25	Pass	401




**15.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2684.7	2.52	30	Pass	401
2690	2691	0.51	RMS	2690.02	-22.69	-10	Pass	401
2691	2695	1	RMS	2691	-21.67	-10	Pass	5
2695	2710	1	RMS	2695	-25.42	-13	Pass	401
2710	2715	1	RMS	2710	-38.54	-25	Pass	401




**15.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	21.68	30	Pass	401
2690	2691	0.51	RMS	2690	-18.62	-10	Pass	401
2691	2695	1	RMS	2691	-26.94	-10	Pass	5
2695	2710	1	RMS	2695.038	-34.11	-13	Pass	401
2710	2715	1	RMS	2710.063	-45.67	-25	Pass	401



**15.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2685.35	1.49	30	Pass	401
2690	2691	0.51	RMS	2690.003	-23.46	-10	Pass	401
2691	2695	1	RMS	2691	-22.62	-10	Pass	5
2695	2710	1	RMS	2695	-26.08	-13	Pass	401
2710	2715	1	RMS	2710	-37.58	-25	Pass	401



## 16. CA\_41C\_full


### 16.1. CA Band Edge(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.563	-30.22	-25	Pass	401
2490	2495	1	RMS	2495	-40.39	-13	Pass	6
2495	2496	0.3	RMS	2496	-36.58	-13	Pass	401
2496	2521	0.1	RMS	2515.563	9.36	30	Pass	401




**16.2. CA Band Edge(NTNV)(Subtest:2, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475.038	-42.32	-25	Pass	401
2490	2495	1	RMS	2495	-40.61	-13	Pass	6
2495	2496	0.3	RMS	2496	-36.71	-13	Pass	401
2496	2521	0.1	RMS	2497.063	10.13	30	Pass	401



**16.3. CA Band Edge(NTNV)(Subtest:3, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-33.81	-25	Pass	401
2490	2495	1	RMS	2495	-32.54	-13	Pass	6
2495	2496	0.3	RMS	2496	-35.63	-13	Pass	401
2496	2521	0.1	RMS	2518.563	2.67	30	Pass	401






**16.4. CA Band Edge(NTNV)(Subtest:4, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.638	-30.3	-25	Pass	401
2490	2495	1	RMS	2495	-39.35	-13	Pass	6
2495	2496	0.3	RMS	2495.998	-35.23	-13	Pass	401
2496	2521	0.1	RMS	2515.5	9.34	30	Pass	401




**16.5. CA Band Edge(NTNV)(Subtest:5, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475	-41.45	-25	Pass	401
2490	2495	1	RMS	2495	-39.13	-13	Pass	6
2495	2496	0.3	RMS	2495.998	-36.06	-13	Pass	401
2496	2521	0.1	RMS	2519.875	9.37	30	Pass	401




**16.6. CA Band Edge(NTNV)(Subtest:6, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-34.96	-25	Pass	401
2490	2495	1	RMS	2495	-33.32	-13	Pass	6
2495	2496	0.3	RMS	2495.985	-36.53	-13	Pass	401
2496	2521	0.1	RMS	2518.25	1.62	30	Pass	401




**16.7. CA Band Edge(NTNV)(Subtest:7, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.063	10.21	30	Pass	401
2690	2691	0.51	RMS	2690.003	-38.76	-10	Pass	401
2691	2695	1	RMS	2691	-42.45	-10	Pass	5
2695	2715	1	RMS	2711.55	-28.92	-13	Pass	401
2715	2735	1	RMS	2733.05	-47.42	-25	Pass	401




**16.8. CA Band Edge(NTNV)(Subtest:8, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.938	14.07	30	Pass	401
2690	2691	0.51	RMS	2690	-35.07	-10	Pass	401
2691	2695	1	RMS	2694	-19.52	-10	Pass	5
2695	2715	1	RMS	2698.75	-28.64	-13	Pass	401
2715	2735	1	RMS	2716.4	-47.27	-25	Pass	401




**16.9. CA Band Edge(NTNV)(Subtest:9, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2686.5	2.6	30	Pass	401
2690	2691	0.51	RMS	2690	-29.14	-10	Pass	401
2691	2695	1	RMS	2695	-26.52	-10	Pass	5
2695	2715	1	RMS	2697.65	-25.2	-13	Pass	401
2715	2735	1	RMS	2715.05	-41.71	-25	Pass	401




**16.10. CA Band Edge(NTNV)(Subtest:10, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.063	10.01	30	Pass	401
2690	2691	0.51	RMS	2690.018	-38.4	-10	Pass	401
2691	2695	1	RMS	2691	-41.78	-10	Pass	5
2695	2715	1	RMS	2711.6	-28.65	-13	Pass	401
2715	2735	1	RMS	2731.85	-47.42	-25	Pass	401



**16.11. CA Band Edge(NTNV)(Subtest:11, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:High+High)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.938	14.13	30	Pass	401
2690	2691	0.51	RMS	2690.058	-34.81	-10	Pass	401
2691	2695	1	RMS	2694	-19.55	-10	Pass	5
2695	2715	1	RMS	2698.7	-29.93	-13	Pass	401
2715	2735	1	RMS	2718.3	-47.24	-25	Pass	401






**16.12. CA Band Edge(NTNV)(Subtest:12, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2686.375	1.23	30	Pass	401
2690	2691	0.51	RMS	2690.033	-29.92	-10	Pass	401
2691	2695	1	RMS	2695	-28.18	-10	Pass	5
2695	2715	1	RMS	2695.1	-27.02	-13	Pass	401
2715	2735	1	RMS	2715.35	-43.27	-25	Pass	401




**16.13. CA Band Edge(NTNV)(Subtest:13, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477	-39.59	-25	Pass	16
2490	2495	1	RMS	2495	-43.07	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-34.86	-13	Pass	401
2496	2536	0.1	RMS	2497.1	4.98	30	Pass	401




**16.14. CA Band Edge(NTNV)(Subtest:14, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-46.98	-25	Pass	401
2490	2495	1	RMS	2495	-42.61	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-35.37	-13	Pass	401
2496	2536	0.1	RMS	2534.7	4.82	30	Pass	401




**16.15. CA Band Edge(NTNV)(Subtest:15, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-36.08	-25	Pass	401
2490	2495	1	RMS	2495	-35.27	-13	Pass	6
2495	2496	0.51	RMS	2496	-34.5	-13	Pass	401
2496	2536	0.1	RMS	2529.2	-4.64	30	Pass	401




**16.16. CA Band Edge(NTNV)(Subtest:16, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.25	-28.25	-25	Pass	401
2490	2495	1	RMS	2495	-36.8	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-28.29	-13	Pass	401
2496	2536	0.1	RMS	2516.9	12.47	30	Pass	401




**16.17. CA Band Edge(NTNV)(Subtest:17, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-45.34	-25	Pass	401
2490	2495	1	RMS	2495	-37.89	-13	Pass	6
2495	2496	0.51	RMS	2496	-29.75	-13	Pass	401
2496	2536	0.1	RMS	2497.1	8.88	30	Pass	401




**16.18. CA Band Edge(NTNV)(Subtest:18, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-35.76	-25	Pass	401
2490	2495	1	RMS	2495	-35.25	-13	Pass	6
2495	2496	0.51	RMS	2495.995	-35	-13	Pass	401
2496	2536	0.1	RMS	2513	-4.39	30	Pass	401



**16.19. CA Band Edge(NTNV)(Subtest:19, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	9.13	30	Pass	401
2690	2691	1	RMS	2690	-26.74	-10	Pass	2
2691	2695	1	RMS	2691.01	-38.37	-10	Pass	401
2695	2730	1	RMS	2726.5	-37.43	-13	Pass	401
2730	2735	1	RMS	2730.538	-47.42	-25	Pass	401






**16.20. CA Band Edge(NTNV)(Subtest:20, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	11.73	30	Pass	401
2690	2691	1	RMS	2690	-24.36	-10	Pass	2
2691	2695	1	RMS	2691	-36.47	-10	Pass	401
2695	2730	1	RMS	2708.65	-22.85	-13	Pass	401
2730	2735	1	RMS	2730.225	-47.39	-25	Pass	401




**16.21. CA Band Edge(NTNV)(Subtest:21, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2656.5	-3.08	30	Pass	401
2690	2691	1	RMS	2690.003	-15.47	-10	Pass	401
2691	2695	1	RMS	2692	-29.18	-10	Pass	5
2695	2730	1	RMS	2696.313	-28.6	-13	Pass	401
2730	2735	1	RMS	2730.075	-47.36	-25	Pass	401




**16.22. CA Band Edge(NTNV)(Subtest:22, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	10.17	30	Pass	401
2690	2691	1	RMS	2690	-26.88	-10	Pass	2
2691	2695	1	RMS	2691.01	-38.97	-10	Pass	401
2695	2730	1	RMS	2726.413	-38.01	-13	Pass	401
2730	2735	1	RMS	2732.775	-47.4	-25	Pass	401




**16.23. CA Band Edge(NTNV)(Subtest:23, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	12.58	30	Pass	401
2690	2691	1	RMS	2690	-24.44	-10	Pass	2
2691	2695	1	RMS	2691.01	-36.88	-10	Pass	401
2695	2730	1	RMS	2708.65	-22.71	-13	Pass	401
2730	2735	1	RMS	2730.313	-47.38	-25	Pass	401



**16.24. CA Band Edge(NTNV)(Subtest:24, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2653.5	-4.06	30	Pass	401
2690	2691	1	RMS	2690	-16.32	-10	Pass	401
2691	2695	1	RMS	2691	-30.88	-10	Pass	5
2695	2730	1	RMS	2696.4	-30.05	-13	Pass	401
2730	2735	1	RMS	2730.263	-47.36	-25	Pass	401



END