



**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.06	-13	Pass	2986
30	814	0.1	RMS	482	-62.81	-13	Pass	7841
814	860	0.1	RMS	836	19.55	60	Pass	461
860	1000	0.1	RMS	995	-62.47	-13	Pass	1401
1000	3000	1	RMS	2967	-47.96	-13	Pass	2001
3000	10000	1	RMS	9903	-38.82	-13	Pass	7001




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.67	-71.78	-13	Pass	2986
30	814	0.1	RMS	747.8	-62.92	-13	Pass	7841
814	860	0.1	RMS	847.9	20.4	60	Pass	461
860	1000	0.1	RMS	910.6	-62.34	-13	Pass	1401
1000	3000	1	RMS	1695	-47.79	-13	Pass	2001
3000	10000	1	RMS	9901	-38.84	-13	Pass	7001




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-74.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	814	0.1	RMS	802.5	-63.02	-13	Pass	7841
814	860	0.1	RMS	847.9	19.54	60	Pass	461
860	1000	0.1	RMS	911.1	-62.57	-13	Pass	1401
1000	3000	1	RMS	2972	-47.98	-13	Pass	2001
3000	10000	1	RMS	9914	-38.86	-13	Pass	7001




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.71	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.37	-13	Pass	7841
814	860	0.1	RMS	824.2	20.84	60	Pass	461
860	1000	0.1	RMS	901.9	-62.55	-13	Pass	1401
1000	3000	1	RMS	1648	-47.97	-13	Pass	2001
3000	10000	1	RMS	7255	-38.8	-13	Pass	7001




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.44	-13	Pass	7841
814	860	0.1	RMS	824.2	19.9	60	Pass	461
860	1000	0.1	RMS	896.8	-62.67	-13	Pass	1401
1000	3000	1	RMS	2971	-48.02	-13	Pass	2001
3000	10000	1	RMS	9993	-38.89	-13	Pass	7001




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.56	-13	Pass	2986
30	814	0.1	RMS	759.9	-62.92	-13	Pass	7841
814	860	0.1	RMS	835.2	20.78	60	Pass	461
860	1000	0.1	RMS	992.5	-62.41	-13	Pass	1401
1000	3000	1	RMS	1670	-47.47	-13	Pass	2001
3000	10000	1	RMS	10000	-38.87	-13	Pass	7001




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.4	-13	Pass	2986
30	814	0.1	RMS	750.4	-63.01	-13	Pass	7841
814	860	0.1	RMS	835.2	19.77	60	Pass	461
860	1000	0.1	RMS	996	-62.51	-13	Pass	1401
1000	3000	1	RMS	2968	-48	-13	Pass	2001
3000	10000	1	RMS	9972	-38.85	-13	Pass	7001




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.89	-13	Pass	2986
30	814	0.1	RMS	806	-63.05	-13	Pass	7841
814	860	0.1	RMS	846.2	20.82	60	Pass	461
860	1000	0.1	RMS	903.5	-62.55	-13	Pass	1401
1000	3000	1	RMS	1692	-47.53	-13	Pass	2001
3000	10000	1	RMS	9922	-38.79	-13	Pass	7001




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.25	-13	Pass	2986
30	814	0.1	RMS	488.4	-63.09	-13	Pass	7841
814	860	0.1	RMS	846.2	19.86	60	Pass	461
860	1000	0.1	RMS	997.2	-62.53	-13	Pass	1401
1000	3000	1	RMS	2969	-48.04	-13	Pass	2001
3000	10000	1	RMS	10000	-38.86	-13	Pass	7001




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.67	-71.26	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.17	-13	Pass	7841
814	860	0.1	RMS	824.3	20.86	60	Pass	461
860	1000	0.1	RMS	866.6	-62.63	-13	Pass	1401
1000	3000	1	RMS	2968	-48.02	-13	Pass	2001
3000	10000	1	RMS	7249	-38.83	-13	Pass	7001




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.52	-71.7	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.16	-13	Pass	7841
814	860	0.1	RMS	824.3	19.78	60	Pass	461
860	1000	0.1	RMS	993.8	-62.41	-13	Pass	1401
1000	3000	1	RMS	2965	-47.98	-13	Pass	2001
3000	10000	1	RMS	9977	-38.88	-13	Pass	7001




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.45	-71.05	-13	Pass	2986
30	814	0.1	RMS	767.3	-62.97	-13	Pass	7841
814	860	0.1	RMS	834.3	20.76	60	Pass	461
860	1000	0.1	RMS	1000	-62.42	-13	Pass	1401
1000	3000	1	RMS	1668	-47.93	-13	Pass	2001
3000	10000	1	RMS	9909	-38.8	-13	Pass	7001




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-13	Pass	2986
30	814	0.1	RMS	750.1	-63.01	-13	Pass	7841
814	860	0.1	RMS	834.3	19.93	60	Pass	461
860	1000	0.1	RMS	985.7	-62.52	-13	Pass	1401
1000	3000	1	RMS	2968	-48.04	-13	Pass	2001
3000	10000	1	RMS	9901	-38.89	-13	Pass	7001




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	Pass	2986
30	814	0.1	RMS	801.5	-63.02	-13	Pass	7841
814	860	0.1	RMS	844.3	20.91	60	Pass	461
860	1000	0.1	RMS	911.5	-62.53	-13	Pass	1401
1000	3000	1	RMS	1688	-47.19	-13	Pass	2001
3000	10000	1	RMS	9990	-38.86	-13	Pass	7001




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.53	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.49	-13	Pass	2986
30	814	0.1	RMS	812.7	-63	-13	Pass	7841
814	860	0.1	RMS	844.3	20.09	60	Pass	461
860	1000	0.1	RMS	895.1	-62.63	-13	Pass	1401
1000	3000	1	RMS	2970	-47.99	-13	Pass	2001
3000	10000	1	RMS	9991	-38.86	-13	Pass	7001




15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.53	-13	Pass	7841
814	860	0.1	RMS	824.6	21.23	60	Pass	461
860	1000	0.1	RMS	988.3	-62.51	-13	Pass	1401
1000	3000	1	RMS	2967	-48.02	-13	Pass	2001
3000	10000	1	RMS	7238	-38.79	-13	Pass	7001




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.67	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.97	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.6	-13	Pass	7841
814	860	0.1	RMS	824.6	20.4	60	Pass	461
860	1000	0.1	RMS	908.1	-62.65	-13	Pass	1401
1000	3000	1	RMS	2966	-47.99	-13	Pass	2001
3000	10000	1	RMS	9909	-38.83	-13	Pass	7001




15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.83	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.99	-13	Pass	7841
814	860	0.1	RMS	832.1	21.27	60	Pass	461
860	1000	0.1	RMS	995	-62.5	-13	Pass	1401
1000	3000	1	RMS	2967	-48	-13	Pass	2001
3000	10000	1	RMS	9904	-38.84	-13	Pass	7001




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.8	-13	Pass	2986
30	814	0.1	RMS	485.4	-63.14	-13	Pass	7841
814	860	0.1	RMS	832.1	20.12	60	Pass	461
860	1000	0.1	RMS	885.3	-62.61	-13	Pass	1401
1000	3000	1	RMS	2964	-48.02	-13	Pass	2001
3000	10000	1	RMS	9901	-38.89	-13	Pass	7001




15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.67	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.76	-13	Pass	2986
30	814	0.1	RMS	482.4	-63.09	-13	Pass	7841
814	860	0.1	RMS	839.6	21.24	60	Pass	461
860	1000	0.1	RMS	893.2	-62.56	-13	Pass	1401
1000	3000	1	RMS	1679	-47.92	-13	Pass	2001
3000	10000	1	RMS	9981	-38.83	-13	Pass	7001




**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.86	-13	Pass	401
0.15	30	0.01	RMS	0.45	-71.87	-13	Pass	2986
30	814	0.1	RMS	758.2	-63.03	-13	Pass	7841
814	860	0.1	RMS	839.6	20.31	60	Pass	461
860	1000	0.1	RMS	994.1	-62.59	-13	Pass	1401
1000	3000	1	RMS	2970	-48	-13	Pass	2001
3000	10000	1	RMS	9895	-38.91	-13	Pass	7001




15.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.93	-13	Pass	2986
30	814	0.1	RMS	813.2	-58.44	-13	Pass	7841
814	860	0.1	RMS	824.8	20.74	60	Pass	461
860	1000	0.1	RMS	994.7	-62.75	-13	Pass	1401
1000	3000	1	RMS	2968	-47.98	-13	Pass	2001
3000	10000	1	RMS	7249	-38.6	-13	Pass	7001




**15.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-13	Pass	2986
30	814	0.1	RMS	813.4	-58.52	-13	Pass	7841
814	860	0.1	RMS	824.8	19.9	60	Pass	461
860	1000	0.1	RMS	877.1	-62.86	-13	Pass	1401
1000	3000	1	RMS	2973	-48.04	-13	Pass	2001
3000	10000	1	RMS	9981	-38.9	-13	Pass	7001




**15.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.01	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.93	-13	Pass	2986
30	814	0.1	RMS	814	-61.1	-13	Pass	7841
814	860	0.1	RMS	829.8	20.77	60	Pass	461
860	1000	0.1	RMS	998.4	-62.66	-13	Pass	1401
1000	3000	1	RMS	1659	-47.85	-13	Pass	2001
3000	10000	1	RMS	9999	-38.79	-13	Pass	7001




**15.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.04	-13	Pass	401
0.15	30	0.01	RMS	0.89	-71.53	-13	Pass	2986
30	814	0.1	RMS	814	-61.57	-13	Pass	7841
814	860	0.1	RMS	829.8	19.72	60	Pass	461
860	1000	0.1	RMS	992.7	-62.64	-13	Pass	1401
1000	3000	1	RMS	2969	-48	-13	Pass	2001
3000	10000	1	RMS	9901	-38.8	-13	Pass	7001




15.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.44	-13	Pass	7841
814	860	0.1	RMS	834.8	20.56	60	Pass	461
860	1000	0.1	RMS	886.4	-62.6	-13	Pass	1401
1000	3000	1	RMS	2971	-48.01	-13	Pass	2001
3000	10000	1	RMS	9995	-38.74	-13	Pass	7001



**15.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.77	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.6	-13	Pass	2986
30	814	0.1	RMS	813.2	-62.57	-13	Pass	7841
814	860	0.1	RMS	834.8	19.74	60	Pass	461
860	1000	0.1	RMS	986.8	-62.6	-13	Pass	1401
1000	3000	1	RMS	2965	-48.02	-13	Pass	2001
3000	10000	1	RMS	10000	-38.87	-13	Pass	7001



16. LTE_Band26(part90)


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.05	-13	Pass	401
0.15	30	0.01	Peak	0.82	-62.56	-13	Pass	2986
30	809	0.1	Peak	488.5	-51.93	-13	Pass	7791
809	829	0.1	Peak	814.2	25.95	60	Pass	401
829	1000	0.1	Peak	841	-50.96	-13	Pass	1711
1000	3000	1	Peak	2951	-36.29	-13	Pass	2001
3000	10000	1	Peak	9947	-27.65	-13	Pass	7001




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.97	-13	Pass	401
0.15	30	0.01	Peak	0.62	-63.1	-13	Pass	2986
30	809	0.1	Peak	486	-52.23	-13	Pass	7791
809	829	0.1	Peak	814.25	26.53	60	Pass	401
829	1000	0.1	Peak	994.3	-52.04	-13	Pass	1711
1000	3000	1	Peak	2804	-36.51	-13	Pass	2001
3000	10000	1	Peak	9937	-27.55	-13	Pass	7001




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.22	-13	Pass	401
0.15	30	0.01	Peak	0.68	-62.8	-13	Pass	2986
30	809	0.1	Peak	758.2	-52.35	-13	Pass	7791
809	829	0.1	Peak	818.55	26.5	60	Pass	401
829	1000	0.1	Peak	903.4	-50.72	-13	Pass	1711
1000	3000	1	Peak	2619	-36.52	-13	Pass	2001
3000	10000	1	Peak	9916	-27.33	-13	Pass	7001




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.12	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.4	-13	Pass	2986
30	809	0.1	Peak	472.3	-52.28	-13	Pass	7791
809	829	0.1	Peak	818.55	26.22	60	Pass	401
829	1000	0.1	Peak	910.1	-51.95	-13	Pass	1711
1000	3000	1	Peak	2919	-36.71	-13	Pass	2001
3000	10000	1	Peak	7088	-27.52	-13	Pass	7001




16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.88	-13	Pass	401
0.15	30	0.01	Peak	0.36	-63.83	-13	Pass	2986
30	809	0.1	Peak	721.3	-51.74	-13	Pass	7791
809	829	0.1	Peak	822.85	26.04	60	Pass	401
829	1000	0.1	Peak	918	-51.99	-13	Pass	1711
1000	3000	1	Peak	2888	-36.67	-13	Pass	2001
3000	10000	1	Peak	9288	-27.14	-13	Pass	7001




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.93	-13	Pass	401
0.15	30	0.01	Peak	0.21	-62.98	-13	Pass	2986
30	809	0.1	Peak	745.5	-51.24	-13	Pass	7791
809	829	0.1	Peak	822.85	26.35	60	Pass	401
829	1000	0.1	Peak	832	-51.79	-13	Pass	1711
1000	3000	1	Peak	2570	-36.5	-13	Pass	2001
3000	10000	1	Peak	7088	-27.54	-13	Pass	7001




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.19	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.15	-13	Pass	2986
30	809	0.1	Peak	446.5	-51.78	-13	Pass	7791
809	829	0.1	Peak	814.2	26.1	60	Pass	401
829	1000	0.1	Peak	977.2	-51.34	-13	Pass	1711
1000	3000	1	Peak	2921	-36.1	-13	Pass	2001
3000	10000	1	Peak	9824	-27.52	-13	Pass	7001




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.88	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.43	-13	Pass	2986
30	809	0.1	Peak	733.6	-51.74	-13	Pass	7791
809	829	0.1	Peak	814.2	26.46	60	Pass	401
829	1000	0.1	Peak	859.6	-51.5	-13	Pass	1711
1000	3000	1	Peak	2979	-36.32	-13	Pass	2001
3000	10000	1	Peak	9934	-26.86	-13	Pass	7001




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-67.94	-13	Pass	401
0.15	30	0.01	Peak	1.75	-63.88	-13	Pass	2986
30	809	0.1	Peak	729.8	-51.53	-13	Pass	7791
809	829	0.1	Peak	817.75	26.5	60	Pass	401
829	1000	0.1	Peak	848.6	-51.61	-13	Pass	1711
1000	3000	1	Peak	2971	-36.54	-13	Pass	2001
3000	10000	1	Peak	9958	-26.96	-13	Pass	7001




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.53	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.43	-13	Pass	2986
30	809	0.1	Peak	532.7	-51.63	-13	Pass	7791
809	829	0.1	Peak	817.75	26.34	60	Pass	401
829	1000	0.1	Peak	869.5	-50.93	-13	Pass	1711
1000	3000	1	Peak	2755	-36.21	-13	Pass	2001
3000	10000	1	Peak	9855	-27.28	-13	Pass	7001




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.5	-13	Pass	401
0.15	30	0.01	Peak	0.72	-62.48	-13	Pass	2986
30	809	0.1	Peak	748.3	-52.05	-13	Pass	7791
809	829	0.1	Peak	821.2	26.19	60	Pass	401
829	1000	0.1	Peak	831.2	-48.59	-13	Pass	1711
1000	3000	1	Peak	2950	-36.38	-13	Pass	2001
3000	10000	1	Peak	9952	-26.75	-13	Pass	7001




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.75	-13	Pass	401
0.15	30	0.01	Peak	1.14	-63.91	-13	Pass	2986
30	809	0.1	Peak	591.1	-51.53	-13	Pass	7791
809	829	0.1	Peak	821.25	26.78	60	Pass	401
829	1000	0.1	Peak	831.3	-49.42	-13	Pass	1711
1000	3000	1	Peak	2621	-36.85	-13	Pass	2001
3000	10000	1	Peak	9957	-27.72	-13	Pass	7001




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.26	-13	Pass	401
0.15	30	0.01	Peak	0.4	-62.65	-13	Pass	2986
30	809	0.1	Peak	750.2	-52.1	-13	Pass	7791
809	829	0.1	Peak	814.35	26.48	60	Pass	401
829	1000	0.1	Peak	831.6	-49.45	-13	Pass	1711
1000	3000	1	Peak	2840	-36.62	-13	Pass	2001
3000	10000	1	Peak	9996	-27.75	-13	Pass	7001




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.33	-13	Pass	401
0.15	30	0.01	Peak	0.21	-62.99	-13	Pass	2986
30	809	0.1	Peak	796.1	-52.14	-13	Pass	7791
809	829	0.1	Peak	814.25	26.52	60	Pass	401
829	1000	0.1	Peak	831.6	-49.7	-13	Pass	1711
1000	3000	1	Peak	2977	-36.23	-13	Pass	2001
3000	10000	1	Peak	9919	-27.25	-13	Pass	7001




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.37	-13	Pass	401
0.15	30	0.01	Peak	0.38	-62.89	-13	Pass	2986
30	809	0.1	Peak	482.1	-52.42	-13	Pass	7791
809	829	0.1	Peak	816.85	26.57	60	Pass	401
829	1000	0.1	Peak	834	-48.92	-13	Pass	1711
1000	3000	1	Peak	2932	-35.83	-13	Pass	2001
3000	10000	1	Peak	9945	-27.73	-13	Pass	7001




16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.28	-13	Pass	401
0.15	30	0.01	Peak	1.03	-62.58	-13	Pass	2986
30	809	0.1	Peak	504.4	-51.93	-13	Pass	7791
809	829	0.1	Peak	816.8	26.62	60	Pass	401
829	1000	0.1	Peak	834.1	-50.21	-13	Pass	1711
1000	3000	1	Peak	2939	-35.92	-13	Pass	2001
3000	10000	1	Peak	9891	-28.09	-13	Pass	7001




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.24	-13	Pass	401
0.15	30	0.01	Peak	0.23	-62.91	-13	Pass	2986
30	809	0.1	Peak	793.7	-51.74	-13	Pass	7791
809	829	0.1	Peak	819.3	26.15	60	Pass	401
829	1000	0.1	Peak	836.6	-48.83	-13	Pass	1711
1000	3000	1	Peak	2986	-35.7	-13	Pass	2001
3000	10000	1	Peak	9619	-27.36	-13	Pass	7001




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.25	-13	Pass	401
0.15	30	0.01	Peak	1.73	-64.27	-13	Pass	2986
30	809	0.1	Peak	485.4	-52.05	-13	Pass	7791
809	829	0.1	Peak	819.3	26.49	60	Pass	401
829	1000	0.1	Peak	836.6	-47.14	-13	Pass	1711
1000	3000	1	Peak	2881	-36.45	-13	Pass	2001
3000	10000	1	Peak	9946	-27.38	-13	Pass	7001




16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-68.36	-13	Pass	401
0.15	30	0.01	Peak	0.54	-62.51	-13	Pass	2986
30	809	0.1	Peak	460.2	-51.47	-13	Pass	7791
809	829	0.1	Peak	814.6	26.42	60	Pass	401
829	1000	0.1	Peak	832.1	-41.77	-13	Pass	1711
1000	3000	1	Peak	2550	-36.86	-13	Pass	2001
3000	10000	1	Peak	9989	-27.57	-13	Pass	7001



**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.93	-13	Pass	401
0.15	30	0.01	Peak	0.61	-63.51	-13	Pass	2986
30	809	0.1	Peak	478.6	-51.56	-13	Pass	7791
809	829	0.1	Peak	814.55	26.4	60	Pass	401
829	1000	0.1	Peak	832	-39.38	-13	Pass	1711
1000	3000	1	Peak	2968	-36.74	-13	Pass	2001
3000	10000	1	Peak	9980	-27.61	-13	Pass	7001



17. LTE_Band38


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.02	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.72	-25	Pass	2986
30	1000	0.1	RMS	903.836	-59.29	-25	Pass	9701
1000	2560	1	RMS	2560	-45.27	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.6	60	Pass	401
2630	3000	1	RMS	2963.925	-44.25	-25	Pass	401
3000	12000	1	RMS	10403	-44.46	-25	Pass	9002
12000	26500	1	RMS	25096	-35.43	-25	Pass	14502




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.88	-25	Pass	2986
30	1000	0.1	RMS	998.499	-59.25	-25	Pass	9701
1000	2560	1	RMS	2560	-44.89	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.89	60	Pass	401
2630	3000	1	RMS	2965.775	-44.24	-25	Pass	401
3000	12000	1	RMS	10398	-44.45	-25	Pass	9002
12000	26500	1	RMS	25099	-35.42	-25	Pass	14502




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.01	-25	Pass	2986
30	1000	0.1	RMS	879.62	-59.49	-25	Pass	9701
1000	2560	1	RMS	2519	-45.42	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.48	60	Pass	401
2630	3000	1	RMS	2967.625	-44.29	-25	Pass	401
3000	12000	1	RMS	10399	-44.46	-25	Pass	9002
12000	26500	1	RMS	25099	-35.44	-25	Pass	14502




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.84	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.81	-25	Pass	2986
30	1000	0.1	RMS	996.197	-59.55	-25	Pass	9701
1000	2560	1	RMS	2515	-45.45	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.46	60	Pass	401
2630	3000	1	RMS	2970.4	-44.27	-25	Pass	401
3000	12000	1	RMS	10401	-44.43	-25	Pass	9002
12000	26500	1	RMS	25101	-35.46	-25	Pass	14502




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.59	-25	Pass	401
0.15	30	0.01	RMS	0.25	-66.54	-25	Pass	2986
30	1000	0.1	RMS	998.499	-59.56	-25	Pass	9701
1000	2560	1	RMS	2515	-45.42	-25	Pass	1561
2560	2630	1	RMS	2615.3	24.2	60	Pass	401
2630	3000	1	RMS	2969.475	-44.25	-25	Pass	401
3000	12000	1	RMS	10397	-44.45	-25	Pass	9002
12000	26500	1	RMS	25094	-35.38	-25	Pass	14502




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.76	-25	Pass	401
0.15	30	0.01	RMS	0.36	-68.1	-25	Pass	2986
30	1000	0.1	RMS	991.094	-59.34	-25	Pass	9701
1000	2560	1	RMS	2502	-45.4	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.72	60	Pass	401
2630	3000	1	RMS	2968.55	-44.22	-25	Pass	401
3000	12000	1	RMS	10399	-44.44	-25	Pass	9002
12000	26500	1	RMS	25101	-35.4	-25	Pass	14502




17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.29	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.8	-25	Pass	2986
30	1000	0.1	RMS	991.194	-59.46	-25	Pass	9701
1000	2560	1	RMS	2558	-40.67	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.42	60	Pass	401
2630	3000	1	RMS	2965.775	-44.23	-25	Pass	401
3000	12000	1	RMS	10402	-44.34	-25	Pass	9002
12000	26500	1	RMS	25110	-35.4	-25	Pass	14502




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.5	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.68	-25	Pass	2986
30	1000	0.1	RMS	994.396	-59.56	-25	Pass	9701
1000	2560	1	RMS	2560	-38.35	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.27	60	Pass	401
2630	3000	1	RMS	2965.775	-44.25	-25	Pass	401
3000	12000	1	RMS	10396	-44.44	-25	Pass	9002
12000	26500	1	RMS	25802	-35.45	-25	Pass	14502




17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.93	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.99	-25	Pass	2986
30	1000	0.1	RMS	901.034	-59.46	-25	Pass	9701
1000	2560	1	RMS	2547	-44.96	-25	Pass	1561
2560	2630	1	RMS	2590.625	24.06	60	Pass	401
2630	3000	1	RMS	2960.225	-44.28	-25	Pass	401
3000	12000	1	RMS	10401	-44.49	-25	Pass	9002
12000	26500	1	RMS	25095	-35.42	-25	Pass	14502




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.09	-25	Pass	401
0.15	30	0.01	RMS	0.25	-67.79	-25	Pass	2986
30	1000	0.1	RMS	905.938	-59.59	-25	Pass	9701
1000	2560	1	RMS	2559	-45.38	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.16	60	Pass	401
2630	3000	1	RMS	2969.475	-44.25	-25	Pass	401
3000	12000	1	RMS	10400	-44.45	-25	Pass	9002
12000	26500	1	RMS	25106	-35.39	-25	Pass	14502




17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.28	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.32	-25	Pass	2986
30	1000	0.1	RMS	905.237	-59.56	-25	Pass	9701
1000	2560	1	RMS	2530	-45.42	-25	Pass	1561
2560	2630	1	RMS	2610.575	24.14	60	Pass	401
2630	3000	1	RMS	2630	-43.66	-25	Pass	401
3000	12000	1	RMS	10397	-44.41	-25	Pass	9002
12000	26500	1	RMS	25102	-35.41	-25	Pass	14502




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.5	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.86	-25	Pass	2986
30	1000	0.1	RMS	903.936	-59.24	-25	Pass	9701
1000	2560	1	RMS	2496	-45.4	-25	Pass	1561
2560	2630	1	RMS	2610.575	23.47	60	Pass	401
2630	3000	1	RMS	2630.925	-44.03	-25	Pass	401
3000	12000	1	RMS	10399	-44.44	-25	Pass	9002
12000	26500	1	RMS	25103	-35.41	-25	Pass	14502




17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.26	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.64	-25	Pass	2986
30	1000	0.1	RMS	906.638	-59.19	-25	Pass	9701
1000	2560	1	RMS	2560	-41.15	-25	Pass	1561
2560	2630	1	RMS	2570.675	24.12	60	Pass	401
2630	3000	1	RMS	2963.925	-44.28	-25	Pass	401
3000	12000	1	RMS	10398	-44.51	-25	Pass	9002
12000	26500	1	RMS	25093	-35.37	-25	Pass	14502




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.65	-25	Pass	2986
30	1000	0.1	RMS	997.298	-59.56	-25	Pass	9701
1000	2560	1	RMS	2560	-36.53	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.08	60	Pass	401
2630	3000	1	RMS	2964.85	-44.29	-25	Pass	401
3000	12000	1	RMS	10401	-44.48	-25	Pass	9002
12000	26500	1	RMS	25100	-35.41	-25	Pass	14502




17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.34	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.3	-25	Pass	2986
30	1000	0.1	RMS	907.239	-59.58	-25	Pass	9701
1000	2560	1	RMS	2559	-44.89	-25	Pass	1561
2560	2630	1	RMS	2588.35	23.57	60	Pass	401
2630	3000	1	RMS	2971.325	-44.21	-25	Pass	401
3000	12000	1	RMS	10391	-44.49	-25	Pass	9002
12000	26500	1	RMS	25104	-35.47	-25	Pass	14502




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.43	-25	Pass	2986
30	1000	0.1	RMS	893.63	-59.38	-25	Pass	9701
1000	2560	1	RMS	2559	-44.92	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.35	60	Pass	401
2630	3000	1	RMS	2970.4	-44.21	-25	Pass	401
3000	12000	1	RMS	10401	-44.44	-25	Pass	9002
12000	26500	1	RMS	25101	-35.43	-25	Pass	14502




17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.03	-25	Pass	401
0.15	30	0.01	RMS	0.28	-67.42	-25	Pass	2986
30	1000	0.1	RMS	993.896	-59.35	-25	Pass	9701
1000	2560	1	RMS	2515	-45.43	-25	Pass	1561
2560	2630	1	RMS	2605.85	23.46	60	Pass	401
2630	3000	1	RMS	2631.85	-42.31	-25	Pass	401
3000	12000	1	RMS	10395	-44.45	-25	Pass	9002
12000	26500	1	RMS	25105	-35.29	-25	Pass	14502




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.83	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.57	-25	Pass	2986
30	1000	0.1	RMS	887.826	-59.35	-25	Pass	9701
1000	2560	1	RMS	2518	-45.38	-25	Pass	1561
2560	2630	1	RMS	2605.85	23.43	60	Pass	401
2630	3000	1	RMS	2631.85	-40.9	-25	Pass	401
3000	12000	1	RMS	10404	-44.38	-25	Pass	9002
12000	26500	1	RMS	25096	-35.42	-25	Pass	14502




17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.25	-25	Pass	401
0.15	30	0.01	RMS	0.31	-67.82	-25	Pass	2986
30	1000	0.1	RMS	910.04	-59.27	-25	Pass	9701
1000	2560	1	RMS	2560	-40.57	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.95	60	Pass	401
2630	3000	1	RMS	2965.775	-44.25	-25	Pass	401
3000	12000	1	RMS	10390	-44.5	-25	Pass	9002
12000	26500	1	RMS	25105	-35.39	-25	Pass	14502




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.63	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.91	-25	Pass	2986
30	1000	0.1	RMS	866.512	-59.51	-25	Pass	9701
1000	2560	1	RMS	2559	-41.54	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.14	60	Pass	401
2630	3000	1	RMS	2970.4	-44.29	-25	Pass	401
3000	12000	1	RMS	10401	-44.47	-25	Pass	9002
12000	26500	1	RMS	25101	-35.3	-25	Pass	14502




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.95	-25	Pass	2986
30	1000	0.1	RMS	824.9	-59.45	-25	Pass	9701
1000	2560	1	RMS	2559	-43.95	-25	Pass	1561
2560	2630	1	RMS	2585.9	23.79	60	Pass	401
2630	3000	1	RMS	2966.7	-44.29	-25	Pass	401
3000	12000	1	RMS	10398	-44.51	-25	Pass	9002
12000	26500	1	RMS	25097	-35.47	-25	Pass	14502




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.53	-25	Pass	401
0.15	30	0.01	RMS	0.37	-67.54	-25	Pass	2986
30	1000	0.1	RMS	894.73	-59.49	-25	Pass	9701
1000	2560	1	RMS	2559	-43.56	-25	Pass	1561
2560	2630	1	RMS	2586.075	22.4	60	Pass	401
2630	3000	1	RMS	2966.7	-44.27	-25	Pass	401
3000	12000	1	RMS	10399	-44.38	-25	Pass	9002
12000	26500	1	RMS	25095	-35.26	-25	Pass	14502




17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.54	-25	Pass	401
0.15	30	0.01	RMS	0.25	-67.69	-25	Pass	2986
30	1000	0.1	RMS	904.637	-59.55	-25	Pass	9701
1000	2560	1	RMS	2555	-45.08	-25	Pass	1561
2560	2630	1	RMS	2601.125	23.67	60	Pass	401
2630	3000	1	RMS	2633.7	-43.13	-25	Pass	401
3000	12000	1	RMS	10399	-44.58	-25	Pass	9002
12000	26500	1	RMS	25107	-35.4	-25	Pass	14502



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.69	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.65	-25	Pass	2986
30	1000	0.1	RMS	909.34	-59.44	-25	Pass	9701
1000	2560	1	RMS	2558	-45.11	-25	Pass	1561
2560	2630	1	RMS	2601.125	22.67	60	Pass	401
2630	3000	1	RMS	2636.475	-43.12	-25	Pass	401
3000	12000	1	RMS	10399	-44.5	-25	Pass	9002
12000	26500	1	RMS	25099	-35.31	-25	Pass	14502



18. LTE_Band41 full


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.56	-25	Pass	2986
30	1000	0.1	RMS	999.7	-58.85	-25	Pass	9701
1000	2486	1	RMS	2486	-45.19	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.15	60	Pass	401
2700	3000	1	RMS	2969.25	-44.03	-25	Pass	401
3000	12000	1	RMS	10398	-44.35	-25	Pass	9002
12000	27000	1	RMS	25836	-32.31	-25	Pass	15002




**18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.19	-25	Pass	401
0.15	30	0.01	RMS	0.46	-67.95	-25	Pass	2986
30	1000	0.1	RMS	990.594	-58.53	-25	Pass	9701
1000	2486	1	RMS	2485	-45.33	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.77	60	Pass	401
2700	3000	1	RMS	2970	-44.13	-25	Pass	401
3000	12000	1	RMS	10397	-44.25	-25	Pass	9002
12000	27000	1	RMS	26193	-32.36	-25	Pass	15002




**18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.58	-25	Pass	401
0.15	30	0.01	RMS	0.42	-68.13	-25	Pass	2986
30	1000	0.1	RMS	884.824	-58.58	-25	Pass	9701
1000	2486	1	RMS	2485	-45.62	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.43	60	Pass	401
2700	3000	1	RMS	2973	-44.13	-25	Pass	401
3000	12000	1	RMS	10397	-44.19	-25	Pass	9002
12000	27000	1	RMS	26190	-32.27	-25	Pass	15002




**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.83	-25	Pass	2986
30	1000	0.1	RMS	918.946	-58.61	-25	Pass	9701
1000	2486	1	RMS	2486	-45.56	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.04	60	Pass	401
2700	3000	1	RMS	2973	-44.11	-25	Pass	401
3000	12000	1	RMS	10400	-44.26	-25	Pass	9002
12000	27000	1	RMS	25101	-32.38	-25	Pass	15002




**18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.4	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.72	-25	Pass	2986
30	1000	0.1	RMS	894.33	-60.02	-25	Pass	9701
1000	2486	1	RMS	2483	-45.8	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.37	60	Pass	401
2700	3000	1	RMS	2969.25	-44.28	-25	Pass	401
3000	12000	1	RMS	10399	-44.56	-25	Pass	9002
12000	27000	1	RMS	26204	-32.37	-25	Pass	15002




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.66	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.73	-25	Pass	2986
30	1000	0.1	RMS	985.39	-59.97	-25	Pass	9701
1000	2486	1	RMS	2486	-45.81	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.32	60	Pass	401
2700	3000	1	RMS	2970	-44.34	-25	Pass	401
3000	12000	1	RMS	10398	-44.54	-25	Pass	9002
12000	27000	1	RMS	25104	-32.42	-25	Pass	15002




18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.34	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.1	-25	Pass	2986
30	1000	0.1	RMS	991.194	-60.06	-25	Pass	9701
1000	2486	1	RMS	2485	-42.85	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.81	60	Pass	401
2700	3000	1	RMS	2963.25	-44.36	-25	Pass	401
3000	12000	1	RMS	10399	-44.48	-25	Pass	9002
12000	27000	1	RMS	25763	-32.41	-25	Pass	15002




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.41	-25	Pass	2986
30	1000	0.1	RMS	999.5	-60.06	-25	Pass	9701
1000	2486	1	RMS	2485	-41.12	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.28	60	Pass	401
2700	3000	1	RMS	2979	-44.39	-25	Pass	401
3000	12000	1	RMS	10400	-44.49	-25	Pass	9002
12000	27000	1	RMS	25794	-32.45	-25	Pass	15002




18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.04	-25	Pass	401
0.15	30	0.01	RMS	0.28	-67.73	-25	Pass	2986
30	1000	0.1	RMS	995.797	-60	-25	Pass	9701
1000	2486	1	RMS	2485	-45.77	-25	Pass	1487
2486	2700	1	RMS	2588.185	21.98	60	Pass	401
2700	3000	1	RMS	2969.25	-44.31	-25	Pass	401
3000	12000	1	RMS	10401	-44.44	-25	Pass	9002
12000	27000	1	RMS	26211	-32.35	-25	Pass	15002




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.79	-25	Pass	401
0.15	30	0.01	RMS	0.29	-67.76	-25	Pass	2986
30	1000	0.1	RMS	898.833	-60.06	-25	Pass	9701
1000	2486	1	RMS	2484	-45.76	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.72	60	Pass	401
2700	3000	1	RMS	2961	-44.37	-25	Pass	401
3000	12000	1	RMS	10399	-44.56	-25	Pass	9002
12000	27000	1	RMS	25837	-32.38	-25	Pass	15002




18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.8	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.63	-25	Pass	2986
30	1000	0.1	RMS	873.616	-60.14	-25	Pass	9701
1000	2486	1	RMS	2484	-45.87	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.34	60	Pass	401
2700	3000	1	RMS	2700	-42.47	-25	Pass	401
3000	12000	1	RMS	10401	-44.52	-25	Pass	9002
12000	27000	1	RMS	25090	-32.43	-25	Pass	15002




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.44	-25	Pass	401
0.15	30	0.01	RMS	0.29	-67.84	-25	Pass	2986
30	1000	0.1	RMS	990.594	-60.2	-25	Pass	9701
1000	2486	1	RMS	2485	-45.84	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.16	60	Pass	401
2700	3000	1	RMS	2700.75	-43.22	-25	Pass	401
3000	12000	1	RMS	10396	-44.46	-25	Pass	9002
12000	27000	1	RMS	25887	-32.42	-25	Pass	15002




18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.74	-25	Pass	2986
30	1000	0.1	RMS	875.518	-60.06	-25	Pass	9701
1000	2486	1	RMS	2486	-40.84	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.71	60	Pass	401
2700	3000	1	RMS	2961.75	-44.34	-25	Pass	401
3000	12000	1	RMS	10399	-44.52	-25	Pass	9002
12000	27000	1	RMS	25099	-32.39	-25	Pass	15002




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.43	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.25	-25	Pass	2986
30	1000	0.1	RMS	987.992	-60.03	-25	Pass	9701
1000	2486	1	RMS	2486	-38.39	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.94	60	Pass	401
2700	3000	1	RMS	2969.25	-44.36	-25	Pass	401
3000	12000	1	RMS	10395	-44.58	-25	Pass	9002
12000	27000	1	RMS	25822	-32.42	-25	Pass	15002




18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.12	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.37	-25	Pass	2986
30	1000	0.1	RMS	997.899	-60.05	-25	Pass	9701
1000	2486	1	RMS	2486	-45.71	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.28	60	Pass	401
2700	3000	1	RMS	2970	-44.36	-25	Pass	401
3000	12000	1	RMS	10406	-44.54	-25	Pass	9002
12000	27000	1	RMS	26162	-32.41	-25	Pass	15002




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.11	-25	Pass	2986
30	1000	0.1	RMS	999.8	-59.97	-25	Pass	9701
1000	2486	1	RMS	2485	-45.77	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.31	60	Pass	401
2700	3000	1	RMS	2970	-44.31	-25	Pass	401
3000	12000	1	RMS	10394	-44.59	-25	Pass	9002
12000	27000	1	RMS	25821	-32.48	-25	Pass	15002




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.93	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.78	-25	Pass	2986
30	1000	0.1	RMS	988.793	-60.01	-25	Pass	9701
1000	2486	1	RMS	2484	-45.82	-25	Pass	1487
2486	2700	1	RMS	2675.39	23.19	60	Pass	401
2700	3000	1	RMS	2702.25	-43.07	-25	Pass	401
3000	12000	1	RMS	10401	-44.51	-25	Pass	9002
12000	27000	1	RMS	26139	-32.38	-25	Pass	15002




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.15	-25	Pass	401
0.15	30	0.01	RMS	0.29	-67.46	-25	Pass	2986
30	1000	0.1	RMS	999.8	-59.86	-25	Pass	9701
1000	2486	1	RMS	2485	-45.8	-25	Pass	1487
2486	2700	1	RMS	2675.39	22.82	60	Pass	401
2700	3000	1	RMS	2702.25	-41.57	-25	Pass	401
3000	12000	1	RMS	10398	-44.45	-25	Pass	9002
12000	27000	1	RMS	26195	-32.46	-25	Pass	15002




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.9	-25	Pass	2986
30	1000	0.1	RMS	997.298	-60.1	-25	Pass	9701
1000	2486	1	RMS	2484	-42.49	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.44	60	Pass	401
2700	3000	1	RMS	2970	-44.35	-25	Pass	401
3000	12000	1	RMS	10402	-44.61	-25	Pass	9002
12000	27000	1	RMS	25806	-32.45	-25	Pass	15002



**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.12	-25	Pass	401
0.15	30	0.01	RMS	0.33	-67.83	-25	Pass	2986
30	1000	0.1	RMS	867.512	-60.07	-25	Pass	9701
1000	2486	1	RMS	2484	-41.52	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.05	60	Pass	401
2700	3000	1	RMS	2970	-44.32	-25	Pass	401
3000	12000	1	RMS	10392	-44.58	-25	Pass	9002
12000	27000	1	RMS	25792	-32.45	-25	Pass	15002



18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.34	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.61	-25	Pass	2986
30	1000	0.1	RMS	995.697	-60.01	-25	Pass	9701
1000	2486	1	RMS	2486	-45.75	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.9	60	Pass	401
2700	3000	1	RMS	2970	-44.32	-25	Pass	401
3000	12000	1	RMS	10392	-44.54	-25	Pass	9002
12000	27000	1	RMS	26218	-32.44	-25	Pass	15002

