



**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71	-25	Pass	401
0.15	30	0.01	RMS	0.31	-67.85	-25	Pass	2986
30	1000	0.1	RMS	992.795	-60	-25	Pass	9701
1000	2486	1	RMS	2485	-45.82	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.93	60	Pass	401
2700	3000	1	RMS	2964	-44.36	-25	Pass	401
3000	12000	1	RMS	10401	-44.57	-25	Pass	9002
12000	27000	1	RMS	26192	-32.38	-25	Pass	15002




18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.69	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.51	-25	Pass	2986
30	1000	0.1	RMS	988.492	-60.18	-25	Pass	9701
1000	2486	1	RMS	2483	-45.97	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.72	60	Pass	401
2700	3000	1	RMS	2703	-43.88	-25	Pass	401
3000	12000	1	RMS	10399	-44.58	-25	Pass	9002
12000	27000	1	RMS	25829	-32.42	-25	Pass	15002



**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.95	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.33	-25	Pass	2986
30	1000	0.1	RMS	996.998	-60.08	-25	Pass	9701
1000	2486	1	RMS	2486	-45.84	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.76	60	Pass	401
2700	3000	1	RMS	2706	-43.7	-25	Pass	401
3000	12000	1	RMS	10401	-44.5	-25	Pass	9002
12000	27000	1	RMS	25796	-32.44	-25	Pass	15002



19. LTE_Band66


19.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.19	-13	Pass	2986
30	1000	0.1	RMS	994.396	-63.24	-13	Pass	9701
1000	1700	1	RMS	1700	-51.1	-13	Pass	701
1700	1790	1	RMS	1710.125	23.68	60	Pass	401
1790	3000	1	RMS	2969	-48.3	-13	Pass	1211
3000	12000	1	RMS	10402	-38.52	-13	Pass	9002
12000	20000	1	RMS	17551	-31.01	-13	Pass	8001




19.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.8	-13	Pass	2986
30	1000	0.1	RMS	881.521	-63.3	-13	Pass	9701
1000	1700	1	RMS	1700	-51.27	-13	Pass	701
1700	1790	1	RMS	1710.125	22.76	60	Pass	401
1790	3000	1	RMS	2968	-48.35	-13	Pass	1211
3000	12000	1	RMS	10400	-38.51	-13	Pass	9002
12000	20000	1	RMS	17550	-31.06	-13	Pass	8001




19.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	Pass	2986
30	1000	0.1	RMS	892.529	-63.44	-13	Pass	9701
1000	1700	1	RMS	1695	-52.12	-13	Pass	701
1700	1790	1	RMS	1744.55	23.6	60	Pass	401
1790	3000	1	RMS	2958	-48.32	-13	Pass	1211
3000	12000	1	RMS	10394	-38.48	-13	Pass	9002
12000	20000	1	RMS	17551	-31.07	-13	Pass	8001




**19.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.56	-13	Pass	2986
30	1000	0.1	RMS	999.099	-63.62	-13	Pass	9701
1000	1700	1	RMS	1686	-52.14	-13	Pass	701
1700	1790	1	RMS	1744.325	22.6	60	Pass	401
1790	3000	1	RMS	2964	-48.29	-13	Pass	1211
3000	12000	1	RMS	10399	-38.45	-13	Pass	9002
12000	20000	1	RMS	17551	-30.98	-13	Pass	8001




19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2986
30	1000	0.1	RMS	911.141	-63.4	-13	Pass	9701
1000	1700	1	RMS	1688	-52.14	-13	Pass	701
1700	1790	1	RMS	1778.75	23.87	60	Pass	401
1790	3000	1	RMS	2967	-48.23	-13	Pass	1211
3000	12000	1	RMS	11996	-38.47	-13	Pass	9002
12000	20000	1	RMS	17549	-31.01	-13	Pass	8001




19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.19	-13	Pass	2986
30	1000	0.1	RMS	992.595	-63.3	-13	Pass	9701
1000	1700	1	RMS	1698	-52.13	-13	Pass	701
1700	1790	1	RMS	1778.75	22.97	60	Pass	401
1790	3000	1	RMS	2969	-48.31	-13	Pass	1211
3000	12000	1	RMS	10383	-38.49	-13	Pass	9002
12000	20000	1	RMS	17551	-30.99	-13	Pass	8001




19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.99	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.79	-13	Pass	2986
30	1000	0.1	RMS	908.239	-63.26	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1790	1	RMS	1710.125	23.71	60	Pass	401
1790	3000	1	RMS	2969	-48.33	-13	Pass	1211
3000	12000	1	RMS	10399	-38.45	-13	Pass	9002
12000	20000	1	RMS	17549	-31.03	-13	Pass	8001




**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2986
30	1000	0.1	RMS	911.341	-63.25	-13	Pass	9701
1000	1700	1	RMS	1700	-51.25	-13	Pass	701
1700	1790	1	RMS	1710.125	22.92	60	Pass	401
1790	3000	1	RMS	2961	-48.34	-13	Pass	1211
3000	12000	1	RMS	10401	-38.48	-13	Pass	9002
12000	20000	1	RMS	17552	-31.06	-13	Pass	8001




19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2986
30	1000	0.1	RMS	913.042	-63.51	-13	Pass	9701
1000	1700	1	RMS	1698	-52.09	-13	Pass	701
1700	1790	1	RMS	1743.65	23.73	60	Pass	401
1790	3000	1	RMS	2962	-48.29	-13	Pass	1211
3000	12000	1	RMS	10392	-38.51	-13	Pass	9002
12000	20000	1	RMS	17552	-31.02	-13	Pass	8001




**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.26	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.71	-13	Pass	2986
30	1000	0.1	RMS	994.696	-63.38	-13	Pass	9701
1000	1700	1	RMS	1700	-52.1	-13	Pass	701
1700	1790	1	RMS	1743.65	22.72	60	Pass	401
1790	3000	1	RMS	2962	-48.3	-13	Pass	1211
3000	12000	1	RMS	10403	-38.5	-13	Pass	9002
12000	20000	1	RMS	17548	-31.03	-13	Pass	8001




19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.62	-13	Pass	2986
30	1000	0.1	RMS	904.337	-63.35	-13	Pass	9701
1000	1700	1	RMS	1680	-52.16	-13	Pass	701
1700	1790	1	RMS	1777.175	23.73	60	Pass	401
1790	3000	1	RMS	2969	-48.24	-13	Pass	1211
3000	12000	1	RMS	10394	-38.46	-13	Pass	9002
12000	20000	1	RMS	17550	-30.99	-13	Pass	8001




**19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.78	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.43	-13	Pass	2986
30	1000	0.1	RMS	913.743	-63.52	-13	Pass	9701
1000	1700	1	RMS	1696	-52.14	-13	Pass	701
1700	1790	1	RMS	1777.175	22.91	60	Pass	401
1790	3000	1	RMS	2972	-48.36	-13	Pass	1211
3000	12000	1	RMS	10401	-38.54	-13	Pass	9002
12000	20000	1	RMS	17549	-31.11	-13	Pass	8001




**19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.66	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.7	-13	Pass	2986
30	1000	0.1	RMS	910.541	-63.49	-13	Pass	9701
1000	1700	1	RMS	1700	-50.86	-13	Pass	701
1700	1790	1	RMS	1710.125	23.6	60	Pass	401
1790	3000	1	RMS	2973	-48.31	-13	Pass	1211
3000	12000	1	RMS	10393	-38.49	-13	Pass	9002
12000	20000	1	RMS	17552	-31.03	-13	Pass	8001




**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.96	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.58	-13	Pass	2986
30	1000	0.1	RMS	986.591	-63.44	-13	Pass	9701
1000	1700	1	RMS	1700	-51.19	-13	Pass	701
1700	1790	1	RMS	1710.125	22.63	60	Pass	401
1790	3000	1	RMS	2962	-48.31	-13	Pass	1211
3000	12000	1	RMS	10400	-38.55	-13	Pass	9002
12000	20000	1	RMS	17551	-30.96	-13	Pass	8001




**19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.56	-13	Pass	2986
30	1000	0.1	RMS	887.525	-63.55	-13	Pass	9701
1000	1700	1	RMS	1700	-52.13	-13	Pass	701
1700	1790	1	RMS	1742.75	23.67	60	Pass	401
1790	3000	1	RMS	2966	-48.24	-13	Pass	1211
3000	12000	1	RMS	10401	-38.5	-13	Pass	9002
12000	20000	1	RMS	17551	-30.92	-13	Pass	8001




**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	1000	0.1	RMS	905.137	-63.41	-13	Pass	9701
1000	1700	1	RMS	1697	-52.12	-13	Pass	701
1700	1790	1	RMS	1742.75	22.86	60	Pass	401
1790	3000	1	RMS	2970	-48.24	-13	Pass	1211
3000	12000	1	RMS	10392	-38.56	-13	Pass	9002
12000	20000	1	RMS	17552	-31.05	-13	Pass	8001




**19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2986
30	1000	0.1	RMS	999.5	-63.45	-13	Pass	9701
1000	1700	1	RMS	1697	-52.1	-13	Pass	701
1700	1790	1	RMS	1775.15	23.7	60	Pass	401
1790	3000	1	RMS	2969	-48.28	-13	Pass	1211
3000	12000	1	RMS	10396	-38.52	-13	Pass	9002
12000	20000	1	RMS	17551	-31.06	-13	Pass	8001




**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.54	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.37	-13	Pass	2986
30	1000	0.1	RMS	911.441	-63.45	-13	Pass	9701
1000	1700	1	RMS	1696	-52.1	-13	Pass	701
1700	1790	1	RMS	1775.15	22.89	60	Pass	401
1790	3000	1	RMS	2962	-48.29	-13	Pass	1211
3000	12000	1	RMS	10395	-38.47	-13	Pass	9002
12000	20000	1	RMS	17550	-31.09	-13	Pass	8001




**19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.9	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.18	-13	Pass	2986
30	1000	0.1	RMS	997.999	-63.23	-13	Pass	9701
1000	1700	1	RMS	1700	-50.06	-13	Pass	701
1700	1790	1	RMS	1710.575	23.56	60	Pass	401
1790	3000	1	RMS	2960	-48.31	-13	Pass	1211
3000	12000	1	RMS	10401	-38.53	-13	Pass	9002
12000	20000	1	RMS	17550	-30.93	-13	Pass	8001




**19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.66	-13	Pass	2986
30	1000	0.1	RMS	913.643	-63.31	-13	Pass	9701
1000	1700	1	RMS	1700	-50.22	-13	Pass	701
1700	1790	1	RMS	1710.575	22.75	60	Pass	401
1790	3000	1	RMS	2973	-48.31	-13	Pass	1211
3000	12000	1	RMS	10392	-38.5	-13	Pass	9002
12000	20000	1	RMS	17550	-31.06	-13	Pass	8001




**19.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.06	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.9	-13	Pass	2986
30	1000	0.1	RMS	985.791	-63.32	-13	Pass	9701
1000	1700	1	RMS	1700	-52.14	-13	Pass	701
1700	1790	1	RMS	1740.5	23.67	60	Pass	401
1790	3000	1	RMS	2970	-48.35	-13	Pass	1211
3000	12000	1	RMS	10402	-38.42	-13	Pass	9002
12000	20000	1	RMS	17551	-31.02	-13	Pass	8001




**19.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.46	-13	Pass	2986
30	1000	0.1	RMS	999.5	-63.22	-13	Pass	9701
1000	1700	1	RMS	1698	-52.08	-13	Pass	701
1700	1790	1	RMS	1740.5	22.69	60	Pass	401
1790	3000	1	RMS	2969	-48.3	-13	Pass	1211
3000	12000	1	RMS	10404	-38.58	-13	Pass	9002
12000	20000	1	RMS	17553	-31.05	-13	Pass	8001




19.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	Pass	2986
30	1000	0.1	RMS	996.598	-63.21	-13	Pass	9701
1000	1700	1	RMS	1696	-52.15	-13	Pass	701
1700	1790	1	RMS	1770.425	23.7	60	Pass	401
1790	3000	1	RMS	2962	-48.29	-13	Pass	1211
3000	12000	1	RMS	10398	-38.49	-13	Pass	9002
12000	20000	1	RMS	17551	-31.11	-13	Pass	8001




**19.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	1000	0.1	RMS	857.606	-63.41	-13	Pass	9701
1000	1700	1	RMS	1689	-52.17	-13	Pass	701
1700	1790	1	RMS	1770.425	22.85	60	Pass	401
1790	3000	1	RMS	2971	-48.33	-13	Pass	1211
3000	12000	1	RMS	10406	-38.52	-13	Pass	9002
12000	20000	1	RMS	17550	-31.06	-13	Pass	8001




19.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.59	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.3	-13	Pass	2986
30	1000	0.1	RMS	907.239	-63.32	-13	Pass	9701
1000	1700	1	RMS	1700	-49.05	-13	Pass	701
1700	1790	1	RMS	1710.8	23.55	60	Pass	401
1790	3000	1	RMS	2961	-48.27	-13	Pass	1211
3000	12000	1	RMS	10393	-38.55	-13	Pass	9002
12000	20000	1	RMS	17551	-31.07	-13	Pass	8001




**19.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.51	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.42	-13	Pass	2986
30	1000	0.1	RMS	997.498	-63.35	-13	Pass	9701
1000	1700	1	RMS	1700	-49.35	-13	Pass	701
1700	1790	1	RMS	1710.8	22.71	60	Pass	401
1790	3000	1	RMS	2969	-48.24	-13	Pass	1211
3000	12000	1	RMS	10404	-38.53	-13	Pass	9002
12000	20000	1	RMS	17550	-31.04	-13	Pass	8001




**19.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.51	-13	Pass	2986
30	1000	0.1	RMS	890.828	-61.9	-13	Pass	9701
1000	1700	1	RMS	1699	-51.08	-13	Pass	701
1700	1790	1	RMS	1738.25	23.67	60	Pass	401
1790	3000	1	RMS	2959	-47.32	-13	Pass	1211
3000	12000	1	RMS	10052	-38.58	-13	Pass	9002
12000	20000	1	RMS	16300	-32.34	-13	Pass	8001




**19.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	Pass	2986
30	1000	0.1	RMS	908.639	-62.06	-13	Pass	9701
1000	1700	1	RMS	1692	-51.16	-13	Pass	701
1700	1790	1	RMS	1738.25	22.9	60	Pass	401
1790	3000	1	RMS	2958	-47.34	-13	Pass	1211
3000	12000	1	RMS	10027	-38.78	-13	Pass	9002
12000	20000	1	RMS	16398	-32.26	-13	Pass	8001




**19.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-13	Pass	2986
30	1000	0.1	RMS	908.039	-62	-13	Pass	9701
1000	1700	1	RMS	1695	-51.08	-13	Pass	701
1700	1790	1	RMS	1765.7	23.65	60	Pass	401
1790	3000	1	RMS	1792	-42.08	-13	Pass	1211
3000	12000	1	RMS	10368	-38.7	-13	Pass	9002
12000	20000	1	RMS	16318	-32.3	-13	Pass	8001




**19.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.64	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.77	-13	Pass	2986
30	1000	0.1	RMS	866.411	-61.9	-13	Pass	9701
1000	1700	1	RMS	1692	-51.06	-13	Pass	701
1700	1790	1	RMS	1765.7	22.66	60	Pass	401
1790	3000	1	RMS	1792	-43.19	-13	Pass	1211
3000	12000	1	RMS	7161	-35.17	-13	Pass	9002
12000	20000	1	RMS	19678	-28.86	-13	Pass	8001




19.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.31	-13	Pass	2986
30	1000	0.1	RMS	891.728	-61.9	-13	Pass	9701
1000	1700	1	RMS	1700	-49.13	-13	Pass	701
1700	1790	1	RMS	1711.025	23.56	60	Pass	401
1790	3000	1	RMS	2970	-47.38	-13	Pass	1211
3000	12000	1	RMS	10044	-38.7	-13	Pass	9002
12000	20000	1	RMS	16298	-32.4	-13	Pass	8001




**19.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.32	-70.44	-13	Pass	2986
30	1000	0.1	RMS	984.089	-61.92	-13	Pass	9701
1000	1700	1	RMS	1700	-49.27	-13	Pass	701
1700	1790	1	RMS	1711.025	22.74	60	Pass	401
1790	3000	1	RMS	2963	-47.38	-13	Pass	1211
3000	12000	1	RMS	10339	-38.72	-13	Pass	9002
12000	20000	1	RMS	16302	-32.38	-13	Pass	8001




**19.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.1	-13	Pass	401
0.15	30	0.01	RMS	0.33	-70.78	-13	Pass	2986
30	1000	0.1	RMS	901.335	-61.99	-13	Pass	9701
1000	1700	1	RMS	1700	-49.78	-13	Pass	701
1700	1790	1	RMS	1736	23.64	60	Pass	401
1790	3000	1	RMS	2960	-47.36	-13	Pass	1211
3000	12000	1	RMS	10367	-38.71	-13	Pass	9002
12000	20000	1	RMS	16396	-32.37	-13	Pass	8001




**19.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.99	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.26	-13	Pass	2986
30	1000	0.1	RMS	895.03	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-50.46	-13	Pass	701
1700	1790	1	RMS	1736	22.69	60	Pass	401
1790	3000	1	RMS	2960	-47.37	-13	Pass	1211
3000	12000	1	RMS	10328	-38.74	-13	Pass	9002
12000	20000	1	RMS	16391	-32.38	-13	Pass	8001




**19.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.29	-71.36	-13	Pass	2986
30	1000	0.1	RMS	993.095	-62.03	-13	Pass	9701
1000	1700	1	RMS	1693	-51.15	-13	Pass	701
1700	1790	1	RMS	1760.975	23.64	60	Pass	401
1790	3000	1	RMS	2955	-47.36	-13	Pass	1211
3000	12000	1	RMS	10044	-38.68	-13	Pass	9002
12000	20000	1	RMS	16300	-32.37	-13	Pass	8001



**19.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.15	-13	Pass	2986
30	1000	0.1	RMS	885.224	-62.02	-13	Pass	9701
1000	1700	1	RMS	1690	-51.17	-13	Pass	701
1700	1790	1	RMS	1760.975	22.64	60	Pass	401
1790	3000	1	RMS	2963	-47.32	-13	Pass	1211
3000	12000	1	RMS	10390	-38.76	-13	Pass	9002
12000	20000	1	RMS	19677	-28.71	-13	Pass	8001



20. CA_7C


20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.85	-25	Pass	401
0.15	30	0.01	RMS	27.24	-69.48	-25	Pass	2986
30	1000	0.1	RMS	999.6	-63.89	-25	Pass	9701
1000	2475	1	RMS	2473	-45.19	-25	Pass	1476
2475	2735	1	RMS	2528.3	9.96	60	Pass	401
2735	3000	1	RMS	2966.213	-48.42	-25	Pass	401
3000	12000	1	RMS	10401	-48.64	-25	Pass	9002
12000	26000	1	RMS	25824	-36.66	-25	Pass	14002




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75	-25	Pass	401
0.15	30	0.01	RMS	26.86	-69.23	-25	Pass	2986
30	1000	0.1	RMS	908.339	-63.81	-25	Pass	9701
1000	2475	1	RMS	2475	-48.55	-25	Pass	1476
2475	2735	1	RMS	2525.05	8.32	60	Pass	401
2735	3000	1	RMS	2960.913	-48.44	-25	Pass	401
3000	12000	1	RMS	10396	-48.74	-25	Pass	9002
12000	26000	1	RMS	25841	-36.66	-25	Pass	14002




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.09	-25	Pass	401
0.15	30	0.01	RMS	27.05	-69.14	-25	Pass	2986
30	1000	0.1	RMS	998.999	-63.65	-25	Pass	9701
1000	2475	1	RMS	2473	-45.64	-25	Pass	1476
2475	2735	1	RMS	2528.3	9.79	60	Pass	401
2735	3000	1	RMS	2971.513	-48.41	-25	Pass	401
3000	12000	1	RMS	10398	-48.63	-25	Pass	9002
12000	26000	1	RMS	25804	-36.67	-25	Pass	14002




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.33	-25	Pass	401
0.15	30	0.01	RMS	27.44	-69.12	-25	Pass	2986
30	1000	0.1	RMS	914.744	-63.87	-25	Pass	9701
1000	2475	1	RMS	2475	-48.91	-25	Pass	1476
2475	2735	1	RMS	2523.75	7.34	60	Pass	401
2735	3000	1	RMS	2970.188	-48.42	-25	Pass	401
3000	12000	1	RMS	10400	-48.75	-25	Pass	9002
12000	26000	1	RMS	25803	-36.65	-25	Pass	14002




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.62	-25	Pass	401
0.15	30	0.01	RMS	27.34	-68.61	-25	Pass	2986
30	1000	0.1	RMS	879.62	-63.61	-25	Pass	9701
1000	2475	1	RMS	2472	-50.16	-25	Pass	1476
2475	2735	1	RMS	2548.45	9.37	60	Pass	401
2735	3000	1	RMS	2966.875	-48.42	-25	Pass	401
3000	12000	1	RMS	10394	-48.79	-25	Pass	9002
12000	26000	1	RMS	25832	-36.64	-25	Pass	14002




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.44	-25	Pass	401
0.15	30	0.01	RMS	27.53	-68.12	-25	Pass	2986
30	1000	0.1	RMS	896.732	-63.83	-25	Pass	9701
1000	2475	1	RMS	2475	-49.45	-25	Pass	1476
2475	2735	1	RMS	2543.25	7.97	60	Pass	401
2735	3000	1	RMS	2969.525	-48.43	-25	Pass	401
3000	12000	1	RMS	10401	-48.66	-25	Pass	9002
12000	26000	1	RMS	25826	-36.66	-25	Pass	14002




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.49	-25	Pass	401
0.15	30	0.01	RMS	27.53	-68.78	-25	Pass	2986
30	1000	0.1	RMS	987.692	-63.67	-25	Pass	9701
1000	2475	1	RMS	2472	-50.16	-25	Pass	1476
2475	2735	1	RMS	2548.45	9.33	60	Pass	401
2735	3000	1	RMS	2969.525	-48.4	-25	Pass	401
3000	12000	1	RMS	10402	-48.66	-25	Pass	9002
12000	26000	1	RMS	25824	-36.63	-25	Pass	14002




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-25	Pass	2986
30	1000	0.1	RMS	905.738	-63.84	-25	Pass	9701
1000	2475	1	RMS	2475	-49.4	-25	Pass	1476
2475	2735	1	RMS	2543.25	7.57	60	Pass	401
2735	3000	1	RMS	2971.513	-48.4	-25	Pass	401
3000	12000	1	RMS	10401	-48.72	-25	Pass	9002
12000	26000	1	RMS	25775	-36.66	-25	Pass	14002




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.72	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.16	-25	Pass	2986
30	1000	0.1	RMS	906.638	-61.96	-25	Pass	9701
1000	2475	1	RMS	2472	-48.86	-25	Pass	1476
2475	2735	1	RMS	2568.6	10.59	60	Pass	401
2735	3000	1	RMS	2957.6	-47.41	-25	Pass	401
3000	12000	1	RMS	7143	-44.31	-25	Pass	9002
12000	26000	1	RMS	20019	-37.34	-25	Pass	14002




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.78	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.75	-25	Pass	2986
30	1000	0.1	RMS	989.093	-63.82	-25	Pass	9701
1000	2475	1	RMS	2475	-49.78	-25	Pass	1476
2475	2735	1	RMS	2563.4	8.92	60	Pass	401
2735	3000	1	RMS	2968.2	-48.41	-25	Pass	401
3000	12000	1	RMS	10401	-48.66	-25	Pass	9002
12000	26000	1	RMS	25813	-36.6	-25	Pass	14002




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.15	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-25	Pass	2986
30	1000	0.1	RMS	883.623	-63.77	-25	Pass	9701
1000	2475	1	RMS	2470	-50.19	-25	Pass	1476
2475	2735	1	RMS	2568.6	10.22	60	Pass	401
2735	3000	1	RMS	2965.55	-48.4	-25	Pass	401
3000	12000	1	RMS	10398	-48.75	-25	Pass	9002
12000	26000	1	RMS	25903	-36.6	-25	Pass	14002




20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.92	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.49	-25	Pass	2986
30	1000	0.1	RMS	991.194	-63.77	-25	Pass	9701
1000	2475	1	RMS	2475	-50.03	-25	Pass	1476
2475	2735	1	RMS	2562.75	7.89	60	Pass	401
2735	3000	1	RMS	2966.213	-48.44	-25	Pass	401
3000	12000	1	RMS	10401	-48.73	-25	Pass	9002
12000	26000	1	RMS	25812	-36.53	-25	Pass	14002




**20.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-25	Pass	2986
30	1000	0.1	RMS	987.091	-63.63	-25	Pass	9701
1000	2475	1	RMS	2475	-50.17	-25	Pass	1476
2475	2735	1	RMS	2538.7	9.49	60	Pass	401
2735	3000	1	RMS	2962.238	-48.47	-25	Pass	401
3000	12000	1	RMS	10400	-48.7	-25	Pass	9002
12000	26000	1	RMS	25834	-36.58	-25	Pass	14002




**20.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.23	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.34	-25	Pass	2986
30	1000	0.1	RMS	923.249	-63.72	-25	Pass	9701
1000	2475	1	RMS	2475	-47.28	-25	Pass	1476
2475	2735	1	RMS	2527.65	5.82	60	Pass	401
2735	3000	1	RMS	2970.85	-48.45	-25	Pass	401
3000	12000	1	RMS	10394	-48.67	-25	Pass	9002
12000	26000	1	RMS	25814	-36.54	-25	Pass	14002




**20.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-25	Pass	2986
30	1000	0.1	RMS	913.843	-63.8	-25	Pass	9701
1000	2475	1	RMS	2472	-50.19	-25	Pass	1476
2475	2735	1	RMS	2501	9.4	60	Pass	401
2735	3000	1	RMS	2970.188	-48.43	-25	Pass	401
3000	12000	1	RMS	10400	-48.71	-25	Pass	9002
12000	26000	1	RMS	25823	-36.62	-25	Pass	14002




**20.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.58	-25	Pass	401
0.15	30	0.01	RMS	0.36	-72.51	-25	Pass	2986
30	1000	0.1	RMS	869.113	-63.81	-25	Pass	9701
1000	2475	1	RMS	2475	-47.79	-25	Pass	1476
2475	2735	1	RMS	2527.65	4.86	60	Pass	401
2735	3000	1	RMS	2970.85	-48.42	-25	Pass	401
3000	12000	1	RMS	10397	-48.7	-25	Pass	9002
12000	26000	1	RMS	25872	-36.63	-25	Pass	14002




**20.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-25	Pass	401
0.15	30	0.01	RMS	0.59	-71.28	-25	Pass	2986
30	1000	0.1	RMS	993.095	-62.01	-25	Pass	9701
1000	2475	1	RMS	2471	-48.84	-25	Pass	1476
2475	2735	1	RMS	2515.95	10.6	60	Pass	401
2735	3000	1	RMS	2956.938	-47.44	-25	Pass	401
3000	12000	1	RMS	10382	-48.25	-25	Pass	9002
12000	26000	1	RMS	25103	-37.68	-25	Pass	14002




**20.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.84	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.6	-25	Pass	2986
30	1000	0.1	RMS	999.8	-63.49	-25	Pass	9701
1000	2475	1	RMS	2475	-48.72	-25	Pass	1476
2475	2735	1	RMS	2530.25	5.8	60	Pass	401
2735	3000	1	RMS	2962.9	-48.44	-25	Pass	401
3000	12000	1	RMS	10390	-48.69	-25	Pass	9002
12000	26000	1	RMS	25787	-36.56	-25	Pass	14002




**20.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-25	Pass	2986
30	1000	0.1	RMS	998.899	-63.69	-25	Pass	9701
1000	2475	1	RMS	2475	-50.15	-25	Pass	1476
2475	2735	1	RMS	2515.95	10.16	60	Pass	401
2735	3000	1	RMS	2964.225	-48.41	-25	Pass	401
3000	12000	1	RMS	10401	-48.69	-25	Pass	9002
12000	26000	1	RMS	25799	-36.59	-25	Pass	14002




20.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.66	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.38	-25	Pass	2986
30	1000	0.1	RMS	985.09	-63.68	-25	Pass	9701
1000	2475	1	RMS	2475	-49.07	-25	Pass	1476
2475	2735	1	RMS	2530.25	4.89	60	Pass	401
2735	3000	1	RMS	2964.225	-48.43	-25	Pass	401
3000	12000	1	RMS	10400	-48.74	-25	Pass	9002
12000	26000	1	RMS	25103	-36.56	-25	Pass	14002




**20.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.42	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.99	-25	Pass	2986
30	1000	0.1	RMS	902.335	-63.52	-25	Pass	9701
1000	2475	1	RMS	2474	-50.18	-25	Pass	1476
2475	2735	1	RMS	2530.9	10.41	60	Pass	401
2735	3000	1	RMS	2970.85	-48.39	-25	Pass	401
3000	12000	1	RMS	10401	-48.64	-25	Pass	9002
12000	26000	1	RMS	25107	-36.59	-25	Pass	14002




20.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.51	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.15	-25	Pass	2986
30	1000	0.1	RMS	883.323	-63.82	-25	Pass	9701
1000	2475	1	RMS	2475	-49.12	-25	Pass	1476
2475	2735	1	RMS	2557.55	5.92	60	Pass	401
2735	3000	1	RMS	2969.525	-48.41	-25	Pass	401
3000	12000	1	RMS	10396	-48.6	-25	Pass	9002
12000	26000	1	RMS	25107	-36.69	-25	Pass	14002




**20.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.07	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.32	-25	Pass	2986
30	1000	0.1	RMS	903.436	-63.42	-25	Pass	9701
1000	2475	1	RMS	2471	-50.16	-25	Pass	1476
2475	2735	1	RMS	2530.9	10.5	60	Pass	401
2735	3000	1	RMS	2964.888	-48.41	-25	Pass	401
3000	12000	1	RMS	10400	-48.62	-25	Pass	9002
12000	26000	1	RMS	25833	-36.6	-25	Pass	14002



**20.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.75	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.01	-25	Pass	2986
30	1000	0.1	RMS	996.097	-63.67	-25	Pass	9701
1000	2475	1	RMS	2475	-49.39	-25	Pass	1476
2475	2735	1	RMS	2539.35	4.91	60	Pass	401
2735	3000	1	RMS	2962.9	-48.41	-25	Pass	401
3000	12000	1	RMS	10401	-48.61	-25	Pass	9002
12000	26000	1	RMS	25807	-36.67	-25	Pass	14002



21. CA_38C


21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.5	-25	Pass	2986
30	1000	0.1	RMS	997.298	-59.72	-25	Pass	9701
1000	2525	1	RMS	2514	-34.58	-25	Pass	1526
2525	2665	1	RMS	2598.85	10.54	60	Pass	401
2665	3000	1	RMS	2683.425	-43.15	-25	Pass	401
3000	12000	1	RMS	10398	-48.64	-25	Pass	9002
12000	26500	1	RMS	26243	-36.33	-25	Pass	14502




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.83	-25	Pass	2986
30	1000	0.1	RMS	868.313	-59.54	-25	Pass	9701
1000	2525	1	RMS	2523	-41.05	-25	Pass	1526
2525	2665	1	RMS	2589.05	7.09	60	Pass	401
2665	3000	1	RMS	2665.838	-44.36	-25	Pass	401
3000	12000	1	RMS	10401	-48.7	-25	Pass	9002
12000	26500	1	RMS	26214	-36.4	-25	Pass	14502




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.42	-25	Pass	2986
30	1000	0.1	RMS	873.016	-59.78	-25	Pass	9701
1000	2525	1	RMS	2514	-32.57	-25	Pass	1526
2525	2665	1	RMS	2598.85	11.46	60	Pass	401
2665	3000	1	RMS	2683.425	-43.29	-25	Pass	401
3000	12000	1	RMS	10396	-48.59	-25	Pass	9002
12000	26500	1	RMS	26207	-36.38	-25	Pass	14502




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.08	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.32	-25	Pass	2986
30	1000	0.1	RMS	902.435	-59.99	-25	Pass	9701
1000	2525	1	RMS	2524	-42.17	-25	Pass	1526
2525	2665	1	RMS	2594.65	6.78	60	Pass	401
2665	3000	1	RMS	2966.5	-44.48	-25	Pass	401
3000	12000	1	RMS	10400	-48.68	-25	Pass	9002
12000	26500	1	RMS	25814	-36.4	-25	Pass	14502




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.18	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.48	-25	Pass	2986
30	1000	0.1	RMS	981.588	-60.07	-25	Pass	9701
1000	2525	1	RMS	2524	-32.75	-25	Pass	1526
2525	2665	1	RMS	2580.65	10.9	60	Pass	401
2665	3000	1	RMS	2665.838	-35.66	-25	Pass	401
3000	12000	1	RMS	10400	-48.74	-25	Pass	9002
12000	26500	1	RMS	26202	-36.38	-25	Pass	14502




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.61	-25	Pass	2986
30	1000	0.1	RMS	993.796	-60.04	-25	Pass	9701
1000	2525	1	RMS	2521	-42.69	-25	Pass	1526
2525	2665	1	RMS	2602.7	7.52	60	Pass	401
2665	3000	1	RMS	2668.35	-43.14	-25	Pass	401
3000	12000	1	RMS	10402	-48.68	-25	Pass	9002
12000	26500	1	RMS	25806	-36.39	-25	Pass	14502




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.11	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.33	-25	Pass	2986
30	1000	0.1	RMS	895.331	-60.08	-25	Pass	9701
1000	2525	1	RMS	2525	-36.58	-25	Pass	1526
2525	2665	1	RMS	2609	11.55	60	Pass	401
2665	3000	1	RMS	2665	-36.21	-25	Pass	401
3000	12000	1	RMS	10401	-48.63	-25	Pass	9002
12000	26500	1	RMS	25826	-36.3	-25	Pass	14502




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.99	-25	Pass	2986
30	1000	0.1	RMS	989.493	-59.94	-25	Pass	9701
1000	2525	1	RMS	2523	-43.7	-25	Pass	1526
2525	2665	1	RMS	2602.7	6.19	60	Pass	401
2665	3000	1	RMS	2665	-43.78	-25	Pass	401
3000	12000	1	RMS	10400	-48.71	-25	Pass	9002
12000	26500	1	RMS	26197	-36.35	-25	Pass	14502




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	Pass	2986
30	1000	0.1	RMS	992.195	-59.96	-25	Pass	9701
1000	2525	1	RMS	2505	-44.2	-25	Pass	1526
2525	2665	1	RMS	2619.15	11.53	60	Pass	401
2665	3000	1	RMS	2675.888	-35.53	-25	Pass	401
3000	12000	1	RMS	10399	-48.71	-25	Pass	9002
12000	26500	1	RMS	25805	-36.36	-25	Pass	14502




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.23	-25	Pass	2986
30	1000	0.1	RMS	987.192	-60.07	-25	Pass	9701
1000	2525	1	RMS	2525	-43.86	-25	Pass	1526
2525	2665	1	RMS	2608.65	8.01	60	Pass	401
2665	3000	1	RMS	2665	-41.21	-25	Pass	401
3000	12000	1	RMS	10400	-48.57	-25	Pass	9002
12000	26500	1	RMS	26176	-36.39	-25	Pass	14502




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.82	-25	Pass	2986
30	1000	0.1	RMS	992.495	-59.93	-25	Pass	9701
1000	2525	1	RMS	2506	-41.56	-25	Pass	1526
2525	2665	1	RMS	2618.8	11.55	60	Pass	401
2665	3000	1	RMS	2675.05	-34.46	-25	Pass	401
3000	12000	1	RMS	10401	-48.69	-25	Pass	9002
12000	26500	1	RMS	26194	-36.39	-25	Pass	14502




21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.32	-25	Pass	2986
30	1000	0.1	RMS	914.243	-60.03	-25	Pass	9701
1000	2525	1	RMS	2524	-44.75	-25	Pass	1526
2525	2665	1	RMS	2612.15	6.49	60	Pass	401
2665	3000	1	RMS	2665	-42.86	-25	Pass	401
3000	12000	1	RMS	10398	-48.73	-25	Pass	9002
12000	26500	1	RMS	25865	-36.31	-25	Pass	14502




**21.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.32	-25	Pass	2986
30	1000	0.1	RMS	986.691	-59.8	-25	Pass	9701
1000	2525	1	RMS	2496	-38.21	-25	Pass	1526
2525	2665	1	RMS	2608.3	10.55	60	Pass	401
2665	3000	1	RMS	2683.425	-35.38	-25	Pass	401
3000	12000	1	RMS	10399	-48.68	-25	Pass	9002
12000	26500	1	RMS	26211	-36.38	-25	Pass	14502




**21.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.35	-68.41	-25	Pass	2986
30	1000	0.1	RMS	886.425	-60.11	-25	Pass	9701
1000	2525	1	RMS	2524	-41.2	-25	Pass	1526
2525	2665	1	RMS	2600.6	6.17	60	Pass	401
2665	3000	1	RMS	2668.35	-42.54	-25	Pass	401
3000	12000	1	RMS	10400	-48.76	-25	Pass	9002
12000	26500	1	RMS	25778	-36.34	-25	Pass	14502




**21.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.76	-25	Pass	2986
30	1000	0.1	RMS	990.694	-60	-25	Pass	9701
1000	2525	1	RMS	2495	-38.18	-25	Pass	1526
2525	2665	1	RMS	2608.3	10.71	60	Pass	401
2665	3000	1	RMS	2683.425	-35.87	-25	Pass	401
3000	12000	1	RMS	10399	-48.73	-25	Pass	9002
12000	26500	1	RMS	25823	-36.38	-25	Pass	14502




**21.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.04	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.7	-25	Pass	2986
30	1000	0.1	RMS	988.492	-59.72	-25	Pass	9701
1000	2525	1	RMS	2525	-41.73	-25	Pass	1526
2525	2665	1	RMS	2597.45	5.47	60	Pass	401
2665	3000	1	RMS	2665.838	-43.24	-25	Pass	401
3000	12000	1	RMS	10400	-48.63	-25	Pass	9002
12000	26500	1	RMS	26168	-36.36	-25	Pass	14502




**21.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.47	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.8	-25	Pass	2986
30	1000	0.1	RMS	991.494	-59.84	-25	Pass	9701
1000	2525	1	RMS	2501	-34.15	-25	Pass	1526
2525	2665	1	RMS	2576.1	10.82	60	Pass	401
2665	3000	1	RMS	2688.45	-36.36	-25	Pass	401
3000	12000	1	RMS	10402	-48.7	-25	Pass	9002
12000	26500	1	RMS	26199	-36.32	-25	Pass	14502




**21.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.31	-25	Pass	401
0.15	30	0.01	RMS	0.3	-68.74	-25	Pass	2986
30	1000	0.1	RMS	1000	-59.84	-25	Pass	9701
1000	2525	1	RMS	2524	-41.7	-25	Pass	1526
2525	2665	1	RMS	2602.35	6.42	60	Pass	401
2665	3000	1	RMS	2665	-41.62	-25	Pass	401
3000	12000	1	RMS	10400	-48.55	-25	Pass	9002
12000	26500	1	RMS	26157	-36.32	-25	Pass	14502




**21.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.55	-25	Pass	401
0.15	30	0.01	RMS	0.29	-68.77	-25	Pass	2986
30	1000	0.1	RMS	998.299	-59.88	-25	Pass	9701
1000	2525	1	RMS	2501	-34.11	-25	Pass	1526
2525	2665	1	RMS	2613.9	10.78	60	Pass	401
2665	3000	1	RMS	2688.45	-35.76	-25	Pass	401
3000	12000	1	RMS	10398	-48.6	-25	Pass	9002
12000	26500	1	RMS	26206	-36.29	-25	Pass	14502




**21.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.61	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.93	-25	Pass	2986
30	1000	0.1	RMS	881.922	-57.96	-25	Pass	9701
1000	2525	1	RMS	2524	-42.27	-25	Pass	1526
2525	2665	1	RMS	2607.25	5.65	60	Pass	401
2665	3000	1	RMS	2665	-42.43	-25	Pass	401
3000	12000	1	RMS	10401	-48.5	-25	Pass	9002
12000	26500	1	RMS	26207	-36.26	-25	Pass	14502




**21.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.42	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.38	-25	Pass	2986
30	1000	0.1	RMS	654.3	-59.05	-25	Pass	9701
1000	2525	1	RMS	2507	-39.04	-25	Pass	1526
2525	2665	1	RMS	2618.8	11.34	60	Pass	401
2665	3000	1	RMS	2693.475	-36.46	-25	Pass	401
3000	12000	1	RMS	10401	-48.54	-25	Pass	9002
12000	26500	1	RMS	26213	-36.3	-25	Pass	14502




**21.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.66	-25	Pass	2986
30	1000	0.1	RMS	895.431	-59.96	-25	Pass	9701
1000	2525	1	RMS	2525	-41.85	-25	Pass	1526
2525	2665	1	RMS	2612.85	6.71	60	Pass	401
2665	3000	1	RMS	2665.838	-40.92	-25	Pass	401
3000	12000	1	RMS	10403	-48.6	-25	Pass	9002
12000	26500	1	RMS	25755	-36.39	-25	Pass	14502




**21.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.34	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.91	-25	Pass	2986
30	1000	0.1	RMS	682.9	-58.71	-25	Pass	9701
1000	2525	1	RMS	2506	-37.61	-25	Pass	1526
2525	2665	1	RMS	2618.45	10.73	60	Pass	401
2665	3000	1	RMS	2693.475	-37.02	-25	Pass	401
3000	12000	1	RMS	10400	-48.53	-25	Pass	9002
12000	26500	1	RMS	26199	-36.31	-25	Pass	14502



**21.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.7	-25	Pass	401
0.15	30	0.01	RMS	0.28	-68.41	-25	Pass	2986
30	1000	0.1	RMS	996.398	-60.14	-25	Pass	9701
1000	2525	1	RMS	2523	-42.94	-25	Pass	1526
2525	2665	1	RMS	2606.55	5.7	60	Pass	401
2665	3000	1	RMS	2665.838	-41.89	-25	Pass	401
3000	12000	1	RMS	10396	-48.59	-25	Pass	9002
12000	26500	1	RMS	26205	-36.26	-25	Pass	14502



22. CA_41C_full


22.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.65	-25	Pass	2986
30	1000	0.1	RMS	861.108	-60.12	-25	Pass	9701
1000	2475	1	RMS	2474	-33.71	-25	Pass	1476
2475	2735	1	RMS	2519.2	11.79	60	Pass	401
2735	3000	1	RMS	2966.213	-44.49	-25	Pass	401
3000	12000	1	RMS	10396	-48.64	-25	Pass	9002
12000	27000	1	RMS	26203	-36.32	-25	Pass	15002



**22.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.4	-25	Pass	401
0.15	30	0.01	RMS	0.26	-67.71	-25	Pass	2986
30	1000	0.1	RMS	992.295	-60.02	-25	Pass	9701
1000	2475	1	RMS	2474	-42.99	-25	Pass	1476
2475	2735	1	RMS	2517.9	13.77	60	Pass	401
2735	3000	1	RMS	2968.2	-44.32	-25	Pass	401
3000	12000	1	RMS	10401	-48.44	-25	Pass	9002
12000	27000	1	RMS	26191	-36.21	-25	Pass	15002



**22.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.69	-25	Pass	401
0.15	30	0.01	RMS	0.29	-67.38	-25	Pass	2986
30	1000	0.1	RMS	991.394	-60.08	-25	Pass	9701
1000	2475	1	RMS	2474	-33.29	-25	Pass	1476
2475	2735	1	RMS	2519.85	12.36	60	Pass	401
2735	3000	1	RMS	2966.875	-44.34	-25	Pass	401
3000	12000	1	RMS	10401	-48.54	-25	Pass	9002
12000	27000	1	RMS	26202	-36.13	-25	Pass	15002

