



**23.22. CA Band Edge(NTNV)(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	10.27	30	Pass	401
2690	2691	1	RMS	2690	-25.23	-10	Pass	2
2691	2695	1	RMS	2691	-40.93	-10	Pass	5
2695	2730	3	RMS	2726.325	-29.45	-13	Pass	401
2730	2735	1	RMS	2733.938	-45.45	-25	Pass	401




**23.23. CA Band Edge(NTNV)(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	9.91	30	Pass	401
2690	2691	1	RMS	2690	-24.9	-10	Pass	2
2691	2695	1	RMS	2691	-41.04	-10	Pass	5
2695	2730	3	RMS	2708.65	-26.62	-13	Pass	401
2730	2735	1	RMS	2730.013	-45.41	-25	Pass	401



**23.24. CA Band Edge(NTNV)(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2659.4	-2.93	30	Pass	401
2690	2691	1	RMS	2690	-15.72	-10	Pass	401
2691	2695	1	RMS	2691	-33.03	-10	Pass	5
2695	2730	3	RMS	2695	-27.92	-13	Pass	401
2730	2735	1	RMS	2730.2	-42.39	-25	Pass	401



## 24. n5 15kHz


24.1. Band Edge for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-48.29	-13	Pass	401
823	824	0.051	RMS	824	-19.07	-13	Pass	401
824	844	0.1	RMS	824.35	20.35	30	Pass	401




**24.2. Band Edge for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.1	-35.47	-13	Pass	401
823	824	0.051	RMS	824	-32.27	-13	Pass	401
824	844	0.1	RMS	827.65	7.53	30	Pass	401




**24.3. Band Edge for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-48.48	-13	Pass	401
823	824	0.051	RMS	824	-19.64	-13	Pass	401
824	844	0.1	RMS	824.35	19.79	30	Pass	401




**24.4. Band Edge for SA(NTNV)(Subtest:4, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-35.26	-13	Pass	401
823	824	0.051	RMS	824	-30.49	-13	Pass	401
824	844	0.1	RMS	826	6.7	30	Pass	401



**24.5. Band Edge for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20.49	30	Pass	401
849	850	0.051	RMS	849	-19.49	-13	Pass	401
850	874	0.1	RMS	850	-49.64	-13	Pass	401






**24.6. Band Edge for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.05	7.5	30	Pass	401
849	850	0.051	RMS	849	-30.16	-13	Pass	401
850	874	0.1	RMS	850.24	-38.92	-13	Pass	401




**24.7. Band Edge for SA(NTNV)(Subtest:7, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	19.86	30	Pass	401
849	850	0.051	RMS	849	-19.41	-13	Pass	401
850	874	0.1	RMS	850	-48.48	-13	Pass	401




**24.8. Band Edge for SA(NTNV)(Subtest:8, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	846	6.83	30	Pass	401
849	850	0.051	RMS	849.003	-30.58	-13	Pass	401
850	874	0.1	RMS	850	-37.05	-13	Pass	401




**24.9. Band Edge for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	818.56	-47.8	-13	Pass	401
823	824	0.15	RMS	824	-18.07	-13	Pass	401
824	844	0.1	RMS	824.45	20.16	30	Pass	401




**24.10. Band Edge for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-40.08	-13	Pass	401
823	824	0.15	RMS	824	-32.2	-13	Pass	401
824	844	0.1	RMS	832.05	3.01	30	Pass	401




**24.11. Band Edge for SA(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	818.56	-48.21	-13	Pass	401
823	824	0.15	RMS	824	-18.57	-13	Pass	401
824	844	0.1	RMS	824.5	19.63	30	Pass	401




**24.12. Band Edge for SA(NTNV)(Subtest:4, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-38.95	-13	Pass	401
823	824	0.15	RMS	824	-32.65	-13	Pass	401
824	844	0.1	RMS	829.4	2.19	30	Pass	401



**24.13. Band Edge for SA(NTNV)(Subtest:5, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	20.34	30	Pass	401
849	850	0.15	RMS	849	-19.3	-13	Pass	401
850	874	0.1	RMS	850	-50.1	-13	Pass	401






**24.14. Band Edge for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842	3.13	30	Pass	401
849	850	0.15	RMS	849.015	-38.73	-13	Pass	401
850	874	0.1	RMS	850.18	-44.3	-13	Pass	401




**24.15. Band Edge for SA(NTNV)(Subtest:7, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.78	30	Pass	401
849	850	0.15	RMS	849	-18.99	-13	Pass	401
850	874	0.1	RMS	850	-50.27	-13	Pass	401




**24.16. Band Edge for SA(NTNV)(Subtest:8, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	835.05	2.17	30	Pass	401
849	850	0.15	RMS	849.153	-37.17	-13	Pass	401
850	874	0.1	RMS	850	-40.49	-13	Pass	401




**24.17. Band Edge for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-46.58	-13	Pass	401
823	823.9	0.2	RMS	823.9	-18.38	-13	Pass	6
824	844	0.1	RMS	824.55	20.21	30	Pass	401




**24.18. Band Edge for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-41.36	-13	Pass	401
823	824	0.2	RMS	823.993	-32.45	-13	Pass	401
824	844	0.1	RMS	840.55	1.38	30	Pass	401




**24.19. Band Edge for SA(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-46.72	-13	Pass	401
823	824	0.1	RMS	824	-18.58	-13	Pass	11
824	844	0.1	RMS	824.55	19.84	30	Pass	401




**24.20. Band Edge for SA(NTNV)(Subtest:4, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-39.03	-13	Pass	401
823	824	0.2	RMS	823.995	-32.45	-13	Pass	401
824	844	0.1	RMS	831	1.03	30	Pass	401



**24.21. Band Edge for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.37	30	Pass	401
849	850	0.2	RMS	849	-16.12	-13	Pass	6
850	874	0.1	RMS	850	-48.03	-13	Pass	401






**24.22. Band Edge for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	843.45	1.37	30	Pass	401
849	850	0.2	RMS	849.258	-39.2	-13	Pass	401
850	874	0.1	RMS	850.24	-44.43	-13	Pass	401




**24.23. Band Edge for SA(NTNV)(Subtest:7, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.71	30	Pass	401
849	850	0.2	RMS	849	-16.19	-13	Pass	6
850	874	0.1	RMS	850	-48.22	-13	Pass	401



**24.24. Band Edge for SA(NTNV)(Subtest:8, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	831.3	0.93	30	Pass	401
849	850	0.2	RMS	849.258	-36.7	-13	Pass	401
850	874	0.1	RMS	850	-41.36	-13	Pass	401



## 25. n7 15kHz


25.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-47.59	-25	Pass	401
2494	2496	1	RMS	2495.995	-43.15	-13	Pass	401
2496	2499	1	RMS	2499	-37.25	-10	Pass	4
2499	2500	0.051	RMS	2500	-19.48	-10	Pass	401
2500	2520	1	RMS	2500.3	22.59	30	Pass	401




**25.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-39.8	-25	Pass	401
2494	2496	1	RMS	2496	-36.4	-13	Pass	401
2496	2499	1	RMS	2498	-30.38	-10	Pass	4
2499	2500	0.1	RMS	2499.993	-27.89	-10	Pass	401
2500	2520	1	RMS	2503.35	16.42	30	Pass	401




**25.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.578	-44.4	-25	Pass	401
2494	2496	1	RMS	2495.385	-39.15	-13	Pass	401
2496	2499	1	RMS	2499	-36.75	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.73	-10	Pass	401
2500	2520	1	RMS	2500.25	21.97	30	Pass	401




**25.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-36.66	-25	Pass	401
2494	2496	1	RMS	2496	-32.17	-13	Pass	401
2496	2499	1	RMS	2498	-28.75	-10	Pass	4
2499	2500	0.1	RMS	2500	-29.41	-10	Pass	401
2500	2520	1	RMS	2501.9	15.89	30	Pass	401



**25.5. Band Edge for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	22.68	30	Pass	401
2570	2571	0.051	RMS	2570.005	-19.2	-10	Pass	401
2571	2575	1	RMS	2571	-30.7	-10	Pass	5
2575	2576	1	RMS	2575	-44.92	-13	Pass	401
2576	2595	1	RMS	2576	-47.72	-25	Pass	401






**25.6. Band Edge for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.3	16.57	30	Pass	401
2570	2571	0.1	RMS	2570	-27.41	-10	Pass	401
2571	2575	1	RMS	2571	-33.53	-10	Pass	5
2575	2576	1	RMS	2575.065	-38.24	-13	Pass	401
2576	2595	1	RMS	2576.333	-39.8	-25	Pass	401




**25.7. Band Edge for SA(NTNV)(Subtest:7, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	22.09	30	Pass	401
2570	2571	0.051	RMS	2570	-20.72	-10	Pass	401
2571	2575	1	RMS	2571	-37.09	-10	Pass	5
2575	2576	1	RMS	2575.015	-44.65	-13	Pass	401
2576	2595	1	RMS	2576	-47.68	-25	Pass	401




**25.8. Band Edge for SA(NTNV)(Subtest:8, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.85	16.05	30	Pass	401
2570	2571	0.1	RMS	2570	-29.08	-10	Pass	401
2571	2575	1	RMS	2571	-32.67	-10	Pass	5
2575	2576	1	RMS	2575.008	-36.7	-13	Pass	401
2576	2595	1	RMS	2576.048	-37.2	-25	Pass	401




**25.9. Band Edge for SA(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2488.65	-45.3	-13	Pass	401
2496	2499	1	RMS	2499	-33.27	-10	Pass	4
2499	2500	0.051	RMS	2500	-23.89	-10	Pass	401
2500	2520	1	RMS	2500.6	22.38	30	Pass	401




**25.10. Band Edge for SA(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2495.79	-36.93	-13	Pass	401
2496	2499	1	RMS	2499	-36.16	-10	Pass	4
2499	2500	0.51	RMS	2500	-16.63	-10	Pass	401
2500	2520	1	RMS	2517.75	9.54	30	Pass	401




**25.11. Band Edge for SA(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2496	-45.04	-13	Pass	401
2496	2499	1	RMS	2499	-34.76	-10	Pass	4
2499	2500	0.051	RMS	2500	-26.31	-10	Pass	401
2500	2520	1	RMS	2500.55	21.76	30	Pass	401




**25.12. Band Edge for SA(NTNV)(Subtest:4, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2495.79	-35.5	-13	Pass	401
2496	2499	1	RMS	2499	-35.5	-10	Pass	4
2499	2500	0.51	RMS	2500	-17.42	-10	Pass	401
2500	2520	1	RMS	2513.55	9.03	30	Pass	401



**25.13. Band Edge for SA(NTNV)(Subtest:5, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.35	22.39	30	Pass	401
2570	2571	0.051	RMS	2570	-24.81	-10	Pass	401
2571	2575	1	RMS	2571	-30.01	-10	Pass	5
2575	2595	1	RMS	2575.15	-35.46	-13	Pass	401






**25.14. Band Edge for SA(NTNV)(Subtest:6, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.7	9.49	30	Pass	401
2570	2571	0.51	RMS	2570.125	-37.49	-10	Pass	401
2571	2575	1	RMS	2573	-34.43	-10	Pass	5
2575	2595	1	RMS	2578.45	-38.21	-13	Pass	401




**25.15. Band Edge for SA(NTNV)(Subtest:7, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.35	21.94	30	Pass	401
2570	2571	0.051	RMS	2570	-24.88	-10	Pass	401
2571	2575	1	RMS	2571	-34.29	-10	Pass	5
2575	2595	1	RMS	2578.55	-45.84	-13	Pass	401




**25.16. Band Edge for SA(NTNV)(Subtest:8, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2558.6	9.12	30	Pass	401
2570	2571	0.51	RMS	2570.36	-38.42	-10	Pass	401
2571	2575	1	RMS	2573	-35.46	-10	Pass	5
2575	2595	1	RMS	2580.75	-37.31	-13	Pass	401




**25.17. Band Edge for SA(NTNV)(Subtest:1, Channel:504000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2460	2496	1	RMS	2496	-45.67	-13	Pass	401
2496	2499	1	RMS	2499	-32.68	-10	Pass	4
2499	2500	0.051	RMS	2500	-24.44	-10	Pass	401
2500	2520	1	RMS	2500.6	21.99	30	Pass	401




**25.18. Band Edge for SA(NTNV)(Subtest:2, Channel:504000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2460	2496	1	RMS	2491.41	-39.4	-13	Pass	401
2496	2499	1	RMS	2499	-38.48	-10	Pass	4
2499	2500	0.8	RMS	2500	-29.52	-10	Pass	3
2500	2520	1	RMS	2517.95	7.21	30	Pass	401




**25.19. Band Edge for SA(NTNV)(Subtest:3, Channel:504000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2460	2496	1	RMS	2495.64	-39.6	-13	Pass	401
2496	2499	1	RMS	2499	-32.49	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-25.33	-10	Pass	401
2500	2520	1	RMS	2500.6	21.39	30	Pass	401




**25.20. Band Edge for SA(NTNV)(Subtest:4, Channel:504000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2460	2496	1	RMS	2493.39	-38.36	-13	Pass	401
2496	2499	1	RMS	2499	-37.7	-10	Pass	4
2499	2500	0.8	RMS	2500	-29.63	-10	Pass	3
2500	2520	1	RMS	2519.25	6.6	30	Pass	401



**25.21. Band Edge for SA(NTNV)(Subtest:5, Channel:510000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:215)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.3	22.02	30	Pass	401
2570	2571	0.051	RMS	2570	-24.29	-10	Pass	401
2571	2575	1	RMS	2571	-33.4	-10	Pass	5
2575	2610	1	RMS	2588.563	-45.49	-13	Pass	401






**25.22. Band Edge for SA(NTNV)(Subtest:6, Channel:510000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2558.85	6.94	30	Pass	401
2570	2571	0.8	RMS	2570	-28.58	-10	Pass	3
2571	2575	1	RMS	2571	-37.93	-10	Pass	5
2575	2610	1	RMS	2577.713	-38.05	-13	Pass	401




**25.23. Band Edge for SA(NTNV)(Subtest:7, Channel:510000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.25	21.46	30	Pass	401
2570	2571	0.051	RMS	2570.005	-26.47	-10	Pass	401
2571	2575	1	RMS	2571	-34.51	-10	Pass	5
2575	2610	1	RMS	2575	-45.91	-13	Pass	401



**25.24. Band Edge for SA(NTNV)(Subtest:8, Channel:510000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2555.3	6.52	30	Pass	401
2570	2571	0.8	RMS	2570	-28.36	-10	Pass	3
2571	2575	1	RMS	2571	-37.2	-10	Pass	5
2575	2610	1	RMS	2576.138	-36.6	-13	Pass	401



## 26. n38 30kHz\_PC3


26.1. Band Edge for SA(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2560	1	RMS	2559.913	-48.63	-25	Pass	401
2560	2565	1	RMS	2564.875	-44.54	-13	Pass	401
2565	2569	1	RMS	2569	-23.53	-10	Pass	401
2569	2570	0.2	RMS	2569.99	-19.42	-10	Pass	401
2570	2610	1	RMS	2570.9	22.41	30	Pass	401




**26.2. Band Edge for SA(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2560	1	RMS	2560	-41.11	-25	Pass	401
2560	2565	1	RMS	2565	-37.94	-13	Pass	401
2565	2569	1	RMS	2568.99	-33.02	-10	Pass	401
2569	2570	0.2	RMS	2570	-30.96	-10	Pass	401
2570	2610	1	RMS	2574.6	13.64	30	Pass	401




**26.3. Band Edge for SA(NTNV)(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2560	1	RMS	2560	-48.34	-25	Pass	401
2560	2565	1	RMS	2564.95	-44.01	-13	Pass	401
2565	2569	1	RMS	2569	-24.49	-10	Pass	401
2569	2570	0.2	RMS	2569.998	-20.35	-10	Pass	401
2570	2610	1	RMS	2570.8	21.95	30	Pass	401




**26.4. Band Edge for SA(NTNV)(Subtest:4, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2560	1	RMS	2560	-39.02	-25	Pass	401
2560	2565	1	RMS	2564.075	-34.25	-13	Pass	401
2565	2569	1	RMS	2569	-31.24	-10	Pass	401
2569	2570	0.2	RMS	2569.995	-31.39	-10	Pass	401
2570	2610	1	RMS	2576.2	13.23	30	Pass	401



**26.5. Band Edge for SA(NTNV)(Subtest:5, Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619.1	22.73	30	Pass	401
2620	2621	0.2	RMS	2620	-41.97	-10	Pass	6
2621	2625	1	RMS	2621	-25.71	-10	Pass	401
2625	2630	1	RMS	2625.15	-44.31	-13	Pass	401
2630	2665	1	RMS	2630	-48.3	-25	Pass	401






**26.6. Band Edge for SA(NTNV)(Subtest:6, Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2614.5	13.98	30	Pass	401
2620	2621	0.2	RMS	2620	-54.62	-10	Pass	6
2621	2625	1	RMS	2621	-33.61	-10	Pass	401
2625	2630	1	RMS	2626.363	-37.33	-13	Pass	401
2630	2665	1	RMS	2630.088	-40.03	-25	Pass	401




**26.7. Band Edge for SA(NTNV)(Subtest:7, Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619.1	22.21	30	Pass	401
2620	2621	0.2	RMS	2620	-48.53	-10	Pass	6
2621	2625	1	RMS	2621	-25.11	-10	Pass	401
2625	2630	1	RMS	2625.038	-43.95	-13	Pass	401
2630	2665	1	RMS	2630.088	-47.98	-25	Pass	401




**26.8. Band Edge for SA(NTNV)(Subtest:8, Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2615.9	13.51	30	Pass	401
2620	2621	0.2	RMS	2620	-51.33	-10	Pass	6
2621	2625	1	RMS	2621	-33.26	-10	Pass	401
2625	2630	1	RMS	2626.313	-34.37	-13	Pass	401
2630	2665	1	RMS	2630.525	-38.18	-25	Pass	401




**26.9. Band Edge for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.813	-49.98	-25	Pass	401
2550	2565	1	RMS	2561.813	-43.1	-13	Pass	401
2565	2569	1	RMS	2569	-26.53	-10	Pass	401
2569	2570	0.39	RMS	2570	-15.7	-10	Pass	401
2570	2610	1	RMS	2571	22.37	30	Pass	401




**26.10. Band Edge for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2544.75	-44.21	-25	Pass	401
2550	2565	1	RMS	2562.638	-39.24	-13	Pass	401
2565	2569	1	RMS	2569	-36.07	-10	Pass	401
2569	2570	0.39	RMS	2569.993	-31.13	-10	Pass	401
2570	2610	1	RMS	2576.8	10.58	30	Pass	401




**26.11. Band Edge for SA(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2550	-49.99	-25	Pass	401
2550	2565	1	RMS	2562.113	-44.01	-13	Pass	401
2565	2569	1	RMS	2569	-27.48	-10	Pass	401
2569	2570	0.39	RMS	2569.998	-17.06	-10	Pass	401
2570	2610	1	RMS	2571	21.85	30	Pass	401




**26.12. Band Edge for SA(NTNV)(Subtest:4, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2544.75	-41.9	-25	Pass	401
2550	2565	1	RMS	2565	-37.76	-13	Pass	401
2565	2569	1	RMS	2568.91	-34.68	-10	Pass	401
2569	2570	0.39	RMS	2570	-31.5	-10	Pass	401
2570	2610	1	RMS	2584	10.05	30	Pass	401



**26.13. Band Edge for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	22.63	30	Pass	401
2620	2621	0.4	RMS	2620	-19.41	-10	Pass	4
2621	2625	1	RMS	2621	-28.43	-10	Pass	401
2625	2640	1	RMS	2627.888	-42.7	-13	Pass	401
2640	2665	1	RMS	2640	-49.79	-25	Pass	401






**26.14. Band Edge for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2604.2	10.76	30	Pass	401
2620	2621	0.4	RMS	2620	-37.76	-10	Pass	4
2621	2625	1	RMS	2624.32	-38.59	-10	Pass	401
2625	2640	1	RMS	2627.288	-38.02	-13	Pass	401
2640	2665	1	RMS	2641.5	-42.74	-25	Pass	401




**26.15. Band Edge for SA(NTNV)(Subtest:7, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	22.13	30	Pass	401
2620	2621	0.4	RMS	2620	-19.04	-10	Pass	4
2621	2625	1	RMS	2621	-27.14	-10	Pass	401
2625	2640	1	RMS	2627.963	-43.55	-13	Pass	401
2640	2665	1	RMS	2640.438	-49.97	-25	Pass	401




**26.16. Band Edge for SA(NTNV)(Subtest:8, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2613.9	10.3	30	Pass	401
2620	2621	0.4	RMS	2620	-36.09	-10	Pass	4
2621	2625	1	RMS	2624.1	-36.65	-10	Pass	401
2625	2640	1	RMS	2635.613	-36.89	-13	Pass	401
2640	2665	1	RMS	2641.625	-40.95	-25	Pass	401




**26.17. Band Edge for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.875	-50.16	-25	Pass	401
2530	2565	1	RMS	2551.963	-44.8	-13	Pass	401
2565	2569	1	RMS	2569	-27.88	-10	Pass	401
2569	2570	0.51	RMS	2569.988	-15.21	-10	Pass	401
2570	2610	1	RMS	2571.1	21.94	30	Pass	401




**26.18. Band Edge for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.538	-47.16	-25	Pass	401
2530	2565	1	RMS	2564.65	-41.74	-13	Pass	401
2565	2569	1	RMS	2568.98	-38.06	-10	Pass	401
2569	2570	0.82	RMS	2569.998	-18.42	-10	Pass	401
2570	2610	1	RMS	2593.8	7.46	30	Pass	401




**26.19. Band Edge for SA(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.8	-50.09	-25	Pass	401
2530	2565	1	RMS	2552.313	-44.98	-13	Pass	401
2565	2569	1	RMS	2569	-28.99	-10	Pass	401
2569	2570	0.51	RMS	2569.995	-16.44	-10	Pass	401
2570	2610	1	RMS	2571.1	21.36	30	Pass	401




**26.20. Band Edge for SA(NTNV)(Subtest:4, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.713	-45.3	-25	Pass	401
2530	2565	1	RMS	2564.825	-39.11	-13	Pass	401
2565	2569	1	RMS	2568.98	-37.06	-10	Pass	401
2569	2570	0.82	RMS	2570	-18.35	-10	Pass	401
2570	2610	1	RMS	2600.8	6.98	30	Pass	401



**26.21. Band Edge for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	22.31	30	Pass	401
2620	2621	0.5	RMS	2620	-17.61	-10	Pass	3
2621	2625	1	RMS	2621	-27.84	-10	Pass	401
2625	2660	1	RMS	2637.6	-43.1	-13	Pass	401
2660	2665	1	RMS	2660.725	-50.17	-25	Pass	401






**26.22. Band Edge for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2604.3	7.54	30	Pass	401
2620	2621	0.8	RMS	2620	-39.71	-10	Pass	3
2621	2625	1	RMS	2621.01	-40.72	-10	Pass	401
2625	2660	1	RMS	2634.013	-38.95	-13	Pass	401
2660	2665	1	RMS	2660.013	-46.09	-25	Pass	401




**26.23. Band Edge for SA(NTNV)(Subtest:7, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	21.75	30	Pass	401
2620	2621	0.8	RMS	2620	-14.86	-10	Pass	3
2621	2625	1	RMS	2621.01	-28.65	-10	Pass	401
2625	2660	1	RMS	2625.35	-43.2	-13	Pass	401
2660	2665	1	RMS	2660.325	-50.06	-25	Pass	401



**26.24. Band Edge for SA(NTNV)(Subtest:8, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2610.8	7.05	30	Pass	401
2620	2621	0.8	RMS	2620	-37.96	-10	Pass	3
2621	2625	1	RMS	2621.08	-38.74	-10	Pass	401
2625	2660	1	RMS	2636.813	-39.11	-13	Pass	401
2660	2665	1	RMS	2660	-44.43	-25	Pass	401



## 27. n41 30kHz

27.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-44.76	-25	Pass	401
2490	2495	1	RMS	2494.988	-28.1	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-27.74	-13	Pass	401
2496	2596	1	RMS	2497	21.31	30	Pass	401

