



27.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488	-32.83	-25	Pass	100
2490	2495	1	RMS	2494.925	-28.61	-13	Pass	401
2495	2496	0.4	RMS	2496	-30.43	-13	Pass	4
2496	2596	1	RMS	2512.75	12.49	30	Pass	401




27.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.268	-44.88	-25	Pass	401
2490	2495	1	RMS	2494.988	-28.74	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-28.16	-13	Pass	401
2496	2596	1	RMS	2497	21.3	30	Pass	401




27.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-32.89	-25	Pass	100
2490	2495	1	RMS	2494.263	-27.61	-13	Pass	401
2495	2496	0.4	RMS	2496	-30.28	-13	Pass	4
2496	2596	1	RMS	2509.75	12.11	30	Pass	401




27.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.11	30	Pass	401
2690	2691	0.1	RMS	2690	-25.82	-13	Pass	401
2691	2695	1	RMS	2691.01	-29.83	-13	Pass	401
2695	2710	1	RMS	2698.038	-44.44	-13	Pass	401
2710	2795	1	RMS	2783.313	-49.72	-25	Pass	401




27.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2673.75	12.5	30	Pass	401
2690	2691	0.4	RMS	2690	-36.14	-13	Pass	4
2691	2695	1	RMS	2694.48	-35.95	-13	Pass	401
2695	2710	1	RMS	2697.175	-34.25	-13	Pass	401
2710	2715	1	RMS	2711.013	-41.09	-25	Pass	401
2715	2795	1	RMS	2715	-42.27	-25	Pass	401




27.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.01	30	Pass	401
2690	2691	0.1	RMS	2690	-24.97	-13	Pass	401
2691	2695	1	RMS	2691	-28.51	-13	Pass	401
2695	2710	1	RMS	2697.775	-43.25	-13	Pass	401
2710	2795	1	RMS	2768.438	-49.69	-25	Pass	401




27.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2677	11.83	30	Pass	401
2690	2691	0.4	RMS	2690	-34.46	-13	Pass	4
2691	2695	1	RMS	2694.09	-34.22	-13	Pass	401
2695	2710	1	RMS	2701.975	-34.44	-13	Pass	401
2710	2715	1	RMS	2710.95	-39.29	-25	Pass	401
2715	2795	1	RMS	2715.2	-40.14	-25	Pass	401




27.9. Band Edge for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.86	-25	Pass	401
2490	2495	1	RMS	2495	-26.62	-13	Pass	401
2495	2496	0.051	RMS	2496	-26.45	-13	Pass	401
2496	2596	1	RMS	2497	21.07	30	Pass	401




27.10. Band Edge for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-41.25	-25	Pass	401
2490	2495	1	RMS	2494.95	-35.64	-13	Pass	401
2495	2496	1.2	RMS	2496	-27.58	-13	Pass	2
2496	2596	1	RMS	2527	7.5	30	Pass	401




27.11. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-46.63	-25	Pass	401
2490	2495	1	RMS	2495	-27.45	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-27.1	-13	Pass	401
2496	2596	1	RMS	2497	21.07	30	Pass	401




27.12. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-38.18	-25	Pass	401
2490	2495	1	RMS	2494.988	-34.21	-13	Pass	401
2495	2496	1.2	RMS	2496	-26.43	-13	Pass	2
2496	2596	1	RMS	2534.5	6.94	30	Pass	401




27.13. Band Edge for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.85	30	Pass	401
2690	2691	0.1	RMS	2690.003	-26.13	-13	Pass	401
2691	2695	1	RMS	2691.01	-29.98	-13	Pass	401
2695	2750	1	RMS	2695	-46.5	-13	Pass	401
2750	2795	1	RMS	2775.2	-49.63	-25	Pass	401




27.14. Band Edge for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2647.25	7.72	30	Pass	401
2690	2691	1.2	RMS	2690	-26.04	-13	Pass	2
2691	2695	1	RMS	2691.01	-36.97	-13	Pass	401
2695	2750	1	RMS	2695	-40.75	-13	Pass	401
2750	2755	1	RMS	2753.238	-49.77	-25	Pass	401
2755	2795	1	RMS	2772.6	-49.65	-25	Pass	401




27.15. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.9	30	Pass	401
2690	2691	0.1	RMS	2690	-24.26	-13	Pass	401
2691	2695	1	RMS	2691	-27.92	-13	Pass	401
2695	2750	1	RMS	2695	-45.47	-13	Pass	401
2750	2795	1	RMS	2767.213	-49.63	-25	Pass	401




27.16. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2649.75	7.11	30	Pass	401
2690	2691	1.2	RMS	2690	-26.45	-13	Pass	2
2691	2695	1	RMS	2691.01	-36.97	-13	Pass	401
2695	2750	1	RMS	2695	-39.33	-13	Pass	401
2750	2755	1	RMS	2754.438	-49.77	-25	Pass	401
2755	2795	1	RMS	2785.3	-49.61	-25	Pass	401




27.17. Band Edge for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.12	-25	Pass	401
2490	2495	1	RMS	2495	-26.81	-13	Pass	401
2495	2496	0.051	RMS	2496	-27.82	-13	Pass	401
2496	2596	1	RMS	2497	20.5	30	Pass	401




27.18. Band Edge for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.01	-41.05	-25	Pass	401
2490	2495	1	RMS	2494.938	-39.38	-13	Pass	401
2495	2496	1	RMS	2496	-32.71	-13	Pass	2
2496	2596	1	RMS	2582	5.16	30	Pass	401




27.19. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.3	-25	Pass	401
2490	2495	1	RMS	2495	-27.21	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-28.26	-13	Pass	401
2496	2596	1	RMS	2497	20.51	30	Pass	401




27.20. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-39.5	-25	Pass	100
2490	2495	1	RMS	2494.825	-35.68	-13	Pass	401
2495	2496	1	RMS	2496	-31.19	-13	Pass	2
2496	2596	1	RMS	2578.75	4.74	30	Pass	401




27.21. Band Edge for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.26	30	Pass	401
2690	2691	0.1	RMS	2690.003	-26.76	-13	Pass	401
2691	2695	1	RMS	2691.01	-29.4	-13	Pass	401
2695	2790	1	RMS	2710.438	-43.8	-13	Pass	401
2790	2795	1	RMS	2790.175	-49.65	-25	Pass	401




27.22. Band Edge for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2635.5	5.27	30	Pass	401
2690	2691	2	RMS	2690	-35.22	-13	Pass	2
2691	2695	1	RMS	2694.8	-40.88	-13	Pass	401
2695	2790	1	RMS	2696.663	-40.75	-13	Pass	401
2790	2795	1	RMS	2791.175	-49.7	-25	Pass	401




27.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.19	30	Pass	401
2690	2691	0.1	RMS	2690	-24.83	-13	Pass	401
2691	2695	1	RMS	2691	-27.49	-13	Pass	401
2695	2790	1	RMS	2710.675	-43.37	-13	Pass	401
2790	2795	1	RMS	2791.538	-49.65	-25	Pass	401



27.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2637.25	4.8	30	Pass	401
2690	2691	2	RMS	2690	-34.65	-13	Pass	2
2691	2695	1	RMS	2691.36	-37.52	-13	Pass	401
2695	2790	1	RMS	2696.425	-39.25	-13	Pass	401
2790	2795	1	RMS	2791.288	-49.7	-25	Pass	401



28. n66 15kHz


28.1. Band Edge for SA(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-39.53	-13	Pass	401
1708	1709	1	RMS	1709	-37.64	-13	Pass	2
1709	1710	0.051	RMS	1710	-17.56	-13	Pass	401
1710	1730	1	RMS	1710.35	23.25	30	Pass	401




28.2. Band Edge for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-26.45	-13	Pass	401
1708	1709	1	RMS	1708	-26.38	-13	Pass	2
1709	1710	0.051	RMS	1710	-30.65	-13	Pass	401
1710	1730	1	RMS	1711.7	17.09	30	Pass	401




28.3. Band Edge for SA(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-39.44	-13	Pass	401
1708	1709	1	RMS	1709	-37.8	-13	Pass	2
1709	1710	0.051	RMS	1710	-18.92	-13	Pass	401
1710	1730	1	RMS	1710.3	22.64	30	Pass	401




28.4. Band Edge for SA(NTNV)(Subtest:4, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-25.89	-13	Pass	401
1708	1709	1	RMS	1709	-25.41	-13	Pass	2
1709	1710	0.051	RMS	1710	-30.27	-13	Pass	401
1710	1730	1	RMS	1712	16.66	30	Pass	401




28.5. Band Edge for SA(NTNV)(Subtest:5, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.65	23.11	30	Pass	401
1780	1781	0.051	RMS	1780	-20.11	-13	Pass	401
1781	1782	1	RMS	1781	-38.09	-13	Pass	2
1782	1805	1	RMS	1782.058	-40.63	-13	Pass	401




28.6. Band Edge for SA(NTNV)(Subtest:6, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.2	17.17	30	Pass	401
1780	1781	0.051	RMS	1780	-28.3	-13	Pass	401
1781	1782	1	RMS	1782	-30.94	-13	Pass	2
1782	1805	1	RMS	1782	-31.06	-13	Pass	401




28.7. Band Edge for SA(NTNV)(Subtest:7, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	22.56	30	Pass	401
1780	1781	0.051	RMS	1780	-18.41	-13	Pass	401
1781	1782	1	RMS	1781	-37.95	-13	Pass	2
1782	1805	1	RMS	1782	-40.48	-13	Pass	401




28.8. Band Edge for SA(NTNV)(Subtest:8, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.35	16.61	30	Pass	401
1780	1781	0.051	RMS	1780.003	-31.26	-13	Pass	401
1781	1782	1	RMS	1781	-30.98	-13	Pass	2
1782	1805	1	RMS	1782	-31.19	-13	Pass	401




28.9. Band Edge for SA(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-41.62	-13	Pass	401
1708	1709	1	RMS	1709	-30.75	-13	Pass	2
1709	1710	0.1	RMS	1710	-17.82	-13	Pass	11
1710	1730	1	RMS	1710.5	23.23	30	Pass	401




28.10. Band Edge for SA(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-32.62	-13	Pass	401
1708	1709	1	RMS	1709	-30.49	-13	Pass	2
1709	1710	0.2	RMS	1710	-31.3	-13	Pass	401
1710	1730	1	RMS	1716.75	11.17	30	Pass	401




28.26. Band Edge for SA(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-41.83	-13	Pass	401
1708	1709	1	RMS	1709	-32.52	-13	Pass	2
1709	1710	0.2	RMS	1710	-16.61	-13	Pass	6
1710	1730	1	RMS	1710.5	22.55	30	Pass	401




28.12. Band Edge for SA(NTNV)(Subtest:4, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-30.47	-13	Pass	401
1708	1709	1	RMS	1709	-29.55	-13	Pass	2
1709	1710	0.2	RMS	1710	-32.3	-13	Pass	401
1710	1730	1	RMS	1715.3	10.67	30	Pass	401



28.27. Band Edge for SA(NTNV)(Subtest:5, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	22.99	30	Pass	401
1780	1781	0.2	RMS	1780	-16.72	-13	Pass	6
1781	1782	1	RMS	1781	-32.71	-13	Pass	2
1782	1805	1	RMS	1782	-42.39	-13	Pass	401




28.14. Band Edge for SA(NTNV)(Subtest:6, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1774.2	11.05	30	Pass	401
1780	1781	0.2	RMS	1780	-40.22	-13	Pass	401
1781	1782	1	RMS	1781	-35.81	-13	Pass	2
1782	1805	1	RMS	1786.715	-33.57	-13	Pass	401




28.15. Band Edge for SA(NTNV)(Subtest:7, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	22.47	30	Pass	401
1780	1781	0.1	RMS	1780	-18.99	-13	Pass	11
1781	1782	1	RMS	1781	-31.86	-13	Pass	2
1782	1805	1	RMS	1782	-42.16	-13	Pass	401




28.16. Band Edge for SA(NTNV)(Subtest:8, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1775.55	10.57	30	Pass	401
1780	1781	0.2	RMS	1780.208	-39.48	-13	Pass	401
1781	1782	1	RMS	1781	-33.65	-13	Pass	2
1782	1805	1	RMS	1782	-34.12	-13	Pass	401




28.17. Band Edge for SA(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-36.07	-13	Pass	401
1708	1709	1	RMS	1709	-32.51	-13	Pass	2
1709	1709.9	0.4	RMS	1709.9	-16.86	-13	Pass	4
1710	1730	1	RMS	1710.6	22.72	30	Pass	401




28.18. Band Edge for SA(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-35.96	-13	Pass	401
1708	1709	1	RMS	1709	-34.76	-13	Pass	2
1709	1710	0.39	RMS	1710	-29.17	-13	Pass	401
1710	1730	1	RMS	1718.3	7.86	30	Pass	401




28.19. Band Edge for SA(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-36.48	-13	Pass	401
1708	1709	1	RMS	1709	-33.22	-13	Pass	2
1709	1709.9	0.4	RMS	1709.9	-17.82	-13	Pass	4
1710	1730	1	RMS	1710.65	22.09	30	Pass	401




28.20. Band Edge for SA(NTNV)(Subtest:4, Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-34.02	-13	Pass	401
1708	1709	1	RMS	1709	-33.5	-13	Pass	2
1709	1710	0.39	RMS	1710	-29.61	-13	Pass	401
1710	1730	1	RMS	1717.9	7.34	30	Pass	401




28.21. Band Edge for SA(NTNV)(Subtest:5, Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.3	22.66	30	Pass	401
1780	1781	0.2	RMS	1780	-18.18	-13	Pass	6
1781	1782	1	RMS	1781	-32.39	-13	Pass	2
1782	1805	1	RMS	1782	-36.24	-13	Pass	401




28.22. Band Edge for SA(NTNV)(Subtest:6, Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1760	7.53	30	Pass	401
1780	1781	0.39	RMS	1780	-30.08	-13	Pass	401
1781	1782	1	RMS	1781	-33.72	-13	Pass	2
1782	1805	1	RMS	1782	-34.39	-13	Pass	401




28.23. Band Edge for SA(NTNV)(Subtest:7, Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.25	22.02	30	Pass	401
1780	1780.9	0.2	RMS	1780	-18.26	-13	Pass	6
1781	1782	1	RMS	1781	-33.05	-13	Pass	2
1782	1805	1	RMS	1782	-36.81	-13	Pass	401



28.24. Band Edge for SA(NTNV)(Subtest:8, Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1760	7.02	30	Pass	401
1780	1781	0.39	RMS	1780	-30.67	-13	Pass	401
1781	1782	1	RMS	1782	-34.69	-13	Pass	2
1782	1805	1	RMS	1786.313	-33.77	-13	Pass	401



-- BLANK BELOW --