

n26_Part22	5	15	846.5	DFT	256QAM	Inner_Full	20.4	14.95
n26_Part22	5	15	846.5	DFT	256QAM	Edge_1RB_Left	20.19	14.74
n26_Part22	5	15	846.5	DFT	256QAM	Edge_1RB_Right	20.38	14.93
n26_Part22	5	15	846.5	DFT	256QAM	Outer_Full	20.34	14.89
n26_Part22	5	15	846.5	CP	QPSK	Inner_Full	23.22	17.77
n26_Part22	5	15	846.5	CP	QPSK	Edge_1RB_Left	21.71	16.26
n26_Part22	5	15	846.5	CP	QPSK	Edge_1RB_Right	21.94	16.49
n26_Part22	5	15	846.5	CP	QPSK	Outer_Full	21.87	16.42
n26_Part22	5	15	846.5	CP	16QAM	Inner_Full	22.78	17.33
n26_Part22	5	15	846.5	CP	16QAM	Edge_1RB_Left	21.95	16.50
n26_Part22	5	15	846.5	CP	16QAM	Edge_1RB_Right	22.17	16.72
n26_Part22	5	15	846.5	CP	16QAM	Outer_Full	21.91	16.46
n26_Part22	5	15	846.5	CP	64QAM	Inner_Full	21.27	15.82
n26_Part22	5	15	846.5	CP	64QAM	Edge_1RB_Left	21.17	15.72
n26_Part22	5	15	846.5	CP	64QAM	Edge_1RB_Right	21.4	15.95
n26_Part22	5	15	846.5	CP	64QAM	Outer_Full	21.36	15.91
n26_Part22	5	15	846.5	CP	256QAM	Inner_Full	18.41	12.96
n26_Part22	5	15	846.5	CP	256QAM	Edge_1RB_Left	18.37	12.92
n26_Part22	5	15	846.5	CP	256QAM	Edge_1RB_Right	18.51	13.06
n26_Part22	5	15	846.5	CP	256QAM	Outer_Full	18.28	12.83
n26_Part22	10	15	829	DFT	QPSK	Inner_Full	24.58	19.13
n26_Part22	10	15	829	DFT	QPSK	Edge_1RB_Left	23.71	18.26
n26_Part22	10	15	829	DFT	QPSK	Edge_1RB_Right	23.52	18.07
n26_Part22	10	15	829	DFT	QPSK	Outer_Full	23.6	18.15
n26_Part22	10	15	829	DFT	16QAM	Inner_Full	23.6	18.15
n26_Part22	10	15	829	DFT	16QAM	Edge_1RB_Left	22.96	17.51
n26_Part22	10	15	829	DFT	16QAM	Edge_1RB_Right	22.88	17.43
n26_Part22	10	15	829	DFT	16QAM	Outer_Full	22.54	17.09
n26_Part22	10	15	829	DFT	64QAM	Inner_Full	22.06	16.61
n26_Part22	10	15	829	DFT	64QAM	Edge_1RB_Left	21.17	15.72
n26_Part22	10	15	829	DFT	64QAM	Edge_1RB_Right	21.12	15.67
n26_Part22	10	15	829	DFT	64QAM	Outer_Full	22.06	16.61
n26_Part22	10	15	829	DFT	256QAM	Inner_Full	20.09	14.64
n26_Part22	10	15	829	DFT	256QAM	Edge_1RB_Left	20.16	14.71
n26_Part22	10	15	829	DFT	256QAM	Edge_1RB_Right	20.11	14.66
n26_Part22	10	15	829	DFT	256QAM	Outer_Full	20.09	14.64
n26_Part22	10	15	829	CP	QPSK	Inner_Full	23.06	17.61
n26_Part22	10	15	829	CP	QPSK	Edge_1RB_Left	21.71	16.26
n26_Part22	10	15	829	CP	QPSK	Edge_1RB_Right	21.63	16.18
n26_Part22	10	15	829	CP	QPSK	Outer_Full	21.6	16.15
n26_Part22	10	15	829	CP	16QAM	Inner_Full	22.51	17.06

n26_Part22	10	15	829	CP	16QAM	Edge_1RB_Left	21.94	16.49
n26_Part22	10	15	829	CP	16QAM	Edge_1RB_Right	21.8	16.35
n26_Part22	10	15	829	CP	16QAM	Outer_Full	21.62	16.17
n26_Part22	10	15	829	CP	64QAM	Inner_Full	21.13	15.68
n26_Part22	10	15	829	CP	64QAM	Edge_1RB_Left	21.22	15.77
n26_Part22	10	15	829	CP	64QAM	Edge_1RB_Right	21.09	15.64
n26_Part22	10	15	829	CP	64QAM	Outer_Full	21.12	15.67
n26_Part22	10	15	829	CP	256QAM	Inner_Full	18.05	12.60
n26_Part22	10	15	829	CP	256QAM	Edge_1RB_Left	18.38	12.93
n26_Part22	10	15	829	CP	256QAM	Edge_1RB_Right	18.35	12.90
n26_Part22	10	15	829	CP	256QAM	Outer_Full	18.08	12.63
n26_Part22	10	15	836.5	DFT	QPSK	Inner_Full	24.54	19.09
n26_Part22	10	15	836.5	DFT	QPSK	Edge_1RB_Left	23.51	18.06
n26_Part22	10	15	836.5	DFT	QPSK	Edge_1RB_Right	23.51	18.06
n26_Part22	10	15	836.5	DFT	QPSK	Outer_Full	23.57	18.12
n26_Part22	10	15	836.5	DFT	16QAM	Inner_Full	23.56	18.11
n26_Part22	10	15	836.5	DFT	16QAM	Edge_1RB_Left	22.84	17.39
n26_Part22	10	15	836.5	DFT	16QAM	Edge_1RB_Right	22.82	17.37
n26_Part22	10	15	836.5	DFT	16QAM	Outer_Full	22.55	17.10
n26_Part22	10	15	836.5	DFT	64QAM	Inner_Full	22.12	16.67
n26_Part22	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.14	15.69
n26_Part22	10	15	836.5	DFT	64QAM	Edge_1RB_Right	21.05	15.60
n26_Part22	10	15	836.5	DFT	64QAM	Outer_Full	22.08	16.63
n26_Part22	10	15	836.5	DFT	256QAM	Inner_Full	20.09	14.64
n26_Part22	10	15	836.5	DFT	256QAM	Edge_1RB_Left	20.12	14.67
n26_Part22	10	15	836.5	DFT	256QAM	Edge_1RB_Right	20.04	14.59
n26_Part22	10	15	836.5	DFT	256QAM	Outer_Full	20.06	14.61
n26_Part22	10	15	836.5	CP	QPSK	Inner_Full	23.12	17.67
n26_Part22	10	15	836.5	CP	QPSK	Edge_1RB_Left	21.61	16.16
n26_Part22	10	15	836.5	CP	QPSK	Edge_1RB_Right	21.68	16.23
n26_Part22	10	15	836.5	CP	QPSK	Outer_Full	21.58	16.13
n26_Part22	10	15	836.5	CP	16QAM	Inner_Full	22.53	17.08
n26_Part22	10	15	836.5	CP	16QAM	Edge_1RB_Left	21.82	16.37
n26_Part22	10	15	836.5	CP	16QAM	Edge_1RB_Right	21.88	16.43
n26_Part22	10	15	836.5	CP	16QAM	Outer_Full	21.62	16.17
n26_Part22	10	15	836.5	CP	64QAM	Inner_Full	21.1	15.65
n26_Part22	10	15	836.5	CP	64QAM	Edge_1RB_Left	21.05	15.60
n26_Part22	10	15	836.5	CP	64QAM	Edge_1RB_Right	21.24	15.79
n26_Part22	10	15	836.5	CP	64QAM	Outer_Full	21.1	15.65
n26_Part22	10	15	836.5	CP	256QAM	Inner_Full	18.09	12.64
n26_Part22	10	15	836.5	CP	256QAM	Edge_1RB_Left	18.31	12.86

n26_Part22	10	15	836.5	CP	256QAM	Edge_1RB_Right	18.25	12.80
n26_Part22	10	15	836.5	CP	256QAM	Outer_Full	18.06	12.61
n26_Part22	10	15	844	DFT	QPSK	Inner_Full	24.57	19.12
n26_Part22	10	15	844	DFT	QPSK	Edge_1RB_Left	23.4	17.95
n26_Part22	10	15	844	DFT	QPSK	Edge_1RB_Right	23.73	18.28
n26_Part22	10	15	844	DFT	QPSK	Outer_Full	23.59	18.14
n26_Part22	10	15	844	DFT	16QAM	Inner_Full	23.61	18.16
n26_Part22	10	15	844	DFT	16QAM	Edge_1RB_Left	22.7	17.25
n26_Part22	10	15	844	DFT	16QAM	Edge_1RB_Right	23	17.55
n26_Part22	10	15	844	DFT	16QAM	Outer_Full	22.54	17.09
n26_Part22	10	15	844	DFT	64QAM	Inner_Full	22.11	16.66
n26_Part22	10	15	844	DFT	64QAM	Edge_1RB_Left	20.96	15.51
n26_Part22	10	15	844	DFT	64QAM	Edge_1RB_Right	21.37	15.92
n26_Part22	10	15	844	DFT	64QAM	Outer_Full	22.09	16.64
n26_Part22	10	15	844	DFT	256QAM	Inner_Full	20.07	14.62
n26_Part22	10	15	844	DFT	256QAM	Edge_1RB_Left	19.96	14.51
n26_Part22	10	15	844	DFT	256QAM	Edge_1RB_Right	20.28	14.83
n26_Part22	10	15	844	DFT	256QAM	Outer_Full	20.04	14.59
n26_Part22	10	15	844	CP	QPSK	Inner_Full	23.15	17.70
n26_Part22	10	15	844	CP	QPSK	Edge_1RB_Left	21.51	16.06
n26_Part22	10	15	844	CP	QPSK	Edge_1RB_Right	21.9	16.45
n26_Part22	10	15	844	CP	QPSK	Outer_Full	21.59	16.14
n26_Part22	10	15	844	CP	16QAM	Inner_Full	22.59	17.14
n26_Part22	10	15	844	CP	16QAM	Edge_1RB_Left	21.74	16.29
n26_Part22	10	15	844	CP	16QAM	Edge_1RB_Right	22.1	16.65
n26_Part22	10	15	844	CP	16QAM	Outer_Full	21.62	16.17
n26_Part22	10	15	844	CP	64QAM	Inner_Full	21.13	15.68
n26_Part22	10	15	844	CP	64QAM	Edge_1RB_Left	21	15.55
n26_Part22	10	15	844	CP	64QAM	Edge_1RB_Right	21.37	15.92
n26_Part22	10	15	844	CP	64QAM	Outer_Full	21.07	15.62
n26_Part22	10	15	844	CP	256QAM	Inner_Full	18.09	12.64
n26_Part22	10	15	844	CP	256QAM	Edge_1RB_Left	18.14	12.69
n26_Part22	10	15	844	CP	256QAM	Edge_1RB_Right	18.53	13.08
n26_Part22	10	15	844	CP	256QAM	Outer_Full	18.08	12.63
n26_Part22	15	15	831.5	DFT	QPSK	Inner_Full	24.58	19.13
n26_Part22	15	15	831.5	DFT	QPSK	Edge_1RB_Left	23.65	18.20
n26_Part22	15	15	831.5	DFT	QPSK	Edge_1RB_Right	23.48	18.03
n26_Part22	15	15	831.5	DFT	QPSK	Outer_Full	23.6	18.15
n26_Part22	15	15	831.5	DFT	16QAM	Inner_Full	23.63	18.18
n26_Part22	15	15	831.5	DFT	16QAM	Edge_1RB_Left	22.96	17.51
n26_Part22	15	15	831.5	DFT	16QAM	Edge_1RB_Right	22.77	17.32

n26_Part22	15	15	831.5	DFT	16QAM	Outer_Full	22.55	17.10
n26_Part22	15	15	831.5	DFT	64QAM	Inner_Full	22.08	16.63
n26_Part22	15	15	831.5	DFT	64QAM	Edge_1RB_Left	21.16	15.71
n26_Part22	15	15	831.5	DFT	64QAM	Edge_1RB_Right	21.04	15.59
n26_Part22	15	15	831.5	DFT	64QAM	Outer_Full	22.06	16.61
n26_Part22	15	15	831.5	DFT	256QAM	Inner_Full	20.1	14.65
n26_Part22	15	15	831.5	DFT	256QAM	Edge_1RB_Left	20.1	14.65
n26_Part22	15	15	831.5	DFT	256QAM	Edge_1RB_Right	20	14.55
n26_Part22	15	15	831.5	DFT	256QAM	Outer_Full	20.08	14.63
n26_Part22	15	15	831.5	CP	QPSK	Inner_Full	23.02	17.57
n26_Part22	15	15	831.5	CP	QPSK	Edge_1RB_Left	21.71	16.26
n26_Part22	15	15	831.5	CP	QPSK	Edge_1RB_Right	21.54	16.09
n26_Part22	15	15	831.5	CP	QPSK	Outer_Full	21.56	16.11
n26_Part22	15	15	831.5	CP	16QAM	Inner_Full	22.63	17.18
n26_Part22	15	15	831.5	CP	16QAM	Edge_1RB_Left	21.94	16.49
n26_Part22	15	15	831.5	CP	16QAM	Edge_1RB_Right	21.74	16.29
n26_Part22	15	15	831.5	CP	16QAM	Outer_Full	21.65	16.20
n26_Part22	15	15	831.5	CP	64QAM	Inner_Full	21.15	15.70
n26_Part22	15	15	831.5	CP	64QAM	Edge_1RB_Left	21.2	15.75
n26_Part22	15	15	831.5	CP	64QAM	Edge_1RB_Right	21.06	15.61
n26_Part22	15	15	831.5	CP	64QAM	Outer_Full	21.09	15.64
n26_Part22	15	15	831.5	CP	256QAM	Inner_Full	18.13	12.68
n26_Part22	15	15	831.5	CP	256QAM	Edge_1RB_Left	18.36	12.91
n26_Part22	15	15	831.5	CP	256QAM	Edge_1RB_Right	18.17	12.72
n26_Part22	15	15	831.5	CP	256QAM	Outer_Full	18.06	12.61
n26_Part22	15	15	836.5	DFT	QPSK	Inner_Full	24.59	19.14
n26_Part22	15	15	836.5	DFT	QPSK	Edge_1RB_Left	23.55	18.10
n26_Part22	15	15	836.5	DFT	QPSK	Edge_1RB_Right	23.66	18.21
n26_Part22	15	15	836.5	DFT	QPSK	Outer_Full	23.66	18.21
n26_Part22	15	15	836.5	DFT	16QAM	Inner_Full	23.65	18.20
n26_Part22	15	15	836.5	DFT	16QAM	Edge_1RB_Left	22.9	17.45
n26_Part22	15	15	836.5	DFT	16QAM	Edge_1RB_Right	23	17.55
n26_Part22	15	15	836.5	DFT	16QAM	Outer_Full	22.64	17.19
n26_Part22	15	15	836.5	DFT	64QAM	Inner_Full	22.09	16.64
n26_Part22	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.11	15.66
n26_Part22	15	15	836.5	DFT	64QAM	Edge_1RB_Right	21.2	15.75
n26_Part22	15	15	836.5	DFT	64QAM	Outer_Full	22.13	16.68
n26_Part22	15	15	836.5	DFT	256QAM	Inner_Full	20.13	14.68
n26_Part22	15	15	836.5	DFT	256QAM	Edge_1RB_Left	20.11	14.66
n26_Part22	15	15	836.5	DFT	256QAM	Edge_1RB_Right	20.15	14.70
n26_Part22	15	15	836.5	DFT	256QAM	Outer_Full	20.1	14.65

n26_Part22	15	15	836.5	CP	QPSK	Inner_Full	23.05	17.60
n26_Part22	15	15	836.5	CP	QPSK	Edge_1RB_Left	21.65	16.20
n26_Part22	15	15	836.5	CP	QPSK	Edge_1RB_Right	21.66	16.21
n26_Part22	15	15	836.5	CP	QPSK	Outer_Full	21.63	16.18
n26_Part22	15	15	836.5	CP	16QAM	Inner_Full	22.62	17.17
n26_Part22	15	15	836.5	CP	16QAM	Edge_1RB_Left	21.88	16.43
n26_Part22	15	15	836.5	CP	16QAM	Edge_1RB_Right	21.91	16.46
n26_Part22	15	15	836.5	CP	16QAM	Outer_Full	21.7	16.25
n26_Part22	15	15	836.5	CP	64QAM	Inner_Full	21.14	15.69
n26_Part22	15	15	836.5	CP	64QAM	Edge_1RB_Left	21.14	15.69
n26_Part22	15	15	836.5	CP	64QAM	Edge_1RB_Right	21.15	15.70
n26_Part22	15	15	836.5	CP	64QAM	Outer_Full	21.19	15.74
n26_Part22	15	15	836.5	CP	256QAM	Inner_Full	18.09	12.64
n26_Part22	15	15	836.5	CP	256QAM	Edge_1RB_Left	18.29	12.84
n26_Part22	15	15	836.5	CP	256QAM	Edge_1RB_Right	18.23	12.78
n26_Part22	15	15	836.5	CP	256QAM	Outer_Full	18.11	12.66
n26_Part22	15	15	841.5	DFT	QPSK	Inner_Full	24.58	19.13
n26_Part22	15	15	841.5	DFT	QPSK	Edge_1RB_Left	23.54	18.09
n26_Part22	15	15	841.5	DFT	QPSK	Edge_1RB_Right	23.73	18.28
n26_Part22	15	15	841.5	DFT	QPSK	Outer_Full	23.6	18.15
n26_Part22	15	15	841.5	DFT	16QAM	Inner_Full	23.55	18.10
n26_Part22	15	15	841.5	DFT	16QAM	Edge_1RB_Left	22.89	17.44
n26_Part22	15	15	841.5	DFT	16QAM	Edge_1RB_Right	23.04	17.59
n26_Part22	15	15	841.5	DFT	16QAM	Outer_Full	22.59	17.14
n26_Part22	15	15	841.5	DFT	64QAM	Inner_Full	22.06	16.61
n26_Part22	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.11	15.66
n26_Part22	15	15	841.5	DFT	64QAM	Edge_1RB_Right	21.41	15.96
n26_Part22	15	15	841.5	DFT	64QAM	Outer_Full	22.13	16.68
n26_Part22	15	15	841.5	DFT	256QAM	Inner_Full	20.03	14.58
n26_Part22	15	15	841.5	DFT	256QAM	Edge_1RB_Left	20.12	14.67
n26_Part22	15	15	841.5	DFT	256QAM	Edge_1RB_Right	20.33	14.88
n26_Part22	15	15	841.5	DFT	256QAM	Outer_Full	20.09	14.64
n26_Part22	15	15	841.5	CP	QPSK	Inner_Full	23.08	17.63
n26_Part22	15	15	841.5	CP	QPSK	Edge_1RB_Left	21.57	16.12
n26_Part22	15	15	841.5	CP	QPSK	Edge_1RB_Right	21.84	16.39
n26_Part22	15	15	841.5	CP	QPSK	Outer_Full	21.66	16.21
n26_Part22	15	15	841.5	CP	16QAM	Inner_Full	22.62	17.17
n26_Part22	15	15	841.5	CP	16QAM	Edge_1RB_Left	21.8	16.35
n26_Part22	15	15	841.5	CP	16QAM	Edge_1RB_Right	22.08	16.63
n26_Part22	15	15	841.5	CP	16QAM	Outer_Full	21.64	16.19
n26_Part22	15	15	841.5	CP	64QAM	Inner_Full	21.11	15.66

n26_Part22	15	15	841.5	CP	64QAM	Edge_1RB_Left	21.06	15.61
n26_Part22	15	15	841.5	CP	64QAM	Edge_1RB_Right	21.32	15.87
n26_Part22	15	15	841.5	CP	64QAM	Outer_Full	21.17	15.72
n26_Part22	15	15	841.5	CP	256QAM	Inner_Full	18.11	12.66
n26_Part22	15	15	841.5	CP	256QAM	Edge_1RB_Left	18.25	12.80
n26_Part22	15	15	841.5	CP	256QAM	Edge_1RB_Right	18.52	13.07
n26_Part22	15	15	841.5	CP	256QAM	Outer_Full	18.09	12.64
n26_Part22	20	15	834	DFT	QPSK	Inner_Full	24.58	19.13
n26_Part22	20	15	834	DFT	QPSK	Edge_1RB_Left	23.61	18.16
n26_Part22	20	15	834	DFT	QPSK	Edge_1RB_Right	23.54	18.09
n26_Part22	20	15	834	DFT	QPSK	Outer_Full	23.48	18.03
n26_Part22	20	15	834	DFT	16QAM	Inner_Full	23.56	18.11
n26_Part22	20	15	834	DFT	16QAM	Edge_1RB_Left	22.88	17.43
n26_Part22	20	15	834	DFT	16QAM	Edge_1RB_Right	22.9	17.45
n26_Part22	20	15	834	DFT	16QAM	Outer_Full	22.55	17.10
n26_Part22	20	15	834	DFT	64QAM	Inner_Full	22.18	16.73
n26_Part22	20	15	834	DFT	64QAM	Edge_1RB_Left	21.1	15.65
n26_Part22	20	15	834	DFT	64QAM	Edge_1RB_Right	21.09	15.64
n26_Part22	20	15	834	DFT	64QAM	Outer_Full	21.98	16.53
n26_Part22	20	15	834	DFT	256QAM	Inner_Full	20.04	14.59
n26_Part22	20	15	834	DFT	256QAM	Edge_1RB_Left	20.09	14.64
n26_Part22	20	15	834	DFT	256QAM	Edge_1RB_Right	20.08	14.63
n26_Part22	20	15	834	DFT	256QAM	Outer_Full	20.01	14.56
n26_Part22	20	15	834	CP	QPSK	Inner_Full	23	17.55
n26_Part22	20	15	834	CP	QPSK	Edge_1RB_Left	21.63	16.18
n26_Part22	20	15	834	CP	QPSK	Edge_1RB_Right	21.52	16.07
n26_Part22	20	15	834	CP	QPSK	Outer_Full	21.53	16.08
n26_Part22	20	15	834	CP	16QAM	Inner_Full	22.53	17.08
n26_Part22	20	15	834	CP	16QAM	Edge_1RB_Left	21.89	16.44
n26_Part22	20	15	834	CP	16QAM	Edge_1RB_Right	21.78	16.33
n26_Part22	20	15	834	CP	16QAM	Outer_Full	21.53	16.08
n26_Part22	20	15	834	CP	64QAM	Inner_Full	21.07	15.62
n26_Part22	20	15	834	CP	64QAM	Edge_1RB_Left	21.16	15.71
n26_Part22	20	15	834	CP	64QAM	Edge_1RB_Right	21.01	15.56
n26_Part22	20	15	834	CP	64QAM	Outer_Full	21.01	15.56
n26_Part22	20	15	834	CP	256QAM	Inner_Full	18.01	12.56
n26_Part22	20	15	834	CP	256QAM	Edge_1RB_Left	18.28	12.83
n26_Part22	20	15	834	CP	256QAM	Edge_1RB_Right	18.16	12.71
n26_Part22	20	15	834	CP	256QAM	Outer_Full	17.97	12.52
n26_Part22	20	15	836.5	DFT	QPSK	Inner_Full	24.65	19.20
n26_Part22	20	15	836.5	DFT	QPSK	Edge_1RB_Left	23.62	18.17

n26_Part22	20	15	836.5	DFT	QPSK	Edge_1RB_Right	23.71	18.26
n26_Part22	20	15	836.5	DFT	QPSK	Outer_Full	23.62	18.17
n26_Part22	20	15	836.5	DFT	16QAM	Inner_Full	23.65	18.20
n26_Part22	20	15	836.5	DFT	16QAM	Edge_1RB_Left	23.01	17.56
n26_Part22	20	15	836.5	DFT	16QAM	Edge_1RB_Right	23.1	17.65
n26_Part22	20	15	836.5	DFT	16QAM	Outer_Full	22.65	17.20
n26_Part22	20	15	836.5	DFT	64QAM	Inner_Full	22.15	16.70
n26_Part22	20	15	836.5	DFT	64QAM	Edge_1RB_Left	21.17	15.72
n26_Part22	20	15	836.5	DFT	64QAM	Edge_1RB_Right	21.31	15.86
n26_Part22	20	15	836.5	DFT	64QAM	Outer_Full	22.14	16.69
n26_Part22	20	15	836.5	DFT	256QAM	Inner_Full	20.16	14.71
n26_Part22	20	15	836.5	DFT	256QAM	Edge_1RB_Left	20.12	14.67
n26_Part22	20	15	836.5	DFT	256QAM	Edge_1RB_Right	20.29	14.84
n26_Part22	20	15	836.5	DFT	256QAM	Outer_Full	20.14	14.69
n26_Part22	20	15	836.5	CP	QPSK	Inner_Full	23.09	17.64
n26_Part22	20	15	836.5	CP	QPSK	Edge_1RB_Left	21.72	16.27
n26_Part22	20	15	836.5	CP	QPSK	Edge_1RB_Right	21.74	16.29
n26_Part22	20	15	836.5	CP	QPSK	Outer_Full	21.64	16.19
n26_Part22	20	15	836.5	CP	16QAM	Inner_Full	22.65	17.20
n26_Part22	20	15	836.5	CP	16QAM	Edge_1RB_Left	21.94	16.49
n26_Part22	20	15	836.5	CP	16QAM	Edge_1RB_Right	21.97	16.52
n26_Part22	20	15	836.5	CP	16QAM	Outer_Full	21.65	16.20
n26_Part22	20	15	836.5	CP	64QAM	Inner_Full	21.19	15.74
n26_Part22	20	15	836.5	CP	64QAM	Edge_1RB_Left	21.11	15.66
n26_Part22	20	15	836.5	CP	64QAM	Edge_1RB_Right	21.14	15.69
n26_Part22	20	15	836.5	CP	64QAM	Outer_Full	21.13	15.68
n26_Part22	20	15	836.5	CP	256QAM	Inner_Full	18.14	12.69
n26_Part22	20	15	836.5	CP	256QAM	Edge_1RB_Left	18.27	12.82
n26_Part22	20	15	836.5	CP	256QAM	Edge_1RB_Right	18.36	12.91
n26_Part22	20	15	836.5	CP	256QAM	Outer_Full	18.15	12.70
n26_Part22	20	15	839	DFT	QPSK	Inner_Full	24.6	19.15
n26_Part22	20	15	839	DFT	QPSK	Edge_1RB_Left	23.5	18.05
n26_Part22	20	15	839	DFT	QPSK	Edge_1RB_Right	23.74	18.29
n26_Part22	20	15	839	DFT	QPSK	Outer_Full	23.64	18.19
n26_Part22	20	15	839	DFT	16QAM	Inner_Full	23.62	18.17
n26_Part22	20	15	839	DFT	16QAM	Edge_1RB_Left	22.82	17.37
n26_Part22	20	15	839	DFT	16QAM	Edge_1RB_Right	23.04	17.59
n26_Part22	20	15	839	DFT	16QAM	Outer_Full	22.65	17.20
n26_Part22	20	15	839	DFT	64QAM	Inner_Full	22.1	16.65
n26_Part22	20	15	839	DFT	64QAM	Edge_1RB_Left	21.06	15.61
n26_Part22	20	15	839	DFT	64QAM	Edge_1RB_Right	21.43	15.98

n26_Part22	20	15	839	DFT	64QAM	Outer_Full	22.13	16.68
n26_Part22	20	15	839	DFT	256QAM	Inner_Full	20.1	14.65
n26_Part22	20	15	839	DFT	256QAM	Edge_1RB_Left	20.07	14.62
n26_Part22	20	15	839	DFT	256QAM	Edge_1RB_Right	20.36	14.91
n26_Part22	20	15	839	DFT	256QAM	Outer_Full	20.15	14.70
n26_Part22	20	15	839	CP	QPSK	Inner_Full	23.06	17.61
n26_Part22	20	15	839	CP	QPSK	Edge_1RB_Left	21.55	16.10
n26_Part22	20	15	839	CP	QPSK	Edge_1RB_Right	21.84	16.39
n26_Part22	20	15	839	CP	QPSK	Outer_Full	21.66	16.21
n26_Part22	20	15	839	CP	16QAM	Inner_Full	22.62	17.17
n26_Part22	20	15	839	CP	16QAM	Edge_1RB_Left	21.79	16.34
n26_Part22	20	15	839	CP	16QAM	Edge_1RB_Right	22.09	16.64
n26_Part22	20	15	839	CP	16QAM	Outer_Full	21.69	16.24
n26_Part22	20	15	839	CP	64QAM	Inner_Full	21.12	15.67
n26_Part22	20	15	839	CP	64QAM	Edge_1RB_Left	21.07	15.62
n26_Part22	20	15	839	CP	64QAM	Edge_1RB_Right	21.33	15.88
n26_Part22	20	15	839	CP	64QAM	Outer_Full	21.17	15.72
n26_Part22	20	15	839	CP	256QAM	Inner_Full	18.04	12.59
n26_Part22	20	15	839	CP	256QAM	Edge_1RB_Left	18.24	12.79
n26_Part22	20	15	839	CP	256QAM	Edge_1RB_Right	18.45	13.00
n26_Part22	20	15	839	CP	256QAM	Outer_Full	18.14	12.69

NR n38- EIRP
Limits: ≤33 dBm (2W)

Max EIRP: 22.20dBm

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted POWER(dBm)	Radiated output power (dBm) GT = -2.7dBi
n38	10	30	2575	DFT	QPSK	Inner_Full	24.66	21.96
n38	10	30	2575	DFT	QPSK	Edge_1RB_Left	23.61	20.91
n38	10	30	2575	DFT	QPSK	Edge_1RB_Right	23.62	20.92
n38	10	30	2575	DFT	QPSK	Outer_Full	23.72	21.02
n38	10	30	2575	DFT	16QAM	Inner_Full	23.78	21.08
n38	10	30	2575	DFT	16QAM	Edge_1RB_Left	22.87	20.17
n38	10	30	2575	DFT	16QAM	Edge_1RB_Right	22.99	20.29
n38	10	30	2575	DFT	16QAM	Outer_Full	22.81	20.11
n38	10	30	2575	DFT	64QAM	Inner_Full	21.85	19.15
n38	10	30	2575	DFT	64QAM	Edge_1RB_Left	21.68	18.98
n38	10	30	2575	DFT	64QAM	Edge_1RB_Right	21.69	18.99
n38	10	30	2575	DFT	64QAM	Outer_Full	22.04	19.34
n38	10	30	2575	DFT	256QAM	Inner_Full	20.06	17.36
n38	10	30	2575	DFT	256QAM	Edge_1RB_Left	19.99	17.29
n38	10	30	2575	DFT	256QAM	Edge_1RB_Right	19.99	17.29
n38	10	30	2575	DFT	256QAM	Outer_Full	19.86	17.16
n38	10	30	2575	CP	QPSK	Inner_Full	23.05	20.35
n38	10	30	2575	CP	QPSK	Edge_1RB_Left	21.13	18.43
n38	10	30	2575	CP	QPSK	Edge_1RB_Right	21.19	18.49
n38	10	30	2575	CP	QPSK	Outer_Full	20.07	17.37
n38	10	30	2575	CP	16QAM	Inner_Full	22.77	20.07
n38	10	30	2575	CP	16QAM	Edge_1RB_Left	21.61	18.91
n38	10	30	2575	CP	16QAM	Edge_1RB_Right	21.5	18.80
n38	10	30	2575	CP	16QAM	Outer_Full	21.32	18.62
n38	10	30	2575	CP	64QAM	Inner_Full	20.86	18.16
n38	10	30	2575	CP	64QAM	Edge_1RB_Left	20.61	17.91
n38	10	30	2575	CP	64QAM	Edge_1RB_Right	20.5	17.80
n38	10	30	2575	CP	64QAM	Outer_Full	20.89	18.19
n38	10	30	2575	CP	256QAM	Inner_Full	18.05	15.35
n38	10	30	2575	CP	256QAM	Edge_1RB_Left	18.23	15.53
n38	10	30	2575	CP	256QAM	Edge_1RB_Right	18.14	15.44
n38	10	30	2575	CP	256QAM	Outer_Full	17.95	15.25
n38	10	30	2595	DFT	QPSK	Inner_Full	24.65	21.95
n38	10	30	2595	DFT	QPSK	Edge_1RB_Left	23.63	20.93
n38	10	30	2595	DFT	QPSK	Edge_1RB_Right	23.74	21.04

n38	10	30	2595	DFT	QPSK	Outer_Full	23.8	21.10
n38	10	30	2595	DFT	16QAM	Inner_Full	23.78	21.08
n38	10	30	2595	DFT	16QAM	Edge_1RB_Left	22.98	20.28
n38	10	30	2595	DFT	16QAM	Edge_1RB_Right	23	20.30
n38	10	30	2595	DFT	16QAM	Outer_Full	22.92	20.22
n38	10	30	2595	DFT	64QAM	Inner_Full	22.16	19.46
n38	10	30	2595	DFT	64QAM	Edge_1RB_Left	21.73	19.03
n38	10	30	2595	DFT	64QAM	Edge_1RB_Right	21.72	19.02
n38	10	30	2595	DFT	64QAM	Outer_Full	22.18	19.48
n38	10	30	2595	DFT	256QAM	Inner_Full	20.39	17.69
n38	10	30	2595	DFT	256QAM	Edge_1RB_Left	20.02	17.32
n38	10	30	2595	DFT	256QAM	Edge_1RB_Right	20.11	17.41
n38	10	30	2595	DFT	256QAM	Outer_Full	20.17	17.47
n38	10	30	2595	CP	QPSK	Inner_Full	23.23	20.53
n38	10	30	2595	CP	QPSK	Edge_1RB_Left	21.14	18.44
n38	10	30	2595	CP	QPSK	Edge_1RB_Right	21.17	18.47
n38	10	30	2595	CP	QPSK	Outer_Full	20.19	17.49
n38	10	30	2595	CP	16QAM	Inner_Full	22.95	20.25
n38	10	30	2595	CP	16QAM	Edge_1RB_Left	21.49	18.79
n38	10	30	2595	CP	16QAM	Edge_1RB_Right	21.62	18.92
n38	10	30	2595	CP	16QAM	Outer_Full	21.48	18.78
n38	10	30	2595	CP	64QAM	Inner_Full	21.2	18.50
n38	10	30	2595	CP	64QAM	Edge_1RB_Left	20.65	17.95
n38	10	30	2595	CP	64QAM	Edge_1RB_Right	20.69	17.99
n38	10	30	2595	CP	64QAM	Outer_Full	21.17	18.47
n38	10	30	2595	CP	256QAM	Inner_Full	18.46	15.76
n38	10	30	2595	CP	256QAM	Edge_1RB_Left	18.27	15.57
n38	10	30	2595	CP	256QAM	Edge_1RB_Right	18.22	15.52
n38	10	30	2595	CP	256QAM	Outer_Full	18.2	15.50
n38	10	30	2615	DFT	QPSK	Inner_Full	24.74	22.04
n38	10	30	2615	DFT	QPSK	Edge_1RB_Left	23.54	20.84
n38	10	30	2615	DFT	QPSK	Edge_1RB_Right	23.44	20.74
n38	10	30	2615	DFT	QPSK	Outer_Full	23.67	20.97
n38	10	30	2615	DFT	16QAM	Inner_Full	23.63	20.93
n38	10	30	2615	DFT	16QAM	Edge_1RB_Left	22.8	20.10
n38	10	30	2615	DFT	16QAM	Edge_1RB_Right	22.7	20.00
n38	10	30	2615	DFT	16QAM	Outer_Full	22.71	20.01
n38	10	30	2615	DFT	64QAM	Inner_Full	21.94	19.24
n38	10	30	2615	DFT	64QAM	Edge_1RB_Left	21.66	18.96
n38	10	30	2615	DFT	64QAM	Edge_1RB_Right	21.62	18.92
n38	10	30	2615	DFT	64QAM	Outer_Full	22.06	19.36

n38	10	30	2615	DFT	256QAM	Inner_Full	20.17	17.47
n38	10	30	2615	DFT	256QAM	Edge_1RB_Left	20.04	17.34
n38	10	30	2615	DFT	256QAM	Edge_1RB_Right	19.91	17.21
n38	10	30	2615	DFT	256QAM	Outer_Full	19.94	17.24
n38	10	30	2615	CP	QPSK	Inner_Full	23	20.30
n38	10	30	2615	CP	QPSK	Edge_1RB_Left	21.15	18.45
n38	10	30	2615	CP	QPSK	Edge_1RB_Right	20.99	18.29
n38	10	30	2615	CP	QPSK	Outer_Full	20.08	17.38
n38	10	30	2615	CP	16QAM	Inner_Full	22.88	20.18
n38	10	30	2615	CP	16QAM	Edge_1RB_Left	21.51	18.81
n38	10	30	2615	CP	16QAM	Edge_1RB_Right	21.48	18.78
n38	10	30	2615	CP	16QAM	Outer_Full	21.31	18.61
n38	10	30	2615	CP	64QAM	Inner_Full	20.8	18.10
n38	10	30	2615	CP	64QAM	Edge_1RB_Left	20.71	18.01
n38	10	30	2615	CP	64QAM	Edge_1RB_Right	20.47	17.77
n38	10	30	2615	CP	64QAM	Outer_Full	21.01	18.31
n38	10	30	2615	CP	256QAM	Inner_Full	18.08	15.38
n38	10	30	2615	CP	256QAM	Edge_1RB_Left	18.28	15.58
n38	10	30	2615	CP	256QAM	Edge_1RB_Right	18.14	15.44
n38	10	30	2615	CP	256QAM	Outer_Full	17.96	15.26
n38	15	30	2577.5	DFT	QPSK	Inner_Full	24.67	21.97
n38	15	30	2577.5	DFT	QPSK	Edge_1RB_Left	23.81	21.11
n38	15	30	2577.5	DFT	QPSK	Edge_1RB_Right	23.72	21.02
n38	15	30	2577.5	DFT	QPSK	Outer_Full	23.78	21.08
n38	15	30	2577.5	DFT	16QAM	Inner_Full	23.73	21.03
n38	15	30	2577.5	DFT	16QAM	Edge_1RB_Left	22.98	20.28
n38	15	30	2577.5	DFT	16QAM	Edge_1RB_Right	23.08	20.38
n38	15	30	2577.5	DFT	16QAM	Outer_Full	22.81	20.11
n38	15	30	2577.5	DFT	64QAM	Inner_Full	22.01	19.31
n38	15	30	2577.5	DFT	64QAM	Edge_1RB_Left	21.87	19.17
n38	15	30	2577.5	DFT	64QAM	Edge_1RB_Right	21.83	19.13
n38	15	30	2577.5	DFT	64QAM	Outer_Full	21.9	19.20
n38	15	30	2577.5	DFT	256QAM	Inner_Full	20.01	17.31
n38	15	30	2577.5	DFT	256QAM	Edge_1RB_Left	20.11	17.41
n38	15	30	2577.5	DFT	256QAM	Edge_1RB_Right	20.13	17.43
n38	15	30	2577.5	DFT	256QAM	Outer_Full	20	17.30
n38	15	30	2577.5	CP	QPSK	Inner_Full	23.28	20.58
n38	15	30	2577.5	CP	QPSK	Edge_1RB_Left	21.55	18.85
n38	15	30	2577.5	CP	QPSK	Edge_1RB_Right	21.65	18.95
n38	15	30	2577.5	CP	QPSK	Outer_Full	20.12	17.42
n38	15	30	2577.5	CP	16QAM	Inner_Full	22.64	19.94

n38	15	30	2577.5	CP	16QAM	Edge_1RB_Left	21.42	18.72
n38	15	30	2577.5	CP	16QAM	Edge_1RB_Right	21.62	18.92
n38	15	30	2577.5	CP	16QAM	Outer_Full	21.48	18.78
n38	15	30	2577.5	CP	64QAM	Inner_Full	20.94	18.24
n38	15	30	2577.5	CP	64QAM	Edge_1RB_Left	20.49	17.79
n38	15	30	2577.5	CP	64QAM	Edge_1RB_Right	20.75	18.05
n38	15	30	2577.5	CP	64QAM	Outer_Full	20.89	18.19
n38	15	30	2577.5	CP	256QAM	Inner_Full	18.13	15.43
n38	15	30	2577.5	CP	256QAM	Edge_1RB_Left	18.25	15.55
n38	15	30	2577.5	CP	256QAM	Edge_1RB_Right	18.31	15.61
n38	15	30	2577.5	CP	256QAM	Outer_Full	18.06	15.36
n38	15	30	2595	DFT	QPSK	Inner_Full	24.71	22.01
n38	15	30	2595	DFT	QPSK	Edge_1RB_Left	23.7	21.00
n38	15	30	2595	DFT	QPSK	Edge_1RB_Right	23.8	21.10
n38	15	30	2595	DFT	QPSK	Outer_Full	23.8	21.10
n38	15	30	2595	DFT	16QAM	Inner_Full	23.88	21.18
n38	15	30	2595	DFT	16QAM	Edge_1RB_Left	22.95	20.25
n38	15	30	2595	DFT	16QAM	Edge_1RB_Right	22.94	20.24
n38	15	30	2595	DFT	16QAM	Outer_Full	22.88	20.18
n38	15	30	2595	DFT	64QAM	Inner_Full	22.27	19.57
n38	15	30	2595	DFT	64QAM	Edge_1RB_Left	21.84	19.14
n38	15	30	2595	DFT	64QAM	Edge_1RB_Right	21.85	19.15
n38	15	30	2595	DFT	64QAM	Outer_Full	22.07	19.37
n38	15	30	2595	DFT	256QAM	Inner_Full	20.17	17.47
n38	15	30	2595	DFT	256QAM	Edge_1RB_Left	20.08	17.38
n38	15	30	2595	DFT	256QAM	Edge_1RB_Right	20.21	17.51
n38	15	30	2595	DFT	256QAM	Outer_Full	20.24	17.54
n38	15	30	2595	CP	QPSK	Inner_Full	23.33	20.63
n38	15	30	2595	CP	QPSK	Edge_1RB_Left	21.67	18.97
n38	15	30	2595	CP	QPSK	Edge_1RB_Right	21.73	19.03
n38	15	30	2595	CP	QPSK	Outer_Full	20.15	17.45
n38	15	30	2595	CP	16QAM	Inner_Full	22.75	20.05
n38	15	30	2595	CP	16QAM	Edge_1RB_Left	21.52	18.82
n38	15	30	2595	CP	16QAM	Edge_1RB_Right	21.55	18.85
n38	15	30	2595	CP	16QAM	Outer_Full	21.5	18.80
n38	15	30	2595	CP	64QAM	Inner_Full	21.18	18.48
n38	15	30	2595	CP	64QAM	Edge_1RB_Left	20.63	17.93
n38	15	30	2595	CP	64QAM	Edge_1RB_Right	20.84	18.14
n38	15	30	2595	CP	64QAM	Outer_Full	21.14	18.44
n38	15	30	2595	CP	256QAM	Inner_Full	18.42	15.72
n38	15	30	2595	CP	256QAM	Edge_1RB_Left	18.27	15.57

n38	15	30	2595	CP	256QAM	Edge_1RB_Right	18.44	15.74
n38	15	30	2595	CP	256QAM	Outer_Full	18.28	15.58
n38	15	30	2612.5	DFT	QPSK	Inner_Full	24.69	21.99
n38	15	30	2612.5	DFT	QPSK	Edge_1RB_Left	23.85	21.15
n38	15	30	2612.5	DFT	QPSK	Edge_1RB_Right	23.6	20.90
n38	15	30	2612.5	DFT	QPSK	Outer_Full	23.81	21.11
n38	15	30	2612.5	DFT	16QAM	Inner_Full	23.86	21.16
n38	15	30	2612.5	DFT	16QAM	Edge_1RB_Left	23.06	20.36
n38	15	30	2612.5	DFT	16QAM	Edge_1RB_Right	22.97	20.27
n38	15	30	2612.5	DFT	16QAM	Outer_Full	22.79	20.09
n38	15	30	2612.5	DFT	64QAM	Inner_Full	22.17	19.47
n38	15	30	2612.5	DFT	64QAM	Edge_1RB_Left	21.86	19.16
n38	15	30	2612.5	DFT	64QAM	Edge_1RB_Right	21.73	19.03
n38	15	30	2612.5	DFT	64QAM	Outer_Full	22.04	19.34
n38	15	30	2612.5	DFT	256QAM	Inner_Full	20.15	17.45
n38	15	30	2612.5	DFT	256QAM	Edge_1RB_Left	20.31	17.61
n38	15	30	2612.5	DFT	256QAM	Edge_1RB_Right	20.18	17.48
n38	15	30	2612.5	DFT	256QAM	Outer_Full	20.13	17.43
n38	15	30	2612.5	CP	QPSK	Inner_Full	23.47	20.77
n38	15	30	2612.5	CP	QPSK	Edge_1RB_Left	21.68	18.98
n38	15	30	2612.5	CP	QPSK	Edge_1RB_Right	21.62	18.92
n38	15	30	2612.5	CP	QPSK	Outer_Full	20.04	17.34
n38	15	30	2612.5	CP	16QAM	Inner_Full	22.75	20.05
n38	15	30	2612.5	CP	16QAM	Edge_1RB_Left	21.56	18.86
n38	15	30	2612.5	CP	16QAM	Edge_1RB_Right	21.53	18.83
n38	15	30	2612.5	CP	16QAM	Outer_Full	21.52	18.82
n38	15	30	2612.5	CP	64QAM	Inner_Full	21.1	18.40
n38	15	30	2612.5	CP	64QAM	Edge_1RB_Left	20.68	17.98
n38	15	30	2612.5	CP	64QAM	Edge_1RB_Right	20.79	18.09
n38	15	30	2612.5	CP	64QAM	Outer_Full	21.07	18.37
n38	15	30	2612.5	CP	256QAM	Inner_Full	18.33	15.63
n38	15	30	2612.5	CP	256QAM	Edge_1RB_Left	18.46	15.76
n38	15	30	2612.5	CP	256QAM	Edge_1RB_Right	18.33	15.63
n38	15	30	2612.5	CP	256QAM	Outer_Full	18.25	15.55
n38	20	30	2580	DFT	QPSK	Inner_Full	24.75	22.05
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	23.71	21.01
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	23.77	21.07
n38	20	30	2580	DFT	QPSK	Outer_Full	23.82	21.12
n38	20	30	2580	DFT	16QAM	Inner_Full	23.86	21.16
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	23.14	20.44
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	23.18	20.48

n38	20	30	2580	DFT	16QAM	Outer_Full	22.95	20.25
n38	20	30	2580	DFT	64QAM	Inner_Full	22.02	19.32
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	21.84	19.14
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	21.86	19.16
n38	20	30	2580	DFT	64QAM	Outer_Full	21.94	19.24
n38	20	30	2580	DFT	256QAM	Inner_Full	20.01	17.31
n38	20	30	2580	DFT	256QAM	Edge_1RB_Left	20.15	17.45
n38	20	30	2580	DFT	256QAM	Edge_1RB_Right	20.21	17.51
n38	20	30	2580	DFT	256QAM	Outer_Full	20.02	17.32
n38	20	30	2580	CP	QPSK	Inner_Full	23.32	20.62
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	21.57	18.87
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	21.87	19.17
n38	20	30	2580	CP	QPSK	Outer_Full	20.05	17.35
n38	20	30	2580	CP	16QAM	Inner_Full	22.83	20.13
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	21.6	18.90
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	21.52	18.82
n38	20	30	2580	CP	16QAM	Outer_Full	21.44	18.74
n38	20	30	2580	CP	64QAM	Inner_Full	21.04	18.34
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	20.6	17.90
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	20.68	17.98
n38	20	30	2580	CP	64QAM	Outer_Full	20.95	18.25
n38	20	30	2580	CP	256QAM	Inner_Full	18.08	15.38
n38	20	30	2580	CP	256QAM	Edge_1RB_Left	18.35	15.65
n38	20	30	2580	CP	256QAM	Edge_1RB_Right	18.41	15.71
n38	20	30	2580	CP	256QAM	Outer_Full	18.15	15.45
n38	20	30	2595	DFT	QPSK	Inner_Full	24.79	22.09
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	23.66	20.96
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	23.71	21.01
n38	20	30	2595	DFT	QPSK	Outer_Full	23.89	21.19
n38	20	30	2595	DFT	16QAM	Inner_Full	23.87	21.17
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	23.04	20.34
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	22.95	20.25
n38	20	30	2595	DFT	16QAM	Outer_Full	22.88	20.18
n38	20	30	2595	DFT	64QAM	Inner_Full	22.18	19.48
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	21.75	19.05
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	21.83	19.13
n38	20	30	2595	DFT	64QAM	Outer_Full	22.03	19.33
n38	20	30	2595	DFT	256QAM	Inner_Full	20.22	17.52
n38	20	30	2595	DFT	256QAM	Edge_1RB_Left	20.13	17.43
n38	20	30	2595	DFT	256QAM	Edge_1RB_Right	20.24	17.54
n38	20	30	2595	DFT	256QAM	Outer_Full	20.17	17.47

n38	20	30	2595	CP	QPSK	Inner_Full	23.4	20.70
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	21.59	18.89
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	21.74	19.04
n38	20	30	2595	CP	QPSK	Outer_Full	20.11	17.41
n38	20	30	2595	CP	16QAM	Inner_Full	22.82	20.12
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	21.54	18.84
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	21.67	18.97
n38	20	30	2595	CP	16QAM	Outer_Full	21.54	18.84
n38	20	30	2595	CP	64QAM	Inner_Full	21.22	18.52
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	20.53	17.83
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	20.8	18.10
n38	20	30	2595	CP	64QAM	Outer_Full	21.05	18.35
n38	20	30	2595	CP	256QAM	Inner_Full	18.31	15.61
n38	20	30	2595	CP	256QAM	Edge_1RB_Left	18.3	15.60
n38	20	30	2595	CP	256QAM	Edge_1RB_Right	18.42	15.72
n38	20	30	2595	CP	256QAM	Outer_Full	18.27	15.57
n38	20	30	2610	DFT	QPSK	Inner_Full	24.84	22.14
n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	23.89	21.19
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	23.65	20.95
n38	20	30	2610	DFT	QPSK	Outer_Full	23.89	21.19
n38	20	30	2610	DFT	16QAM	Inner_Full	23.86	21.16
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	23.09	20.39
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	22.81	20.11
n38	20	30	2610	DFT	16QAM	Outer_Full	22.91	20.21
n38	20	30	2610	DFT	64QAM	Inner_Full	22.14	19.44
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	21.91	19.21
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	21.73	19.03
n38	20	30	2610	DFT	64QAM	Outer_Full	22.07	19.37
n38	20	30	2610	DFT	256QAM	Inner_Full	20.15	17.45
n38	20	30	2610	DFT	256QAM	Edge_1RB_Left	20.29	17.59
n38	20	30	2610	DFT	256QAM	Edge_1RB_Right	20.1	17.40
n38	20	30	2610	DFT	256QAM	Outer_Full	20.19	17.49
n38	20	30	2610	CP	QPSK	Inner_Full	23.22	20.52
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	21.64	18.94
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	21.67	18.97
n38	20	30	2610	CP	QPSK	Outer_Full	20.13	17.43
n38	20	30	2610	CP	16QAM	Inner_Full	22.85	20.15
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	21.57	18.87
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	21.74	19.04
n38	20	30	2610	CP	16QAM	Outer_Full	21.48	18.78
n38	20	30	2610	CP	64QAM	Inner_Full	21.13	18.43

n38	20	30	2610	CP	64QAM	Edge_1RB_Left	20.82	18.12
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	20.71	18.01
n38	20	30	2610	CP	64QAM	Outer_Full	21.09	18.39
n38	20	30	2610	CP	256QAM	Inner_Full	18.2	15.50
n38	20	30	2610	CP	256QAM	Edge_1RB_Left	18.43	15.73
n38	20	30	2610	CP	256QAM	Edge_1RB_Right	18.33	15.63
n38	20	30	2610	CP	256QAM	Outer_Full	18.26	15.56
n38	30	30	2585	DFT	QPSK	Inner_Full	24.68	21.98
n38	30	30	2585	DFT	QPSK	Edge_1RB_Left	23.77	21.07
n38	30	30	2585	DFT	QPSK	Edge_1RB_Right	23.83	21.13
n38	30	30	2585	DFT	QPSK	Outer_Full	23.87	21.17
n38	30	30	2585	DFT	16QAM	Inner_Full	23.78	21.08
n38	30	30	2585	DFT	16QAM	Edge_1RB_Left	23.1	20.40
n38	30	30	2585	DFT	16QAM	Edge_1RB_Right	23.12	20.42
n38	30	30	2585	DFT	16QAM	Outer_Full	22.91	20.21
n38	30	30	2585	DFT	64QAM	Inner_Full	21.95	19.25
n38	30	30	2585	DFT	64QAM	Edge_1RB_Left	21.84	19.14
n38	30	30	2585	DFT	64QAM	Edge_1RB_Right	21.89	19.19
n38	30	30	2585	DFT	64QAM	Outer_Full	22.03	19.33
n38	30	30	2585	DFT	256QAM	Inner_Full	20	17.30
n38	30	30	2585	DFT	256QAM	Edge_1RB_Left	20.19	17.49
n38	30	30	2585	DFT	256QAM	Edge_1RB_Right	20.33	17.63
n38	30	30	2585	DFT	256QAM	Outer_Full	20.1	17.40
n38	30	30	2585	CP	QPSK	Inner_Full	23.24	20.54
n38	30	30	2585	CP	QPSK	Edge_1RB_Left	21.74	19.04
n38	30	30	2585	CP	QPSK	Edge_1RB_Right	21.7	19.00
n38	30	30	2585	CP	QPSK	Outer_Full	20.09	17.39
n38	30	30	2585	CP	16QAM	Inner_Full	22.86	20.16
n38	30	30	2585	CP	16QAM	Edge_1RB_Left	21.6	18.90
n38	30	30	2585	CP	16QAM	Edge_1RB_Right	21.58	18.88
n38	30	30	2585	CP	16QAM	Outer_Full	21.53	18.83
n38	30	30	2585	CP	64QAM	Inner_Full	21	18.30
n38	30	30	2585	CP	64QAM	Edge_1RB_Left	20.66	17.96
n38	30	30	2585	CP	64QAM	Edge_1RB_Right	20.81	18.11
n38	30	30	2585	CP	64QAM	Outer_Full	21.04	18.34
n38	30	30	2585	CP	256QAM	Inner_Full	18.11	15.41
n38	30	30	2585	CP	256QAM	Edge_1RB_Left	18.3	15.60
n38	30	30	2585	CP	256QAM	Edge_1RB_Right	18.44	15.74
n38	30	30	2585	CP	256QAM	Outer_Full	18.14	15.44
n38	30	30	2595	DFT	QPSK	Inner_Full	24.8	22.10
n38	30	30	2595	DFT	QPSK	Edge_1RB_Left	23.71	21.01

n38	30	30	2595	DFT	QPSK	Edge_1RB_Right	23.69	20.99
n38	30	30	2595	DFT	QPSK	Outer_Full	23.88	21.18
n38	30	30	2595	DFT	16QAM	Inner_Full	23.91	21.21
n38	30	30	2595	DFT	16QAM	Edge_1RB_Left	23.22	20.52
n38	30	30	2595	DFT	16QAM	Edge_1RB_Right	22.94	20.24
n38	30	30	2595	DFT	16QAM	Outer_Full	22.94	20.24
n38	30	30	2595	DFT	64QAM	Inner_Full	22.03	19.33
n38	30	30	2595	DFT	64QAM	Edge_1RB_Left	21.82	19.12
n38	30	30	2595	DFT	64QAM	Edge_1RB_Right	21.83	19.13
n38	30	30	2595	DFT	64QAM	Outer_Full	22.1	19.40
n38	30	30	2595	DFT	256QAM	Inner_Full	20.2	17.50
n38	30	30	2595	DFT	256QAM	Edge_1RB_Left	20.11	17.41
n38	30	30	2595	DFT	256QAM	Edge_1RB_Right	20.24	17.54
n38	30	30	2595	DFT	256QAM	Outer_Full	20.21	17.51
n38	30	30	2595	CP	QPSK	Inner_Full	23.35	20.65
n38	30	30	2595	CP	QPSK	Edge_1RB_Left	21.42	18.72
n38	30	30	2595	CP	QPSK	Edge_1RB_Right	21.62	18.92
n38	30	30	2595	CP	QPSK	Outer_Full	20.13	17.43
n38	30	30	2595	CP	16QAM	Inner_Full	22.99	20.29
n38	30	30	2595	CP	16QAM	Edge_1RB_Left	21.54	18.84
n38	30	30	2595	CP	16QAM	Edge_1RB_Right	21.7	19.00
n38	30	30	2595	CP	16QAM	Outer_Full	21.62	18.92
n38	30	30	2595	CP	64QAM	Inner_Full	21.19	18.49
n38	30	30	2595	CP	64QAM	Edge_1RB_Left	20.62	17.92
n38	30	30	2595	CP	64QAM	Edge_1RB_Right	20.63	17.93
n38	30	30	2595	CP	64QAM	Outer_Full	21.14	18.44
n38	30	30	2595	CP	256QAM	Inner_Full	18.28	15.58
n38	30	30	2595	CP	256QAM	Edge_1RB_Left	18.29	15.59
n38	30	30	2595	CP	256QAM	Edge_1RB_Right	18.39	15.69
n38	30	30	2595	CP	256QAM	Outer_Full	18.26	15.56
n38	30	30	2605	DFT	QPSK	Inner_Full	24.81	22.11
n38	30	30	2605	DFT	QPSK	Edge_1RB_Left	23.78	21.08
n38	30	30	2605	DFT	QPSK	Edge_1RB_Right	23.56	20.86
n38	30	30	2605	DFT	QPSK	Outer_Full	23.83	21.13
n38	30	30	2605	DFT	16QAM	Inner_Full	23.87	21.17
n38	30	30	2605	DFT	16QAM	Edge_1RB_Left	23.18	20.48
n38	30	30	2605	DFT	16QAM	Edge_1RB_Right	22.76	20.06
n38	30	30	2605	DFT	16QAM	Outer_Full	22.98	20.28
n38	30	30	2605	DFT	64QAM	Inner_Full	22.1	19.40
n38	30	30	2605	DFT	64QAM	Edge_1RB_Left	21.9	19.20
n38	30	30	2605	DFT	64QAM	Edge_1RB_Right	21.78	19.08

n38	30	30	2605	DFT	64QAM	Outer_Full	22.11	19.41
n38	30	30	2605	DFT	256QAM	Inner_Full	20.16	17.46
n38	30	30	2605	DFT	256QAM	Edge_1RB_Left	20.16	17.46
n38	30	30	2605	DFT	256QAM	Edge_1RB_Right	20.04	17.34
n38	30	30	2605	DFT	256QAM	Outer_Full	20.21	17.51
n38	30	30	2605	CP	QPSK	Inner_Full	23.22	20.52
n38	30	30	2605	CP	QPSK	Edge_1RB_Left	21.47	18.77
n38	30	30	2605	CP	QPSK	Edge_1RB_Right	21.49	18.79
n38	30	30	2605	CP	QPSK	Outer_Full	20.18	17.48
n38	30	30	2605	CP	16QAM	Inner_Full	22.9	20.20
n38	30	30	2605	CP	16QAM	Edge_1RB_Left	21.55	18.85
n38	30	30	2605	CP	16QAM	Edge_1RB_Right	21.5	18.80
n38	30	30	2605	CP	16QAM	Outer_Full	21.64	18.94
n38	30	30	2605	CP	64QAM	Inner_Full	21.16	18.46
n38	30	30	2605	CP	64QAM	Edge_1RB_Left	20.54	17.84
n38	30	30	2605	CP	64QAM	Edge_1RB_Right	20.66	17.96
n38	30	30	2605	CP	64QAM	Outer_Full	21.16	18.46
n38	30	30	2605	CP	256QAM	Inner_Full	18.27	15.57
n38	30	30	2605	CP	256QAM	Edge_1RB_Left	18.28	15.58
n38	30	30	2605	CP	256QAM	Edge_1RB_Right	18.22	15.52
n38	30	30	2605	CP	256QAM	Outer_Full	18.29	15.59
n38	40	30	2590	DFT	QPSK	Inner_Full	24.82	22.12
n38	40	30	2590	DFT	QPSK	Edge_1RB_Left	23.74	21.04
n38	40	30	2590	DFT	QPSK	Edge_1RB_Right	23.77	21.07
n38	40	30	2590	DFT	QPSK	Outer_Full	23.99	21.29
n38	40	30	2590	DFT	16QAM	Inner_Full	23.96	21.26
n38	40	30	2590	DFT	16QAM	Edge_1RB_Left	23.34	20.64
n38	40	30	2590	DFT	16QAM	Edge_1RB_Right	23.03	20.33
n38	40	30	2590	DFT	16QAM	Outer_Full	23	20.30
n38	40	30	2590	DFT	64QAM	Inner_Full	22.17	19.47
n38	40	30	2590	DFT	64QAM	Edge_1RB_Left	21.9	19.20
n38	40	30	2590	DFT	64QAM	Edge_1RB_Right	21.91	19.21
n38	40	30	2590	DFT	64QAM	Outer_Full	22.11	19.41
n38	40	30	2590	DFT	256QAM	Inner_Full	20.22	17.52
n38	40	30	2590	DFT	256QAM	Edge_1RB_Left	20.1	17.40
n38	40	30	2590	DFT	256QAM	Edge_1RB_Right	20.32	17.62
n38	40	30	2590	DFT	256QAM	Outer_Full	20.19	17.49
n38	40	30	2590	CP	QPSK	Inner_Full	23.41	20.71
n38	40	30	2590	CP	QPSK	Edge_1RB_Left	21.55	18.85
n38	40	30	2590	CP	QPSK	Edge_1RB_Right	21.92	19.22
n38	40	30	2590	CP	QPSK	Outer_Full	20.15	17.45

n38	40	30	2590	CP	16QAM	Inner_Full	23.05	20.35
n38	40	30	2590	CP	16QAM	Edge_1RB_Left	21.51	18.81
n38	40	30	2590	CP	16QAM	Edge_1RB_Right	21.63	18.93
n38	40	30	2590	CP	16QAM	Outer_Full	21.63	18.93
n38	40	30	2590	CP	64QAM	Inner_Full	21.18	18.48
n38	40	30	2590	CP	64QAM	Edge_1RB_Left	20.68	17.98
n38	40	30	2590	CP	64QAM	Edge_1RB_Right	20.72	18.02
n38	40	30	2590	CP	64QAM	Outer_Full	21.17	18.47
n38	40	30	2590	CP	256QAM	Inner_Full	18.34	15.64
n38	40	30	2590	CP	256QAM	Edge_1RB_Left	18.28	15.58
n38	40	30	2590	CP	256QAM	Edge_1RB_Right	18.43	15.73
n38	40	30	2590	CP	256QAM	Outer_Full	18.25	15.55
n38	40	30	2595	DFT	QPSK	Inner_Full	24.82	22.12
n38	40	30	2595	DFT	QPSK	Edge_1RB_Left	23.73	21.03
n38	40	30	2595	DFT	QPSK	Edge_1RB_Right	23.6	20.90
n38	40	30	2595	DFT	QPSK	Outer_Full	23.81	21.11
n38	40	30	2595	DFT	16QAM	Inner_Full	23.81	21.11
n38	40	30	2595	DFT	16QAM	Edge_1RB_Left	22.48	19.78
n38	40	30	2595	DFT	16QAM	Edge_1RB_Right	22.52	19.82
n38	40	30	2595	DFT	16QAM	Outer_Full	22.92	20.22
n38	40	30	2595	DFT	64QAM	Inner_Full	22.11	19.41
n38	40	30	2595	DFT	64QAM	Edge_1RB_Left	22.04	19.34
n38	40	30	2595	DFT	64QAM	Edge_1RB_Right	22.01	19.31
n38	40	30	2595	DFT	64QAM	Outer_Full	22.04	19.34
n38	40	30	2595	DFT	256QAM	Inner_Full	20.18	17.48
n38	40	30	2595	DFT	256QAM	Edge_1RB_Left	20.23	17.53
n38	40	30	2595	DFT	256QAM	Edge_1RB_Right	20.17	17.47
n38	40	30	2595	DFT	256QAM	Outer_Full	20.2	17.50
n38	40	30	2595	CP	QPSK	Inner_Full	23.29	20.59
n38	40	30	2595	CP	QPSK	Edge_1RB_Left	21.27	18.57
n38	40	30	2595	CP	QPSK	Edge_1RB_Right	21.39	18.69
n38	40	30	2595	CP	QPSK	Outer_Full	20.13	17.43
n38	40	30	2595	CP	16QAM	Inner_Full	22.91	20.21
n38	40	30	2595	CP	16QAM	Edge_1RB_Left	21.04	18.34
n38	40	30	2595	CP	16QAM	Edge_1RB_Right	21.3	18.60
n38	40	30	2595	CP	16QAM	Outer_Full	21.58	18.88
n38	40	30	2595	CP	64QAM	Inner_Full	21.14	18.44
n38	40	30	2595	CP	64QAM	Edge_1RB_Left	20.78	18.08
n38	40	30	2595	CP	64QAM	Edge_1RB_Right	20.92	18.22
n38	40	30	2595	CP	64QAM	Outer_Full	21.06	18.36
n38	40	30	2595	CP	256QAM	Inner_Full	18.28	15.58

n38	40	30	2595	CP	256QAM	Edge_1RB_Left	18.36	15.66
n38	40	30	2595	CP	256QAM	Edge_1RB_Right	18.47	15.77
n38	40	30	2595	CP	256QAM	Outer_Full	18.27	15.57
n38	40	30	2600	DFT	QPSK	Inner_Full	24.9	22.20
n38	40	30	2600	DFT	QPSK	Edge_1RB_Left	23.71	21.01
n38	40	30	2600	DFT	QPSK	Edge_1RB_Right	23.62	20.92
n38	40	30	2600	DFT	QPSK	Outer_Full	23.9	21.20
n38	40	30	2600	DFT	16QAM	Inner_Full	23.94	21.24
n38	40	30	2600	DFT	16QAM	Edge_1RB_Left	23.13	20.43
n38	40	30	2600	DFT	16QAM	Edge_1RB_Right	23.01	20.31
n38	40	30	2600	DFT	16QAM	Outer_Full	22.93	20.23
n38	40	30	2600	DFT	64QAM	Inner_Full	22.24	19.54
n38	40	30	2600	DFT	64QAM	Edge_1RB_Left	21.85	19.15
n38	40	30	2600	DFT	64QAM	Edge_1RB_Right	21.82	19.12
n38	40	30	2600	DFT	64QAM	Outer_Full	22.12	19.42
n38	40	30	2600	DFT	256QAM	Inner_Full	20.34	17.64
n38	40	30	2600	DFT	256QAM	Edge_1RB_Left	20.13	17.43
n38	40	30	2600	DFT	256QAM	Edge_1RB_Right	20.14	17.44
n38	40	30	2600	DFT	256QAM	Outer_Full	20.24	17.54
n38	40	30	2600	CP	QPSK	Inner_Full	23.5	20.80
n38	40	30	2600	CP	QPSK	Edge_1RB_Left	21.74	19.04
n38	40	30	2600	CP	QPSK	Edge_1RB_Right	21.59	18.89
n38	40	30	2600	CP	QPSK	Outer_Full	20.19	17.49
n38	40	30	2600	CP	16QAM	Inner_Full	23.04	20.34
n38	40	30	2600	CP	16QAM	Edge_1RB_Left	21.56	18.86
n38	40	30	2600	CP	16QAM	Edge_1RB_Right	21.48	18.78
n38	40	30	2600	CP	16QAM	Outer_Full	21.71	19.01
n38	40	30	2600	CP	64QAM	Inner_Full	21.26	18.56
n38	40	30	2600	CP	64QAM	Edge_1RB_Left	20.69	17.99
n38	40	30	2600	CP	64QAM	Edge_1RB_Right	20.71	18.01
n38	40	30	2600	CP	64QAM	Outer_Full	21.19	18.49
n38	40	30	2600	CP	256QAM	Inner_Full	18.38	15.68
n38	40	30	2600	CP	256QAM	Edge_1RB_Left	18.28	15.58
n38	40	30	2600	CP	256QAM	Edge_1RB_Right	18.33	15.63
n38	40	30	2600	CP	256QAM	Outer_Full	18.33	15.63

NR n41- EIRP
Limits: ≤33 dBm (2W)

Max EIRP: 21.50dBm

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted POWER(dBm)	Radiated POWER(dBm) GT = -3.5Bi
n41	20	30	2506	DFT	QPSK	Inner_Full	24.24	20.74
n41	20	30	2506	DFT	QPSK	Edge_1RB_Left	23.33	19.83
n41	20	30	2506	DFT	QPSK	Edge_1RB_Right	23.16	19.66
n41	20	30	2506	DFT	QPSK	Outer_Full	23.37	19.87
n41	20	30	2506	DFT	16QAM	Inner_Full	23.74	20.24
n41	20	30	2506	DFT	16QAM	Edge_1RB_Left	22.08	18.58
n41	20	30	2506	DFT	16QAM	Edge_1RB_Right	22.01	18.51
n41	20	30	2506	DFT	16QAM	Outer_Full	21.9	18.40
n41	20	30	2506	DFT	64QAM	Inner_Full	21.95	18.45
n41	20	30	2506	DFT	64QAM	Edge_1RB_Left	21.55	18.05
n41	20	30	2506	DFT	64QAM	Edge_1RB_Right	21.27	17.77
n41	20	30	2506	DFT	64QAM	Outer_Full	21.45	17.95
n41	20	30	2506	DFT	256QAM	Inner_Full	20.02	16.52
n41	20	30	2506	DFT	256QAM	Edge_1RB_Left	19.67	16.17
n41	20	30	2506	DFT	256QAM	Edge_1RB_Right	19.54	16.04
n41	20	30	2506	DFT	256QAM	Outer_Full	20.01	16.51
n41	20	30	2506	CP	QPSK	Inner_Full	23.14	19.64
n41	20	30	2506	CP	QPSK	Edge_1RB_Left	20.39	16.89
n41	20	30	2506	CP	QPSK	Edge_1RB_Right	20.17	16.67
n41	20	30	2506	CP	QPSK	Outer_Full	20.89	17.39
n41	20	30	2506	CP	16QAM	Inner_Full	22.76	19.26
n41	20	30	2506	CP	16QAM	Edge_1RB_Left	21.2	17.70
n41	20	30	2506	CP	16QAM	Edge_1RB_Right	21.01	17.51
n41	20	30	2506	CP	16QAM	Outer_Full	20.91	17.41
n41	20	30	2506	CP	64QAM	Inner_Full	20.97	17.47
n41	20	30	2506	CP	64QAM	Edge_1RB_Left	20.24	16.74
n41	20	30	2506	CP	64QAM	Edge_1RB_Right	20.06	16.56
n41	20	30	2506	CP	64QAM	Outer_Full	20.44	16.94
n41	20	30	2506	CP	256QAM	Inner_Full	18.06	14.56
n41	20	30	2506	CP	256QAM	Edge_1RB_Left	17.83	14.33
n41	20	30	2506	CP	256QAM	Edge_1RB_Right	17.73	14.23
n41	20	30	2506	CP	256QAM	Outer_Full	18.08	14.58
n41	20	30	2593	DFT	QPSK	Inner_Full	24.83	21.33
n41	20	30	2593	DFT	QPSK	Edge_1RB_Left	23.74	20.24

n41	20	30	2593	DFT	QPSK	Edge_1RB_Right	23.85	20.35
n41	20	30	2593	DFT	QPSK	Outer_Full	23.93	20.43
n41	20	30	2593	DFT	16QAM	Inner_Full	24.31	20.81
n41	20	30	2593	DFT	16QAM	Edge_1RB_Left	22.4	18.90
n41	20	30	2593	DFT	16QAM	Edge_1RB_Right	22.81	19.31
n41	20	30	2593	DFT	16QAM	Outer_Full	22.6	19.10
n41	20	30	2593	DFT	64QAM	Inner_Full	22.67	19.17
n41	20	30	2593	DFT	64QAM	Edge_1RB_Left	21.85	18.35
n41	20	30	2593	DFT	64QAM	Edge_1RB_Right	22.09	18.59
n41	20	30	2593	DFT	64QAM	Outer_Full	22.15	18.65
n41	20	30	2593	DFT	256QAM	Inner_Full	20.82	17.32
n41	20	30	2593	DFT	256QAM	Edge_1RB_Left	20.04	16.54
n41	20	30	2593	DFT	256QAM	Edge_1RB_Right	20.29	16.79
n41	20	30	2593	DFT	256QAM	Outer_Full	20.8	17.30
n41	20	30	2593	CP	QPSK	Inner_Full	23.76	20.26
n41	20	30	2593	CP	QPSK	Edge_1RB_Left	20.72	17.22
n41	20	30	2593	CP	QPSK	Edge_1RB_Right	20.87	17.37
n41	20	30	2593	CP	QPSK	Outer_Full	21.63	18.13
n41	20	30	2593	CP	16QAM	Inner_Full	23.45	19.95
n41	20	30	2593	CP	16QAM	Edge_1RB_Left	21.44	17.94
n41	20	30	2593	CP	16QAM	Edge_1RB_Right	21.7	18.20
n41	20	30	2593	CP	16QAM	Outer_Full	21.65	18.15
n41	20	30	2593	CP	64QAM	Inner_Full	21.82	18.32
n41	20	30	2593	CP	64QAM	Edge_1RB_Left	20.62	17.12
n41	20	30	2593	CP	64QAM	Edge_1RB_Right	20.9	17.40
n41	20	30	2593	CP	64QAM	Outer_Full	21.22	17.72
n41	20	30	2593	CP	256QAM	Inner_Full	18.93	15.43
n41	20	30	2593	CP	256QAM	Edge_1RB_Left	18.3	14.80
n41	20	30	2593	CP	256QAM	Edge_1RB_Right	18.6	15.10
n41	20	30	2593	CP	256QAM	Outer_Full	18.96	15.46
n41	20	30	2680	DFT	QPSK	Inner_Full	24.74	21.24
n41	20	30	2680	DFT	QPSK	Edge_1RB_Left	23.72	20.22
n41	20	30	2680	DFT	QPSK	Edge_1RB_Right	23.6	20.10
n41	20	30	2680	DFT	QPSK	Outer_Full	23.7	20.20
n41	20	30	2680	DFT	16QAM	Inner_Full	24.15	20.65
n41	20	30	2680	DFT	16QAM	Edge_1RB_Left	22.62	19.12
n41	20	30	2680	DFT	16QAM	Edge_1RB_Right	22.58	19.08
n41	20	30	2680	DFT	16QAM	Outer_Full	22.42	18.92
n41	20	30	2680	DFT	64QAM	Inner_Full	22.49	18.99

n41	20	30	2680	DFT	64QAM	Edge_1RB_Left	21.91	18.41
n41	20	30	2680	DFT	64QAM	Edge_1RB_Right	21.72	18.22
n41	20	30	2680	DFT	64QAM	Outer_Full	21.92	18.42
n41	20	30	2680	DFT	256QAM	Inner_Full	20.55	17.05
n41	20	30	2680	DFT	256QAM	Edge_1RB_Left	20.18	16.68
n41	20	30	2680	DFT	256QAM	Edge_1RB_Right	20.02	16.52
n41	20	30	2680	DFT	256QAM	Outer_Full	20.48	16.98
n41	20	30	2680	CP	QPSK	Inner_Full	23.58	20.08
n41	20	30	2680	CP	QPSK	Edge_1RB_Left	20.74	17.24
n41	20	30	2680	CP	QPSK	Edge_1RB_Right	20.59	17.09
n41	20	30	2680	CP	QPSK	Outer_Full	21.43	17.93
n41	20	30	2680	CP	16QAM	Inner_Full	23.18	19.68
n41	20	30	2680	CP	16QAM	Edge_1RB_Left	21.5	18.00
n41	20	30	2680	CP	16QAM	Edge_1RB_Right	21.48	17.98
n41	20	30	2680	CP	16QAM	Outer_Full	21.49	17.99
n41	20	30	2680	CP	64QAM	Inner_Full	21.57	18.07
n41	20	30	2680	CP	64QAM	Edge_1RB_Left	20.74	17.24
n41	20	30	2680	CP	64QAM	Edge_1RB_Right	20.7	17.20
n41	20	30	2680	CP	64QAM	Outer_Full	20.96	17.46
n41	20	30	2680	CP	256QAM	Inner_Full	18.57	15.07
n41	20	30	2680	CP	256QAM	Edge_1RB_Left	18.35	14.85
n41	20	30	2680	CP	256QAM	Edge_1RB_Right	18.23	14.73
n41	20	30	2680	CP	256QAM	Outer_Full	18.61	15.11
n41	30	30	2511	DFT	QPSK	Inner_Full	24.2	20.70
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	23.44	19.94
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	23.48	19.98
n41	30	30	2511	DFT	QPSK	Outer_Full	23.41	19.91
n41	30	30	2511	DFT	16QAM	Inner_Full	23.75	20.25
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	22.3	18.80
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.43	18.93
n41	30	30	2511	DFT	16QAM	Outer_Full	22.06	18.56
n41	30	30	2511	DFT	64QAM	Inner_Full	22.01	18.51
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	21.59	18.09
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	21.68	18.18
n41	30	30	2511	DFT	64QAM	Outer_Full	21.59	18.09
n41	30	30	2511	DFT	256QAM	Inner_Full	20.05	16.55
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	20.26	16.76
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	19.92	16.42
n41	30	30	2511	DFT	256QAM	Outer_Full	20.13	16.63

n41	30	30	2511	CP	QPSK	Inner_Full	23.18	19.68
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	20.31	16.81
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	20.45	16.95
n41	30	30	2511	CP	QPSK	Outer_Full	21.05	17.55
n41	30	30	2511	CP	16QAM	Inner_Full	22.82	19.32
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	21.13	17.63
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	21.24	17.74
n41	30	30	2511	CP	16QAM	Outer_Full	21.05	17.55
n41	30	30	2511	CP	64QAM	Inner_Full	21.1	17.60
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	20.16	16.66
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	20.39	16.89
n41	30	30	2511	CP	64QAM	Outer_Full	20.62	17.12
n41	30	30	2511	CP	256QAM	Inner_Full	18.14	14.64
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	17.91	14.41
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	18.06	14.56
n41	30	30	2511	CP	256QAM	Outer_Full	18.19	14.69
n41	30	30	2593	DFT	QPSK	Inner_Full	24.68	21.18
n41	30	30	2593	DFT	QPSK	Edge_1RB_Left	23.66	20.16
n41	30	30	2593	DFT	QPSK	Edge_1RB_Right	23.79	20.29
n41	30	30	2593	DFT	QPSK	Outer_Full	23.91	20.41
n41	30	30	2593	DFT	16QAM	Inner_Full	24.26	20.76
n41	30	30	2593	DFT	16QAM	Edge_1RB_Left	22.5	19.00
n41	30	30	2593	DFT	16QAM	Edge_1RB_Right	22.4	18.90
n41	30	30	2593	DFT	16QAM	Outer_Full	22.57	19.07
n41	30	30	2593	DFT	64QAM	Inner_Full	22.56	19.06
n41	30	30	2593	DFT	64QAM	Edge_1RB_Left	21.77	18.27
n41	30	30	2593	DFT	64QAM	Edge_1RB_Right	21.97	18.47
n41	30	30	2593	DFT	64QAM	Outer_Full	22.1	18.60
n41	30	30	2593	DFT	256QAM	Inner_Full	20.74	17.24
n41	30	30	2593	DFT	256QAM	Edge_1RB_Left	20	16.50
n41	30	30	2593	DFT	256QAM	Edge_1RB_Right	20.17	16.67
n41	30	30	2593	DFT	256QAM	Outer_Full	20.7	17.20
n41	30	30	2593	CP	QPSK	Inner_Full	23.76	20.26
n41	30	30	2593	CP	QPSK	Edge_1RB_Left	20.48	16.98
n41	30	30	2593	CP	QPSK	Edge_1RB_Right	20.96	17.46
n41	30	30	2593	CP	QPSK	Outer_Full	21.58	18.08
n41	30	30	2593	CP	16QAM	Inner_Full	23.35	19.85
n41	30	30	2593	CP	16QAM	Edge_1RB_Left	21.31	17.81
n41	30	30	2593	CP	16QAM	Edge_1RB_Right	21.5	18.00

n41	30	30	2593	CP	16QAM	Outer_Full	21.64	18.14
n41	30	30	2593	CP	64QAM	Inner_Full	21.72	18.22
n41	30	30	2593	CP	64QAM	Edge_1RB_Left	20.38	16.88
n41	30	30	2593	CP	64QAM	Edge_1RB_Right	20.56	17.06
n41	30	30	2593	CP	64QAM	Outer_Full	21.11	17.61
n41	30	30	2593	CP	256QAM	Inner_Full	18.89	15.39
n41	30	30	2593	CP	256QAM	Edge_1RB_Left	18.17	14.67
n41	30	30	2593	CP	256QAM	Edge_1RB_Right	18.32	14.82
n41	30	30	2593	CP	256QAM	Outer_Full	18.8	15.30
n41	30	30	2675	DFT	QPSK	Inner_Full	24.8	21.30
n41	30	30	2675	DFT	QPSK	Edge_1RB_Left	24.05	20.55
n41	30	30	2675	DFT	QPSK	Edge_1RB_Right	23.76	20.26
n41	30	30	2675	DFT	QPSK	Outer_Full	23.83	20.33
n41	30	30	2675	DFT	16QAM	Inner_Full	24.35	20.85
n41	30	30	2675	DFT	16QAM	Edge_1RB_Left	22.93	19.43
n41	30	30	2675	DFT	16QAM	Edge_1RB_Right	22.54	19.04
n41	30	30	2675	DFT	16QAM	Outer_Full	22.54	19.04
n41	30	30	2675	DFT	64QAM	Inner_Full	22.51	19.01
n41	30	30	2675	DFT	64QAM	Edge_1RB_Left	22.19	18.69
n41	30	30	2675	DFT	64QAM	Edge_1RB_Right	21.8	18.30
n41	30	30	2675	DFT	64QAM	Outer_Full	22.12	18.62
n41	30	30	2675	DFT	256QAM	Inner_Full	20.62	17.12
n41	30	30	2675	DFT	256QAM	Edge_1RB_Left	20.51	17.01
n41	30	30	2675	DFT	256QAM	Edge_1RB_Right	20.18	16.68
n41	30	30	2675	DFT	256QAM	Outer_Full	20.7	17.20
n41	30	30	2675	CP	QPSK	Inner_Full	23.77	20.27
n41	30	30	2675	CP	QPSK	Edge_1RB_Left	20.9	17.40
n41	30	30	2675	CP	QPSK	Edge_1RB_Right	20.65	17.15
n41	30	30	2675	CP	QPSK	Outer_Full	21.53	18.03
n41	30	30	2675	CP	16QAM	Inner_Full	23.35	19.85
n41	30	30	2675	CP	16QAM	Edge_1RB_Left	21.86	18.36
n41	30	30	2675	CP	16QAM	Edge_1RB_Right	21.45	17.95
n41	30	30	2675	CP	16QAM	Outer_Full	21.59	18.09
n41	30	30	2675	CP	64QAM	Inner_Full	21.55	18.05
n41	30	30	2675	CP	64QAM	Edge_1RB_Left	21.02	17.52
n41	30	30	2675	CP	64QAM	Edge_1RB_Right	20.64	17.14
n41	30	30	2675	CP	64QAM	Outer_Full	21.13	17.63
n41	30	30	2675	CP	256QAM	Inner_Full	18.77	15.27
n41	30	30	2675	CP	256QAM	Edge_1RB_Left	18.59	15.09

n41	30	30	2675	CP	256QAM	Edge_1RB_Right	18.32	14.82
n41	30	30	2675	CP	256QAM	Outer_Full	18.78	15.28
n41	40	30	2516	DFT	QPSK	Inner_Full	24.17	20.67
n41	40	30	2516	DFT	QPSK	Edge_1RB_Left	23.33	19.83
n41	40	30	2516	DFT	QPSK	Edge_1RB_Right	23.5	20.00
n41	40	30	2516	DFT	QPSK	Outer_Full	23.4	19.90
n41	40	30	2516	DFT	16QAM	Inner_Full	23.77	20.27
n41	40	30	2516	DFT	16QAM	Edge_1RB_Left	22.13	18.63
n41	40	30	2516	DFT	16QAM	Edge_1RB_Right	22.4	18.90
n41	40	30	2516	DFT	16QAM	Outer_Full	21.99	18.49
n41	40	30	2516	DFT	64QAM	Inner_Full	21.98	18.48
n41	40	30	2516	DFT	64QAM	Edge_1RB_Left	21.5	18.00
n41	40	30	2516	DFT	64QAM	Edge_1RB_Right	21.76	18.26
n41	40	30	2516	DFT	64QAM	Outer_Full	21.5	18.00
n41	40	30	2516	DFT	256QAM	Inner_Full	20.05	16.55
n41	40	30	2516	DFT	256QAM	Edge_1RB_Left	19.65	16.15
n41	40	30	2516	DFT	256QAM	Edge_1RB_Right	19.9	16.40
n41	40	30	2516	DFT	256QAM	Outer_Full	20.07	16.57
n41	40	30	2516	CP	QPSK	Inner_Full	23.19	19.69
n41	40	30	2516	CP	QPSK	Edge_1RB_Left	20.16	16.66
n41	40	30	2516	CP	QPSK	Edge_1RB_Right	20.47	16.97
n41	40	30	2516	CP	QPSK	Outer_Full	20.96	17.46
n41	40	30	2516	CP	16QAM	Inner_Full	22.84	19.34
n41	40	30	2516	CP	16QAM	Edge_1RB_Left	20.92	17.42
n41	40	30	2516	CP	16QAM	Edge_1RB_Right	21.32	17.82
n41	40	30	2516	CP	16QAM	Outer_Full	21.11	17.61
n41	40	30	2516	CP	64QAM	Inner_Full	20.98	17.48
n41	40	30	2516	CP	64QAM	Edge_1RB_Left	20.13	16.63
n41	40	30	2516	CP	64QAM	Edge_1RB_Right	20.34	16.84
n41	40	30	2516	CP	64QAM	Outer_Full	20.53	17.03
n41	40	30	2516	CP	256QAM	Inner_Full	18.13	14.63
n41	40	30	2516	CP	256QAM	Edge_1RB_Left	17.78	14.28
n41	40	30	2516	CP	256QAM	Edge_1RB_Right	18.04	14.54
n41	40	30	2516	CP	256QAM	Outer_Full	18.15	14.65
n41	40	30	2593	DFT	QPSK	Inner_Full	24.77	21.27
n41	40	30	2593	DFT	QPSK	Edge_1RB_Left	23.71	20.21
n41	40	30	2593	DFT	QPSK	Edge_1RB_Right	23.79	20.29
n41	40	30	2593	DFT	QPSK	Outer_Full	23.81	20.31
n41	40	30	2593	DFT	16QAM	Inner_Full	24.33	20.83

n41	40	30	2593	DFT	16QAM	Edge_1RB_Left	22.52	19.02
n41	40	30	2593	DFT	16QAM	Edge_1RB_Right	22.62	19.12
n41	40	30	2593	DFT	16QAM	Outer_Full	22.54	19.04
n41	40	30	2593	DFT	64QAM	Inner_Full	22.61	19.11
n41	40	30	2593	DFT	64QAM	Edge_1RB_Left	21.74	18.24
n41	40	30	2593	DFT	64QAM	Edge_1RB_Right	21.82	18.32
n41	40	30	2593	DFT	64QAM	Outer_Full	22.06	18.56
n41	40	30	2593	DFT	256QAM	Inner_Full	20.73	17.23
n41	40	30	2593	DFT	256QAM	Edge_1RB_Left	19.98	16.48
n41	40	30	2593	DFT	256QAM	Edge_1RB_Right	20.15	16.65
n41	40	30	2593	DFT	256QAM	Outer_Full	20.63	17.13
n41	40	30	2593	CP	QPSK	Inner_Full	23.82	20.32
n41	40	30	2593	CP	QPSK	Edge_1RB_Left	20.76	17.26
n41	40	30	2593	CP	QPSK	Edge_1RB_Right	20.65	17.15
n41	40	30	2593	CP	QPSK	Outer_Full	21.52	18.02
n41	40	30	2593	CP	16QAM	Inner_Full	23.27	19.77
n41	40	30	2593	CP	16QAM	Edge_1RB_Left	21.25	17.75
n41	40	30	2593	CP	16QAM	Edge_1RB_Right	21.48	17.98
n41	40	30	2593	CP	16QAM	Outer_Full	21.5	18.00
n41	40	30	2593	CP	64QAM	Inner_Full	21.71	18.21
n41	40	30	2593	CP	64QAM	Edge_1RB_Left	20.42	16.92
n41	40	30	2593	CP	64QAM	Edge_1RB_Right	20.63	17.13
n41	40	30	2593	CP	64QAM	Outer_Full	21.06	17.56
n41	40	30	2593	CP	256QAM	Inner_Full	18.85	15.35
n41	40	30	2593	CP	256QAM	Edge_1RB_Left	18.1	14.60
n41	40	30	2593	CP	256QAM	Edge_1RB_Right	18.3	14.80
n41	40	30	2593	CP	256QAM	Outer_Full	18.72	15.22
n41	40	30	2670	DFT	QPSK	Inner_Full	24.87	21.37
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	23.76	20.26
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	23.6	20.10
n41	40	30	2670	DFT	QPSK	Outer_Full	23.86	20.36
n41	40	30	2670	DFT	16QAM	Inner_Full	24.37	20.87
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.78	19.28
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.44	18.94
n41	40	30	2670	DFT	16QAM	Outer_Full	22.55	19.05
n41	40	30	2670	DFT	64QAM	Inner_Full	22.55	19.05
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	21.95	18.45
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	21.72	18.22
n41	40	30	2670	DFT	64QAM	Outer_Full	22.07	18.57

n41	40	30	2670	DFT	256QAM	Inner_Full	20.68	17.18
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	20.19	16.69
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	20.12	16.62
n41	40	30	2670	DFT	256QAM	Outer_Full	20.66	17.16
n41	40	30	2670	CP	QPSK	Inner_Full	23.82	20.32
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	20.72	17.22
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	20.49	16.99
n41	40	30	2670	CP	QPSK	Outer_Full	21.51	18.01
n41	40	30	2670	CP	16QAM	Inner_Full	23.37	19.87
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	21.64	18.14
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	21.38	17.88
n41	40	30	2670	CP	16QAM	Outer_Full	21.56	18.06
n41	40	30	2670	CP	64QAM	Inner_Full	21.6	18.10
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	20.72	17.22
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	20.5	17.00
n41	40	30	2670	CP	64QAM	Outer_Full	21.11	17.61
n41	40	30	2670	CP	256QAM	Inner_Full	18.75	15.25
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	18.35	14.85
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	18.23	14.73
n41	40	30	2670	CP	256QAM	Outer_Full	18.71	15.21
n41	50	30	2521	DFT	QPSK	Inner_Full	24.39	20.89
n41	50	30	2521	DFT	QPSK	Edge_1RB_Left	23.27	19.77
n41	50	30	2521	DFT	QPSK	Edge_1RB_Right	23.62	20.12
n41	50	30	2521	DFT	QPSK	Outer_Full	23.57	20.07
n41	50	30	2521	DFT	16QAM	Inner_Full	23.85	20.35
n41	50	30	2521	DFT	16QAM	Edge_1RB_Left	22.1	18.60
n41	50	30	2521	DFT	16QAM	Edge_1RB_Right	22.49	18.99
n41	50	30	2521	DFT	16QAM	Outer_Full	22.1	18.60
n41	50	30	2521	DFT	64QAM	Inner_Full	22.13	18.63
n41	50	30	2521	DFT	64QAM	Edge_1RB_Left	21.48	17.98
n41	50	30	2521	DFT	64QAM	Edge_1RB_Right	21.9	18.40
n41	50	30	2521	DFT	64QAM	Outer_Full	21.64	18.14
n41	50	30	2521	DFT	256QAM	Inner_Full	20.21	16.71
n41	50	30	2521	DFT	256QAM	Edge_1RB_Left	19.68	16.18
n41	50	30	2521	DFT	256QAM	Edge_1RB_Right	19.96	16.46
n41	50	30	2521	DFT	256QAM	Outer_Full	20.18	16.68
n41	50	30	2521	CP	QPSK	Inner_Full	23.41	19.91
n41	50	30	2521	CP	QPSK	Edge_1RB_Left	20.41	16.91
n41	50	30	2521	CP	QPSK	Edge_1RB_Right	20.48	16.98

n41	50	30	2521	CP	QPSK	Outer_Full	21.06	17.56
n41	50	30	2521	CP	16QAM	Inner_Full	22.9	19.40
n41	50	30	2521	CP	16QAM	Edge_1RB_Left	20.91	17.41
n41	50	30	2521	CP	16QAM	Edge_1RB_Right	21.2	17.70
n41	50	30	2521	CP	16QAM	Outer_Full	21.05	17.55
n41	50	30	2521	CP	64QAM	Inner_Full	21.11	17.61
n41	50	30	2521	CP	64QAM	Edge_1RB_Left	20.22	16.72
n41	50	30	2521	CP	64QAM	Edge_1RB_Right	20.54	17.04
n41	50	30	2521	CP	64QAM	Outer_Full	20.62	17.12
n41	50	30	2521	CP	256QAM	Inner_Full	18.28	14.78
n41	50	30	2521	CP	256QAM	Edge_1RB_Left	17.77	14.27
n41	50	30	2521	CP	256QAM	Edge_1RB_Right	18.1	14.60
n41	50	30	2521	CP	256QAM	Outer_Full	18.25	14.75
n41	50	30	2593	DFT	QPSK	Inner_Full	24.8	21.30
n41	50	30	2593	DFT	QPSK	Edge_1RB_Left	23.81	20.31
n41	50	30	2593	DFT	QPSK	Edge_1RB_Right	23.62	20.12
n41	50	30	2593	DFT	QPSK	Outer_Full	23.86	20.36
n41	50	30	2593	DFT	16QAM	Inner_Full	24.31	20.81
n41	50	30	2593	DFT	16QAM	Edge_1RB_Left	22.36	18.86
n41	50	30	2593	DFT	16QAM	Edge_1RB_Right	22.53	19.03
n41	50	30	2593	DFT	16QAM	Outer_Full	22.48	18.98
n41	50	30	2593	DFT	64QAM	Inner_Full	22.61	19.11
n41	50	30	2593	DFT	64QAM	Edge_1RB_Left	21.77	18.27
n41	50	30	2593	DFT	64QAM	Edge_1RB_Right	21.83	18.33
n41	50	30	2593	DFT	64QAM	Outer_Full	22.03	18.53
n41	50	30	2593	DFT	256QAM	Inner_Full	20.72	17.22
n41	50	30	2593	DFT	256QAM	Edge_1RB_Left	20.03	16.53
n41	50	30	2593	DFT	256QAM	Edge_1RB_Right	20.03	16.53
n41	50	30	2593	DFT	256QAM	Outer_Full	20.65	17.15
n41	50	30	2593	CP	QPSK	Inner_Full	23.79	20.29
n41	50	30	2593	CP	QPSK	Edge_1RB_Left	20.52	17.02
n41	50	30	2593	CP	QPSK	Edge_1RB_Right	20.47	16.97
n41	50	30	2593	CP	QPSK	Outer_Full	21.46	17.96
n41	50	30	2593	CP	16QAM	Inner_Full	23.26	19.76
n41	50	30	2593	CP	16QAM	Edge_1RB_Left	21.41	17.91
n41	50	30	2593	CP	16QAM	Edge_1RB_Right	21.31	17.81
n41	50	30	2593	CP	16QAM	Outer_Full	21.48	17.98
n41	50	30	2593	CP	64QAM	Inner_Full	21.65	18.15
n41	50	30	2593	CP	64QAM	Edge_1RB_Left	20.4	16.90

n41	50	30	2593	CP	64QAM	Edge_1RB_Right	20.48	16.98
n41	50	30	2593	CP	64QAM	Outer_Full	21.01	17.51
n41	50	30	2593	CP	256QAM	Inner_Full	18.85	15.35
n41	50	30	2593	CP	256QAM	Edge_1RB_Left	18.15	14.65
n41	50	30	2593	CP	256QAM	Edge_1RB_Right	18.17	14.67
n41	50	30	2593	CP	256QAM	Outer_Full	18.66	15.16
n41	50	30	2665	DFT	QPSK	Inner_Full	25	21.50
n41	50	30	2665	DFT	QPSK	Edge_1RB_Left	23.77	20.27
n41	50	30	2665	DFT	QPSK	Edge_1RB_Right	23.61	20.11
n41	50	30	2665	DFT	QPSK	Outer_Full	23.96	20.46
n41	50	30	2665	DFT	16QAM	Inner_Full	24.54	21.04
n41	50	30	2665	DFT	16QAM	Edge_1RB_Left	22.8	19.30
n41	50	30	2665	DFT	16QAM	Edge_1RB_Right	22.38	18.88
n41	50	30	2665	DFT	16QAM	Outer_Full	22.6	19.10
n41	50	30	2665	DFT	64QAM	Inner_Full	22.73	19.23
n41	50	30	2665	DFT	64QAM	Edge_1RB_Left	21.84	18.34
n41	50	30	2665	DFT	64QAM	Edge_1RB_Right	21.79	18.29
n41	50	30	2665	DFT	64QAM	Outer_Full	22.19	18.69
n41	50	30	2665	DFT	256QAM	Inner_Full	20.82	17.32
n41	50	30	2665	DFT	256QAM	Edge_1RB_Left	20.09	16.59
n41	50	30	2665	DFT	256QAM	Edge_1RB_Right	20.05	16.55
n41	50	30	2665	DFT	256QAM	Outer_Full	20.72	17.22
n41	50	30	2665	CP	QPSK	Inner_Full	23.93	20.43
n41	50	30	2665	CP	QPSK	Edge_1RB_Left	20.49	16.99
n41	50	30	2665	CP	QPSK	Edge_1RB_Right	20.63	17.13
n41	50	30	2665	CP	QPSK	Outer_Full	21.59	18.09
n41	50	30	2665	CP	16QAM	Inner_Full	23.47	19.97
n41	50	30	2665	CP	16QAM	Edge_1RB_Left	21.46	17.96
n41	50	30	2665	CP	16QAM	Edge_1RB_Right	21.43	17.93
n41	50	30	2665	CP	16QAM	Outer_Full	21.6	18.10
n41	50	30	2665	CP	64QAM	Inner_Full	21.72	18.22
n41	50	30	2665	CP	64QAM	Edge_1RB_Left	20.62	17.12
n41	50	30	2665	CP	64QAM	Edge_1RB_Right	20.67	17.17
n41	50	30	2665	CP	64QAM	Outer_Full	21.12	17.62
n41	50	30	2665	CP	256QAM	Inner_Full	18.88	15.38
n41	50	30	2665	CP	256QAM	Edge_1RB_Left	18.27	14.77
n41	50	30	2665	CP	256QAM	Edge_1RB_Right	18.25	14.75
n41	50	30	2665	CP	256QAM	Outer_Full	18.83	15.33
n41	60	30	2526	DFT	QPSK	Inner_Full	24.34	20.84

n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	23.26	19.76
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	23.61	20.11
n41	60	30	2526	DFT	QPSK	Outer_Full	23.5	20.00
n41	60	30	2526	DFT	16QAM	Inner_Full	23.88	20.38
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	22.01	18.51
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	22.4	18.90
n41	60	30	2526	DFT	16QAM	Outer_Full	22.04	18.54
n41	60	30	2526	DFT	64QAM	Inner_Full	22.05	18.55
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	21.47	17.97
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.77	18.27
n41	60	30	2526	DFT	64QAM	Outer_Full	21.57	18.07
n41	60	30	2526	DFT	256QAM	Inner_Full	20.13	16.63
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	19.52	16.02
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	20.06	16.56
n41	60	30	2526	DFT	256QAM	Outer_Full	20.17	16.67
n41	60	30	2526	CP	QPSK	Inner_Full	23.29	19.79
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	20.07	16.57
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	20.51	17.01
n41	60	30	2526	CP	QPSK	Outer_Full	21.02	17.52
n41	60	30	2526	CP	16QAM	Inner_Full	22.92	19.42
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	20.95	17.45
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	21.28	17.78
n41	60	30	2526	CP	16QAM	Outer_Full	21.01	17.51
n41	60	30	2526	CP	64QAM	Inner_Full	21.08	17.58
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	20	16.50
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	20.49	16.99
n41	60	30	2526	CP	64QAM	Outer_Full	20.55	17.05
n41	60	30	2526	CP	256QAM	Inner_Full	18.21	14.71
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	17.75	14.25
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	18.15	14.65
n41	60	30	2526	CP	256QAM	Outer_Full	18.2	14.70
n41	60	30	2593	DFT	QPSK	Inner_Full	24.66	21.16
n41	60	30	2593	DFT	QPSK	Edge_1RB_Left	23.77	20.27
n41	60	30	2593	DFT	QPSK	Edge_1RB_Right	23.65	20.15
n41	60	30	2593	DFT	QPSK	Outer_Full	23.79	20.29
n41	60	30	2593	DFT	16QAM	Inner_Full	24.25	20.75
n41	60	30	2593	DFT	16QAM	Edge_1RB_Left	22.38	18.88
n41	60	30	2593	DFT	16QAM	Edge_1RB_Right	22.44	18.94
n41	60	30	2593	DFT	16QAM	Outer_Full	22.38	18.88

n41	60	30	2593	DFT	64QAM	Inner_Full	22.54	19.04
n41	60	30	2593	DFT	64QAM	Edge_1RB_Left	21.79	18.29
n41	60	30	2593	DFT	64QAM	Edge_1RB_Right	21.72	18.22
n41	60	30	2593	DFT	64QAM	Outer_Full	21.95	18.45
n41	60	30	2593	DFT	256QAM	Inner_Full	20.63	17.13
n41	60	30	2593	DFT	256QAM	Edge_1RB_Left	19.94	16.44
n41	60	30	2593	DFT	256QAM	Edge_1RB_Right	19.99	16.49
n41	60	30	2593	DFT	256QAM	Outer_Full	20.54	17.04
n41	60	30	2593	CP	QPSK	Inner_Full	23.66	20.16
n41	60	30	2593	CP	QPSK	Edge_1RB_Left	20.39	16.89
n41	60	30	2593	CP	QPSK	Edge_1RB_Right	20.5	17.00
n41	60	30	2593	CP	QPSK	Outer_Full	21.4	17.90
n41	60	30	2593	CP	16QAM	Inner_Full	23.27	19.77
n41	60	30	2593	CP	16QAM	Edge_1RB_Left	21.27	17.77
n41	60	30	2593	CP	16QAM	Edge_1RB_Right	21.37	17.87
n41	60	30	2593	CP	16QAM	Outer_Full	21.37	17.87
n41	60	30	2593	CP	64QAM	Inner_Full	21.54	18.04
n41	60	30	2593	CP	64QAM	Edge_1RB_Left	20.43	16.93
n41	60	30	2593	CP	64QAM	Edge_1RB_Right	20.56	17.06
n41	60	30	2593	CP	64QAM	Outer_Full	20.94	17.44
n41	60	30	2593	CP	256QAM	Inner_Full	18.73	15.23
n41	60	30	2593	CP	256QAM	Edge_1RB_Left	18.14	14.64
n41	60	30	2593	CP	256QAM	Edge_1RB_Right	18.19	14.69
n41	60	30	2593	CP	256QAM	Outer_Full	18.62	15.12
n41	60	30	2660	DFT	QPSK	Inner_Full	24.87	21.37
n41	60	30	2660	DFT	QPSK	Edge_1RB_Left	23.57	20.07
n41	60	30	2660	DFT	QPSK	Edge_1RB_Right	23.57	20.07
n41	60	30	2660	DFT	QPSK	Outer_Full	23.79	20.29
n41	60	30	2660	DFT	16QAM	Inner_Full	24.36	20.86
n41	60	30	2660	DFT	16QAM	Edge_1RB_Left	22.54	19.04
n41	60	30	2660	DFT	16QAM	Edge_1RB_Right	22.55	19.05
n41	60	30	2660	DFT	16QAM	Outer_Full	22.46	18.96
n41	60	30	2660	DFT	64QAM	Inner_Full	22.63	19.13
n41	60	30	2660	DFT	64QAM	Edge_1RB_Left	21.75	18.25
n41	60	30	2660	DFT	64QAM	Edge_1RB_Right	21.67	18.17
n41	60	30	2660	DFT	64QAM	Outer_Full	21.98	18.48
n41	60	30	2660	DFT	256QAM	Inner_Full	20.65	17.15
n41	60	30	2660	DFT	256QAM	Edge_1RB_Left	19.97	16.47
n41	60	30	2660	DFT	256QAM	Edge_1RB_Right	19.99	16.49

n41	60	30	2660	DFT	256QAM	Outer_Full	20.59	17.09
n41	60	30	2660	CP	QPSK	Inner_Full	23.84	20.34
n41	60	30	2660	CP	QPSK	Edge_1RB_Left	20.44	16.94
n41	60	30	2660	CP	QPSK	Edge_1RB_Right	20.49	16.99
n41	60	30	2660	CP	QPSK	Outer_Full	21.43	17.93
n41	60	30	2660	CP	16QAM	Inner_Full	23.37	19.87
n41	60	30	2660	CP	16QAM	Edge_1RB_Left	21.32	17.82
n41	60	30	2660	CP	16QAM	Edge_1RB_Right	21.27	17.77
n41	60	30	2660	CP	16QAM	Outer_Full	21.44	17.94
n41	60	30	2660	CP	64QAM	Inner_Full	21.6	18.10
n41	60	30	2660	CP	64QAM	Edge_1RB_Left	20.48	16.98
n41	60	30	2660	CP	64QAM	Edge_1RB_Right	20.44	16.94
n41	60	30	2660	CP	64QAM	Outer_Full	20.93	17.43
n41	60	30	2660	CP	256QAM	Inner_Full	18.76	15.26
n41	60	30	2660	CP	256QAM	Edge_1RB_Left	18.09	14.59
n41	60	30	2660	CP	256QAM	Edge_1RB_Right	18.18	14.68
n41	60	30	2660	CP	256QAM	Outer_Full	18.64	15.14
n41	70	30	2531	DFT	QPSK	Inner_Full	24.43	20.93
n41	70	30	2531	DFT	QPSK	Edge_1RB_Left	23.35	19.85
n41	70	30	2531	DFT	QPSK	Edge_1RB_Right	23.79	20.29
n41	70	30	2531	DFT	QPSK	Outer_Full	23.51	20.01
n41	70	30	2531	DFT	16QAM	Inner_Full	23.98	20.48
n41	70	30	2531	DFT	16QAM	Edge_1RB_Left	22.16	18.66
n41	70	30	2531	DFT	16QAM	Edge_1RB_Right	22.58	19.08
n41	70	30	2531	DFT	16QAM	Outer_Full	22.15	18.65
n41	70	30	2531	DFT	64QAM	Inner_Full	22.2	18.70
n41	70	30	2531	DFT	64QAM	Edge_1RB_Left	21.4	17.90
n41	70	30	2531	DFT	64QAM	Edge_1RB_Right	21.84	18.34
n41	70	30	2531	DFT	64QAM	Outer_Full	21.63	18.13
n41	70	30	2531	DFT	256QAM	Inner_Full	20.28	16.78
n41	70	30	2531	DFT	256QAM	Edge_1RB_Left	19.69	16.19
n41	70	30	2531	DFT	256QAM	Edge_1RB_Right	20.03	16.53
n41	70	30	2531	DFT	256QAM	Outer_Full	20.27	16.77
n41	70	30	2531	CP	QPSK	Inner_Full	23.41	19.91
n41	70	30	2531	CP	QPSK	Edge_1RB_Left	20.08	16.58
n41	70	30	2531	CP	QPSK	Edge_1RB_Right	20.37	16.87
n41	70	30	2531	CP	QPSK	Outer_Full	21.17	17.67
n41	70	30	2531	CP	16QAM	Inner_Full	23.09	19.59
n41	70	30	2531	CP	16QAM	Edge_1RB_Left	20.98	17.48

n41	70	30	2531	CP	16QAM	Edge_1RB_Right	21.39	17.89
n41	70	30	2531	CP	16QAM	Outer_Full	21.13	17.63
n41	70	30	2531	CP	64QAM	Inner_Full	21.22	17.72
n41	70	30	2531	CP	64QAM	Edge_1RB_Left	19.99	16.49
n41	70	30	2531	CP	64QAM	Edge_1RB_Right	20.38	16.88
n41	70	30	2531	CP	64QAM	Outer_Full	20.69	17.19
n41	70	30	2531	CP	256QAM	Inner_Full	18.4	14.90
n41	70	30	2531	CP	256QAM	Edge_1RB_Left	17.71	14.21
n41	70	30	2531	CP	256QAM	Edge_1RB_Right	18.19	14.69
n41	70	30	2531	CP	256QAM	Outer_Full	18.3	14.80
n41	70	30	2593	DFT	QPSK	Inner_Full	24.79	21.29
n41	70	30	2593	DFT	QPSK	Edge_1RB_Left	23.72	20.22
n41	70	30	2593	DFT	QPSK	Edge_1RB_Right	23.62	20.12
n41	70	30	2593	DFT	QPSK	Outer_Full	23.84	20.34
n41	70	30	2593	DFT	16QAM	Inner_Full	24.28	20.78
n41	70	30	2593	DFT	16QAM	Edge_1RB_Left	22.5	19.00
n41	70	30	2593	DFT	16QAM	Edge_1RB_Right	22.45	18.95
n41	70	30	2593	DFT	16QAM	Outer_Full	22.42	18.92
n41	70	30	2593	DFT	64QAM	Inner_Full	22.57	19.07
n41	70	30	2593	DFT	64QAM	Edge_1RB_Left	21.8	18.30
n41	70	30	2593	DFT	64QAM	Edge_1RB_Right	21.83	18.33
n41	70	30	2593	DFT	64QAM	Outer_Full	21.97	18.47
n41	70	30	2593	DFT	256QAM	Inner_Full	20.69	17.19
n41	70	30	2593	DFT	256QAM	Edge_1RB_Left	19.96	16.46
n41	70	30	2593	DFT	256QAM	Edge_1RB_Right	19.99	16.49
n41	70	30	2593	DFT	256QAM	Outer_Full	20.57	17.07
n41	70	30	2593	CP	QPSK	Inner_Full	23.76	20.26
n41	70	30	2593	CP	QPSK	Edge_1RB_Left	20.58	17.08
n41	70	30	2593	CP	QPSK	Edge_1RB_Right	20.52	17.02
n41	70	30	2593	CP	QPSK	Outer_Full	21.48	17.98
n41	70	30	2593	CP	16QAM	Inner_Full	23.41	19.91
n41	70	30	2593	CP	16QAM	Edge_1RB_Left	21.21	17.71
n41	70	30	2593	CP	16QAM	Edge_1RB_Right	21.34	17.84
n41	70	30	2593	CP	16QAM	Outer_Full	21.5	18.00
n41	70	30	2593	CP	64QAM	Inner_Full	21.61	18.11
n41	70	30	2593	CP	64QAM	Edge_1RB_Left	20.48	16.98
n41	70	30	2593	CP	64QAM	Edge_1RB_Right	20.58	17.08
n41	70	30	2593	CP	64QAM	Outer_Full	21.04	17.54
n41	70	30	2593	CP	256QAM	Inner_Full	18.8	15.30

n41	70	30	2593	CP	256QAM	Edge_1RB_Left	18.08	14.58
n41	70	30	2593	CP	256QAM	Edge_1RB_Right	18.3	14.80
n41	70	30	2593	CP	256QAM	Outer_Full	18.7	15.20
n41	70	30	2655	DFT	QPSK	Inner_Full	24.79	21.29
n41	70	30	2655	DFT	QPSK	Edge_1RB_Left	23.56	20.06
n41	70	30	2655	DFT	QPSK	Edge_1RB_Right	23.48	19.98
n41	70	30	2655	DFT	QPSK	Outer_Full	23.78	20.28
n41	70	30	2655	DFT	16QAM	Inner_Full	24.34	20.84
n41	70	30	2655	DFT	16QAM	Edge_1RB_Left	22.36	18.86
n41	70	30	2655	DFT	16QAM	Edge_1RB_Right	22.32	18.82
n41	70	30	2655	DFT	16QAM	Outer_Full	22.44	18.94
n41	70	30	2655	DFT	64QAM	Inner_Full	22.53	19.03
n41	70	30	2655	DFT	64QAM	Edge_1RB_Left	21.76	18.26
n41	70	30	2655	DFT	64QAM	Edge_1RB_Right	21.57	18.07
n41	70	30	2655	DFT	64QAM	Outer_Full	21.96	18.46
n41	70	30	2655	DFT	256QAM	Inner_Full	20.6	17.10
n41	70	30	2655	DFT	256QAM	Edge_1RB_Left	19.93	16.43
n41	70	30	2655	DFT	256QAM	Edge_1RB_Right	19.95	16.45
n41	70	30	2655	DFT	256QAM	Outer_Full	20.54	17.04
n41	70	30	2655	CP	QPSK	Inner_Full	23.72	20.22
n41	70	30	2655	CP	QPSK	Edge_1RB_Left	20.36	16.86
n41	70	30	2655	CP	QPSK	Edge_1RB_Right	20.34	16.84
n41	70	30	2655	CP	QPSK	Outer_Full	21.41	17.91
n41	70	30	2655	CP	16QAM	Inner_Full	23.42	19.92
n41	70	30	2655	CP	16QAM	Edge_1RB_Left	21.19	17.69
n41	70	30	2655	CP	16QAM	Edge_1RB_Right	21.22	17.72
n41	70	30	2655	CP	16QAM	Outer_Full	21.42	17.92
n41	70	30	2655	CP	64QAM	Inner_Full	21.53	18.03
n41	70	30	2655	CP	64QAM	Edge_1RB_Left	20.43	16.93
n41	70	30	2655	CP	64QAM	Edge_1RB_Right	20.39	16.89
n41	70	30	2655	CP	64QAM	Outer_Full	20.88	17.38
n41	70	30	2655	CP	256QAM	Inner_Full	18.68	15.18
n41	70	30	2655	CP	256QAM	Edge_1RB_Left	18.03	14.53
n41	70	30	2655	CP	256QAM	Edge_1RB_Right	18.06	14.56
n41	70	30	2655	CP	256QAM	Outer_Full	18.6	15.10
n41	80	30	2536	DFT	QPSK	Inner_Full	24.47	20.97
n41	80	30	2536	DFT	QPSK	Edge_1RB_Left	23.46	19.96
n41	80	30	2536	DFT	QPSK	Edge_1RB_Right	23.74	20.24
n41	80	30	2536	DFT	QPSK	Outer_Full	23.51	20.01

n41	80	30	2536	DFT	16QAM	Inner_Full	24.02	20.52
n41	80	30	2536	DFT	16QAM	Edge_1RB_Left	22.1	18.60
n41	80	30	2536	DFT	16QAM	Edge_1RB_Right	22.45	18.95
n41	80	30	2536	DFT	16QAM	Outer_Full	22.14	18.64
n41	80	30	2536	DFT	64QAM	Inner_Full	22.21	18.71
n41	80	30	2536	DFT	64QAM	Edge_1RB_Left	21.47	17.97
n41	80	30	2536	DFT	64QAM	Edge_1RB_Right	21.83	18.33
n41	80	30	2536	DFT	64QAM	Outer_Full	21.65	18.15
n41	80	30	2536	DFT	256QAM	Inner_Full	20.29	16.79
n41	80	30	2536	DFT	256QAM	Edge_1RB_Left	19.69	16.19
n41	80	30	2536	DFT	256QAM	Edge_1RB_Right	20.03	16.53
n41	80	30	2536	DFT	256QAM	Outer_Full	20.28	16.78
n41	80	30	2536	CP	QPSK	Inner_Full	23.46	19.96
n41	80	30	2536	CP	QPSK	Edge_1RB_Left	20.25	16.75
n41	80	30	2536	CP	QPSK	Edge_1RB_Right	20.48	16.98
n41	80	30	2536	CP	QPSK	Outer_Full	21.1	17.60
n41	80	30	2536	CP	16QAM	Inner_Full	22.98	19.48
n41	80	30	2536	CP	16QAM	Edge_1RB_Left	21.05	17.55
n41	80	30	2536	CP	16QAM	Edge_1RB_Right	21.36	17.86
n41	80	30	2536	CP	16QAM	Outer_Full	21.08	17.58
n41	80	30	2536	CP	64QAM	Inner_Full	21.14	17.64
n41	80	30	2536	CP	64QAM	Edge_1RB_Left	20.22	16.72
n41	80	30	2536	CP	64QAM	Edge_1RB_Right	20.47	16.97
n41	80	30	2536	CP	64QAM	Outer_Full	20.63	17.13
n41	80	30	2536	CP	256QAM	Inner_Full	18.31	14.81
n41	80	30	2536	CP	256QAM	Edge_1RB_Left	17.84	14.34
n41	80	30	2536	CP	256QAM	Edge_1RB_Right	18.17	14.67
n41	80	30	2536	CP	256QAM	Outer_Full	18.31	14.81
n41	80	30	2593	DFT	QPSK	Inner_Full	24.68	21.18
n41	80	30	2593	DFT	QPSK	Edge_1RB_Left	23.77	20.27
n41	80	30	2593	DFT	QPSK	Edge_1RB_Right	23.64	20.14
n41	80	30	2593	DFT	QPSK	Outer_Full	23.76	20.26
n41	80	30	2593	DFT	16QAM	Inner_Full	24.31	20.81
n41	80	30	2593	DFT	16QAM	Edge_1RB_Left	22.5	19.00
n41	80	30	2593	DFT	16QAM	Edge_1RB_Right	22.52	19.02
n41	80	30	2593	DFT	16QAM	Outer_Full	22.41	18.91
n41	80	30	2593	DFT	64QAM	Inner_Full	22.59	19.09
n41	80	30	2593	DFT	64QAM	Edge_1RB_Left	21.76	18.26
n41	80	30	2593	DFT	64QAM	Edge_1RB_Right	21.83	18.33

n41	80	30	2593	DFT	64QAM	Outer_Full	21.98	18.48
n41	80	30	2593	DFT	256QAM	Inner_Full	20.7	17.20
n41	80	30	2593	DFT	256QAM	Edge_1RB_Left	19.88	16.38
n41	80	30	2593	DFT	256QAM	Edge_1RB_Right	20.07	16.57
n41	80	30	2593	DFT	256QAM	Outer_Full	20.57	17.07
n41	80	30	2593	CP	QPSK	Inner_Full	23.7	20.20
n41	80	30	2593	CP	QPSK	Edge_1RB_Left	20.37	16.87
n41	80	30	2593	CP	QPSK	Edge_1RB_Right	20.81	17.31
n41	80	30	2593	CP	QPSK	Outer_Full	21.41	17.91
n41	80	30	2593	CP	16QAM	Inner_Full	23.34	19.84
n41	80	30	2593	CP	16QAM	Edge_1RB_Left	21.21	17.71
n41	80	30	2593	CP	16QAM	Edge_1RB_Right	21.43	17.93
n41	80	30	2593	CP	16QAM	Outer_Full	21.44	17.94
n41	80	30	2593	CP	64QAM	Inner_Full	21.56	18.06
n41	80	30	2593	CP	64QAM	Edge_1RB_Left	20.29	16.79
n41	80	30	2593	CP	64QAM	Edge_1RB_Right	20.66	17.16
n41	80	30	2593	CP	64QAM	Outer_Full	20.96	17.46
n41	80	30	2593	CP	256QAM	Inner_Full	18.77	15.27
n41	80	30	2593	CP	256QAM	Edge_1RB_Left	18	14.50
n41	80	30	2593	CP	256QAM	Edge_1RB_Right	18.18	14.68
n41	80	30	2593	CP	256QAM	Outer_Full	18.65	15.15
n41	80	30	2650	DFT	QPSK	Inner_Full	24.84	21.34
n41	80	30	2650	DFT	QPSK	Edge_1RB_Left	23.76	20.26
n41	80	30	2650	DFT	QPSK	Edge_1RB_Right	23.58	20.08
n41	80	30	2650	DFT	QPSK	Outer_Full	23.81	20.31
n41	80	30	2650	DFT	16QAM	Inner_Full	24.32	20.82
n41	80	30	2650	DFT	16QAM	Edge_1RB_Left	22.62	19.12
n41	80	30	2650	DFT	16QAM	Edge_1RB_Right	22.39	18.89
n41	80	30	2650	DFT	16QAM	Outer_Full	22.41	18.91
n41	80	30	2650	DFT	64QAM	Inner_Full	22.59	19.09
n41	80	30	2650	DFT	64QAM	Edge_1RB_Left	21.83	18.33
n41	80	30	2650	DFT	64QAM	Edge_1RB_Right	21.68	18.18
n41	80	30	2650	DFT	64QAM	Outer_Full	21.99	18.49
n41	80	30	2650	DFT	256QAM	Inner_Full	20.68	17.18
n41	80	30	2650	DFT	256QAM	Edge_1RB_Left	20.03	16.53
n41	80	30	2650	DFT	256QAM	Edge_1RB_Right	19.95	16.45
n41	80	30	2650	DFT	256QAM	Outer_Full	20.52	17.02
n41	80	30	2650	CP	QPSK	Inner_Full	23.79	20.29
n41	80	30	2650	CP	QPSK	Edge_1RB_Left	20.47	16.97

n41	80	30	2650	CP	QPSK	Edge_1RB_Right	20.44	16.94
n41	80	30	2650	CP	QPSK	Outer_Full	21.41	17.91
n41	80	30	2650	CP	16QAM	Inner_Full	23.36	19.86
n41	80	30	2650	CP	16QAM	Edge_1RB_Left	21.37	17.87
n41	80	30	2650	CP	16QAM	Edge_1RB_Right	21.28	17.78
n41	80	30	2650	CP	16QAM	Outer_Full	21.41	17.91
n41	80	30	2650	CP	64QAM	Inner_Full	21.53	18.03
n41	80	30	2650	CP	64QAM	Edge_1RB_Left	20.63	17.13
n41	80	30	2650	CP	64QAM	Edge_1RB_Right	20.41	16.91
n41	80	30	2650	CP	64QAM	Outer_Full	20.89	17.39
n41	80	30	2650	CP	256QAM	Inner_Full	18.72	15.22
n41	80	30	2650	CP	256QAM	Edge_1RB_Left	18.22	14.72
n41	80	30	2650	CP	256QAM	Edge_1RB_Right	18.26	14.76
n41	80	30	2650	CP	256QAM	Outer_Full	18.58	15.08
n41	90	30	2541	DFT	QPSK	Inner_Full	24.52	21.02
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	23.44	19.94
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	23.77	20.27
n41	90	30	2541	DFT	QPSK	Outer_Full	23.58	20.08
n41	90	30	2541	DFT	16QAM	Inner_Full	24.1	20.60
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	22.05	18.55
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	22.8	19.30
n41	90	30	2541	DFT	16QAM	Outer_Full	22.18	18.68
n41	90	30	2541	DFT	64QAM	Inner_Full	22.24	18.74
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	21.43	17.93
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	21.94	18.44
n41	90	30	2541	DFT	64QAM	Outer_Full	21.73	18.23
n41	90	30	2541	DFT	256QAM	Inner_Full	20.37	16.87
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	19.69	16.19
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	20.17	16.67
n41	90	30	2541	DFT	256QAM	Outer_Full	20.32	16.82
n41	90	30	2541	CP	QPSK	Inner_Full	23.52	20.02
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	20.09	16.59
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	20.56	17.06
n41	90	30	2541	CP	QPSK	Outer_Full	21.19	17.69
n41	90	30	2541	CP	16QAM	Inner_Full	23.09	19.59
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	20.95	17.45
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	21.47	17.97
n41	90	30	2541	CP	16QAM	Outer_Full	21.14	17.64
n41	90	30	2541	CP	64QAM	Inner_Full	21.21	17.71

n41	90	30	2541	CP	64QAM	Edge_1RB_Left	20.12	16.62
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	20.7	17.20
n41	90	30	2541	CP	64QAM	Outer_Full	20.67	17.17
n41	90	30	2541	CP	256QAM	Inner_Full	18.4	14.90
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	17.75	14.25
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	18.37	14.87
n41	90	30	2541	CP	256QAM	Outer_Full	18.33	14.83
n41	90	30	2593	DFT	QPSK	Inner_Full	24.73	21.23
n41	90	30	2593	DFT	QPSK	Edge_1RB_Left	23.63	20.13
n41	90	30	2593	DFT	QPSK	Edge_1RB_Right	23.65	20.15
n41	90	30	2593	DFT	QPSK	Outer_Full	23.77	20.27
n41	90	30	2593	DFT	16QAM	Inner_Full	24.29	20.79
n41	90	30	2593	DFT	16QAM	Edge_1RB_Left	22.4	18.90
n41	90	30	2593	DFT	16QAM	Edge_1RB_Right	22.55	19.05
n41	90	30	2593	DFT	16QAM	Outer_Full	22.41	18.91
n41	90	30	2593	DFT	64QAM	Inner_Full	22.52	19.02
n41	90	30	2593	DFT	64QAM	Edge_1RB_Left	21.66	18.16
n41	90	30	2593	DFT	64QAM	Edge_1RB_Right	21.78	18.28
n41	90	30	2593	DFT	64QAM	Outer_Full	21.98	18.48
n41	90	30	2593	DFT	256QAM	Inner_Full	20.64	17.14
n41	90	30	2593	DFT	256QAM	Edge_1RB_Left	19.78	16.28
n41	90	30	2593	DFT	256QAM	Edge_1RB_Right	20.03	16.53
n41	90	30	2593	DFT	256QAM	Outer_Full	20.56	17.06
n41	90	30	2593	CP	QPSK	Inner_Full	23.77	20.27
n41	90	30	2593	CP	QPSK	Edge_1RB_Left	20.34	16.84
n41	90	30	2593	CP	QPSK	Edge_1RB_Right	20.71	17.21
n41	90	30	2593	CP	QPSK	Outer_Full	21.42	17.92
n41	90	30	2593	CP	16QAM	Inner_Full	23.31	19.81
n41	90	30	2593	CP	16QAM	Edge_1RB_Left	21.18	17.68
n41	90	30	2593	CP	16QAM	Edge_1RB_Right	21.39	17.89
n41	90	30	2593	CP	16QAM	Outer_Full	21.42	17.92
n41	90	30	2593	CP	64QAM	Inner_Full	21.53	18.03
n41	90	30	2593	CP	64QAM	Edge_1RB_Left	20.38	16.88
n41	90	30	2593	CP	64QAM	Edge_1RB_Right	20.57	17.07
n41	90	30	2593	CP	64QAM	Outer_Full	20.92	17.42
n41	90	30	2593	CP	256QAM	Inner_Full	18.73	15.23
n41	90	30	2593	CP	256QAM	Edge_1RB_Left	18.02	14.52
n41	90	30	2593	CP	256QAM	Edge_1RB_Right	18.19	14.69
n41	90	30	2593	CP	256QAM	Outer_Full	18.59	15.09

n41	90	30	2645	DFT	QPSK	Inner_Full	24.81	21.31
n41	90	30	2645	DFT	QPSK	Edge_1RB_Left	23.84	20.34
n41	90	30	2645	DFT	QPSK	Edge_1RB_Right	23.58	20.08
n41	90	30	2645	DFT	QPSK	Outer_Full	23.81	20.31
n41	90	30	2645	DFT	16QAM	Inner_Full	24.36	20.86
n41	90	30	2645	DFT	16QAM	Edge_1RB_Left	22.78	19.28
n41	90	30	2645	DFT	16QAM	Edge_1RB_Right	22.38	18.88
n41	90	30	2645	DFT	16QAM	Outer_Full	22.5	19.00
n41	90	30	2645	DFT	64QAM	Inner_Full	22.55	19.05
n41	90	30	2645	DFT	64QAM	Edge_1RB_Left	22.03	18.53
n41	90	30	2645	DFT	64QAM	Edge_1RB_Right	21.62	18.12
n41	90	30	2645	DFT	64QAM	Outer_Full	22.03	18.53
n41	90	30	2645	DFT	256QAM	Inner_Full	20.69	17.19
n41	90	30	2645	DFT	256QAM	Edge_1RB_Left	20.19	16.69
n41	90	30	2645	DFT	256QAM	Edge_1RB_Right	20	16.50
n41	90	30	2645	DFT	256QAM	Outer_Full	20.59	17.09
n41	90	30	2645	CP	QPSK	Inner_Full	23.8	20.30
n41	90	30	2645	CP	QPSK	Edge_1RB_Left	20.8	17.30
n41	90	30	2645	CP	QPSK	Edge_1RB_Right	20.33	16.83
n41	90	30	2645	CP	QPSK	Outer_Full	21.45	17.95
n41	90	30	2645	CP	16QAM	Inner_Full	23.31	19.81
n41	90	30	2645	CP	16QAM	Edge_1RB_Left	21.5	18.00
n41	90	30	2645	CP	16QAM	Edge_1RB_Right	21.29	17.79
n41	90	30	2645	CP	16QAM	Outer_Full	21.44	17.94
n41	90	30	2645	CP	64QAM	Inner_Full	21.55	18.05
n41	90	30	2645	CP	64QAM	Edge_1RB_Left	20.68	17.18
n41	90	30	2645	CP	64QAM	Edge_1RB_Right	20.38	16.88
n41	90	30	2645	CP	64QAM	Outer_Full	20.96	17.46
n41	90	30	2645	CP	256QAM	Inner_Full	18.68	15.18
n41	90	30	2645	CP	256QAM	Edge_1RB_Left	18.46	14.96
n41	90	30	2645	CP	256QAM	Edge_1RB_Right	18.12	14.62
n41	90	30	2645	CP	256QAM	Outer_Full	18.62	15.12
n41	100	30	2546	DFT	QPSK	Inner_Full	24.52	21.02
n41	100	30	2546	DFT	QPSK	Edge_1RB_Left	23.45	19.95
n41	100	30	2546	DFT	QPSK	Edge_1RB_Right	23.69	20.19
n41	100	30	2546	DFT	QPSK	Outer_Full	23.57	20.07
n41	100	30	2546	DFT	16QAM	Inner_Full	23.97	20.47
n41	100	30	2546	DFT	16QAM	Edge_1RB_Left	22.14	18.64
n41	100	30	2546	DFT	16QAM	Edge_1RB_Right	22.76	19.26

n41	100	30	2546	DFT	16QAM	Outer_Full	22.12	18.62
n41	100	30	2546	DFT	64QAM	Inner_Full	22.13	18.63
n41	100	30	2546	DFT	64QAM	Edge_1RB_Left	21.42	17.92
n41	100	30	2546	DFT	64QAM	Edge_1RB_Right	22.11	18.61
n41	100	30	2546	DFT	64QAM	Outer_Full	21.69	18.19
n41	100	30	2546	DFT	256QAM	Inner_Full	20.28	16.78
n41	100	30	2546	DFT	256QAM	Edge_1RB_Left	19.64	16.14
n41	100	30	2546	DFT	256QAM	Edge_1RB_Right	20.41	16.91
n41	100	30	2546	DFT	256QAM	Outer_Full	20.31	16.81
n41	100	30	2546	CP	QPSK	Inner_Full	23.38	19.88
n41	100	30	2546	CP	QPSK	Edge_1RB_Left	20.05	16.55
n41	100	30	2546	CP	QPSK	Edge_1RB_Right	20.94	17.44
n41	100	30	2546	CP	QPSK	Outer_Full	21.13	17.63
n41	100	30	2546	CP	16QAM	Inner_Full	22.96	19.46
n41	100	30	2546	CP	16QAM	Edge_1RB_Left	20.9	17.40
n41	100	30	2546	CP	16QAM	Edge_1RB_Right	21.79	18.29
n41	100	30	2546	CP	16QAM	Outer_Full	21.13	17.63
n41	100	30	2546	CP	64QAM	Inner_Full	21.14	17.64
n41	100	30	2546	CP	64QAM	Edge_1RB_Left	20.09	16.59
n41	100	30	2546	CP	64QAM	Edge_1RB_Right	20.84	17.34
n41	100	30	2546	CP	64QAM	Outer_Full	20.69	17.19
n41	100	30	2546	CP	256QAM	Inner_Full	18.33	14.83
n41	100	30	2546	CP	256QAM	Edge_1RB_Left	17.74	14.24
n41	100	30	2546	CP	256QAM	Edge_1RB_Right	18.64	15.14
n41	100	30	2546	CP	256QAM	Outer_Full	18.33	14.83
n41	100	30	2593	DFT	QPSK	Inner_Full	24.72	21.22
n41	100	30	2593	DFT	QPSK	Edge_1RB_Left	23.4	19.90
n41	100	30	2593	DFT	QPSK	Edge_1RB_Right	23.63	20.13
n41	100	30	2593	DFT	QPSK	Outer_Full	23.66	20.16
n41	100	30	2593	DFT	16QAM	Inner_Full	24.11	20.61
n41	100	30	2593	DFT	16QAM	Edge_1RB_Left	22.24	18.74
n41	100	30	2593	DFT	16QAM	Edge_1RB_Right	22.46	18.96
n41	100	30	2593	DFT	16QAM	Outer_Full	22.27	18.77
n41	100	30	2593	DFT	64QAM	Inner_Full	22.45	18.95
n41	100	30	2593	DFT	64QAM	Edge_1RB_Left	21.55	18.05
n41	100	30	2593	DFT	64QAM	Edge_1RB_Right	21.62	18.12
n41	100	30	2593	DFT	64QAM	Outer_Full	21.91	18.41
n41	100	30	2593	DFT	256QAM	Inner_Full	20.62	17.12
n41	100	30	2593	DFT	256QAM	Edge_1RB_Left	19.67	16.17

n41	100	30	2593	DFT	256QAM	Edge_1RB_Right	19.94	16.44
n41	100	30	2593	DFT	256QAM	Outer_Full	20.48	16.98
n41	100	30	2593	CP	QPSK	Inner_Full	23.64	20.14
n41	100	30	2593	CP	QPSK	Edge_1RB_Left	20.32	16.82
n41	100	30	2593	CP	QPSK	Edge_1RB_Right	20.37	16.87
n41	100	30	2593	CP	QPSK	Outer_Full	21.35	17.85
n41	100	30	2593	CP	16QAM	Inner_Full	23.29	19.79
n41	100	30	2593	CP	16QAM	Edge_1RB_Left	21.15	17.65
n41	100	30	2593	CP	16QAM	Edge_1RB_Right	21.22	17.72
n41	100	30	2593	CP	16QAM	Outer_Full	21.34	17.84
n41	100	30	2593	CP	64QAM	Inner_Full	21.43	17.93
n41	100	30	2593	CP	64QAM	Edge_1RB_Left	20.69	17.19
n41	100	30	2593	CP	64QAM	Edge_1RB_Right	20.68	17.18
n41	100	30	2593	CP	64QAM	Outer_Full	20.86	17.36
n41	100	30	2593	CP	256QAM	Inner_Full	18.63	15.13
n41	100	30	2593	CP	256QAM	Edge_1RB_Left	17.98	14.48
n41	100	30	2593	CP	256QAM	Edge_1RB_Right	18.15	14.65
n41	100	30	2593	CP	256QAM	Outer_Full	18.54	15.04
n41	100	30	2640	DFT	QPSK	Inner_Full	24.72	21.22
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	23.8	20.30
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	23.56	20.06
n41	100	30	2640	DFT	QPSK	Outer_Full	23.82	20.32
n41	100	30	2640	DFT	16QAM	Inner_Full	24.26	20.76
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	22.84	19.34
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	22.37	18.87
n41	100	30	2640	DFT	16QAM	Outer_Full	22.42	18.92
n41	100	30	2640	DFT	64QAM	Inner_Full	22.44	18.94
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	22.04	18.54
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	21.67	18.17
n41	100	30	2640	DFT	64QAM	Outer_Full	21.96	18.46
n41	100	30	2640	DFT	256QAM	Inner_Full	20.58	17.08
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	20.28	16.78
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	19.89	16.39
n41	100	30	2640	DFT	256QAM	Outer_Full	20.72	17.22
n41	100	30	2640	CP	QPSK	Inner_Full	23.68	20.18
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	20.99	17.49
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	20.41	16.91
n41	100	30	2640	CP	QPSK	Outer_Full	21.42	17.92
n41	100	30	2640	CP	16QAM	Inner_Full	23.29	19.79

n41	100	30	2640	CP	16QAM	Edge_1RB_Left	21.66	18.16
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	21.39	17.89
n41	100	30	2640	CP	16QAM	Outer_Full	21.37	17.87
n41	100	30	2640	CP	64QAM	Inner_Full	21.45	17.95
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	20.68	17.18
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	20.48	16.98
n41	100	30	2640	CP	64QAM	Outer_Full	20.91	17.41
n41	100	30	2640	CP	256QAM	Inner_Full	18.6	15.10
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	18.49	14.99
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	18.13	14.63
n41	100	30	2640	CP	256QAM	Outer_Full	18.59	15.09

NR n66- EIRP
Limits: ≤30dBm (1W)

Max EIRP: 21.28dBm

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted POWER(dBm)	Radiatedd POWER(dBm) GT =-3.3dBi
n66	5	15	1712.5	DFT	QPSK	Inner_Full	24.52	21.22
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	23.38	20.08
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	23.29	19.99
n66	5	15	1712.5	DFT	QPSK	Outer_Full	23.49	20.19
n66	5	15	1712.5	DFT	16QAM	Inner_Full	23.54	20.24
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	22.66	19.36
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	22.69	19.39
n66	5	15	1712.5	DFT	16QAM	Outer_Full	22.5	19.2
n66	5	15	1712.5	DFT	64QAM	Inner_Full	21.93	18.63
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	21.92	18.62
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	21.95	18.65
n66	5	15	1712.5	DFT	64QAM	Outer_Full	22.01	18.71
n66	5	15	1712.5	DFT	256QAM	Inner_Full	19.99	16.69
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	19.88	16.58
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	19.93	16.63
n66	5	15	1712.5	DFT	256QAM	Outer_Full	19.95	16.65
n66	5	15	1712.5	CP	QPSK	Inner_Full	22.92	19.62
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	21.48	18.18
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	21.45	18.15
n66	5	15	1712.5	CP	QPSK	Outer_Full	21.46	18.16
n66	5	15	1712.5	CP	16QAM	Inner_Full	22.55	19.25
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	21.68	18.38
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	21.67	18.37
n66	5	15	1712.5	CP	16QAM	Outer_Full	21.5	18.2
n66	5	15	1712.5	CP	64QAM	Inner_Full	20.91	17.61
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	20.91	17.61
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	20.9	17.6
n66	5	15	1712.5	CP	64QAM	Outer_Full	21.02	17.72
n66	5	15	1712.5	CP	256QAM	Inner_Full	17.92	14.62
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	18.13	14.83
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	18.08	14.78
n66	5	15	1712.5	CP	256QAM	Outer_Full	17.92	14.62
n66	5	15	1745	DFT	QPSK	Inner_Full	24.27	20.97
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	23.22	19.92

n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	23.19	19.89
n66	5	15	1745	DFT	QPSK	Outer_Full	23.26	19.96
n66	5	15	1745	DFT	16QAM	Inner_Full	23.3	20
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	22.53	19.23
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	22.42	19.12
n66	5	15	1745	DFT	16QAM	Outer_Full	22.21	18.91
n66	5	15	1745	DFT	64QAM	Inner_Full	21.69	18.39
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	21.82	18.52
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	21.69	18.39
n66	5	15	1745	DFT	64QAM	Outer_Full	21.73	18.43
n66	5	15	1745	DFT	256QAM	Inner_Full	19.77	16.47
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	19.73	16.43
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	19.65	16.35
n66	5	15	1745	DFT	256QAM	Outer_Full	19.71	16.41
n66	5	15	1745	CP	QPSK	Inner_Full	22.68	19.38
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	21.28	17.98
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	21.2	17.9
n66	5	15	1745	CP	QPSK	Outer_Full	21.22	17.92
n66	5	15	1745	CP	16QAM	Inner_Full	22.29	18.99
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	21.51	18.21
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	21.41	18.11
n66	5	15	1745	CP	16QAM	Outer_Full	21.27	17.97
n66	5	15	1745	CP	64QAM	Inner_Full	20.63	17.33
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	20.77	17.47
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	20.65	17.35
n66	5	15	1745	CP	64QAM	Outer_Full	20.78	17.48
n66	5	15	1745	CP	256QAM	Inner_Full	17.72	14.42
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	17.94	14.64
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	17.75	14.45
n66	5	15	1745	CP	256QAM	Outer_Full	17.66	14.36
n66	5	15	1777.5	DFT	QPSK	Inner_Full	24.16	20.86
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	23.06	19.76
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	23.07	19.77
n66	5	15	1777.5	DFT	QPSK	Outer_Full	23.15	19.85
n66	5	15	1777.5	DFT	16QAM	Inner_Full	23.18	19.88
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	22.35	19.05
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	22.36	19.06
n66	5	15	1777.5	DFT	16QAM	Outer_Full	22.13	18.83
n66	5	15	1777.5	DFT	64QAM	Inner_Full	21.59	18.29

n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	21.62	18.32
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	21.58	18.28
n66	5	15	1777.5	DFT	64QAM	Outer_Full	21.68	18.38
n66	5	15	1777.5	DFT	256QAM	Inner_Full	19.63	16.33
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	19.58	16.28
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	19.58	16.28
n66	5	15	1777.5	DFT	256QAM	Outer_Full	19.61	16.31
n66	5	15	1777.5	CP	QPSK	Inner_Full	22.64	19.34
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	21.14	17.84
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	21.08	17.78
n66	5	15	1777.5	CP	QPSK	Outer_Full	21.14	17.84
n66	5	15	1777.5	CP	16QAM	Inner_Full	22.21	18.91
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	21.39	18.09
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	21.32	18.02
n66	5	15	1777.5	CP	16QAM	Outer_Full	21.13	17.83
n66	5	15	1777.5	CP	64QAM	Inner_Full	20.56	17.26
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	20.58	17.28
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	20.52	17.22
n66	5	15	1777.5	CP	64QAM	Outer_Full	20.7	17.4
n66	5	15	1777.5	CP	256QAM	Inner_Full	17.63	14.33
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	17.75	14.45
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	17.72	14.42
n66	5	15	1777.5	CP	256QAM	Outer_Full	17.59	14.29
n66	10	15	1715	DFT	QPSK	Inner_Full	24.58	21.28
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	23.54	20.24
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	23.64	20.34
n66	10	15	1715	DFT	QPSK	Outer_Full	23.63	20.33
n66	10	15	1715	DFT	16QAM	Inner_Full	23.62	20.32
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	22.86	19.56
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	22.92	19.62
n66	10	15	1715	DFT	16QAM	Outer_Full	22.59	19.29
n66	10	15	1715	DFT	64QAM	Inner_Full	22.09	18.79
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	22.12	18.82
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	22.17	18.87
n66	10	15	1715	DFT	64QAM	Outer_Full	22.08	18.78
n66	10	15	1715	DFT	256QAM	Inner_Full	20.02	16.72
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	20.05	16.75
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	20.13	16.83
n66	10	15	1715	DFT	256QAM	Outer_Full	20.03	16.73

n66	10	15	1715	CP	QPSK	Inner_Full	23.09	19.79
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	21.59	18.29
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	21.73	18.43
n66	10	15	1715	CP	QPSK	Outer_Full	21.58	18.28
n66	10	15	1715	CP	16QAM	Inner_Full	22.52	19.22
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	21.81	18.51
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	21.94	18.64
n66	10	15	1715	CP	16QAM	Outer_Full	21.61	18.31
n66	10	15	1715	CP	64QAM	Inner_Full	21.08	17.78
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	21.09	17.79
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	21.19	17.89
n66	10	15	1715	CP	64QAM	Outer_Full	21.11	17.81
n66	10	15	1715	CP	256QAM	Inner_Full	18.02	14.72
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	18.23	14.93
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	18.41	15.11
n66	10	15	1715	CP	256QAM	Outer_Full	18.01	14.71
n66	10	15	1745	DFT	QPSK	Inner_Full	24.25	20.95
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	23.38	20.08
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	23.26	19.96
n66	10	15	1745	DFT	QPSK	Outer_Full	23.26	19.96
n66	10	15	1745	DFT	16QAM	Inner_Full	23.28	19.98
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	22.65	19.35
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	22.52	19.22
n66	10	15	1745	DFT	16QAM	Outer_Full	22.23	18.93
n66	10	15	1745	DFT	64QAM	Inner_Full	21.78	18.48
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	21.86	18.56
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	21.75	18.45
n66	10	15	1745	DFT	64QAM	Outer_Full	21.76	18.46
n66	10	15	1745	DFT	256QAM	Inner_Full	19.69	16.39
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	19.89	16.59
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	19.74	16.44
n66	10	15	1745	DFT	256QAM	Outer_Full	19.71	16.41
n66	10	15	1745	CP	QPSK	Inner_Full	22.76	19.46
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	21.38	18.08
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	21.3	18
n66	10	15	1745	CP	QPSK	Outer_Full	21.24	17.94
n66	10	15	1745	CP	16QAM	Inner_Full	22.23	18.93
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	21.62	18.32
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	21.51	18.21

n66	10	15	1745	CP	16QAM	Outer_Full	21.29	17.99
n66	10	15	1745	CP	64QAM	Inner_Full	20.76	17.46
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	20.88	17.58
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	20.77	17.47
n66	10	15	1745	CP	64QAM	Outer_Full	20.73	17.43
n66	10	15	1745	CP	256QAM	Inner_Full	17.85	14.55
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	17.99	14.69
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	17.93	14.63
n66	10	15	1745	CP	256QAM	Outer_Full	17.76	14.46
n66	10	15	1775	DFT	QPSK	Inner_Full	24.17	20.87
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	23.28	19.98
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	23.18	19.88
n66	10	15	1775	DFT	QPSK	Outer_Full	23.22	19.92
n66	10	15	1775	DFT	16QAM	Inner_Full	23.22	19.92
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	22.58	19.28
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	22.44	19.14
n66	10	15	1775	DFT	16QAM	Outer_Full	22.2	18.9
n66	10	15	1775	DFT	64QAM	Inner_Full	21.72	18.42
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	21.81	18.51
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	21.66	18.36
n66	10	15	1775	DFT	64QAM	Outer_Full	21.74	18.44
n66	10	15	1775	DFT	256QAM	Inner_Full	19.65	16.35
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	19.8	16.5
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	19.68	16.38
n66	10	15	1775	DFT	256QAM	Outer_Full	19.72	16.42
n66	10	15	1775	CP	QPSK	Inner_Full	22.74	19.44
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	21.31	18.01
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	21.22	17.92
n66	10	15	1775	CP	QPSK	Outer_Full	21.25	17.95
n66	10	15	1775	CP	16QAM	Inner_Full	22.19	18.89
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	21.49	18.19
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	21.41	18.11
n66	10	15	1775	CP	16QAM	Outer_Full	21.3	18
n66	10	15	1775	CP	64QAM	Inner_Full	20.74	17.44
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	20.77	17.47
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	20.69	17.39
n66	10	15	1775	CP	64QAM	Outer_Full	20.79	17.49
n66	10	15	1775	CP	256QAM	Inner_Full	17.68	14.38
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	17.93	14.63

n66	10	15	1775	CP	256QAM	Edge_1RB_Right	17.88	14.58
n66	10	15	1775	CP	256QAM	Outer_Full	17.69	14.39
n66	15	15	1717.5	DFT	QPSK	Inner_Full	24.57	21.27
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	23.48	20.18
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	23.54	20.24
n66	15	15	1717.5	DFT	QPSK	Outer_Full	23.59	20.29
n66	15	15	1717.5	DFT	16QAM	Inner_Full	23.6	20.3
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	22.82	19.52
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	22.94	19.64
n66	15	15	1717.5	DFT	16QAM	Outer_Full	22.54	19.24
n66	15	15	1717.5	DFT	64QAM	Inner_Full	22.08	18.78
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	22.06	18.76
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	22.07	18.77
n66	15	15	1717.5	DFT	64QAM	Outer_Full	22.05	18.75
n66	15	15	1717.5	DFT	256QAM	Inner_Full	20	16.7
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	19.97	16.67
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	20.07	16.77
n66	15	15	1717.5	DFT	256QAM	Outer_Full	19.99	16.69
n66	15	15	1717.5	CP	QPSK	Inner_Full	23.06	19.76
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	21.51	18.21
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	21.53	18.23
n66	15	15	1717.5	CP	QPSK	Outer_Full	21.59	18.29
n66	15	15	1717.5	CP	16QAM	Inner_Full	22.58	19.28
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	21.77	18.47
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	21.76	18.46
n66	15	15	1717.5	CP	16QAM	Outer_Full	21.58	18.28
n66	15	15	1717.5	CP	64QAM	Inner_Full	21.01	17.71
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	21.02	17.72
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	21.01	17.71
n66	15	15	1717.5	CP	64QAM	Outer_Full	21.1	17.8
n66	15	15	1717.5	CP	256QAM	Inner_Full	18.04	14.74
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	18.24	14.94
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	18.2	14.9
n66	15	15	1717.5	CP	256QAM	Outer_Full	18.06	14.76
n66	15	15	1745	DFT	QPSK	Inner_Full	24.25	20.95
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	23.37	20.07
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	23.19	19.89
n66	15	15	1745	DFT	QPSK	Outer_Full	23.25	19.95
n66	15	15	1745	DFT	16QAM	Inner_Full	23.32	20.02

n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	22.68	19.38
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	22.49	19.19
n66	15	15	1745	DFT	16QAM	Outer_Full	22.21	18.91
n66	15	15	1745	DFT	64QAM	Inner_Full	21.76	18.46
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	21.92	18.62
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	21.72	18.42
n66	15	15	1745	DFT	64QAM	Outer_Full	21.76	18.46
n66	15	15	1745	DFT	256QAM	Inner_Full	19.74	16.44
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	19.85	16.55
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	19.84	16.54
n66	15	15	1745	DFT	256QAM	Outer_Full	19.74	16.44
n66	15	15	1745	CP	QPSK	Inner_Full	22.72	19.42
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	21.42	18.12
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	21.16	17.86
n66	15	15	1745	CP	QPSK	Outer_Full	21.26	17.96
n66	15	15	1745	CP	16QAM	Inner_Full	22.28	18.98
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	21.62	18.32
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	21.43	18.13
n66	15	15	1745	CP	16QAM	Outer_Full	21.29	17.99
n66	15	15	1745	CP	64QAM	Inner_Full	20.74	17.44
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	20.88	17.58
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	20.7	17.4
n66	15	15	1745	CP	64QAM	Outer_Full	20.77	17.47
n66	15	15	1745	CP	256QAM	Inner_Full	17.71	14.41
n66	15	15	1745	CP	256QAM	Edge_1RB_Left	18.1	14.8
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	17.9	14.6
n66	15	15	1745	CP	256QAM	Outer_Full	17.72	14.42
n66	15	15	1772.5	DFT	QPSK	Inner_Full	24.16	20.86
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	23.24	19.94
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	23.04	19.74
n66	15	15	1772.5	DFT	QPSK	Outer_Full	23.16	19.86
n66	15	15	1772.5	DFT	16QAM	Inner_Full	23.17	19.87
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	22.54	19.24
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	22.34	19.04
n66	15	15	1772.5	DFT	16QAM	Outer_Full	22.09	18.79
n66	15	15	1772.5	DFT	64QAM	Inner_Full	21.64	18.34
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	21.74	18.44
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	21.58	18.28
n66	15	15	1772.5	DFT	64QAM	Outer_Full	21.71	18.41

n66	15	15	1772.5	DFT	256QAM	Inner_Full	19.63	16.33
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	19.72	16.42
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	19.54	16.24
n66	15	15	1772.5	DFT	256QAM	Outer_Full	19.62	16.32
n66	15	15	1772.5	CP	QPSK	Inner_Full	22.61	19.31
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	21.25	17.95
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	21.03	17.73
n66	15	15	1772.5	CP	QPSK	Outer_Full	21.15	17.85
n66	15	15	1772.5	CP	16QAM	Inner_Full	22.2	18.9
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	21.45	18.15
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	21.24	17.94
n66	15	15	1772.5	CP	16QAM	Outer_Full	21.17	17.87
n66	15	15	1772.5	CP	64QAM	Inner_Full	20.68	17.38
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	20.69	17.39
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	20.48	17.18
n66	15	15	1772.5	CP	64QAM	Outer_Full	20.66	17.36
n66	15	15	1772.5	CP	256QAM	Inner_Full	17.61	14.31
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	17.93	14.63
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	17.72	14.42
n66	15	15	1772.5	CP	256QAM	Outer_Full	17.62	14.32
n66	20	15	1720	DFT	QPSK	Inner_Full	24.55	21.25
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	23.44	20.14
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	23.44	20.14
n66	20	15	1720	DFT	QPSK	Outer_Full	23.38	20.08
n66	20	15	1720	DFT	16QAM	Inner_Full	23.5	20.2
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	22.76	19.46
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	22.78	19.48
n66	20	15	1720	DFT	16QAM	Outer_Full	22.54	19.24
n66	20	15	1720	DFT	64QAM	Inner_Full	22	18.7
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	22.02	18.72
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	22.01	18.71
n66	20	15	1720	DFT	64QAM	Outer_Full	21.99	18.69
n66	20	15	1720	DFT	256QAM	Inner_Full	19.98	16.68
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	19.98	16.68
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	20	16.7
n66	20	15	1720	DFT	256QAM	Outer_Full	19.99	16.69
n66	20	15	1720	CP	QPSK	Inner_Full	23.01	19.71
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	21.53	18.23
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	21.39	18.09

n66	20	15	1720	CP	QPSK	Outer_Full	21.52	18.22
n66	20	15	1720	CP	16QAM	Inner_Full	22.52	19.22
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	21.74	18.44
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	21.63	18.33
n66	20	15	1720	CP	16QAM	Outer_Full	21.56	18.26
n66	20	15	1720	CP	64QAM	Inner_Full	21.01	17.71
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	21.04	17.74
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	20.9	17.6
n66	20	15	1720	CP	64QAM	Outer_Full	21	17.7
n66	20	15	1720	CP	256QAM	Inner_Full	17.95	14.65
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	18.21	14.91
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	18.03	14.73
n66	20	15	1720	CP	256QAM	Outer_Full	18.12	14.82
n66	20	15	1745	DFT	QPSK	Inner_Full	24.27	20.97
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	23.4	20.1
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	23.22	19.92
n66	20	15	1745	DFT	QPSK	Outer_Full	23.26	19.96
n66	20	15	1745	DFT	16QAM	Inner_Full	23.24	19.94
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	22.73	19.43
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	22.5	19.2
n66	20	15	1745	DFT	16QAM	Outer_Full	22.31	19.01
n66	20	15	1745	DFT	64QAM	Inner_Full	21.74	18.44
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	21.96	18.66
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	21.73	18.43
n66	20	15	1745	DFT	64QAM	Outer_Full	21.78	18.48
n66	20	15	1745	DFT	256QAM	Inner_Full	19.71	16.41
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	19.92	16.62
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	19.71	16.41
n66	20	15	1745	DFT	256QAM	Outer_Full	19.79	16.49
n66	20	15	1745	CP	QPSK	Inner_Full	22.72	19.42
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	21.43	18.13
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	21.21	17.91
n66	20	15	1745	CP	QPSK	Outer_Full	21.32	18.02
n66	20	15	1745	CP	16QAM	Inner_Full	22.24	18.94
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	21.65	18.35
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	21.38	18.08
n66	20	15	1745	CP	16QAM	Outer_Full	21.32	18.02
n66	20	15	1745	CP	64QAM	Inner_Full	20.75	17.45
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	20.96	17.66

n66	20	15	1745	CP	64QAM	Edge_1RB_Right	20.66	17.36
n66	20	15	1745	CP	64QAM	Outer_Full	20.79	17.49
n66	20	15	1745	CP	256QAM	Inner_Full	17.72	14.42
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	18.1	14.8
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	17.83	14.53
n66	20	15	1745	CP	256QAM	Outer_Full	17.79	14.49
n66	20	15	1770	DFT	QPSK	Inner_Full	24.26	20.96
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	23.27	19.97
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	23.05	19.75
n66	20	15	1770	DFT	QPSK	Outer_Full	23.2	19.9
n66	20	15	1770	DFT	16QAM	Inner_Full	23.26	19.96
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	22.61	19.31
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	22.4	19.1
n66	20	15	1770	DFT	16QAM	Outer_Full	22.25	18.95
n66	20	15	1770	DFT	64QAM	Inner_Full	21.76	18.46
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	21.78	18.48
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	21.6	18.3
n66	20	15	1770	DFT	64QAM	Outer_Full	21.74	18.44
n66	20	15	1770	DFT	256QAM	Inner_Full	19.71	16.41
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	19.79	16.49
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	19.57	16.27
n66	20	15	1770	DFT	256QAM	Outer_Full	19.73	16.43
n66	20	15	1770	CP	QPSK	Inner_Full	22.66	19.36
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	21.28	17.98
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	21.03	17.73
n66	20	15	1770	CP	QPSK	Outer_Full	21.19	17.89
n66	20	15	1770	CP	16QAM	Inner_Full	22.19	18.89
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	21.51	18.21
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	21.25	17.95
n66	20	15	1770	CP	16QAM	Outer_Full	21.22	17.92
n66	20	15	1770	CP	64QAM	Inner_Full	20.74	17.44
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	20.8	17.5
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	20.51	17.21
n66	20	15	1770	CP	64QAM	Outer_Full	20.71	17.41
n66	20	15	1770	CP	256QAM	Inner_Full	17.68	14.38
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	17.94	14.64
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	17.68	14.38
n66	20	15	1770	CP	256QAM	Outer_Full	17.65	14.35
n66	40	15	1730	DFT	QPSK	Inner_Full	24.48	21.18

n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	23.42	20.12
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	23.04	19.74
n66	40	15	1730	DFT	QPSK	Outer_Full	23.32	20.02
n66	40	15	1730	DFT	16QAM	Inner_Full	23.53	20.23
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	22.73	19.43
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	22.34	19.04
n66	40	15	1730	DFT	16QAM	Outer_Full	22.35	19.05
n66	40	15	1730	DFT	64QAM	Inner_Full	21.97	18.67
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	21.98	18.68
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	21.57	18.27
n66	40	15	1730	DFT	64QAM	Outer_Full	21.85	18.55
n66	40	15	1730	DFT	256QAM	Inner_Full	19.95	16.65
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	19.92	16.62
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	19.55	16.25
n66	40	15	1730	DFT	256QAM	Outer_Full	19.85	16.55
n66	40	15	1730	CP	QPSK	Inner_Full	22.96	19.66
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	21.47	18.17
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	21.07	17.77
n66	40	15	1730	CP	QPSK	Outer_Full	21.32	18.02
n66	40	15	1730	CP	16QAM	Inner_Full	22.44	19.14
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	21.69	18.39
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	21.31	18.01
n66	40	15	1730	CP	16QAM	Outer_Full	21.32	18.02
n66	40	15	1730	CP	64QAM	Inner_Full	20.96	17.66
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	20.98	17.68
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	20.54	17.24
n66	40	15	1730	CP	64QAM	Outer_Full	20.84	17.54
n66	40	15	1730	CP	256QAM	Inner_Full	17.96	14.66
n66	40	15	1730	CP	256QAM	Edge_1RB_Left	18.16	14.86
n66	40	15	1730	CP	256QAM	Edge_1RB_Right	17.73	14.43
n66	40	15	1730	CP	256QAM	Outer_Full	17.68	14.38
n66	40	15	1745	DFT	QPSK	Inner_Full	24.4	21.1
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	23.44	20.14
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	23.14	19.84
n66	40	15	1745	DFT	QPSK	Outer_Full	23.35	20.05
n66	40	15	1745	DFT	16QAM	Inner_Full	23.33	20.03
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	22.73	19.43
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	22.56	19.26
n66	40	15	1745	DFT	16QAM	Outer_Full	22.37	19.07

n66	40	15	1745	DFT	64QAM	Inner_Full	21.82	18.52
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	21.91	18.61
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	21.75	18.45
n66	40	15	1745	DFT	64QAM	Outer_Full	21.9	18.6
n66	40	15	1745	DFT	256QAM	Inner_Full	19.8	16.5
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	19.94	16.64
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	19.8	16.5
n66	40	15	1745	DFT	256QAM	Outer_Full	19.9	16.6
n66	40	15	1745	CP	QPSK	Inner_Full	22.82	21.28
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	21.44	18.14
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	21.25	17.95
n66	40	15	1745	CP	QPSK	Outer_Full	21.41	18.11
n66	40	15	1745	CP	16QAM	Inner_Full	22.31	19.01
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	21.67	18.37
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	21.53	18.23
n66	40	15	1745	CP	16QAM	Outer_Full	21.36	18.06
n66	40	15	1745	CP	64QAM	Inner_Full	20.79	17.49
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	20.86	17.56
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	20.71	17.41
n66	40	15	1745	CP	64QAM	Outer_Full	20.91	17.61
n66	40	15	1745	CP	256QAM	Inner_Full	17.85	14.55
n66	40	15	1745	CP	256QAM	Edge_1RB_Left	18.17	14.87
n66	40	15	1745	CP	256QAM	Edge_1RB_Right	18.04	14.74
n66	40	15	1745	CP	256QAM	Outer_Full	17.87	14.57
n66	40	15	1760	DFT	QPSK	Inner_Full	24.38	21.08
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	23.16	19.86
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	22.98	19.68
n66	40	15	1760	DFT	QPSK	Outer_Full	23.2	19.9
n66	40	15	1760	DFT	16QAM	Inner_Full	23.33	20.03
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	22.42	19.12
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	22.33	19.03
n66	40	15	1760	DFT	16QAM	Outer_Full	22.2	18.9
n66	40	15	1760	DFT	64QAM	Inner_Full	21.86	18.56
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	21.71	18.41
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	21.57	18.27
n66	40	15	1760	DFT	64QAM	Outer_Full	21.69	18.39
n66	40	15	1760	DFT	256QAM	Inner_Full	19.83	16.53
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	19.65	16.35
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	19.55	16.25

n66	40	15	1760	DFT	256QAM	Outer_Full	19.66	16.36
n66	40	15	1760	CP	QPSK	Inner_Full	22.79	19.49
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	21.2	17.9
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	21.08	17.78
n66	40	15	1760	CP	QPSK	Outer_Full	21.21	17.91
n66	40	15	1760	CP	16QAM	Inner_Full	22.32	19.02
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	21.45	18.15
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	21.3	18
n66	40	15	1760	CP	16QAM	Outer_Full	21.17	17.87
n66	40	15	1760	CP	64QAM	Inner_Full	20.83	17.53
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	20.73	17.43
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	20.62	17.32
n66	40	15	1760	CP	64QAM	Outer_Full	20.7	17.4
n66	40	15	1760	CP	256QAM	Inner_Full	17.84	14.54
n66	40	15	1760	CP	256QAM	Edge_1RB_Left	17.93	14.63
n66	40	15	1760	CP	256QAM	Edge_1RB_Right	17.73	14.43
n66	40	15	1760	CP	256QAM	Outer_Full	17.69	14.39

Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.764$ dB, $k = 2$.


A.2 Emission Limit


The measurements procedures in C63.26 are used.

The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment, which is the transmitted carrier. The resolution bandwidth is set 1MHz. The spectrum was scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels of the NR Bands 2/7/12/26/38/41/66.

The procedure of radiated spurious emissions is as follows:

Using the test configuration as follow, measure the radiated emissions directly from the EUT and convert the measured field strength or received power to ERP or EIRP, as required, for comparison to the applicable limits.





The emission characteristics of the EUT can be identified from the pre-scan measurement information.

Exploratory radiated measurements (pre-scans) may be performed to determine the general EUT radiated emissions characteristics and, when necessary, the EUT-to-measurement antenna orientation that produces the maximum emission amplitude. Pre-scans shall only be used to determine the emission frequencies (i.e., not amplitude levels). The information garnered from a pre-scan can then be used to perform final compliance measurements using either the substitution or direct field strength method.

For radiated emissions measurements performed at frequencies less than or equal to 1 GHz, the EUT shall be placed on a RF-transparent table or support at a nominal height of 80 cm above the reference ground plane. Radiated measurements shall be made with the measurement antenna positioned in both horizontal and vertical polarization. The measurement antenna shall be varied from 1 m to 4 m in height above the reference ground in a search for the relative positioning that produces the maximum radiated signal level (i.e., field strength or received power). When orienting the measurement antenna in vertical polarization, the minimum height of the lowest element of the antenna shall clear the site reference ground plane by at least 25 cm.

The radiated emission measurements of all non-harmonic and harmonics of the transmit frequency through the 10th harmonic were measured with peak detector.

For radiated measurements performed at frequencies above 1 GHz, the EUT shall be placed on an RF transparent table or support at a nominal height of 1.5 m above the ground plane. When maximizing the emissions from the EUT for measurement, the EUT and its transmitting antenna(s) shall be rotated through 360°. For each mode of operation to be tested, the frequency spectrum (based on findings from exploratory measurements) shall be monitored. Final measurements shall be performed for the worst case combination(s) of variable technical parameters that result in the maximum measured emission amplitude, record the frequency and amplitude of the highest fundamental emission (if applicable), and the frequency and amplitude data for the six highest-amplitude spurious emissions.

A.2.2 Measurement Limit

NR n2: 24.238 specifies that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

NR n7: 27.53(m)(4) specifies that For BRS and EBS stations, the power of any emissions outside the licensee's frequency bands of operation shall be attenuated below the transmitter power (P) measured in watts in accordance with the standards below. If a licensee has multiple contiguous channels, out-of-band emissions shall be measured from the upper and lower edges of the contiguous channels.

(4) For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

NR n12: Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

NR n26(814MHz–824MHz): Part 90.691 states that out-of-band emission requirement shall apply only to the "outer" channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows: For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz. For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

NR n26(824MHz–849MHz): Part 22.917 specifies that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

NR n38/n41: Part 27.53(m) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz

from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

NR n66: 27.53(h) specifies "AWS emission limits—(1) General protection levels. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10} (P)$ dB"

A.2.3 Measurement Results

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies of the NR Bands. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of the NR Bands into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this. The range of evaluated frequency is from 30MHz to 40GHz.

Test note

Investigation has been done on all modes and modulations/data rates. In total, three EUT elevation positions are measured. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

SA n2, 5MHz, QPSK, Channel 370500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3707.50	-62.73	3.49	10.37	-55.85	-13.00	42.85	H
5571.00	-60.41	5.41	11.24	-54.58	-13.00	41.58	V
7409.50	-51.50	8.04	10.10	-49.44	-13.00	36.44	H
9272.00	-50.74	8.85	11.70	-47.89	-13.00	34.89	H
11129.50	-49.98	9.95	12.63	-47.30	-13.00	34.30	H
12953.50	-47.96	12.50	12.75	-47.71	-13.00	34.71	V

SA n2, 5MHz, QPSK, Channel 376000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3773.00	-63.39	3.91	10.11	-57.19	-13.00	44.19	H
5653.00	-59.81	5.73	11.40	-54.14	-13.00	41.14	V
7520.50	-51.14	7.71	10.24	-48.61	-13.00	35.61	H
9408.00	-51.11	9.08	11.53	-48.66	-13.00	35.66	V
11268.50	-48.53	10.65	12.63	-46.55	-13.00	33.55	H
13160.00	-43.33	13.21	12.54	-44.00	-13.00	31.00	V

SA n2, 5MHz, QPSK, Channel 381500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3814.50	-62.60	3.94	9.97	-56.57	-13.00	43.57	V
5723.00	-60.07	5.90	11.35	-54.62	-13.00	41.62	H
7630.00	-51.68	6.72	10.36	-48.04	-13.00	35.04	H
9545.00	-51.48	9.11	11.89	-48.70	-13.00	35.70	H
11443.50	-45.90	12.41	12.56	-45.75	-13.00	32.75	H
13352.50	-43.09	13.11	12.45	-43.75	-13.00	30.75	V

DC_66A_n7A, 5 MHz, QPSK, Channel 500500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5029.50	-58.20	6.57	9.94	-54.83	-25.00	29.83	V
7525.00	-53.15	8.29	12.22	-49.22	-25.00	24.22	V
9987.00	-51.77	9.17	12.91	-48.03	-25.00	23.03	H
12532.00	-49.09	10.27	13.22	-46.14	-25.00	21.14	H
15009.00	-48.98	11.23	13.99	-46.22	-25.00	21.22	V
17498.00	-43.90	12.72	14.90	-41.72	-25.00	16.72	V

DC_66A_n7A, 5 MHz, QPSK, Channel 507000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5074.00	-58.69	6.70	10.00	-55.39	-25.00	30.39	H
7612.50	-54.08	8.03	12.29	-49.82	-25.00	24.82	H
10147.50	-52.10	9.39	12.96	-48.53	-25.00	23.53	V
12647.50	-49.23	10.39	13.29	-46.33	-25.00	21.33	V
15195.50	-49.09	11.40	13.88	-46.61	-25.00	21.61	H
17741.00	-45.09	12.41	15.24	-42.26	-25.00	17.26	H

DC_66A_n7A, 5 MHz, QPSK, Channel 513500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5116.50	-57.95	6.82	10.06	-54.71	-25.00	29.71	V
7690.50	-54.47	8.38	12.35	-50.50	-25.00	25.50	H
10294.00	-50.97	9.62	13.02	-47.57	-25.00	22.57	V
12829.50	-48.81	10.69	13.40	-46.10	-25.00	21.10	H
15427.50	-48.14	11.43	13.74	-45.83	-25.00	20.83	V
17973.50	-43.38	12.89	15.56	-40.71	-25.00	15.71	H

LTE Band 12, 1.4MHz, QPSK, Channel 23017

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2113.00	-53.29	3.68	8.01	2.15	-51.11	-13.00	38.11	V
2802.00	-48.61	5.25	10.40	2.15	-45.61	-13.00	32.61	H
4914.00	-58.50	4.95	11.06	2.15	-54.54	-13.00	41.54	V
5609.50	-57.36	5.64	11.32	2.15	-53.83	-13.00	40.83	V
6321.00	-55.91	5.88	10.84	2.15	-53.10	-13.00	40.10	H
7018.50	-51.20	7.54	10.44	2.15	-50.45	-13.00	37.45	H

LTE Band 12, 1.4MHz, QPSK, Channel 23095

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2135.00	-53.44	3.69	8.36	2.15	-50.92	-13.00	37.92	V
2842.50	-48.42	5.04	10.48	2.15	-45.13	-13.00	32.13	V
4949.50	-58.83	4.91	11.20	2.15	-54.69	-13.00	41.69	V
5672.00	-57.78	5.71	11.40	2.15	-54.24	-13.00	41.24	V
6353.50	-55.57	5.93	10.91	2.15	-52.74	-13.00	39.74	H
7080.50	-52.15	6.92	10.38	2.15	-50.84	-13.00	37.84	V

LTE Band 12, 1.4MHz, QPSK, Channel 23173

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2150.00	-52.92	3.70	8.60	2.15	-50.17	-13.00	37.17	H
2864.00	-47.78	5.50	10.58	2.15	-44.85	-13.00	31.85	H
4292.50	-58.54	4.65	10.56	2.15	-54.78	-13.00	41.78	H
5696.00	-57.37	5.68	11.40	2.15	-53.80	-13.00	40.80	H
6430.50	-55.87	6.94	10.88	2.15	-54.08	-13.00	41.08	H
7146.00	-52.91	6.67	10.21	2.15	-51.52	-13.00	38.52	H

SA n26(824MHz~849MHz), 5MHz, QPSK, Channel 163300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1642.50	-57.77	3.56	9.50	2.15	-53.98	-13.00	40.98	V
2453.00	-51.18	4.58	10.39	2.15	-47.52	-13.00	34.52	V
3269.50	-61.48	5.28	10.34	2.15	-58.57	-13.00	45.57	V
4079.50	-57.08	6.04	10.40	2.15	-54.87	-13.00	41.87	V
4892.50	-57.29	6.73	11.40	2.15	-54.77	-13.00	41.77	H
5720.00	-55.08	7.30	11.16	2.15	-53.37	-13.00	40.37	H

SA n26(824MHz~849MHz), 5MHz, QPSK, Channel 163800

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1632.00	-57.89	3.55	9.50	2.15	-54.09	-13.00	41.09	H
2444.50	-51.28	4.57	10.40	2.15	-47.60	-13.00	34.60	H
3288.00	-59.91	5.28	10.38	2.15	-56.96	-13.00	43.96	H
4086.00	-56.82	6.04	10.40	2.15	-54.61	-13.00	41.61	V
4925.00	-56.77	6.73	11.30	2.15	-54.35	-13.00	41.35	H
5718.50	-55.56	7.30	11.16	2.15	-53.85	-13.00	40.85	V

SA n26(824MHz~849MHz), 5MHz, QPSK, Channel 164300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1635.50	-58.26	3.56	9.50	2.15	-54.47	-13.00	41.47	H
2470.50	-51.00	4.59	10.32	2.15	-47.42	-13.00	34.42	V
3297.50	-61.10	5.29	10.40	2.15	-58.14	-13.00	45.14	H
4103.50	-57.32	6.04	10.40	2.15	-55.11	-13.00	42.11	V
4930.00	-56.23	6.72	11.28	2.15	-53.82	-13.00	40.82	V
5758.00	-55.49	7.25	11.08	2.15	-53.81	-13.00	40.81	V

SA n26(814MHz~824MHz), 5MHz, QPSK, Channel 165300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1654.50	-57.64	3.57	9.51	2.15	-53.85	-13.00	40.85	V
2470.00	-51.06	4.59	10.32	2.15	-47.48	-13.00	34.48	V
3315.50	-61.26	5.29	10.43	2.15	-58.27	-13.00	45.27	H
4124.50	-57.48	6.04	10.40	2.15	-55.27	-13.00	42.27	H
4952.00	-57.61	6.69	11.20	2.15	-55.25	-13.00	42.25	V
5786.00	-54.20	7.21	11.03	2.15	-52.53	-13.00	39.53	H

SA n26(814MHz~824MHz), 5MHz, QPSK, Channel 167300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1679.50	-57.52	3.59	9.56	2.15	-53.70	-13.00	40.70	H
2497.00	-51.52	4.62	10.21	2.15	-48.08	-13.00	35.08	H
3345.00	-61.05	5.31	10.49	2.15	-58.02	-13.00	45.02	V
4176.00	-56.69	6.15	10.45	2.15	-54.54	-13.00	41.54	V
5018.00	-56.85	6.57	11.34	2.15	-54.23	-13.00	41.23	H
5851.50	-56.00	7.24	10.79	2.15	-54.60	-13.00	41.60	V

SA n26(814MHz~824MHz), 5MHz, QPSK, Channel 169300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1696.50	-57.39	3.60	9.59	2.15	-53.55	-13.00	40.55	V
2550.00	-50.85	4.67	10.10	2.15	-47.57	-13.00	34.57	V
3378.50	-60.69	5.34	10.50	2.15	-57.68	-13.00	44.68	H
4235.00	-57.00	6.25	10.57	2.15	-54.83	-13.00	41.83	H
5069.50	-57.51	6.69	11.44	2.15	-54.91	-13.00	41.91	V
5933.50	-54.43	7.47	10.50	2.15	-53.55	-13.00	40.55	H

SA n38, 10MHz, QPSK, Channel 515000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5171.00	-60.08	5.45	11.64	-53.89	-25.00	28.89	V
7725.50	-54.91	6.78	10.65	-51.04	-25.00	26.04	H
10322.50	-49.12	10.33	11.92	-47.53	-25.00	22.53	V
12863.00	-46.89	12.26	12.87	-46.28	-25.00	21.28	V
15465.00	-46.38	15.01	15.53	-45.86	-25.00	20.86	H
17994.00	-33.58	19.95	13.41	-40.12	-25.00	15.12	H

SA n38, 10MHz, QPSK, Channel 519000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5196.00	-60.68	5.71	11.69	-54.70	-25.00	29.70	V
7785.50	-49.37	7.34	10.77	-45.94	-25.00	20.94	H
10398.00	-48.10	10.65	12.00	-46.75	-25.00	21.75	H
12959.00	-48.47	12.51	12.74	-48.24	-25.00	23.24	H
15585.50	-45.92	16.55	15.60	-46.87	-25.00	21.87	H
17971.50	-34.30	20.00	13.46	-40.84	-25.00	15.84	H

SA n38, 10MHz, QPSK, Channel 523000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5233.50	-62.52	4.68	11.70	-55.50	-25.00	30.50	H
7845.50	-49.87	8.03	10.98	-46.92	-25.00	21.92	H
10465.00	-48.78	10.35	11.94	-47.19	-25.00	22.19	H
13088.50	-46.09	12.48	12.61	-45.96	-25.00	20.96	V
15710.50	-45.16	16.63	15.51	-46.28	-25.00	21.28	H
17994.50	-35.65	19.95	13.41	-42.19	-25.00	17.19	H

SA n41, 10MHz, QPSK, Channel 500202

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5000.50	-61.09	5.16	11.30	-54.95	-25.00	29.95	V
7503.50	-47.49	7.70	10.21	-44.98	-25.00	19.98	H
10006.00	-50.69	9.35	11.79	-48.25	-25.00	23.25	H
12506.50	-47.73	12.36	13.58	-46.51	-25.00	21.51	V
15006.50	-46.07	14.75	14.62	-46.20	-25.00	21.20	H
17524.00	-35.20	19.69	13.12	-41.77	-25.00	16.77	H

SA n41, 10MHz, QPSK, Channel 518598

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5200.50	-61.61	5.70	11.70	-55.61	-25.00	30.61	V
7779.50	-50.67	7.37	10.76	-47.28	-25.00	22.28	H
10382.50	-48.30	10.69	11.98	-47.01	-25.00	22.01	H
12989.50	-48.14	12.43	12.71	-47.86	-25.00	22.86	V
15534.50	-45.14	16.86	15.60	-46.40	-25.00	21.40	V
17978.50	-35.05	19.98	13.44	-41.59	-25.00	16.59	H

SA n41, 10MHz, QPSK, Channel 537000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5364.50	-60.70	5.87	11.67	-54.90	-25.00	29.90	H
8055.50	-49.80	7.83	11.11	-46.52	-25.00	21.52	H
10751.00	-50.01	9.83	12.15	-47.69	-25.00	22.69	V
13402.50	-44.70	12.46	12.40	-44.76	-25.00	19.76	V
16120.00	-44.06	17.06	15.10	-46.02	-25.00	21.02	V
17995.50	-35.07	19.94	13.41	-41.60	-25.00	16.60	H

DC_2A_n66A, 10MHz, QPSK, Channel 342500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3425.00	-70.44	5.38	8.02	-67.80	-13.00	54.80	H
5127.00	-68.90	6.85	10.08	-65.67	-13.00	52.67	H
6855.00	-66.12	7.82	11.43	-62.51	-13.00	49.51	V
8552.50	-64.46	8.58	13.01	-60.03	-13.00	47.03	V
10280.50	-62.50	9.58	13.01	-59.07	-13.00	46.07	H
11966.00	-59.58	10.21	13.01	-56.78	-13.00	43.78	V

DC_2A_n66A, 10MHz, QPSK, Channel 349000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3490.00	-70.27	5.50	8.18	-67.59	-13.00	54.59	H
5234.50	-68.42	7.00	10.23	-65.19	-13.00	52.19	V
6968.00	-65.94	8.05	11.56	-62.43	-13.00	49.43	H
8706.00	-65.13	8.38	13.04	-60.47	-13.00	47.47	V
10465.00	-60.83	9.70	13.09	-57.44	-13.00	44.44	H
12203.50	-59.86	10.06	13.08	-56.84	-13.00	43.84	V

DC_2A_n66A, 10MHz, QPSK, Channel 355500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3542.00	-70.12	5.74	8.26	-67.60	-13.00	54.60	H
5332.00	-69.43	6.97	10.36	-66.04	-13.00	53.04	H
7088.00	-65.72	8.17	11.71	-62.18	-13.00	49.18	V
8866.00	-64.63	8.78	13.07	-60.34	-13.00	47.34	V
10648.00	-63.27	9.29	13.13	-59.43	-13.00	46.43	H
12450.50	-60.11	10.31	13.18	-57.24	-13.00	44.24	V

Note: Peak EIRP (dBm) = P_{Mea}(dBm) - Path Loss(dB) + Antenna Gain(dBi)

Semi-anechoic chamber 4 with absorbers
FAC 3-6

Test item	Frequency ranges	Measurement uncertainty
Radiated Emission	30MHz-1GHz	2.12dB(k=2)
	>1GHz	3.10dB(k=2)

A.3 Frequency Stability

A.3.1 Method of Measurement

Frequency stability is a measure of the frequency drift due to temperature and supply voltage variations, with reference to the frequency measured at +20 °C and rated supply voltage. Two reference points are established at the applicable unwanted emissions limit using a RBW equal to the RBW required by the unwanted emissions specification of the applicable regulatory standard. These reference points measured using the lowest and highest channel of operation shall be identified as F_L and F_H respectively.

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of MT8000A.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the MT8000A, and in a simulated call on middle channel for each NR band, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the MT8000A and in a simulated call on the center channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C decrements from +50°C to -30°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of the lower, higher and nominal voltage. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress.

A.3.2 Measurement results

n2

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.91	1850.320	1908.592		
50				-3.70	0.0020
40				-2.30	0.0012
30				-1.20	0.0006
10				-3.60	0.0019
0				-4.80	0.0026
-10				-5.60	0.0030
-20				-4.60	0.0024
-30				-1.80	0.0010

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.4	20	1850.320	1908.592	-2.50	0.0013
4.55				-2.00	0.0011

n7

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.91	2500.464	2569.520		
50				0.70	0.0003
40				-1.50	0.0006
30				0.40	0.0002
10				1.10	0.0004
0				-1.00	0.0004
-10				-1.90	0.0007
-20				-0.30	0.0001
-30				-3.70	0.0015

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.4	20	2500.464	2569.520	-7.80	0.0031
4.55				-6.60	0.0026

n12
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.91	699.224	715.024		
50				1.50	0.0021
40				2.70	0.0038
30				-0.70	0.0010
10				-0.50	0.0007
0				0.50	0.0007
-10				-0.40	0.0006
-20				1.40	0.0020
-30				0.60	0.0008

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.4	20	699.224	715.024	1.00	0.0014
4.55				-0.60	0.0008

n26_Part22
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.91	824.304	847.608		
50				1.40	0.0017
40				0.00	0.0000
30				-0.60	0.0007
10				1.20	0.0014
0				1.60	0.0019
-10				-2.90	0.0035
-20				1.00	0.0012
-30				-3.50	0.0042

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.4	20	824.304	847.608	-1.10	0.0013
4.55				-0.30	0.0004

n26_Part90
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.91	814.224	823.424		
50				3.90	0.0048
40				2.30	0.0028
30				1.50	0.0018
10				1.90	0.0023
0				2.60	0.0032
-10				2.50	0.0031
-20				-1.30	0.0016
-30				0.20	0.0002

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.4	20	814.224	823.424	0.80	0.0010
4.55				1.70	0.0021

n38
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.91	2570.768	2617.024		
50				2.10	0.0008
40				-4.00	0.0015
30				7.60	0.0029
10				12.00	0.0046
0				2.80	0.0011
-10				-0.70	0.0003
-20				7.50	0.0029
-30				2.80	0.0011

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.4	20	2570.768	2617.024	12.30	0.0047
4.55				12.60	0.0049

n41
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.91	2496.736	2688.128		
50				-69.40	0.0268
40				39.10	0.0151
30				-137.00	0.0528
10				-122.90	0.0474
0				-118.60	0.0457
-10				-98.00	0.0378
-20				-95.40	0.0368
-30				15.70	0.0061

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.4	20	2496.736	2688.128	-85.60	0.0330
4.55				-83.90	0.0324

n66
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.91	1710.208	1779.776		
50				4.00	0.0023
40				-0.80	0.0005
30				0.40	0.0002
10				-2.20	0.0013
0				2.30	0.0013
-10				2.40	0.0014
-20				-0.60	0.0003
-30				-2.50	0.0014

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.4	20	1710.208	1779.776	-1.20	0.0007
4.55				1.30	0.0007

Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.047k$ Hz, $k = 2$.

A.4 Occupied Bandwidth

Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the mid frequencies frequency. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.


The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts.
- b) The nominal IF filter 3 dB bandwidth (RBW) shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times$ RBW.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) Set the detection mode to peak, and the trace mode to max-hold.

n2
n2,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-QPSK	DFT-s-16QAM
1880	4.500	4.505

n2,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n2,5MHz Bandwidth,DFT-s-16QAM (99% BW)

