



9.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
835	845	0.1	RMS	838.85	5.03	30	Pass	401
845	846	0.1	RMS	845	-30.78	-13	Pass	401
846	856	0.1	RMS	846.15	-36.8	-13	Pass	401




**9.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:24100,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
835	845	0.1	RMS	844.4	21.51	30	Pass	401
845	846	0.1	RMS	845	-30.3	-13	Pass	401
846	856	0.1	RMS	846	-49.11	-13	Pass	401




9.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
835	845	0.1	RMS	839.65	4.02	30	Pass	401
845	846	0.1	RMS	845	-31.55	-13	Pass	401
846	856	0.1	RMS	846.175	-36.94	-13	Pass	401




9.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	829	-47.91	-13	Pass	401
829	830	0.1	RMS	830	-30.1	-13	Pass	401
830	845	0.1	RMS	830.825	21.62	30	Pass	401




9.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	829	-38.62	-13	Pass	401
829	830	0.1	RMS	829.995	-34.94	-13	Pass	401
830	845	0.1	RMS	838.438	3.45	30	Pass	401




9.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	828.96	-48.92	-13	Pass	401
829	830	0.1	RMS	830	-30.8	-13	Pass	401
830	845	0.1	RMS	830.825	20.65	30	Pass	401




9.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	828.9	-38.96	-13	Pass	401
829	830	0.1	RMS	830	-36.72	-13	Pass	401
830	845	0.1	RMS	839	2.32	30	Pass	401



9.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
830	845	0.1	RMS	844.175	21.93	30	Pass	401
845	846	0.1	RMS	845.003	-29.38	-13	Pass	401
846	856	0.1	RMS	846	-48.16	-13	Pass	401




9.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
830	845	0.1	RMS	838.1	3.47	30	Pass	401
845	846	0.1	RMS	845	-33.24	-13	Pass	401
846	856	0.1	RMS	847.2	-36.34	-13	Pass	401




9.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
830	845	0.1	RMS	844.175	21.11	30	Pass	401
845	846	0.1	RMS	845	-30.08	-13	Pass	401
846	856	0.1	RMS	846	-48.76	-13	Pass	401



9.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
830	845	0.1	RMS	837.163	2.53	30	Pass	401
845	846	0.1	RMS	845	-34.34	-13	Pass	401
846	856	0.1	RMS	847.1	-36.5	-13	Pass	401



10. LTE_Band26(part22)


10.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-46.16	-13	Pass	401
823	824	0.02	RMS	824	-21.56	-13	Pass	401
824	826	0.1	RMS	824.255	22.73	30	Pass	401




10.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-32.54	-13	Pass	401
823	824	0.02	RMS	824	-26.58	-13	Pass	401
824	826	0.1	RMS	824.28	14.72	30	Pass	401




10.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.11	-13	Pass	401
823	824	0.02	RMS	823.998	-23.62	-13	Pass	401
824	826	0.1	RMS	824.26	21.63	30	Pass	401




**10.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.5	-13	Pass	401
823	824	0.02	RMS	824	-26.9	-13	Pass	401
824	826	0.1	RMS	825.12	14.11	30	Pass	401




10.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	21.74	30	Pass	401
849	850	0.02	RMS	849	-21.45	-13	Pass	401
850	860	0.1	RMS	850.025	-47.12	-13	Pass	401




10.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.94	14.05	30	Pass	401
849	850	0.02	RMS	849	-24.59	-13	Pass	401
850	860	0.1	RMS	850	-32.69	-13	Pass	401




10.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.8	30	Pass	401
849	850	0.02	RMS	849	-24.05	-13	Pass	401
850	860	0.1	RMS	850	-48.01	-13	Pass	401




10.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.32	13.4	30	Pass	401
849	850	0.02	RMS	849	-25.68	-13	Pass	401
850	860	0.1	RMS	850	-33.92	-13	Pass	401




10.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-45.87	-13	Pass	401
823	824	0.03	RMS	823.998	-20.04	-13	Pass	401
824	827	0.1	RMS	824.248	22.41	30	Pass	401




10.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-32.18	-13	Pass	401
823	824	0.03	RMS	824	-25.46	-13	Pass	401
824	827	0.1	RMS	825.425	11.06	30	Pass	401




10.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-46.61	-13	Pass	401
823	824	0.03	RMS	824	-20.99	-13	Pass	401
824	827	0.1	RMS	824.248	21.58	30	Pass	401




10.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-32.1	-13	Pass	401
823	824	0.03	RMS	824	-27.45	-13	Pass	401
824	827	0.1	RMS	825.148	9.94	30	Pass	401




10.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	21.57	30	Pass	401
849	850	0.03	RMS	849	-19.81	-13	Pass	401
850	860	0.1	RMS	851.275	-43.46	-13	Pass	401




10.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.08	10.51	30	Pass	401
849	850	0.03	RMS	849	-25.98	-13	Pass	401
850	860	0.1	RMS	850	-27.26	-13	Pass	401




10.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	20.63	30	Pass	401
849	850	0.03	RMS	849	-21.65	-13	Pass	401
850	860	0.1	RMS	851.3	-45.17	-13	Pass	401




10.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.645	9.63	30	Pass	401
849	850	0.03	RMS	849.005	-26.39	-13	Pass	401
850	860	0.1	RMS	850	-28.42	-13	Pass	401




10.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.37	-13	Pass	401
823	824	0.051	RMS	824	-21.29	-13	Pass	401
824	829	0.1	RMS	824.325	21.75	30	Pass	401




10.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-34.02	-13	Pass	401
823	824	0.051	RMS	823.995	-27.22	-13	Pass	401
824	829	0.1	RMS	825.675	8.88	30	Pass	401




10.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.24	-48.35	-13	Pass	401
823	824	0.051	RMS	824	-22.34	-13	Pass	401
824	829	0.1	RMS	824.35	21.05	30	Pass	401




10.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-33.46	-13	Pass	401
823	824	0.051	RMS	824	-27.89	-13	Pass	401
824	829	0.1	RMS	825.713	7.96	30	Pass	401




10.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.08	30	Pass	401
849	850	0.051	RMS	849	-22.32	-13	Pass	401
850	860	0.1	RMS	850	-48.09	-13	Pass	401




10.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.863	8.33	30	Pass	401
849	850	0.051	RMS	849	-26.75	-13	Pass	401
850	860	0.1	RMS	850	-30.4	-13	Pass	401




10.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.24	30	Pass	401
849	850	0.051	RMS	849	-22.44	-13	Pass	401
850	860	0.1	RMS	850	-48.74	-13	Pass	401




10.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.138	7.37	30	Pass	401
849	850	0.051	RMS	849.003	-28.21	-13	Pass	401
850	860	0.1	RMS	850.05	-32.29	-13	Pass	401




10.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-48.08	-13	Pass	401
823	824	0.1	RMS	824	-32.32	-13	Pass	401
824	834	0.1	RMS	824.575	21.83	30	Pass	401




10.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.7	-37.77	-13	Pass	401
823	824	0.1	RMS	824	-29.33	-13	Pass	401
824	834	0.1	RMS	828.25	5.78	30	Pass	401




10.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.95	-13	Pass	401
823	824	0.1	RMS	824	-32.18	-13	Pass	401
824	834	0.1	RMS	824.6	21.03	30	Pass	401




10.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.03	-13	Pass	401
823	824	0.1	RMS	824	-30.99	-13	Pass	401
824	834	0.1	RMS	827.975	4.79	30	Pass	401




10.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.12	30	Pass	401
849	850	0.1	RMS	849	-32.62	-13	Pass	401
850	860	0.1	RMS	850.025	-49.25	-13	Pass	401




10.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	842.85	5.55	30	Pass	401
849	850	0.1	RMS	849	-29.95	-13	Pass	401
850	860	0.1	RMS	850.025	-34.13	-13	Pass	401




10.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.27	30	Pass	401
849	850	0.1	RMS	849	-33.45	-13	Pass	401
850	860	0.1	RMS	850.025	-50.15	-13	Pass	401




10.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.675	4.38	30	Pass	401
849	850	0.1	RMS	849.008	-31.73	-13	Pass	401
850	860	0.1	RMS	850.2	-36.19	-13	Pass	401




10.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.56	-13	Pass	401
823	824	0.15	RMS	824	-27.83	-13	Pass	401
824	839	0.1	RMS	824.825	21.49	30	Pass	401




10.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.88	-36.63	-13	Pass	401
823	824	0.15	RMS	823.995	-30.84	-13	Pass	401
824	839	0.1	RMS	834.725	3.93	30	Pass	401




10.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.52	-13	Pass	401
823	824	0.15	RMS	823.998	-28.41	-13	Pass	401
824	839	0.1	RMS	824.825	20.61	30	Pass	401




10.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.84	-38.23	-13	Pass	401
823	824	0.15	RMS	824	-33.19	-13	Pass	401
824	839	0.1	RMS	832.775	2.91	30	Pass	401




10.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	21.11	30	Pass	401
849	850	0.15	RMS	849	-28.83	-13	Pass	401
850	860	0.1	RMS	850.025	-48.94	-13	Pass	401




10.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	840.975	3.66	30	Pass	401
849	850	0.15	RMS	849	-30.53	-13	Pass	401
850	860	0.1	RMS	851.175	-36.09	-13	Pass	401



10.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.138	20.14	30	Pass	401
849	850	0.15	RMS	849	-29.46	-13	Pass	401
850	860	0.1	RMS	850.05	-49.73	-13	Pass	401



10.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	843	2.77	30	Pass	401
849	850	0.15	RMS	849	-32.63	-13	Pass	401
850	860	0.1	RMS	851.075	-37.15	-13	Pass	401



2. LTE_Band26(part90)


2.1. LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-22.55	-13	Pass	401
813.9625	814	0.002	RMS	813.994	-29.05	-20	Pass	401
814	819	0.1	RMS	814.25	22.27	30	Pass	401




2.2. LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.71	-13	Pass	401
813.9625	814	0.02	RMS	814	-24.32	-20	Pass	401
814	819	0.1	RMS	815.1	14.59	30	Pass	401




2.3. LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.53	-13	Pass	51
813.9625	814	0.002	RMS	813.995	-31.6	-20	Pass	401
814	819	0.1	RMS	814.238	21.16	30	Pass	401




2.4. LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.88	-13	Pass	401
813.9625	814	0.02	RMS	814	-25.87	-20	Pass	401
814	819	0.1	RMS	815.088	13.76	30	Pass	401




2.5. LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	22.64	30	Pass	401
824	824.0375	0.002	RMS	824.003	-29.89	-20	Pass	401
824.0875	829	0.1	RMS	824.088	-26.85	-13	Pass	51




2.6. LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.438	14.77	30	Pass	401
824	824.0375	0.02	RMS	824.001	-26.69	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-20.88	-13	Pass	401




2.7. LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.738	21.64	30	Pass	401
824	824.0375	0.002	RMS	824.008	-32.22	-20	Pass	401
824.0875	829	0.1	RMS	824.088	-25.49	-13	Pass	401




2.8. LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.35	13.88	30	Pass	401
824	824.0375	0.02	RMS	824.002	-27.68	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.2	-13	Pass	401




2.9. LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.31	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-30.86	-20	Pass	20
814	819	0.1	RMS	814.238	22.02	30	Pass	401




2.10. LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.92	-13	Pass	401
813.9625	814	0.03	RMS	814	-24.58	-20	Pass	401
814	819	0.1	RMS	815.788	11	30	Pass	401




2.11. LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.44	-13	Pass	51
813.9625	814	0.002	RMS	814	-31.31	-20	Pass	20
814	819	0.1	RMS	814.238	21.22	30	Pass	401




2.12. LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.49	-13	Pass	401
813.9625	814	0.03	RMS	814	-27.34	-20	Pass	401
814	819	0.1	RMS	816.388	9.88	30	Pass	401



2.13. LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	22.48	30	Pass	401
824	824.0375	0.002	RMS	824.002	-30.84	-20	Pass	20
824.0375	829	0.1	RMS	824.038	-19.27	-13	Pass	51




2.14. LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.088	10.97	30	Pass	401
824	824.0375	0.03	RMS	824	-27.34	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.93	-13	Pass	401




2.15. LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	21.49	30	Pass	401
824	824.0375	0.002	RMS	824.002	-31.28	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-20.58	-13	Pass	51




2.16. LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.875	10.05	30	Pass	401
824	824.0375	0.03	RMS	824	-27.05	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.67	-13	Pass	401




2.17. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.85	-13	Pass	51
813.9625	814	0.002	RMS	813.999	-34.39	-20	Pass	401
814	819	0.1	RMS	814.338	21.36	30	Pass	401




2.18. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.36	-13	Pass	401
813.9625	814	0.051	RMS	814	-26.73	-20	Pass	401
814	819	0.1	RMS	817.363	8.83	30	Pass	401




2.19. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.75	-13	Pass	51
813.9625	814	0.002	RMS	814	-35.01	-20	Pass	401
814	819	0.1	RMS	814.35	20.75	30	Pass	401




2.20. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.83	-13	Pass	401
813.9625	814	0.051	RMS	814	-28.18	-20	Pass	401
814	819	0.1	RMS	817.325	7.9	30	Pass	401



2.21. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.7	21.72	30	Pass	51
824	824.0375	0.002	RMS	824.002	-34.02	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-21.48	-13	Pass	401




2.22. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820.875	9	30	Pass	401
824	824.0375	0.051	RMS	824	-27.11	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-25.74	-13	Pass	401



2.23. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.7	21.24	30	Pass	51
824	824.0375	0.002	RMS	824.011	-35.77	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.02	-13	Pass	401




2.24. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.263	7.93	30	Pass	401
824	824.0375	0.051	RMS	824.001	-28.26	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-27.03	-13	Pass	401




2.25. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-35.77	-13	Pass	401
813.9625	814	0.02	RMS	813.998	-41.31	-20	Pass	401
814	819	0.1	RMS	814.588	21.59	30	Pass	401




2.26. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.51	-13	Pass	401
813.9625	814	0.1	RMS	814	-29.32	-20	Pass	401
814	819	0.1	RMS	818.25	6.05	30	Pass	401




2.27. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-35.38	-13	Pass	401
813.9625	814	0.02	RMS	813.999	-40.77	-20	Pass	401
814	819	0.1	RMS	814.588	20.76	30	Pass	401




2.28. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.25	-13	Pass	401
813.9625	814	0.1	RMS	814	-31.46	-20	Pass	401
814	819	0.1	RMS	819	5.04	30	Pass	401




2.29. LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	21.86	30	Pass	401
824	824.0375	0.02	RMS	824	-40.84	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-35.47	-13	Pass	401




2.30. LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.1	6.03	30	Pass	401
824	824.0375	0.1	RMS	824	-29.01	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-29.62	-13	Pass	401




2.31. LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.4	21.07	30	Pass	401
824	824.0375	0.02	RMS	824.001	-39.93	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-34.71	-13	Pass	401



2.32. LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.025	5.35	30	Pass	401
824	824.0375	0.1	RMS	824.001	-30.41	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-31.16	-13	Pass	401



12. LTE_Band38


12.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2561.768	-34.62	-25	Pass	401
2564	2565	1	RMS	2565	-39.74	-13	Pass	401
2565	2569	1	RMS	2569	-28.02	-10	Pass	5
2569	2570	0.051	RMS	2569.998	-17.29	-10	Pass	401
2570	2575	0.1	RMS	2570.313	22.1	30	Pass	401




12.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-33.32	-25	Pass	20
2564	2565	1	RMS	2565	-29.31	-13	Pass	2
2565	2569	1	RMS	2569	-16.43	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-21.38	-10	Pass	401
2570	2575	0.1	RMS	2572.913	8.7	30	Pass	401




12.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2561.72	-36.22	-25	Pass	401
2564	2565	1	RMS	2564.94	-38.43	-13	Pass	401
2565	2569	1	RMS	2569	-25.77	-10	Pass	5
2569	2570	0.051	RMS	2569.998	-18.77	-10	Pass	401
2570	2575	0.1	RMS	2570.363	22.2	30	Pass	401




12.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-34.88	-25	Pass	20
2564	2565	1	RMS	2565	-31.45	-13	Pass	2
2565	2569	1	RMS	2569	-20.3	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-24.6	-10	Pass	401
2570	2575	0.1	RMS	2572.2	7.17	30	Pass	401




12.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	22.05	30	Pass	401
2620	2621	0.051	RMS	2620.008	-18.67	-10	Pass	401
2621	2625	1	RMS	2621	-25.2	-10	Pass	5
2625	2626	1	RMS	2625.01	-39.11	-13	Pass	401
2626	2645	1	RMS	2628.328	-39.34	-25	Pass	401




12.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.688	8.1	30	Pass	401
2620	2621	0.1	RMS	2620	-22.73	-10	Pass	401
2621	2625	1	RMS	2621	-20.57	-10	Pass	5
2625	2626	1	RMS	2625.005	-32.14	-13	Pass	401
2626	2645	1	RMS	2626	-35.79	-25	Pass	20



12.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	21.53	30	Pass	401
2620	2621	0.051	RMS	2620.003	-18.98	-10	Pass	401
2621	2625	1	RMS	2621	-26.13	-10	Pass	5
2625	2626	1	RMS	2625.003	-38.05	-13	Pass	401
2626	2645	1	RMS	2628.233	-41.65	-25	Pass	401




12.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.325	7.41	30	Pass	401
2620	2621	0.1	RMS	2620.003	-24.3	-10	Pass	401
2621	2625	1	RMS	2621	-22.33	-10	Pass	5
2625	2626	1	RMS	2625.003	-33.84	-13	Pass	401
2626	2645	1	RMS	2626	-37.68	-25	Pass	20




12.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2553.1	-32.84	-25	Pass	401
2560	2565	1	RMS	2561.75	-33.23	-13	Pass	401
2565	2569	1	RMS	2569	-29.5	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-20.09	-10	Pass	401
2570	2580	0.1	RMS	2570.575	22.27	30	Pass	401




12.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.888	-31.33	-25	Pass	401
2560	2565	1	RMS	2565	-21.58	-13	Pass	401
2565	2569	1	RMS	2569	-19.82	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-23.41	-10	Pass	401
2570	2580	0.1	RMS	2574.225	5.69	30	Pass	401




12.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2552.875	-36.54	-25	Pass	401
2560	2565	1	RMS	2561.638	-34.16	-13	Pass	401
2565	2569	1	RMS	2569	-28.68	-10	Pass	5
2569	2570	0.2	RMS	2570	-19.58	-10	Pass	401
2570	2580	0.1	RMS	2570.575	21.92	30	Pass	401




12.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-34.11	-25	Pass	401
2560	2565	1	RMS	2564.963	-25.64	-13	Pass	401
2565	2569	1	RMS	2569	-22.99	-10	Pass	5
2569	2570	0.2	RMS	2570	-26.3	-10	Pass	401
2570	2580	0.1	RMS	2573.85	4.63	30	Pass	401




12.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	21.92	30	Pass	401
2620	2621	0.1	RMS	2620.008	-26.35	-10	Pass	401
2621	2625	1	RMS	2621	-29.87	-10	Pass	5
2625	2630	1	RMS	2628.288	-35.12	-13	Pass	401
2630	2645	1	RMS	2637.088	-34.24	-25	Pass	401




12.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.85	5.82	30	Pass	401
2620	2621	0.2	RMS	2620.003	-26.48	-10	Pass	401
2621	2625	1	RMS	2621	-23.82	-10	Pass	5
2625	2630	1	RMS	2625.038	-27.1	-13	Pass	401
2630	2645	1	RMS	2630.15	-34.25	-25	Pass	401




12.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	21.69	30	Pass	401
2620	2621	0.2	RMS	2620.003	-21.26	-10	Pass	401
2621	2625	1	RMS	2621	-29.24	-10	Pass	5
2625	2630	1	RMS	2628.263	-34.68	-13	Pass	401
2630	2645	1	RMS	2637.088	-37.45	-25	Pass	401




12.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2615.4	4.5	30	Pass	401
2620	2621	0.2	RMS	2620	-28.39	-10	Pass	401
2621	2625	1	RMS	2621	-25.65	-10	Pass	5
2625	2630	1	RMS	2625	-28.81	-13	Pass	401
2630	2645	1	RMS	2630.038	-36.17	-25	Pass	401




12.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-37.76	-25	Pass	401
2555	2565	1	RMS	2564.175	-32.09	-13	Pass	401
2565	2569	1	RMS	2569	-27.36	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-18.94	-10	Pass	401
2570	2585	0.1	RMS	2570.863	22.49	30	Pass	401




12.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.95	-31.09	-25	Pass	401
2555	2565	1	RMS	2564.925	-19.71	-13	Pass	401
2565	2569	1	RMS	2569	-18.09	-10	Pass	5
2569	2570	0.3	RMS	2569.32	-21.65	-10	Pass	401
2570	2585	0.1	RMS	2576.375	4.32	30	Pass	401




12.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2545.15	-37.64	-25	Pass	401
2555	2565	1	RMS	2564.125	-34.08	-13	Pass	401
2565	2569	1	RMS	2569	-27.18	-10	Pass	5
2569	2570	0.3	RMS	2570	-19.67	-10	Pass	401
2570	2585	0.1	RMS	2570.863	21.58	30	Pass	401




12.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-33.91	-25	Pass	401
2555	2565	1	RMS	2564.975	-24.02	-13	Pass	401
2565	2569	1	RMS	2569	-22.98	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-26.27	-10	Pass	401
2570	2585	0.1	RMS	2576.45	2.33	30	Pass	401




12.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	22.79	30	Pass	401
2620	2621	0.3	RMS	2620	-19.18	-10	Pass	401
2621	2625	1	RMS	2621	-27.82	-10	Pass	5
2625	2635	1	RMS	2625.875	-30.38	-13	Pass	401
2635	2645	1	RMS	2644.975	-38.44	-25	Pass	401




12.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2611.9	3.74	30	Pass	401
2620	2621	0.3	RMS	2620.368	-26.47	-10	Pass	401
2621	2625	1	RMS	2621	-22.97	-10	Pass	5
2625	2635	1	RMS	2625.175	-24.86	-13	Pass	401
2635	2645	1	RMS	2635.1	-33.73	-25	Pass	401




12.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	21.8	30	Pass	401
2620	2621	0.3	RMS	2620.005	-20.39	-10	Pass	401
2621	2625	1	RMS	2621	-29.49	-10	Pass	5
2625	2635	1	RMS	2625.8	-30.05	-13	Pass	401
2635	2645	1	RMS	2644.95	-40.46	-25	Pass	401




12.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2610.4	2.93	30	Pass	401
2620	2621	0.3	RMS	2620.003	-28.18	-10	Pass	401
2621	2625	1	RMS	2621	-25.69	-10	Pass	5
2625	2635	1	RMS	2625.125	-27.31	-13	Pass	401
2635	2645	1	RMS	2635.175	-35.36	-25	Pass	401




12.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-42.66	-25	Pass	401
2550	2565	1	RMS	2553.188	-30.31	-13	Pass	401
2565	2569	1	RMS	2569	-29.4	-10	Pass	5
2569	2570	0.51	RMS	2570	-18.81	-10	Pass	401
2570	2590	0.1	RMS	2571.1	22.3	30	Pass	401




12.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.988	-34.67	-25	Pass	401
2550	2565	1	RMS	2564.963	-22.88	-13	Pass	401
2565	2569	1	RMS	2569	-22.55	-10	Pass	5
2569	2570	0.51	RMS	2570	-23.96	-10	Pass	401
2570	2590	0.1	RMS	2578.95	3.15	30	Pass	401




12.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-43.71	-25	Pass	401
2550	2565	1	RMS	2562.113	-27.97	-13	Pass	401
2565	2569	1	RMS	2569	-28.33	-10	Pass	5
2569	2570	0.51	RMS	2570	-17.57	-10	Pass	401
2570	2590	0.1	RMS	2571.1	21.77	30	Pass	401




12.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.95	-36.23	-25	Pass	401
2550	2565	1	RMS	2564.925	-25.41	-13	Pass	401
2565	2569	1	RMS	2569	-24.8	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-26.03	-10	Pass	401
2570	2590	0.1	RMS	2579.2	1.91	30	Pass	401




12.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	21.69	30	Pass	401
2620	2621	0.51	RMS	2620	-19.71	-10	Pass	401
2621	2625	1	RMS	2621	-30	-10	Pass	5
2625	2640	1	RMS	2627.775	-30.1	-13	Pass	401
2640	2645	1	RMS	2640	-43.98	-25	Pass	401




12.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.25	2.37	30	Pass	401
2620	2621	0.51	RMS	2620.008	-27.13	-10	Pass	401
2621	2625	1	RMS	2621	-26.02	-10	Pass	5
2625	2640	1	RMS	2625.038	-27.04	-13	Pass	401
2640	2645	1	RMS	2640	-36.65	-25	Pass	401




12.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.75	30	Pass	401
2620	2621	0.51	RMS	2620	-20.02	-10	Pass	401
2621	2625	1	RMS	2621	-29.75	-10	Pass	5
2625	2640	1	RMS	2627.775	-31.92	-13	Pass	401
2640	2645	1	RMS	2640.013	-43.64	-25	Pass	401



12.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2608.3	1.42	30	Pass	401
2620	2621	0.51	RMS	2620.005	-28.82	-10	Pass	401
2621	2625	1	RMS	2621	-28.48	-10	Pass	5
2625	2640	1	RMS	2625	-29.33	-13	Pass	401
2640	2645	1	RMS	2640.013	-39.21	-25	Pass	401



1. LTE_Band41 120M


1.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2529	1	RMS	2526.388	-39.43	-25	Pass	401
2529	2530	1	RMS	2529.968	-37.34	-13	Pass	401
2530	2534	1	RMS	2534	-24.84	-10	Pass	5
2534	2535	0.051	RMS	2535	-18.66	-10	Pass	401
2535	2540	0.1	RMS	2535.325	22.33	30	Pass	401




1.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2529	1	RMS	2529	-35.63	-25	Pass	401
2529	2530	1	RMS	2530	-32.11	-13	Pass	401
2530	2533.5	1	RMS	2533.5	-25.95	-10	Pass	5
2534	2535	0.1	RMS	2535	-26.79	-10	Pass	401
2535	2540	0.1	RMS	2537.513	8.47	30	Pass	401




1.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2529	1	RMS	2526.34	-39.28	-25	Pass	401
2529	2530	1	RMS	2529.918	-38.48	-13	Pass	401
2530	2534	1	RMS	2534	-26.08	-10	Pass	5
2534	2535	0.1	RMS	2535	-14.45	-10	Pass	401
2535	2540	0.1	RMS	2535.325	21.62	30	Pass	401




1.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2529	1	RMS	2528.953	-37.3	-25	Pass	401
2529	2530	1	RMS	2529.99	-33.71	-13	Pass	401
2530	2534	1	RMS	2534	-24.82	-10	Pass	5
2534	2535	0.1	RMS	2534.995	-25.76	-10	Pass	401
2535	2540	0.1	RMS	2537.475	7.6	30	Pass	401



1.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.65	21.96	30	Pass	401
2655	2656	0.051	RMS	2655.005	-21.78	-10	Pass	401
2656	2660	1	RMS	2656	-27.17	-10	Pass	5
2660	2661	1	RMS	2660.018	-38.78	-13	Pass	401
2661	2680	1	RMS	2663.233	-43.49	-25	Pass	401




1.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2652.55	7.92	30	Pass	401
2655	2656	0.1	RMS	2655	-24.59	-10	Pass	401
2656	2660	1	RMS	2656	-21.36	-10	Pass	5
2660	2661	1	RMS	2660	-34.2	-13	Pass	2
2661	2680	1	RMS	2661	-36.98	-25	Pass	20




1.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.663	21.6	30	Pass	401
2655	2656	0.051	RMS	2655.003	-18.84	-10	Pass	401
2656	2660	1	RMS	2656	-23.88	-10	Pass	5
2660	2661	1	RMS	2660.04	-38.43	-13	Pass	401
2661	2680	1	RMS	2663.518	-41.33	-25	Pass	401




1.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2652.188	6.87	30	Pass	401
2655	2656	0.1	RMS	2655	-25.96	-10	Pass	401
2656	2660	1	RMS	2656	-23.75	-10	Pass	5
2660	2661	1	RMS	2660	-36.66	-13	Pass	2
2661	2680	1	RMS	2661	-39.63	-25	Pass	20




1.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2525	1	RMS	2518.325	-35.65	-25	Pass	401
2525	2530	1	RMS	2526.75	-33.62	-13	Pass	401
2530	2534	1	RMS	2534	-30.76	-10	Pass	5
2534	2535	0.2	RMS	2534.998	-22.32	-10	Pass	401
2535	2545	0.1	RMS	2535.6	21.89	30	Pass	401




1.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2525	1	RMS	2524.925	-35.48	-25	Pass	401
2525	2530	1	RMS	2529.938	-29.84	-13	Pass	401
2530	2534	1	RMS	2534	-26.39	-10	Pass	5
2534	2535	0.2	RMS	2535	-28.45	-10	Pass	401
2535	2545	0.1	RMS	2539.275	5.32	30	Pass	401




1.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2525	1	RMS	2525	-39.31	-25	Pass	401
2525	2530	1	RMS	2526.788	-35.59	-13	Pass	401
2530	2534	1	RMS	2534	-29.49	-10	Pass	5
2534	2535	0.2	RMS	2535	-22.17	-10	Pass	401
2535	2545	0.1	RMS	2535.575	21.37	30	Pass	401




1.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2525	1	RMS	2524.963	-36.67	-25	Pass	401
2525	2530	1	RMS	2530	-30.32	-13	Pass	401
2530	2534	1	RMS	2534	-27.54	-10	Pass	5
2534	2535	0.2	RMS	2534.995	-29.1	-10	Pass	401
2535	2545	0.1	RMS	2540	4.29	30	Pass	401




1.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.4	21.76	30	Pass	401
2655	2656	0.2	RMS	2655.003	-21.33	-10	Pass	401
2656	2660	1	RMS	2656	-29.5	-10	Pass	5
2660	2665	1	RMS	2663.125	-36.71	-13	Pass	401
2665	2680	1	RMS	2673.588	-40.33	-25	Pass	401




1.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2648.85	4.62	30	Pass	401
2655	2656	0.2	RMS	2655.005	-26.98	-10	Pass	401
2656	2660	1	RMS	2656	-24.44	-10	Pass	5
2660	2665	1	RMS	2660.038	-28.55	-13	Pass	401
2665	2680	1	RMS	2665.15	-37.45	-25	Pass	401




**1.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41190,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.425	21.12	30	Pass	401
2655	2656	0.2	RMS	2655	-23.1	-10	Pass	401
2656	2660	1	RMS	2656	-29.42	-10	Pass	5
2660	2665	1	RMS	2663.263	-35.96	-13	Pass	401
2665	2680	1	RMS	2672.013	-40.9	-25	Pass	401




1.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2650.425	4.03	30	Pass	401
2655	2656	0.2	RMS	2655.003	-28.7	-10	Pass	401
2656	2660	1	RMS	2656	-26.36	-10	Pass	5
2660	2665	1	RMS	2660.038	-31.12	-13	Pass	401
2665	2680	1	RMS	2665.9	-38.79	-25	Pass	401




**1.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:40115,
Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2520	1	RMS	2519.85	-39.63	-25	Pass	401
2520	2530	1	RMS	2529.15	-31.63	-13	Pass	401
2530	2534	1	RMS	2534	-28.25	-10	Pass	5
2534	2535	0.3	RMS	2535	-20.26	-10	Pass	401
2535	2550	0.1	RMS	2535.825	22.02	30	Pass	401




1.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2520	1	RMS	2519.55	-35.92	-25	Pass	401
2520	2530	1	RMS	2529.925	-28.99	-13	Pass	401
2530	2534	1	RMS	2534	-26.5	-10	Pass	5
2534	2535	0.3	RMS	2535	-29.86	-10	Pass	401
2535	2550	0.1	RMS	2541.375	3.79	30	Pass	401




**1.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:40115,
Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2520	1	RMS	2520	-40.47	-25	Pass	401
2520	2530	1	RMS	2529.125	-32.23	-13	Pass	401
2530	2534	1	RMS	2534	-27.5	-10	Pass	5
2534	2535	0.3	RMS	2535	-20.37	-10	Pass	401
2535	2550	0.1	RMS	2535.825	21.28	30	Pass	401




**1.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:40115,
Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2520	1	RMS	2519.875	-38.49	-25	Pass	401
2520	2530	1	RMS	2529.8	-30.32	-13	Pass	401
2530	2534	1	RMS	2534	-27.63	-10	Pass	5
2534	2535	0.3	RMS	2534.99	-30.14	-10	Pass	401
2535	2550	0.1	RMS	2543.738	3.08	30	Pass	401




1.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2654.175	22.12	30	Pass	401
2655	2656	0.3	RMS	2655	-19.53	-10	Pass	401
2656	2660	1	RMS	2656	-28.09	-10	Pass	5
2660	2670	1	RMS	2660.725	-32.72	-13	Pass	401
2670	2680	1	RMS	2670.175	-40.48	-25	Pass	401




1.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2646.938	3.45	30	Pass	401
2655	2656	0.3	RMS	2655.008	-28.03	-10	Pass	401
2656	2660	1	RMS	2656	-24	-10	Pass	5
2660	2670	1	RMS	2660	-27.04	-13	Pass	401
2670	2680	1	RMS	2670.1	-38.04	-25	Pass	401




1.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2654.175	20.74	30	Pass	401
2655	2656	0.3	RMS	2655.005	-20.89	-10	Pass	401
2656	2660	1	RMS	2656	-30.08	-10	Pass	5
2660	2670	1	RMS	2660.875	-34.76	-13	Pass	401
2670	2680	1	RMS	2670.025	-41.91	-25	Pass	401




1.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2648.363	2.34	30	Pass	401
2655	2656	0.3	RMS	2655	-28.53	-10	Pass	401
2656	2660	1	RMS	2656	-26.41	-10	Pass	5
2660	2670	1	RMS	2660.025	-29.38	-13	Pass	401
2670	2680	1	RMS	2670.175	-37.53	-25	Pass	401




**1.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:40140,
Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2515	1	RMS	2514.975	-44.67	-25	Pass	401
2515	2530	1	RMS	2527.188	-33.21	-13	Pass	401
2530	2534	1	RMS	2534	-29.94	-10	Pass	5
2534	2535	0.51	RMS	2534.998	-19.31	-10	Pass	401
2535	2555	0.1	RMS	2536.1	22.38	30	Pass	401




1.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2515	1	RMS	2514.988	-41.03	-25	Pass	401
2515	2530	1	RMS	2529.888	-31.38	-13	Pass	401
2530	2534	1	RMS	2534	-29.04	-10	Pass	5
2534	2535	0.51	RMS	2534.998	-29.26	-10	Pass	401
2535	2555	0.1	RMS	2543.95	2.87	30	Pass	401




**1.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:40140,
Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2515	1	RMS	2514.975	-44.69	-25	Pass	401
2515	2530	1	RMS	2527.225	-31.78	-13	Pass	401
2530	2534	1	RMS	2534	-28.61	-10	Pass	5
2534	2535	0.51	RMS	2534.998	-17.58	-10	Pass	401
2535	2555	0.1	RMS	2536.05	21.57	30	Pass	401




1.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2515	1	RMS	2514.925	-42.22	-25	Pass	401
2515	2530	1	RMS	2529.925	-31.94	-13	Pass	401
2530	2534	1	RMS	2534	-30.05	-10	Pass	5
2534	2535	0.51	RMS	2534.993	-29.88	-10	Pass	401
2535	2555	0.1	RMS	2545	2.32	30	Pass	401




**1.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41140,
Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2653.9	21.88	30	Pass	401
2655	2656	0.51	RMS	2655.003	-20.09	-10	Pass	401
2656	2660	1	RMS	2656	-30.65	-10	Pass	5
2660	2675	1	RMS	2662.85	-33.65	-13	Pass	401
2675	2680	1	RMS	2675.025	-44.37	-25	Pass	401




1.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2648	1.55	30	Pass	401
2655	2656	0.51	RMS	2655.01	-26.73	-10	Pass	401
2656	2660	1	RMS	2656	-26.36	-10	Pass	5
2660	2675	1	RMS	2660.038	-28.03	-13	Pass	401
2675	2680	1	RMS	2675.063	-40.35	-25	Pass	401




**1.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41140,
Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2653.9	20.2	30	Pass	401
2655	2656	0.51	RMS	2655.003	-20.26	-10	Pass	401
2656	2660	1	RMS	2656	-30.43	-10	Pass	5
2660	2675	1	RMS	2662.738	-35.25	-13	Pass	401
2675	2680	1	RMS	2675	-44.06	-25	Pass	401



1.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2643.3	0.92	30	Pass	401
2655	2656	0.51	RMS	2655.008	-29.3	-10	Pass	401
2656	2660	1	RMS	2656	-28.9	-10	Pass	5
2660	2675	1	RMS	2660	-30.99	-13	Pass	401
2675	2680	1	RMS	2675.113	-41.78	-25	Pass	401



11. LTE_Band66


11.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.39	-13	Pass	401
1708	1709	1	RMS	1709	-29.38	-13	Pass	2
1709	1710	0.02	RMS	1710	-19.42	-13	Pass	401
1710	1712	0.1	RMS	1710.25	22.05	30	Pass	401




**11.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.98	-13	Pass	401
1708	1709	1	RMS	1709	-16.05	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-20.64	-13	Pass	401
1710	1712	0.1	RMS	1710.785	13.87	30	Pass	401




11.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.45	-13	Pass	401
1708	1709	1	RMS	1709	-29.87	-13	Pass	2
1709	1710	0.02	RMS	1710	-19.87	-13	Pass	401
1710	1712	0.1	RMS	1710.25	21.48	30	Pass	401




**11.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.52	-13	Pass	401
1708	1709	1	RMS	1709	-18.64	-13	Pass	2
1709	1710	0.02	RMS	1710	-22.28	-13	Pass	401
1710	1712	0.1	RMS	1710.705	12.92	30	Pass	401




**11.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	22	30	Pass	401
1780	1781	0.02	RMS	1780	-19.72	-13	Pass	401
1781	1782	1	RMS	1781	-31.01	-13	Pass	2
1782	1790	1	RMS	1782	-34.56	-13	Pass	401




**11.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.89	13.65	30	Pass	401
1780	1781	0.02	RMS	1780.003	-21.49	-13	Pass	401
1781	1782	1	RMS	1781	-17.41	-13	Pass	2
1782	1790	1	RMS	1782	-31.15	-13	Pass	401




11.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.745	20.87	30	Pass	401
1780	1781	0.02	RMS	1780	-20.69	-13	Pass	401
1781	1782	1	RMS	1781	-32.14	-13	Pass	2
1782	1790	1	RMS	1782	-35.76	-13	Pass	401




11.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.71	12.72	30	Pass	401
1780	1781	0.02	RMS	1780	-24.35	-13	Pass	401
1781	1782	1	RMS	1781	-20.51	-13	Pass	2
1782	1790	1	RMS	1782	-33.23	-13	Pass	401




11.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.88	-34.57	-13	Pass	401
1708	1709	1	RMS	1709	-32.33	-13	Pass	2
1709	1710	0.01	RMS	1709.998	-21.87	-13	Pass	401
1710	1713	0.1	RMS	1710.248	21.94	30	Pass	401




11.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-18.82	-13	Pass	401
1708	1708.5	1	RMS	1708.5	-16.52	-13	Pass	2
1709	1710	0.03	RMS	1710	-22.47	-13	Pass	401
1710	1713	0.1	RMS	1711.44	9.92	30	Pass	401




11.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-35.88	-13	Pass	401
1708	1709	1	RMS	1709	-33.73	-13	Pass	2
1709	1710	0.01	RMS	1710	-22.83	-13	Pass	401
1710	1713	0.1	RMS	1710.248	20.81	30	Pass	401




11.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-20.93	-13	Pass	401
1708	1708.5	1	RMS	1708.5	-18.57	-13	Pass	2
1709	1710	0.03	RMS	1710	-24.88	-13	Pass	401
1710	1713	0.1	RMS	1712.415	8.88	30	Pass	401



11.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	21.87	30	Pass	401
1780	1781	0.002	RMS	1780	-28.67	-13	Pass	501
1781	1782	1	RMS	1781	-32.84	-13	Pass	2
1782	1790	1	RMS	1782	-35.3	-13	Pass	401




11.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.08	10.03	30	Pass	401
1780	1781	0.03	RMS	1780	-23.4	-13	Pass	401
1781.5	1782	1	RMS	1781.5	-17.19	-13	Pass	2
1782	1790	1	RMS	1782	-19.35	-13	Pass	401



11.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	21.38	30	Pass	401
1780	1781	0.01	RMS	1780	-22.18	-13	Pass	401
1781	1782	1	RMS	1781	-33.29	-13	Pass	2
1782	1790	1	RMS	1782.02	-35.67	-13	Pass	401




11.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.945	9.06	30	Pass	401
1780	1781	0.03	RMS	1780	-25.17	-13	Pass	401
1781	1782	1	RMS	1781	-18.43	-13	Pass	2
1782	1790	1	RMS	1782	-22.6	-13	Pass	401




11.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.6	-13	Pass	401
1708	1709	1	RMS	1708	-33.51	-13	Pass	2
1709	1710	0.01	RMS	1710	-27.57	-13	Pass	401
1710	1715	0.1	RMS	1710.338	21.46	30	Pass	401




11.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-16.96	-13	Pass	401
1708	1708.5	1	RMS	1708.5	-16.08	-13	Pass	2
1709	1710	0.051	RMS	1710	-23.34	-13	Pass	401
1710	1715	0.1	RMS	1711.65	7.91	30	Pass	401




11.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.9	-13	Pass	401
1708	1709	1	RMS	1708	-34.72	-13	Pass	2
1709	1710	0.01	RMS	1710	-27.79	-13	Pass	401
1710	1715	0.1	RMS	1710.35	21.01	30	Pass	401




11.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-19.57	-13	Pass	401
1708	1709	1	RMS	1709	-17.5	-13	Pass	2
1709	1710	0.051	RMS	1710	-25.54	-13	Pass	401
1710	1715	0.1	RMS	1712.813	7.02	30	Pass	401



11.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.675	21.61	30	Pass	401
1780	1781	0.01	RMS	1780	-27.19	-13	Pass	401
1781	1782	1	RMS	1781	-34.13	-13	Pass	2
1782	1790	1	RMS	1782.04	-35.54	-13	Pass	401




11.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.875	7.87	30	Pass	401
1780	1781	0.051	RMS	1780.003	-24.07	-13	Pass	401
1781.5	1782	1	RMS	1781.5	-17.44	-13	Pass	2
1782	1790	1	RMS	1782.02	-18.32	-13	Pass	401




11.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	21.25	30	Pass	401
1780	1781	0.01	RMS	1780	-26.87	-13	Pass	401
1781	1782	1	RMS	1781	-34.5	-13	Pass	2
1782	1790	1	RMS	1782	-35	-13	Pass	401




11.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.25	6.95	30	Pass	401
1780	1781	0.051	RMS	1780	-26.93	-13	Pass	401
1781	1782	1	RMS	1781	-17.84	-13	Pass	2
1782	1790	1	RMS	1782	-19.74	-13	Pass	401




11.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.16	-34.49	-13	Pass	401
1708	1709	1	RMS	1709	-34.99	-13	Pass	2
1709	1710	0.1	RMS	1710	-32.31	-13	Pass	11
1710	1720	0.1	RMS	1710.6	21.95	30	Pass	401




11.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-21.72	-13	Pass	401
1708	1709	1	RMS	1709	-20.83	-13	Pass	2
1709	1710	0.1	RMS	1710	-26.52	-13	Pass	401
1710	1720	0.1	RMS	1714.25	5.16	30	Pass	401




11.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.22	-35.44	-13	Pass	401
1708	1709	1	RMS	1709	-35.48	-13	Pass	2
1709	1710	0.1	RMS	1710	-32.63	-13	Pass	11
1710	1720	0.1	RMS	1710.6	21.14	30	Pass	401




11.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-22.95	-13	Pass	401
1708	1709	1	RMS	1709	-22.05	-13	Pass	2
1709	1710	0.1	RMS	1709.993	-28.79	-13	Pass	401
1710	1720	0.1	RMS	1715.025	4.26	30	Pass	401




11.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	21.81	30	Pass	401
1780	1781	0.1	RMS	1780	-32.75	-13	Pass	11
1781	1782	1	RMS	1781	-34.77	-13	Pass	2
1782	1790	1	RMS	1782	-37.13	-13	Pass	401




11.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1773.85	4.91	30	Pass	401
1780	1781	0.1	RMS	1780	-25.1	-13	Pass	401
1781	1782	1	RMS	1781	-17.82	-13	Pass	2
1782	1790	1	RMS	1782	-18.73	-13	Pass	401




11.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	21.34	30	Pass	401
1780	1781	0.1	RMS	1780	-32.42	-13	Pass	11
1781	1782	1	RMS	1781	-34.73	-13	Pass	2
1782	1790	1	RMS	1782	-37.11	-13	Pass	401




11.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1774.375	3.86	30	Pass	401
1780	1781	0.1	RMS	1780.003	-27.54	-13	Pass	401
1781	1782	1	RMS	1781	-20.61	-13	Pass	2
1782	1790	1	RMS	1782	-21.34	-13	Pass	401




11.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.14	-33.97	-13	Pass	401
1708	1709	1	RMS	1709	-35.49	-13	Pass	2
1709	1710	0.15	RMS	1710	-27.95	-13	Pass	8
1710	1725	0.1	RMS	1710.825	21.89	30	Pass	401




11.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-21.43	-13	Pass	401
1708	1709	1	RMS	1708	-21.5	-13	Pass	2
1709	1710	0.15	RMS	1710	-26.83	-13	Pass	401
1710	1725	0.1	RMS	1714.575	3.53	30	Pass	401




11.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.14	-34.87	-13	Pass	401
1708	1709	1	RMS	1709	-36	-13	Pass	2
1709	1710	0.15	RMS	1710	-27.19	-13	Pass	401
1710	1725	0.1	RMS	1710.825	21.05	30	Pass	401




11.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-23.2	-13	Pass	401
1708	1709	1	RMS	1708	-23.21	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.3	-13	Pass	401
1710	1725	0.1	RMS	1716.488	2.68	30	Pass	401




11.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	21.64	30	Pass	401
1780	1781	0.15	RMS	1780	-27.06	-13	Pass	401
1781	1782	1	RMS	1781	-35.03	-13	Pass	2
1782	1790	1	RMS	1782	-37.83	-13	Pass	401




11.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1771.975	3.28	30	Pass	401
1780	1781	0.15	RMS	1780	-23.55	-13	Pass	401
1781	1782	1	RMS	1781	-17.73	-13	Pass	2
1782	1790	1	RMS	1782.04	-18.26	-13	Pass	401




11.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	21.11	30	Pass	401
1780	1781	0.15	RMS	1780	-26.86	-13	Pass	401
1781	1782	1	RMS	1781	-35.02	-13	Pass	2
1782	1790	1	RMS	1785.8	-36.89	-13	Pass	401




11.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1771.113	2.33	30	Pass	401
1780	1781	0.15	RMS	1780.003	-26.85	-13	Pass	401
1781	1782	1	RMS	1781	-20.91	-13	Pass	2
1782	1790	1	RMS	1782	-21.14	-13	Pass	401




11.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.16	-35.6	-13	Pass	401
1708	1709	1	RMS	1709	-36.54	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.66	-13	Pass	401
1710	1730	0.1	RMS	1711.1	21.69	30	Pass	401




11.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-24.7	-13	Pass	401
1708	1709	1	RMS	1709	-24.12	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-28.87	-13	Pass	401
1710	1730	0.1	RMS	1717.85	2.13	30	Pass	401




11.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.14	-36.77	-13	Pass	401
1708	1709	1	RMS	1709	-37.14	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.37	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.9	30	Pass	401




11.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.99	-13	Pass	401
1708	1709	1	RMS	1709	-25.93	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-30.94	-13	Pass	401
1710	1730	0.1	RMS	1720	1.27	30	Pass	401




11.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	21.75	30	Pass	401
1780	1781	0.2	RMS	1780	-30.29	-13	Pass	401
1781	1782	1	RMS	1781	-35.22	-13	Pass	2
1782	1790	1	RMS	1782	-38.38	-13	Pass	401




11.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1769.65	1.99	30	Pass	401
1780	1781	0.2	RMS	1780.003	-23.84	-13	Pass	401
1781	1782	1	RMS	1781	-18.73	-13	Pass	2
1782	1790	1	RMS	1782	-19.73	-13	Pass	401



11.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.87	30	Pass	401
1780	1781	0.2	RMS	1780	-30.52	-13	Pass	401
1781	1782	1	RMS	1781	-36.01	-13	Pass	2
1782	1790	1	RMS	1782	-39.17	-13	Pass	401



11.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1766.95	1.01	30	Pass	401
1780	1781	0.2	RMS	1780.003	-27.71	-13	Pass	401
1781	1782	1	RMS	1781	-22.32	-13	Pass	2
1782	1790	1	RMS	1782.04	-23.05	-13	Pass	401



--BLANK BELOW--