


## **A.5 Spurious Emission at Antenna Terminals**

# 1. GSM\_GSM850


## 1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-52.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.62	-13	Pass	2985
30	500	0.1	Peak	472.094	-43.18	-13	Pass	4700
500	1000	0.1	Peak	824.265	33.28	-13	N/A	5000
1000	10000	1	Peak	8964.972	-22.79	-13	Pass	9000




## 1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.07	-13	Pass	401
0.15	30	0.01	Peak	0.2	-51.34	-13	Pass	2985
30	500	0.1	Peak	383.275	-44.21	-13	Pass	4700
500	1000	0.1	Peak	836.567	32.91	-13	N/A	5000
1000	10000	1	Peak	9633.546	-22.64	-13	Pass	9000



### 1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.29	-13	Pass	401
0.15	30	0.01	Peak	0.4	-52.77	-13	Pass	2985
30	500	0.1	Peak	464.793	-43.54	-13	Pass	4700
500	1000	0.1	Peak	848.87	32.84	-13	N/A	5000
1000	10000	1	Peak	7067.741	-22.75	-13	Pass	9000



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.68	-13	Pass	401
0.15	30	0.01	Peak	0.23	-60.89	-13	Pass	2985
30	1000	0.1	Peak	980.975	-49.86	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.06	-13	N/A	2000
3000	20000	1	Peak	7400.537	-42.07	-13	Pass	17000




## 2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.02	-13	Pass	401
0.15	30	0.01	Peak	0.25	-60.88	-13	Pass	2985
30	1000	0.1	Peak	516.559	-50.03	-13	Pass	9699
1000	3000	1	Peak	1879.44	25.15	-13	N/A	2000
3000	20000	1	Peak	7519.552	-40.57	-13	Pass	17000



### 2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-63.4	-13	Pass	401
0.15	30	0.01	Peak	0.27	-60.68	-13	Pass	2985
30	1000	0.1	Peak	900.168	-49.51	-13	Pass	9699
1000	3000	1	Peak	1910.455	29.53	-13	N/A	2000
3000	20000	1	Peak	7639.566	-43.07	-13	Pass	17000



### 3. EGPRS\_GSM850

#### 3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-53.99	-13	Pass	401
0.15	30	0.01	Peak	0.21	-53.02	-13	Pass	2985
30	500	0.1	Peak	487.297	-43.32	-13	Pass	4700
500	1000	0.1	Peak	824.265	29.75	-13	N/A	5000
1000	10000	1	Peak	9552.446	-22.04	-13	Pass	9000






### 3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.23	-13	Pass	401
0.15	30	0.01	Peak	0.25	-51.7	-13	Pass	2985
30	500	0.1	Peak	480.096	-43.76	-13	Pass	4700
500	1000	0.1	Peak	836.567	30.25	-13	N/A	5000
1000	10000	1	Peak	6959.728	-22.48	-13	Pass	9000



### 3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.45	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.67	-13	Pass	2985
30	500	0.1	Peak	488.398	-42.63	-13	Pass	4700
500	1000	0.1	Peak	848.77	27.47	-13	N/A	5000
1000	10000	1	Peak	6970.729	-22	-13	Pass	9000



## 4. EGPRS\_PCS


### 4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.38	-13	Pass	401
0.15	30	0.01	Peak	0.18	-59.62	-13	Pass	2985
30	1000	0.1	Peak	848.5	-50.15	-13	Pass	9699
1000	3000	1	Peak	1850.425	23.28	-13	N/A	2000
3000	20000	1	Peak	19928.885	-45.19	-13	Pass	17000




## 4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.3	-13	Pass	401
0.15	30	0.01	Peak	0.25	-60.42	-13	Pass	2985
30	1000	0.1	Peak	845.5	-49.8	-13	Pass	9699
1000	3000	1	Peak	1879.44	28.17	-13	N/A	2000
3000	20000	1	Peak	19857.769	-45.01	-13	Pass	17000



### 4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.88	-13	Pass	401
0.15	30	0.01	Peak	0.15	-60.6	-13	Pass	2985
30	1000	0.1	Peak	827.297	-49.96	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.19	-13	N/A	2000
3000	20000	1	Peak	19984.976	-44.16	-13	Pass	17000



## 5. WCDMA\_Band2


### 5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.49	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.92	-13	Pass	2985
30	1000	0.1	Peak	874.333	-53.62	-13	Pass	9699
1000	3000	1	Peak	1851.426	21.92	-13	N/A	2000
3000	20000	1	Peak	19673.47	-23.77	-13	Pass	17000




## 5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.53	-13	Pass	401
0.15	30	0.01	Peak	0.23	-65.12	-13	Pass	2985
30	1000	0.1	Peak	834.098	-53.63	-13	Pass	9699
1000	3000	1	Peak	1878.439	21.83	-13	N/A	2000
3000	20000	1	Peak	19681.483	-23.11	-13	Pass	17000



### 5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.33	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.95	-13	Pass	2985
30	1000	0.1	Peak	696.681	-53.14	-13	Pass	9699
1000	3000	1	Peak	1906.453	21.73	-13	N/A	2000
3000	20000	1	Peak	19709.528	-23.19	-13	Pass	17000






## 6. WCDMA\_Band4


### 6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.67	-13	Pass	401
0.15	30	0.01	Peak	0.19	-62.98	-13	Pass	2985
30	1000	0.1	Peak	844.799	-54.07	-13	Pass	9699
1000	3000	1	Peak	1711.356	22.21	-13	N/A	2000
3000	20000	1	Peak	19694.504	-22.81	-13	Pass	17000




## 6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.14	-13	Pass	401
0.15	30	0.01	Peak	0.3	-65.67	-13	Pass	2985
30	1000	0.1	Peak	698.182	-53.52	-13	Pass	9699
1000	3000	1	Peak	1733.367	22	-13	N/A	2000
3000	20000	1	Peak	19652.436	-23.73	-13	Pass	17000



### 6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.67	-13	Pass	401
0.15	30	0.01	Peak	0.44	-64.88	-13	Pass	2985
30	1000	0.1	Peak	988.785	-53.8	-13	Pass	9699
1000	3000	1	Peak	1751.376	21.98	-13	N/A	2000
3000	20000	1	Peak	19684.488	-24.26	-13	Pass	17000



## 7. WCDMA\_Band5


### 7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.81	-13	Pass	401
0.15	30	0.01	Peak	0.46	-64.7	-13	Pass	2985
30	500	0.1	Peak	485.597	-53.7	-13	Pass	4700
500	1000	0.1	Peak	826.965	18.3	-13	N/A	5000
1000	10000	1	Peak	7452.788	-32.08	-13	Pass	9000




## 7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.61	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.87	-13	Pass	2985
30	500	0.1	Peak	463.992	-54.48	-13	Pass	4700
500	1000	0.1	Peak	837.067	18.23	-13	N/A	5000
1000	10000	1	Peak	7213.759	-32.49	-13	Pass	9000



### 7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-68.39	-13	Pass	401
0.15	30	0.01	Peak	0.32	-64.86	-13	Pass	2985
30	500	0.1	Peak	358.47	-54.99	-13	Pass	4700
500	1000	0.1	Peak	847.169	18.99	-13	N/A	5000
1000	10000	1	Peak	7165.753	-32.34	-13	Pass	9000



## 8. LTE\_Band2


### 8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.23	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.06	-13	Pass	2985
30	1000	0.1	RMS	849.3	-64.63	-13	Pass	9699
1000	1840	1	RMS	1840	-52.89	-13	Pass	840
1840	1920	1	RMS	1850.2	21.46	60	Pass	401
1920	3000	1	RMS	2947.952	-50.2	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.25	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.92	-13	Pass	8000



**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.97	-13	Pass	2985
30	1000	0.1	RMS	856.309	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-53.09	-13	Pass	840
1840	1920	1	RMS	1850.2	20.52	60	Pass	401
1920	3000	1	RMS	2949.954	-50.22	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.2	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.94	-13	Pass	8000






**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-13	Pass	2985
30	1000	0.1	RMS	836.198	-64.8	-13	Pass	9699
1000	1840	1	RMS	1840	-53.26	-13	Pass	840
1840	1920	1	RMS	1879.4	21.36	60	Pass	401
1920	3000	1	RMS	2949.954	-50.18	-13	Pass	1080
3000	12000	1	RMS	7518.552	-42.71	-13	Pass	9000
12000	20000	1	RMS	19684.961	-34.94	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.7	-13	Pass	2985
30	1000	0.1	RMS	867.024	-64.79	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.4	-13	Pass	840
1840	1920	1	RMS	1879.4	20.4	60	Pass	401
1920	3000	1	RMS	2948.953	-50.18	-13	Pass	1080
3000	12000	1	RMS	7518.552	-43.08	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.92	-13	Pass	8000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	Pass	2985
30	1000	0.1	RMS	859.313	-64.74	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.42	-13	Pass	840
1840	1920	1	RMS	1908.8	21.21	60	Pass	401
1920	3000	1	RMS	2949.954	-50.13	-13	Pass	1080
3000	12000	1	RMS	7635.566	-40.9	-13	Pass	9000
12000	20000	1	RMS	19674.959	-34.95	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.98	-13	Pass	2985
30	1000	0.1	RMS	816.496	-64.83	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.29	-13	Pass	840
1840	1920	1	RMS	1908.8	20.32	60	Pass	401
1920	3000	1	RMS	2951.956	-50.19	-13	Pass	1080
3000	12000	1	RMS	7635.566	-41.34	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.94	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.81	-13	Pass	2985
30	1000	0.1	RMS	854.707	-64.57	-13	Pass	9699
1000	1840	1	RMS	1840	-52.7	-13	Pass	840
1840	1920	1	RMS	1850.2	21.55	60	Pass	401
1920	3000	1	RMS	2944.949	-50.21	-13	Pass	1080
3000	12000	1	RMS	7400.537	-43.16	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.93	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	Pass	2985
30	1000	0.1	RMS	854.307	-64.77	-13	Pass	9699
1000	1840	1	RMS	1840	-52.84	-13	Pass	840
1840	1920	1	RMS	1850.2	20.7	60	Pass	401
1920	3000	1	RMS	2948.953	-50.14	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.25	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.99	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.87	-13	Pass	2985
30	1000	0.1	RMS	850.702	-64.76	-13	Pass	9699
1000	1840	1	RMS	1840	-53.39	-13	Pass	840
1840	1920	1	RMS	1878.6	21.49	60	Pass	401
1920	3000	1	RMS	2947.952	-50.2	-13	Pass	1080
3000	12000	1	RMS	7514.551	-42.73	-13	Pass	9000
12000	20000	1	RMS	19682.96	-34.9	-13	Pass	8000



**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.88	-13	Pass	2985
30	1000	0.1	RMS	843.099	-64.78	-13	Pass	9699
1000	1840	1	RMS	1840	-53.38	-13	Pass	840
1840	1920	1	RMS	1878.6	20.51	60	Pass	401
1920	3000	1	RMS	2942.947	-50.13	-13	Pass	1080
3000	12000	1	RMS	7514.551	-43.06	-13	Pass	9000
12000	20000	1	RMS	19677.96	-34.91	-13	Pass	8000






**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2985
30	1000	0.1	RMS	848.8	-64.63	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.42	-13	Pass	840
1840	1920	1	RMS	1907.2	21.3	60	Pass	401
1920	3000	1	RMS	2948.953	-50.16	-13	Pass	1080
3000	12000	1	RMS	7628.565	-41.14	-13	Pass	9000
12000	20000	1	RMS	19687.961	-34.89	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-13	Pass	2985
30	1000	0.1	RMS	844.499	-64.75	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.39	-13	Pass	840
1840	1920	1	RMS	1907.2	20.33	60	Pass	401
1920	3000	1	RMS	2949.954	-50.16	-13	Pass	1080
3000	12000	1	RMS	7628.565	-41.7	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.95	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.08	-13	Pass	2985
30	1000	0.1	RMS	847	-64.79	-13	Pass	9699
1000	1840	1	RMS	1837.998	-50.43	-13	Pass	840
1840	1920	1	RMS	1850.2	21.5	60	Pass	401
1920	3000	1	RMS	2950.955	-50.19	-13	Pass	1080
3000	12000	1	RMS	7401.537	-42.87	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.88	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2985
30	1000	0.1	RMS	856.209	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-52.76	-13	Pass	840
1840	1920	1	RMS	1850.2	20.57	60	Pass	401
1920	3000	1	RMS	2945.95	-50.14	-13	Pass	1080
3000	12000	1	RMS	11996.996	-43.24	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.89	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	816.996	-64.8	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.38	-13	Pass	840
1840	1920	1	RMS	1877.8	21.38	60	Pass	401
1920	3000	1	RMS	2949.954	-50.18	-13	Pass	1080
3000	12000	1	RMS	7511.551	-42.34	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.88	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	Pass	2985
30	1000	0.1	RMS	845.5	-64.75	-13	Pass	9699
1000	1840	1	RMS	1840	-53.37	-13	Pass	840
1840	1920	1	RMS	1877.8	20.55	60	Pass	401
1920	3000	1	RMS	2949.954	-50.19	-13	Pass	1080
3000	12000	1	RMS	7511.551	-42.75	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.87	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.61	-13	Pass	2985
30	1000	0.1	RMS	852.104	-64.74	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.4	-13	Pass	840
1840	1920	1	RMS	1905.2	21.25	60	Pass	401
1920	3000	1	RMS	2947.952	-50.14	-13	Pass	1080
3000	12000	1	RMS	7621.564	-41	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.86	-13	Pass	8000



**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.75	-13	Pass	2985
30	1000	0.1	RMS	846.4	-64.68	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.36	-13	Pass	840
1840	1920	1	RMS	1905.2	20.51	60	Pass	401
1920	3000	1	RMS	2948.953	-50.11	-13	Pass	1080
3000	12000	1	RMS	7621.564	-41.65	-13	Pass	9000
12000	20000	1	RMS	19677.96	-34.9	-13	Pass	8000






**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.61	-13	Pass	2985
30	1000	0.1	RMS	850.802	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-51.47	-13	Pass	840
1840	1920	1	RMS	1850.4	21.47	60	Pass	401
1920	3000	1	RMS	2948.953	-50.15	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.09	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.93	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2985
30	1000	0.1	RMS	851.002	-64.71	-13	Pass	9699
1000	1840	1	RMS	1840	-51.67	-13	Pass	840
1840	1920	1	RMS	1850.6	20.62	60	Pass	401
1920	3000	1	RMS	2946.951	-50.12	-13	Pass	1080
3000	12000	1	RMS	7402.537	-43.18	-13	Pass	9000
12000	20000	1	RMS	19685.961	-34.98	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.32	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.33	-13	Pass	2985
30	1000	0.1	RMS	852.605	-64.82	-13	Pass	9699
1000	1840	1	RMS	1832.992	-53.42	-13	Pass	840
1840	1920	1	RMS	1875.4	21.38	60	Pass	401
1920	3000	1	RMS	2950.955	-50.15	-13	Pass	1080
3000	12000	1	RMS	7502.55	-42.37	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.86	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.42	-13	Pass	2985
30	1000	0.1	RMS	840.199	-64.81	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.37	-13	Pass	840
1840	1920	1	RMS	1875.4	20.46	60	Pass	401
1920	3000	1	RMS	2946.951	-50.19	-13	Pass	1080
3000	12000	1	RMS	7502.55	-43.08	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.94	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	857.611	-64.78	-13	Pass	9699
1000	1840	1	RMS	1840	-53.35	-13	Pass	840
1840	1920	1	RMS	1900.4	21.32	60	Pass	401
1920	3000	1	RMS	2944.949	-50.13	-13	Pass	1080
3000	12000	1	RMS	7602.562	-41.04	-13	Pass	9000
12000	20000	1	RMS	19682.96	-34.88	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.6	-13	Pass	2985
30	1000	0.1	RMS	835.798	-64.86	-13	Pass	9699
1000	1840	1	RMS	1834.994	-53.38	-13	Pass	840
1840	1920	1	RMS	1900.4	20.42	60	Pass	401
1920	3000	1	RMS	2947.952	-50.17	-13	Pass	1080
3000	12000	1	RMS	7602.562	-41.67	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.92	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-13	Pass	2985
30	1000	0.1	RMS	844.899	-64.68	-13	Pass	9699
1000	1840	1	RMS	1840	-50.08	-13	Pass	840
1840	1920	1	RMS	1850.8	21.5	60	Pass	401
1920	3000	1	RMS	2952.956	-50.19	-13	Pass	1080
3000	12000	1	RMS	7403.538	-42.96	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.84	-13	Pass	8000



**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.82	-13	Pass	2985
30	1000	0.1	RMS	853.606	-64.79	-13	Pass	9699
1000	1840	1	RMS	1840	-50.25	-13	Pass	840
1840	1920	1	RMS	1850.8	20.65	60	Pass	401
1920	3000	1	RMS	2951.956	-50.16	-13	Pass	1080
3000	12000	1	RMS	12000	-43.19	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.87	-13	Pass	8000






**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	Pass	2985
30	1000	0.1	RMS	842.699	-64.74	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.34	-13	Pass	840
1840	1920	1	RMS	1873.2	21.55	60	Pass	401
1920	3000	1	RMS	2949.954	-50.15	-13	Pass	1080
3000	12000	1	RMS	7493.549	-42.58	-13	Pass	9000
12000	20000	1	RMS	19677.96	-34.84	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	Pass	2985
30	1000	0.1	RMS	938.418	-64.71	-13	Pass	9699
1000	1840	1	RMS	1840	-53.34	-13	Pass	840
1840	1920	1	RMS	1873.2	20.54	60	Pass	401
1920	3000	1	RMS	2944.949	-50.09	-13	Pass	1080
3000	12000	1	RMS	7493.549	-43.06	-13	Pass	9000
12000	20000	1	RMS	19682.96	-34.88	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.8	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.38	-13	Pass	2985
30	1000	0.1	RMS	853.906	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-53.3	-13	Pass	840
1840	1920	1	RMS	1895.8	21.46	60	Pass	401
1920	3000	1	RMS	2949.954	-50.14	-13	Pass	1080
3000	12000	1	RMS	7583.56	-41.57	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.8	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	Pass	2985
30	1000	0.1	RMS	857.411	-64.82	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.4	-13	Pass	840
1840	1920	1	RMS	1895.8	20.63	60	Pass	401
1920	3000	1	RMS	2948.953	-50.16	-13	Pass	1080
3000	12000	1	RMS	7583.56	-42.05	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.85	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.63	-13	Pass	2985
30	1000	0.1	RMS	837.799	-64.8	-13	Pass	9699
1000	1840	1	RMS	1840	-50.65	-13	Pass	840
1840	1920	1	RMS	1851	21.44	60	Pass	401
1920	3000	1	RMS	2945.95	-50.18	-13	Pass	1080
3000	12000	1	RMS	7404.538	-43.03	-13	Pass	9000
12000	20000	1	RMS	19677.96	-34.88	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2985
30	1000	0.1	RMS	844.299	-64.82	-13	Pass	9699
1000	1840	1	RMS	1840	-50.83	-13	Pass	840
1840	1920	1	RMS	1851	20.62	60	Pass	401
1920	3000	1	RMS	2943.948	-50.19	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.15	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.91	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,  
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2985
30	1000	0.1	RMS	856.41	-64.76	-13	Pass	9699
1000	1840	1	RMS	1834.994	-52.87	-13	Pass	840
1840	1920	1	RMS	1871	21.39	60	Pass	401
1920	3000	1	RMS	2948.953	-50.13	-13	Pass	1080
3000	12000	1	RMS	7484.547	-42.7	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.95	-13	Pass	8000



**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	1000	0.1	RMS	865.121	-64.63	-13	Pass	9699
1000	1840	1	RMS	1834.994	-53.1	-13	Pass	840
1840	1920	1	RMS	1871	20.42	60	Pass	401
1920	3000	1	RMS	2945.95	-50.16	-13	Pass	1080
3000	12000	1	RMS	7484.547	-42.99	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.89	-13	Pass	8000






**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,  
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	1000	0.1	RMS	858.713	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-53.38	-13	Pass	840
1840	1920	1	RMS	1891	21.3	60	Pass	401
1920	3000	1	RMS	2950.955	-50.22	-13	Pass	1080
3000	12000	1	RMS	7564.557	-41.93	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.91	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2985
30	1000	0.1	RMS	850.301	-64.78	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.34	-13	Pass	840
1840	1920	1	RMS	1891	20.29	60	Pass	401
1920	3000	1	RMS	2951.956	-50.15	-13	Pass	1080
3000	12000	1	RMS	7564.557	-42.73	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.83	-13	Pass	8000



## 9. LTE\_Band4


### 9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2985
30	1000	0.1	RMS	843.399	-64.82	-13	Pass	9699
1000	1700	1	RMS	1700	-53.23	-13	Pass	700
1700	1765	1	RMS	1710.238	21.52	60	Pass	401
1765	3000	1	RMS	2949.959	-50.14	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.25	-13	Pass	9000
12000	20000	1	RMS	19683.96	-34.92	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.91	-13	Pass	2985
30	1000	0.1	RMS	849.901	-64.69	-13	Pass	9699
1000	1700	1	RMS	1700	-49.82	-13	Pass	700
1700	1765	1	RMS	1710.238	20.56	60	Pass	401
1765	3000	1	RMS	2947.958	-50.13	-13	Pass	1235
3000	12000	1	RMS	12000	-43.25	-13	Pass	9000
12000	20000	1	RMS	19684.961	-34.91	-13	Pass	8000




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.48	-13	Pass	2985
30	1000	0.1	RMS	840.699	-64.74	-13	Pass	9699
1000	1700	1	RMS	1700	-53.75	-13	Pass	700
1700	1765	1	RMS	1732.013	21.46	60	Pass	401
1765	3000	1	RMS	2949.959	-50.16	-13	Pass	1235
3000	12000	1	RMS	11993.993	-43.19	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.88	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.51	-13	Pass	2985
30	1000	0.1	RMS	836.098	-64.63	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.75	-13	Pass	700
1700	1765	1	RMS	1732.013	20.51	60	Pass	401
1765	3000	1	RMS	2945.956	-50.18	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.23	-13	Pass	9000
12000	20000	1	RMS	19676.96	-34.88	-13	Pass	8000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.88	-13	Pass	2985
30	1000	0.1	RMS	824.897	-64.74	-13	Pass	9699
1000	1700	1	RMS	1700	-53.69	-13	Pass	700
1700	1765	1	RMS	1753.788	21.48	60	Pass	401
1765	3000	1	RMS	2950.96	-50.18	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.19	-13	Pass	9000
12000	20000	1	RMS	19682.96	-34.93	-13	Pass	8000



**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.24	-13	Pass	2985
30	1000	0.1	RMS	831.898	-64.66	-13	Pass	9699
1000	1700	1	RMS	1685.98	-53.77	-13	Pass	700
1700	1765	1	RMS	1753.788	20.51	60	Pass	401
1765	3000	1	RMS	2943.955	-50.22	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.23	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.91	-13	Pass	8000






**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	Pass	2985
30	1000	0.1	RMS	836.498	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-52.79	-13	Pass	700
1700	1765	1	RMS	1710.238	21.62	60	Pass	401
1765	3000	1	RMS	2944.955	-50.18	-13	Pass	1235
3000	12000	1	RMS	12000	-43.22	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.87	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-13	Pass	2985
30	1000	0.1	RMS	841.299	-64.8	-13	Pass	9699
1000	1700	1	RMS	1700	-52.93	-13	Pass	700
1700	1765	1	RMS	1710.238	20.75	60	Pass	401
1765	3000	1	RMS	2949.959	-50.13	-13	Pass	1235
3000	12000	1	RMS	12000	-43.22	-13	Pass	9000
12000	20000	1	RMS	19675.959	-34.95	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.54	-13	Pass	2985
30	1000	0.1	RMS	837.999	-64.52	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.75	-13	Pass	700
1700	1765	1	RMS	1731.2	21.54	60	Pass	401
1765	3000	1	RMS	2947.958	-50.2	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.19	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.93	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	Pass	2985
30	1000	0.1	RMS	856.309	-64.83	-13	Pass	9699
1000	1700	1	RMS	1700	-53.74	-13	Pass	700
1700	1765	1	RMS	1731.2	20.54	60	Pass	401
1765	3000	1	RMS	2947.958	-50.14	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.17	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.91	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.86	-13	Pass	2985
30	1000	0.1	RMS	847.8	-64.7	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.78	-13	Pass	700
1700	1765	1	RMS	1752.163	21.54	60	Pass	401
1765	3000	1	RMS	2950.96	-50.18	-13	Pass	1235
3000	12000	1	RMS	12000	-43.2	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.94	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.21	-13	Pass	2985
30	1000	0.1	RMS	852.404	-64.91	-13	Pass	9699
1000	1700	1	RMS	1700	-53.74	-13	Pass	700
1700	1765	1	RMS	1752.163	20.6	60	Pass	401
1765	3000	1	RMS	2944.955	-50.21	-13	Pass	1235
3000	12000	1	RMS	11993.993	-43.22	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.93	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	Pass	2985
30	1000	0.1	RMS	845.8	-64.74	-13	Pass	9699
1000	1700	1	RMS	1700	-52.76	-13	Pass	700
1700	1765	1	RMS	1710.238	21.64	60	Pass	401
1765	3000	1	RMS	2945.956	-50.2	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.16	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.84	-13	Pass	8000



**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.01	-13	Pass	2985
30	1000	0.1	RMS	853.406	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-52.87	-13	Pass	700
1700	1765	1	RMS	1710.238	20.71	60	Pass	401
1765	3000	1	RMS	2944.955	-50.15	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.26	-13	Pass	9000
12000	20000	1	RMS	19683.96	-34.91	-13	Pass	8000






**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.76	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.85	-13	Pass	2985
30	1000	0.1	RMS	839.299	-64.58	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.71	-13	Pass	700
1700	1765	1	RMS	1730.225	21.49	60	Pass	401
1765	3000	1	RMS	2948.959	-50.21	-13	Pass	1235
3000	12000	1	RMS	11993.993	-43.21	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.9	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.14	-13	Pass	2985
30	1000	0.1	RMS	849.3	-64.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.73	-13	Pass	700
1700	1765	1	RMS	1730.225	20.61	60	Pass	401
1765	3000	1	RMS	2948.959	-50.13	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.27	-13	Pass	9000
12000	20000	1	RMS	19684.961	-34.94	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	1000	0.1	RMS	835.298	-64.78	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.76	-13	Pass	700
1700	1765	1	RMS	1750.213	21.46	60	Pass	401
1765	3000	1	RMS	2944.955	-50.15	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.2	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.85	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2985
30	1000	0.1	RMS	850.802	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-53.77	-13	Pass	700
1700	1765	1	RMS	1750.213	20.59	60	Pass	401
1765	3000	1	RMS	2949.959	-50.25	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.17	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.91	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2985
30	1000	0.1	RMS	840.499	-64.83	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.37	-13	Pass	700
1700	1765	1	RMS	1710.563	21.59	60	Pass	401
1765	3000	1	RMS	2948.959	-50.2	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.19	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.9	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.46	-13	Pass	2985
30	1000	0.1	RMS	831.098	-64.89	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.88	-13	Pass	700
1700	1765	1	RMS	1710.563	20.77	60	Pass	401
1765	3000	1	RMS	2946.957	-50.16	-13	Pass	1235
3000	12000	1	RMS	12000	-43.23	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.82	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.16	-13	Pass	2985
30	1000	0.1	RMS	861.917	-64.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.73	-13	Pass	700
1700	1765	1	RMS	1727.95	21.56	60	Pass	401
1765	3000	1	RMS	2947.958	-50.24	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.21	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.87	-13	Pass	8000



**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	1000	0.1	RMS	874.734	-64.82	-13	Pass	9699
1000	1700	1	RMS	1700	-53.73	-13	Pass	700
1700	1765	1	RMS	1727.95	20.56	60	Pass	401
1765	3000	1	RMS	2947.958	-50.22	-13	Pass	1235
3000	12000	1	RMS	12000	-43.22	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.96	-13	Pass	8000






**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	834.298	-64.72	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.72	-13	Pass	700
1700	1765	1	RMS	1745.5	21.54	60	Pass	401
1765	3000	1	RMS	2943.955	-50.2	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.2	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.88	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.66	-13	Pass	2985
30	1000	0.1	RMS	860.515	-64.62	-13	Pass	9699
1000	1700	1	RMS	1700	-53.74	-13	Pass	700
1700	1765	1	RMS	1745.5	20.57	60	Pass	401
1765	3000	1	RMS	2949.959	-50.19	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.15	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.9	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,  
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	Pass	2985
30	1000	0.1	RMS	861.516	-64.7	-13	Pass	9699
1000	1700	1	RMS	1697.997	-48.39	-13	Pass	700
1700	1765	1	RMS	1710.725	21.64	60	Pass	401
1765	3000	1	RMS	2944.955	-50.14	-13	Pass	1235
3000	12000	1	RMS	12000	-43.16	-13	Pass	9000
12000	20000	1	RMS	19676.96	-34.98	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.37	-13	Pass	2985
30	1000	0.1	RMS	852.004	-64.76	-13	Pass	9699
1000	1700	1	RMS	1697.997	-48.78	-13	Pass	700
1700	1765	1	RMS	1710.725	20.78	60	Pass	401
1765	3000	1	RMS	2949.959	-50.13	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.16	-13	Pass	9000
12000	20000	1	RMS	19677.96	-34.86	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2985
30	1000	0.1	RMS	851.603	-64.79	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.32	-13	Pass	700
1700	1765	1	RMS	1725.675	21.52	60	Pass	401
1765	3000	1	RMS	2949.959	-50.22	-13	Pass	1235
3000	12000	1	RMS	12000	-43.19	-13	Pass	9000
12000	20000	1	RMS	19684.961	-34.92	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	1000	0.1	RMS	846	-64.79	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.47	-13	Pass	700
1700	1765	1	RMS	1725.675	20.54	60	Pass	401
1765	3000	1	RMS	2943.955	-50.13	-13	Pass	1235
3000	12000	1	RMS	12000	-43.19	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.91	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,  
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.07	-13	Pass	2985
30	1000	0.1	RMS	837.399	-64.67	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.74	-13	Pass	700
1700	1765	1	RMS	1740.788	21.48	60	Pass	401
1765	3000	1	RMS	1767.002	-28.37	-13	Pass	1235
3000	12000	1	RMS	12000	-43.22	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.9	-13	Pass	8000



**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	1000	0.1	RMS	843.699	-64.84	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.74	-13	Pass	700
1700	1765	1	RMS	1740.788	20.57	60	Pass	401
1765	3000	1	RMS	1767.002	-29.71	-13	Pass	1235
3000	12000	1	RMS	12000	-43.14	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.98	-13	Pass	8000






**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.89	-13	Pass	2985
30	1000	0.1	RMS	836.098	-64.77	-13	Pass	9699
1000	1700	1	RMS	1700	-49.08	-13	Pass	700
1700	1765	1	RMS	1711.05	21.54	60	Pass	401
1765	3000	1	RMS	2946.957	-50.16	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.23	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.82	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	1000	0.1	RMS	840.299	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-49.12	-13	Pass	700
1700	1765	1	RMS	1711.05	20.68	60	Pass	401
1765	3000	1	RMS	2943.955	-50.16	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.21	-13	Pass	9000
12000	20000	1	RMS	19677.96	-34.98	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,  
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	Pass	2985
30	1000	0.1	RMS	850.902	-64.75	-13	Pass	9699
1000	1700	1	RMS	1700	-53.33	-13	Pass	700
1700	1765	1	RMS	1723.563	21.38	60	Pass	401
1765	3000	1	RMS	2948.959	-50.18	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.12	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.84	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.83	-13	Pass	2985
30	1000	0.1	RMS	839.599	-64.78	-13	Pass	9699
1000	1700	1	RMS	1700	-53.37	-13	Pass	700
1700	1765	1	RMS	1723.563	20.42	60	Pass	401
1765	3000	1	RMS	2947.958	-50.2	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.17	-13	Pass	9000
12000	20000	1	RMS	19685.961	-34.98	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,  
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.72	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.62	-13	Pass	2985
30	1000	0.1	RMS	839.199	-64.78	-13	Pass	9699
1000	1700	1	RMS	1700	-48.64	-13	Pass	700
1700	1765	1	RMS	1736.075	21.31	60	Pass	401
1765	3000	1	RMS	1772.006	-28.41	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.21	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.93	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.89	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.87	-13	Pass	2985
30	1000	0.1	RMS	835.198	-64.83	-13	Pass	9699
1000	1700	1	RMS	1700	-49.46	-13	Pass	700
1700	1765	1	RMS	1736.075	20.3	60	Pass	401
1765	3000	1	RMS	1772.006	-30.01	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.26	-13	Pass	9000
12000	20000	1	RMS	19682.96	-34.89	-13	Pass	8000



## 10. LTE\_Band5


### 10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.86	-13	Pass	7840
814	860	0.1	RMS	824.222	21.4	60	Pass	460
860	1000	0.1	RMS	975.382	-63.7	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.91	-13	Pass	2000
3000	10000	1	RMS	7104.586	-43.91	-13	Pass	7000



**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.71	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.72	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.96	-13	Pass	7840
814	860	0.1	RMS	824.222	20.34	60	Pass	460
860	1000	0.1	RMS	999.6	-63.5	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.86	-13	Pass	2000
3000	10000	1	RMS	7098.586	-43.92	-13	Pass	7000






**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	Pass	2985
30	814	0.1	RMS	734.89	-63.92	-13	Pass	7840
814	860	0.1	RMS	836.048	21.63	60	Pass	460
860	1000	0.1	RMS	998.299	-63.55	-13	Pass	1400
1000	3000	1	RMS	1671.336	-45.97	-13	Pass	2000
3000	10000	1	RMS	7100.586	-43.95	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.19	-13	Pass	2985
30	814	0.1	RMS	733.79	-64.1	-13	Pass	7840
814	860	0.1	RMS	836.048	20.57	60	Pass	460
860	1000	0.1	RMS	985.89	-63.72	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.09	-13	Pass	2000
3000	10000	1	RMS	7093.585	-43.93	-13	Pass	7000




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.78	-13	Pass	2985
30	814	0.1	RMS	734.89	-63.99	-13	Pass	7840
814	860	0.1	RMS	847.874	21.43	60	Pass	460
860	1000	0.1	RMS	985.39	-63.74	-13	Pass	1400
1000	3000	1	RMS	1695.348	-45.09	-13	Pass	2000
3000	10000	1	RMS	7103.586	-43.98	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	Pass	2985
30	814	0.1	RMS	729.889	-64.14	-13	Pass	7840
814	860	0.1	RMS	847.874	20.49	60	Pass	460
860	1000	0.1	RMS	900.129	-63.78	-13	Pass	1400
1000	3000	1	RMS	1695.348	-46.09	-13	Pass	2000
3000	10000	1	RMS	7110.587	-43.96	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.65	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.77	-13	Pass	7840
814	860	0.1	RMS	824.222	21.6	60	Pass	460
860	1000	0.1	RMS	889.821	-63.66	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.86	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.99	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.78	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.11	-13	Pass	7840
814	860	0.1	RMS	824.222	20.7	60	Pass	460
860	1000	0.1	RMS	997.498	-63.52	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.73	-13	Pass	2000
3000	10000	1	RMS	7105.587	-44	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.87	-13	Pass	2985
30	814	0.1	RMS	731.089	-64.07	-13	Pass	7840
814	860	0.1	RMS	835.246	21.72	60	Pass	460
860	1000	0.1	RMS	998.699	-63.46	-13	Pass	1400
1000	3000	1	RMS	1670.335	-46.76	-13	Pass	2000
3000	10000	1	RMS	7103.586	-44.07	-13	Pass	7000



**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.36	-13	Pass	2985
30	814	0.1	RMS	739.591	-63.83	-13	Pass	7840
814	860	0.1	RMS	835.246	20.71	60	Pass	460
860	1000	0.1	RMS	996.497	-63.57	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.54	-13	Pass	2000
3000	10000	1	RMS	7103.586	-43.91	-13	Pass	7000






**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.27	-13	Pass	2985
30	814	0.1	RMS	727.889	-63.97	-13	Pass	7840
814	860	0.1	RMS	846.27	21.33	60	Pass	460
860	1000	0.1	RMS	998.499	-63.66	-13	Pass	1400
1000	3000	1	RMS	1692.346	-46.58	-13	Pass	2000
3000	10000	1	RMS	7098.586	-43.96	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.26	-13	Pass	2985
30	814	0.1	RMS	813.9	-59.57	-13	Pass	7840
814	860	0.1	RMS	846.27	20.52	60	Pass	460
860	1000	0.1	RMS	992.595	-63.72	-13	Pass	1400
1000	3000	1	RMS	1692.346	-47.33	-13	Pass	2000
3000	10000	1	RMS	7099.586	-44.02	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.46	-13	Pass	2985
30	814	0.1	RMS	812.6	-51.9	-13	Pass	7840
814	860	0.1	RMS	824.322	21.45	60	Pass	460
860	1000	0.1	RMS	990.693	-63.63	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.43	-13	Pass	2000
3000	10000	1	RMS	7108.587	-43.95	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.89	-13	Pass	2985
30	814	0.1	RMS	812.7	-52.06	-13	Pass	7840
814	860	0.1	RMS	824.322	20.55	60	Pass	460
860	1000	0.1	RMS	990.493	-63.76	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.4	-13	Pass	2000
3000	10000	1	RMS	7098.586	-43.96	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	Pass	2985
30	814	0.1	RMS	813.5	-54.77	-13	Pass	7840
814	860	0.1	RMS	834.344	21.58	60	Pass	460
860	1000	0.1	RMS	998.899	-63.62	-13	Pass	1400
1000	3000	1	RMS	1668.334	-45.58	-13	Pass	2000
3000	10000	1	RMS	7097.585	-44	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.39	-13	Pass	2985
30	814	0.1	RMS	741.291	-64.01	-13	Pass	7840
814	860	0.1	RMS	834.344	20.76	60	Pass	460
860	1000	0.1	RMS	995.697	-63.65	-13	Pass	1400
1000	3000	1	RMS	1668.334	-46.59	-13	Pass	2000
3000	10000	1	RMS	7098.586	-43.99	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.19	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.65	-13	Pass	2985
30	814	0.1	RMS	745.491	-63.9	-13	Pass	7840
814	860	0.1	RMS	844.366	21.14	60	Pass	460
860	1000	0.1	RMS	884.518	-63.72	-13	Pass	1400
1000	3000	1	RMS	1688.344	-46.11	-13	Pass	2000
3000	10000	1	RMS	7092.585	-43.98	-13	Pass	7000



**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.59	-13	Pass	401
0.15	30	0.01	RMS	0.25	-70.93	-13	Pass	2985
30	814	0.1	RMS	742.991	-64.01	-13	Pass	7840
814	860	0.1	RMS	844.366	20.64	60	Pass	460
860	1000	0.1	RMS	877.513	-63.76	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.23	-13	Pass	2000
3000	10000	1	RMS	7099.586	-44.02	-13	Pass	7000






**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-13	Pass	2985
30	814	0.1	RMS	814	-59.26	-13	Pass	7840
814	860	0.1	RMS	824.623	21.24	60	Pass	460
860	1000	0.1	RMS	997.898	-63.76	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.15	-13	Pass	2000
3000	10000	1	RMS	7094.585	-43.99	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.44	-13	Pass	2985
30	814	0.1	RMS	813.9	-59.17	-13	Pass	7840
814	860	0.1	RMS	824.623	20.45	60	Pass	460
860	1000	0.1	RMS	993.595	-63.65	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.89	-13	Pass	2000
3000	10000	1	RMS	7093.585	-44.01	-13	Pass	7000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.62	-13	Pass	2985
30	814	0.1	RMS	814	-63.82	-13	Pass	7840
814	860	0.1	RMS	832.139	20.95	60	Pass	460
860	1000	0.1	RMS	993.595	-63.62	-13	Pass	1400
1000	3000	1	RMS	1663.332	-46.73	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.04	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	Pass	2985
30	814	0.1	RMS	814	-63.83	-13	Pass	7840
814	860	0.1	RMS	832.139	19.95	60	Pass	460
860	1000	0.1	RMS	867.405	-63.77	-13	Pass	1400
1000	3000	1	RMS	1663.332	-47.83	-13	Pass	2000
3000	10000	1	RMS	7091.585	-43.94	-13	Pass	7000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	Pass	2985
30	814	0.1	RMS	729.789	-63.93	-13	Pass	7840
814	860	0.1	RMS	839.556	21.33	60	Pass	460
860	1000	0.1	RMS	984.489	-63.61	-13	Pass	1400
1000	3000	1	RMS	1678.339	-45.95	-13	Pass	2000
3000	10000	1	RMS	7105.587	-44	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.25	-13	Pass	2985
30	814	0.1	RMS	728.489	-63.95	-13	Pass	7840
814	860	0.1	RMS	839.556	20.36	60	Pass	460
860	1000	0.1	RMS	898.327	-63.75	-13	Pass	1400
1000	3000	1	RMS	1678.339	-46.94	-13	Pass	2000
3000	10000	1	RMS	7101.586	-44.02	-13	Pass	7000



## 11. LTE\_Band7


### 11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.88	-25	Pass	2985
30	1000	0.1	RMS	834.898	-64.99	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.33	-25	Pass	1480
2480	2590	1	RMS	2500.075	21.76	60	Pass	401
2590	3000	1	RMS	2946.87	-50.54	-25	Pass	410
3000	12000	1	RMS	10001.855	-51.15	-25	Pass	9000
12000	26000	1	RMS	25980.997	-39.66	-25	Pass	14000



**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-25	Pass	2985
30	1000	0.1	RMS	834.698	-64.98	-25	Pass	9699
1000	2480	1	RMS	2480	-52.27	-25	Pass	1480
2480	2590	1	RMS	2500.075	20.89	60	Pass	401
2590	3000	1	RMS	2945.868	-50.51	-25	Pass	410
3000	12000	1	RMS	10000.855	-51.58	-25	Pass	9000
12000	26000	1	RMS	25998	-39.67	-25	Pass	14000






**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.64	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.36	-25	Pass	2985
30	1000	0.1	RMS	572.166	-64.28	-25	Pass	9699
1000	2480	1	RMS	2480	-52.26	-25	Pass	1480
2480	2590	1	RMS	2532.8	21.75	60	Pass	401
2590	3000	1	RMS	2946.87	-50.51	-25	Pass	410
3000	12000	1	RMS	10130.87	-49.94	-25	Pass	9000
12000	26000	1	RMS	25998	-39.57	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-25	Pass	2985
30	1000	0.1	RMS	572.166	-64.63	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.35	-25	Pass	1480
2480	2590	1	RMS	2532.8	20.96	60	Pass	401
2590	3000	1	RMS	2949.878	-50.53	-25	Pass	410
3000	12000	1	RMS	10131.871	-50.71	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.55	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.82	-25	Pass	9699
1000	2480	1	RMS	2465.991	-52.28	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.92	60	Pass	401
2590	3000	1	RMS	2948.875	-50.51	-25	Pass	410
3000	12000	1	RMS	10260.886	-48.69	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.54	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.83	-25	Pass	2985
30	1000	0.1	RMS	604.67	-63.23	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.28	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.02	60	Pass	401
2590	3000	1	RMS	2949.878	-50.53	-25	Pass	410
3000	12000	1	RMS	10260.886	-49.7	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.54	-25	Pass	14000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.74	-25	Pass	2985
30	1000	0.1	RMS	858.612	-65.05	-25	Pass	9699
1000	2480	1	RMS	2480	-52.25	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.85	60	Pass	401
2590	3000	1	RMS	2947.873	-50.5	-25	Pass	410
3000	12000	1	RMS	10002.855	-51.09	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.62	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.1	-25	Pass	2985
30	1000	0.1	RMS	849.3	-64.87	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.26	-25	Pass	1480
2480	2590	1	RMS	2500.35	21	60	Pass	401
2590	3000	1	RMS	2946.87	-50.52	-25	Pass	410
3000	12000	1	RMS	10002.855	-51.42	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.64	-25	Pass	14000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.05	-25	Pass	2985
30	1000	0.1	RMS	844.799	-64.94	-25	Pass	9699
1000	2480	1	RMS	2480	-52.32	-25	Pass	1480
2480	2590	1	RMS	2530.325	21.69	60	Pass	401
2590	3000	1	RMS	2949.878	-50.53	-25	Pass	410
3000	12000	1	RMS	10121.869	-50.08	-25	Pass	9000
12000	26000	1	RMS	25985.998	-39.62	-25	Pass	14000



**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.22	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.59	-25	Pass	2985
30	1000	0.1	RMS	840.099	-64.98	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.22	-25	Pass	1480
2480	2590	1	RMS	2530.325	20.72	60	Pass	401
2590	3000	1	RMS	2948.875	-50.52	-25	Pass	410
3000	12000	1	RMS	10122.869	-50.74	-25	Pass	9000
12000	26000	1	RMS	25999	-39.58	-25	Pass	14000






**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-25	Pass	2985
30	1000	0.1	RMS	599.87	-61.8	-25	Pass	9699
1000	2480	1	RMS	2480	-52.31	-25	Pass	1480
2480	2590	1	RMS	2560.575	21.85	60	Pass	401
2590	3000	1	RMS	2949.878	-50.5	-25	Pass	410
3000	12000	1	RMS	10241.884	-48.82	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.64	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.7	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.99	-25	Pass	2985
30	1000	0.1	RMS	599.87	-63.26	-25	Pass	9699
1000	2480	1	RMS	2480	-52.3	-25	Pass	1480
2480	2590	1	RMS	2560.575	20.94	60	Pass	401
2590	3000	1	RMS	2948.875	-50.51	-25	Pass	410
3000	12000	1	RMS	10241.884	-49.84	-25	Pass	9000
12000	26000	1	RMS	25988.998	-39.61	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.03	-25	Pass	2985
30	1000	0.1	RMS	835.498	-65.01	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.2	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.84	60	Pass	401
2590	3000	1	RMS	2949.878	-50.51	-25	Pass	410
3000	12000	1	RMS	10003.855	-51.07	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.62	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-25	Pass	2985
30	1000	0.1	RMS	837.899	-64.95	-25	Pass	9699
1000	2480	1	RMS	2480	-52.27	-25	Pass	1480
2480	2590	1	RMS	2500.625	21	60	Pass	401
2590	3000	1	RMS	2949.878	-50.52	-25	Pass	410
3000	12000	1	RMS	10003.855	-51.55	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.59	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.08	-25	Pass	2985
30	1000	0.1	RMS	842.699	-65	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.26	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.79	60	Pass	401
2590	3000	1	RMS	2948.875	-50.49	-25	Pass	410
3000	12000	1	RMS	10112.868	-50.28	-25	Pass	9000
12000	26000	1	RMS	25999	-39.54	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-25	Pass	2985
30	1000	0.1	RMS	842.499	-65	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.34	-25	Pass	1480
2480	2590	1	RMS	2528.125	20.86	60	Pass	401
2590	3000	1	RMS	2951.883	-50.51	-25	Pass	410
3000	12000	1	RMS	10112.868	-50.93	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.6	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-25	Pass	2985
30	1000	0.1	RMS	595.169	-62.39	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.28	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.85	60	Pass	401
2590	3000	1	RMS	2947.873	-50.5	-25	Pass	410
3000	12000	1	RMS	10222.882	-49.02	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.62	-25	Pass	14000



**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-25	Pass	2985
30	1000	0.1	RMS	595.169	-63.02	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.22	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.05	60	Pass	401
2590	3000	1	RMS	2949.878	-50.49	-25	Pass	410
3000	12000	1	RMS	10222.882	-49.65	-25	Pass	9000
12000	26000	1	RMS	25998	-39.61	-25	Pass	14000






**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-25	Pass	2985
30	1000	0.1	RMS	836.498	-64.96	-25	Pass	9699
1000	2480	1	RMS	2480	-52.3	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.8	60	Pass	401
2590	3000	1	RMS	2947.873	-50.54	-25	Pass	410
3000	12000	1	RMS	10003.855	-51.13	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.62	-25	Pass	14000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.43	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.93	-25	Pass	2985
30	1000	0.1	RMS	860.215	-64.99	-25	Pass	9699
1000	2480	1	RMS	2480	-52.27	-25	Pass	1480
2480	2590	1	RMS	2500.9	20.95	60	Pass	401
2590	3000	1	RMS	2948.875	-50.53	-25	Pass	410
3000	12000	1	RMS	10004.855	-51.35	-25	Pass	9000
12000	26000	1	RMS	26000	-39.61	-25	Pass	14000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.19	-25	Pass	2985
30	1000	0.1	RMS	844.799	-64.91	-25	Pass	9699
1000	2480	1	RMS	2476.998	-52.26	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.74	60	Pass	401
2590	3000	1	RMS	2949.878	-50.49	-25	Pass	410
3000	12000	1	RMS	10103.867	-50.19	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.6	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.99	-25	Pass	401
0.15	30	0.01	RMS	0.39	-73.03	-25	Pass	2985
30	1000	0.1	RMS	847.5	-65.02	-25	Pass	9699
1000	2480	1	RMS	2480	-52.34	-25	Pass	1480
2480	2590	1	RMS	2525.925	20.83	60	Pass	401
2590	3000	1	RMS	2952.885	-50.53	-25	Pass	410
3000	12000	1	RMS	10104.867	-50.93	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.53	-25	Pass	14000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.66	-25	Pass	2985
30	1000	0.1	RMS	590.368	-62.13	-25	Pass	9699
1000	2480	1	RMS	2480	-52.34	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.84	60	Pass	401
2590	3000	1	RMS	2949.878	-50.53	-25	Pass	410
3000	12000	1	RMS	10203.879	-48.55	-25	Pass	9000
12000	26000	1	RMS	25987.998	-39.6	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-25	Pass	2985
30	1000	0.1	RMS	590.368	-63.03	-25	Pass	9699
1000	2480	1	RMS	2476.998	-52.31	-25	Pass	1480
2480	2590	1	RMS	2550.95	20.82	60	Pass	401
2590	3000	1	RMS	2950.88	-50.52	-25	Pass	410
3000	12000	1	RMS	10203.879	-49.15	-25	Pass	9000
12000	26000	1	RMS	25999	-39.62	-25	Pass	14000



## 12. LTE\_Band12


**12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.83	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.83	-13	Pass	2985
30	689	0.1	RMS	493.77	-64.54	-13	Pass	6590
689	726	0.1	RMS	699.268	20.58	60	Pass	401
726	1000	0.1	RMS	849.245	-63.51	-13	Pass	2740
1000	3000	1	RMS	1398.199	-43.66	-13	Pass	2000
3000	10000	1	RMS	7099.586	-43.94	-13	Pass	7000



**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.36	-13	Pass	2985
30	689	0.1	RMS	493.47	-64.56	-13	Pass	6590
689	726	0.1	RMS	699.268	19.52	60	Pass	401
726	1000	0.1	RMS	998.9	-63.3	-13	Pass	2740
1000	3000	1	RMS	1398.199	-44.55	-13	Pass	2000
3000	10000	1	RMS	7096.585	-44	-13	Pass	7000






**12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.41	-13	Pass	2985
30	689	0.1	RMS	468.467	-64.5	-13	Pass	6590
689	726	0.1	RMS	707.038	20.71	60	Pass	401
726	1000	0.1	RMS	893.261	-63.51	-13	Pass	2740
1000	3000	1	RMS	2827.914	-48.67	-13	Pass	2000
3000	10000	1	RMS	7105.587	-43.95	-13	Pass	7000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.53	-13	Pass	2985
30	689	0.1	RMS	483.869	-64.47	-13	Pass	6590
689	726	0.1	RMS	707.038	19.65	60	Pass	401
726	1000	0.1	RMS	988.996	-63.51	-13	Pass	2740
1000	3000	1	RMS	2827.914	-49.1	-13	Pass	2000
3000	10000	1	RMS	7108.587	-43.95	-13	Pass	7000




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.88	-13	Pass	2985
30	689	0.1	RMS	474.767	-64.41	-13	Pass	6590
689	726	0.1	RMS	714.808	20.13	60	Pass	401
726	1000	0.1	RMS	998.8	-63.34	-13	Pass	2740
1000	3000	1	RMS	1429.215	-42.35	-13	Pass	2000
3000	10000	1	RMS	7096.585	-43.92	-13	Pass	7000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.58	-13	Pass	2985
30	689	0.1	RMS	478.868	-64.55	-13	Pass	6590
689	726	0.1	RMS	714.808	19.17	60	Pass	401
726	1000	0.1	RMS	862.75	-63.56	-13	Pass	2740
1000	3000	1	RMS	1429.215	-43.39	-13	Pass	2000
3000	10000	1	RMS	7104.586	-43.97	-13	Pass	7000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.72	-13	Pass	2985
30	689	0.1	RMS	609.688	-64.51	-13	Pass	6590
689	726	0.1	RMS	699.268	20.54	60	Pass	401
726	1000	0.1	RMS	898.163	-63.53	-13	Pass	2740
1000	3000	1	RMS	1398.199	-43.81	-13	Pass	2000
3000	10000	1	RMS	7100.586	-43.97	-13	Pass	7000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.4	-13	Pass	2985
30	689	0.1	RMS	489.77	-64.53	-13	Pass	6590
689	726	0.1	RMS	699.268	19.68	60	Pass	401
726	1000	0.1	RMS	995.198	-63.43	-13	Pass	2740
1000	3000	1	RMS	1398.199	-44.53	-13	Pass	2000
3000	10000	1	RMS	7091.585	-43.98	-13	Pass	7000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.47	-13	Pass	2985
30	689	0.1	RMS	482.169	-64.46	-13	Pass	6590
689	726	0.1	RMS	706.205	20.43	60	Pass	401
726	1000	0.1	RMS	984.794	-63.36	-13	Pass	2740
1000	3000	1	RMS	1412.206	-46.16	-13	Pass	2000
3000	10000	1	RMS	7101.586	-44	-13	Pass	7000



**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.57	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.06	-13	Pass	2985
30	689	0.1	RMS	472.067	-64.43	-13	Pass	6590
689	726	0.1	RMS	706.205	19.42	60	Pass	401
726	1000	0.1	RMS	900.664	-63.25	-13	Pass	2740
1000	3000	1	RMS	1412.206	-46.88	-13	Pass	2000
3000	10000	1	RMS	7101.586	-43.98	-13	Pass	7000






**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69	-13	Pass	2985
30	689	0.1	RMS	477.268	-64.47	-13	Pass	6590
689	726	0.1	RMS	713.235	20.89	60	Pass	401
726	1000	0.1	RMS	976.391	-63.59	-13	Pass	2740
1000	3000	1	RMS	1426.213	-42.58	-13	Pass	2000
3000	10000	1	RMS	7103.586	-43.94	-13	Pass	7000




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.82	-13	Pass	2985
30	689	0.1	RMS	483.869	-64.5	-13	Pass	6590
689	726	0.1	RMS	713.235	19.9	60	Pass	401
726	1000	0.1	RMS	873.754	-63.63	-13	Pass	2740
1000	3000	1	RMS	1426.213	-43.73	-13	Pass	2000
3000	10000	1	RMS	7105.587	-43.98	-13	Pass	7000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.56	-13	Pass	2985
30	689	0.1	RMS	488.67	-64.38	-13	Pass	6590
689	726	0.1	RMS	699.36	20.47	60	Pass	401
726	1000	0.1	RMS	871.753	-63.48	-13	Pass	2740
1000	3000	1	RMS	1398.199	-43.41	-13	Pass	2000
3000	10000	1	RMS	7113.588	-43.99	-13	Pass	7000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.88	-13	Pass	2985
30	689	0.1	RMS	469.067	-64.46	-13	Pass	6590
689	726	0.1	RMS	699.36	19.65	60	Pass	401
726	1000	0.1	RMS	891.861	-63.32	-13	Pass	2740
1000	3000	1	RMS	1398.199	-44.28	-13	Pass	2000
3000	10000	1	RMS	7115.588	-44.03	-13	Pass	7000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.87	-13	Pass	2985
30	689	0.1	RMS	484.969	-64.37	-13	Pass	6590
689	726	0.1	RMS	705.373	20.47	60	Pass	401
726	1000	0.1	RMS	868.852	-63.55	-13	Pass	2740
1000	3000	1	RMS	1410.205	-44.05	-13	Pass	2000
3000	10000	1	RMS	7101.586	-43.99	-13	Pass	7000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.53	-13	Pass	2985
30	689	0.1	RMS	481.368	-64.51	-13	Pass	6590
689	726	0.1	RMS	705.373	19.57	60	Pass	401
726	1000	0.1	RMS	991.297	-63.59	-13	Pass	2740
1000	3000	1	RMS	1410.205	-44.81	-13	Pass	2000
3000	10000	1	RMS	7109.587	-43.99	-13	Pass	7000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.67	-13	Pass	2985
30	689	0.1	RMS	484.769	-64.47	-13	Pass	6590
689	726	0.1	RMS	711.293	20.12	60	Pass	401
726	1000	0.1	RMS	996.899	-63.35	-13	Pass	2740
1000	3000	1	RMS	1422.211	-44.78	-13	Pass	2000
3000	10000	1	RMS	7099.586	-44	-13	Pass	7000



**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-13	Pass	2985
30	689	0.1	RMS	480.568	-64.39	-13	Pass	6590
689	726	0.1	RMS	711.293	19.28	60	Pass	401
726	1000	0.1	RMS	999.7	-63.52	-13	Pass	2740
1000	3000	1	RMS	1422.211	-45.7	-13	Pass	2000
3000	10000	1	RMS	7106.587	-43.94	-13	Pass	7000






**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.98	-13	Pass	2985
30	689	0.1	RMS	481.368	-64.48	-13	Pass	6590
689	726	0.1	RMS	699.545	20.15	60	Pass	401
726	1000	0.1	RMS	989.896	-63.49	-13	Pass	2740
1000	3000	1	RMS	1398.199	-44.6	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.01	-13	Pass	7000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.13	-13	Pass	2985
30	689	0.1	RMS	486.869	-64.48	-13	Pass	6590
689	726	0.1	RMS	699.638	19.18	60	Pass	401
726	1000	0.1	RMS	868.952	-63.56	-13	Pass	2740
1000	3000	1	RMS	1398.199	-45.34	-13	Pass	2000
3000	10000	1	RMS	7112.588	-44.03	-13	Pass	7000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.36	-13	Pass	2985
30	689	0.1	RMS	478.968	-64.47	-13	Pass	6590
689	726	0.1	RMS	703.06	20.55	60	Pass	401
726	1000	0.1	RMS	997.899	-63.41	-13	Pass	2740
1000	3000	1	RMS	1405.203	-42.55	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44	-13	Pass	7000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.47	-13	Pass	2985
30	689	0.1	RMS	478.468	-64.53	-13	Pass	6590
689	726	0.1	RMS	703.06	19.48	60	Pass	401
726	1000	0.1	RMS	975.691	-63.44	-13	Pass	2740
1000	3000	1	RMS	1405.203	-43.57	-13	Pass	2000
3000	10000	1	RMS	7098.586	-43.95	-13	Pass	7000




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.06	-13	Pass	2985
30	689	0.1	RMS	469.867	-64.39	-13	Pass	6590
689	726	0.1	RMS	706.575	20.72	60	Pass	401
726	1000	0.1	RMS	983.494	-63.58	-13	Pass	2740
1000	3000	1	RMS	1412.206	-47.78	-13	Pass	2000
3000	10000	1	RMS	7101.586	-43.97	-13	Pass	7000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.65	-13	Pass	2985
30	689	0.1	RMS	621.99	-64.47	-13	Pass	6590
689	726	0.1	RMS	706.575	19.77	60	Pass	401
726	1000	0.1	RMS	860.549	-63.58	-13	Pass	2740
1000	3000	1	RMS	1412.206	-48.36	-13	Pass	2000
3000	10000	1	RMS	7109.587	-43.98	-13	Pass	7000



### 13. LTE\_Band13


#### 13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.1	-13	Pass	2985
30	767	0.1	RMS	734.196	-64.05	-13	Pass	7370
767	797	0.1	RMS	777.35	21.36	60	Pass	401
797	1000	0.1	RMS	884.243	-63.62	-13	Pass	2030
1000	3000	1	RMS	1554.277	-45.36	-13	Pass	2000
3000	10000	1	RMS	7095.585	-44.02	-13	Pass	7000



**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-13	Pass	2985
30	767	0.1	RMS	747.197	-64.16	-13	Pass	7370
767	797	0.1	RMS	777.35	20.58	60	Pass	401
797	1000	0.1	RMS	899.15	-63.55	-13	Pass	2030
1000	3000	1	RMS	1554.277	-46.44	-13	Pass	2000
3000	10000	1	RMS	7089.584	-44	-13	Pass	7000






**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.62	-13	Pass	2985
30	767	0.1	RMS	752.398	-63.94	-13	Pass	7370
767	797	0.1	RMS	779.825	21.41	60	Pass	401
797	1000	0.1	RMS	864.333	-63.49	-13	Pass	2030
1000	3000	1	RMS	1559.28	-45.32	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.81	-13	Pass	2985
30	767	0.1	RMS	761.099	-64.08	-13	Pass	7370
767	797	0.1	RMS	779.825	20.6	60	Pass	401
797	1000	0.1	RMS	996.298	-63.6	-13	Pass	2030
1000	3000	1	RMS	1559.28	-46.3	-13	Pass	2000
3000	10000	1	RMS	7104.586	-43.95	-13	Pass	7000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.87	-13	Pass	2985
30	767	0.1	RMS	735.696	-63.95	-13	Pass	7370
767	797	0.1	RMS	782.3	21.1	60	Pass	401
797	1000	0.1	RMS	1000	-63.65	-13	Pass	2030
1000	3000	1	RMS	1564.282	-45.2	-13	Pass	2000
3000	10000	1	RMS	7092.585	-43.96	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.89	-13	Pass	2985
30	767	0.1	RMS	734.196	-63.9	-13	Pass	7370
767	797	0.1	RMS	782.375	20.34	60	Pass	401
797	1000	0.1	RMS	988.294	-63.21	-13	Pass	2030
1000	3000	1	RMS	1564.282	-46.03	-13	Pass	2000
3000	10000	1	RMS	7096.585	-43.99	-13	Pass	7000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.5	-13	Pass	2985
30	767	0.1	RMS	734.396	-64.06	-13	Pass	7370
767	797	0.1	RMS	777.575	21.52	60	Pass	401
797	1000	0.1	RMS	797	-62.92	-13	Pass	2030
1000	3000	1	RMS	1554.277	-46.36	-13	Pass	2000
3000	10000	1	RMS	7089.584	-44	-13	Pass	7000



**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.88	-13	Pass	2985
30	767	0.1	RMS	732.495	-63.95	-13	Pass	7370
767	797	0.1	RMS	777.575	20.68	60	Pass	401
797	1000	0.1	RMS	797	-62.87	-13	Pass	2030
1000	3000	1	RMS	1554.277	-47.16	-13	Pass	2000
3000	10000	1	RMS	7096.585	-43.95	-13	Pass	7000



## 14. LTE\_Band17


### 14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.82	-13	Pass	2985
30	694	0.1	RMS	694	-64.1	-13	Pass	6640
694	726	0.1	RMS	704.32	20.59	60	Pass	401
726	1000	0.1	RMS	993.398	-63.43	-13	Pass	2740
1000	3000	1	RMS	1408.204	-42.2	-13	Pass	2000
3000	10000	1	RMS	7105.587	-43.95	-13	Pass	7000



**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.4	-13	Pass	2985
30	694	0.1	RMS	693.9	-63.96	-13	Pass	6640
694	726	0.1	RMS	704.32	19.76	60	Pass	401
726	1000	0.1	RMS	901.764	-63.38	-13	Pass	2740
1000	3000	1	RMS	1408.204	-43.14	-13	Pass	2000
3000	10000	1	RMS	7097.585	-43.98	-13	Pass	7000






**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.62	-13	Pass	2985
30	694	0.1	RMS	490.769	-64.58	-13	Pass	6640
694	726	0.1	RMS	707.84	20.74	60	Pass	401
726	1000	0.1	RMS	975.491	-63.47	-13	Pass	2740
1000	3000	1	RMS	2830.915	-48.43	-13	Pass	2000
3000	10000	1	RMS	7099.586	-43.97	-13	Pass	7000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.74	-13	Pass	2985
30	694	0.1	RMS	693	-64.46	-13	Pass	6640
694	726	0.1	RMS	707.84	19.96	60	Pass	401
726	1000	0.1	RMS	858.448	-63.45	-13	Pass	2740
1000	3000	1	RMS	2830.915	-48.88	-13	Pass	2000
3000	10000	1	RMS	7098.586	-43.94	-13	Pass	7000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.77	-13	Pass	2985
30	694	0.1	RMS	473.767	-64.45	-13	Pass	6640
694	726	0.1	RMS	711.36	20.48	60	Pass	401
726	1000	0.1	RMS	994.098	-63.52	-13	Pass	2740
1000	3000	1	RMS	1422.211	-44.53	-13	Pass	2000
3000	10000	1	RMS	7100.586	-43.92	-13	Pass	7000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.9	-13	Pass	2985
30	694	0.1	RMS	619.589	-64.47	-13	Pass	6640
694	726	0.1	RMS	711.36	19.85	60	Pass	401
726	1000	0.1	RMS	997.199	-63.1	-13	Pass	2740
1000	3000	1	RMS	1422.211	-45.48	-13	Pass	2000
3000	10000	1	RMS	7109.587	-43.94	-13	Pass	7000




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.29	-13	Pass	2985
30	694	0.1	RMS	694	-63.2	-13	Pass	6640
694	726	0.1	RMS	704.56	20.57	60	Pass	401
726	1000	0.1	RMS	992.797	-63.66	-13	Pass	2740
1000	3000	1	RMS	1408.204	-44.03	-13	Pass	2000
3000	10000	1	RMS	7094.585	-43.96	-13	Pass	7000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.03	-13	Pass	2985
30	694	0.1	RMS	693.9	-63.22	-13	Pass	6640
694	726	0.1	RMS	704.56	19.64	60	Pass	401
726	1000	0.1	RMS	999.3	-63.55	-13	Pass	2740
1000	3000	1	RMS	1408.204	-44.87	-13	Pass	2000
3000	10000	1	RMS	7115.588	-43.94	-13	Pass	7000




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.32	-13	Pass	2985
30	694	0.1	RMS	694	-64.2	-13	Pass	6640
694	726	0.1	RMS	705.6	20.8	60	Pass	401
726	1000	0.1	RMS	857.448	-63.44	-13	Pass	2740
1000	3000	1	RMS	1410.205	-45.93	-13	Pass	2000
3000	10000	1	RMS	7087.584	-43.99	-13	Pass	7000



**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.38	-13	Pass	2985
30	694	0.1	RMS	694	-64.22	-13	Pass	6640
694	726	0.1	RMS	705.6	19.76	60	Pass	401
726	1000	0.1	RMS	996.499	-63.53	-13	Pass	2740
1000	3000	1	RMS	1410.205	-46.73	-13	Pass	2000
3000	10000	1	RMS	7090.584	-44.01	-13	Pass	7000






**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.58	-13	Pass	2985
30	694	0.1	RMS	476.567	-64.28	-13	Pass	6640
694	726	0.1	RMS	706.56	20.58	60	Pass	401
726	1000	0.1	RMS	987.696	-63.44	-13	Pass	2740
1000	3000	1	RMS	1412.206	-47.77	-13	Pass	2000
3000	10000	1	RMS	7106.587	-43.98	-13	Pass	7000



**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.9	-13	Pass	2985
30	694	0.1	RMS	693.7	-64.45	-13	Pass	6640
694	726	0.1	RMS	706.56	19.71	60	Pass	401
726	1000	0.1	RMS	993.598	-63.54	-13	Pass	2740
1000	3000	1	RMS	1412.206	-48.43	-13	Pass	2000
3000	10000	1	RMS	7088.584	-43.97	-13	Pass	7000



## 15. LTE\_Band26(part22)


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.74	-13	Pass	7840
814	860	0.1	RMS	824.222	20.96	60	Pass	460
860	1000	0.1	RMS	989.793	-63.79	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.43	-13	Pass	2000
3000	10000	1	RMS	7100.586	-43.99	-13	Pass	7000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.76	-13	Pass	2985
30	814	0.1	RMS	732.19	-64.17	-13	Pass	7840
814	860	0.1	RMS	824.222	20.01	60	Pass	460
860	1000	0.1	RMS	994.596	-63.72	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.25	-13	Pass	2000
3000	10000	1	RMS	7100.586	-43.99	-13	Pass	7000




**15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.49	-13	Pass	2985
30	814	0.1	RMS	739.29	-64.1	-13	Pass	7840
814	860	0.1	RMS	836.048	21.25	60	Pass	460
860	1000	0.1	RMS	886.119	-63.49	-13	Pass	1400
1000	3000	1	RMS	1671.336	-46.37	-13	Pass	2000
3000	10000	1	RMS	7110.587	-43.98	-13	Pass	7000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	Pass	2985
30	814	0.1	RMS	732.79	-64.21	-13	Pass	7840
814	860	0.1	RMS	836.048	20.24	60	Pass	460
860	1000	0.1	RMS	867.305	-63.74	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.45	-13	Pass	2000
3000	10000	1	RMS	7100.586	-43.99	-13	Pass	7000




**15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.78	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.65	-13	Pass	2985
30	814	0.1	RMS	739.991	-64.02	-13	Pass	7840
814	860	0.1	RMS	847.874	21.2	60	Pass	460
860	1000	0.1	RMS	998.099	-63.74	-13	Pass	1400
1000	3000	1	RMS	1695.348	-45.56	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.05	-13	Pass	7000



**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.7	-13	Pass	2985
30	814	0.1	RMS	741.991	-64.03	-13	Pass	7840
814	860	0.1	RMS	847.874	20.21	60	Pass	460
860	1000	0.1	RMS	989.793	-63.77	-13	Pass	1400
1000	3000	1	RMS	1695.348	-46.49	-13	Pass	2000
3000	10000	1	RMS	7108.587	-43.99	-13	Pass	7000






**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.29	-13	Pass	7840
814	860	0.1	RMS	824.222	21.15	60	Pass	460
860	1000	0.1	RMS	998.699	-63.77	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.37	-13	Pass	2000
3000	10000	1	RMS	7097.585	-43.97	-13	Pass	7000




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.97	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.6	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.36	-13	Pass	7840
814	860	0.1	RMS	824.222	20.32	60	Pass	460
860	1000	0.1	RMS	911.337	-63.79	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.05	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.05	-13	Pass	7000




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.83	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.99	-13	Pass	2985
30	814	0.1	RMS	740.291	-64.12	-13	Pass	7840
814	860	0.1	RMS	835.246	21.3	60	Pass	460
860	1000	0.1	RMS	985.289	-63.72	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.21	-13	Pass	2000
3000	10000	1	RMS	7103.586	-44.03	-13	Pass	7000




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.47	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.75	-13	Pass	2985
30	814	0.1	RMS	729.589	-64.17	-13	Pass	7840
814	860	0.1	RMS	835.246	20.41	60	Pass	460
860	1000	0.1	RMS	989.893	-63.74	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.02	-13	Pass	2000
3000	10000	1	RMS	7096.585	-44	-13	Pass	7000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.96	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.6	-13	Pass	2985
30	814	0.1	RMS	735.99	-64.15	-13	Pass	7840
814	860	0.1	RMS	846.27	20.93	60	Pass	460
860	1000	0.1	RMS	892.623	-63.83	-13	Pass	1400
1000	3000	1	RMS	1692.346	-47.08	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44	-13	Pass	7000




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.91	-13	Pass	2985
30	814	0.1	RMS	736.89	-64.17	-13	Pass	7840
814	860	0.1	RMS	846.27	20.05	60	Pass	460
860	1000	0.1	RMS	999.5	-63.8	-13	Pass	1400
1000	3000	1	RMS	1692.346	-47.84	-13	Pass	2000
3000	10000	1	RMS	7087.584	-44.02	-13	Pass	7000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.25	-13	Pass	2985
30	814	0.1	RMS	813.8	-63.06	-13	Pass	7840
814	860	0.1	RMS	824.322	21.06	60	Pass	460
860	1000	0.1	RMS	992.895	-63.69	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.93	-13	Pass	2000
3000	10000	1	RMS	7110.587	-43.92	-13	Pass	7000



**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.39	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.32	-13	Pass	7840
814	860	0.1	RMS	824.322	20.22	60	Pass	460
860	1000	0.1	RMS	998.199	-63.66	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.82	-13	Pass	2000
3000	10000	1	RMS	7109.587	-43.98	-13	Pass	7000






**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.88	-13	Pass	2985
30	814	0.1	RMS	742.891	-64.05	-13	Pass	7840
814	860	0.1	RMS	834.344	21.12	60	Pass	460
860	1000	0.1	RMS	998.899	-63.62	-13	Pass	1400
1000	3000	1	RMS	1668.334	-46.16	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.02	-13	Pass	7000




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.51	-13	Pass	2985
30	814	0.1	RMS	811	-64.06	-13	Pass	7840
814	860	0.1	RMS	834.344	20.42	60	Pass	460
860	1000	0.1	RMS	993.095	-63.78	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.03	-13	Pass	2000
3000	10000	1	RMS	7089.584	-43.98	-13	Pass	7000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.27	-13	Pass	2985
30	814	0.1	RMS	733.39	-64.11	-13	Pass	7840
814	860	0.1	RMS	844.366	20.85	60	Pass	460
860	1000	0.1	RMS	999.3	-63.61	-13	Pass	1400
1000	3000	1	RMS	1688.344	-46.83	-13	Pass	2000
3000	10000	1	RMS	7100.586	-43.89	-13	Pass	7000




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.14	-13	Pass	2985
30	814	0.1	RMS	730.589	-64.09	-13	Pass	7840
814	860	0.1	RMS	844.366	20.3	60	Pass	460
860	1000	0.1	RMS	988.792	-63.7	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.86	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.02	-13	Pass	7000




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.79	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.01	-13	Pass	2985
30	814	0.1	RMS	813.9	-59.83	-13	Pass	7840
814	860	0.1	RMS	824.623	20.92	60	Pass	460
860	1000	0.1	RMS	903.331	-63.73	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.6	-13	Pass	2000
3000	10000	1	RMS	7100.586	-43.98	-13	Pass	7000




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.77	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.12	-13	Pass	2985
30	814	0.1	RMS	814	-59.72	-13	Pass	7840
814	860	0.1	RMS	824.623	20.09	60	Pass	460
860	1000	0.1	RMS	999.4	-63.71	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.34	-13	Pass	2000
3000	10000	1	RMS	7096.585	-44	-13	Pass	7000




**15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.23	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.05	-13	Pass	2985
30	814	0.1	RMS	738.39	-64.13	-13	Pass	7840
814	860	0.1	RMS	832.139	20.5	60	Pass	460
860	1000	0.1	RMS	869.907	-63.84	-13	Pass	1400
1000	3000	1	RMS	1663.332	-47.28	-13	Pass	2000
3000	10000	1	RMS	7099.586	-43.95	-13	Pass	7000



**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	Pass	2985
30	814	0.1	RMS	813.1	-64.07	-13	Pass	7840
814	860	0.1	RMS	832.139	19.54	60	Pass	460
860	1000	0.1	RMS	998.699	-63.88	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.27	-13	Pass	2000
3000	10000	1	RMS	7103.586	-44.02	-13	Pass	7000






**15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.14	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.13	-13	Pass	7840
814	860	0.1	RMS	839.556	20.87	60	Pass	460
860	1000	0.1	RMS	983.288	-63.63	-13	Pass	1400
1000	3000	1	RMS	1678.339	-46.51	-13	Pass	2000
3000	10000	1	RMS	7100.586	-43.82	-13	Pass	7000




**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.65	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.86	-13	Pass	2985
30	814	0.1	RMS	738.59	-63.98	-13	Pass	7840
814	860	0.1	RMS	839.556	20	60	Pass	460
860	1000	0.1	RMS	992.995	-63.58	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47.36	-13	Pass	2000
3000	10000	1	RMS	7112.588	-43.92	-13	Pass	7000




**15.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.28	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.87	-13	Pass	2985
30	814	0.1	RMS	811.6	-51.81	-13	Pass	7840
814	860	0.1	RMS	824.824	21.13	60	Pass	460
860	1000	0.1	RMS	878.713	-63.72	-13	Pass	1400
1000	3000	1	RMS	1649.325	-47.09	-13	Pass	2000
3000	10000	1	RMS	7109.587	-43.97	-13	Pass	7000




**15.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.27	-13	Pass	2985
30	814	0.1	RMS	811.5	-50.81	-13	Pass	7840
814	860	0.1	RMS	824.824	20.3	60	Pass	460
860	1000	0.1	RMS	996.197	-63.69	-13	Pass	1400
1000	3000	1	RMS	1649.325	-47.88	-13	Pass	2000
3000	10000	1	RMS	7109.587	-43.98	-13	Pass	7000




**15.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	Pass	2985
30	814	0.1	RMS	813.8	-60.65	-13	Pass	7840
814	860	0.1	RMS	829.834	21.25	60	Pass	460
860	1000	0.1	RMS	993.796	-63.43	-13	Pass	1400
1000	3000	1	RMS	1659.33	-47.41	-13	Pass	2000
3000	10000	1	RMS	7108.587	-43.98	-13	Pass	7000




**15.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.73	-13	Pass	2985
30	814	0.1	RMS	813.9	-60.65	-13	Pass	7840
814	860	0.1	RMS	829.834	20.18	60	Pass	460
860	1000	0.1	RMS	993.195	-63.79	-13	Pass	1400
1000	3000	1	RMS	1659.33	-48.43	-13	Pass	2000
3000	10000	1	RMS	7104.586	-43.98	-13	Pass	7000




**15.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	Pass	2985
30	814	0.1	RMS	808.199	-61.2	-13	Pass	7840
814	860	0.1	RMS	834.845	21.09	60	Pass	460
860	1000	0.1	RMS	997.498	-63.62	-13	Pass	1400
1000	3000	1	RMS	1669.335	-46.22	-13	Pass	2000
3000	10000	1	RMS	7104.586	-43.98	-13	Pass	7000



**15.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.13	-13	Pass	2985
30	814	0.1	RMS	808.199	-61.5	-13	Pass	7840
814	860	0.1	RMS	834.845	20.48	60	Pass	460
860	1000	0.1	RMS	988.492	-63.55	-13	Pass	1400
1000	3000	1	RMS	1669.335	-46.93	-13	Pass	2000
3000	10000	1	RMS	7108.587	-43.99	-13	Pass	7000






## 16. LTE\_Band26(part90)


**16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-64.5	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.08	-13	Pass	2985
30	809	0.1	Peak	808.8	-53.02	-13	Pass	7790
809	829	0.1	Peak	814.3	26.22	60	Pass	401
829	1000	0.1	Peak	961.377	-52.69	-13	Pass	1710
1000	3000	1	Peak	1628.314	-36.5	-13	Pass	2000
3000	10000	1	Peak	6761.537	-32.79	-13	Pass	7000




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.78	-13	Pass	401
0.15	30	0.01	Peak	0.28	-62.96	-13	Pass	2985
30	809	0.1	Peak	479.158	-53.14	-13	Pass	7790
809	829	0.1	Peak	814.25	26.88	60	Pass	401
829	1000	0.1	Peak	899.041	-52.41	-13	Pass	1710
1000	3000	1	Peak	1628.314	-36.67	-13	Pass	2000
3000	10000	1	Peak	6770.539	-32	-13	Pass	7000




**16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.68	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.07	-13	Pass	2985
30	809	0.1	Peak	484.758	-53.19	-13	Pass	7790
809	829	0.1	Peak	818.55	26.45	60	Pass	401
829	1000	0.1	Peak	927.858	-52.06	-13	Pass	1710
1000	3000	1	Peak	1637.319	-35.69	-13	Pass	2000
3000	10000	1	Peak	7090.584	-32.38	-13	Pass	7000




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.12	-13	Pass	401
0.15	30	0.01	Peak	0.38	-63.98	-13	Pass	2985
30	809	0.1	Peak	774.296	-53.44	-13	Pass	7790
809	829	0.1	Peak	818.55	26.58	60	Pass	401
829	1000	0.1	Peak	982.09	-52.43	-13	Pass	1710
1000	3000	1	Peak	1637.319	-36.36	-13	Pass	2000
3000	10000	1	Peak	7022.575	-32.6	-13	Pass	7000




**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.28	-13	Pass	401
0.15	30	0.01	Peak	0.2	-62.76	-13	Pass	2985
30	809	0.1	Peak	722.589	-52.87	-13	Pass	7790
809	829	0.1	Peak	822.85	26.17	60	Pass	401
829	1000	0.1	Peak	840.407	-52.88	-13	Pass	1710
1000	3000	1	Peak	1645.323	-36.36	-13	Pass	2000
3000	10000	1	Peak	7111.587	-32.2	-13	Pass	7000




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.18	-13	Pass	401
0.15	30	0.01	Peak	0.55	-62.18	-13	Pass	2985
30	809	0.1	Peak	706.587	-53.11	-13	Pass	7790
809	829	0.1	Peak	822.85	26.61	60	Pass	401
829	1000	0.1	Peak	988.593	-52.48	-13	Pass	1710
1000	3000	1	Peak	1646.323	-36.28	-13	Pass	2000
3000	10000	1	Peak	6984.569	-31.76	-13	Pass	7000




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.74	-13	Pass	2985
30	809	0.1	Peak	809	-42.8	-13	Pass	7790
809	829	0.1	Peak	814.3	26.37	60	Pass	401
829	1000	0.1	Peak	938.464	-52.9	-13	Pass	1710
1000	3000	1	Peak	1628.314	-37.04	-13	Pass	2000
3000	10000	1	Peak	6994.571	-32.64	-13	Pass	7000



**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.4	-13	Pass	401
0.15	30	0.01	Peak	0.34	-63.12	-13	Pass	2985
30	809	0.1	Peak	809	-41.24	-13	Pass	7790
809	829	0.1	Peak	814.2	26.49	60	Pass	401
829	1000	0.1	Peak	842.408	-53.12	-13	Pass	1710
1000	3000	1	Peak	1628.314	-37.49	-13	Pass	2000
3000	10000	1	Peak	7151.593	-33.02	-13	Pass	7000






**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.54	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.48	-13	Pass	2985
30	809	0.1	Peak	720.189	-53.06	-13	Pass	7790
809	829	0.1	Peak	817.75	26.77	60	Pass	401
829	1000	0.1	Peak	888.835	-52.58	-13	Pass	1710
1000	3000	1	Peak	1635.318	-36.08	-13	Pass	2000
3000	10000	1	Peak	7385.627	-32.77	-13	Pass	7000




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.5	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.17	-13	Pass	2985
30	809	0.1	Peak	752.693	-52.41	-13	Pass	7790
809	829	0.1	Peak	817.75	26.51	60	Pass	401
829	1000	0.1	Peak	978.387	-52.51	-13	Pass	1710
1000	3000	1	Peak	1635.318	-37.04	-13	Pass	2000
3000	10000	1	Peak	9136.877	-33.05	-13	Pass	7000




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.24	-13	Pass	2985
30	809	0.1	Peak	612.775	-53.38	-13	Pass	7790
809	829	0.1	Peak	821.25	26.61	60	Pass	401
829	1000	0.1	Peak	829	-40.96	-13	Pass	1710
1000	3000	1	Peak	1642.321	-35.44	-13	Pass	2000
3000	10000	1	Peak	7221.603	-32.88	-13	Pass	7000




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.32	-13	Pass	401
0.15	30	0.01	Peak	0.2	-62.57	-13	Pass	2985
30	809	0.1	Peak	723.789	-53.42	-13	Pass	7790
809	829	0.1	Peak	821.3	26.81	60	Pass	401
829	1000	0.1	Peak	829	-42.94	-13	Pass	1710
1000	3000	1	Peak	1642.321	-37.13	-13	Pass	2000
3000	10000	1	Peak	7083.583	-32.87	-13	Pass	7000




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.73	-13	Pass	401
0.15	30	0.01	Peak	0.25	-61.92	-13	Pass	2985
30	809	0.1	Peak	808.9	-48.68	-13	Pass	7790
809	829	0.1	Peak	814.4	26.56	60	Pass	401
829	1000	0.1	Peak	831.501	-51.94	-13	Pass	1710
1000	3000	1	Peak	1628.314	-37.31	-13	Pass	2000
3000	10000	1	Peak	8983.855	-31.84	-13	Pass	7000




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.19	-13	Pass	401
0.15	30	0.01	Peak	0.23	-62.8	-13	Pass	2985
30	809	0.1	Peak	809	-48.2	-13	Pass	7790
809	829	0.1	Peak	814.25	26.63	60	Pass	401
829	1000	0.1	Peak	894.939	-52.16	-13	Pass	1710
1000	3000	1	Peak	2868.934	-38.59	-13	Pass	2000
3000	10000	1	Peak	7182.598	-33.01	-13	Pass	7000




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.77	-13	Pass	401
0.15	30	0.01	Peak	0.32	-62.28	-13	Pass	2985
30	809	0.1	Peak	808.3	-50.03	-13	Pass	7790
809	829	0.1	Peak	816.85	26.64	60	Pass	401
829	1000	0.1	Peak	834.103	-51.97	-13	Pass	1710
1000	3000	1	Peak	1633.317	-36.68	-13	Pass	2000
3000	10000	1	Peak	7088.584	-32.51	-13	Pass	7000



**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.39	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.52	-13	Pass	2985
30	809	0.1	Peak	808.2	-51.12	-13	Pass	7790
809	829	0.1	Peak	816.8	26.66	60	Pass	401
829	1000	0.1	Peak	833.903	-52.65	-13	Pass	1710
1000	3000	1	Peak	1633.317	-36.71	-13	Pass	2000
3000	10000	1	Peak	7303.615	-32.64	-13	Pass	7000






**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.37	-13	Pass	401
0.15	30	0.01	Peak	0.27	-62.52	-13	Pass	2985
30	809	0.1	Peak	780.496	-53.23	-13	Pass	7790
809	829	0.1	Peak	819.35	26.35	60	Pass	401
829	1000	0.1	Peak	829.4	-46.5	-13	Pass	1710
1000	3000	1	Peak	1638.319	-36.47	-13	Pass	2000
3000	10000	1	Peak	7102.586	-32.75	-13	Pass	7000




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.95	-13	Pass	401
0.15	30	0.01	Peak	0.16	-61.61	-13	Pass	2985
30	809	0.1	Peak	507.361	-52.96	-13	Pass	7790
809	829	0.1	Peak	819.3	26.52	60	Pass	401
829	1000	0.1	Peak	829	-46.93	-13	Pass	1710
1000	3000	1	Peak	1639.32	-37.13	-13	Pass	2000
3000	10000	1	Peak	6955.565	-32.79	-13	Pass	7000




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-63.75	-13	Pass	401
0.15	30	0.01	Peak	0.18	-62.79	-13	Pass	2985
30	809	0.1	Peak	808.2	-46.82	-13	Pass	7790
809	829	0.1	Peak	814.55	26.49	60	Pass	401
829	1000	0.1	Peak	829.901	-37.91	-13	Pass	1710
1000	3000	1	Peak	1629.315	-36.53	-13	Pass	2000
3000	10000	1	Peak	6776.54	-32.41	-13	Pass	7000



**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-61.68	-13	Pass	2985
30	809	0.1	Peak	808.5	-46.85	-13	Pass	7790
809	829	0.1	Peak	814.55	26.58	60	Pass	401
829	1000	0.1	Peak	829.901	-37.55	-13	Pass	1710
1000	3000	1	Peak	1629.315	-36.22	-13	Pass	2000
3000	10000	1	Peak	7227.604	-32.94	-13	Pass	7000



## 17. LTE\_Band38


### 17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.06	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.28	-25	Pass	2985
30	1000	0.1	RMS	609.671	-61.41	-25	Pass	9699
1000	2550	1	RMS	2493.964	-48.85	-25	Pass	1550
2550	2640	1	RMS	2570.25	21.85	60	Pass	401
2640	3000	1	RMS	2951.4	-47.34	-25	Pass	401
3000	12000	1	RMS	10280.889	-43.72	-25	Pass	9000
12000	26500	1	RMS	26015.923	-36.19	-25	Pass	14500




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.26	-25	Pass	2985
30	1000	0.1	RMS	609.571	-61.7	-25	Pass	9699
1000	2550	1	RMS	2484.958	-48.85	-25	Pass	1550
2550	2640	1	RMS	2570.25	21.36	60	Pass	401
2640	3000	1	RMS	2951.4	-47.35	-25	Pass	401
3000	12000	1	RMS	10280.889	-43.84	-25	Pass	9000
12000	26500	1	RMS	25997.92	-36.13	-25	Pass	14500




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.98	-25	Pass	401
0.15	30	0.01	RMS	0.28	-69.86	-25	Pass	2985
30	1000	0.1	RMS	838.599	-61.73	-25	Pass	9699
1000	2550	1	RMS	2491.963	-48.84	-25	Pass	1550
2550	2640	1	RMS	2592.525	21.77	60	Pass	401
2640	3000	1	RMS	2947.8	-47.3	-25	Pass	401
3000	12000	1	RMS	10371.9	-47.31	-25	Pass	9000
12000	26500	1	RMS	26009.922	-36.15	-25	Pass	14500



**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.93	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.39	-25	Pass	2985
30	1000	0.1	RMS	853.906	-61.67	-25	Pass	9699
1000	2550	1	RMS	2491.963	-48.76	-25	Pass	1550
2550	2640	1	RMS	2592.525	21.02	60	Pass	401
2640	3000	1	RMS	2952.3	-47.34	-25	Pass	401
3000	12000	1	RMS	10370.9	-44.81	-25	Pass	9000
12000	26500	1	RMS	26001.921	-36.22	-25	Pass	14500






**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.02	-25	Pass	2985
30	1000	0.1	RMS	841.799	-61.79	-25	Pass	9699
1000	2550	1	RMS	2491.963	-48.78	-25	Pass	1550
2550	2640	1	RMS	2615.25	21.61	60	Pass	401
2640	3000	1	RMS	2946.9	-47.34	-25	Pass	401
3000	12000	1	RMS	10461.911	-49.1	-25	Pass	9000
12000	26500	1	RMS	25992.92	-36.19	-25	Pass	14500




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.28	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.68	-25	Pass	2985
30	1000	0.1	RMS	839.399	-61.62	-25	Pass	9699
1000	2550	1	RMS	2527.986	-48.87	-25	Pass	1550
2550	2640	1	RMS	2615.25	20.91	60	Pass	401
2640	3000	1	RMS	2945.1	-47.31	-25	Pass	401
3000	12000	1	RMS	10460.911	-47.21	-25	Pass	9000
12000	26500	1	RMS	26001.921	-36.09	-25	Pass	14500




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.93	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.7	-25	Pass	2985
30	1000	0.1	RMS	609.871	-60.42	-25	Pass	9699
1000	2550	1	RMS	2493.964	-48.82	-25	Pass	1550
2550	2640	1	RMS	2570.475	21.43	60	Pass	401
2640	3000	1	RMS	2946.9	-47.32	-25	Pass	401
3000	12000	1	RMS	10281.889	-47.13	-25	Pass	9000
12000	26500	1	RMS	26007.922	-36.2	-25	Pass	14500




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.43	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.72	-25	Pass	2985
30	1000	0.1	RMS	836.798	-61.8	-25	Pass	9699
1000	2550	1	RMS	2493.964	-48.86	-25	Pass	1550
2550	2640	1	RMS	2570.475	20.81	60	Pass	401
2640	3000	1	RMS	2948.7	-47.32	-25	Pass	401
3000	12000	1	RMS	5141.261	-49.65	-25	Pass	9000
12000	26500	1	RMS	26000.921	-36.19	-25	Pass	14500




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.38	-25	Pass	2985
30	1000	0.1	RMS	800.094	-61.71	-25	Pass	9699
1000	2550	1	RMS	2487.96	-48.84	-25	Pass	1550
2550	2640	1	RMS	2590.275	22	60	Pass	401
2640	3000	1	RMS	2950.5	-47.31	-25	Pass	401
3000	12000	1	RMS	10362.899	-44.19	-25	Pass	9000
12000	26500	1	RMS	26009.922	-36.18	-25	Pass	14500




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.6	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.69	-25	Pass	2985
30	1000	0.1	RMS	853.706	-61.79	-25	Pass	9699
1000	2550	1	RMS	2483.957	-48.88	-25	Pass	1550
2550	2640	1	RMS	2590.5	20.9	60	Pass	401
2640	3000	1	RMS	2949.6	-47.35	-25	Pass	401
3000	12000	1	RMS	10361.899	-45.8	-25	Pass	9000
12000	26500	1	RMS	26031.926	-36.24	-25	Pass	14500




**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.81	-25	Pass	2985
30	1000	0.1	RMS	839.499	-61.69	-25	Pass	9699
1000	2550	1	RMS	2482.957	-48.84	-25	Pass	1550
2550	2640	1	RMS	2610.3	22.23	60	Pass	401
2640	3000	1	RMS	2949.6	-47.32	-25	Pass	401
3000	12000	1	RMS	10441.908	-45.91	-25	Pass	9000
12000	26500	1	RMS	26011.923	-36.17	-25	Pass	14500



**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.74	-25	Pass	2985
30	1000	0.1	RMS	835.998	-61.84	-25	Pass	9699
1000	2550	1	RMS	2489.961	-48.88	-25	Pass	1550
2550	2640	1	RMS	2610.525	21.39	60	Pass	401
2640	3000	1	RMS	2947.8	-47.33	-25	Pass	401
3000	12000	1	RMS	10442.909	-50.59	-25	Pass	9000
12000	26500	1	RMS	26003.921	-36.26	-25	Pass	14500






**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.85	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.83	-25	Pass	2985
30	1000	0.1	RMS	610.071	-61.68	-25	Pass	9699
1000	2550	1	RMS	2543.996	-41.94	-25	Pass	1550
2550	2640	1	RMS	2570.7	21.73	60	Pass	401
2640	3000	1	RMS	2951.4	-47.37	-25	Pass	401
3000	12000	1	RMS	10283.889	-43.47	-25	Pass	9000
12000	26500	1	RMS	25993.92	-36.16	-25	Pass	14500




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.29	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.8	-25	Pass	2985
30	1000	0.1	RMS	610.071	-61.3	-25	Pass	9699
1000	2550	1	RMS	2543.996	-41.37	-25	Pass	1550
2550	2640	1	RMS	2570.925	20.72	60	Pass	401
2640	3000	1	RMS	2950.5	-47.34	-25	Pass	401
3000	12000	1	RMS	10283.889	-45.83	-25	Pass	9000
12000	26500	1	RMS	26017.924	-36.16	-25	Pass	14500




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.35	-25	Pass	2985
30	1000	0.1	RMS	841.399	-61.83	-25	Pass	9699
1000	2550	1	RMS	2515.978	-48.88	-25	Pass	1550
2550	2640	1	RMS	2588.025	22.22	60	Pass	401
2640	3000	1	RMS	2946	-47.31	-25	Pass	401
3000	12000	1	RMS	10352.898	-45.21	-25	Pass	9000
12000	26500	1	RMS	26011.923	-36.21	-25	Pass	14500




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.13	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.05	-25	Pass	2985
30	1000	0.1	RMS	821.297	-61.75	-25	Pass	9699
1000	2550	1	RMS	2488.961	-48.9	-25	Pass	1550
2550	2640	1	RMS	2588.25	21.47	60	Pass	401
2640	3000	1	RMS	2946.9	-47.34	-25	Pass	401
3000	12000	1	RMS	10352.898	-45.15	-25	Pass	9000
12000	26500	1	RMS	25997.92	-36.15	-25	Pass	14500




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.07	-25	Pass	2985
30	1000	0.1	RMS	851.904	-61.78	-25	Pass	9699
1000	2550	1	RMS	2487.96	-48.82	-25	Pass	1550
2550	2640	1	RMS	2605.8	21.71	60	Pass	401
2640	3000	1	RMS	2950.5	-47.34	-25	Pass	401
3000	12000	1	RMS	10422.906	-46.13	-25	Pass	9000
12000	26500	1	RMS	26002.921	-36.13	-25	Pass	14500




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.98	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.64	-25	Pass	2985
30	1000	0.1	RMS	835.298	-61.86	-25	Pass	9699
1000	2550	1	RMS	2488.961	-48.87	-25	Pass	1550
2550	2640	1	RMS	2605.8	21.8	60	Pass	401
2640	3000	1	RMS	2946	-47.31	-25	Pass	401
3000	12000	1	RMS	10422.906	-46.83	-25	Pass	9000
12000	26500	1	RMS	25989.919	-36.18	-25	Pass	14500




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.27	-25	Pass	2985
30	1000	0.1	RMS	854.908	-61.69	-25	Pass	9699
1000	2550	1	RMS	2534.99	-42.49	-25	Pass	1550
2550	2640	1	RMS	2570.925	22.38	60	Pass	401
2640	3000	1	RMS	2946	-47.34	-25	Pass	401
3000	12000	1	RMS	10283.889	-48.47	-25	Pass	9000
12000	26500	1	RMS	25997.92	-36.07	-25	Pass	14500



**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.38	-25	Pass	2985
30	1000	0.1	RMS	610.371	-61.45	-25	Pass	9699
1000	2550	1	RMS	2534.99	-45.26	-25	Pass	1550
2550	2640	1	RMS	2570.925	20.96	60	Pass	401
2640	3000	1	RMS	2948.7	-47.32	-25	Pass	401
3000	12000	1	RMS	10283.889	-43.63	-25	Pass	9000
12000	26500	1	RMS	25999.921	-36.14	-25	Pass	14500






**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.87	-25	Pass	401
0.15	30	0.01	RMS	0.29	-69.87	-25	Pass	2985
30	1000	0.1	RMS	625.373	-61.49	-25	Pass	9699
1000	2550	1	RMS	2550	-41.88	-25	Pass	1550
2550	2640	1	RMS	2585.775	22.1	60	Pass	401
2640	3000	1	RMS	2949.6	-47.34	-25	Pass	401
3000	12000	1	RMS	10344.897	-44.98	-25	Pass	9000
12000	26500	1	RMS	26024.925	-36.11	-25	Pass	14500




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.06	-25	Pass	2985
30	1000	0.1	RMS	841.699	-61.78	-25	Pass	9699
1000	2550	1	RMS	2550	-47.74	-25	Pass	1550
2550	2640	1	RMS	2585.775	20.71	60	Pass	401
2640	3000	1	RMS	2947.8	-47.32	-25	Pass	401
3000	12000	1	RMS	10343.896	-45.28	-25	Pass	9000
12000	26500	1	RMS	25996.92	-36.19	-25	Pass	14500




**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.33	-25	Pass	2985
30	1000	0.1	RMS	856.009	-61.81	-25	Pass	9699
1000	2550	1	RMS	2526.985	-48.89	-25	Pass	1550
2550	2640	1	RMS	2600.85	21.94	60	Pass	401
2640	3000	1	RMS	2950.5	-47.31	-25	Pass	401
3000	12000	1	RMS	10403.904	-48.68	-25	Pass	9000
12000	26500	1	RMS	25997.92	-36.23	-25	Pass	14500



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.88	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.09	-25	Pass	2985
30	1000	0.1	RMS	831.498	-61.84	-25	Pass	9699
1000	2550	1	RMS	2491.963	-48.82	-25	Pass	1550
2550	2640	1	RMS	2600.85	20.78	60	Pass	401
2640	3000	1	RMS	2948.7	-47.33	-25	Pass	401
3000	12000	1	RMS	10404.904	-46.53	-25	Pass	9000
12000	26500	1	RMS	26001.921	-36.23	-25	Pass	14500



## 18. LTE\_Band41 120M OPPO


### 18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.29	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.96	-25	Pass	2985
30	1000	0.1	RMS	848.5	-61.65	-25	Pass	9699
1000	2476	1	RMS	2476	-49.02	-25	Pass	1476
2476	2710	1	RMS	2535.085	20.84	60	Pass	401
2710	3000	1	RMS	2947.8	-47.31	-25	Pass	401
3000	12000	1	RMS	10141.872	-43.14	-25	Pass	9000
12000	27000	1	RMS	26015.855	-36.13	-25	Pass	15000




**18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.02	-25	Pass	2985
30	1000	0.1	RMS	829.998	-61.78	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.04	-25	Pass	1476
2476	2710	1	RMS	2535.085	20.35	60	Pass	401
2710	3000	1	RMS	2944.9	-47.34	-25	Pass	401
3000	12000	1	RMS	10140.872	-48.79	-25	Pass	9000
12000	27000	1	RMS	25999.853	-36.09	-25	Pass	15000




**18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:40765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.82	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.69	-25	Pass	2985
30	1000	0.1	RMS	836.498	-61.71	-25	Pass	9699
1000	2476	1	RMS	2467.995	-49.05	-25	Pass	1476
2476	2710	1	RMS	2605.285	21.46	60	Pass	401
2710	3000	1	RMS	2945.625	-47.35	-25	Pass	401
3000	12000	1	RMS	10420.906	-46.88	-25	Pass	9000
12000	27000	1	RMS	26042.859	-36.08	-25	Pass	15000



**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:40765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.22	-25	Pass	2985
30	1000	0.1	RMS	836.298	-61.77	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.04	-25	Pass	1476
2476	2710	1	RMS	2605.285	19.93	60	Pass	401
2710	3000	1	RMS	2947.8	-47.3	-25	Pass	401
3000	12000	1	RMS	10420.906	-46.81	-25	Pass	9000
12000	27000	1	RMS	26009.855	-36.23	-25	Pass	15000






**18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.73	-25	Pass	2985
30	1000	0.1	RMS	829.198	-61.57	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.97	-25	Pass	1476
2476	2710	1	RMS	2649.745	21.24	60	Pass	401
2710	3000	1	RMS	2943.45	-47.31	-25	Pass	401
3000	12000	1	RMS	10600.928	-48.88	-25	Pass	9000
12000	27000	1	RMS	25995.853	-36.13	-25	Pass	15000




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.41	-25	Pass	2985
30	1000	0.1	RMS	844.699	-61.74	-25	Pass	9699
1000	2476	1	RMS	2476	-49.05	-25	Pass	1476
2476	2710	1	RMS	2650.33	20.87	60	Pass	401
2710	3000	1	RMS	2949.975	-47.29	-25	Pass	401
3000	12000	1	RMS	10601.928	-48.74	-25	Pass	9000
12000	27000	1	RMS	26036.859	-36.2	-25	Pass	15000




**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.23	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.29	-25	Pass	2985
30	1000	0.1	RMS	574.867	-60.87	-25	Pass	9699
1000	2476	1	RMS	2472.998	-49.02	-25	Pass	1476
2476	2710	1	RMS	2535.085	20.59	60	Pass	401
2710	3000	1	RMS	2945.625	-47.32	-25	Pass	401
3000	12000	1	RMS	10142.872	-43.76	-25	Pass	9000
12000	27000	1	RMS	26023.857	-36.18	-25	Pass	15000




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.8	-25	Pass	2985
30	1000	0.1	RMS	842.399	-61.65	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.01	-25	Pass	1476
2476	2710	1	RMS	2535.085	19.56	60	Pass	401
2710	3000	1	RMS	2944.9	-47.33	-25	Pass	401
3000	12000	1	RMS	10141.872	-43.98	-25	Pass	9000
12000	27000	1	RMS	25993.852	-36.14	-25	Pass	15000




**18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40765, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.49	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.93	-25	Pass	2985
30	1000	0.1	RMS	831.798	-61.69	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.97	-25	Pass	1476
2476	2710	1	RMS	2602.945	21.32	60	Pass	401
2710	3000	1	RMS	2949.975	-47.28	-25	Pass	401
3000	12000	1	RMS	10411.905	-45.68	-25	Pass	9000
12000	27000	1	RMS	26016.856	-36.2	-25	Pass	15000




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:40765, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.56	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.76	-25	Pass	2985
30	1000	0.1	RMS	835.798	-61.76	-25	Pass	9699
1000	2476	1	RMS	2461.991	-49.08	-25	Pass	1476
2476	2710	1	RMS	2602.945	20.99	60	Pass	401
2710	3000	1	RMS	2944.175	-47.29	-25	Pass	401
3000	12000	1	RMS	10411.905	-49.51	-25	Pass	9000
12000	27000	1	RMS	25999.853	-36.17	-25	Pass	15000




**18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.76	-25	Pass	2985
30	1000	0.1	RMS	841.499	-61.81	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.98	-25	Pass	1476
2476	2710	1	RMS	2645.065	21.48	60	Pass	401
2710	3000	1	RMS	2943.45	-47.27	-25	Pass	401
3000	12000	1	RMS	7937.603	-49.6	-25	Pass	9000
12000	27000	1	RMS	26005.854	-36.13	-25	Pass	15000



**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.09	-25	Pass	2985
30	1000	0.1	RMS	867.324	-61.7	-25	Pass	9699
1000	2476	1	RMS	2463.992	-49.05	-25	Pass	1476
2476	2710	1	RMS	2645.065	20.38	60	Pass	401
2710	3000	1	RMS	2952.875	-47.29	-25	Pass	401
3000	12000	1	RMS	10581.926	-47.99	-25	Pass	9000
12000	27000	1	RMS	25987.851	-36.16	-25	Pass	15000






**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.51	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.61	-25	Pass	2985
30	1000	0.1	RMS	847.2	-61.73	-25	Pass	9699
1000	2476	1	RMS	2476	-49.04	-25	Pass	1476
2476	2710	1	RMS	2535.67	21.58	60	Pass	401
2710	3000	1	RMS	2947.8	-47.27	-25	Pass	401
3000	12000	1	RMS	10143.872	-47.34	-25	Pass	9000
12000	27000	1	RMS	26012.855	-36.13	-25	Pass	15000




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.33	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.98	-25	Pass	2985
30	1000	0.1	RMS	849.5	-61.64	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49	-25	Pass	1476
2476	2710	1	RMS	2535.67	20.87	60	Pass	401
2710	3000	1	RMS	2949.975	-47.26	-25	Pass	401
3000	12000	1	RMS	10143.872	-45.24	-25	Pass	9000
12000	27000	1	RMS	26013.855	-36.16	-25	Pass	15000




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:40765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.7	-25	Pass	2985
30	1000	0.1	RMS	842.599	-61.68	-25	Pass	9699
1000	2476	1	RMS	2476	-49	-25	Pass	1476
2476	2710	1	RMS	2600.605	20.55	60	Pass	401
2710	3000	1	RMS	2949.975	-47.29	-25	Pass	401
3000	12000	1	RMS	10402.904	-45.68	-25	Pass	9000
12000	27000	1	RMS	26005.854	-36.16	-25	Pass	15000




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:40765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.65	-25	Pass	2985
30	1000	0.1	RMS	850.001	-61.67	-25	Pass	9699
1000	2476	1	RMS	2476	-48.99	-25	Pass	1476
2476	2710	1	RMS	2600.605	21.03	60	Pass	401
2710	3000	1	RMS	2944.9	-47.32	-25	Pass	401
3000	12000	1	RMS	10403.904	-46.82	-25	Pass	9000
12000	27000	1	RMS	26000.853	-36.16	-25	Pass	15000




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.1	-25	Pass	2985
30	1000	0.1	RMS	889.554	-48.76	-25	Pass	9699
1000	2476	1	RMS	2476	-48.99	-25	Pass	1476
2476	2710	1	RMS	2640.97	20.62	60	Pass	401
2710	3000	1	RMS	2944.9	-47.3	-25	Pass	401
3000	12000	1	RMS	10563.923	-47.15	-25	Pass	9000
12000	27000	1	RMS	26010.855	-36.2	-25	Pass	15000




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.3	-70.17	-25	Pass	2985
30	1000	0.1	RMS	849.601	-61.77	-25	Pass	9699
1000	2476	1	RMS	2472.998	-48.92	-25	Pass	1476
2476	2710	1	RMS	2640.385	20.85	60	Pass	401
2710	3000	1	RMS	2951.425	-47.32	-25	Pass	401
3000	12000	1	RMS	7922.601	-47.94	-25	Pass	9000
12000	27000	1	RMS	25991.852	-36.06	-25	Pass	15000




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.1	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.08	-25	Pass	2985
30	1000	0.1	RMS	575.367	-61.16	-25	Pass	9699
1000	2476	1	RMS	2471.997	-49.06	-25	Pass	1476
2476	2710	1	RMS	2535.67	21.12	60	Pass	401
2710	3000	1	RMS	2947.8	-47.31	-25	Pass	401
3000	12000	1	RMS	10144.872	-44.29	-25	Pass	9000
12000	27000	1	RMS	26001.853	-36.13	-25	Pass	15000



**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.25	-25	Pass	2985
30	1000	0.1	RMS	575.367	-61.17	-25	Pass	9699
1000	2476	1	RMS	2467.995	-49.06	-25	Pass	1476
2476	2710	1	RMS	2535.67	20.65	60	Pass	401
2710	3000	1	RMS	2951.425	-47.29	-25	Pass	401
3000	12000	1	RMS	10143.872	-47.34	-25	Pass	9000
12000	27000	1	RMS	26020.856	-36.1	-25	Pass	15000






**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:40765, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.63	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.08	-25	Pass	2985
30	1000	0.1	RMS	858.212	-61.81	-25	Pass	9699
1000	2476	1	RMS	2476	-49.06	-25	Pass	1476
2476	2710	1	RMS	2598.265	20.51	60	Pass	401
2710	3000	1	RMS	2947.075	-47.3	-25	Pass	401
3000	12000	1	RMS	10393.903	-46.42	-25	Pass	9000
12000	27000	1	RMS	25993.852	-36.17	-25	Pass	15000




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:40765, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.04	-25	Pass	2985
30	1000	0.1	RMS	859.714	-61.82	-25	Pass	9699
1000	2476	1	RMS	2470.997	-49.06	-25	Pass	1476
2476	2710	1	RMS	2598.265	19.89	60	Pass	401
2710	3000	1	RMS	2949.975	-47.32	-25	Pass	401
3000	12000	1	RMS	10393.903	-47.79	-25	Pass	9000
12000	27000	1	RMS	25995.853	-36.21	-25	Pass	15000




**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.57	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.29	-25	Pass	2985
30	1000	0.1	RMS	849.601	-61.62	-25	Pass	9699
1000	2476	1	RMS	2455.986	-48.45	-25	Pass	1476
2476	2710	1	RMS	2635.705	20.64	60	Pass	401
2710	3000	1	RMS	2951.425	-47.27	-25	Pass	401
3000	12000	1	RMS	10543.921	-47.57	-25	Pass	9000
12000	27000	1	RMS	26002.854	-36.13	-25	Pass	15000



**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.71	-25	Pass	2985
30	1000	0.1	RMS	856.209	-61.68	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.01	-25	Pass	1476
2476	2710	1	RMS	2635.705	21.08	60	Pass	401
2710	3000	1	RMS	2950.7	-47.26	-25	Pass	401
3000	12000	1	RMS	7908.599	-49.08	-25	Pass	9000
12000	27000	1	RMS	26020.856	-36.15	-25	Pass	15000



## 19. LTE\_Band66


**19.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2985
30	1000	0.1	RMS	848.8	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-53.17	-13	Pass	700
1700	1790	1	RMS	1710.125	21.7	60	Pass	401
1790	3000	1	RMS	2949.959	-50.18	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.2	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.86	-13	Pass	8000




**19.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.26	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.67	-13	Pass	2985
30	1000	0.1	RMS	840.599	-64.79	-13	Pass	9699
1000	1700	1	RMS	1700	-53.32	-13	Pass	700
1700	1790	1	RMS	1710.125	20.71	60	Pass	401
1790	3000	1	RMS	2944.955	-50.15	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.17	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.94	-13	Pass	8000




**19.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2985
30	1000	0.1	RMS	841.799	-64.69	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.73	-13	Pass	700
1700	1790	1	RMS	1744.325	21.34	60	Pass	401
1790	3000	1	RMS	2947.957	-50.19	-13	Pass	1210
3000	12000	1	RMS	12000	-43.12	-13	Pass	9000
12000	20000	1	RMS	19677.96	-34.94	-13	Pass	8000



**19.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.95	-13	Pass	2985
30	1000	0.1	RMS	863.018	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-53.72	-13	Pass	700
1700	1790	1	RMS	1744.55	20.32	60	Pass	401
1790	3000	1	RMS	2949.959	-50.18	-13	Pass	1210
3000	12000	1	RMS	12000	-43.13	-13	Pass	9000
12000	20000	1	RMS	19682.96	-34.87	-13	Pass	8000






**19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.22	-13	Pass	2985
30	1000	0.1	RMS	852.004	-64.65	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.76	-13	Pass	700
1700	1790	1	RMS	1778.75	21.45	60	Pass	401
1790	3000	1	RMS	2951.96	-50.2	-13	Pass	1210
3000	12000	1	RMS	12000	-43.23	-13	Pass	9000
12000	20000	1	RMS	19682.96	-34.91	-13	Pass	8000




**19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.98	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.92	-13	Pass	2985
30	1000	0.1	RMS	843.199	-64.45	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.69	-13	Pass	700
1700	1790	1	RMS	1778.75	20.47	60	Pass	401
1790	3000	1	RMS	2947.957	-50.15	-13	Pass	1210
3000	12000	1	RMS	12000	-43.18	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.89	-13	Pass	8000




**19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.11	-13	Pass	2985
30	1000	0.1	RMS	818.496	-64.81	-13	Pass	9699
1000	1700	1	RMS	1700	-52.86	-13	Pass	700
1700	1790	1	RMS	1710.125	21.72	60	Pass	401
1790	3000	1	RMS	2945.955	-50.2	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.19	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.87	-13	Pass	8000




**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2985
30	1000	0.1	RMS	839.999	-64.88	-13	Pass	9699
1000	1700	1	RMS	1700	-53	-13	Pass	700
1700	1790	1	RMS	1710.125	20.9	60	Pass	401
1790	3000	1	RMS	2946.956	-50.19	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.2	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.83	-13	Pass	8000




**19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.25	-13	Pass	401
0.15	30	0.01	RMS	0.22	-73.12	-13	Pass	2985
30	1000	0.1	RMS	837.799	-64.86	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.77	-13	Pass	700
1700	1790	1	RMS	1743.65	21.5	60	Pass	401
1790	3000	1	RMS	2951.96	-50.22	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.18	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.95	-13	Pass	8000




**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.07	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-13	Pass	2985
30	1000	0.1	RMS	836.999	-64.77	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.76	-13	Pass	700
1700	1790	1	RMS	1743.65	20.5	60	Pass	401
1790	3000	1	RMS	2944.955	-50.22	-13	Pass	1210
3000	12000	1	RMS	12000	-43.27	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.91	-13	Pass	8000




**19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.54	-13	Pass	2985
30	1000	0.1	RMS	849.2	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-53.71	-13	Pass	700
1700	1790	1	RMS	1777.175	21.47	60	Pass	401
1790	3000	1	RMS	2943.954	-50.14	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.14	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.86	-13	Pass	8000



**19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.95	-13	Pass	2985
30	1000	0.1	RMS	838.299	-64.91	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.81	-13	Pass	700
1700	1790	1	RMS	1777.175	20.49	60	Pass	401
1790	3000	1	RMS	2947.957	-50.21	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.25	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.95	-13	Pass	8000






**19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	Pass	2985
30	1000	0.1	RMS	834.998	-64.65	-13	Pass	9699
1000	1700	1	RMS	1700	-52.85	-13	Pass	700
1700	1790	1	RMS	1710.125	21.52	60	Pass	401
1790	3000	1	RMS	2952.961	-50.25	-13	Pass	1210
3000	12000	1	RMS	11988.986	-43.3	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.89	-13	Pass	8000




**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	Pass	2985
30	1000	0.1	RMS	836.098	-64.83	-13	Pass	9699
1000	1700	1	RMS	1700	-52.92	-13	Pass	700
1700	1790	1	RMS	1710.125	20.57	60	Pass	401
1790	3000	1	RMS	2946.956	-50.27	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.13	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.89	-13	Pass	8000




**19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.79	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.98	-13	Pass	2985
30	1000	0.1	RMS	841.399	-64.7	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.79	-13	Pass	700
1700	1790	1	RMS	1742.75	21.4	60	Pass	401
1790	3000	1	RMS	2947.957	-50.25	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.25	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.95	-13	Pass	8000




**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.8	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.85	-13	Pass	2985
30	1000	0.1	RMS	836.999	-64.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.79	-13	Pass	700
1700	1790	1	RMS	1742.75	20.56	60	Pass	401
1790	3000	1	RMS	2948.958	-50.27	-13	Pass	1210
3000	12000	1	RMS	12000	-43.2	-13	Pass	9000
12000	20000	1	RMS	19683.96	-34.96	-13	Pass	8000




**19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-13	Pass	2985
30	1000	0.1	RMS	848.9	-64.75	-13	Pass	9699
1000	1700	1	RMS	1700	-53.83	-13	Pass	700
1700	1790	1	RMS	1775.15	21.34	60	Pass	401
1790	3000	1	RMS	2946.956	-50.2	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.17	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.97	-13	Pass	8000




**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	Pass	2985
30	1000	0.1	RMS	847.4	-64.79	-13	Pass	9699
1000	1700	1	RMS	1700	-53.76	-13	Pass	700
1700	1790	1	RMS	1775.15	20.51	60	Pass	401
1790	3000	1	RMS	2945.955	-50.22	-13	Pass	1210
3000	12000	1	RMS	11991.99	-43.25	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.89	-13	Pass	8000




**19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.84	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.57	-13	Pass	2985
30	1000	0.1	RMS	842.599	-64.69	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.65	-13	Pass	700
1700	1790	1	RMS	1710.575	21.52	60	Pass	401
1790	3000	1	RMS	2951.96	-50.21	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.21	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.01	-13	Pass	8000



**19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.19	-13	Pass	2985
30	1000	0.1	RMS	841.399	-64.88	-13	Pass	9699
1000	1700	1	RMS	1692.99	-50.27	-13	Pass	700
1700	1790	1	RMS	1710.575	20.73	60	Pass	401
1790	3000	1	RMS	2947.957	-50.17	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.16	-13	Pass	9000
12000	20000	1	RMS	19677.96	-34.91	-13	Pass	8000






**19.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	Pass	2985
30	1000	0.1	RMS	836.498	-64.8	-13	Pass	9699
1000	1700	1	RMS	1700	-53.81	-13	Pass	700
1700	1790	1	RMS	1740.5	21.21	60	Pass	401
1790	3000	1	RMS	2947.957	-50.25	-13	Pass	1210
3000	12000	1	RMS	11994.994	-43.24	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35	-13	Pass	8000




**19.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.4	-13	Pass	2985
30	1000	0.1	RMS	941.322	-64.83	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.83	-13	Pass	700
1700	1790	1	RMS	1740.5	20.3	60	Pass	401
1790	3000	1	RMS	2947.957	-50.24	-13	Pass	1210
3000	12000	1	RMS	11992.991	-43.28	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.91	-13	Pass	8000




**19.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	Pass	2985
30	1000	0.1	RMS	829.398	-64.95	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.84	-13	Pass	700
1700	1790	1	RMS	1770.425	21.22	60	Pass	401
1790	3000	1	RMS	2946.956	-50.14	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.2	-13	Pass	9000
12000	20000	1	RMS	19682.96	-34.98	-13	Pass	8000




**19.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2985
30	1000	0.1	RMS	849.4	-64.79	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.81	-13	Pass	700
1700	1790	1	RMS	1770.425	20.42	60	Pass	401
1790	3000	1	RMS	2947.957	-50.28	-13	Pass	1210
3000	12000	1	RMS	12000	-43.25	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.88	-13	Pass	8000




**19.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,  
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.85	-13	Pass	2985
30	1000	0.1	RMS	840.899	-64.9	-13	Pass	9699
1000	1700	1	RMS	1697.997	-46.87	-13	Pass	700
1700	1790	1	RMS	1710.8	21.35	60	Pass	401
1790	3000	1	RMS	2945.955	-50.21	-13	Pass	1210
3000	12000	1	RMS	11995.995	-43.24	-13	Pass	9000
12000	20000	1	RMS	19676.96	-34.87	-13	Pass	8000




**19.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.7	-13	Pass	2985
30	1000	0.1	RMS	865.422	-64.85	-13	Pass	9699
1000	1700	1	RMS	1697.997	-46.93	-13	Pass	700
1700	1790	1	RMS	1710.8	20.52	60	Pass	401
1790	3000	1	RMS	2945.955	-50.27	-13	Pass	1210
3000	12000	1	RMS	12000	-43.14	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.01	-13	Pass	8000




**19.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	Pass	2985
30	1000	0.1	RMS	847.3	-64.68	-13	Pass	9699
1000	1700	1	RMS	1700	-53.83	-13	Pass	700
1700	1790	1	RMS	1738.25	21.2	60	Pass	401
1790	3000	1	RMS	2949.959	-50.26	-13	Pass	1210
3000	12000	1	RMS	11994.994	-43.19	-13	Pass	9000
12000	20000	1	RMS	19683.96	-34.93	-13	Pass	8000



**19.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.98	-13	Pass	2985
30	1000	0.1	RMS	852.004	-64.73	-13	Pass	9699
1000	1700	1	RMS	1700	-53.8	-13	Pass	700
1700	1790	1	RMS	1738.25	20.25	60	Pass	401
1790	3000	1	RMS	2945.955	-50.25	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.3	-13	Pass	9000
12000	20000	1	RMS	19682.96	-34.96	-13	Pass	8000






**19.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,  
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	Pass	2985
30	1000	0.1	RMS	846.3	-64.89	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.79	-13	Pass	700
1700	1790	1	RMS	1765.7	21.21	60	Pass	401
1790	3000	1	RMS	1792.002	-29.55	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.23	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.85	-13	Pass	8000




**19.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	Pass	2985
30	1000	0.1	RMS	849.4	-64.86	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.75	-13	Pass	700
1700	1790	1	RMS	1765.7	20.45	60	Pass	401
1790	3000	1	RMS	1792.002	-30.89	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.22	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.98	-13	Pass	8000




**19.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2985
30	1000	0.1	RMS	856.71	-64.77	-13	Pass	9699
1000	1700	1	RMS	1695.994	-48.56	-13	Pass	700
1700	1790	1	RMS	1711.025	21.34	60	Pass	401
1790	3000	1	RMS	2946.956	-50.22	-13	Pass	1210
3000	12000	1	RMS	12000	-43.26	-13	Pass	9000
12000	20000	1	RMS	19675.959	-34.92	-13	Pass	8000




**19.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.82	-13	Pass	2985
30	1000	0.1	RMS	864.62	-64.82	-13	Pass	9699
1000	1700	1	RMS	1700	-48.9	-13	Pass	700
1700	1790	1	RMS	1711.025	20.5	60	Pass	401
1790	3000	1	RMS	2951.96	-50.21	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.29	-13	Pass	9000
12000	20000	1	RMS	19683.96	-34.93	-13	Pass	8000




**19.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	Pass	2985
30	1000	0.1	RMS	851.904	-64.91	-13	Pass	9699
1000	1700	1	RMS	1700	-49.56	-13	Pass	700
1700	1790	1	RMS	1736	21.11	60	Pass	401
1790	3000	1	RMS	2945.955	-50.25	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.24	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.04	-13	Pass	8000




**19.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.2	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.48	-13	Pass	2985
30	1000	0.1	RMS	851.002	-64.78	-13	Pass	9699
1000	1700	1	RMS	1700	-51.21	-13	Pass	700
1700	1790	1	RMS	1736	20.16	60	Pass	401
1790	3000	1	RMS	2944.955	-50.24	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.14	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.82	-13	Pass	8000




**19.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,  
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.54	-13	Pass	2985
30	1000	0.1	RMS	843.499	-64.84	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.8	-13	Pass	700
1700	1790	1	RMS	1760.975	21.1	60	Pass	401
1790	3000	1	RMS	1797.006	-32.94	-13	Pass	1210
3000	12000	1	RMS	12000	-43.25	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.98	-13	Pass	8000



**19.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.77	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.71	-13	Pass	2985
30	1000	0.1	RMS	843.499	-64.83	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.78	-13	Pass	700
1700	1790	1	RMS	1760.975	20.07	60	Pass	401
1790	3000	1	RMS	1797.006	-34.35	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.18	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.96	-13	Pass	8000





END